

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505
<https://www.emnrd.nm.gov/ocd/ocd-e-permitting/>

Form C-147
Revised October 11, 2022

Recycling Facility and/or Recycling Containment

Type of Facility: ☒ Recycling Facility ☒ Recycling Containment*
Type of action: ☒ Permit ☐ Registration
☐ Modification ☒ Extension
☐ Closure ☐ Other (explain) _____

*** At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.**

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.

Operator: EOG Resources Inc. (For multiple operators attach page with information) OGRID #: 7377
 Address: 5509 Champions Drive Midland Texas 79706
 Facility or well name (include API# if associated with a well): South Red Hills Reuse Water Recycling and Containment Pit
 OCD Permit Number: 1RF-12 (For new facilities the permit number will be assigned by the district office)
 U/L or Qtr/Qtr M SW/SW Section 22 Township 26S Range 33E County: Lea
 Surface Owner: ☐ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.

☒ **Recycling Facility:**

Location of recycling facility (if applicable): Latitude 32deg 01' 19.38N Longitude 103 deg 34' 04.26W NAD83
 Proposed Use: ☐ Drilling* ☒ Completion* ☐ Production* ☐ Plugging*
**The re-use of produced water may NOT be used until fresh water zones are cased and cemented*
☐ Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*
☒ Fluid Storage
☒ Above ground tanks ☐ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type _____
☐ Activity permitted under 19.15.36 NMAC explain type: _____ ☐ Other explain _____
☐ For multiple or additional recycling containments, attach design and location information of each containment
☐ **Closure Report (required within 60 days of closure completion):** ☐ Recycling Facility Closure Completion Date: _____

3.

☒ **Recycling Containment:**

☒ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
 Center of Recycling Containment (if applicable): Latitude 32 deg 01' 19.59N Longitude 103 deg 33'58.09W NAD83
☐ For multiple or additional recycling containments, attach design and location information of each containment
☒ Lined ☒ Liner type: Thickness 60 mil ☐ LLDPE ☒ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
 Liner Seams: ☒ Welded ☐ Factory ☐ Other _____ Volume: 930,000 bbl Dimensions: L 530 x W 530 x D 15(inside)
☐ Recycling Containment Closure Completion Date: _____

4.

Bonding:

- ☒ Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)
- ☐ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)
- ☐ Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☒ Alternate. Please specify six foot chain link with 3 strand 45 degree barbed wire top

6.

Signs:

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

7.

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting**Ground water is less than 50 feet below the bottom of the Recycling Containment.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; written approval obtained from the municipality

☐ Yes ☒ No
☐ NA

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division

☐ Yes ☒ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map

☐ Yes ☒ No

Within a 100-year floodplain. FEMA map

☐ Yes ☒ No

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; aerial photo; satellite image

☐ Yes ☒ No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site

☐ Yes ☒ No

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- ☒ Design Plan - based upon the appropriate requirements.
- ☒ Operating and Maintenance Plan - based upon the appropriate requirements.
- ☒ Closure Plan - based upon the appropriate requirements.
- ☒ Site Specific Groundwater Data -
- ☒ Siting Criteria Compliance Demonstrations –
- ☒ **Certify that notice of the C-147 (only) has been sent to the surface owner(s)**

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Patricia Donald Title: Regulatory Specialist

Signature: Patricia Donald Date: 04/13/2023

e-mail address: patricia_donald@cogresources.com Telephone: 432-488-7684

11.

OCD Representative Signature: _____ **Approval Date:** _____

Title: _____ **OCD Permit Number:** _____

☐ OCD Conditions _____

☐ Additional OCD Conditions on Attachment



P.O. Box 2267, Midland, Texas 79702
Phone: (432) 848-9133

April 13, 2023

Ms. Victoria Venegas, Environmental Specialist
EMNRD- Oil Conservation Division
506 W. Texas Artesia, NM 88210

Re: EOG South Red Hills 1RF-12-0

Dear Ms. Venegas:

Thank you for allowing EOG to continue to promote water reuse in the State of New Mexico for our operations. EOG plans to continue active completion operations near this pit location into 2024. We would like to request an annual extension of the permit from 05/05/2023-05/05/2024.

Sincerely,

Patricia Donald

Patricia Donald
Regulatory Specialist



Forms Report

Forms Summary

Total Forms: 15

Form Date	Status	Form ID	Form Type	Application Name
03/27/2023	Completed	10402068	Reuse Pit Inspection - NM	iEnvironmental
03/20/2023	Completed	10396737	Reuse Pit Inspection - NM	iEnvironmental
03/14/2023	Completed	10396390	Reuse Pit Inspection - NM	iEnvironmental
03/14/2023	Completed	10354638	Reuse Pit Inspection - NM	iEnvironmental
02/28/2023	Completed	10329582	Reuse Pit Inspection - NM	iEnvironmental
02/21/2023	Completed	10319377	Reuse Pit Inspection - NM	iEnvironmental
02/14/2023	Completed	10306341	Reuse Pit Inspection - NM	iEnvironmental
02/13/2023	Completed	10297551	Reuse Pit Inspection - NM	iEnvironmental
02/06/2023	Completed	10272159	Reuse Pit Inspection - NM	iEnvironmental
01/23/2023	Completed	10247882	Reuse Pit Inspection - NM	iEnvironmental
01/16/2023	Completed	10235560	Reuse Pit Inspection - NM	iEnvironmental
01/10/2023	Completed	10215071	Reuse Pit Inspection - NM	iEnvironmental
01/02/2023	Completed	10200090	Reuse Pit Inspection - NM	iEnvironmental
02/13/2023	Completed	10297550	Reuse Pit Inspection Work Order	iEnvironmental
02/13/2023	Completed	10247881	Reuse Pit Inspection Work Order	iEnvironmental



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10402068

Scheduled

03/28/2023

Completed

03/27/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10396737

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

03/27/2023

Created By

Ivone Rodriguez

Created Date

03/20/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10396737

Scheduled

03/21/2023

Completed

03/20/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10396390

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

03/20/2023

Created By

Ivone Rodriguez

Created Date

03/15/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10396390

Scheduled

03/14/2023

Completed

03/14/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10354638

Comments

Missing a windsock (it's been ordered)

Last Modified By

Ivone Rodriguez

Created By

Ivone Rodriguez

Last Modified Date

03/15/2023

Created Date

03/14/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10354638

Scheduled

03/08/2023

Completed

03/14/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10329582

Comments

Missing a windsock it's been ordered.

Last Modified By

Ivone Rodriguez

Created By

Ivone Rodriguez

Last Modified Date

03/14/2023

Created Date

03/01/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10329582

Scheduled

03/01/2023

Completed

02/28/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10319377

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

03/01/2023

Created By

Ivone Rodriguez

Created Date

02/21/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10319377

Scheduled

02/22/2023

Completed

02/21/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10306341

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

02/21/2023

Created By

Ivone Rodriguez

Created Date

02/16/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10306341

Scheduled

02/15/2023

Completed

02/14/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10297551

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

02/16/2023

Created By

Ivone Rodriguez

Created Date

02/13/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property			Property ID
RH RATTLESNAKE REUSE PIT			074847000
Form Description			Form ID
			10297551
Scheduled	Completed		
02/08/2023	02/13/2023		
Status	Assigned Group	Assigned Member	Previous Form
Completed	NM - Water Reuse & Pipeline Team		10272159
Comments			

Last Modified By

Ivone Rodriguez

Last Modified Date

02/13/2023

Created By

Ivone Rodriguez

Created Date

02/06/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property			Property ID
RH RATTLESNAKE REUSE PIT			074847000
Form Description			Form ID
			10272159
Scheduled	Completed		
02/01/2023	02/06/2023		
Status	Assigned Group	Assigned Member	Previous Form
Completed	NM - Water Reuse & Pipeline Team		10247882
Comments			

Last Modified By

Ivone Rodriguez

Last Modified Date

02/06/2023

Created By

Ivone Rodriguez

Created Date

01/25/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

Yes

Repair Request:

Bird deterrent located SE back from pit sound it's too low at max volume. Battery good panel good.

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10247882

Scheduled

01/25/2023

Completed

01/23/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10235560

Comments

Liner needs to be power washed.

Last Modified By

Ivone Rodriguez

Created By

Ivone Rodriguez

Last Modified Date

01/25/2023

Created Date

01/16/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10235560

Scheduled

01/18/2023

Completed

01/16/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10215071

Comments

Liner needs cleaning (power wash)

Last Modified By

Ivone Rodriguez

Created By

Ivone Rodriguez

Last Modified Date

01/16/2023

Created Date

01/10/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

Yes

Repair Request:South East bird deterrent
sound its very low.**Berm or Line issue:**

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10215071

Scheduled

01/11/2023

Completed

01/10/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10200090

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

01/10/2023

Created By

Ivone Rodriguez

Created Date

01/03/2023

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection - NM

Property

RH RATTLESNAKE REUSE PIT

Property ID

074847000

Form Description**Form ID**

10200090

Scheduled

01/04/2023

Completed

01/02/2023

Status

Completed

Assigned GroupNM - Water Reuse & Pipeline
Team**Assigned Member****Previous Form**

10183474

Comments**Last Modified By**

Ivone Rodriguez

Last Modified Date

01/03/2023

Created By

Ivone Rodriguez

Created Date

12/28/2022

General

Visual inspection conducted:

Yes

Bird Deterrent Issue:

No

Berm or Line issue:

No

Fence Issues:

No

Is there a visible layer of oil on the surface of the recycling containment?:

No

Is there at least 3 feet of freeboard at the containment?:

Yes

Is leak detection system working properly?:

Yes

Attachments:



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection Work Order

Property		Property ID	
RH RATTLESNAKE REUSE PIT		074847000	
Form Description		Form ID	
		10297550	
Scheduled	Completed		
02/01/2023	02/13/2023		
Status	Assigned Group	Assigned Member	Associated Form
Completed	NM - Water Reuse & Pipeline Special Projects		10272159
Comments			Parent Form
			10272159

Last Modified By

Jorge Gutierrez

Created By

Ivone Rodriguez

Last Modified Date

02/13/2023

Created Date

02/06/2023

Repair

Failed Audit:	Repair Request:	Repair Description:
Bird Deterrent Issue	Bird deterrent located SE back from pit sound it's too low at max volume. Battery good panel good.	The rattlesnake bird deterrent speaker has now been replaced



Site ID: 33835

Site Name: RH RATTLESNAKE REUSE PIT

Reuse Pit Inspection Work Order

Property		Property ID	
RH RATTLESNAKE REUSE PIT		074847000	
Form Description		Form ID	
		10247881	
Scheduled	Completed		
01/18/2023	02/13/2023		
Status	Assigned Group	Assigned Member	Associated Form
Completed	NM - Water Reuse & Pipeline Special Projects		10235560
Comments			Parent Form
The speaker of the bird deterrent was replaced , working correctly			10235560

Last Modified By

Jorge Gutierrez

Last Modified Date

02/24/2023

Created By

Ivone Rodriguez

Created Date

01/16/2023

Repair

Failed Audit:	Repair Request:	Repair Description:
Bird Deterrent Issue	South East bird deterrent sound its very low.	New batteries ordered, waiting for them to arrive

Date	Visual inspection conducted:	Notes on Issue found (if any):
January	Y/N	
Week 1 :Jan 1-Jan 7	N/A	
Week 2:Jan 8-14	N/A	
Week 3: Jan 15-21	N/A	
Week 4: Jan 22-28	N/A	
February	Y/N	
Week 1: Jan 29-Feb 4	N/A	
Week 2:Feb 5-11	N/A	
Week 3:Feb 12-18	N/A	
Week 4: Feb 19-25	N/A	
March	Y/N	
Week 1: Feb26-March 4	N/A	
Week 2: Mar 5-11	N/A	
Week 3:Mar 12-18	N/A	
Week 4: Mar 19-25	N/A	
Week 5: Mar 26-April 1	N/A	
April	Y/N	
Week 1:April 2-8	N/A	
Week 2: April 9-15	N/A	
Week 3:April 16-22	N/A	
Week 4: April 23-29	N/A	
May	Y/N	
Week 1: April 30-May 6	N/A	
Week 2: May 7-13	N/A	
Week 3:May 14-20	N/A	
Week 4: May 21-27	N/A	
Week 5: May 28-June 3	N/A	
June	Y/N	
Week 1: Jun 4-10	N/A	
Week 2: Jun 11-17	N/A	
Week 3: Jun 18-24	N/A	
Week 4: Jun 25-Jul 1	N/A	
July	Y/N	
Week 1: Jul 2-8	N/A	
Week 2: Jul 9-15	N/A	
Week 3: Jul 16-22	N/A	
Week 4:Jul 23-29	N/A	
August	Y/N	
Week 1: Jul30-Aug 5	N/A	
Week 2: Aug 6-12	N/A	
Week 3:Aug 13-19	N/A	
Week 4:Aug 20-26	N/A	
Week 5: Aug 27-Sept 2	N/A	
September	Y/N	
Week 1: Sep 3-9	N	
Week 2: Sept 10-16	N	

Week 3: Sept 17-23	N	
Week 4: Sept 24-30	Y	
October	Y/N	
Week 1: Oct 1-7	N	
Week 2: Oct 8-14	N	
Week 3: Oct 15-21	N	
Week 4: Oct 22-28	Y	
Week 5: Oct 29-Nov 4	Y	
November	Y/N	
Week 1: Nov 5-11	Y	
Week 2: Nov 12-18	Y	
Week 3: Nov 19-25	N	
Week 4: Nov 26-Dec 2	Y	
December	Y/N	
Week 1: Dec 3-9	Y	
Week 2: Dec 10-16	Y	
Week 3: Dec 17-23	N	
Week 4: Dec 24-30	Y	

Date	Visual inspection conducted:	Notes on Issue found (if any):
January	Y/N	
Week 1: Dec 31- Jan 6	Y	
Week 2: Jan 7-13	Y	
Week 3: Jan 14-20	Y	
Week 4: Jan 21-27	Y	
February	Y/N	
Week 1: Jan 28-Feb 3	Y	
Week 2: Feb 4-10	Y	
Week 3: Feb 11-17	Y	
Week 4: Feb 18-24	Y	
March	Y/N	
Week 1: Feb 25- Mar 3	Y	
Week 2: Mar 4-10	Y	
Week 3: Mar 11-17	Y	
Week 4: Mar 18-24	Y	
Week 5: Mar 25-31	Y	
April	Y/N	
Week 1: April 1-7	Y	
Week 2: April 8-14	Y	
Week 3: April 15-21	Y	
Week 4: April 22-28	Y	
May	Y/N	
Week 1: April 29-May 5	Y	
Week 2: May 6--12	Y	
Week 3: May 13-19	Y	
Week 4: May 20-26	Y	
Week 5: May 27-June 2	Y	
June	Y/N	
Week 1: June 3-9	Y	
Week 2: June 10-16	Y	
Week 3: June 17-23	Y	
Week 4: June 24-30	Y	
July	Y/N	
Week 1: July 1-7	Y	
Week 2: July 8-14	Y	
Week 3: July 15-21	Y	
Week 4: July 22-28	Y	
August	Y/N	
Week 1: July 29-Aug4	Y	
Week 2: Aug 5-11	Y	
Week 3: Aug 12-18	Y	
Week 4: Aug 19-25	Y	
Week 5: Aug 26-Sept 1	Y	
September	Y/N	
Week 1: Sept 2-8	Y	
Week 2: Sept 9-15	Y	

Week 3: Sept 16-22	Y	
Week 4: Sept 23-29	Y	
October	Y/N	
Week 1: Sept 30-Oct 6	Y	
Week 2: Oct 7-13	Y	
Week 3: Oct 14-20	Y	
Week 4: Oct 21-27	Y	
Week 5: Oct 28-Nov 3	Y	
November	Y/N	
Week 1: Nov 4-10	Y	
Week 2: Nov 11-17	Y	
Week 3: Nov 18-24	Y	
Week 4: Nov 25- Dec 1	Y	
December	Y/N	
Week 1: Dec 2-8	Y	
Week 2: Dec 9-15	Y	
Week 3: Dec 16-22	Y	
Week 4: Dec 23-29	Y	

Date	Visual inspection conducted:	Notes on Issue found (if any):
January	Y/N	
Week 1: Dec 30- Jan 5	Y	
Week 2: Jan 6-12	Y	
Week 3: Jan 13-19	Y	
Week 4: Jan 20-26	Y	
February	Y/N	
Week 1: Jan 27-Feb 2	Y	
Week 2: Feb 3-9	Y	
Week 3: Feb 10-16	Y	
Week 4: Feb 17-23	Y	
March	Y/N	
Week 1: Feb 24- Mar 2	Y	
Week 2: Mar 3-9	Y	
Week 3: Mar 10-16	Y	
Week 4: Mar 17-23	Y	
Week 5: Mar 24-30	Y	
April	Y/N	
Week 1: March 31-April 6	Y	
Week 2: April 7-13	Y	
Week 3: April 14-20	Y	
Week 4: april 21-27	Y	
May	Y/N	
Week 1: April 28-May 4	Y	
Week 2: May 5-11	Y	
Week 3: May 12-18	Y	
Week 4: May 19-25	Y	
Week 5: May 26-June 1	Y	
June	Y/N	
Week 1: June 2-8	Y	
Week 2: June 9-15	Y	
Week 3: June 16-22	Y	
Week 4: June 23-29	Y	
July	Y/N	
Week 1: June 30-July 6	Y	
Week 2: July 7-13	Y	
Week 3: July 14-20	Y	
Week 4: July 21-27	Y	
August	Y/N	
Week 1: July 28-Aug 3	Y	
Week 2: Aug 4-10	Y	
Week 3: Aug 11-17	Y	
Week 4: Aug 18-24	Y	
Week 5: Aug 25-Aug 31	Y	
September	Y/N	
Week 1: Sept 1-7	Y	
Week 2: Sept 8-14	Y	

Week 3: Sept 15-21	Y	
Week 4: Sept 22-28	Y	
October	Y/N	
Week 1: Sept 29-Oct 5	Y	
Week 2: Oct 6-12	Y	
Week 3: Oct 13-19	Y	
Week 4: Oct 20-26	Y	
Week 5: Oct 27-Nov 2	Y	
November	Y/N	
Week 1: Nov 3-9	Y	
Week 2: Nov 10-16	Y	
Week 3: Nov 17-23	Y	
Week 4: Nov 24- Nov 30	Y	
December	Y/N	
Week 1: Dec 1-Dec 7	Y	
Week 2: Dec 8-14	Y	
Week 3: Dec 15-21	Y	
Week 4: Dec 22-28	Y	

Date	Visual inspection conducted:	Notes on Issue found (if any):
January	Y/N	
Week 1: Dec 29- Jan 4	Y	
Week 2: Jan 5-11	Y	
Week 3: Jan 12-18	Y	
Week 4: Jan 19-25	Y	
February	Y/N	
Week 1: Jan 26-Feb 1	Y	
Week 2: Feb 2-8	Y	
Week 3: Feb 9-15	Y	
Week 4: Feb 16-22	Y	
Week 5: Feb 23- Feb 29	Y	
March	Y/N	
Week 1: Mar 1-7	Y	
Week 2: Mar 8-14	Y	
Week 3: Mar 15-21	Y	
Week 4: Mar 22-28	Y	
April	Y/N	
Week 1: March 29-April 4	Y	
Week 2: April 5-11	Y	
Week 3: April 12-18	Y	
Week 4: april 19-25	Y	
Week 5: April 26-May 2	Y	
May	Y/N	
Week 1: May 3-9	Y	
Week 2: May 10-16	Y	
Week 3: May 17-23	Y	
Week 4: May 24-30	Y	
June	Y/N	
Week 1: May 31-Jun 6	Y	
Week 2: June 7-13	Y	
Week 3: June 14-20	Y	
Week 4: June 21-27	Y	
Week 5: June 28- Jul 4	Y	
July	Y/N	
Week 1: July 5-July 11	Y	
Week 2: July 12-18	Y	
Week 3: July 19-25	Y	
Week 4: July 26-Aug 1	Y	
August	Y/N	
Week 1: Aug 2-Aug 8	Y	
Week 2: Aug 9-15	Y	
Week 3: Aug 16-22	Y	
Week 4: Aug 23-29	N	
Week 5: Aug 30-Sept 5	Y	
September	Y/N	
Week 1: Sept 6-12	Y	

Week 2: Sept 13-19	Y	
Week 3: Sept 20-26	Y	
Week 4: Sept 27-Oct 3	Y	
October	Y/N	
Week 1: Oct 4-Oct 10	Y	
Week 2: Oct 11-17	N	
Week 3: Oct 18-24	Y	
Week 4: Oct 25-31	Y	
November	Y/N	
Week 1: Nov 1-7	Y	
Week 2: Nov 8-14	Y	
Week 3: Nov 15-21	N	
Week 4: Nov 22- Nov 28	Y	
December	Y/N	
Week 1: Nov 29-Dec 5	Y	
Week 2: Dec 6-12	Y	
Week 3: Dec 13-19	Y	
Week 4: Dec 20-26	Y	

Date	Visual inspection conducted:	Notes on Issue found (if any):
January	Y/N	
Week 1: Dec 27- Jan 2	Y	
Week 2: Jan 3-9	Y	
Week 3: Jan 10-16	Y	
Week 4: Jan 17-23	Y	
Week 5: Jan 24-30	Y	
February	Y/N	
Week 1: Jan 31-Feb 6	Y	
Week 2: Feb 7-13	Y	
Week 3: Feb 14-20	Y	
Week 4: Feb 21-27	Y	
Week 5: Feb 28- March 6	Y	
March	Y/N	
Week 1: Mar 7-13	Y	
Week 2: Mar 14-20	N	
Week 3: Mar 21-27	Y	
Week 4: Mar 28-April 3	Y	
April	Y/N	
Week 1: April 4-10	Y	
Week 2: April 11-17	N	
Week 3: April 18-24	Y	
Week 4: April 25-May1	Y	
May	Y/N	
Week 1: May 2-8	Y	
Week 2: May 9-15	Y	
Week 3: May 16-22	Y	
Week 4: May 23-29	Y	
June	Y/N	
Week 1: May 30-Jun 5	Y	
Week 2: June 6-12	Y	
Week 3: June 13-19	Y	
Week 4: June 20-26	Y	
Week 5: June 27- Jul 3	Y	
July	Y/N	
Week 1: July 4-July 10	Y	
Week 2: July 11-17	Y	
Week 3: July 18-24	Y	
Week 4: July 25-July 31	Y	
August	Y/N	
Week 1: Aug 1-7	Y	
Week 2: Aug 8-14	Y	
Week 3: Aug 15-21	N	
Week 4: Aug 22-28	N	
Week 5: Aug 29-Sept 4	Y	
September	Y/N	
Week 1: Sept 5-11	N	

Week 2: Sept 12-18	Y	
Week 3: Sept 19-25	Y	
Week 4: Sept 26-Oct 2	N	
October	Y/N	
Week 1: Oct 3-Oct 9	N	
Week 2: Oct 10-16	Y	
Week 3: Oct 17-23	N	
Week 4: Oct 24-30	Y	
November	Y/N	
Week 1: Oct 31-Nov 6	Y	
Week 2: Nov 7-13	N	
Week 3: Nov 14-20	Y	
Week 4: Nov 21- Nov 27	Y	
December	Y/N	
Week 1: Nov 28-Dec 4	N	
Week 2: Dec 5-11	N	
Week 3: Dec 12-18	Y	
Week 4: Dec 19-25	Y	
Week 5: Dec 26-Jan 1	N	

Week Starting Date	Visual inspection conducted:
1/2/2022	Y
1/9/2022	N
1/16/2022	Y
1/23/2022	Y
1/30/2022	Y
2/6/2022	Y
2/13/2022	N
2/20/2022	Y
2/27/2022	N
3/6/2022	Y
3/13/2022	N
3/20/2022	Y
3/27/2022	N
4/3/2022	Y
4/10/2022	Y
4/17/2022	Y
4/24/2022	Y
5/1/2022	Y
5/8/2022	Y
5/15/2022	Y
5/22/2022	N
5/29/2022	Y
6/5/2022	Y
6/12/2022	Y
6/19/2022	Y
6/26/2022	Y
7/3/2022	Y
7/10/2022	Y
7/17/2022	Y
7/24/2022	Y
7/31/2022	Y
8/7/2022	Y
8/14/2022	Y
8/21/2022	Y
8/28/2022	Y
9/4/2022	Y
9/11/2022	Y
9/18/2022	Y
9/25/2022	Y
10/2/2022	Y
10/9/2022	Y
10/16/2022	Y
10/23/2022	Y
10/30/2022	Y
11/6/2022	Y
11/13/2022	Y

11/20/2022	Y
11/27/2022	Y
12/4/2022	

[illegible]

Need to change bird deterrants batteries (very low sound on max volume).
Need to change bird deterrants batteries (very low sound on max volume).

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Wednesday, April 26, 2023 10:48 AM
To: Patricia Donald
Subject: 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429]
Attachments: C-147 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit 04.26.2023.pdf

1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249].

Good afternoon Ms. Donald,

NMOCD has reviewed the permit annual extension request for 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249], received from EOG RESOURCES INC [7377] on 04/13/2023 Application ID 207348. The registration/permit extension request is approved with the following conditions of approval:

- The 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of May 5, 2023. The new registration/permit expiration date is May 5, 2024.
- EOG RESOURCES INC [7377] will continue to operate, maintain, and close the 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- EOG RESOURCES INC [7377] will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. EOG RESOURCES INC [7377] may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to [OCD Online](#). An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form through [OCD Online](#). However, **if after that 6-month period, the containment was not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.**
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249] is limited to wells owned or operated by EOG RESOURCES INC [7377].
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- EOG RESOURCES INC [7377] will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249]. EOG RESOURCES INC [7377] will comply with all other OCD rules.
- EOG RESOURCES INC [7377] must perform weekly inspections of the containment and leak detection system.
- If EOG RESOURCES INC [7377] wishes to extend the registration/permit past May 5, 2024, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through the [OCD Online](#) system on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than April 5, 2024.

Please let me know if you have any additional questions.
Regards,

Victoria Venegas • Environmental Specialist
Environmental Bureau
EMNRD - Oil Conservation Division
(575) 909-0269 | Victoria.Venegas@emnrd.nm.gov
<https://www.emnrd.nm.gov/oed/>



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 207348

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 207348
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	• The 1RF-12 - South Red Hills Reuse Water Facility and Containment Pit Facility ID [fTO1716429249] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of May 5, 2023. The new registration/permit expiration date is May 5, 2024. • If EOG RESOURCES INC [7377] wishes to extend the registration/permit past May 5, 2024, a registration/permit extension request must be submitted to OCD no later than April 5, 2024.	4/26/2023