

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-147  
Revised April 3, 2017

## Recycling Facility and/or Recycling Containment

**Type of Facility:** ☒ Recycling Facility ☒ Recycling Containment\*

**Type of action:** ☐ Permit ☐ Registration  
☐ Modification ☒ Extension Annual Extension: 5/9/2023-5/9/2024  
☐ Closure ☐ Other (explain) \_\_\_\_\_

\* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: Oxy USA, Inc. (For multiple operators attach page with information) OGRID #: 16696  
Address: 1600 Gehrig Drive, Midland TX, 79706  
Facility or well name (include API# if associated with a well): Turkey Track Recycling Facility and Containments  
OCD Permit Number: 2RF-111 (For new facilities the permit number will be assigned by the district office)  
U/L or Qtr/Qtr C Section 8 Township 19S Range 29E County: Eddy  
Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.  
☒ **Recycling Facility:**  
Location of recycling facility (if applicable): Latitude 32.680043 Longitude -104.097398 NAD83  
Proposed Use: ☒ Drilling\* ☒ Completion\* ☐ Production\* ☐ Plugging \*  
*\*The re-use of produced water may NOT be used until fresh water zones are cased and cemented*  
☐ Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*  
☒ Fluid Storage  
☒ Above ground tanks ☒ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type \_\_\_\_\_  
☐ Activity permitted under 19.15.36 NMAC explain type: \_\_\_\_\_ ☐ Other explain \_\_\_\_\_  
☐ For multiple or additional recycling containments, attach design and location information of each containment  
☐ **Closure Report (required within 60 days of closure completion):** ☐ Recycling Facility Closure Completion Date: \_\_\_\_\_

3.  
☒ **Recycling Containment:** Turkey Track - South Containment (2RF-111)  
☒ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)  
Center of Recycling Containment (if applicable): Latitude 32.677815 Longitude -104.097039 NAD83  
☐ For multiple or additional recycling containments, attach design and location information of each containment  
☒ Lined ☒ Liner type: Thickness 60 mil ☐ LLDPE ☒ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
☐ String-Reinforced  
Liner Seams: ☒ Welded ☐ Factory ☐ Other \_\_\_\_\_ Volume: 250,000 bbl Dimensions: L 350' x W 416' x D 16'  
☐ Recycling Containment Closure Completion Date: \_\_\_\_\_

4.

**Bonding:**

- ☒ Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)
- ☐ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ \_\_\_\_\_ (work on these facilities cannot commence until bonding amounts are approved)
- ☐ Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

**Fencing:**

- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☒ Alternate. Please specify 6 ft chain-link with barbed wire top strand

6.

**Signs:**

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

7.

**Variances:**

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

***Check the below box only if a variance is requested:***

☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

**If a Variance is requested, it must be approved prior to implementation.**

8.

**Siting Criteria for Recycling Containment**

**Instructions:** The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

**General siting****Ground water is less than 50 feet below the bottom of the Recycling Containment.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No  
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

☐ Yes ☒ No  
☐ NA

- Written confirmation or verification from the municipality; written approval obtained from the municipality

Within the area overlying a subsurface mine.

☐ Yes ☒ No

- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division

Within an unstable area.

☐ Yes ☒ No

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map

Within a 100-year floodplain. FEMA map

☐ Yes ☒ No

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

☐ Yes ☒ No

- Topographic map; visual inspection (certification) of the proposed site

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

☐ Yes ☒ No

- Visual inspection (certification) of the proposed site; aerial photo; satellite image

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

☐ Yes ☒ No

- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site

Within 500 feet of a wetland.

☐ Yes ☒ No

- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site

9.

**Recycling Facility and/or Containment Checklist:**

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- ☒ Design Plan - based upon the appropriate requirements.
- ☒ Operating and Maintenance Plan - based upon the appropriate requirements.
- ☒ Closure Plan - based upon the appropriate requirements.
- ☒ Site Specific Groundwater Data -
- ☒ Siting Criteria Compliance Demonstrations -
- ☒ Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

**Operator Application Certification:**

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Justin SteinmannTitle: Environmental Advisor

Signature: \_\_\_\_\_

Date: 05/03/2023e-mail address: justin\_steinmann@oxy.comTelephone: 713-350-4633

11.

OCD Representative Signature: Victoria VenegasApproval Date: 05/16/2023Title: Environmental SpecialistOCD Permit Number: 2RF-111☒ OCD Conditions \_\_\_\_\_☒ Additional OCD Conditions on Attachment

- 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [FMLB1723341553] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of May 9, 2023. The new registration/permit expiration date is May 9, 2024. **HOWEVER, IF BY AUGUST 1, 2023 - WHEN THE EXTENSION OF THE CESSATION OF OPERATIONS EXPIRES- 2RF-111 - TURKEY TRACK RECYCLING FACILITY AND CONTAINMENT SOUTH, FACILITY ID [FMLB1723341553] HAS NOT BEEN USED AT THE REQUIRED 20% OF CAPACITY, THIS ANNUAL EXTENSION WILL BE REVOKED AND OXY USA INC [16696] WILL BE DIRECT TO REMOVE ALL FLUIDS AND PROCEED WITH THE CLOSURE OF THE CONTAINMENT.**

**Venegas, Victoria, EMNRD**

---

**From:** Venegas, Victoria, EMNRD  
**Sent:** Tuesday, May 16, 2023 2:29 PM  
**To:** Prentice, Adrienne (L&C Safety Inc); Steinmann, Justin (Arcadis US Inc)  
**Subject:** 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [fMLB1723341553]. Annual Extension.  
**Attachments:** C-147 - 2RF-111 - Turkey Track Recycling Facility ID [fMLB1723341553] Annual Extension 05.16.2023.pdf

**2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [fMLB1723341553]. Annual Extension.**

Good afternoon,

NMOCD has reviewed the determination of registration/permit extension request for 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [fMLB1723341553] received from OXY USA INC [16696] on May 3, 2023. The registration/permit extension request is approved with the following conditions of approval:


- 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [fMLB1723341553] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of May 9, 2023. The new registration/permit expiration date is May 9, 2024. **HOWEVER, IF BY AUGUST 1, 2023 -WHEN THE EXTENSION OF THE CESSATION OF OPERATIONS EXPIRES- 2RF-111 - TURKEY TRACK RECYCLING FACILITY AND CONTAINMENT SOUTH, FACILITY ID [FMLB1723341553] HAS NOT BEEN USED AT THE REQUIRED 20% OF CAPACITY, THIS ANNUAL EXTENSION WILL BE REVOKED AND OXY USA INC [16696] WILL BE DIRECT TO REMOVE ALL FLUIDS AND PROCEED WITH THE CLOSURE OF THE CONTAINMENT.**
- OXY USA INC [16696] will continue to operate, maintain, and close the 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [fMLB1723341553] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- OXY USA INC [16696] will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. OXY USA INC [16696] may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically form through the [OCD Online](#). An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form via [OCD Online](#).
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [fMLB1723341553] is limited to wells owned or operated by OXY USA INC [16696].
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- OXY USA INC [16696] will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-111 - Turkey Track Recycling Facility and Containment South Facility ID [fMLB1723341553]. OXY USA INC [16696] will comply with all other OCD rules.
- OXY USA INC [16696] must perform weekly inspections of the containment and leak detection system.
- If OXY USA INC [16696] wishes to extend the registration/permit past the May 9, 2024, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year.



Additional requests must be submitted to OCD through the [OCD Online](#) Permitting on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period



inspection reports and the copies of the detailed inspection records for the prior permit period (May 2023/May 2024). The extension request should be submitted no later than April 9, 2024.

**Victoria Venegas** • Environmental Specialist  
Environmental Bureau  
EMNRD - Oil Conservation Division  
(575) 909-0269 | [Victoria.Venegas@emnrd.nm.gov](mailto:Victoria.Venegas@emnrd.nm.gov)  
<https://www.emnrd.nm.gov/oed/>








		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes <i>Jessica Barnes</i>				<b>Date/Time:</b> 1-29-18 1100
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			<del>NO</del> <del>NO</del>
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barrios				<b>Date/Time:</b> 2-28-18 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barrios				<b>Date/Time:</b> 3-28-18 1600
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				





	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES <i>Jessica Barnes</i>				<b>Date/Time:</b> 4-25-18 1000
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good		
Are the sources and disposition of all recycled water recorded?	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barrios				<b>Date/Time:</b> 5-30-18 1100
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barrios				<b>Date/Time:</b> 6-27-18 1000
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good		
Are the sources and disposition of all recycled water recorded?	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES <i>Jessica Barnes</i>			<b>Date/Time:</b> 7-26-18 1106	
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			<i>120 120</i>
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-116 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barrios				<b>Date/Time:</b> 8-2-18 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			✗ ✗
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barais <i>Jessica Barais</i>			<b>Date/Time:</b> 9-28-18 1000	
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			✗ ✗
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 10-31-18 1000
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				



	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 11-28-18 1100
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring				
** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				






		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes			<b>Date/Time:</b> 12-26-18 0800	
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			[initials]
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barrios <i>Jessica Barrios</i>			<b>Date/Time:</b> 1-30-19 8:00	
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 2-27-19 8:00
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 3-29-19 1000
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 4-24-19 1000
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES <i>Jessica Barnes</i>			<b>Date/Time:</b> 5-28-19 1100	
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			<del>120</del> 120
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track			
<b>Inspected by (name and signature):</b> JESSICA BARAIS <i>Jessica Barais</i>			<b>Date/Time:</b> 6-26-19 1600
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b> <b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good	
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good	
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good	
Are the sources and disposition of all recycled water recorded?**	yes	Good	
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>			
<b>Additional Comments (including any equipment not checked off):</b>			



	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 7-31-19 1100
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES				<b>Date/Time:</b> 8-21-19 1100
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES <i>Jessica Barnes</i>			<b>Date/Time:</b> 9-18-19 1060	
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARANS <i>Jessica Barans</i>			<b>Date/Time:</b> 10-30-19 1100	
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNAIS <i>Jessica Barnais</i>				<b>Date/Time:</b> 11-27-19 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				


	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track			
<b>Inspected by (name and signature):</b> JESSICA BARNES			<b>Date/Time:</b> 12-25-19 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		Comments
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good	
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good	
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good	
Are the sources and disposition of all recycled water recorded?	yes	Good	
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>			
<b>Additional Comments (including any equipment not checked off):</b>			


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARAN			<b>Date/Time:</b> 1-29-20 1600	
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				



	<h2 style="text-align: center;">Monthly Inspection Report</h2>		
<b>Treated Water Containment / Pond</b>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track			
<b>Inspected by (name and signature):</b> Jessica Barnes			<b>Date/Time:</b> 2-19-20 1100
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		Comments
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good	
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good	
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good	
Are the sources and disposition of all recycled water recorded?**	yes	Good	
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring			
** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148			
<b>Additional Comments (including any equipment not checked off):</b>			



	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 3-18-24 1000
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				






		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes			<b>Date/Time:</b> 4-29-23 10:00	
<b>Review of Prior Corrections</b>		<b>Yes</b>	<b>No</b>	<b>N/A</b>
Have all identified issues from the previous facility inspection report been corrected and noted?		<input checked="" type="checkbox"/>		<input type="checkbox"/>
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition?</b> (Good / Needs Repairs)	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				



		<h2 style="text-align: center;">Monthly Inspection Report</h2>		
Treated Water Containment / Pond				
Work Order No: ID# 2 RF-111 South Pond Turkey Track				
Inspected by (name and signature): Jessica Barnes				Date/Time: 5-26-20
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?		✓		100
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	Have Leak in Pond, Start emptying to find Leak			



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes			<b>Date/Time:</b> 6-29-20 1000	
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?		✓		
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good		
Are the sources and disposition of all recycled water recorded?	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>		still have leak, doing to find leak		

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 7-22-20 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?		✓		
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?***	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>	still looking for leak			



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 8-19-20 0800
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?		✓		
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good		
Are the sources and disposition of all recycled water recorded?	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>	still looking for leak			




		<h2 style="text-align: center;">Monthly Inspection Report</h2>		
Treated Water Containment / Pond				
Work Order No: ID# 2 RF-111 South Pond Turkey Track				
Inspected by (name and signature): JESSICA BARNES				Date/Time: 9-30-2010
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?		✓		☐ ☐
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	found Leaking waiting on Repairs			


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 10-14-20 0900
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>	Leak Repaired on Liner			




		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes <i>Jessica Barnes</i>				<b>Date/Time:</b> 11-25-20 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?*	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				





		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes			<b>Date/Time:</b> 12-3-20 1000	
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111, South Pond Turkey Track			
<b>Inspected by (name and signature):</b> JESSICA BARNES <i>[Signature]</i>			<b>Date/Time:</b> 1-27-21 10:00
<b>Review of Prior Corrections</b>	Yes	No	N/A
Have all identified issues from the previous facility inspection report been corrected and noted?			
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good	
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good	
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good	
Are the sources and disposition of all recycled water recorded?	yes	Good	
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>			
<b>Additional Comments (including any equipment not checked off):</b>			




	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES				<b>Date/Time:</b> 2-24-21 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			[initials]
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 5-31-21 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 4-21-21 100%
<b>Review of Prior Corrections</b>		<b>Yes</b>	<b>No</b>	<b>N/A</b>
Have all identified issues from the previous facility inspection report been corrected and noted?		✓		Comments
<b>Equipment Description</b>		<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)		yes	Good	
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).		yes	Good	
Are there any dead migratory birds and other wildlife inside pond/treated water?*		NO	Good	
Are the sources and disposition of all recycled water recorded?**		yes	Good	
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				




		<h2 style="text-align: center;">Monthly Inspection Report</h2>		
Treated Water Containment / Pond				
Work Order No: ID# 2 RF-111 South Pond Turkey Track				
Inspected by (name and signature): Jessica Barnes				Date/Time: 5-26-21 1000
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			✗ ✗
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):				



	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track			
<b>Inspected by (name and signature):</b> Jessica Barais <i>Jessica Barais</i>			<b>Date/Time:</b> 6-30-21 1100
<b>Review of Prior Corrections</b>	Yes	No	N/A
Have all identified issues from the previous facility inspection report been corrected and noted?			
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good	
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good	
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good	
Are the sources and disposition of all recycled water recorded?**	yes	Good	
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>			
<b>Additional Comments (including any equipment not checked off):</b>			




	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barais				<b>Date/Time:</b> 7-28-21 1100
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	Good		
Are the sources and disposition of all recycled water recorded?	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				





		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes				<b>Date/Time:</b> 8-25-21 1000
<b>Review of Prior Corrections</b>	Yes	No	N/A	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				


	<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>			
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> JESSICA BARNES <i>Jessica Barnes</i>				<b>Date/Time:</b> 9-22-21 1100
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?				
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?***	yes	Good		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring				
** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>				


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
<b>Work Order No:</b> ID# 2 RF-111 South Pond Turkey Track				
<b>Inspected by (name and signature):</b> Jessica Barnes <i>Jessica Barnes</i>				<b>Date/Time:</b> 10-27-21 0800
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded? **	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>				

		<h2 style="text-align: center;">Monthly Inspection Report</h2>		
Treated Water Containment / Pond				
Work Order No: ID# 2 RF-111 South Pond Turkey Track				
Inspected by (name and signature): Jessica Barnes <i>Jessica Barnes</i>				Date/Time: 11-17-21 1100
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			 
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?***	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):				


		<h2 style="text-align: center;">Monthly Inspection Report</h2>		
Treated Water Containment / Pond				
Work Order No: ID# 2 RF-111 South Pond Turkey Track				
Inspected by (name and signature): Jessica Barnes			Date/Time: 12-22-21 0800	
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	✓			✗ ✗
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	yes	Good		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	yes	Good		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	Good		
Are the sources and disposition of all recycled water recorded?**	yes	Good		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):				


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:		Turkey Track		
Inspected by (name and signature):		Jeromy Hicks <i>Jeromy Hicks</i>		Date/Time: January 2022
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?			✓	
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	Y	G		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	Y	G		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	N			
Are the sources and disposition of all recycled water recorded?**	Y			
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	2RF-111 Turkey Track South Containment			

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:		Turkey Track		
Inspected by (name and signature):		Jeromy Hicks <i>Jeromy Hicks</i>		Date/Time: February 2022
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?			✓	
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	Y	G		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	Y	G		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	N			
Are the sources and disposition of all recycled water recorded?**	Y			
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):		2RF-111 Turkey Track South Containment		


		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:		Turkey Track		
Inspected by (name and signature):		Jeromy Hicks <i>Jeromy Hicks</i>		Date/Time: March 2022
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?			✓	
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	Y	G		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	Y	G		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	N			
Are the sources and disposition of all recycled water recorded?**	Y			
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):		2RF-111 Turkey Track South Containment		



		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:		Turkey Track		
Inspected by (name and signature):		Jeromy Hicks <i>Jeromy Hicks</i>		Date/Time: April 2022
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?			✓	
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	Y	G		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	Y	G		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	N			
Are the sources and disposition of all recycled water recorded?**	Y			
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):		2RF-111 Turkey Track South Containment		

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): JESSICA FRANKLIN				Date/Time: 5-2022
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?**	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-110			

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:		Turkey Track		
Inspected by (name and signature):		Jeromy Hicks <i>Jeromy Hicks</i>		Date/Time: 6/8/22
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?			✓	
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	Y	G		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	Y	G		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	N			
Are the sources and disposition of all recycled water recorded?**	Y			
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):		2RF-111 Turkey Track South Containment		

		<h2 style="text-align: center;">Monthly Inspection Report</h2> <p style="text-align: center;">Treated Water Containment / Pond</p>		
Work Order No:		Turkey Track		
Inspected by (name and signature):		Jeromy Hicks	Date/Time: 6/8/22	
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?			✓	
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	Y	G		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	Y	G		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	N			
Are the sources and disposition of all recycled water recorded?**	Y			
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):		2RF-111 Turkey Track South Containment		



Oxy USA Inc.  
1600 Gehrig Drive  
Midland, TX 79706

State of New Mexico  
Energy, Minerals, and Natural Resources Department  
Oil Conservation Division, District II  
811 S. First St.  
Artesia, NM 88210

May 3, 2023

**Re: Turkey Track Recycling Facility and Containment (2RF-111) C-147 Annual Registration Extension**

To Whom It May Concern,

Oxy USA Inc. submits the enclosed C-147 form and summary of monthly containment and leak detection inspections for the Turkey Track Recycling Facility and south containment (2RF-111). In accordance with *NMAC 19.15.34.10 Recycling Containments*, Oxy USA Inc. requests a one-year registration extension, valid from May 9<sup>th</sup>, 2023 through May 9<sup>th</sup>, 2024 for the Turkey Track Recycling Facility and south recycling containment (2RF-111).

Included with this submittal is a summary of the monthly inspections, including the monitoring of the leak detection system, showing the containment's integrity has not been compromised, from when the facility was constructed, to the present. For original site plans and supporting documents, please refer to the facility's original registration application.

On May 2, 2023, Oxy USA, Inc. submitted a cessation of operations extension notice, Action ID 212604.

Should you have any questions or require additional information, please contact me at your convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Justin Steinmann".

**Justin Steinmann**  
ENVIRONMENTAL ADVISOR  
OXY USA INC.

✉ justin\_steinmann@oxy.com

☎ (713) 350-4633

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 213358

**CONDITIONS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 213358
	Action Type: [C-147] Water Recycle Long (C-147L)

**CONDITIONS**

Created By	Condition	Condition Date
vvenegas	• 2RF-111 - Turkey Track Recycling Facility and Containment South, Facility ID [FMLB1723341553] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of May 9, 2023. The new registration/permit expiration date is May 9, 2024. HOWEVER, IF BY AUGUST 1, 2023 -WHEN THE EXTENSION OF THE CESSATION OF OPERATIONS EXPIRES- 2RF-111 - TURKEY TRACK RECYCLING FACILITY AND CONTAINMENT SOUTH, FACILITY ID [FMLB1723341553] HAS NOT BEEN USED AT THE REQUIRED 20% OF CAPACITY, THIS ANNUAL EXTENSION WILL BE REVOKED AND OXY USA INC [16696] WILL BE DIRECT TO REMOVE ALL FLUIDS AND PROCEED WITH THE CLOSURE OF THE CONTAINMENT.	5/16/2023