State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147 Revised October 11, 2022

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Type of Facility:   Permit   Recycling Facility   Registration   Registration   Modification   Difference   Registration   Registration   Registration   Registration   Difference   Registration   Difference   Diff	Recycling Facility and/or Recycling Containment			
Type of action:   Permit   Registration   Extension   Modification   Closure   Modification   Closure   Modification   Closure   Modification   Closure   Modification   Closure   Modification   T/31/24-7/31/25   T/31/24-7/31/25    At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner. It is advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment of oceas approval circleve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance of closure and containment closed containment of the surface water, ground water or the environment of the surface water and unbority's rules, regulations or ordinance and containment closure and unbority's rules, regulations or ordinance and authority's rules, regulations or ordinance. In the surface water water water for environment closed with a well):   Bebop Containment East Facility   Address: 4801 Business Park, Hobbs, NM, 88241   Facility or well name (include API# if associated with a well):   Bebop Containment East Facility   CODP Permit Number: 2RF-113   (For new facilities the permit number will be assigned by the district office)   U/L or Qir/Qir   MVNIW   Section 36   Township 25S   Range 31E   County:   Eddy   Surface Owner:   Federal   State   Private   Tribal Trust or Indian Allotment   Longitude   NAD83   Proposed Use:   Drilling*   Completion*   Production*   Plugging *  **The re-use of produced water may NOT be used until fresh water zones are cased and cemented   Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.    Fluid Storage   Above ground tanks   Recycli				
Closure   Other (explain) Annual Extension   7/31/24-7/31/25   At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner. The advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment for does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.    Company	Type of action: Permit Registration			
At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.   le advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment.   or does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.   Toperator: Mewbourne Oil Company	☐ Modification ☐ Extension ☐ Closure ☐ Other (explain) Annual Extension			
the advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.    Operators: Mewbourne Oil Company	1/31/24-1/31/25			
Corporator: Mewbourne Oil Company				
Operator: Mewbourne Oil Company (For multiple operators attach page with information) OGRID #:_14744  Address: 4801 Business Park, Hobbs, NM, 88241  Facility or well name (include API# if associated with a well): Bebop Containment East Facility  OCD Permit Number: 2RF-113 (For new facilities the permit number will be assigned by the district office)  U/L or Qre/Qr NVNNW Section 36 Township 2SS Range 31E County: Eddy  Surface Owner:   Federal   State   Private   Tribal Trust or Indian Allotment    Recveling Facility:   Location of recycling facility (if applicable): Latitude	Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
Facility or well name (include API# if associated with a well): Bebop Containment East Facility  OCD Permit Number: 2RF-113	Operator: Mewbourne Oil Company (For multiple operators attach page with information) OGRID #: 14744			
OCD Permit Number: 2RF-113				
OCD Permit Number: 2RF-113	Facility or well name (include API# if associated with a well): Bebop Containment East Facility			
U/L or Qtr/Qtr   NWNW   Section   36	OCD Permit Number: 2RF-113 (For new facilities the permit number will be assigned by the district office)			
Recycling Facility:   Location of recycling facility (if applicable): Latitude	U/L or Qtr/Qtr NWNW Section 36 Township 25S Range 31E County: Eddy			
Recycling Facility:   Location of recycling facility (if applicable): Latitude	Surface Owner:  Federal  State  Tribal Trust or Indian Allotment			
Location of recycling facility (if applicable): Latitude	2.			
Proposed Use: Drilling* Completion* Production* Plugging *  *The re-use of produced water may NOT be used until fresh water zones are cased and cemented  Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.    Fluid Storage	Recycling Facility:			
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented  Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.  Fluid Storage  Above ground tanks Recycling containment Activity permitted under 19.15.17 NMAC explain type  Activity permitted under 19.15.36 NMAC explain type:  For multiple or additional recycling containments, attach design and location information of each containment  Closure Report (required within 60 days of closure completion):  Recycling Facility Closure Completion Date:  Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)  Center of Recycling Containment (if applicable): Latitude 32.09233 Longitude -103.736105 NAD83  For multiple or additional recycling containments, attach design and location information of each containment  Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other 40-mil HDPE Secondary Liner  String-Reinforced  Liner Seams: Welded Factory Other Volume: 412,793 bbl Dimensions: L408 x W268 x D19'	Location of recycling facility (if applicable): Latitude Longitude NAD83			
Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.    Fluid Storage	Proposed Use: Drilling* Completion* Production* Plugging *			
Solution   Storage   Activity permitted under 19.15.36 NMAC explain type:   Other explain   Other   Other explain   Other	*The re-use of produced water may NOT be used until fresh water zones are cased and cemented			
Fluid Storage   Above ground tanks   Recycling containment   Activity permitted under 19.15.17 NMAC explain type   Activity permitted under 19.15.36 NMAC explain type:   Other explain   Other explain   For multiple or additional recycling containments, attach design and location information of each containment   Closure Report (required within 60 days of closure completion):   Recycling Facility Closure Completion Date:     Recycling Containment:   Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)   Center of Recycling Containment (if applicable): Latitude   32.09233   Longitude   -103.736105   NAD83   For multiple or additional recycling containments, attach design and location information of each containment   Lined   Liner type: Thickness   60   mil   LLDPE   HDPE   PVC   Other   40-mil HDPE Secondary Liner   String-Reinforced   Volume:   412,793   bbl   Dimensions: L408'   x W 268'   x D 19'	Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on			
Above ground tanks   Recycling containment   Activity permitted under 19.15.17 NMAC explain type   Activity permitted under 19.15.36 NMAC explain type:   Other explain   Other explain   For multiple or additional recycling containments, attach design and location information of each containment   Closure Report (required within 60 days of closure completion):   Recycling Facility Closure Completion Date:   Recycling Containment:   Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)   Center of Recycling Containment (if applicable): Latitude 32.09233	groundwater or surface water.			
	☑ Fluid Storage			
☐ For multiple or additional recycling containments, attach design and location information of each containment  ☐ Closure Report (required within 60 days of closure completion): ☐ Recycling Facility Closure Completion Date:  ☐ Recycling Containment: ☐ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)  Center of Recycling Containment (if applicable): Latitude 32.09233	☐ Above ground tanks ☐ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type			
Closure Report (required within 60 days of closure completion): ☐ Recycling Facility Closure Completion Date:	Activity permitted under 19.15.36 NMAC explain type:			
Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)   Center of Recycling Containment (if applicable): Latitude   32.09233   Longitude   -103.736105   NAD83     For multiple or additional recycling containments, attach design and location information of each containment     Lined   Liner type: Thickness   60   mil   LLDPE   HDPE   PVC   Other   40-mil HDPE Secondary Liner     String-Reinforced     Liner Seams:   Welded   Factory   Other   Volume:   412,793   bbl   Dimensions: L   408   x W   268   x D   19	For multiple or additional recycling containments, attach design and location information of each containment			
□ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)   Center of Recycling Containment (if applicable): Latitude 32.09233	Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:			
□ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)   Center of Recycling Containment (if applicable): Latitude 32.09233				
Center of Recycling Containment (if applicable): Latitude 32.09233 Longitude -103.736105 NAD83    For multiple or additional recycling containments, attach design and location information of each containment   Lined   Liner type: Thickness 60 mil   LLDPE   HDPE   PVC   Other 40-mil HDPE Secondary Liner   String-Reinforced   Liner Seams:   Welded   Factory   Other   Volume: 412,793 bbl   Dimensions: L 408'   x W 268'   x D 19'	3.   Recycling Containment:			
□ For multiple or additional recycling containments, attach design and location information of each containment  ■ Lined ■ Liner type: Thickness 60 mil □ LLDPE ■ HDPE □ PVC ■ Other 40-mil HDPE Secondary Liner  □ String-Reinforced  Liner Seams: ■ Welded □ Factory □ Other □ Volume: 412,793 bbl Dimensions: L 408' x W 268' x D 19'	Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)			
☐ For multiple or additional recycling containments, attach design and location information of each containment  Lined ☐ Liner type: Thickness 60 mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other 40-mil HDPE Secondary Liner  String-Reinforced  Liner Seams: ☐ Welded ☐ Factory ☐ Other Volume: 412,793 bbl Dimensions: L 408' x W 268' x D 19'	Center of Recycling Containment (if applicable): Latitude 32.09233 Longitude -103.736105 NAD83			
☑ Lined ☑ Liner type: Thickness 60 mil ☐ LLDPE ☑ HDPE ☐ PVC ☑ Other 40-mil HDPE Secondary Liner   ☐ String-Reinforced   Liner Seams: ☒ Welded ☐ Factory ☐ Other ☐ Volume: 412,793 bbl Dimensions: L 408' x w 268' x D 19'	☐ For multiple or additional recycling containments, attach design and location information of each containment			
☐ String-Reinforced  Liner Seams: Welded ☐ Factory ☐ OtherVolume: 412,793 bbl Dimensions: L 408' x W 268' x D 19'	\( \times \) Lined \( \times \) Liner type: Thickness \( \frac{60}{\text{mil}} \) mil \( \times \) LLDPE \( \times \) HDPE \( \times \) Other \( \times \) O			
Liner Seams: Welded Factory Other Volume: 412,793 bbl Dimensions: L 408' x W 268' x D 19'				
	Liner Seams: Welded Factory Other Volume: 412,793 bbl Dimensions: L 408' x W 268' x D 19'			
	Recycling Containment Closure Completion Date:			

4.  Bonding:  Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or					
operated by the owners of the containment.)					
☐ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ (work on these facilities cannot commence u	ıntil bonding				
amounts are approved)					
☐ Attach closure cost estimate and documentation on how the closure cost was calculated.					
	· ·				
Fencing:  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify Eight foot game fence with chain link					
6.  Signs:					
Variances:  Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.  Check the below box only if a variance is requested:  Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.  If a Variance is requested, it must be approved prior to implementation.					
8.					
Siting Criteria for Recycling Containment  Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.					
General siting					
Ground water is less than 50 feet below the bottom of the Recycling Containment.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes 🔀 No ☐ NA				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; written approval obtained from the municipality	☐ Yes ☑ No ☐ NA				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes 🛭 No				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	☐ Yes 🛛 No				
Within a 100-year floodplain. FEMA map	☐ Yes ☑ No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; visual inspection (certification) of the proposed site	☐ Yes ☑ No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; aerial photo; satellite image	☐ Yes ☑ No				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	☐ Yes ☑ No				
- NW Office of the State Engineer - TWATERS database search; visual inspection (certification) of the proposed site					
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	☐ Yes 🛭 No				

Recycling Facility and/or Containment Checklist:  Instructions: Each of the following items must be attached to the application  Design Plan - based upon the appropriate requirements.  Operating and Maintenance Plan - based upon the appropriate requirements.  Closure Plan - based upon the appropriate requirements.  Site Specific Groundwater Data -  Siting Criteria Compliance Demonstrations -  Certify that notice of the C-147 (only) has been sent to the surface of	ents.
Operator Application Certification:  I hereby certify that the information and attachments submitted with this application (Print):  Signature:  e-mail address: jbenkes@mewbourne.com	ication are true, accurate and complete to the best of my knowledge and belief.  Title: Engineer  Date: 6/21/2024  Telephone: 575-263-6030
Title: Environmental Specialist  OCD Conditions  Additional OCD Conditions on Attachment	Approval Date: 06/24/2025  OCD Permit Number: 2RF-113

June 21, 2024

State of New Mexico

Energy, Minerals, and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

RE: 2RF-113 Mewbourne Oil Company Bebop Containment East Facility C-147 Annual Extension

To Whom it May Concern,

Mewbourne Oil Company submits the enclosed C-147 form, summary of leak detection, and pond inspection for Bebop Containment East Facility. The site plans remain the same as originally approved on October 3<sup>rd</sup>, 2017. Mewbourne Oil Company would like to seek a one-year extension to the facility for the dates 7/31/2024-7/31/2025.

Thank you,

Jake Henkes

**Engineer Mewbourne Oil Company** 

## Venegas, Victoria, EMNRD

**From:** Venegas, Victoria, EMNRD **Sent:** Monday, June 24, 2024 2:32 PM

To: Jake Henkes

**Subject:** 2RF-113 - BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916]

Attachments: 2RF-113 - BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916] 06.24.2024.pdf

## 2RF-113 - BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916]

Good afternoon Mr. Henkes.

NMOCD has reviewed the determination of registration/permit annual extension request for 2RF-113 - BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916] received from [14744] MEWBOURNE OIL CO Application ID 356726 on 06/21/2024. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-113 BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of July 31, 2024. The new registration/permit expiration date is July 31, 2025.
- [14744] MEWBOURNE OIL CO will continue to operate, maintain, and close the 2RF-113 BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [14744] MEWBOURNE OIL CO will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [14744] MEWBOURNE OIL CO may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to OCD Permitting. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 Long form through OCD Permitting.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 2RF-113 BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916] is limited to wells owned or operated by [14744] MEWBOURNE OIL CO.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [14744] MEWBOURNE OIL CO will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-113 BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916]. [14744] MEWBOURNE OIL CO will comply with all other OCD rules.
- [14744] MEWBOURNE OIL CO must perform weekly inspections of the containment and leak detection system.
- If [14744] MEWBOURNE OIL CO wishes to extend the registration/permit past the July 31, 2025, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Permitting on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than June 30, 2025.

Please let me know if you have any further questions or concerns. Regards,

Victoria Venegas • Environmental Specialist

Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
(575) 909-0269 | Victoria.Venegas@emnrd.nm.gov

https://www.emnrd.nm.gov/ocd/



Bebop Containment East Facility		OCD						
Permit Number: 2RF-113		Facility ID:						
fAB1727552916								
Date Pond	Inspector	Pond Level, ft	Freeboard Level, ft	Tear in Liner?	Berm damag	ge? Oil skim?	Leak detection working?	Dead Wildlife?
2/6/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
2/13/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
2/20/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
2/27/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
3/5/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
3/12/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
3/19/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
3/26/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
4/2/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
4/9/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
4/16/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
4/23/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
4/30/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
5/7/2024 Bebop East	JE	4	16	NO	NO	NO	YES	NO
5/14/2024 Bebop East	JE	4	16	NO	NO	NO	YES	NO
5/21/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
5/28/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
6/4/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
6/11/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO
6/18/2024 Bebop East	JE	0	20	NO	NO	NO	YES	NO

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 356726

## **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	356726
	Action Type:
	[C-147] Water Recycle Long (C-147L)

## CONDITIONS

Created By	Condition	Condition Date
vvenegas	• 2RF-113 - BEBOP CONTAINMENT EAST FACILITY ID [fAB1727552916] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of July 31, 2024. The new registration/permit expiration date is July 31, 2025. • If [14744] MEWBOURNE OIL CO wishes to extend the registration/permit past the July 31, 2025, a registration/permit extension request must be submitted to OCD no later than June 30, 2025.	6/24/2024