

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147
Revised April 3, 2017

Recycling Facility and/or Recycling Containment

Type of Facility: ☒ Recycling Facility ☒ Recycling Containment*

Type of action: ☐ Permit ☐ Registration
☐ Modification ☒ Extension Extension requested from
☐ Closure ☐ Other (explain) 9/20/2024 to 9/20/2025

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.

Operator: Enduring Resources IV, LLC (For multiple operators attach page with information) OGRID #: 372286

Address: 200 Energy Court, Farmington, New Mexico 87401

Facility or well name (include API# if associated with a well): NEU 2207-16B Water Recycle Facility / Containment

OCD Permit Number: #3RF-28 (For new facilities the permit number will be assigned by the district office)

U/L or Qtr/Qtr NW/4 NE/4 Section 16 Township 22N Range 7W County: Sandoval

Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.

☒ **Recycling Facility:**

Location of recycling facility (if applicable): Latitude 36.144262 Longitude -107.576376 NAD83

Proposed Use: ☒ Drilling* ☒ Completion* ☒ Production* ☒ Plugging *

**The re-use of produced water may NOT be used until fresh water zones are cased and cemented*

☐ Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*

☒ Fluid Storage

☒ Above ground tanks ☒ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type _____

☐ Activity permitted under 19.15.36 NMAC explain type: _____ ☐ Other explain _____

☐ For multiple or additional recycling containments, attach design and location information of each containment

☐ **Closure Report (required within 60 days of closure completion):** ☐ Recycling Facility Closure Completion Date: _____

3.

☒ **Recycling Containment:**

☒ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 36.144262 Longitude -107.576376 NAD83

☐ For multiple or additional recycling containments, attach design and location information of each containment

☒ Lined ☐ Liner type: Thickness 45 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other _____

☒ String-Reinforced

Liner Seams: ☒ Welded ☐ Factory ☐ Other _____ Volume: 309,800 bbl Dimensions: L 360' x W 360' x D 20'

☐ Recycling Containment Closure Completion Date: _____

4.

Bonding:

- ☒ Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)
- ☐ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)
- ☐ Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☒ Alternate. Please specify 8 foot chain link fence

6.

Signs:

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

7.

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

- ☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting**Ground water is less than 50 feet below the bottom of the Recycling Containment.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

☐ Yes ☒ No
☐ NA

- Written confirmation or verification from the municipality; written approval obtained from the municipality

Within the area overlying a subsurface mine.

☐ Yes ☒ No

- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division

Within an unstable area.

☐ Yes ☒ No

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map

Within a 100-year floodplain. FEMA map

☐ Yes ☒ No

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

☐ Yes ☒ No

- Topographic map; visual inspection (certification) of the proposed site

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

☐ Yes ☒ No

- Visual inspection (certification) of the proposed site; aerial photo; satellite image

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

☐ Yes ☒ No

- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site

Within 500 feet of a wetland.

☐ Yes ☒ No

- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- ☐ Design Plan - based upon the appropriate requirements.
☐ Operating and Maintenance Plan - based upon the appropriate requirements.
☐ Closure Plan - based upon the appropriate requirements.
☐ Site Specific Groundwater Data -
☐ Siting Criteria Compliance Demonstrations -
☒ Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Heather Huntington Title: Permitting Technician

Signature: Heather Huntington Date: 7/22/2024

e-mail address: hhuntington@enduringresources.com Telephone: (970) 749-0124

11.

OCD Representative Signature: Victoria Venegas Approval Date: 07/26/2024

Title: Environmental Specialist OCD Permit Number: 3RF-28

☒ OCD Conditions

☒ Additional OCD Conditions on Attachment



Enduring Resources IV, LLC

200 Energy Court Farmington, NM 87401
Field Office: 505.636.9720 | Main Office: 303.573.1222

Enduring Resources, LLC
NEU 2207-16B – 3RF-28
Recycling Facility/Containment
Permit Extension Request for 19.15.34 NMAC

New Mexico Oil Conservation Division
Attn: Victoria Venegas

Enduring Resources is requesting a permit extension for the NEU 2207-16B (3RF-28) Water Recycling Facility. In accordance with 19.15.34.10.C NMAC, *“Registered recycling containments may be operated for five years from the date on which the registration is filed with the division. The operator may extend the allowed time on an annual basis thereafter with division approval if, 30 days prior to the registration expiration, the operator files a form C-147 with an attached summary showing all monthly inspections at the containment, including the monitoring of the leak detection system, showing the containment’s integrity has not been compromised.”*

The original facility permit was approved on September 20, 2018. The five year approval periods ended on September 20, 2023. Enduring submitted a one-year extension that was approved until September 20, 2024. Enduring is now requesting an extension to operate through September 20, 2025. At that time Enduring will determine if additional annual extensions will be filed. Enduring has included records for the weekly inspections at this facility that have occurred since the last permit extension request (September 2023 through July 2024). There have been no indications that the leak detection system integrity is compromised. Enduring will continue to operate the facility per regulations in 19.15.34 NMAC.

Thank you,

Heather Huntington

Heather Huntington
Permitting Technician
Enduring Resources, LLC.
hhuntington@enduringresources.com

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Friday, July 26, 2024 10:27 AM
To: Kayla White; Heather Huntington
Subject: 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224]
Attachments: C-147 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224]
07.26.2024.pdf

3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224]

Good morning Ms. Huntington.

NMOCD has reviewed the determination of registration/permit extension request for 3RF-29 - WLU 2309 24N RECYCLING FACILITY ID [fCS1828842180] received from [372286] ENDURING RESOURCES, LLC on July 24, 2024, Application ID 367013. The registration/permit extension request is approved with the following conditions of approval:

- 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of September 20, 2024. The new registration/permit expiration date is September 20, 2025.
- [372286] ENDURING RESOURCES, LLC will continue to operate, maintain, and close the 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [372286] ENDURING RESOURCES, LLC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [372286] ENDURING RESOURCES, LLC may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to OCD Online. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form through the OCD Online system.
- However, if after this 6-month period, the containment was not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224] is limited to wells owned or operated by [372286] ENDURING RESOURCES, LLC.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [372286] ENDURING RESOURCES, LLC will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224]. [372286] ENDURING RESOURCES, LLC will comply with all other OCD rules.
- [372286] ENDURING RESOURCES, LLC must perform weekly inspections of the containment and leak detection system.
- If [372286] ENDURING RESOURCES, LLC wishes to extend the registration/permit past September 20, 2025, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through the OCD Online

on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period (2024-2025). The extension request should be submitted no later than August 20, 2025.

Please let me know if you have any further questions or concerns.
Regards,

Victoria Venegas • Environmental Specialist
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
(575) 909-0269 | Victoria.Venegas@emnrd.nm.gov
<https://www.emnrd.nm.gov/oed/>





Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-16B Permit Number 430 Ad-1
 Section 10 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 10:02 Time Inspection Ended 10:30
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 20.5 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runoff?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio Inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<input type="text"/>			

Lower Leak Detection (LLD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<input type="text"/>			

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 8-2-23

Name (Signature) Tina Harris

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-16B Permit Number 4301-Pat-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 12:00 Time Inspection Ended 12:25
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 21 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

Crews going in and out of location

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina HarrisDate 8-9-23Name (Signature) [Signature]Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-1613 Permit Number 4301 Pcd-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 9:30 Time Inspection Ended 10:00
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 20 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

INSPECTION INFORMATION FOR RECYLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD? YES ☐ NO ☒
 Total Depth of ULD (ft) 29.8
 Depth to Water in ULD (ft) 79.2
 Height of Water in ULD 0
 Gallons of Water Removed 0

Lower Leak Detection (LLD)

Water Present in LLD? YES ☐ NO ☒
 Total Depth of LLD (ft) 77.1
 Depth to Water in LLD (ft) 79.1
 Height of Water in LLD 0
 Gallons of Water Removed 0

If leak detection contained liquid, was it removed? YES ☐ NO ☐ NA ☒
 If leak detection contained liquid, was HSE notified? YES ☒ NO ☐ NA ☐

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 8-17-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-16B Permit Number 4301 Pcd-1
 Section 10 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 10:20 Time Inspection Ended 10:45
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 20

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Crews going in and out of location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio Inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory Inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD? YES ☐ NO ☒
 Total Depth of ULD (ft) 79.8
 Depth to Water in ULD (ft) 79.8
 Height of Water in ULD 0
 Gallons of Water Removed 0

Lower Leak Detection (LLD)

Water Present in LLD? YES ☐ NO ☒
 Total Depth of LLD (ft) 77.1
 Depth to Water in LLD (ft) 77.1
 Height of Water in LLD 0
 Gallons of Water Removed 0

If leak detection contained liquid, was it removed? YES ☐ NO ☐ NA ☒
 If leak detection contained liquid, was HSE notified? YES ☒ NO ☐ NA ☐

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 8-23-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-16B Permit Number 4301 Pod-1
 Section 14 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 10:50 Time Inspection Ended 11:35
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 20

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runoff?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Crew going in and out of location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in LLD?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>76.5</u>			
Height of Water in LLD	<u>6"</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?

YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
-----	--------------------------	----	-------------------------------------	----	--------------------------

If leak detection contained liquid, was HSE notified?

YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------	----	--------------------------

Not enough water removed

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

Replaced 5 birds eye.

COMMENTS

Name (Print) Tina Harris

Date 8-28-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEH 2207-116B Permit Number 4301 Pod-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 7:10 Time Inspection Ended 7:30
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 20 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Crew going in and out of location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in LLD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 9-6-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEEL 2207-16B Permit Number 4301 Pool-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 10:45 Time Inspection Ended 11:24
 Recycling Facility ☐ Recycling Containment ☐ Water Level (Feet) 20 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing Is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runoff?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Crew going in and out of location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio Inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory Inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in LLD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 9-13-23

Name (Signature) Tina Harris

Company ENDURING RESOURCES

Enduring Resources, LLC Recycling Facility AVO Inspection Sheet

9/20/23

SITE INFORMATION					
Location Name	VIEW 8007-1013		Permit Number	4301-Pod/	
Section	10	Township	22	Range	7
Time Inspection Began	9:33 AM		Time Inspection Ended	9:51 AM	
Recycling Facility	<input type="checkbox"/>	Recycling Containment	<input type="checkbox"/>	Water Level (Feet)	21

GENERAL INFORMATION					
Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Fencing Is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA
Facility sign Is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Signs of Surface Water Runoff?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA

Construction Crew

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT					
Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Containment water surface is free of visible signs of oil	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA

Upper Leak Detection (ULD)			Lower Leak Detection (LLD)		
Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	
Total Depth of ULD (ft)		29.8	Total Depth of LLD (ft)		77.1
Depth to Water in ULD (ft)		N/A	Depth to Water in LLD (ft)		N/A
Height of Water in ULD		0	Height of Water in LLD		0
Gallons of Water Removed		0	Gallons of Water Removed		0

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA
If leak detection contained liquid, was HSE notified?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA

COMMENTS

BIRD MITIGATION SYSTEM					
Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA

COMMENTS

Name (Print)	Steve Smith	Date	9/20/23
Name (Signature)	[Signature]	Company	ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name VEN 220 7-1613 Permit Number 4301 Pod-1
 Section 16 Township 27 Range 7 County Sandoval State NM
 Time Inspection Began 10:00 Time Inspection Ended 10:30
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 22 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Crews going in and out of location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)		<u>79.8</u>		
Depth to Water in ULD (ft)		<u>79.8</u>		
Height of Water in ULD		<u>0</u>		
Gallons of Water Removed		<u>0</u>		

Lower Leak Detection (LLD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)		<u>77.1</u>		
Depth to Water in LLD (ft)		<u>77.1</u>		
Height of Water in LLD		<u>0</u>		
Gallons of Water Removed		<u>0</u>		

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 9-28-23

Name (Signature) [Signature]

Company ENDURING RESOURCES

Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

10/4/23

SITE INFORMATION

Location Name NEW 2207-1613 Permit Number 4301-Pod 1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 1:01 PM Time Inspection Ended 1:14 PM
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 21

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runoff?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Construction Crew on site

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD? YES ☐ NO ☒
 Total Depth of ULD (ft) 29.8
 Depth to Water in ULD (ft) N/A
 Height of Water in ULD 0
 Gallons of Water Removed 0

Lower Leak Detection (LLD)

Water Present in LLD? YES ☐ NO ☒
 Total Depth of LLD (ft) N/A
 Depth to Water in LLD (ft) N/A
 Height of Water in LLD 0
 Gallons of Water Removed 0

If leak detection contained liquid, was it removed? YES ☐ NO ☐ NA ☒
 If leak detection contained liquid, was HSE notified? YES ☐ NO ☐ NA ☒

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Steve SmithDate 10/4/23Name (Signature) [Signature]Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-16B Permit Number 4301 Rec-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 10:55 Time Inspection Ended 11:20
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 15.4

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

Crew on location

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in LLD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 10-11-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NE4 2207-16B Permit Number 4301 Pod-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 11:20 Time Inspection Ended 11:50
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 19.8

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing Is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign Is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runoff?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

Crew working on location

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)		<u>79.8</u>		
Depth to Water in ULD (ft)		<u>79.8</u>		
Height of Water in ULD		<u>8</u>		
Gallons of Water Removed		<u>8</u>		

Lower Leak Detection (LLD)

Water Present in LLD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)		<u>77.1</u>		
Depth to Water in LLD (ft)		<u>77.1</u>		
Height of Water in LLD		<u>8</u>		
Gallons of Water Removed		<u>8</u>		

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

No water to remove

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 10-18-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NE U 2207-16B Permit Number 4301 Pcd-1
 Section 16 Township 22 Range T County Sandoval State NM
 Time Inspection Began 11:05 Time Inspection Ended 11:35
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 18.5

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing Is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

Crew on location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in ULD?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>4"</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Not enough water to remove

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 10-26-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NEU 2207-16B Permit Number 4301 Pod-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 12:10 Time Inspection Ended 12:40
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 18 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing Is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign Is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

trucks going in and out of location

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in LLD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>77.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina Harris

Date 11-3-23

Name (Signature) [Signature]

Company ENDURING RESOURCES



Enduring Resources, LLC

Recycling Facility AVO Inspection Sheet

SITE INFORMATION

Location Name NE4 2207-16B Permit Number 4301 Pod-1
 Section 16 Township 22 Range 7 County Sandoval State NM
 Time Inspection Began 11:00 Time Inspection Ended 11:30
 Recycling Facility ☐ Recycling Containment ☒ Water Level (Feet) 18 ft

GENERAL INFORMATION

Containment Currently Contains Fluids	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Fencing is in Good condition and Functional	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Gates are Closed and locked	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Facility sign is visible and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Signs of Surface Water Runon?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>

COMMENTS

INSPECTION INFORMATION FOR RECYCLING CONTAINMENT

Containment has a minimum of three feet of freeboard	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Containment water surface is free of visible signs of oil	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Injection and withdrawal of water is done through a header	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Oil absorbent booms are on-site and in good condition	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Is there evidence of a leak in the liner above the waterline	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NA	<input type="checkbox"/>
Audio inspection conducted for pressure and liquid leaks	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Olfactory inspection conducted for unusual or strong odor	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Site is free of evidence of leaks, spills or releases	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>

Upper Leak Detection (ULD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of ULD (ft)	<u>79.8</u>			
Depth to Water in ULD (ft)	<u>79.8</u>			
Height of Water in ULD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

Lower Leak Detection (LLD)

Water Present in ULD?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
Total Depth of LLD (ft)	<u>77.1</u>			
Depth to Water in LLD (ft)	<u>79.1</u>			
Height of Water in LLD	<u>0</u>			
Gallons of Water Removed	<u>0</u>			

If leak detection contained liquid, was it removed?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
If leak detection contained liquid, was HSE notified?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

BIRD MITIGATION SYSTEM

Audio Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Visual Bird Deterrents are present and in working order	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
Facility was inspected, and no evidence of bird mortality was found	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input type="checkbox"/>
If evidence of bird mortality was found, HSE was notified	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	NA	<input checked="" type="checkbox"/>

COMMENTS

Name (Print) Tina HarrisDate 11-9-23Name (Signature) [Signature]Company ENDURING RESOURCES



ENDURING RESOURCES IV LLC

200 Energy Court Farmington, NM 87401
Field Office: 505.636.9720 | Main Office: 303.573.1222

Enduring Resources, LLC
NEU 2207-16B – 3RF-28
Recycling Facility/Containment
Permit Extension Request for 19.15.34 NMAC

New Mexico State Land Office
Project #BL2613

Enduring Resources is requesting a permit extension for the NEU 2207-16B (3RF-28) Water Recycling Facility. In accordance with 19.15.34.10.C NMAC, *“Registered recycling containments may be operated for five years from the date on which the registration is filed with the division. The operator may extend the allowed time on an annual basis thereafter with division approval if, 30 days prior to the registration expiration, the operator files a form C-147 with an attached summary showing all monthly inspections at the containment, including the monitoring of the leak detection system, showing the containment’s integrity has not been compromised.”*

The original facility permit was approved on September 20, 2018 and the five year approval periods ended on September 20, 2023. Enduring submitted a one-year extension that was approved until September 20, 2024. Enduring is now requesting an extension to operate through September 20, 2025. At that time Enduring will determine if additional annual extensions will be filed. Enduring has included records for the weekly inspections at this facility that have occurred since the last permit extension request (September 2023 through July 2024). There have been no indications that the leak detection system integrity is compromised. Enduring will continue to operate the facility per regulations in 19.15.34 NMAC.

Per regulations this letter serves as a notification to the landowner of the facility. The New Mexico State Land Office project number for the facility is #BL2613.

Thank you,

Heather Huntington

Heather Huntington
Permitting Technician
Enduring Resources, LLC.
hhuntington@enduringresources.com

From: [Kayla White](#)
To: avigil@slo.state.nm.us
Cc: [Heather Huntington](#)
Subject: Enduring Resources SLO Project BL2613 Permit Extension Notice
Date: Wednesday, July 24, 2024 2:52:00 PM
Attachments: [SLO Notification NEU 2207-16B Permit Extension Request.pdf](#)

Good afternoon Anthony,

CDH Consulting is working with Enduring Resources to file a permit extension for an oil and gas related water recycle facility, and one of the OCD requirements is to provide landowner notification of the permit extension requests. I was directed to reach out to the SLO business leasing department. No action is needed on your end, the attached letter serves as a courtesy notice that the permit extension has been requested with OCD.

The New Mexico State Land Office project number for the facility is #BL2613. The project name is NEU 2207-16B Water Recycle Facility.

Please let us know if you have any questions. Can you point us to the right person if it needs to go elsewhere?

Thank you!

Kayla White, P.E.
CDH Consulting, LLC
720-768-3575
kwhite@CDHConsult.com



www.CDHConsult.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 367013

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way Centennial, CO 80111	OGRID: 372286
	Action Number: 367013
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	• 3RF-28 NEU 2207-16B WATER RECYCLING FACILITY ID [fCS1826342224] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of September 20, 2024. The new registration/permit expiration date is September 20, 2025. • If [372286] ENDURING RESOURCES, LLC wishes to extend the registration/permit past September 20, 2025, a registration/permit extension request must be submitted to OCD no later than August 20, 2025.	7/26/2024