

U.S. Feet Scale 1"=60'

(Elite Optz.) (Elite Optz.) (Caza Petro.) (Elite Optz.) (Elite Optz.) (Caza Petro.) (Elite Optz.) (Elite Optz.) Page 1 of 4 Job. #: 21-EliteOptz-0031-Rev7

Aerial As-Built Overview of Caza Petroleum, LLC.
Sioux 36 State 1H & 5H
Tank Battery
Unit D. Sec. 36, T25S, R35E 1H (API #30-025-43752) & 5H (API #30-025-44508)



Disclaimer: This drawing is intended for Caza Petroleum, LLC. internal purposes only and is not to be relied upon as a boundary survey or to establish real property interests. Survey information shown on this drawing was gathered between the dates of: Feb. 17, 2021 and Nov. 1, 2023.


Survey information was collected using a combination of GNSS observations and geo-referenced aerial drone imagery when required. Observations refer to: NAD83 (2011) Datum, New Mexico State Plane Coordinate System, East Zone (3001). US Survey Feet, CSF=0.99990909

This drawing includes additional information that was collected from various sources including first hand observations, walk-through photos when applicable and third party information as well as information provided by Caza Petroleum, LLC.

Caza Petroleum, LLC. is to verify the accuracy of all information as presented on this drawing. Elite Optimization, LP. is not responsible for design by engineer of records, erection or operation of any facilities represented by this drawing.

This drawing is not an official engineering drawing or land survey drawing; this drawing is not to be used for construction.

(Paper: 11 x 17)



U.S. Feet Scale 1"=60'

Rev. 5 - Issued for Information	Sept. 27, 2023	Drafted by: Marcos Barriga	(Elite Optz.)
Updated Plan		Reviewed by:	(Elite Optz.)
Preliminary Version 0		Approved by:	(Caza Petro.)
Rev. 6 - Issued for Information	Oct. 11, 2023	Drafted by: Marcos Barriga	(Elite Optz.)
Updated Plan		Reviewed by:	(Elite Optz.)
Preliminary Version 0		Approved by:	(Caza Petro.)
Rev. 7 - Issued for Information	Nov. 6, 2023	Drafted by: Marcos Barriga	(Elite Optz.)
Updated Plan		Reviewed by:	(Elite Optz.)
Preliminary Version 0		Approved by:	(Caza Petro.)
Job. #: 21-EliteOptz-0031-Rev7 Page 2 of 4			

As-Built Equipment Layout Plan for Caza Petroleum, LLC. Sioux 36 State 1H & 5H Tank Battery Unit D. Sec. 36, T25S, R35E Page 2 of 4 1H (API #30-025-43752) & 5H (API #30-025-44508)



Disclaimer: This drawing is intended for Caza Petroleum, LLC. internal purposes only and is not to be relied upon as a boundary survey or to establish real property interests Survey information shown on this drawing was gathered between the dates of: Feb. 17, 2021 and Nov. 1, 2023.

Survey information was collected using a combination of GNSS observations and

Survey information was collected using a combination of GNSS observations and geo-referenced aerial drone imagery when required. Observations refer to: NAD83 (2011) Datum, New Mexico State Plane Coordinate System, East Zone (3001), US Survey Feet, CSF=0.99990909
This drawing includes additional information that was collected from various sources including first hand observations, walk-through photos when applicable and third party information as well as information provided by Caza Petroleum, LLC.

Caza Petroleum, LLC. is to verify the accuracy of all information as presented on this drawing. Elite Optimization, LP. is not responsible for design by engineer of records, erection or operation of any facilities represented by this drawing.

This drawing is not an official engineering drawing or land survey drawing; this drawing is not to be used for construction.

(Paper: 11 x 17)

Ref.

Piece

Year

Manufacturer

Lat.

Long.

1	Transformer (No Meter)						(3) 37.5 kVa	-103.329133	32.093246
2	Transformer (No Meter)			No Meter			(3) 75 kVA	-103.328506	32.093196
3	Combustor			N/A				-103.328327	32.093355
4	Flare Control		Ignition Management System / Platinum Control	2019042200055	Edge-600			-103.328340	32.093368
5	Jatco Pot		Jatco Inc.	N/A	J-5000CX			-103.328248	32.093354
6	Elec. Panel						South Panel	-103.328069	32.093573
7	Elec. Panel						North Panel	-103.328068	32.093618
8	Pumping Unit	2019	Artificial Lift Machinery	SLS19-1079	C12000-305-240TH			-103.328678	32.094037
9	Pumping Unit	2017	Precision Transmissions	AT17-0231	C9120-365-192TH			-103.328458	32.094031
10	Flare - HP		Wenco Energy Corp.	0218-86	700-TIL-603-D-31C			-103.327831	32.094238
11	Flare Control		Ignition Management System / Platinum Control	2019082600020	Edge-600			-103.327852	32.094267
12	Fuel Pot						Heater Treater EMT-1245	-103.327756	32.093862
13	Vert. Heater Treater	2016	Edge Manufacturing	EMT-1245		6 x 20	WP 125 psi, 5H Well	-103.327752	32.093843
14	Vert. Separator	2023	Pessco	2516		6 x 10	WP 250 TP 325	-103.327754	32.093766
15	Fuel Pot						Scrubber 02516	-103.327754	32.093786
16	Pump - Recycle			No Tag.			1.5HP	-103.327862	32.093437
17	Pump - Transfer		Centripump	170235321	MTX		1.5x3-10, 40HP	-103.327858	32.093539
18	Tank	2017	Azteca Fabrication	CA1869		15.5 x 16 - 500 BBL		-103.327982	32.093522
19	Tank	2017	Azteca Fabrication	CA1868		15.5 x 16 - 500 BBL		-103.327915	32.093519
20	Tank	2017	Azteca Fabrication	CA1872		15.5 x 16 - 500 BBL		-103.327922	32.093466
21	Tank	2017	Azteca Fabrication	CA1871		15.5 x 16 - 500 BBL		-103.327987	32.093469
22	Tank	2017	Azteca Fabrication	CA1873		15.5 x 16 - 500 BBL		-103.327986	32.093414
23	Tank	2017	Azteca Fabrication	CA1870		15.5 x 16 - 500 BBL		-103.327922	32.093409
24	Oxygen Tank			N/A				-103.327959	32.093561
25	Recycle Pump		Gorman-Rupp	1654277	GMS 1/2GH3-B /S2		1.5 HP	-103.327895	32.093597
26	Pump - Transfer		Summit	02003819-1	2196 STO		1x3-6	-103.327896	32.093614
27	Fuel Pot						Heater Treater CA1875	-103.328001	32.093745
28	Vert. Heater Treater	2017	Azteca Fabrication	CA1875			MAWP 125 psi @ 120 F, 1H Well	-103.327985	32.093756
29	Vert. Separator	2023	Pessco	2515		30 x 10	WP 250, TP 325	-103.327903	32.093754
30	Scrubber	2007	Permian Tank	26368		30 x 10	WP 125 psi, 2PH	-103.327856	32.093848
31	Inlet Header			N/A				-103.327898	32.093881
Α	Meter - Gas		Daniel	160000115			ABB T173894190	-103.327973	32.093231
В	Meter - Gas		Daniel	150085706			ABB T173995299	-103.327981	32.093218
С	Meter - Gas		Daniel	160141964			ABB T194288663	-103.327972	32.093205
D	Meter - Flare		Turbines Inc.	Not Available			Decommissioned (top missing)	-103.327834	32.094209
E	Meter - Gas		Precision Solo Flow	SF19615	Precision 14.3		ABB T180609895	-103.327797	32.093812
F	Meter - Oil		Micromotion	3439558				-103.327740	32.093830
G	Meter - Water		Rosemount	14921618	8750WDMT2M1FTSA020CA1/Z5M4G1			-103.327867	32.093737
Н	Meter - Water		NuFlo	12184365005				-103.327884	32.093729
I	Meter - Oil		Endress + Hauser	TA0C1716000			Heater Treater CA1875	-103.327987	32.093767
J	Meter - Oil	2018	Yokogawa	S5U509521 821	AXR100C			-103.327866	32.093615
K	Meter - Water		Rosemount	12175116	8732EMT2M1N5DA1M4			-103.327866	32.093568

Model No.

Dimensions

Additional Info.

Serial No.

Rev. 5 - Issued for Information	Sept. 27, 2023	Drafted by: Marcos Barriga	(Elite Optz.)
Updated Plan		Reviewed by:	(Elite Optz.)
Preliminary Version 0		Approved by:	(Caza Petro.)
Rev. 6 - Issued for Information	Oct. 11, 2023	Drafted by: Marcos Barriga	(Elite Optz.)
Updated Plan		Reviewed by:	(Elite Optz.)
Preliminary Version 0		Approved by:	(Caza Petro.)
Rev. 7 - Issued for Information	Nov. 6, 2023	Drafted by: Marcos Barriga	(Elite Optz.)
Updated Plan		Reviewed by:	(Elite Optz.)
Preliminary Version 0		Approved by:	(Caza Petro.)

Job. #: 21-EliteOptz-0031-Rev7

As-Built Equipment & Meter List for Caza Petroleum, LLC.
Sioux 36 State 1H & 5H
Tank Battery
Unit D. Sec. 36, T25S, R35E 1H (API #30-025-43752) & 5H (API #30-025-44508)



Disclaimer: This drawing is intended for Caza Petroleum, LLC. internal purposes only and is not to be relied upon as a boundary survey or to establish real property interests. Survey information shown on this drawing was gathered between the dates of: Feb. 17, 2021 and Nov. 1, 2023.


Survey information was collected using a combination of GNSS observations and geo-referenced aerial drone imagery when required. Observations refer to: NAD83 (2011) Datum, New Mexico State Plane Coordinate System, East Zone (3001), US Survey Feet, CSF=0,9999090 This drawing includes additional information that was collected from various sources including first hand observations, walk-through photos when applicable and third party information as well as information provided by Caza Petroleum, LLC.

Caza Petroleum, LLC. is to verify the accuracy of all information as presented on this drawing. Elite Optimization, LP. is not responsible for design by engineer of records, erection or operation of any facilities represented by this drawing.

This drawing is not an official engineering drawing or land survey drawing; this drawing is not to be used for construction.

(Paper: 11 x 17)

eived by OCD: 10/14/2024 2:22:42 PM



LEGEND: Wellstream is shown thu Gas is shown thus: Oil is shown thus: Water is shown thus:. Oil & Water / Bad Oil is shown thus: Gas Meter is shown thus: Oil Meter is shown thus: Water Meter is shown thus: Job. #: 21-EliteOptz-0031-Rev7

Sept. 27, 2023 Drafted by: Marcos Barriga (Elite Optz.) Rev. 5 - Issued for Information Reviewed by: (Elite Optz.) Approved by: (Caza Petro.) Rev. 6 - Issued for Information Drafted by: Marcos Barriga (Elite Optz.) Jpdated Plan (Elite Optz.) (Caza Petro.) Rev. 7 - Issued for Informati lov. 6. 2023 Drafted by: Marcos Barriga (Elite Optz.) (Elite Optz.) Reviewed by: (Caza Petro.)

Page 4 of 4

As-Built Process Flow Diagram for Caza Petroleum, LLC. Sioux 36 State 1H & 5H Tank Battery Unit D. Sec. 36, T25S, R35E 1H (API #30-025-43752) & 5H (API #30-025-44508)



Disclaimer: This drawing is intended for Caza Petroleum, LLC. internal purposes only and is not to be relied upon as a boundary survey or to establish real property interests. Survey information shown on this drawing was gathered between the dates of: Feb. 17, 2021 and Nov. 1, 2023.

Survey information was collected using a combination of GNSS observations and

Survey information was collected using a combination of GNSS observations and geo-referenced aerial drone imagery when required. Observations refer to: NAD83 (2011) Datum, New Mexico State Plane Coordinate System, East Zone (3001), US Survey Feet, CSF=0.99990909

This drawing includes additional information that was collected from various sources including first hand observations, walk-through photos when applicable and third party information as well as information provided by Caza Petroleum, LLC.

Caza Petroleum, LLC. is to verify the accuracy of all information as presented on this drawing. Elite Optimization, LP. is not responsible for design by engineer of records, erection or operation of any facilities represented by this drawing. This drawing is not an official engineering drawing or land survey drawing; this drawing is not to be used for construction.

(Paper: 11 x 17)

10/14/2024 2:22:42 PM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 392484

QUESTIONS

Operator:	OGRID:
CAZA OPERATING, LLC	249099
200 N Loraine St	Action Number:
Midland, TX 79701	392484
	Action Type:
	[UF-FAC] TB Registration (TB-REG)

QUESTIONS

Facility Details			
Please answer all the questions in this group.			
Name of the facility	Sioux 36 State 1H-5H Production Facility		
Date the facility was opened	10/12/2017		
Depth to ground water, if known	Not answered.		

Verification	
Does the operator have other facilities with a matching name	No
Are there other facilites located within approximately 50 feet	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 392484

ACKNOWLEDGMENTS

Operator:	OGRID:
CAZA OPERATING, LLC	249099
200 N Loraine St	Action Number:
Midland, TX 79701	392484
	Action Type:
	[UF-FAC] TB Registration (TB-REG)

ACKNOWLEDGMENTS

~	I certify that I am authorized to register a facility on behalf of the responsible operator.		
~	I certify that I will notify OCD of any changes of ownership for this facility.		
⋉	I certify that I will notify OCD when this facility is closed.		