November 2024

Rule 34 Registration: Volume 1 FNR East Containment Section 23, T23S, R30E, Eddy County

- Transmittal Letter
- Closure Costs
- Siting Criteria Demonstration with Plates & Appendices



Looking south into the Forty Niner Ridge location from the northeast side.

Prepared for: Solaris Midstream Waters, LLC Houston, Texas

Prepared by: R.T. Hicks Consultants, Ltd. 901 Rio Grande NW F-142 Albuquerque, New Mexico

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996

November 27, 2024

Ms. Leigh Barr EMNRD - Oil Conservation Division 1220 S. St. Francis Drive Santa Fe, NM 87505 Via E-Mail Ms. Victoria Venegas NMOCD - District 2 811 S. First St. Artesia, NM 88210 Via E-Mail

RE: Solaris Water Midstream, LLC, Forty Niner Ridge Recycling Facility and Containments
In-ground Containment Registration and AST Permit
Section 23 T23S R30E, Eddy County

Dear Ms. Barr and Ms. Venegas:

On behalf of Solaris Water Midstream, LLC, R.T. Hicks Consultants is pleased to submit a C-147 permit registration for the above-referenced project. Solaris anticipates that construction will commence in Q1 of 2025. Produced water will flow into the containment in Q2 of 2025.

Volume 1 of the C-147 package contains:

- Transmittal Letter
- Closure cost estimate for the In-Ground Containment.
- Siting Criteria Demonstration with Plates and Appendices

Volume 2 contains:

- The C-147 Form to register the in-ground containment
- Stamped Design Drawings with Liner Equivalency Demonstration and Avian Deterrence
- Recently Approved Plans for Design/Construction, O&M, Closure

Volume 3 is a permit that contains

- C-147 Form & AST Design Sketch
- Stamped Design Drawings and Specifications
- Plans for Design/Construction, O&M, and Closure
- AST Set Up SOP
- Variances for AST Storage Containments

This submission refers to the following elements that some OCD reviewers have considered variances for in-ground containments:

1. An equivalency demonstration written by experts for the proposed 40-mil HDPE secondary liner has been previously approved by OCD. We maintain that the language of the Rule is clear, and a variance is not required.

December 21, 2022 Page 2

- 2. OCD has approved the proposed Avian Protection Plan (Bird-X Mega Blaster Pro) for other containments. Thus, the plan meets the requirement of the rule that the "otherwise protective of wildlife, including migratory birds" and a variance is not required.
- 3. Using the proposed deer fence in lieu of a 4-strand barbed wire fence is not a variance. Because feral pigs, javelina and deer are present in the area, a tall game fence is required to comply with Section 19.15.34.12 D.1 of the Rule. The specification for fencing provided in 19.15.34.12 D.2 contradicts D.1 because pigs will move beneath the lower strand of a 4-foot high barbed wire fence and deer will jump over. Thus, compliance with D.2 results in a violation of D.1. We maintain that compliance with D.1 is the critical component of the Rule and operators need not be required to submit a variance request to follow Best Management Practices and comply with the Rule. Nevertheless, Solaris will attach 4 strands of barbed wire to the game fence if required by OCD.

Solaris will transmit the registration package to OCD via the OCD.Online portal. In compliance with 19.15.34.10 of the Rule, Solaris provided this package to the BLM, the surface owner. If you have any questions or concerns regarding this permit or the attached C-147, please contact me. As always, we appreciate your work ethic and diligence.

Sincerely, R.T. Hicks Consultants

Kandul H

Randall T. Hicks PG Principal

Copy: Solaris Water Midstream, LLC,

BLM

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996

Forty Niner Ridge In-Ground Containment, Recycling Facility, and AST Containment Financial Assurance Cost Estimate

Attached is the cost estimate for reclamation of the FNR Recycling Facility and In-Ground and AST containments. Total bonding is (\$657,500.00+\$34,976.88=) \$692,476.88.

FNR East In-Ground Containments

The contractor's detailed estimate for closure of the in-ground containment immediately follows this outline of closure costs.

Closure sampling and analysis cost is estimated at \$1725 (sampling) plus \$2,700 (laboratory cost) to "test the soils beneath the containment for contamination with a five-point composite sample which includes stained or wet soils, if any, and that sample shall be analyzed for the constituents listed in Table I" of Rule 34.

RT Hicks Consultants will assist with the sampling as necessary and prepare the Closure Report for the site. Total closure sampling costs are estimated at \$7500. The cost estimates from Cascade Services (attached) and from RT Hicks Consultants are presented below.

Cascade Services

Total for in ground Containment Closure Activities	\$ 657,500.00
RT Hicks Consultants Preparation of sampling results and closure report	\$ 7,500.00
All work elements required by Rule 34	\$ 650,000.00

AST Containment

Total estimated cost for closure, reclamation, and restoration of the facility (AST, fencing,etc.) pursuant to Rule 34 is \$34,976.88 based upon the work elements shown in the table (below). We used the same estimate as previously approved AST Containments. As described in the transmittal letter, the AST Containment will be placed on the working pad southeast of the in-ground containment. The cost for reclamation of the AST pad is included in the estimate.

ITEM DESCRIPTION	UNITS	UNIT PRICE	Rule 34 TOTAL PRICE
Forty Niner Ridge AST Co	ontainmen	t	
Removal of AST and Liner and Disposal	1	\$30,000.00	\$30,000.00
Assess soil for impacts	1	\$2,500.00	\$2,500.00

May 10, 2024 Page 2

 Subtotal:
 \$32,500.00

 Est. Tax
 \$2,476.88

 Total for AST Closure Activities
 \$34,976.88

The reclamation must meet terms set forth in the surface lease agreement with the landowner who received a copy of the registration.

Please contact Randall Hicks if you have any questions concerning this closure cost estimate.

Cascade Services, LLC

3403B E County Road 44
Midland, TX 79705
www.cascadeservicesllc.com



Estimate

ADDRESS

Solaris Water Midstream LLC 9651 Katy Freeway, Suite 400 Houston, TX 77024

CUSTOMER PROJECT NAME

FNR East Closure

DESCRIPTION

SHIP TO

Solaris Water Midstream LLC 9651 Katy Freeway, Suite 400 Houston, TX 77024

PROJECT LOCATION COORDINATES

32.283692 -103.854881

				— SE	RVICES
			ESTIMATE DATE	1805 11/05/	2024
DINATES					
	QTY	UNIT		RATE	AMOUNT
	1		352,4	466.00	352,466.00

Fence removal and disposal Fence estimated at 4,062 ft This includes removal of all posts, braces, wire, fabric, gates, and hardware.		4,062	4.00	16,248.00
Remove and dispose of all four layers. Textile, 40 mil, n	net, and 60 mil	1,825,740	0.15	273,861.00
Preferred payment method: ACH/Wire Email AR@cascadeservicesllc.com for ACH/Wire details.	SUBTOTA	ÄL		650,000.00
Remit Checks To: Cascade Services LLC PO Box 200954	TAX TOTAL		\$6	0.00 5 0,000.00

 $^{^{\}star\star}\mbox{If pumping}$ is needed due to weather conditions, a \$350 daily fee will be charged on final invoice.

**THIS ESTIMATE IS SUBJECT TO THE TERMS & CONDITIONS ATTACHED.

Questions? Email AR@Cascadeservicesllc.com

Accepted By

Dallas, TX 75320-0954

Accepted Date

^{**}Materials will be invoiced upon receipt of customer purchase order or job approval.

^{**}This estimate may not include tax and may be added on invoice unless customer provides a valid tax exemption document.

SITE ASSESSMENT & CHARACTERIZATION

TEXT AND FIGURES

PLATES

Distance to Groundwater

Plate 1, Plates 2a and 2b, and the discussion below demonstrates that groundwater (fresh water as defined by NMOCD Rules) at the locations is greater than 100 feet beneath the area of interest that will include the location of the Forty Niner Reuse Facility.

Plate 1 is a topographic map that shows:

- 1. The area identified by that the by the blue diagonally lined polygon contains the Forty Niner Ridge Reuse Facility.
- 2. Water wells from the OSE database as a blue triangle inside a colored circle. OSE wells are often mislocated in the WATERS database as older wells are plotted in the center of the quarter, quarter, of the Section Township and Range. Additionally, the OSE database can include locations of proposed wells (i.e., permit applications). In this case, the permit data generally show "no date" and "DTW=0". On Plate 1, the OSE data has been screened with permit data being eliminated. We provide no depth to water data for the OSE wells as these data do not represent static water levels and are often misleading.
- 3. Water wells, which are not documented in the public databases but were identified by field inspection or other published reports as colored squares (Misc. well database).

Plate 2a and 2b is a topographic and geologic map that shows:

- 1. The blue, diagonally lined polygon within which the Forty Niner Ridge Reuse Facility is contained. Elevation of the polygon is from about 3258 feet at the northwestern most point to about 3310 feet ASL at the southeastern corner of the site.
- 2. Water wells measured by the USGS, the year of the measurement and the calculated elevation of the groundwater surface.
- 3. Water wells, which are not documented in the public databases but were identified by field inspection or other published reports as colored squares (Misc. well database).
- 4. The geologic unit present at the Forty Niner Ridge site is Quaternary eolian (Qe) deposits on Quaternary pediment (Qp) deposits. The hummocky surface of the dunes can be seen in the topographic contours.
- 5. Plate 2b has groundwater elevation contours at 100-foot intervals.

Hydrogeology

The location is within the Mescalero Plains between the Pecos River floodplain to the west and the southern High Plains that are east of the Mescalero Escarpment. The material in the Mescalero Plains is derived from erosion and redeposition of Ogallala materials by the Pecos River and its tributary drainages on top of the underlying eroded surface of Permian materials.

Of the wells closest to the site, none draw water from the reworked Ogallala materials (aka High Plains Aquifer in some USGS reports). USGS listed wells around the site access water from the Permian Rustler formation or the overlying Dewey Lake formation with few exceptions. USGS-9126, about two miles to the southwest is reported to obtain water from the Pecos River Basin alluvium. This water may be unconfined. The groundwater obtained from the Permian formations is most likely confined.

© 2024 R.T. Hicks Consultants, Ltd. Page 1

Groundwater Data

We relied upon the most recent data measured by the USGS for groundwater elevations in Plate 2. Water level data from the OSE database rely upon observed water levels by drillers during the completion of the water well. Data from the five nearby USGS sites is presented below.

USGS-9205 is closest to the Forty Niner Ridge location at 0.45 miles to the northwest. The well supplies cattle with water. Numerous cows are present in multiple historical aerial photos including the most recent photo in 2023. Groundwater was at 3003 feet in 1972 and at 3004 feet in April 2023. As the ground elevation is 3229 feet, the respective depths to water were 226 feet and 225 feet.

About 3.10 miles to the northeast is USGS-9122, another well providing water to cattle. Four measurements of groundwater elevation exist from 1960 to 2013. The measurements from 1960, 1988 and 1992 vary by about 2 feet (3213 to 3215). In 2013, the groundwater elevation was about 16 feet lower at an elevation of 3197 feet. With a surface elevation of 3306 feet, the 2013 depth to water was 129 feet.

About 2.67 miles east of the site (and 1.67 miles south of USGS-9122) is USGS-9142. It also provides cattle with water. Two USGS measurements exist for this well, taken in 1959 and 1973. With a surface elevation of 3336 feet and water table elevations of 3195 feet (1959) and 3196 feet (1972), the corresponding depths to water were 138 feet and 140 feet.

The USGS states that the first two wells discussed are completed in the Rustler formation while USGS-9142 is completed in the Dewey Lakes, above the Rustler formation.

USGS-9126 is 2.0 miles southwest of the Forty Niner Ridge location. Two storage tanks are present at the well site. Groundwater elevation has varied from a high of 3008 feet (1963) to a low of 3004 feet (1961). The last measurement in 1972 was 3004.5 feet. The well was completed in the Rustler formation. Depth to water has varied between 442 feet and 438 feet.

About 0.45 miles northwest of USGS-9126 is USGS-9212. It too is southwest of the Forty Niner Ridge site but is slightly closer at a distance of 1.9 miles. While there is nothing present at the site now, the road and wear patterns are consistent with a former well being present. Measurements from February and June of 1963 exist. Groundwater elevation varied by two feet from 2950 feet to 2948 feet. The least depth to water was 487 feet. This well was also completed in the Rustler formation.

We examined two drillers' logs from the NM OSE database (see Plate 1). These are described briefly below and presented in Appendix Well logs. We note there are few well logs close to the site.

• C-04567 is about one mile west of the site. It was drilled in October 2021 to a total depth of 101 feet. No groundwater was encountered. Caliche and sand were present for the first 19 feet. Beneath this was poorly graded sand for 35 feet, clay and sand for 36 feet, and sand with caliche to the total depth of 101 feet. This description is consistent with reworked alluvial materials.

© 2024 R.T. Hicks Consultants, Ltd. Page 2

• C-03222 is about 3.2 miles north northeast of the site. It was drilled to a total depth of 386 feet in May 2006. The monitoring well was completed with a total depth of 365 feet. A well detailed log was kept. Twenty-two feet of dune sand overlies the Permian Gatuna, Dewey Lake, and Rustler formations. Groundwater was encountered at the bottom of the Dewey Lake formation from 170 feet to 198 feet. Groundwater was also encountered in the Culebra Dolomite within the Rustler formation from 330 feet to 356 feet. A static water depth after well completion was not recorded.

Groundwater Elevation and Direction of Movement

As can be seen on Plate 2, USGS-9122 and USGS-9142 are located about 1.7 miles apart USGS-9122 being almost directly north of USGS-9142. Some variation in groundwater elevation is documented at the northern location. There is insufficient data at the southern location regarding variation of groundwater elevations. However, the two wells have had nearly identical groundwater elevations in the past of almost 3200 feet.

Groundwater elevations to the west of these two wells decrease with distance to the west, i.e. groundwater is moving towards the Pecos Valley in this area.

Conclusions

Our conclusions honor all data that we know are accurate to the best of our ledge. We conclude:

- A conservative interpolation of the groundwater elevation at the Forty Niner Ridge location using groundwater contours is about 3040 feet (Plate2b). Using this interpolation, depth to water beneath the location is (3280-3040 =) 240 feet.
- C-04567 was drilled in October 2021. It is about 0.75 miles west of the Forty Niner Ridge location and has a surface elevation of 3255 feet. No groundwater was encountered in the 101-foot deep boring. Hence, groundwater is a depth of more than (3255-101=) 3154 feet. Extending this elevation beneath the Forty Niner ridge location would imply that groundwater is at a depth greater than (3280-3154=) 126 feet.
- USGS-9205 is about 0.45 miles to the northwest of the location. The well supplies cattle with water. Numerous cows are present in multiple historical aerial photos. Groundwater was at 3005 feet in 1976, As the ground elevation is 3229 feet, the depth to water was 224 feet. This well remains in operation.
- Groundwater flow in the area of the Forty Niner Ridge location is to the west, towards the Pecos River Valley.
- Depth to groundwater at the Forty Niner Ridge location is greater than 50 feet beneath the planned bottom of the containment.

Distance to Municipal Boundaries and Fresh Water Fields

Plate 3 demonstrates that the Forty Niner Ridge Reuse Facility is not within incorporated municipal boundaries or within defined municipal fresh water well fields covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- The closest municipalities are Loving and Malaga, approximately 13 miles to the west.
- The closest Ground Water system is 6 miles to the northeast.

© 2024 R.T. Hicks Consultants, Ltd. Page 3

Distance to Subsurface Mines

Plate 4 and our reconnaissance of the site demonstrate that the nearest mines are caliche pits. This site is not within an area overlying a subsurface mine.

- The closest caliche pits are located more than 3 miles to the southwest, south, and southeast.
- There are no subsurface mines in the area shown in Plate 4.

Distance to High or Critical Karst Areas

Plate 5 shows the Forty Niner Ridge Reuse Facility is not within a mapped zone of high or critical Karst with respect to BLM mapped areas.

- The proposed facility is located within a "low" potential karst area.
- The nearest "high" or "critical" potential karst area is more than 1.0 miles to the west-northwest of the proposed containment.

Distance to 100-Year Floodplain

Plate 6 demonstrates that the Forty Niner Ridge Reuse Facility are within Zone D as designated by the Federal Emergency Management Agency with respect to the Flood Insurance Rate 100-Year Floodplain.

- FEMA describes the location as an area with possible but undetermined flood hazards. No flood hazard analysis has been conducted.
- The nearest mapped flood hazard areas are more than 4 miles to the northwest.

Distance to Surface Water

Plate 7 shows the closest surface water bodies are:

- A Lake/Pond is more than 1.5 miles west of the site.
- The closest mapped water courses are more than 1 mile to the west.

Distance to Permanent Residence or Structures

Plate 8 and the site visit demonstrates that the location is not within 1000 feet of an occupied permanent residence, school, hospital, institution, church, or other structure in existence at the time of initial application.

- There are no structures within 1000 feet of the site.
- Oil field infrastructure, roads, and right of ways are present in the area.

Distance to Non-Public Water Supply

Plates 1, 7 and 8 demonstrate that the Forty Niner Ridge Reuse Facility is not within 500 horizontal feet of a spring or fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

- Plate 1 shows the locations of all area water wells, active or plugged.
- The nearest well in the OSE database is more than one mile to the west.
- The nearest stock watering well is about 0.45 miles to the west-northwest.
- No springs were identified within the mapping area (see Plate 7)

© 2024 R.T. Hicks Consultants, Ltd.

Page 4


Siting Criteria (19.15.34.11 NMAC) Solaris Midstream Waters LLC – Forty Niner Ridge Reuse Facility

Distance to Wetlands

Plate 9 demonstrates the site is not within 500 feet of mapped wetlands using the USA Wetlands database. The database relies upon aerial imagery rather than more detailed investigations.

- The nearest designated wetlands are oil field fluid containments about 0.5 miles to the east and more than two miles to the northwest. The database has "optimistic" errors.
- More than 2.5 miles to the northwest are a number of playas.

PLATES





11	Recycling Containment Area
OSE W	ater Wells (DTW/Date)
(4)	<=150
0	151-350
	351-500
Misc, V	Vater Wells (Well ID, DTW)
•	No Data
•	<= 150
•	151 - 350
•	351 - 500


11	Recycling Containment Area
USGS 1	Gauging Station (GW Elev, Date)
*	Rustler
Misc. V	Vater Wells (GW Elev, Date)
	No Data
	<= 150
	151 - 350
	351 - 500
11.7	> 500
NM_Ge	eology
	Pr, Paleozoic-Ruster Formation; siltstone, gypsum, sandstone, and dolomite; Upper Permia
	Qe/Qp, Quaternary-Eolian Piedmont Deposits
	Qp. Quaternary-Piedmont Alluvial Deposits, Qp. Quaternary-Piedmont Alluvial Deposits


R.T. Hicks Consultants, Ltd 901 Rio Grande Blvd NW Suite F-142	Plates 1 and 2	Legend
Albuquerque, NM 87104 Ph: 505.266.5004	FNR East Containment - Solaris Water Midstream	November 2024


> 500























WELL LOGS AND USGS DATA



	OSE POD NO.	(WELL NO	1	Т	WELL TACIDAD			OSE FILE NO(2)			
NO	POD1 (BH		.)		WELL TAG ID NO. n/a			C-4567	5).			
OCATI	WELL OWNE							PHONE (OPTIONAL) 575-622-1127				
WELL L	WELL OWNER MAILING ADDRESS 1301 N. Sycamore Ave							CITY Roswell		STATE NM	88201	ZIP
GENERAL AND WELL LOCATION	WELL	LA	DE	GREES 32	MINUTES 17	SECOND: 8.70	s N		REQUIRED: ONE TEN	TH OF A SE	ECOND	
VER	(FROM GPS	LO	NGITUDE	103	52	2.55	W	* DATUM REC	QUIRED: WGS 84			
1. GEP			NG WELL LOCATION TO T23S R30E, NMPN		ESS AND COMMON	N LANDMAR	KS – PLS	SS (SECTION, TO	WNSHJIP, RANGE) WH	ERE AVAII	LABLE	
	LICENSE NO.		NAME OF LICENSED		ackie D. Atkins				NAME OF WELL DR Atkins Eng		MPANY Associates, I	nc.
	DRILLING ST 10/26/2		DRILLING ENDED 10/26/2021		MPLETED WELL (FI			LE DEPTH (FT) 101	DEPTH WATER FIR	ST ENCOUR	NTERED (FT)	
	COMPLETED	WELL IS:	ARTESIAN	✓ DRY HOLI	E SHALLO	W (UNCONE	FINED)		STATIC WATER LEV	/EL IN COM n/a	APLETED WE	LL (FT)
TIOL	DRILLING FL	UID:	AIR	MUD	ADDITIV	/ES – SPECIF	Y:					
RMA.	DRILLING METHOD: ROTARY			HAMMER	HAMMER CABLE TOOL OTHER - SPECIFY:			ER - SPECIFY:	Hollow Stem Auger			
NFO	DEPTH (DEPTH (feet bgl) BORE HOLE		CASING N	CASING MATERIAL AND/OR		ACDIC	CASING	CASIN	IG WALL	SLOT	
2. DRILLING & CASING INFORMATION	FROM	то	DIAM (inches)	(include each casing string, and		CON	ASING NECTION TYPE lling diameter)			THICKNESS (inches) (in		
& C	0	101	±8.5		Boring- HSA		,		-			
ING												
ILL						-						
2. DR						_						
		-	-									
	DEPTH (feet hal)	PORE HOLE	110	T ANNULAR SI	EAL MATI	EDIAL A	AND	AMOUNT		МЕТИО	D OF
AL.	FROM	TO	BORE HOLE DIAM. (inches)	1,0078,00	VEL PACK SIZE				(cubic feet)		PLACEM	
ERL	11.5.11											
MAT												
AR												
ANNULAR MATERIAL			-						DSE OIT NO	118 20	21 DW110	
3. A.												
FOR	OSE INTER							WR-2	0 WELL RECORD	& LOG (\	Version 06/3	0/17)
	ENO.	45	47	2	POD NO			TRN	, ,,	185		
LOC	CATION		233	30F	22 4	41		WELL TAGE	DNO -	_	PAGE	1 OF 2

WB

STATE ENGINEER OFFICE

j	1/06
1	

SE K SE K K K K K K K Section 12 Township 235 Range 30 E NM.P.M.	*	(· V	VELL RECO	ORD		1		
Street or You'll Street or Y			***							. 17
Street or Ford Unites Address	Owner of	well					Owner	's Well No	o	
	Street or	Post Office Ad	idress		CARTER	P.O. BOX	2078 EXTCO 88221			
Name										
b. Trect No.										
C. Lot No. Of Block No. EDDY County.										N.M.P.M.
A. X	b. Tract l	No	of Map No.		of the	,	CARLSBAD D	ISTRIC	<u>r</u>	····
A. X	c. Lot No	0	of Block No		of the		· · · · · · · · · · · · · · · · · · ·			
Drilling Contractor										
Section 2, RECORD OF CASING Depth in Feet Threads (inches) per foot per in, Top Bottom (feet) Type of Shoe Per Casions Per in Feet Threads (inches) per foot per in, Top Bottom (feet) Type of Shoe Per Casions Per in Feet Threads (inches) Per in Feet Top Bottom (feet) Type of Shoe Per in Feet Per in Feet Top Bottom (feet) Type of Shoe Per in Feet Per in Feet Top Bottom (feet) Type of Shoe Per in Feet Per in Feet Per in Feet Top Bottom (feet) Type of Shoe Per in Feet Per in F										
Section 2) Drilling C	Contractor	WEST T	EXAS WATER	WELL SER	VICE	License No	W	D1184	
Section 2	idress			3410 MANK	INS ODES	SA, TEXAS	79764			
Section Sect	rilling Regan	04-21-0	06 Com	pleted 05	-02-06	_ Type tools	AIR ROTARY	Size	of hole_	11 in.
Section 2. PRINCIPAL WATER-BEARING STRATA										
Section 2. PRINCIPAL WATER-BEARING STRATA										
Depth in Feet Thickness in Feet Description of Water-Bearing Formation Estimated Yield (gallons per minute)	ompleted wel	i is 🔲 s	hallow XXX	artesian.		Depth to water	r upon completion	of well		ft.
To	Denth	in Feet	·····		IPAL WATER	R-BEARING S	TRATA	E-	timeted '	Yield
Section 3. RECORD OF CASING Section 5. RECORD OF CASING Perform to		<u> </u>		n n	escription of \	Water-Bearing l	Formation			
Section 3, RECORD OF CASING Period Threads Period	170	198	28		DEWEY LA	AKE FORMAT	ION			
Section 3. RECORD OF CASING Section 5. PLUGGING Type of Shoe Perforations Top Bottom (feet) Type of Shoe From Top Top Bottom (feet) Type of Shoe From Top	330	356	26		CULEBR	RA DOLOMIT	E			
Section 3, RECORD OF CASING Section 5, RECORD OF CASING Perforations Top Bottom (feet) Type of Shoe Perforations From To Top Section 3 Section 5 Section 6 Section 5 Section 6 S								. 75		
Dismeter (inches)										- 5.
Dismeter (inches)										
Cinches per foot per in. Top Bottom (feet) Type of shoe From To To To To To To To	Diameter	l Barrada	Thursda I			T	<u> </u>			
12-3/4 33.41 WELDED 3' AGL 35' 38'							Type of Sho	» –	From C	
Section 4. RECORD OF MUDDING AND CEMENTING Section 4. RECORD OF MUDDING AND CEMENTING	12-3/4	33.41	WELDED	3 AGL	35'	38'				
Section 4. RECORD OF MUDDING AND CEMENTING		4.4	4	-1/2' AGL	358'	360-1/2	FIBERGLĀSS	CAP		
Depth in Feet	. DERGLASS	7.7		1,2 1102					<u> </u>	
Depth in Feet	 	<u> </u>			L	l	AENITING.			<u></u>
From To Diameter of Mud of Cement Method of Tree	Denth	in Feet								
O 200 CASING			****				Meth	od of Plac	cement	
O 200 CASING TRIMMIE	0	35	17-1/2			30		TRIMMIE	3	
HOLE PLUG	0	200						TRIMMII	E	
386 366 6-3/4" HOLE PLUG - 5 BAGS Section 5. PLUGGING RECORD lugging Contractor ddress lugging Method Pate Well Plugged lugging approved by: State Engineer Representative FOR USE OF STATE ENGINEER ONLY May 15, 2006 Quad FWL 53. 30E. 12. 44										
lugging Contractor Address lugging Method Pate Well Plugged lugging approved by: State Engineer Representative FOR USE OF STATE ENGINEER ONLY May 15, 2006 Quad FWL State Indicate State Engineer Processes State Engi	<u>\</u>		6-3/4"							
Address No. Depth in Feet Cubic Feet of Cement No. Top Bottom 1 2 3 3 4 4 4 4 4 4 4		·				NG RECORD				
lugging Method							Depth in	Feet		
State Engineer Representative FOR USE OF STATE ENGINEER ONLY QuadFWLFSL						No.	Тор	Bottom	<u> </u>	f Cement
State Engineer Representative FOR USE OF STATE ENGINEER ONLY May 15, 2006 QuadFWLFSL	-						<u> </u>	 		
FOR USE OF STATE ENGINEER ONLY Quad FWL 535.30E.12.44	lugging appro	oved by:					- -			
Por Use of State Engineer Only Quad FWL FSL Monitoring 235.30E.12.44			State Er	gineer Repres	entative					
QuadFWLFSL			~101V ~1			<u> </u>				
QuadFWLFSL			;	FOR USE	OF STATE E	ngineer on	LY			
Manitoring 23S.30E.12.44	Date Received	May 1	5, 2006	•				•	ESI	L
					•		FWL.			
	Ella Na (2-3222			UseMon	itoring	_ Location No	238.30	E.12.4	4 -

File No. C-3222

Depth Depth	/2024 1:13:20 in Feet	_ Thickness	Color and Type of Material Encountered
From	То	in Feet	Color and Type of Material Entertainment
0	1	1	CONSTRUCTION FILL
1	23	22	LIGHT BROWN FINE-GRAINED SAND, LOOSE (DUNE SAND)
23	37	14	REDDISH BROWN CALCAREOUS SAND, SANDSTONE, & SILTSTONE WITH SOME PEBBLES (GATUNA FORMATION)
37	198	161	DOISH BROWN SILTSONTE WITH SMALL GRAY REDUCTION SPOTS; CALCAREOUS AND WELL INCURATED (DEWEY LAKE FORMATION)
198	207	9 HOLI	CUTTINGS SIMILAR TO ABOVE; LOG SHOWS HIGH NATURAL GAMMA, INCREASED DIAMETER (POSSIBLE RESIDUE OF FORTY-NINER MEMBER OF RUSTLER FORMAT
]		WHITE SANDY GYPSUM (MAGENTA DOLOMITE MEMBER OF RUSTLER FORMATION)
207	330	26 97	WHITE GYPSUM BEDS (TAMARISK MEMBER OF THE RUSTLER FORMATION) WITH PINKISH GYPSUM AT 295'; INTERMEDIATE CLAYSTONE NOT RECOVERED IN COR
233	330	37	LIGHT BROWN DOLOMITE
330	356	26	(CULEBRA DOLOMITE MEMBER OF THE RUSTLER FORMATION) DARK GRAY TO REDDISH BROWN GYPSIFEROUS CLAYSTONE
356	362	6	(UPPER LOS MEDANOS MEMBER OF THE RUSTLER FORMATION)
	 		WHITE GYPSUM
362	374	12	(UPPER LOS MEDANOS MEMBER OF THE RUSTLER FORMATION)
374	386	12	REDDISH BROWN MUDSTONE, GRAY SILTSTONE, & GYPSUM (MIDDLE LOS MEDANOS MEMBER OF THE RUSTLER FORMATION)
	}	}	
 			
<u></u>	<u> </u>		
		 	
			
		-{	
····		<u> </u>	
			L.
· · · · · · · · · · · · · · · · · · ·			
	<u> </u>	_L	

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

() Br

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer.

sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or dec.


When the orm is used as a plugging record, only Section 1(a) and 5 need be completed.

	DEPTH (feet bgl)		COLOR AND TYPE OF MATERIAL	ENCOUN	TERED -	WA	TER	ESTIMATED YIELD FOR
	FROM	то	THICKNESS (feet)	INCLUDE WATER-BEARING CAVITIES (attach supplemental sheets to fully			BEAF	NO)	WATER- BEARING ZONES (gpm)
	0	19	19	Caliche, with fine-grained sand	d, White/ T	an	Y	√ N	
	19	54	35	Sand, Fine-grained Poorly-graded	, Reddish I	Brown	Y	√ N	
	54	90	36	Clay, with sand, fine-grained poor	ly-graded,l	Brown	Y	√ N	
	90	101	11	Caliche, with with sand, fine-grained	poorly-gra	ded, Tan	Y	√ N	
							Y	N	
T							Y	N	
4. HYDROGEOLOGIC LOG OF WELL							Y	N	
OF							Y	N	
900							Y	N	
ICI							Y	N	
LOG							Y	N	
EO							Y	N	
ROC							Y	N	
IXD							Y	N	
4.		1					Y	N	
							Y	N	
- 1							Y	N	
							Y	N	
							Y	N	
							Y	N	
- 1							Y	N	
	METHOD U	JSED TO E	STIMATE YIELD	OF WATER-BEARING STRATA:		TO	OTAL ESTI	MATED	
	PUM	P DA	AIR LIFT	BAILER OTHER - SPECIFY:		W	ELL YIELI	O (gpm):	0.00
NO	WELL TES			ACH A COPY OF DATA COLLECTED DURIN ME, AND A TABLE SHOWING DISCHARGE A					
TEST; RIG SUPERVISION	MISCELLA	NEOUS IN		emporary well materials removed and the so et below ground surface, then hydrated bent					
LES	PRINT NAM	ME(S) OF D	RILL RIG SUPER	VISOR(S) THAT PROVIDED ONSITE SUPER	VISION O	F WELL CONSTR	RUCTION C	THER T	IAN LICENSEE
5.1	Shane Eldri	dge, Came	eron Pruitt, Came	rlo Trevino		USE	DIT NOU	16 202	1 PM1 (O.C.
SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:								
e. SIGN.	Jack K	Itkins		Jackie D. Atkins			11/1	5/2021	
-		SIGNAT	TURE OF DRILLE	ER / PRINT SIGNEE NAME				DATE	
FOI	R OSE INTER	NAI IICE				WR-20 WELL	RECORD &	LOGOVA	rsion 06/30/2017
	E NO.	MAL USE		POD NO.		TRN NO.	ALCOND &	LOG(VE	101011 00/30/2017
_	CATION				WELL	TAG ID NO.			PAGE 2 OF 2

The USGS Well data discussed for the Forty Niner Ridge Facility is presented below.

USGS 321726103513701 23S.30E.22.24413


Eddy County, New Mexico
Hydrologic Unit Code 13060011
Latitude 32°17'26", Longitude 103°51'37" NAD27
Land-surface elevation 3,231 feet above NAVD88
The depth of the well is 244 feet below land surface.
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.



This is the closest well to the Forty Niner Ridge site being 0.45 miles north-northwest of the location. The well is used for supplying water to cattle. It is USGS-9205.

USGS 321809103481801 23S.31E.17.31141

Eddy County, New Mexico
Hydrologic Unit Code 13060011
Latitude 32°18'11.3", Longitude 103°48'23.4" NAD83
Land-surface elevation 3,326.00 feet above NGVD29
The depth of the well is 354 feet below land surface.
This well is completed in the Other aquifers (N99990THER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.




This well is 3.10 miles northeast of the site. The well provides water to cattle.

It is USGS-9122

USGS 321648103482101 23S.31E.29.11333


Eddy County, New Mexico
Hydrologic Unit Code 13060011
Latitude 32°16'48", Longitude 103°48'21" NAD27
Land-surface elevation 3,336 feet above NAVD88
The depth of the well is 220 feet below land surface.
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Dewey Lake Redbeds (312DYLK) local aquifer.



The well is 2.67 miles east of the site. It is USGS-9142. It is used to water cattle.

USGS 321526103520101 23S.30E.34.32400


Eddy County, New Mexico
Hydrologic Unit Code 13060011
Latitude 32°15'26", Longitude 103°52'01" NAD27
Land-surface elevation 3,446 feet above NAVD88
The depth of the well is 567 feet below land surface.
This well is completed in the Other aquifers (N99990THER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.



This is USGS-9126 and is about 2.0 miles to the southwest of the Forty Niner location.

USGS 321544103523701 23S.30E.33.244112 USGS-5

Eddy County, New Mexico
Hydrologic Unit Code 13060011
Latitude 32°15'44.1", Longitude 103°52'33.5" NAD83
Land-surface elevation 3,438.37 feet above NGVD29
The depth of the well is 696 feet below land surface.
This well is completed in the Other aquifers (N99990THER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.



This location is 1.85 miles southwest of the Forty Niner location and is USGS-9212.

SITE PHOTOGRAHS

Figures

The photographs were taken during R T Hicks Consultants site visit on November 11, 2024. In the aerial photo below, the area outlined in blue meets all of the siting criteria. The area outlined in orange is where the containments and recycling facility will be placed. Photograph locations are marked with yellow dots. North is up in the aerial image.



Figure 1: *View to the south towards the center of the site from location 1. Location 1 is on the northeastern side of the in-ground containment location.*



Figure 2: *View is to the north from location 2.*



Figure 3: From location 2, the view is to the west, the northwest corner of the in-ground containment location.



Figure 4: *View is to the east from location 3 across the location of the recycling facility pad.*



Figure 5: *View is from location 3 to the northwest along the road bounding the location on its southwest side.*




Figure 6: *View is to the south from location 4.* A low dune is present in the foreground and in the right middle distance.



November 2024

Rule 34 Registration: Volume 2 FNR East Containment Section 23, T23S, R30E, Eddy County

- C-147
- Stamped Design Drawings
- Recently Approved Plans for Design/Construction, O&M, Closure



Looking north from the center of the Forty Niner Ridge location.

Prepared for: Solaris Midstream Waters, LLC Houston, Texas

Prepared by: R.T. Hicks Consultants, Ltd. 901 Rio Grande NW F-142 Albuquerque, New Mexico C-147 & LINER EQUIVALENCY DEMONSTRATION

Page 43 of 154

State of New Mexico Form C-147 **Energy Minerals and Natural Resources** Revised October 11, 2022 Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment
Type of Facility:
At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.
e advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. or does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Solaris Water Midstream LLC (For multiple operators attach page with information) OGRID #: 371643 Address: 9811 Katy Freeway, Suite 900, Houston, TX, 77024
Facility or well name (include API# if associated with a well):Forty Niner Ridge East Reuse Facility and Containments
OCD Permit Number: 2RF-213 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr C Section 23 Township 23S Range 30E County: Eddy
Surface Owner: ✓ Federal State Private Tribal Trust or Indian Allotment
Recycling Facility: Location of recycling facility (if applicable): Latitude 32.282406 Longitude -103.853986 NAD83 Proposed Use:
✓ Recvcling Containment: Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year) Center of Recycling Containment (if applicable): Latitude 32.283692 N Longitude -103.854881 W (approx.) NAD83 For multiple or additional recycling containments, attach design and location information of each containment 60 mil pri and 40 mil sec. Lined Liner type: Thicknessmil LLDPE ✓ HDPE PVC Other String-Reinforced
Liner Seams: Welded ☐ Factory ☐ Other Volume: 1,013 K _bbl Dimensions: L_790' x W_525' x D_24'
Recycling Containment Closure Completion Date: with 3' freeboard See Attachment Drawings and Plans

4.						
Bonding:						
Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or						
operated by the owners of the containment.) Reading in accordance with 10.15.24.15(A)(1). Amount of head \$ 692.476.88. (work on these facilities connet commence to the containment of the containment of the containment of the containment.)	ıntil handina					
Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$_692,476.88 (work on these facilities cannot commence to amounts are approved.)	mui bonanig					
amounts are approved) Attach closure cost estimate and documentation on how the closure cost was calculated. See Vol 1 Transmittal Letter fo and bonding estimate.	r Closure Costs					
5. Fencing:						
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate. Please specify Fixed knot woven wire, 8-foot height. See Sheets 6 and 11 of Containment Plans						
6.						
Signs:						
☑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
☐ Signed in compliance with 19.15.16.8 NMAC						
7.						
<u>Variances</u> :						
Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, hun environment.	nan health, and the					
Check the below box only if a variance is requested:						
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested	ed, include the					
variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation.						
See Transmittal Letter, Volume 1						
8. Siting Criteria for Recycling Containment						
Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application examples of the siting attachment source material are provided below under each criteria.	mon. Potennai					
General siting						
Ground water is less than 50 feet below the bottom of the Recycling Containment.	☐ Yes ☑ No					
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☑ No					
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	□ NA					
- Written confirmation or verification from the municipality; written approval obtained from the municipality						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes ☑ No					
Within an unstable area.						
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☑ No					
Society; topographic map Within a 100-year floodplain. FEMA map	☐ Yes ☑ No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa						
lake (measured from the ordinary high-water mark).	☐ Yes ☑ No					
- Topographic map; visual inspection (certification) of the proposed site						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	☐ Yes ☑ No					
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	☐ Yes ☑ No					
- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site						
Within 500 feet of a wetland.	☐ Yes ☑ No					
- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site						

9. Recycling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application: Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirements. Closure Plan - based upon the appropriate requirements. Site Specific Groundwater Data - Siting Criteria Compliance Demonstrations - Certify that notice of the C-147 (only) has been sent to the surface	
10.	
Operator Application Certification:	
I hereby certify that the information and attachments submitted with this a	application are true, accurate and complete to the best of my knowledge and belief.
Name (Print):Drew Dixon	Title: SVP- Land and Regulatory
Signature: Unew Liston	Date:12/03/2024 .
e-mail address <u>drew.dixon@ariswater.com</u>	Telephone:832-304-9028
OCD Representative Signature: Victoria Venegas	Approval Date: 12/12/2024
Title: Environmental Specialist	OCD Permit Number: 2RF-213

X OCD Conditions

Additional OCD Conditions on Attachment

R.K. FROBEL & ASSOCIATES

Consulting Engineers

Technical Memorandum: 40-mil HDPE as Alternative Secondary Liner System for In Ground Recycling Containment Facilities NMAC 19.15.34.12 A

I have investigated the suitability of application for 40 mil HDPE geomembrane as an equivalent secondary liner to 30 mil scrim reinforced LLDPE (LLDPEr) in the application for In Ground Recycling Containment facilities. *In summary, it is my professional opinion that the specified 40 mil HDPE geomembrane will provide a secondary liner system that is equal to or better than 30 mil scrim reinforced LLDPEr and will provide the requisite protection of fresh water, public health and the environment for many years when engineering design provides requisite site/soil/slope preparation and when used in concert with requisite primary liners and drainage layers.*

It is understood that the lining system under discussion is composed of a 60 mil HDPE Primary liner, geonet drainage layer and a 40 mil HDPE Secondary liner. *In consideration of the secondary lining system application, size of impoundment and depth, design details as well as the chemical nature of typical processed water, it is my professional opinion that the 40 mil HDPE geomembrane will provide the requisite barrier against processed water loss and will function effectively as a secondary liner.*

The following are discussion points that hopefully will exhibit the equivalency of a 40 mil HDPE secondary liner to that of a 30 mil LLDPEr.

The nature and formulation of the 40 mil HDPE resin is the same as the Primary 60 mil HDPE. The major difference is that the 40 mil HDPE is lower in thickness (more flexible and less puncture resistant). However, in covered conditions, HDPE will resist aging and degradation and remain intact for many decades. In fact, a secondary liner of 40 mil HDPE will outlast an exposed 60 mil HDPE liner. According to the Geosynthetic Research Institute (GRI) study on lifetime prediction (GRI Paper No. 6), the half life of HDPE (GRI GM 13) exposed is > 36 years and the half-life of HDPE covered or buried is greater than 100 years. It is understood that in order to ensure compliance of materials, the primary 60 mil HDPE to be used must meet or exceed GRI GM 13 Standards. Likewise, the secondary liner that is not exposed to the same environmental and chemical conditions must meet or exceed GRI GM 13 for non-reinforced HDPE. Adhering to the minimum requirements of the GRI Specifications, 40 mil HDPE when used as a secondary liner will be equally as protective as the primary 60 mil HDPE liner (reference: www.geosynthetic-institute.org/grispecs) and equally as protective as a 30 mil scrim reinforced LLDPEr liner.

<u>Durability of Geomembranes is directly affected by exposure conditions.</u> Buried or covered geomembranes are not affected by the same degradation mechanisms (UV, Ozone, Chemical, Stress, Temperature, etc) as are fully exposed geomembranes. In this regard, the secondary liner material and thickness can be much less robust than the fully exposed primary liner which in this case is 60 mil HDPE. This is also the case for

R.K. FROBEL & ASSOCIATES

Consulting Engineers

landfill lining systems where the secondary geomembrane in a bottom landfill cell may be 40 mil HDPE.

<u>Thermal Fusion Seaming Requirements</u>. Thermal seaming and QC seam test requirements for geomembranes are product specific and usually prescribed by the sheet manufacturer. Dual wedge thermal fusion welding is commonly used on HDPE and QC testing by air channel (ASTM D 5820) is fully acceptable and recognized as an industry standard. In this regard, there should be no exception requirement for seaming and QC testing as both the Primary and Secondary geomembranes are HDPE. This is fully covered in comprehensive specifications for both the Primary and Secondary geomembranes (Reference: www.ASTM.org/Standards).

Potential for Leakage through the Primary and Secondary Liners. Leakage through geomembrane liners is directly a function of the height of liquid head above any hole or imperfection. The geonet drainage media provides immediate drainage to a low point or sump and thus no hydrostatic head or driving gradient is available to push leakage water through a hole in the secondary liner. In this regard, secondary geomembrane materials can be (and usually are) much less in thickness and also polymer type. Hydraulic Conductivity through the 40 mil HDPE liner material is extremely low due to the polymer type, structure and crystallinity and exceeds requirements of EPA SW-846 Method 9090A.

<u>Chemical Attack</u>. Chemical attack to polymeric geomembranes is directly a function of type of chemical, temperature and exposure time. Again, the HDPE Primary provides the chemically resistant liner and is QC tested to reduce potential defects or holes. If there is a small hole, the geonet drain takes any leakage water immediately to the sump for extraction. Thus, exposure time is very limited on a secondary liner in addition to low temperature, little volume and virtually no head pressure. In this regard, a chemically resistant geomembrane material such as 40 mil HDPE can be specified for the secondary and is a fully acceptable alternate to 30 mil scrim reinforced LLDPEr.

Mechanical Properties Characteristics. Geomembranes of different polymer and/or structure (i.e., reinforced vs non-reinforced) cannot be readily compared using such characteristics as tensile stress/strain, tear, puncture and polymer requirements. For a 40 mil HDPE liner material to function as a Secondary liner it should meet or exceed the manufacturers minimum requirements for Density, Tensile Properties, Tear, Puncture as well as other properties such as UV resistance. The sheet material must also meet or exceed GRI GM 13 minimum requirements. *In this regard, a 40 mil HDPE will be equivalent to a 30 mil LLDPEr as a secondary liner for the conditions listed below:*

- The subgrade or compacted earth foundation will be smooth, free of debris or loose rocks, dry, unyielding and will support the lining system.
- The side slopes for the containment shall be equal to or less than 3H:1V.
- The physical properties and condition of the subgrade or liner foundation

R.K. FROBEL & ASSOCIATES

Consulting Engineers

(i.e., density, slope, moisture) will be inspected and certified by a Professional Engineer that it meets or exceeds specification requirements.

- Immediately prior to installation, the installation contractor shall inspect and sign off on the subgrade conditions that they meet or exceed the HDPE manufacturer and installers requirements.
- A protective geotextile will be placed on the finished and accepted subgrade between subgrade and the 40 mil HDPE Secondary liner.
- A 200 mil geonet will be placed over the 40 mil HDPE Secondary Liner.
- A 60 mil HDPE Primary liner will be placed over the 200 mil geonet drainage layer.

If you have any questions on the above technical memorandum or require further information, give me a call at 720-289-0300 or email geosynthetics@msn.com

Sincerely Yours,

RK Frobel

Ronald K. Frobel, MSCE, PE

References:

NMAC 19.15.34.12 A DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT

Geosynthetic Research Institute (GRI) Published Standards and Papers 2017 www.geosynthetic-institute.org

ASTM Geosynthetics Standards 2017 www.ASTM.org/Standards



RECYCLING CONTAINMENT DESIGN DRAWINGS

FNR EAST POND SOLARIS WATER MIDSTREAM

SECTIION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST EDDY COUNTY, NEW MEXICO

32° 17′ 01.2912" N, 103° 51′ 17.5716" W 32.283692°, -103.854881°



CONTACTS


JEFFERY COOK - SOLARIS WATER MIDSTREAM - (713)-614-3644

ENVIROTECH ENGINEERING & CONSULTING - ROSHAN MOHAN (580)-234-8780 (DESIGN ENGINEER)

ENVIROTECH ENGINEERING & CONSULTING - MITCHELL RATKE, PE (580)-234-8780 (SUPERVISING ENGINEER)



THE CONTRACTOR IS CAUTIONED THE LOCATION AND DEPTH OF EXISTING UTILITIES AS SHOWN ON THESE PLANS ARE BASED ON PUBLICLY AVAILABLE RECORDS OF THE VARIOUS UTILITY COMPANIES AND FIELD MEASUREMENTS. THE INFORMATION PROVIDED IS NOT TO BE RELIED ON AS BEING PRECISE OR COMPLETE. THE CONTRACTOR MUST CONTACT THE LOCAL UTILITY LOCATION CENTER AT LEAST 72 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATIONS OF THE UTILITIES.



INDEX TO DRAWINGS SHEET NO. DESCRIPTION

- 1 COVER
- 2 PROJECT LOCATION
- 3 EXISTING SITE FEATURES
- 4 SITE PLAN
- 5 PIT CAPACITY
- 6 RUBSHEET & FENCE PLAN
- 7 CROSS SECTIONS A & B
- 8 SUMP DETAILS
- 9 LINER DETAILS
- 10 STINGER DETAILS
- 11 FENCE DETAILS
- 12 STORMWATER DIVERSION CHANNEL DETAIL






2500 N. Eleventh Street Enid, OK 73701 • 580.234.8780 • envirotechconsulting.com P.E. #29736 - Expiration Date: 12-31-2024












ENVIROTECH
ENGINEERING
2500 North Eleventh Street
6 End. Oklahoma 6
500.234.0780 envirotechousuling.com
envirotechousuling.com
12.31-202-

PROJECT LOCATION FNR EAST POND SOLARIS WATER MIDSTREAM SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST EDDY COUNTY, NEW MEXICO

DATE: N	OVEMBER 2024	
CALE:	NOT TO SCALE	
ESIGNED BY:	M. RATKE	
RAWN BY:	R. MOHAN	
HECKED BY:	M. RATKE	
ROJECT NO.	024325-00	
HEET NO.	2.05.12	

2 OF 12





ENVIROTECH
ENGINEERING
2500 North Eventh Street
find, Oklahoma
580.234.0780
envirotechoonsuling.com


COPYRIGHT

This document and the information contained may NOT be reproduced or excepted from without the express written permission of Envirotech Engineering and disclosure or construction to the construction of the control of the control of the construction are are prohibited by the copyright law.

SOLARIS WATER MIDSTREAM

EXISTING SITE FEATURES
FNR EAST POND
SOLARIS WATER MIDSTREAM
SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST
EDDY COUNTY, NEW MEXICO

NOVEMBER 2024 SCALE: 1" = 200 DESIGNED BY: M. RATKE R. MOHAN DRAWN BY: M. RATKE CHECKED BY: PROJECT NO. 024325-00 3 OF 12



ENVIROTECH
ENGINEERING
2500 North Elevard Street
init, Oblahma
500 234 A 70

envirotech consulting com
1.6. #29736 - Expiration Date: 12-31-2024

COPYRIGHT
his document and the information
contained may NOT be reproduced or

COPYRIGHT
his document and the information
totalized may NOT be reproduced or
coephed from without the express written
mission of Enviroletch Engineering and
sichoswer or construction use are prohibited
the copyright law.

D. DATE DESCRIPTIO

SOLARIS"

M AST

SITE PLAN
FNR EAST POND
SOLARIS WATER MIDSTREAM
SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST
EDDY COUNTY, NEW MEXICO

DATE: NOVEMBER 2024

SCALE: 1" = 100'
DESIGNED BY: M. RATKE
DRAWN BY: R. MOHAN
CHECKED BY: M. RATKE
PROJECT NO. 024325-00
SHEET NO.
4 OF 12


	Owner SOLARIS WATER MIDSTREAM					
	Site Name	FNR EAST CONTAINMENT				
			Тор	Bottom	Max	
	Lagoon Features				Liq. Level	
	Side slope Ratio		3		2	
	Maximum Depth (ft)		24.0	1	22.0	
50	Lagoon Top Width (ft)		790	676	778	
	Lagoon Top Length (ft)		525	411	513	
	Maximum Total Vol (ft3)	6,	897,373		5,688,465	

1,228,554



Elevation ft	Lagoon Liq Depth ft	Storage ft	Remaining Stor Vol ft3	Gallons Storage gal	BBLS Storage bbls	Percent of Total Volume %	Vol in lagoon ft ³	Gallons Storage gal	Vol in Lagoon bbls	Vol in Lagoon ac-ft	Percent Total Vol %
3288.50	24.0	0.0				0.0%	6,897,373	51,599,247	1,228,554	158.34	100%
3287.50	23.0	1.0	410,762	3,072,912	73,165	6.0%	6,486,611	48,526,335	1,155,389	148.91	94%
3286.50		2.0	813,707	6,087,345	144,937	11.8%	6,083,666	45.511,902	1,083,617	139.66	
3285.50	21.0	3.0	1,208,908	9,043,837	215,329	17.5%	5,688,465	42,555,410	1,013,224	130.59	82%
3284.50	20.0	4.0	1,596,435	11,942,927	284,355	23.1%	5,300,938	39,656,320	944,198	121.69	77%
3283.50	19.0	5.0	1,976,361	14,785,156	352,028	28.7%	4,921,012	36,814,091	876,526	112.97	71%
3282.50	18.0	6.0	2,348,758	17,571,059	418,359	34.1%	4,548,615	34,028,188	810,195	104.42	66%
3281.50	17.0	7.0	2,713,698	20,301,177	483,361	39.3%	4,183,675	31,298,070	745,192	96.04	61%
3280.50	16.0	8.0	3,071,254	22,976,048	547,049	44.5%	3,826,119	28,623,199	681,505	87.84	55%
3279.50	15.0	9.0	3,421,496	25,596,208	609,434	49.6%	3,475,877	26,003,039	619,120	79.80	50%
3278.50	14.0	10.0	3,764,497	28,162,201	670,529	54.6%	3,132,876	23,437,046	558,025	71.92	45%
3277.50	13.0	11.0	4,100,329	30,674,561	730,347	59.4%	2,797,044	20,924,686	498,207	64.21	41%
3276.50	12.0	12.0	4,429,064	33,133,828	788,901	64.2%	2,468,309	18,465,419	439,653	56.66	36%
3275.50	11.0	13.0	4,750,774	35,540,539	846,203	68.9%	2,146,599	16,058,708	382,350	49.28	31%
3274.50	10.0	14.0	5,065,531	37,895,237	902,268	73.4%	1,831,842	13,704,010	326,286	42.05	27%
3273.50	9.0	15.0	5,373,407	40,198,456	957,106	77.9%	1,523,966	11,400,791	271,447	34.99	22%
3272.50	8.0	16.0	5,674,473	42,450,736	1,010,732	82.3%	1,222,900	9,148,511	217,822	28.07	18%
3271.50	7.0	17.0	5,968,803	44,652,617	1,063,158	86.5%	928,570	6,946,630	165,396	21.32	13%
3270.50	6.0	18.0	6,256,468	46,804,634	1,114,396	90.7%	640,905	4,794,613	114,157	14.71	9%
3269.50	5.0	19.0	6,537,539	48,907,330	1,164,460	94.8%	359,834	2,691,917	64,093	8.26	5%
3268.50	4.0	20.0	6,747,486	50,477,945	1,201,856	97.8%	149,887	1,121,302	26,698	3.44	2%
3267.50	3.0	21.0	6,848,265	51,231,874	1,219,807	99.3%	49,108	367,373	8,747	1.13	1%
3266.50	2.0	22.0	6,879,679	51,466,881	1,225,402	99.7%	17,694	132,367	3,152	0.41	0%
3265.50	1.0	23,0	6,889,090	51,537,284	1,227,078	99.9%	8,283	61,963	1,475	0.19	0%
		THE RESERVE OF THE PARTY OF THE			The second second						

1,013,224



BERM NOTE: 1. LEVEL MARKS TO BE LOCATED BY SURVEYOR UNLESS SPECIFIED BY **OWNER BOTTOM OF SUMP**

2. MARKS TO BE MADE BY AN EXTRUSION WELDER USING BLACK FILAMENT (OR WHITE FILAMENT ON BLACK LINER).

3. MARKS SHOULD BEGIN AT THE TOP OF BERM AND CONTINUE TO THE BOTTOM OF THE SUMP. (TOP OF BERM SHOULD READ 24-FT, BOTTOM OF SUMP +1-FT SHOULD READ 1-FT)

WATER LEVEL MARKS DETAIL 1 NOT TO SCALE

4. REFERENCE PIT CAPACITY TABLES FOR ACCURATE **ELEVATIONS**



ENVIROTECH ENGINEERING 2500 North Eleventh Street Enid, Oklahoma 580,234,8780 envirotechconsulling.com

COPYRIGHT

PIT CAPACITY
FNR EAST POND
SOLARIS WATER MIDSTREAM
SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST
EDDY COUNTY, NEW MEXICO


NOVEMBER 2024 SCALE: 1" = 50 DESIGNED BY: M. RATKE R. MOHAN DRAWN BY: CHECKED BY: M. RATKE PROJECT NO. 024325-00 5 OF 12



SOLARIS WATER MIDSTREAM

RUBSHEET & FENCE PLAN FNR EAST POND SOLARIS WATER MIDSTREAM SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST EDDY COUNTY, NEW MEXICO


NOVEMBER 2024 SCALE: M. RATKE DESIGNED BY: R. MOHAN DRAWN BY: CHECKED BY: M. RATKE 024325-00 PROJECT NO. 6 OF 12




ENVIROTECH ENGINEERING This document and the information contained may NOT be reproduced or excerpted from without the express written permission of Envirotech Engineering and Consulting, Inc. Unauthorized copying, disclosure or construction use are prohibited by the copyright law.


CROSS SECTIONS A & B FNR EAST POND SOLARIS WATER MIDSTREAM SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST EDDY COUNTY, NEW MEXICO


	VEMBER 2024	
CALE:HORTIZO	ONTAL 1'=100' ERTICAL 1'=10'	
ESIGNED BY:	M. RATKĘ	
RAWN BY:	R. MOHAN	
HECKED BY:	M. RATKE	
ROJECT NO.	024325-00	











LEAK DETECTION/SAMPLING 6 SYSTEM DETAIL NOT TO SCALE

INSTALL REMOVABLE -

WEATHERPROOF CAP

F	PROPOSED PIT REFERENCE TABLE
DETAIL	DESCRIPTION
PRIMARY LINER	60- MIL HDPE SMOOTH LINER
LEAK DETECTION	200-MIL GEONET
SECONDARY LINER	40-MIL HDPE SMOOTH LINER
UNDERLAYMENT	8 OZ GEOTEXTILE
SUMP	2,464.50-FT ELEVATION
BERM (ROAD CREST)	DESIGN ELEV. 2,488.50 FT- RD CREST (30-FT)
LEAK DETECTION PIPING	6-IN DR11.X PERFORATED HDPE LEAK DETECTION PIPE

NOTES:

DETAIL

NOT TO SCALE

1. LEAK DETECTION SYSTEM TO BE INSTALLED BY OWNER.

POINT IN POND


- 2. PERFORATED PIPE TO BE ALONG THE BOTTOM OF THE POND. SOLID PIPE ON THE SIDE SLOPE.
- 3. CONSTRUCT COMPACTED SUBGRADE TO 95% STANDARD PROCTOR AS PER ASTM D-698.
- 4. EXTEND 60 MIL. RUB SHEET 1.0-FT PAST TOP OF SHOULDER OF SUMP.
- 5. WASH RIVER ROCK SHALL BE 3/4" MIN. & 2" MAX.





SUMP DETAILS FNR EAST POND SOLARIS WATER MIDSTREAM SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST EDDY COUNTY, NEW MEXICO

DATE: N	OVEMBER 2024
SCALE:	NOT TO SCALE
DESIGNED BY:	M. RATKE
DRAWN BY:	R. MOHAN
CHECKED BY:	M. RATKE
PROJECT NO.	024325-00
SHEET NO.	8 OF 12



GENERAL NOTES:

Not to Scale

1. SEE REFERENCE TABLES SHEET 8 FOR LINER **SPECIFICATIONS**

LINER SYSTEM SIDE SLOPE DETAIL

- 2. PREPARED SUBGRADE MEANS COMPACTED SMOOTH SUBGRADE FREE OF ROCK, ROOTS, WOOD DEBRIS, CONCRETE RUBBLE AND ANY SHARP OBJECTS THAT MIGHT PUNCTURE THE HDPE LINER.
- 3. ALL INTERIOR SLOPES AND TOP OF BERMS TO BE SMOOTH DRUM ROLLED.
- 4. ALL EMBANKMENT SLOPES SHALL HAVE A RATIO OF 3:1, COMPACTED EARTH EMBANKMENTS TO BE CONSTRUCTED WITH 8 INCH (MAXIMUM LOOSE LIFTS), COMPACTED TO 95% STANDARD PROCTOR DENSITY (ASTM D698), AND MOISTURE CONDITIONS TO +/- 2% OPTIMUM MOISTURE (ASTM D698)
- 5. PERFORM GEOTECHNICAL ANALYSIS ON EXISTING SOIL TO CONFIRM SOIL IS SUITABLE FOR USE IN THE LEVEE.
- ALL BOTTOM OF PITS SHALL SLOPE TO THE SUMP.






O. DATE DESCRIPTION

SOLARIS WATER MIDSTREAM

LINER DETAILS
FNR EAST POND
SOLARIS WATER MIDSTREAM
SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST
EDDY COUNTY, NEW MEXICO

NOVEMBER 2024 SCALE: NOT TO SCALE DESIGNED BY: M. RATKE DRAWN BY-R MOHAN M. RATKE CHECKED BY: PROJECT NO. 024325-00

9 OF 12





STINGER DETAILS FNR EAST POND SOLARIS WATER MIDSTREAM SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST EDDY COUNTY, NEW MEXICO


DATE: NOVEMBER 2024 SCALE: NOT TO SCALE DESIGNED BY: M. RATKE DRAWN BY: R. MOHAN CHECKED BY: M. RATKE PROJECT NO.

SHEET NO.

024325-00 10 OF 12

GENERAL NOTES:

- 1. AT EACH LOCATION WHERE AN ELECTRIC TRANSMISSION, DISTRIBUTION OR SECONDARY LINE CROSSES A BARRIER FENCE, THE CONTRACTOR SHALL FURNISH AND INSTALL A GROUND CONFORMING TO ARTICLE 250 OF THE NATIONAL ELECTRICAL CODE- THE GROUND ROD SHALL OF A MINIMUM DIAMETER OF 1\2-IN. AND 8-FT. IN LENGTH, AND DRIVEN AT LEAST 7 1/2 FT. INTO THE GROUND. THE ROD SHALL BE CONNECTED TO EACH WIRE WITH A MINIMUM AWG NO. 8 STRANDED COPPER WIRE. GROUNDING WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE WORK.
- 2. LINE BRACE POSTS SHALL BE SPACED AT 400 FT. INTERVALS, WHERE FENCING IS CONTINUOUS AND WHERE END, CORNER AND LINE BRACE POSTS ARE NOT SPECIFIED.
- 3. ALL LINE POSTS SHALL BE 5 IN. MIN. DIAMETER AND 12 FT. LONG. ALL END, CORNER AND LINE BRACE POSTS SHALL BE 6 IN. MIN. DIAMETER AND 12 FT. LONG.
- BARBED WIRE SHALL BE DOUBLE WRAPPED AND TIED OFF AT END POSTS, CORNER POSTS AND LINE BRACE POSTS.
- 5. WOVEN WIRE SHALL BE SINGLE WRAPPED AND TIED OFF. FENCE TO BE CONTINUED, SHALL BE RESTARTED IN LIKE MANNER. WOVEN WIRE FENCE FABRIC SHALL CONFORM TO AASHTO M 279 (ASTM A 116) DESIGN NO. 1047-6-11 WITH CLASS I COATING.
- 6. STEEL BARBED WIRE SHALL CONFORM TO AASHTO M 200 (ASTM A 121) 12-1/2 GAGE WITH CLASS 1 COATING.
- ALL FENCE WIRE TIES, BRACE WIRES, STAPLES AND OTHER WIRE APPURTENANCES SHALL BE GALVANIZED IN CONFORMANCE WITH AASHTO M 232.
- 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR RE-ESTABLISHING DISTURBED OR DESTROYED SURVEY MONUMENTS TO THE APPROPRIATE ACCURACY.
- 9. ALL MISCELLANEOUS HARDWARE SHALL BE FURNISHED GALVANIZED OR ALUMINUM COATED. ALL METAL PIPE POSTS SHALL BE CAPPED.
- 10. READY MIX CONCRETE MAY BE USED AS A SUBSTITUTE FOR CLASS "A" CONCRETE FOR THE CONCRETE FOOTING IF APPROVED BY THE ENGINEER.








COPYRIGHT


NO. DATE DESCRIPTION

SOLARIS* WATER MIDSTREAM


FENCE DETAILS FNR EAST POND SOLARIS WATER MIDSTREAM SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST

NOVEMBER 2024 DESIGNED BY: M. RATKE R. MOHAN DRAWN BY: CHECKED BY: M. RATKE 024325-00 11 OF 12





ROCK CHECK DAM DETAIL Not to Scale









COPYRIGHT

NO. DATE DESCRIPTION

STORMWATER DIVERSION CHANNEL DETAIL
FNR EAST POND
SOLARIS WATER MIDSTREAM
SECTION 23, TOWNSHIP 23 SOUTH, RANGE 30 EAST
EDDY COUNTY, NEW MEXICO

DATE: NOVEMBER 2024 SCALE: VARIES DESIGNED BY: M. RATKE DRAWN BY: R. MOHAN M. RATKE CHECKED BY: PROJECT NO. 024325-00 12 OF 12


AVIAN DETERRENT SYSTEM

MEGA BLASTER PRO




User's Manual

Overview	2
Bird Control Management Guidelines	3
Materials List	4
Assembly	5
Control Unit	5
Solar Panel	5
Placement	6
Building a Mounting Pole or Mast	7
Installation	8
20-Speaker Tower	8
Solar Panel	8
Control Box	9
Solar Panel Connections	9
Settings	10
Recordings	10
Mode Settings	10
Warranty	12



Overview

The Bird-X Mega Blaster Pro utilizes the innate power of the natural survival instincts of birds to effectively repel them. Digital recordings of distressed and alarmed birds, along with the sounds made by their natural predators are broadcast through high fidelity weather-resistant speakers over the top of areas. This action triggers a primal fear and flee response. Pest birds soon relocate to where they can feed without feeling threatened.



CAUTION: THE MEGA BLASTER PRO IS CAPABLE OF PRODUCING SOUNDS UP TO 125 DECIBELS. PROPER HEARING PROTECTION MUST BE WORN ANYTIME THE UNIT IS TURNED ON.



Bird Control Management Guidelines

An active bird control management program is a key to successfully repelling pest birds. Bird feeding patterns may take several days or weeks to break. Follow all suggestions for maximum effectiveness. Read all instructions prior to installation.

For best results:

- It is extremely important to fully protect your entire area from birds. Any areas not fully protected will allow birds to begin feeding at the fringes of the sound coverage. They will soon become bolder and learn the sounds are nothing to fear. This will cause the effectiveness to diminish. Complete Bird-X product coverage forces birds to leave the area entirely.
- Install the Mega Blaster Pro unit at least two weeks before birds are attracted to your area. It is much easier to keep birds away before they have found a food source than it is to repel them once they have developed a feeding pattern.
- Most birds begin feeding from the perimeter of an area. Place Mega Blaster Pro units so the sound protection covers past the edges of the area.
- Birds will often use tall trees for roosting and observation. If birds are in bordering trees it is necessary to position the
 units so the sound protection covers the trees as well.
- Mount the 20-Speaker Tower at least five feet above trees, areas and structures for maximum coverage. The higher the better. Sound will disperse or reflect off structures or foliage. Mount control unit out of direct sun, if possible.
- When first installed, run Mega Blaster Pro units at FULL volume and on SHORT time off periods. This ensures maximum "bird stress" and creates a hostile environment.
- Watch for changes in bird activity and adjust the location of your Mega Blaster Pro unit if needed.
- Check the battery and unit settings often to insure continuous bird control. Be certain that the system is not turned down or has a dead battery. Field hands or harvesters may turn down the volume.
- Changing settings and switches often helps to prevent bird habituation. Periodically change the switch settings of the
 eight sounds (turning them ON or OFF). NEVER turn OFF the distress calls of the target birds you are trying to repel
 and always keep at least one predator bird sound turned ON.
- If different bird species enter the protected area and begin causing damage contact us immediately for an updated Sound Recording Card designed to repel the new invading birds.
- Remember that the Mega Blaster Pro system is a management tool, and should be used as part of your overall bird control strategy, sometimes in conjunction with other bird control techniques and devices.

Be aware that under extreme drought or other adverse conditions, birds will disregard all deterrents and risks in order to survive

DESIGN/CONSTRUCTION PLAN

Design and Construction Plan In Ground Containments

This plan addresses construction of the earthen containments.

Magrym Engineers is providing the design of the containment and their plans are presented in this submission.

Dike Protection and Structural Integrity

The design and operation provide for the confinement of produced water, prevention of releases and prevention of overtopping due to wave action or rainfall. Additionally, the design prevents run-on of surface water as the containment is surrounded by an above-grade levee (a berm) and/or diversion ditch (between the levee and the soil stockpile) to prevent run-on of surface water.

Stockpile Topsoil

Where topsoil is present, prior to constructing containment, the operator will strip and stockpile the topsoil for use as the final cover or fill at the time of closure.

Signage

The operator will place an upright sign no less than 12 inches by 24 inches with lettering not less than two inches in height in a conspicuous place on the fence surrounding the containment. The sign is posted in a manner and location such that a person can easily read the legend. The sign will provide the following information:

- the operator's name,
- the location of the site by quarter-quarter or unit letter, section, township and range, and
- emergency telephone numbers

Fencing

The operator will provide for a fence to enclose the recycling containment in a manner that deters unauthorized wildlife and human access. As specified in the design drawings, the operator will employ a chain-link or game fence. If required by the District Office, the operator will add four-strands of barbed wire to comply with the text of the Rule. Because feral pigs, javelina and deer are present in the area, a chain link or game fence is required in order to comply with Section 19.15.34.12 D.1 of the Rule because pigs will move beneath the lower strand of a 4-strand, 4-foot high barbed wire fence and deer will jump over. However, 19.15.34.12 D.2 requires "a four-foot fence that has at least four strands of barbed wire evenly spaced in the interval between one foot and four feet above ground level". Therefore, a barbed wire specification will be added to the game fence to avoid a variance if required by the OCD District Office.

19.15.34.12 A Design and Construction Specifications

(1). The operator shall design and construct a recycling containment to ensure the confinement of produced water, to prevent releases and to prevent overtopping due to wave action or rainfall. (8). The operator of a recycling containment shall design the containment to prevent run-on of surface water. The containment shall be surrounded by a berm, ditch or other diversion to prevent run-on of surface water

19.15.34.12 B. Prior to constructing containment, the operator shall strip and stockpile the topsoil for use as the final cover or fill at the time of closure

19.15.34.12 C. Signs.

The operator shall post an upright sign no less than 12 inches by 24 inches with lettering not less than two inches in height in a conspicuous place on the fence surrounding the containment. The operator shall post the sign in a manner and location such that a person can easily read the legend. The sign shall provide the following information: the operator's name, the location of the site by quarter-quarter or unit letter, section, township and range, and emergency telephone numbers

19.15.34.12 D. Fencing

- (1) The operator shall fence or enclose a recycling containment in a manner that deters unauthorized wildlife and human access and shall maintain the fences in good repair. The operator shall ensure that all gates associated with the fence are closed and locked when responsible personnel are not onsite.
- (2) Recycling containments shall be fenced with a four-foot fence that has at least four strands of barbed wire evenly spaced in the interval between one foot and four feet above ground level.

Design and Construction Plan In Ground Containments

As stated in the O&M plan, the operator will ensure that all gates associated with the fence are closed and locked when responsible personnel are not onsite.

Netting and Protection of Wildlife

The perimeter game/chain-link fence will be effective in excluding stock and most terrestrial wildlife. If requested by the surface owner, the game fence can include a fine mesh from the base to 1 foot above the ground to exclude the small reptiles (e.g. dune sagebrush lizard).

The recycling containment will be protective of wildlife, including migratory birds_through the implementation of an Avian Protection Plan, routine inspections and the perimeter fence.

The avian protection plan includes the use of a Bird-X Mega Blaster Pro¹ as a primary hazing program for avian species. The device will be equipped with sounds suitable for the Permian Basin environment. In addition to this sonic device, staff will routinely inspect the containment for the presence of avian species and, if detected, will use a blank cartridge or shell in a handgun, starter pistol or shotgun as additional hazing. Decoys of birds of prey may be placed on the game fence and other roosts around the open water to provide additional hazing.

The O&M plan calls for the operator to inspect for and, within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring.

Earthwork

The containment will have a properly constructed foundation and interior slopes consisting of a firm, unyielding base, smooth and free of rocks, debris, sharp edges or irregularities to prevent the liner's rupture or tear. Geotextile is required under the liner when needed to reduce localized stress-strain or protuberances that otherwise may compromise the liner's integrity.

This volume provides the stamped drawings for the containment with the following design/construction specifications:

a) levee has inside grade no steeper than two horizontal feet to one vertical foot (2H: 1V).

19.15.34.12 E Netting.

The operator shall ensure that a recycling containment is screened, netted or otherwise protective of wildlife, including migratory birds. The operator shall on a monthly basis inspect for and, within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring.

19.15.34.12

(2) A recycling containment shall have a properly constructed foundation and interior slopes consisting of a firm, unyielding base, smooth and free of rocks, debris, sharp edges or irregularities to prevent the liner's rupture or tear. Geotextile is required under the liner when needed to reduce localized stress-strain or protuberances that otherwise may compromise the liner's integrity...

Design and Construction Plan In Ground Containments

- b) levee outside grade is no steeper than three horizontal feet to one vertical foot (3H: 1V)
- c) top of the levee is wide enough to install an anchor trench and provide adequate room for inspection and maintenance.
- d) The containment floor design calls for a slope toward the sump in the corner(s).

Liner and Drainage Geotextile Installation

The containment has a primary (upper) liner and a secondary (lower) liner with a leak detection system appropriate to the site's conditions.

The primary (upper) liner is a geomembrane liner composed of an impervious, synthetic material that is resistant to ultraviolet light, petroleum hydrocarbons, salts and acidic and alkaline solutions. It is 60-mil HDPE. The secondary liner is specified in the design drawings and is 40-mil HDPE or thicker and is equivalent to 30-mil LLDPEr (in accordance with a previously approved variance) Liner compatibility meets or exceeds a subsequent relevant publication to EPA SW-846 method 9090A.

The recycling containment design has a leak detection system between the upper and lower geomembrane liners of 200-mil geonet to facilitate drainage. The leak detection system consists of a properly designed drainage and collection and removal system placed above the lower geomembrane liner in depressions and sloped to facilitate the earliest possible leak detection. The containment floor design calls for a slope toward the sump in the corner(s) of the containment, as shown in the design drawings. This slope combined with the highly transmissive geonet drainage layer provide for rapid leak detection.

The liners and drainage material will be installed consistent with the Manufacturer's specifications. In addition to any specifications of the Manufacturer, protocols for liner installation include measures to:

- i. minimizing liner seams and orient them up and down, not across, a slope of the levee.
- ii. use factory-welded seams where possible.
- iii. use field seams in geosynthetic material that are thermally seamed and prior to field seaming, overlap liners four to six inches.
- iv. minimize the number of field seams and comers and irregularly shaped areas.
- v. provide for no horizontal seams within five feet of the

19.15.34.12

(2) ...The operator shall construct the containment in a levee with an inside grade no steeper than two horizontal feet to one vertical foot (2H:1V). The levee shall have an outside grade no steeper than three horizontal feet to one vertical foot (3H:1V). The top of the levee shall be wide enough to install an anchor trench and provide adequate room for inspection and maintenance.

19.15.34.12 A

(3) Each recycling containment shall incorporate, at a minimum, a primary (upper) liner and a secondary (lower) liner with a leak detection system appropriate to the site's conditions.

19.15.34.12 A

(4) All primary (upper) liners in a recycling containment shall be geomembrane liners composed of an impervious, synthetic material that is resistant to ultraviolet light, petroleum hydrocarbons, salts and acidic and alkaline solutions. All primary liners shall be 30-mil flexible PVC, 45-mil LLDPE string reinforced or 60-mil HDPE liners. Secondary liners shall be 30-mil LLDPE string reinforced or equivalent with a hydraulic conductivity no greater than 1 x 10-9 cm/sec. Liner compatibility shall meet or exceed the EPA SW-846 method 9090A or subsequent relevant publications.

19.15.34.12 A

(7) The operator of a recycling containment shall place a leak detection system between the upper and lower geomembrane liners that shall consist of 200-mil geonet or two feet of compacted soil with a saturated hydraulic conductivity of 1 x 10-5 cm/sec or greater to facilitate drainage. The leak detection system shall consist of a properly designed drainage and collection and removal system placed above the lower geomembrane liner in depressions and sloped to facilitate the earliest possible leak detection.

19.15.34.12 A

(5) The operator of a recycling containment shall minimize liner seams and orient them up and down, not across, a slope of the levee. Factory welded seams shall be used where possible. The operator shall ensure field seams in geosynthetic material are thermally seamed. Prior to field seaming, the operator shall overlap liners four to six inches...

Design and Construction Plan In Ground Containments

- slope's toe.
- vi. use qualified personnel to perform field welding and testing.
- vii. avoid excessive stress-strain on the liner
- viii. The edges of all liners are anchored in the bottom of a compacted earth-filled trench that is at least 18 inches deep

At points of discharge into the lined earthen containment the pipe configuration effectively protects the liner from excessive hydrostatic force or mechanical damage during filling.

The design shows that at any point of discharge into or suction from the recycling containment, the liner is protected from excessive hydrostatic force or mechanical damage. External discharge or suction lines do not penetrate the liner.

Pumping from the containment to hydraulic fracturing operations is the responsibility of stimulation contractors. Typically, lines are permanently placed in the containment with floats attached to prevent damage to the liner system. The containment may be equipped with permanent HDPE stinger (supported by a sacrificial liner or geotextile) for withdrawal of fluid if the owner deems necessary during operations.

Leak Detection and Fluid Removal System Installation
The leak detection system, contains the following design elements

- a. The 200-mil HyperNet Geonet drainage material between the primary and secondary liner that is sufficiently permeable to allow the transport of fluids to the observation ports (Appendix A).
- b. The containment floor is sloped towards the monitoring riser pipe to facilitate the earliest possible leak detection of the containment bottom. A pump may be placed in the observation port to provide for fluid removal.
- c. Piping will withstand chemical attack from any seepage, structural loading from stresses and disturbances from overlying water, cover materials, equipment operation or expansion or contraction (see Appendix A).

19.15.34.12 A

(5) ...The operator shall minimize the number of field seams and corners and irregularly shaped areas. There shall be no horizontal seams within five feet of the slope's toe. Qualified personnel shall perform field welding and testing.

19.15.34.12 A

(3) The edges of all liners shall be anchored in the bottom of a compacted earth-filled trench. The anchor trench shall be at least 18 inches deep.

19.15.34.12 A

(6) At a point of discharge into or suction from the recycling containment, the operator shall insure that the liner is protected from excessive hydrostatic force or mechanical damage. External discharge or suction lines shall not penetrate the

OPERATIONS AND MAINTENANCE PLAN

CLOSURE PLAN

Operation and Maintenance Plan In Ground Containments

Overview

The operator will operate and maintain the lined earthen containment to contain liquids and solids (blow sand and minimal precipitates from the produced water) and maintain the integrity of the liner system in a manner that prevents contamination of fresh water and protects public health and the environment as described below. The purpose of the lined earthen containment is to facilitate recycling, reuse and reclamation of produced water derived from oil and gas wells. During periods when water for E&P operations is not needed, produced water will discharge to injection wells or to a pipeline for transfer to another recycling facility. The containment will not be used for the disposal of produced water or other oilfield waste.

The operation of the containment is summarized below.

- A. Produced water generated from nearby oil and gas wells is delivered to a treatment system located as indicated in the C-147.
- B. Unless specified in the transmittal letter, after treatment, the produced water discharges into the containment.
- C. When required, produced water is removed from the containment for E&P operations. At this time, produced water will be used for drilling beneath the freshwater zones (beneath surface casing), for well stimulation (e.g. hydraulic fracturing) and other E&P uses as approved by OCD.
- D. Whenever the maximum fluid capacity of the containment is reached, treatment and discharge to the containment ceases (see Freeboard and Overtopping Plan, below).
- E. The operator will keep accurate records and shall report monthly to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use on form C-148 (see attached example).
- F. The operator will maintain accurate records that identify the sources and disposition of all recycled water that shall be made available for review by the division upon request.

19.15.34.10 D Recycling containments may not be used for the disposal of produced water or other oilfield wastes.

19.15.34.9 E

The operator of a recycling facility shall keep accurate records and shall report monthly to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use on form C-148.

19.15.34.9 F

The operator of a recycling facility shall maintain accurate records that identify the sources and disposition of all recycled water that shall be made available for review by the division upon request.

© 2024 R.T. Hicks Consultants

Page 1

G. The containment shall be deemed to have ceased operations if less than 20% of the total fluid capacity is used every six months following the first withdrawal of produced water for use. The operator will report cessation of operations to the appropriate division district office. The appropriate division district office may grant an extension to this determination of cessation of operations not to exceed six months.

The operation of the lined earthen containment will follow the mandates listed below:

- 1. The operator will not discharge into or store any hazardous waste (as defined by 40 CFR 261 and NMAC 19.15.2.7.H.3) in the containments.
- 2. If the containment's primary liner is compromised above the fluid's surface, the operator will repair the damage or initiate replacement of the primary liner within 48 hours of discovery or seek an extension of time from the division district office.
- 3. If the primary liner is compromised below the fluid's surface, the operator will remove all fluid above the damage or leak within 48 hours of discovery, notify the division district office and repair the damage or replace the primary liner.
- 4. If any penetration of the containment liner is confirmed by sampling of fluid in the leak detection system (see Monitoring, Inspection, and Reporting Plan; below), the operator will:
 - a. Begin and maintain fluid removal from the leak detection/pump-back system,
 - b. Notify the district office within 48 hours (phone or email) of the discovery,
 - c. Identify the location of the leak, and
 - d. Repair the damage or, if necessary, replace the containment liner.
- 5. The operator will install, or maintain on site, an oil absorbent boom or other device to contain an unanticipated release and the operator will remove any visible layer of oil from the surface of the recycling containment.
- 6. The operator will report releases of fluid in a manner consistent with NMAC 19.15.29
- 7. The containment will be operated to prevent the collection of surface water run-on.

19.15.34.13 C

A recycling containment shall be deemed to have ceased operations if less than 20% of the total fluid capacity is used every six months following the first withdrawal of produced water for use. The operator must report cessation of operations to the appropriate division district office. The appropriate division district office may grant an extension to this determination of cessation of operations not to exceed six months.

19.15.34.13 B

- (4) If the containment's primary liner is compromised above the fluid's surface, the operator shall repair the damage or initiate replacement of the primary liner within 48 hours of discovery or seek an extension of time from the division district office.
- (5) If the primary liner is compromised below the fluid's surface, the operator shall remove all fluid above the damage or leak within 48 hours of discovery, notify the division district office and repair the damage or replace the primary liner.

19.15.34.13 B

- (7) The operator shall install, or maintain on site, an oil absorbent boom or other device to contain an unanticipated release.
- (1) The operator shall remove any visible layer of oil from the surface of the recycling containment. 19.15.34.8 A
- (6) All releases from the recycling and re-use of produced water shall be handled in accordance with 19.15.29 NMAC.

- 8. The operator will maintain the containment free of miscellaneous solid waste or debris.
- 9. The operator will maintain at least three feet of freeboard for the containment and will use a freestanding staff gauge to allow easy determination of the required 3-foot of freeboard.
- 10. As described in the design/construction plan, the injection or withdrawal of fluids from the containment is accomplished through hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes.
- 11. The operator shall ensure that all gates associated with the fence are closed and locked when responsible personnel are not onsite.
- 12. The operator will maintain the fences in good repair.

Monitoring, Inspection, and Reporting Plan

The operator will inspect the recycling containment and associated leak detection systems weekly while it contains fluids. The operator shall maintain a current log of such inspections and make the log available for review by the division upon request.

Weekly inspections consist of:

- reading and recording the fluid height of staff gauges,
- recording any evidence that the pond surface shows visible oil,
- visually inspecting the containment's exposed liners
- checking the leak detection system for any evidence of a loss of integrity of the primary liner
- inspect diversion ditches and berms around the containment to check for erosion and collection of surface water run-on.
- inspect the leak detection system for evidence of damage or malfunction and monitor for leakage.

As stated above, if a liner's integrity is compromised, or if any penetration of the liner occurs, then the operator will take appropriate action within 48 hours, based on if above or below water surface, as noted above.

19.15.34.13

(6) The containment shall be operated to prevent the collection of surface water run-on.

19.15.34.13 B

(2) The operator shall maintain at least three feet of freeboard at each containment.

19.15.34.13 B

(3) The injection or withdrawal of fluids from the containment shall be accomplished through a header, diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes.

19.15.34.12 D

(1) The operator shall fence or enclose a recycling containment in a manner that deters unauthorized wildlife and human access and shall maintain the fences in good repair. The operator shall ensure that all gates associated with the fence are closed and locked when responsible personnel are not onsite.

19.15.34.13 A

The operator shall inspect the recycling containment and associated leak detection systems weekly while it contains fluids. The operator shall maintain a current log of such inspections and make the log available for review by the division upon request.

Monthly, the operator will:

- A. Inspect the containment for dead migratory birds and other wildlife. Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring.
- B. Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use on form C-148.
- C. Record sources and disposition of all recycled water.

The operator will maintain a log of all inspections and make the log available for the appropriate Division district office's review upon request. An example of the log is attached to this section of the permit application.

Freeboard and Overtopping Prevention Plan

The method of operation of the containment allows for maintaining freeboard with very few potential problems. When the capacity of the containment is reached (3-feet of freeboard), the discharge of produced water ceases and the produced water generated by nearby oil and gas wells is managed by an injection well(s).

If rising water levels suggest that 3-feet of freeboard will not be maintained, the operator will implement one or more of the following options:

- I. Cease discharging produced water to the containment.
- II.Accelerate re-use of the produced water for purposes approved by the Division.
- III. Transfer produced water from the containment to injection wells.

The reading of the staff gauge typically occurs daily when treatment operations are ongoing and weekly when discharge to the containment is not occurring.

19.15.34.12 E

The operator shall on a monthly basis inspect for and, within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring.

19.15.34.9 E

The operator of a recycling facility shall keep accurate records and shall report monthly to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use on form C-148.

19.15.34.9 F

The operator of a recycling facility shall maintain accurate records that identify the sources and disposition of all recycled water that shall be made available for review by the division upon request.

Protocol for Leak Detection Monitoring, Fluid Removal and Reporting

As shown in Appendix A, the leak detection system includes a monitoring system. Any fluid released from the primary liner will flow to the collection sump, where fluid level monitoring is possible at the monitoring riser pipe associated with the leak detection system.

Staff may employ a portable electronic water level meter to determine if fluid exists in the monitoring riser pipe. Obtaining accurate readings of water levels in a sloped pipe beneath a containment can be a challenge. An electrician's wire snake may be required to push the probe to the bottom of the port and the probe may be fixed in a 2-inch pipe "dry housing" to avoid false readings due to water condensation on the pipe. There are many techniques to determine the existence of water in the sumps – including low flow pumps and a simple small bailer affixed to an electrician's snake. The operator will use the method that works best for this containment.

If seepage from the containment into the leak detection system is suspected by a positive fluid level measurement, the operator will:

- 1. Re-measure fluid levels in the monitoring riser pipe on a daily basis for one week to determine the rate of seepage.
- 2. Collect a water sample from the monitoring riser pipe to confirm the seepage is produced water from the containment via electrical conductivity and chloride measurements.
- 3. Notify NMOCD of a confirmed positive detection in the system within 48 hours of sampling (initial notification).
- 4. Install a pump into the monitoring riser pipe sump to continually (manually on a daily basis or via automatic timers) remove fluids from the leak detection system into the containment until the liner is repaired or replaced.
- 5. Dispatch a liner professional to inspect the portion of the containment suspected of leakage during a "low water" monitoring event.
- 6. Provide NMOCD a second report describing the inspection and/or repair within 20 days of the initial notification.

If the point of release is obvious from a low water inspection, the liner professional will repair the loss of integrity. If the point of release cannot be determined by the inspection, the liner professional will develop a more robust plan to identify the point(s) of release. The inspection plan and schedule will be submitted to OCD with the second report. The operator will implement the plan upon OCD approval.

Closure Plan In Ground Containments

Overview

After operations cease, the operator will remove all fluids within 60 days and close the containment within six months from the date the operator ceases operations from the containment for use.

The operator shall substantially restore the impacted surface area to

- a. the condition that existed prior to the construction of the recycling containment or
- to a condition imposed by federal, state trust land or tribal agencies on lands managed by those agencies as these provisions govern the obligations of any operator subject to those provisions,

The surface owner will impose a closure design that conforms to their needs for the site. The operator understands that a variance will be submitted to OCD to allow for any alternative closure protocol.

Excavation and Removal Closure Plan – Protocols and Procedures

The containment is expected to hold a small volume of solids, the majority of which will be windblown sand and dust with some mineral precipitates from the water

- 1. The operator will remove all liquids from the containment and either:
 - a. Dispose of the liquids in a division-approved facility, or
 - b. Recycle, reuse or reclaim the water for reuse in drilling and stimulation.
- 2. The operator will close the recycling containment by first removing all fluids, contents and synthetic liners and transferring these materials to a division approved facility.
- 3. After the removal of the containment contents and liners, soils beneath the containment will be tested by collection of a five-point (minimum) composite sample which includes stained or wet soils, if any, and that sample shall be analyzed for the constituents listed in Table I of 19.15.34.14.
- 4. After review of the laboratory results:
 - a. If any contaminant concentration is higher than the parameters listed in Table I, additional delineation may be required, and the operator must receive approval before proceeding with closure.

19.15.34.14 A

Once the operator has ceased operations, the operator shall remove all fluids within 60 days and close the containment within six months from the date the operator ceases operations from the containment for use.

19.15.34.14 E

The operator shall substantially restore the impacted surface area to the condition that existed prior to the construction of the recycling containment.

19.15.34.14 G

The re-vegetation and reclamation obligations imposed by federal, state trust land or tribal agencies on lands managed by those agencies shall supersede these provisions and govern the obligations of any operator subject to those provisions, provided that the other requirements provide equal or better protection of fresh water, human health and the environment.

19.15.34.14 B

The operator shall close a recycling containment by first removing all fluids, contents and synthetic liners and transferring these materials to a division approved facility.

19.15.34.14 C

The operator shall test the soils beneath the containment for contamination with a five-point composite sample which includes stained or wet soils, if any, and that sample shall be analyzed for the constituents listed in Table I below.

19.15.34.14 C

(1) If any contaminant concentration is higher than the parameters listed in Table I, the division may require additional delineation upon review of the results and the operator must receive approval before proceeding with closure.

©2024 R.T. Hicks Consultants.

Page 1

Closure Plan In Ground Containments

- b. If all contaminant concentrations are less than or equal to the parameters listed in Table I, then the operator will proceed to
 - i. backfill with non-waste containing, uncontaminated, earthen material - Or
 - ii. undertake an alternative closure process pursuant to a variance request after approval by OCD.

Reclamation and Re-vegetation

- a. The operator will reclaim the containment's location to a safe and stable condition that blends with the surrounding undisturbed area.
- <u>b.</u> Topsoils and subsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns.
- <u>c.</u> The disturbed area shall then be reseeded in the first favorable growing season following closure of a recycling containment.

Closure Documentation

Within 60 days of closure completion, the operator shall submit a closure report on form C-147, including required attachments, to document all closure activities including sampling results and the details on any backfilling, capping or covering, where applicable. The closure report shall certify that all information in the report and attachments is correct and that the operator has complied with all applicable closure requirements and conditions specified in division rules or directives.

The operator shall notify the division when reclamation and revegetation are complete. Specifically the notice will document that all ground surface disturbing activities at the site have been completed, and a uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of predisturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds.

19.15.34.14 C

(2) If all contaminant concentrations are less than or equal to the parameters listed in Table I, then the operator can proceed to backfill with non-waste containing, uncontaminated, earthen material.

19.15.34.14 E

Once the operator has closed the recycling containment, the operator shall reclaim the containment's location to a safe and stable condition that blends with the surrounding undisturbed area. Topsoils and subsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns. The disturbed area shall then be reseeded in the first favorable growing season following closure of a recycling containment.

19.15.34.14 D

Within 60 days of closure completion, the operator shall submit a closure report on form C-147, including required attachments, to document all closure activities including sampling results and the details on any backfilling, capping or covering, where applicable. The closure report shall certify that all information in the report and attachments is correct and that the operator has complied with all applicable closure requirements and conditions specified in division rules or directives.

19.15.34.14 H

The operator shall notify the division when reclamation and re-vegetation are complete.

19.15.34.14 F

Reclamation of all disturbed areas no longer in use shall be considered complete when all ground surface disturbing activities at the site have been completed, and a uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of predisturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds.

©2024 R.T. Hicks Consultants.

C-147 Permit Package FNR East Containment Section 23, T23S, R30E, Eddy County

Volume 3:

- C-147 Form
- Design/Construction, Operations and Maintenance, & Closure Plans
- Engineering Drawings &Liner Specifications
- EPP AST Setup SOP
- Variances for AST Storage Containments
- Applicability of Engineering Variances to Permian Basin Conditions



Looking south into the Forty Niner Ridge location from the northeast side.

Prepared for: Solaris Midstream Waters, LLC Houston, Texas

Prepared by: R.T. Hicks Consultants, Ltd. 901 Rio Grande NW F-142 Albuquerque, New Mexico C-147

Page 82 of 154Form C-147

Revised October 11, 2022

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505


https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment				
Type of Facility:				
At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.				
Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. For does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: Solaris Water Midstream LLC (For multiple operators attach page with information) OGRID #: 371643 Address: 9811 Katy Freeway, Suite 900, Houston, TX, 77024				
Facility or well name (include API# if associated with a well): Forty Niner Ridge East Reuse Facility and AST Containment OCD Permit Number: (For new facilities the permit number will be assigned by the district office) U/L or Qtr/Qtr C Section 23 Township 23S Range 30E County: Eddy				
Surface Owner: Federal State Private Tribal Trust or Indian Allotment				
Recycling Facility: Location of recycling facility (if applicable): Latitude 32.282406 Longitude -103.853986 NAD83 Proposed Use:				
☑ Recvcling Containment: ☐ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year) Center of Recycling Containment (if applicable): Latitude32.282581 N Longitude103.853587 W (approx.) NAD83 For multiple or additional recycling containments, attach design and location information of each containment ☐ Lined ☐ Liner type: Thickness mil primary mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other Sec. 30 mil LLDPE ☐ String-Reinforced Liner Seams: ☐ Welded ☐ Factory ☐ Other Volume: Volume: 40,000				
Recycling Containment Closure Completion Date: See Attached Drawings and Plans				

4.					
Bonding:					
Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells	s owned or				
operated by the owners of the containment.)					
☑ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ (work on these facilities cannot commence with the commence of the com	ıntil bonding				
amounts are approved)					
☑ Attach closure cost estimate and documentation on how the closure cost was calculated. See Transmittal Letter					
5.					
Fencing: Four foot height, four strands of barbed wire evenly spaced between one and four feet					
✓ Alternate. Please specify Fixed knot woven wire, 8-foot height. See Sheets 6 and 11 of Containment Plans					
El Tremmer Treme speerly.					
6. Signs:					
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
Signed in compliance with 19.15.16.8 NMAC					
Digited in compliance with 17.15.10.0 (white					
7. Variances:					
Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, hur	non health, and the				
environment.	nan neam, and me				
Check the below box only if a variance is requested:					
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested variance information on a separate page and attach it to the C-147 as part of the application.	ed, include the				
If a Variance is requested, it must be approved prior to implementation.					
See Transmittal Letter in Volume 1					
8. Siting Criteria for Recycling Containment					
Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.					
General siting					
Ground water is less than 50 feet below the bottom of the Recycling Containment.	☐ Yes ☑ No				
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☑ No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	□ NA				
- Written confirmation or verification from the municipality; written approval obtained from the municipality					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes ☑ No				
Within an unstable area.					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	☐ Yes ☑ No				
Within a 100-year floodplain. FEMA map	☐ Yes ☑ No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa	☐ Yes ☑ No				
lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	100 60 110				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image					
Visual inspection (certification) of the proposed site, acrial photo, satellite image	☐ Yes ☑ No				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of					
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	☐ Yes ☑ No				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of					

9. <u>Recycling Facility and/or Containment Checklist</u> : Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.	
 Design Plan - based upon the appropriate requirements. ○ Operating and Maintenance Plan - based upon the appropriate requirements. ○ Closure Plan - based upon the appropriate requirements. ○ Site Specific Groundwater Data - ○ Siting Criteria Compliance Demonstrations - ○ Certify that notice of the C-147 (only) has been sent to the surface owner(s) 	


10.			
Operator Application Certification:			
I hereby certify that the information and attachments submitted with this	application are true, accurate and cor	mplete to the best of my knowledge	and belief.
Name (Print): <u>Drew Dixon</u>	Title: SVP- Land and Regulatory		
Signature: Drew Viston	Date: 12/03/2024		
e-mail address <u>drew.dixon@ariswater.com</u>	Telephone: 832-304-9028		
OCD Representative Signature: Victoria Venegas	A	pproval Date:12/12/2024	
Environmental Specialist	,	2RF-213	
	OCD Permit Number:	210	
OCD Conditions			
Additional OCD Conditions on Attachment			



Description of Leak Detection System

- · 40-mil LLDPE comprise primary liner and 30-mil LLDPE comprise the secondary liner
- 200-mil geogrid drainage layer lies between the primary and secondary liner per Plate 2
- · Geotextile between the geogrid and each liner
- > 3-inch deep sump excavated on down slope side of AST per Sump Design Drawing
- · A small hose runs from the collection sump to top of AST via tube
- Every week, a portable self-priming peristaltic pump connects to the leak detection system.
- The self-priming pump discharge hose runs back into the AST, on top of the primary liner
- If fluid is detected, it is tested for conductance to determine the origin of the water (i.e. produced water or condensation)

R.T. Hicks Consultants Design Sketch	Design Sketch	Plate 1
Albuquerque, NM	Solaris Water Midstream - Wild Cobra AST	Oct 2024



DESIGN/CONSTRUCTION PLAN

OPERATIONS & MAINTENANCE PLAN

CLOSURE PLAN

General

Examination of the engineering drawings, the SOP for set-up, plus the history of solid performance of these AST Containments demonstrates that the AST Containment is designed and will be assembled to ensure the confinement of produced water, to prevent releases and to prevent overtopping due to wave action or rainfall. As the AST Containments are generally less than 190 feet in diameter, wave action is not a meaningful consideration.

These AST Containments are constructed of 12-foot high steel panels and are netted or employ the Mega Blaster Pro avian deterrent system to prevent ingress of migratory birds. Unless OCD denies the requested variance for fencing, AST Containments will be enclosed by a 4-strand barbed wire fence to comply with the Rule to fence or enclose a recycling containment in a manner that deters unauthorized wildlife and human access and shall maintain the fences in good repair.

The operator shall post an upright sign no less than 12 inches by 24 inches with lettering not less than two inches in height in conspicuous places surrounding the containment. The operator shall post the sign in a manner and location such that a person can easily read the legend. The sign shall provide the following information: the operator's name, the location of the site by quarter-quarter or unit letter, section, township and range, and emergency telephone numbers.

Site Preparation

Foundation for AST Containment

Preparation of the soils on site is required to form a dependable base for the AST Containment in accordance with the SOP. If the location of the AST Containment is on an existing pad, the operator has stripped and stockpiled the topsoil for use as the final cover or fill at the time of closure. If the pad is new construction, the operator will strip and stockpile the soil for reclamation upon cessation of site activities.

19.15.34.12 A

(1) The operator shall design and construct a recycling containment to ensure the confinement of produced water, to prevent releases and to prevent overtopping due to wave action or rainfall.

19.15.34.12 D

(1) The operator shall fence or enclose a recycling containment in a manner that deters unauthorized wildlife and human access and shall maintain the fences in good repair. The operator shall ensure that all gates associated with the fence are closed and locked when responsible personnel are not onsite.

19.15.34.12 C

Signs. The operator shall post an upright sign no less than 12 inches by 24 inches with lettering not less than two inches in height in a conspicuous place on the fence surrounding the containment. The operator shall post the sign in a manner and location such that a person can easily read the legend. The sign shall provide the following information: the operator's name, the location of the site by quarter-quarter or unit letter, section, township and range, and emergency telephone numbers.

19.15.34.12 B

Stockpiling of topsoil. Prior to constructing containment, the operator shall strip and stockpile the topsoil for use as the final cover or fill at the time of closure.

The foundation soils may be roller compacted smooth and free of loose aggregate over ½ inch. If required byby the AST Set Up protocol, compaction characteristics must meet or exceed 95% of Standard Proctor Density in accordance with ASTM D 698.

Examination of the SOP shows that the AST Containment contractor will conform to the following mandates of the Rule:

- the AST Containment will have a properly constructed compacted earth foundation and interior slopes (vertical steel) consisting of a firm, unyielding base, smooth and free of rocks, debris, sharp edges or irregularities to prevent the liner's rupture or tear.
- Geotextile will be placed under the liner where needed to reduce localized stress-strain or protuberances that otherwise may compromise the liner's integrity.
- If the AST Containment is within a levee, the inside grade is no steeper than two horizontal feet to one vertical foot (2H: 1V) and the outside grade no steeper than three horizontal feet to one vertical foot (3H: IV). The vertical steel walls of the AST Containment are the *subject of a requested variance*.

The Operator will ensure that at a point of discharge into or suction from the recycling containment, the liner is protected from excessive hydrostatic force or mechanical damage and external discharge or suction lines shall not penetrate the liner.

Liner and Leak Detection Materials

The liner and geotextile specifications show that all primary (upper) liners in a recycling containment shall be geomembrane liners composed of an impervious, synthetic material that is resistant to ultraviolet light, petroleum hydrocarbons, salts and acidic and alkaline solutions. All primary liners shall be an equivalent liner [to that stated in Rule 34] approved by OCD pursuant to a variance. The liner system is presented in an earlier section of this submission.

All secondary liners shall be an equivalent liner [to that stated in Rule 34] or approved by OCD pursuant to a

19.15.34.12 A

(2) A recycling containment shall have a properly constructed foundation and interior slopes consisting of a firm, unyielding base, smooth and free of rocks, debris, sharp edges or irregularities to prevent the liner's rupture or tear. Geotextile is required under the liner when needed to reduce localized stress-strain or protuberances that otherwise may compromise the liner's integrity. The operator shall construct the containment in a levee with an inside grade no steeper than two horizontal feet to one vertical foot (2H:1V). The levee shall have an outside grade no steeper than three horizontal feet to one vertical foot (3H:1V). The top of the levee shall be wide enough to install an anchor trench and provide adequate room for inspection and maintenance.

19.15.34.12 A

(6) At a point of discharge into or suction from the recycling containment, the operator shall insure that the liner is protected from excessive hydrostatic force or mechanical damage. External discharge or suction lines shall not penetrate the

19.15.34.12 A

(4) All primary (upper) liners in a recycling containment shall be geomembrane liners composed of an impervious, synthetic material that is resistant to ultraviolet light, petroleum hydrocarbons, salts and acidic and alkaline solutions. All primary liners shall be 30-mil flexible PVC, 45-mil LLDPE string reinforced or 60-mil HDPE liners. Secondary liners shall be 30-mil LLDPE string reinforced or equivalent with a hydraulic conductivity no greater than 1 x 10-9 cm/sec. Liner compatibility shall meet or exceed the EPA SW-846 method 9090A or subsequent relevant publications.

variance. The liner system is presented in an earlier section of this submission.

Liner compatibility shall meet or exceed the EPA SW-846 method 9090A or subsequent relevant publications.

The AST Containment will have a leak detection system between the upper and lower geomembrane liners that shall consist of 200-mil geonet to facilitate drainage.

Install Secondary Liner, Leak Detection System and Secondary Containment

All AST containments holding produced water will have a primary (upper) liner and a secondary (lower) liner with a leak detection system appropriate to the site's conditions. The rule states that the edges of all secondary liners shall be anchored in the bottom of a compacted earth-filled trench. The anchor trench shall be at least 18 inches deep. The lack of an anchor trench with an AST Containment is also the subject of requested variance.

The AST Containment Contractor will cause the recycling containment will have a leak detection system between the upper and lower geomembrane liners that shall consist of 200-mil geonet to facilitate drainage. The leak detection system shall consist of a properly designed drainage and collection and removal system placed above the lower geomembrane liner in depressions and sloped to facilitate the earliest possible leak detection (see attached design sketch).

The 12-foot high steel walls of the AST effectively prevent run-on of surface water into the AST. The steel walls provide an excellent diversion of run-on into the AST, thereby complying with the Rule.

AST Containment Setup

As with the secondary liner, AST Containment contractor will minimize liner seams and orient them up and down, as much as possible, not across, a slope. Factory welded seams shall be used where possible. AST Containment contractor will employ field seams in geosynthetic material that are thermally seamed. Prior to field seaming, AST Containment contractor shall

19.15.34.12 A

(3) Each recycling containment shall incorporate, at a minimum, a primary (upper) liner and a secondary (lower) liner with a leak detection system appropriate to the site's conditions. The edges of all liners shall be anchored in the bottom of a compacted earth-filled trench. The anchor trench shall be at least 18 inches deep.

19.15.34.12 A

(7) The operator of a recycling containment shall place a leak detection system between the upper and lower geomembrane liners that shall consist of 200-mil geonet or two feet of compacted soil with a saturated hydraulic conductivity of 1×10^{-5} cm/sec or greater to facilitate drainage. The leak detection system shall consist of a properly designed drainage and collection and removal system placed above the lower geomembrane liner in depressions and sloped to facilitate the earliest possible leak detection.

19.15.34.12 A

(8) The operator of a recycling containment shall design the containment to prevent run-on of surface water. The containment shall be surrounded by a berm, ditch or other diversion to prevent run-on of surface water.

19.15.34.12 A

(5) The operator of a recycling containment shall minimize liner seams and orient them up and down, not across, a slope of the levee. Factory welded seams shall be used where possible. The operator shall ensure field seams in geosynthetic material are thermally seamed. Prior to field seaming, the operator shall overlap liners four to six inches. The operator shall minimize the number of field seams and corners and irregularly shaped areas. There shall be no horizontal seams within five feet of the slope's toe. Qualified personnel shall perform field welding and testing.

overlap liners four to six inches and minimize the number of field seams and corners and irregularly shaped areas. There shall be no horizontal seams within five feet of the AST Containment bottom. Qualified personnel shall perform field welding and testing.

Fluid Injection/Withdrawal Flow Diverter
The injection or withdrawal of fluids from the
containment shall be accomplished through a header,
diverter or other hardware that prevents damage to the
liner by erosion, fluid jets or impact from installation
and removal of hoses or pipes.

19.15.34.13 B

(3) The injection or withdrawal of fluids from the containment shall be accomplished through a header, diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes.

General Specifications

This plan provides additional protocols to cause the proposed recycling containments (AST Containments) to conform to NMOCD Rules.

The operator will maintain and operate the recycling containments and facility in accordance with the following plan to contain liquids and maintain the integrity of the liner to prevent contamination of fresh water and protect public health and the environment.

- The operator will use the treated produced water in the containments for drilling, completion (stimulation), producing or processing oil or gas or both. If other uses are planned, the operator will notify the OCD though the submission of a modified C-147.
- For all exploration and production operations that use produced water, the operator will conduct these activities in a manner consistent with hydrogen sulfide gas provisions in 19.15.11 NMAC or NORM provisions in 19.15.35 NMAC, as applicable.
- The operator will address all releases from the recycling and re-use of produced water in accordance with 19.15.29 NMAC.

19.15.34.10 B

Recycling containments may hold produced water for use in connection with drilling, completion, producing or processing oil or gas or both.

19.15.34.8 A

(6) All releases from the recycling and re-use of produced water shall be handled in accordance with 19.15.29 NMAC.

19.15.34.10 B

Recycling containments may hold produced water for use in connection with drilling, completion, producing or processing oil or gas or both. Such fluids may include fresh water, brackish water, recycled and treated water, fluids added to water to facilitate well drilling or completion, water produced with oil and gas, flowback from operations, water generated by an oil or gas processing facility or other waters that are gathered for well drilling or completion but may not include any hazardous waste.

19.15.34.8 A

(5) All operations in which produced water is used shall be conducted in a manner consistent with hydrogen sulfide gas provisions in 19.15.11 NMAC or NORM provisions in 19.15.35 NMAC, as applicable.

19.15.29.6

To prohibit releases and require persons who operate or control the release or the location of the release to report the unauthorized release of oil, gases, produced water, condensate or oil field waste including regulated NORM or other oil field related chemicals, contaminants or mixtures of those chemicals or contaminants that occur during drilling, producing, storing, disposing, injecting, transporting, servicing or processing and to establish procedures for reporting, site assessment, remediation, closure, variance and enforcement.

- The operator will not discharge into or store any hazardous waste in the recycling containments, but they may hold fluids such was freshwater, brackish water, recycled and treated water, water generated by oil or gas processing facilities, or other waters that are gathered for well drilling or completion. The recycling facility will not be used for the disposal of produced water. The operator will maintain the containments free of miscellaneous solid waste or debris.
- The operator will verify that no oil is on the surface of the contained fluid. If oil is observed, the oil shall be removed using an absorbent boom or other device and properly disposed at an approved facility. An absorbent boom or other device will be maintained on site.
- The operator will install and use a header and diverter described in the design/construction plan in order to prevent damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes during injection or withdrawal of liquids.
- The operator shall maintain at least three feet of freeboard at each containment.
- If the liner develops a leak or if any penetration of the liner occurs above the liquid's surface, then the operator will repair the damage or initiate replacement of the liner within 48 hours of discovery or will seek a variance from the division district office within this time period.
- If visible inspection suggests that the liner developed a leak or if any penetration of the liner occurs below the liquid's surface, then the operator will remove all liquid above the damage or leak line within 48 hours of discovery. The operator will also notify the district division office within this same 48 hours of the discovery and repair the damage or replace the liner.

19.15.34.9 G

Recycling facilities may not be used for the disposal of produced water.

19.15.34.13 B

- (1) The operator shall remove any visible layer of oil from the surface of the recycling containment
- (7) The operator shall install, or maintain on site, an oil absorbent boom or other device to contain an unanticipated release.

19.15.34.13 B

(3) The injection or withdrawal of fluids from the containment shall be accomplished through a header, diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes.

19.15.34.13 B

(2) The operator shall maintain at least three feet of freeboard at each containment.

19.5.34.13 B

- (4) If the containment's primary liner is compromised above the fluid's surface, the operator shall repair the damage or initiate replacement of the primary liner within 48 hours of discovery or seek an extension of time from the division district office.
- (5) If the primary liner is compromised below the fluid's surface, the operator shall remove all fluid above the damage or leak within 48 hours of discovery, notify the division district office and repair the damage or replace the primary liner.

- In the event of a leak due to a hole in the liner, the following steps will be followed:
 - 1. If the source of the fluid is uncertain, comparative field tests may need to be performed on both the water in the containment and that which may have been released (e.g. pH, conductance, and chloride).
 - 2. If the fluid is found to be coming from the containment, determine the location from which the leak is originating.
 - 3. Mark the point where the water is coming out of the tank.
 - 4. Locate the puncture or hole in the liner.
 - 5. Empty the containment to the point of damage in liner.
 - 6. Clean area of liner that needs to be repaired.
 - 7. Cut out piece of material (patch or tape) to overlay liner.
 - 8. Either weld the patch to the injured area in the liner or apply tape over the rupture.
 - 9. Make sure rupture is completely covered.
 - 10. Monitor as needed.

The operator will inspect and remove, as necessary, surface water run-on accumulated in the secondary containment

Monitoring, Inspections, and Reporting
An inspection log will be maintained by the operator and will be made available to the division upon request.
Inspection will include: freeboard monitoring, leak detection, identifying potential hazards that may have developed, change in site conditions or if the contents of the containment change from the initial use.

Weekly inspections consist of:

- Reading and recording the fluid height of staff gauges and freeboard
- Recording any evidence of visible oil on surface

19.15.29.8 B.

Requirements. For all releases regardless of volume, the responsible party shall comply with 19.15.29.8 NMAC and shall remediate the release. For major and minor releases, the responsible party shall also comply with 19.15.29.9, 19.15.29.10, 19.15.29.11, 19.15.29.12 and 19.15.29.13 NMAC.

19.15.34.13

(6) The containment shall be operated to prevent the collection of surface water runon.

19.15.34.13 A.

The operator shall inspect the recycling containment and associated leak detection systems weekly while it contains fluids. The operator shall maintain a current log of such inspections and make the log available for review by the division upon request.

© 2022 R.T. HICKS CONSULTANTS, LTD.

- Visually inspecting the containments exposed liners
- Checking the leak detection system for any evidence of a loss of integrity of the primary liner
- Inspect any diversion ditches and berms around the containment to check for erosion and collection of surface water run-on.
- Inspect the leak detection system for evidence of damage or malfunction and monitor for leakage.
- Inspect netting (may not be used if Mega Blaster Pro avian deterrent is used) for damage or dead wildlife, including migratory birds. Operator shall report the discovery of a dead animal to the appropriate wildlife agency and to the district within 30 days of discovery. Further prevention measures may be required.

Additional monitoring to identify hazards that may have developed, changes in site conditions, tank use, and to enable early detection of structural issues such as uneven tank panel settlement, soil settlement, liner damage, insufficient liner slack or leaks. If changes are noted the AST contractor should be notified

 If observed conditions indicate a potential tank failure is imminent, the vicinity will be immediately cleared and the AST will be drained.

Monthly, the operator will:

- Report to the division, the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use on form C-148.
- Record sources and disposition of all recycled water.

Cessation of Operations

If less than 20% of the total fluid capacity is utilized every six months, beginning from the first withdraw, operation of the facility has ceased and the division district office will be

19.15.34.12 E

Netting. The operator shall ensure that a recycling containment is screened, netted or otherwise protective of wildlife, including migratory birds. The operator shall on a monthly basis inspect for and, within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring.

19.15.34.9 E

The operator of a recycling facility shall keep accurate records and shall report monthly to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use on form C-148.

19.15.34.13 C

A recycling containment shall be deemed to have ceased operations if less than 20% of the total fluid capacity is used every six

© 2022 R.T. HICKS CONSULTANTS, LTD.

notified. The division district may grant an extension not to exceed six months to determine the cessation of operations.

The operator will remove all fluids from the recycling facility within 60 days of cessation of operations. An extension, not to exceed 2 months, may be granted by the district division for the removal of fluids from the facility.

The breakdown of the containments follows the reverse order of the setup steps presented in the set-up manual.

months following the first withdrawal of produced water for use. The operator must report cessation of operations to the appropriate division district office. The appropriate division district office may grant an extension to this determination of cessation of operations not to exceed six months.

19.15.34.14 A

Once the operator has ceased operations, the operator shall remove all fluids within 60 days and close the containment within six months from the date the operator ceases operations from the containment for use. The division district office may grant an extension for the removal of all fluids not to exceed two months.

Closure Plan Above Ground Tank Containment (AST)

Closure Plan

The containments are expected to contain a small volume of solids, the majority of which will be windblown sand and dust with some mineral precipitates from the water.

The operator will notify the division district (phone or email) before initiating closure of the containments and/or facility.

Excavation and Removal Closure Plan – Protocols and Procedures

- 1. Residual fluids in the containments will be sent to disposal at a division-approved facility.
- 2. The operator will remove all solid contents and transfer those materials to the following division-approved facility:

Disposal Facility Name: R360 Permit Number NM 01-0006

- 3. If possible, geomembrane textiles and liners that exhibit good integrity may be recycled for use as an under liner of tank batteries or other use as approved by OCD.
- 4. Disassemble the recycling containment infrastructure according to manufacturer's recommendations
- 5. After the disassemble of the containments and removal of the contents and liners, soils beneath the tanks will be tested as follows
 - a. Collect a five-point (minimum) composite from beneath the liner to include any obviously stained or wet soils, or any other evidence of impact from the containments for laboratory analyses for the constituents listed in Table I of 19.15.34.14 NMAC.
 - b. If any concentration is higher than the parameters listed in Table I, additional delineation may be required, and closure activities will not proceed without Division approval.
 - c. If all constituents' concentrations are less than or equal to the parameters listed in Table I, then the operator will backfill the facility as necessary using non-waste containing, uncontaminated, earthen material and proceed to reclaim the surface to pre-existing conditions.

19.15.34.14 B

The operator shall close a recycling containment by first removing all fluids, contents and synthetic liners and transferring these materials to a division approved facility.

19.15.34.14 C

The operator shall test the soils beneath the containment for contamination with a five-point composite sample which includes stained or wet soils, if any, and that sample shall be analyzed for the constituents listed in Table I below.
(1) If any contaminant concentration is higher than the parameters listed in Table I, the division may require additional delineation upon review of the results and the operator must receive approval before proceeding with closure.
(2) If all contaminant concentrations are

(2) If all contaminant concentrations are less than or equal to the parameters listed in Table I, then the operator can proceed to backfill with non-waste containing, uncontaminated, earthen material.

Closure Plan Above Ground Tank Containment (AST)

Closure Documentation

Within 60 days of closure completion, the operator will submit a closure report (Form C-147) to the District Division, with necessary attachments to document all closure activities are complete, including sampling results and details regarding backfilling and capping as necessary.

In the closure report, the operator will certify that all information in the report and attachments is correct and that the operator has complied with all applicable closure requirements and conditions specified in the closure plan.

Reclamation and Revegetation

The operator will reclaim the surface to safe and stable pre-existing conditions that blends with the surrounding undisturbed area. "Pre-existing conditions" may include a caliche well pad that existed prior to the construction of the recycling containment and that supports active oil and gas operations.

Areas not reclaimed as described herein due to their use in production or drilling operations will be stabilized and maintained to minimize dust and erosion.

For all areas disturbed by the closure process that will not be used for production operations or future drilling, the operator will

- 1. Replace topsoils and subsoils to their original relative positions
- 2. Grade so as to achieve erosion control, long-term stability and preservation of surface water flow patterns
- 3. Reseed in the first favorable growing season following closure

Federal, state trust land, or tribal lands may impose alternate reclamation and revegetation obligations that provide equal or better protection of fresh water, human health, and the environment. Revegetation and reclamation plans imposed by the surface owner will be outlined in communications with the OCD.

The operator will notify the division when the site meets the surface owner's requirements or exhibits a uniform vegetative cover that reflects a life-form ratio of plus or minus fifty percent (50%) of predisturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. The operator will notify the Division when reclamation and revegetation is complete.

19.15.34.14 D

Within 60 days of closure completion, the operator shall submit a closure report on form C-147, including required attachments, to document all closure activities including sampling results and the details on any backfilling, capping or covering, where applicable. The closure report shall certify that all information in the report and attachments is correct and that the operator has complied with all applicable closure requirements and conditions specified in division rules or directives.

19.15.34.14 E

Once the operator has closed the recycling containment, the operator shall reclaim the containment's location to a safe and stable condition that blends with the surrounding undisturbed area. Topsoils and subsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns. The disturbed area shall then be reseeded in the first favorable growing season following closure of a recycling containment. The operator shall substantially restore the impacted surface area to the condition that existed prior to the construction of the recycling containment.

19.15.34.14 G

The re-vegetation and reclamation obligations imposed by federal, state trust land or tribal agencies on lands managed by those agencies shall supersede these provisions and govern the obligations of any operator subject to those provisions, provided that the other requirements provide equal or better protection of fresh water, human health and the environment.

19.15.34.14 F

Reclamation of all disturbed areas no longer in use shall be considered complete when all ground surface disturbing activities at the site have been completed, and a uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of predisturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds.

© 2022 R.T. HICKS CONSULTANTS, LTD.


ENGINEERING DRAWINGS & LINER SPECIFICATIONS


Three Amigos Tank Design





Released to Imaging: 12/13/2024 9:08:20 AM


40K Assembly Prints














40K Components







40K-005	REV A	8 AD 003A MTSA
	INEERING	X.X.0±0.05 X.XX.0±0.005 ENG
MCR 10/30/2012	√WSEY	OTHERWISE K
40K-005	/\	TOLERANCES UNLESS NOTED
SHEET 1 OF 1		








Released to Imaging: 12/13/2024 9:08:20 AM















		SHEET 1 OF 1
TOLERANCES UNLESS NOTED	DAMOEN	40K-005
OTHERWISE X.X□±0.05	RAMSEY ENGINEERING	
X.XX□±0.01 X.XXX□±0.005	LINGINELINING	
ASTM A36 OR I	FOV	40K-005

PROPRIETARY NOTICE—
THIS DRAWING AND ALL INFORMATION CONTAINED HEREON ARE THE
PROPERTY OF MICHAEL C RAMSEY, AND IS NOT TO BE USED OR REPRODUCED
FOR ANY REASON OTHER THAN THAT EXPLICITLY AUTHORIZED BY MICHAEL C RAMSEY.







Premium Quality - Built to Last

www.inlandtarp.com

Geotextile Product Description Sheet GT-110 Nonwoven Geotextile

GT-110 is a needle-punched nonwoven geotextile made of 100% polypropylene staple fibers, which are formed into a random network for dimensional stability. SKAPS GT-110 resists ultraviolet deterioration, rotting, biological degradation, naturally encountered basics and acids. Polypropylene is stable within a pH range of 2 to 13. SKAPS GT-110 conforms to the physical property values listed below:

PROPERTY TEST METHOD UNIT M.A.R.V. (Minimum Average Roll Value)

Weight (Typical) ASTM D 5261 oz/yd² (g/m²) 10.0 (339) Grab Tensile ASTM D 4632 lbs (kN) 250 (1.11) Grab Elongation ASTM D 4632 % 50 Trapezoid Tear Strength ASTM D 4533 lbs (kN) 100 (0.444) CBR Puncture Resistance ASTM D 6241 lbs (kN) 700 (3.11) Permittivity* ASTM D 4491 sec. 1.2 Water Flow* ASTM D 4491 gpm/ft² (l/min/m²) 80 (3251) AOS* ASTM D 4751 US Sieve (mm) 100 (0.150) UV Resistance ASTM D 4355 %/hrs 70/500

PACKAGING

Roll Dimensions (W x L) – ft. 12.5 x 360 / 15 x 300 Square Yards Per Roll 500 Estimated Roll Weight – lbs. 320

* At the time of manufacturing. Handling may change these properties.

This information is provided for reference purposes only and is not intended as a warranty or guarantee. SKAPS assumes no liability in connection with the use of this information.

Made in U.S.A.

U.S. Fabrication & Distribution Centers

Moses Lake, Washington ● 4172 North Frontage Road E, Moses Lake, WA 98837 ● 800.346.7744 ● Fax 509.766.0414



4172 North Frontage Rd E Moses Lake, WA 98837 (800) 346-7744 (509) 766-7024 Fax (509) 766-0414 www.inlandtarp.com

TECHNICAL DATA SHEET Geomembrane 40mil LLDPE

Property	Test Method	Frequency (A)	Unit Metric	Solmax 140-7000
	1	1		
Thickness (Nominal +/- 10%) (E)	ASTM D 5199	Every roll	mm	1.00
Resin Density	ASTM D 1505	1/Batch	g/cc	<0.926
Melt Index-190/2.16(max)	ASTM D 1238	1/Batch	g/10min	1.0
Sheet Density (C)	ASTM D 1505	Every 2 rolls	g/cc	<0.939
Carbon Black Content (D)	ASTM D 4218	Every 2 rolls	%	2.0 - 3.0
Carbon Black Dispersion	ASTM D 5596	Every 6 rolls	Category	Cat. 1 / Cat. 2
Oxidative Induction Time (min. avg)	ASTM D3895	1/Batch	min	100
Tensile Properties (min. avg)(B)	ASTM D 6693	Every 2 rolls		
Strength as Break			kN/m	23
Elongation at Break			%	800
2% Modulus (max.)	ASTM D 5323	PerFormulation	kN/m	420
Tear Resistance (min. avg.)	ASTM D 1004	Every 6 rolls	N	85
Puncture Resistance (min. avg.)	ASTM D 4833	Every 6 rolls	N	215
Dimensional Stability	ASTM D 1204	Every 6 rolls	%	+/- 2
Multi-Axial Tensile (min.)	ASTM D 5617	PerFormulation	%	90
Oven Aging-% retained after 90 days	ASTM D 5721	PerFormulation		
STD OIT (min. avg.)	ASTM D 3895		%	35
HP OIT (min. avg.)	ASTM D 5885		%	60
UV Resistance-% retained after 1600				
hr	GRI-GM-11	PerFormulation		
HP-OIT (min. avg.)	ASTM D 5885		%	35

Note;

- (A) Testing frequency based on standard roll dimensions and one batch is approximately 180,000 lbs (or one railcar).
- (B) Machine Direction (MD) and Cross Machine Direction (XMD or TD) average values should be on the basis of 5 specimens each direction.
- (C) Correlation table is available for ASTM D792 vs. ASTM D1505. Both methods give the same results.
- (D) Correlation table is available for ASTM D1603 vs. ASTM D4218. Both methods give the same results.
- (E) The minimum average thickness is +/- 10% of the nominal value.

Manufacture & Distribution of Hay Tarps, Truck Tarps, Industrial Liners, Building & Athletic Field Covers. 1-800-346-7744

^{*}All values are nominal test results, except when specified as minimum of maximum.

^{*} The information contained herein is provided for reference purposes only and is not intended as warranty of guarantee. Final determination of suitability for use contemplated is the sole responsibility of the user. Solmax along with Inland Tarp & Liner assumes no liability in connection with the use of this information.

SKAPS TRANSNET[™] HDPE GEONET TN 220




 $\mathsf{SKAPS}\,\mathsf{TRANSNET}^{\mathsf{TM}}\,\mathsf{geonet}\,\mathsf{consists}\,\mathsf{of}\,\mathsf{SKAPS}\,\mathsf{Geonet}\,\mathsf{made}\,\mathsf{from}\,\mathsf{HDPE}\,\mathsf{resin}.$

PROPERTY	TEST METHOD	UNIT	VALUE	QUALIFIER
Thickness	ASTM D 5199	mm	5.08	MAV ⁽³⁾
Carbon Black	ASTM D 4218	%	2.0	MAV
Tensile Strength	ASTM D 7179	N/mm	7.87	MAV
Melt Flow	ASTM D 1238 ⁽²⁾	g/10 min	1.0	Maximum
Density	ASTM D 1505	g/cm ³	0.94	MAV
Transmissivity ⁽¹⁾	ASTM D 4716	m²/sec	2.0 x 10 ⁻³	MAV

Notes:

- (1) Transmissivity measured using water at 21 ± 2 °C (70 ± 4 °F) with a gradient of 0.1 and a confining pressure of 479 kPa between steel plates after 15 minutes. Values may vary with individual labs.
- (2) Condition 190/2.16
- (3) Minimum average value



This information is provided for reference purposes only and is not intended as a warranty or guarantee. SKAPS assumes no liability in connection with the use of this information.



4172 North Frontage Rd E Moses Lake, WA 98837 (800) 346-7744 (509) 766-7024 Fax (509) 766-0414

www.inlandtarp.com

TECHNICAL DATA SHEET Geomembrane 30mil LLDPE

Property	Test Method	Frequency (A)	Unit Metric	Solmax 130-2000
Thickness (min. avg.)	ASTM D 5199	Every roll	mm	0.75
Thickness (min.)	ASTM D 5199	Every roll	mm	0.68
Resin Density	ASTM D 1505	1/Batch	g/cc	<0.926
Melt Index-190/2.16(max)	ASTM D1238	1/Batch	g/10min	1.0
Sheet Density (C)	ASTM D1505	Every 2 rolls	g/cc	<0.939
Carbon Black Content (D)	ASTM D 4218	Every 2 rolls	%	2.0 - 3.0
Carbon Black Dispersion	ASTM D 5596	Every 6 rolls	Category	Cat. 1 / Cat. 2
Oxidative Induction Time (min. avg)	ASTM D3895	1/Batch	min	100
Tensile Properties (min. avg)(B)	ASTM D 6693	Every 2 rolls		
Strength as Break			kN/m	20
Elongation at Break			%	750
2% Modulus (max.)	ASTM D 5323	PerFormulation	kN/m	315
Tear Resistance (min. avg.)	ASTM D 1004	Every 6 rolls	N	70
Puncture Resistance (min. avg.)	ASTM D 4833	Every 6 rolls	N	200
Dimensional Stability	ASTM D 1204	Every 6 rolls	%	+/- 2
Multi-Axial Tensile (min.)	ASTM D 5617	PerFormulation	%	90
Oven Aging-% retained after 90 days	ASTM D 5721	PerFormulation		
STD OIT (min. avg.)	ASTM D 3895		%	35
HP OIT (min. avg.)	ASTM D 5885		%	60
UV Resistance-% retained after 1600				
hr	GRI-GM-11	PerFormulation		
HP-OIT (min. avg.)	ASTM D 5885		%	35

Note;

Manufacture & Distribution of Hay Tarps, Truck Tarps, Industrial Liners, Building & Athletic Field Covers. 1-800-346-7744

⁽A) Testing frequency based on standard roll dimensions and one batch is approximately 180,000 lbs (or one railcar).

⁽B) Machine Direction (MD) and Cross Machine Direction (XMD or TD) average values should be on the basis of 5 specimens each direction.


⁽C) Correlation table is available for ASTM D792 vs. ASTM D1505. Both methods give the same results.

⁽D) Correlation table is available for ASTM D1603 vs. ASTM D4218. Both methods give the same results.

^{*}All values are nominal test results, except when specified as minimum of maximum.

^{*} The information contained herein is provided for reference purposes only and is not intended as warranty of guarantee. Final determination of suitability for use contemplated is the sole responsibility of the user. Solmax along with Inland Tarp & Liner assumes no liability in connection with the use of this information.

AST SET UP SOP



Policy Template

APPROVALS

All approvals are maintained and controlled By **OPERATIONS MANAGEMENT**

Please refer to the <u>SOP MANUAL</u> for the current controlled revision and approval records.

REVISION HISTORY

AUTHOR	REVISED SECTION/PARAGRAPH	REV	RELEASED
<u>Jeff Anderson</u>	<u>INITIAL RELEASE</u>	05	2018-07-03

Draft and Archived/Obsolete revisions are not to be used.



Extreme Plastics Plus

EPP - Tank in a Tank Rig-Up

Rev: 05

Pg. 2 of 6

Table of Contents

1.	PUKPOSE	3
2.	SCOPE	3
_		
3.		
4.	RESPONSIBILITIES	3
5.	REQUIREMENTS	3
••	-	
6.	POLICY	3
	6.1 Prepare surface area	3
	6.2 GROUND COVER INSTALLATION	4
	6.3 PRIMARY TANK WALL ASSEBLY	4
	6.4 PRIMARY TANK LINER INSTALLATION	5
	6.5 SECONDARY TANK WALL ASSEBLY	5
	6.6 SECONDARY TANK LINER INSTALLATION	6
	6.7 ACCESSORIES INSTALLATION	6
	6.8 FINAL INSPECTION	6
7.	APPLICABLE REFERENCES	6

	Extreme Plastics Plus		
EXTREME PLASTICS PLUS	EPP – Tank in a Tank Rig-Up	Rev: 05	Pg. 3 of 6

1. PURPOSE

This procedure is being implemented to standardize the process for installing Epic 360 Tanks and to ensure the quality from a standardized plan.

2. SCOPE

This procedure applies to the installations of Tank in a Tank Epic Tanks

3. **DEFINITIONS**

• Epic 360 Tank – Above ground tank used for water containment. Permanent or temporary structure used in industrial processes where large volumes of water are needed.

4. RESPONSIBILITIES

- <u>SOP process owner</u> –On-Site Epic Supervisor designated by management
- <u>Supervising Crew Leader</u> Ensure that SOP is strictly followed as the source for correct assembly and installation of Epic Tanks and managing their crew in a safe and productive manner. Also responsible for making sure all rigging is done in the correct manor within the capabilities of the equipment.
- Crew Labor portion of the assembly/installation process
 - o Crew Size to be a Minimum of five (5) persons consisting of at least one (1) certified Telehandler Operator, one (1) certified Skid Loader Operator, one (1) certified Welder (liner), and Spotter with a Crew Leader.

5. REQUIREMENTS

- Overall site must be level to ± 0.50 "
- Soil compaction must meet ASTM D-698A, 90% or greater.
- Final grade must be a smooth compacted surface, utilizing 1" of smaller crushed aggregate.

6. POLICY

Procedure for installing Epic 360 Tanks.

6.1 Prepare Surface Area

- Assure that all site / ground requirements are met and signed off on by EPP personnel prior to operations.
- Once level, find the center of tank location and mark ground with paint. Determine radius of secondary tank and mark ground for footprint of the tank.
- Obtain textile and appropriate liner, as determined by customer or internal specifications.

6.2 Ground Cover Installation

• Determine whether any special conditions exist for tank installation.

	Extreme Plastics Plus		
EXTREME PLASTICS PLUS	EPP – Tank in a Tank Rig-Up	Rev: 05	Pg. 4 of 6

- Apply textile to the entire footprint of the tank, including secondary tank if applicable. Re-mark the painted footprint on top of the textile to serve as a guide for the wall panel placement.
- Apply liner material over the textile extending it 15 feet past the edge of the tank footprint utilizing a Skid Loader with Spreader Bar and Z-Arm attachments (Caution full rolls of liner can weight up to 4,000 lb. NO butt seams permitted on tank liners.
- Trial welds to be performed and peel and sheer tested prior to seaming step panel liner together.
- All welded seams to be Air Channel tested.
- QAQC documentation to be provided at project completion upon request.
- Fold the primary tank liners liner back toward the center of the tank footprint allowing sufficient space to place the wall panels.
- Secondary tank liner will be maneuvered during primary tank install to reduce/ eliminate any traffic on it.

6.3 Primary Tank Wall Assembly

- Panels weight up to 8,600 lbs. each. A 10,000 lb Telehandler or greater should be used when handling and installing these panels. Use **Extreme Caution** when performing this process. Panels create large amounts of risk if not properly handled and/or secured. All lifting needs performed with Certified Leg Slings and will adhere to the minimum angles referenced in Chain Length Angle Chart.
- Hold a safety meeting to determine who the signal person will be. The designated signal person will be the **ONLY** person to give direction to the Telehandler operator. However, anyone can give the **STOP** signal.
- Transporting tank panels from designated onsite storage location to be done using rated and certified lift chains, attach two (2) hooks to the top of the wall panel and attach two (2) hooks to the bottom of the wall panel at D-Rings. Verify that certified lift chains are adjusted to the proper length to achieve an angle greater than 30° between the plain between the D-Rings and the lift chains.
- Using rated and certified lift chains, attach two (2) hooks to the top of the wall panel. Verify that certified lift chains are adjusted to the proper length to achieve an angle greater than 30° between the plain between the D-Rings and the lift chains.
- Attach tag lines to the bottom of the wall panel to assist in guiding the panel during installation.
- Equipment operator will place the wall panel in its designated location. While still supported by chains and the telehandler, a Skid loader with J-Hook attachment will be hooked to panel for support.
- Once the second wall panel is in place, bolt the panels together utilizing 1-1/4"-7x5" Grade A490 Structural Bolts tightened to a minimum of 800 ft-lbs of torque utilizing air or electric impact wrenches as needed.
- Install the first three (3) wall panels following the same process.
- Be sure to leave the J-Hook in place until all but the last 3 panel are installed.

	Extreme Plastics Plus		
EXTREME PLASTICS PLUS	EPP – Tank in a Tank Rig-Up	Rev: 05	Pg. 5 of 6

- Repeat this setting and bolting processes until the entire circumference is complete for the remaining panels.
- 1

6.4 Primary Tank Liner Installation

- Utilize Ladders for Ingress and Egress of tank, making sure to follow 3 points of contact safety protocol.
- Transition foam is placed around bottom inside perimeter of tank.
- Attach pull line to the edge of the liner and pull line over top of the wall panels utilizing a telehandler.
- Secure liner to the top of the wall panels using the (3) clamps per panel. While clamping, inspect the liner to ensure it is not in a "stressed" condition and be sure to leave enough slack so that the liner can conform to the walls once the tank is filled with water.
- Trim any excess liner material from the outer edge of the tank wall.

6.5 Secondary Tank Wall Assembly

- Panels weight up to 8,600 lbs. each. A 10,000 lb Telehandler or greater should be used when handling and installing these panels. Use **Extreme Caution** when performing this process. Panels create large amounts of risk if not properly handled and/or secured. All lifting needs performed with Certified Leg Slings and will adhear to the minimum angles referenced in Chain Length Angle Chart.
- Hold a safety meeting to determine who the signal person will be. The designated signal person will be the **ONLY** person to give direction to the Telehandler operator. However, anyone can give the **STOP** signal.
- Transporting tank panels from designated onsite storage location to be done using rated and certified lift chains, attach two (2) hooks to the top of the wall panel and attach two (2) hooks to the bottom of the wall panel at D-Rings. Verify that certified lift chains are adjusted to the proper length to achieve an angle greater than 30° between the plain between the D-Rings and the lift chains.
- Using rated and certified lift chains, attach two (2) hooks to the top of the wall panel. Verify that certified lift chains are adjusted to the proper length to achieve an angle greater than 30° between the plain between the D-Rings and the lift chains.
- Attach tag lines to the bottom of the wall panel to assist in guiding the panel during installation.
- Equipment operator will place the wall panel in its designated location. While still supported by chains and the telehandler, a Skid loader with J-Hook attachment will be hooked to panel for support.
- Once the second wall panel is in place, bolt the panels together utilizing 1-1/4"-7x5" Grade A490 Structural Bolts tightened to a minimum of 800 ft-lbs of torque utilizing air or electric impact wrenches as needed.
- Install the first three (3) wall panels following the same process.

	Extreme Plastics Plus		
EXTREME PLASTICS PLUS	EPP – Tank in a Tank Rig-Up	Rev: 05	Pg. 6 of 6

- Be sure to leave the J-Hook in place until all but the last 3 panel are installed.
- Repeat this setting and bolting processes until the entire circumference is complete for the remaining panels.

6.6 Secondary Tank Liner Installation

- Utilize Ladders for Ingress and Egress of tank, making sure to follow 3 points of contact safety protocol.
- Transition foam is placed around bottom inside perimeter of tank.
- Attach pull line to the edge of the liner and pull line over top of the wall panels utilizing a telehandler.
- Secure liner to the top of the wall panels using the (3) clamps per panel. While clamping, inspect the liner to ensure it is not in a "stressed" condition and be sure to leave enough slack so that the liner can conform to the walls once the tank is filled with water.
- Trim any excess liner material from the outer edge of the tank wall. All work at height to be performed from a man-lift.

6.7 Installation of Tank Accessories

- Utilizing a Telehandler all required tubing need hung and anchored to mounting tabs on tank panels.
- Utilizing a Telehandler all required steps and observation decks need anchored to mounting tabs on tank panels.

6.8 Final Inspection

• A final walk around needs completed with Supervising Crew Leader and customer representative to ensure that it was built to the customer specifications.

7. APPLICABLE REFERENCES

• Chain Length Angle Chart

Variances and/or Equivalency Demonstrations for Above Ground Steel Tank Modular Recycling Storage Containments (AST) Primary and Secondary Liners

Additional Variance For Recycling Storage CONTAINMENTS (Inground and AST)

- Alternative Testing Methods
- Fencing AST Containments

Request for OCD Approval of Alternative Test Methods to Analyze Concentrations of TPH and Chloride

The prescriptive mandates of the Rule that are the subject of this request are the following subsections of NMAC 19.15.17.13 [emphasis added], 19.15.34.14 and 19.15.29. 12 D

19.15.17.13 CLOSURE AND SITE RECLAMATION REQUIREMENTS:

D.(5) The operator shall collect, at a minimum, a five point composite of the contents of the temporary pit or drying pad/tank associated with a closed-loop system to demonstrate that, after the waste is solidified or stabilized with soil or other non-waste material at a ratio of no more than 3:1 soil or other non-waste material to waste, the concentration of any contaminant in the stabilized waste is not higher than the parameters listed in Table II of 19.15.17.13 NMAC.

The referenced Table II, which is reproduced in part below, notes the Method with asterisk signifying: "*Or other test methods approved by the division".

Table II Closure Criteria for Burial Trenches and Waste Left in Place in Temporary Pits				
Depth below bottom of pit to groundwater less than 10.000 mg/l TDS Constituent Method* Limit**				
	Chloride	EPA Method 300.0	20,000 mg/kg	
25-50 feet	ТРН	EPA SW-846 Method 418.1	100 mg/kg	

19.15.34.14 CLOSURE AND SITE RECLAMATION REQUIREMENTS FOR RECYCLING CONTAINMENTS:

C. The operator shall test the soils beneath the containment for contamination with a five-point composite sample which includes stained or wet soils, if any, and that sample shall be analyzed for the constituents listed in Table I below.

(1) If any contaminant concentration is higher than the parameters listed in Table I, the division may require additional delineation upon review of the results and the operator must receive approval before proceeding with closure.

The referenced Table I, which is reproduced in part below, notes the Method with asterisk signifying: "*Or other test methods approved by the division".

Table I						
Closure Criteria for Recycling Containments						
Depth below bottom of containment to groundwater less than 10,000 mg/l TDS	Constituent	Method*	Limit**			
51 feet - 100 feet	Chloride	EPA 300.0	10,000 mg/kg			
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	2,500 mg/kg			

After sampling solids of more than 50 drilling pits in the Permian Basin, we have observed and reported to OCD on numerous occasions significant problems with non-petroleum drilling additives (e.g. starch) interfering with the laboratory method 418.1. It is not surprising that in many instances we found no correlation between the laboratory results using 418.1 and the results using Method 8015.

We request approval of Method 8015 (GRO + DRO + MRO) for Method 418.1.

19.15.29.12 D. CLOSURE REQUIREMENTS. The responsible party must take the following action for any major or minor release containing liquids.

(1) The responsible party must test the remediated areas for contamination with representative five-point composite samples from the walls and base, and individual grab samples from any wet or discolored areas. The samples must be analyzed for the constituents listed in Table I of 19.15.29.12 NMAC or constituents from other applicable remediation standards.

The referenced Table I, is reproduced in part below.

		Table I foils Impacted by a Release	
Minimum depth below any point within the horizontal boundary of the release to ground water less than 10,000 mg/l TDS	Constituent	Method*	Limit**
≤ 50 feet	Chloride***	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

We request approval of EPA 300.0 or SM4500 for the analysis of chloride.

Demonstration that OCD Approval Will Provide Equal or Better Protection of Fresh Water, Public Health and the Environment

The purpose of TPH analyses in the Pit Rule is to measure total petroleum hydrocarbons not all non-polar compounds, such as starch or cellulose that can interfere with Method 418.1. While Method 418.1 may provide some useful data for transportation of crude oil or condensate spills to disposal, the addition of non-polar organic materials in drilling fluids, especially for horizontal wells, renders Method 418.1 highly problematic to determine compliance with the Rule. Using Method 8015 for TPH (GRO+DRO+MRO) provides a better measurement of what we believe the Commission intended operators to measure.

In hearings before the Oil Conservation Commission technical arguments were presented regarding the use of SM4500 in lieu of EPA 300.00 for chloride analysis for Rule 29. The Division and the Commission agreed that these two methods provide equal or better protection of fresh water, public health and the environment.

Statement Explaining Why the Applicant Seeks a Variance

The prescriptive mandates of the Rule that are the subject of this variance request are presented below with <u>emphasis added</u>:

- D. Fencing.
- (1) The operator shall <u>fence or enclose</u> a recycling containment <u>in a manner that deters unauthorized</u> <u>wildlife</u> and <u>human access</u> and shall maintain the fences in good repair. The operator shall ensure that all <u>gates associated with the fence are closed and locked</u> when responsible personnel are not onsite.
- (2) Recycling containments shall be fenced with a four foot fence that has at least four strands of barbed wire evenly spaced in the interval between one foot and four feet above ground level.
- E. Netting. The operator shall ensure that <u>a recycling containment is screened</u>, netted or otherwise <u>protective of wildlife</u>, including migratory birds. The operator shall on a monthly basis inspect for and, within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring.

The subject AST employs netting or sonic bird hazing (Mega Bird X with bird calls specific to the Permian Basin). These methods effectively protect avian species such as waterfowl and bats. OCD and BLM have approved both methods per Rule 34 and by BLM Rules respectively.

The steel structure of the AST is 11-feet high, which obviously encloses the containment "in a manner that deters…[terrestrial] wildlife." Thus, the steel structure meets the mandate of the Rule for enclosure. Thus, netting and the steel structure meet the mandate of Rule 34 for deterring/protecting avian and terrestrial wildlife.

Because AST Containments have a steel stairway between ground surface and the open top, the operator proposes the following deterrent to unauthorized human access:

- 1. Install gate (e.g. https://www.saferack.com/saferack-yellowgate-adjustable-safety-swing-gates/) or chain across the stairway
- 2. Place an appropriate sign on the gate or chain to help deter unauthorized human access to the open top of the containment
- 3. Provide for a mechanism to lock the gate when responsible personnel are not onsite.

Demonstration That the Variance Will Provide Equal or Better Protection of Fresh Water, Public Health and the Environment

We believe the proposed protocol provides equal protection of Public Health as a 4-strand barbed wire fence.

40-mil Non-reinforced LLDPE Liner as Alternate Primary and 30-mil Non-reinforced LLDPE as Secondary Liner for Above Ground Steel Tank Modular Recycling Storage Containments STATEMENT EXPLAINING WHY THE APPLICANT SEEKS A VARIANCE FOR 40 MIL NON-REINFORCED LLDPE GEOMEMBRANE AS AN ALTERNATIVE PRIMARY AND 30 MIL NON-REINFORCED AS ALTERNATIVE SECONDARY LINER FOR MODULAR STEEL AST CONTAINMENT

The prescriptive mandates of the Rule that are the subject of this variance request are the following subsections of 19.15.34.12

NMAC 19.15.34.12 A DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT **(4)** All primary (upper) liners in a recycling containment shall be geomembrane liners composed of an impervious, synthetic material that is resistant to ultraviolet light, petroleum hydrocarbons, salts and acidic and alkaline solutions. All primary liners shall be 30-mil flexible PVC, 45-mil LLDPE string reinforced or 60-mil HDPE liners. Secondary liners shall be 30-mil LLDPE string reinforced or equivalent with a hydraulic conductivity no greater than 1 x 10-9 cm/sec. Liner compatibility shall meet or exceed the EPA SW-846 method 9090A or subsequent relevant publications.

The applicant proposes one layer of 40-mil LLDPE non-reinforced as a primary liner and a secondary liner comprised of one layer of 30-mil LLDPE non-reinforced material

Rule 34 did not consider Above Ground Steel Storage Tanks that employ liners as a primary and secondary containment method.

This material is more readily available than the prescribed liners in the Rule and provides superior flexibility and conformity characteristics. Due to the vertical steel walls, 60-mil HDPE, 45 or 30-mil LLDPE string reinforced liners and 30-mil PCV liners are not sufficiently flexible for use in these modular containments.

All liners will have a hydraulic conductivity no greater than 1×10 -9 cm/sec and meet or exceed EPA SW-846 method 9090A.

Demonstration That the Variance Will Provide Equal or Better Protection of Fresh Water, Public Health and the Environment

The following technical documents provide supportive data to demonstrate that this liner system (with integrated leak detection system) provides equal or better protection of fresh water, public health and the environment by providing the requisite containment and protection. Attached is a technical comparison of the proposed material is compared to what is advised through Rule 34. A second memorandum provides clarification that the engineering requirements for site preparation, which ensures functionality of the liner system, is crosscutting to varied locations/sites within the Permian Basin. Liner specifications are also included in submission.

Consulting Engineers

Technical Memorandum: 40-mil LLDPE as Alternative Primary with 30-mil LLDPE as Alternative Secondary Liner System for Modular Steel AST Recycling Containment

NMAC 19.15.34.12 A (4)

In consideration of the liner application for modular AST impoundments, size and depth of the AST, design details for modular tanks as well as estimated length of at least five years of service time, it is my professional opinion that a 40 mil LLDPE (non-reinforced) and a 30 mil LLDPE (non-reinforced) geomembrane system will provide the requisite barrier against produced water loss as an alternative primary and secondary liner system. The two proposed liners, 40 mil LLDPE as Primary liner and 30 mil LLDPE Secondary liner, will function equal to or better than 45 mil String Reinforced LLDPE, 30 mil PVC, or 60 mil HDPE liners as a primary liner and 30 mil LLDPE string reinforced as a secondary liner system. Additionally, this two-layer system with integrated leak detection system, will provide requisite protection for the environment that is equal to or better than the above primary and secondary liner systems referenced in OCD rule 34. The following are discussion points that will exhibit the attributes of a 40 mil/30 mil LLDPE lining system:

The nature and formulation of LLDPE resin is very similar to HDPE. The major difference is that LLDPE is lower density, lower crystallinity (more flexible and less chemical resistant). However, LLDPE will resist aging and degradation and remain intact for many years in exposed conditions. The LLDPE resin is virtually the same for non-reinforced 30 or 40 mil LLDPE and string reinforced 30 or 45 mil LLDPE geomembranes and both will provide requisite containment and be equally protective for this application, enduring UV and chemical degradation in the produced water environment.

<u>Flexibility Requirements.</u> Non-reinforced LLDPE geomembranes are less stiff and far more flexible than string reinforced geomembranes as well as 60 mil HDPE and in this regard are preferred for installations in vertical wall tanks such as this proposed installation. LLDPE provides a very flexible sheet that enables it to be fabricated into large panels, folded for shipping and installed on vertical walls transitioned to flat bottom. Non-reinforced LLDPE sheet will conform better than a string reinforced LLDPE to the tank dimensions under hydrostatic loading and will exhibit less wrinkling and creasing during and after installation.

<u>Thermal Fusion Seaming Requirements</u>. Thermal seaming and QC seam test requirements for geomembranes are product specific and usually prescribed by the sheet manufacturer. Both dual wedge and single wedge thermal fusion welding is commonly used on LLDPE and QC testing by air channel (ASTM D 5820) or High Pressure Air Lance (ASTM D 4437) is fully acceptable and recognized as industry standards. In this regard, either non-reinforced LLDPE or string-reinforced LLDPE will be acceptable as far as QC and thermal fusion seaming methods are concerned.

Consulting Engineers

Potential for Leakage through the Primary and Secondary Liners. Leakage through geomembrane liners is directly a function of the height of liquid head above any hole or imperfection. The geomet drainage media between the primary and secondary LLDPE geomembranes at the base of the AST in this application provides immediate drainage to a low point or outside the Modular AST Impoundment and thus no hydrostatic head or driving gradient is available to push leakage water through a hole in the Secondary LLDPE liner.

Leakage through any Primary geomembrane is driven by size of hole and depth and will be detected by the increase of water in the drainage system and the volume being pumped out of the secondary containment. In this regard and for this variance, the Primary consists of 40 mil LLDPE geomembrane which will perform equal to or better than a single layer of string reinforced LLDPE for potential leakage. Thus, if a leak occurs through the top layer, it will be effectively contained by the second layer of 30 mil LLDPE geomembrane. If required, location of holes in the Primary can be found by Electrical Leak Location Survey (ELLS) using a towed electrode (ASTM D 7007). Holes found can then be repaired and thus water seepage into the leakage collection and drainage system will be kept to a minimum. Dependent on OCR requirements for Action Leakage Rate (ALR), the leakage volumes may only be monitored. For example, a typical ALR is < 20 gpad whereas a rapid and large leak (RLL) may be > 100 gpad.

Most states specify maximum ALR values for waste and process water impoundments usually in the range of 100 to 500 gpad. However, New Mexico does not specify an ALR for waste or process water impoundments (GRI Paper No. 15).

<u>LLDPE</u> (and string reinforced LLDPE) can be prefabricated into large panels and thus both types offer the following for Containment:

- Prefabrication in factory-controlled conditions into very large panels (up to 30,000 sf) results in ease of installation, less thermal fusion field seams and less on site QC and CQA. (It should be noted that HDPE cannot be prefabricated into panels and requires considerably more on-site welding and QC).
- Large prefabricated panels will provide better control of thermal fusion welding in a factory environment that will improve the liner system integrity for the long term. Ease of installation of large prefabricated custom size panels results in a greater reduction of installation time and associated installation and QC costs
- The Non-reinforced LLDPE geomembrane provides superior lay flat characteristics and conformability which allows for more intimate contact with the underlying soil, geonet, or geotextile and tank walls as well as overlying materials thus providing better flow characteristics for drainage of water. String reinforced LLDPE exhibits more wrinkling and when overlaid or in contact with a geonet drain, wrinkles tend to form pockets and dams affecting drainage of any leakage water to the exterior of the Modular AST Impoundment.

Consulting Engineers

Both types of LL DPE geomembrane are easily repaired using the same thermal
fusion bonding method without the need for special surface granding preparation
for extrusion welding as is typically used in repair of HDPE geomembranes.
However, string reinforced LLDPE requires that all cut edges with exposed scrim
must be encapsulated with extrusion bead. No encapsulation is required on nonreinforced LLDPE.

In summary, it is any professional opinion that the liner system of 40 mil non-reinforced LLDPE geomembrone as Primary liner and 30 mil non-reinforced LLDPE Secondary liner, with integrated leak detection system, will provide protection that is equal to or better than 45 mil string reinforced LLDPE, 30 mil PVC, 60 mil HDPE (primary liner) and 35 mil LLDPEr (secondary liner) and meets requirements as defined by the rule as an alternative liner system (resistance to UV and chemical exposure and required hydraulic conductivity). Additionally, this liner system will provide a superior installation in the AST environment and function better than liners referenced in the OCD rule and will provide the requisite protection of fresh water, public health and the environment for at least 5 years in the produced water recycling environment.

If you have any questions on the above technical memorandum or require further information, give me a call at 720-289-0300 or email geosynthetics@msn.com

Sincerely Yours.

RX Fragin

Ronald K. Frobel, MSCE, PE

References:

NMAC 19.15.34.12 DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT

Geosynthetic Research Institute (GRI) Published Standards and Papers 2018

ASTM Standards 2018

Attachments:

R. K. Frobel C.V.

32156 Castle Court / Suite 211 / Evergreen, CO 80439 Ph 303-679-0285 Fx 303-679-8955 geosynthetics@usn.com STATEMENT EXPLAINING WHY THE APPLICANT SEEKS A VARIANCE FOR 40 MIL NON-REINFORCED LLDPE GEOMEMBRANE AS AN ALTERNATIVE PRIMARY AND SECONDARY LINER FOR MODULAR STEEL AST CONTAINMENT

The prescriptive mandates of the Rule that are the subject of this variance request are the following subsections of 19.15.34.12

NMAC 19.15.34.12 A DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT **(4)** All primary (upper) liners in a recycling containment shall be geomembrane liners composed of an impervious, synthetic material that is resistant to ultraviolet light, petroleum hydrocarbons, salts and acidic and alkaline solutions. All primary liners shall be 30-mil flexible PVC, 45-mil LLDPE string reinforced or 60-mil HDPE liners. Secondary liners shall be 30-mil LLDPE string reinforced or equivalent with a hydraulic conductivity no greater than 1 x 10-9 cm/sec. Liner compatibility shall meet or exceed the EPA SW-846 method 9090A or subsequent relevant publications.

The applicant proposes one layer of 40-mil LLDPE as a primary liner and a secondary liner comprised of one layer of 40-mil LLDPE material.

Rule 34 did not consider Above Ground Steel Storage Tanks that employ liners as a primary and secondary containment method.

This material is more readily available than the prescribed liners in the Rule and provides superior flexibility and conformity characteristics. Due to the vertical steel walls, 60-mil HDPE, 45 or 30-mil LLDPE string reinforced liners and 30-mil PCV liners are not sufficiently flexible for use in these modular containments.

Demonstration That the Variance Will Provide Equal or Better Protection of Fresh Water, Public Health and the Environment

The following technical documents provide supportive data to demonstrate equal or better protection of fresh water, public health and the environment by providing the requisite containment and protection. Technical comparison of the proposed material is compared to what is advised through Rule 34 is discussed. A second memorandum provides clarification that the engineering requirements for site preparation, which ensures functionality of the liner system, is crosscutting to varied locations within the Permian Basin. Stamped plans from design engineer confirm applicability of this liner system to this specific site.

Consulting Engineers

Technical Memorandum: 40-mil LLDPE as Alternative Primary/Secondary Liner System for Modular Steel AST Recycling Containment

NMAC 19.15.34.12 A (4)

In consideration of the Primary lining application (modular AST impoundment), size of the AST and depth, design details for modular tanks as well as estimated length of up to five years of service time, it is my professional opinion that a 40 mil LLDPE geomembrane will provide the requisite barrier against processed water loss. It should be noted that the 40 mil LLDPE exceeds the OCD mandate for a Secondary lining system. The two proposed 40 mil LLDPE liners will function equal to or better than 45 mil String Reinforced LLDPE, 30 mil PVC, or 60 mil HDPE liners as a primary liner and 30 mil LLDPE string reinforced as a secondary liner system. Additionally, the 40 mil LLDPE in a two-layer system will provide requisite protection for the environment that is equal to or better than the above primary and secondary liner systems referenced in OCD rule 34. The following are discussion points that will exhibit the attributes of a 40 mil LLDPE lining system:

The nature and formulation of LLDPE resin is very similar to HDPE. The major difference is that LLDPE is lower density, lower crystallinity (more flexible and less chemical resistant). However, LLDPE will resist aging and degradation and remain intact for many years in exposed conditions. The LLDPE resin is virtually the same for non-reinforced 40 mil LLDPE and string reinforced 45 mil LLDPE geomembranes and both will provide requisite containment and be equally protective for this application.

<u>Flexibility Requirements.</u> Non-reinforced LLDPE geomembranes are less stiff and far more flexible than string reinforced geomembranes as well as 60 mil HDPE and in this regard are preferred for installations in vertical wall tanks such as this proposed installation. LLDPE provides a very flexible sheet that enables it to be fabricated into large panels, folded for shipping and installed on vertical walls transitioned to flat bottom. Non-reinforced LLDPE sheet will conform better than a string reinforced LLDPE to the tank dimensions under hydrostatic loading and will exhibit less wrinkling and creasing during and after installation.

<u>Thermal Fusion Seaming Requirements</u>. Thermal seaming and QC seam test requirements for geomembranes are product specific and usually prescribed by the sheet manufacturer. Both dual wedge and single wedge thermal fusion welding is commonly used on LLDPE and QC testing by air channel (ASTM D 5820) or High Pressure Air Lance (ASTM D 4437) is fully acceptable and recognized as industry standards. In this regard, either non-reinforced LLDPE or string-reinforced LLDPE will be acceptable as far as QC and thermal fusion seaming methods are concerned.

<u>Potential for Leakage through the Primary and Secondary Liners.</u> Leakage through geomembrane liners is directly a function of the height of liquid head above any hole or imperfection. The geonet drainage media between the primary and secondary LLDPE

Consulting Engineers

geomembranes at the base of the AST in this application provides immediate drainage to a low point or outside the Modular AST Impoundment and thus no hydrostatic head or driving gradient is available to push leakage water through a hole in the Secondary LLDPE liner.

Leakage through any Primary geomembrane is driven by size of hole and depth and will be detected by the increase of water in the drainage system and the volume being pumped out of the secondary containment. In this regard and for this variance, the Primary consists of 40 mil LLDPE geomembrane which will perform equal to or better than a single layer of string reinforced LLDPE for potential leakage. Thus, if a leak occurs through the top layer, it will be effectively contained by the second layer of 40 mil LLDPE geomembrane. If required, location of holes in the Primary can be found by Electrical Leak Location Survey (ELLS) using a towed electrode (ASTM D 7007). Holes found can then be repaired and thus water seepage into the leakage collection and drainage system will be kept to a minimum. Dependent on OCR requirements for Action Leakage Rate (ALR), the leakage volumes may only be monitored. For example, a typical ALR is < 20 gpad whereas a rapid and large leak (RLL) may be > 100 gpad. Most states specify maximum ALR values for waste and process water impoundments usually in the range of 100 to 500 gpad. However, New Mexico does not specify an ALR for waste or process water impoundments (GRI Paper No. 15).

Both non-reinforced LLDPE and string reinforced LLDPE can be prefabricated into large panels and thus both types offer the following for Containment:

- Prefabrication in factory-controlled conditions into very large panels (up to 30,000 sf) results in ease of installation, less thermal fusion field seams and less on site QC and CQA. (It should be noted that HDPE cannot be prefabricated into panels and requires considerably more on-site welding and QC).
- Large prefabricated panels will provide better control of thermal fusion welding in a factory environment that will improve the liner system integrity for the long term. Ease of installation of large prefabricated custom size panels results in a greater reduction of installation time and associated installation and QC costs
- The Non-reinforced LLDPE geomembrane provides superior lay flat characteristics and conformability which allows for more intimate contact with the underlying soil, geonet, or geotextile and tank walls as well as overlying materials thus providing better flow characteristics for drainage of water. String reinforced LLDPE exhibits more wrinkling and when overlaid or in contact with a geonet drain, wrinkles tend to form pockets and dams affecting drainage of any leakage water to the exterior of the Modular AST Impoundment.
- Both types of LLDPE geomembrane are easily repaired using the same thermal fusion bonding method without the need for special surface grinding/preparation for extrusion welding as is typically used in repair of HDPE geomembranes.

 α

R.K. FROBEL & ASSOCIATES

Consulting Engineers

However, string reinforced LLDPE requires that all cut edges with exposed scrim must be encapsulated with extrusion bead. No encapsulation is required on nonreinforced LLDPE.

In summary, it is my professional opinion that the two layers of 40 mil non-reinforced LLDPE geomembranes will provide a Primary/Secondary liner system that is equal to or better than 45 mil string reinforced LLDPE, 30 mil PVC, 60 mil HDPE (primary liner) and 35 mil LLDPEr (secondary liner). Additionally, the two layers of 40 mil LLDPE will provide a superior installation and function better than liners referenced in the OCD rule. The two layers of 40 mil non-reinforced LLDPE will provide the requisite protection of fresh water, public health and the environment for at least 5 years in the frack water environment.

If you have any questions on the above technical memorandum or require further information, give me a call at 720-289-0300 or email geosynthetics@msn.com

Sincerely Yours,

RX France

Ronald K. Frobel, MSCE, PE

References:

NMAC 19.15.34.12 DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT

Geosynthetic Research Institute (GRI) Published Standards and Papers 2018

ASTM Standards 2018

Attachments

R. K. Frobel C.V

32156 Castle Court / Suite 211 / Evergreen, CO 80439 Ph 303-679-0285 Fx 303-679-8955 geosynthetics@msn.com Slope and Anchor Variance Request for Above Ground Steel Tank Modular Recycling Storage Containments

STATEMENT EXPLAINING WHY THE APPLICANT SEEKS A VARIANCE FOR SLOPE AND ANCHOR FOR MODULAR STEEL AST CONTAINMENT

Statement Explaining Why the Applicant Seeks a Variance

The prescriptive mandates of the Rule that are the subject of this variance request are the following subsections of NMAC 19.15.34.12.

NMAC 19.15.34.12 DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT:

- A. An operator shall design and construct a recycling containment in accordance with the following specifications.
- (2) A recycling containment shall have a properly constructed foundation and interior slopes consisting of a firm, unyielding base, smooth and free of rocks, debris, sharp edges or irregularities to prevent the liner's rupture or tear. Geotextile is required under the liner when needed to reduce localized stress-strain or protuberances that otherwise may compromise the liner's integrity. The operator shall construct the containment in a levee with an inside grade no steeper than two horizontal feet to one vertical foot (2H:1V). The levee shall have an outside grade no steeper than three horizontal feet to one vertical foot (3H:1V). The top of the levee shall be wide enough to install an anchor trench and provide adequate room for inspection and maintenance.
- (3) Each recycling containment shall incorporate, at a minimum, a primary (upper) liner and a secondary (lower) liner with a leak detection system appropriate to the site's conditions. The edges of all liners shall be anchored in the bottom of a compacted earthfilled trench. The anchor trench shall be at least 18 inches deep.

The applicant requests a variance to prescribed slope and anchor in the setting of above ground modular steel containments.

With respect to storage of produced water for use in lieu of fresh water, Rule 34 is written for earthen, lined pits, not free-standing modular impoundments that employ liners as their primary fluid containment system. A modular impoundment consists of a professionally designed steel tank ring with vertical walls. There is no slope to consider as the segmental steel sections are set vertical.

There is no anchor trench as envisioned by the Rule, liners are anchored to the top of the steel walls with clips, no anchor trench is required.

Demonstration That the Variance Will Provide Equal or Better Protection of Fresh Water, Public Health and the Environment

The following technical memorandum provides supportive data to demonstrate equal or better protection of fresh water, public health and the environment by providing the requisite containment and protection.

Consulting Engineers

Technical Memorandum: Slope and Anchor Trench Variance for Above Ground Steel Modular Containments NMAC 19.15.34.12 A (2), (3)

Side Slope

The design of soil side slope (inclination) is a geotechnical engineering design consideration. Liquid impoundments such as fresh water or process water containments are usually built within an excavation or with raised earthen embankments. For a liquid impoundment with an exposed liner system, the slope soils and construction dictate slope inclination and very detailed slope stability analysis may be required to determine if slope failure within the embankment will occur once loaded with impounded water. Slope failure may also occur during construction or when the impoundment is empty. A maximum slope is usually specified and is dependent on soil type and cohesive strength, saturated or unsaturated conditions, etc. Detailed analysis for slope stability can be found in "Designing with Geosynthetics" by R.M Koerner as well as many geotechnical books.

A modular impoundment, on the other hand, consists of a professionally designed steel tank ring with vertical walls. *There is no slope to consider as the segmental steel sections are set vertical.* Design of steel tanks, in regard to hydrostatic loading, wind loading, seismic loads, etc. are thoroughly referenced with detailed procedures in the design code-American Petroleum Institute (API) 650-98 "Welded Steel Tanks for Oil Storage". *There are no requirements for maximum slope inclination other than perhaps 90 degrees or vertical wall.*

Anchor Trench

All earthen impoundments with a geomembrane lining system require some form of top of slope anchor, the most common of which is an excavated and backfilled anchor trench usually set back at least 3 ft from the top of slope. Again, there are detailed procedures for anchor trench design in "Designing with Geosynthetics" by R.M Koerner.

A Modular Impoundment requires mechanical anchoring of the geomembrane at the top of the vertical steel wall using standard liner clips that prevent the geomembrane or geomembrane layers from slipping down the side wall. These are detailed in the Tank Installation Manual. There are no requirements for an "anchor trench" as this is not an in-ground impoundment.

In summary, based on the design and specifications of a modular steel impoundment, there is no requirement for a maximum interior slope angle of 2H: IV due to the fact that this impoundment is a steel tank with vertical walls. Additionally, there is no requirement for an anchor trench as the geomembrane is attached to the top of the Modular Impoundment vertical walls with large steel clips. This provides the requisite protection of fresh water, public health and the environment for many years.

Consulting Engineers

If you have any questions on the above technical memorandum or require further information, give me a call at 303-679-0285 or email geosynthetics@msn.com

Sincerely Yours.

22 Frobel

Ronald K. Frobel, MSCE, PE



References:

NMAC 19 15.34.12 DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT

American Petroleum Institute (API) 650-98 "Welded Steel Tanks for Oil Storage"

Koemer, R.M., 2005 "Designing With Geosynthetics" Prentice Hall Publishers

Attachments:

R. K. Frobel C.V.

January 2020

Applicability of Variances for Modular AST Containments in the Permian Basin of New Mexico

Consulting Engineers

Technical Memorandum: Applicability of Variances for Modular AST Containments in the Permian Basin of New Mexico NMAC 19.15.34.12 A (2)

I have reviewed the most recent historical variances for AST Containments in the document titled "Variances for C-147 Registration Packages Permian Basin of New Mexico" (January 2020) and examined the applicable design drawings and permits for the following modular AST containments located in the Permian Basin of New Mexico.

- C-147 Registration Package for Myox Above Ground Storage Tank Section 32, T25S, R28E, Eddy County (January 20, 2020)
- C-147 Registration Package for Fez Recycling Containment and Recycling Facility Area (100+ acres) Section 8, T25-S, R35-E, Lea County, Volume 2 – Above-Ground Storage Tank Containments
- Hackberry 16 Recycling Containments and Recycling Facility Section 16, T19S, R31E, Eddy County

Locations of the modular containments range from west of the Pecos River to slightly west of Jal, NM. All locations exhibit different surface and subsurface geology, different topography and are of various sizes and volumes. However, in regard to structural integrity of the base soils that support the AST and in particular the geomembrane containment system, the specification requirements are the same. The foundation soils must be roller compacted smooth and free of loose aggregate over ½ inch. Compaction characteristics must meet or exceed 95% of Standard Proctor Density in accordance with ASTM D 698. This specification requirement is specific and causes the general or earthworks contractor to meet this standard regardless of the site-specific geology or topography. Provided that the design drawings and associated specifications call out the minimum requirements for subsoils compaction (i.e., 95% Standard Proctor Density – ASTM D 698), the design engineer or owners representative will carry out soils testing on the foundation materials to provide certainty to the AST containment owner that the earthworks contractor has met these obligations.

Thus, provided that the contractor meets the minimum specified requirements for foundation soils preparation and density, the location, geology or depth to groundwater will make no difference in regard to geomembrane liner equivalency as demonstrated by the AST variances presented in this volume and are considered valid for meeting NMOCD Rule 34 requirements for all locations within the Permian Basin of New Mexico.

If you have any questions on the above technical memorandum or require further information, give me a call at 720-289-0300 or email geosynthetics@msn.com

Consulting Engineers

Sincerely Yours,

27 Frober

Ronald K. Frobel, MSCE, PE

References:

NMAC 19.15.34.12 DESIGN AND CONSTRUCTION SPECIFICATIONS FOR A RECYCLING CONTAINMENT

ASTM Standards 2019



RONALD K. FROBEL, MSCE, P.E.

CIVIL ENGINEERING GEOSYNTHETICS EXPERT WITNESS FORENSICS

FIRM: R. K. FROBEL & ASSOCIATES

Consulting Civil / Geosynthetics Engineers

Principal and Owner TITLE:

PROFESSIONAL

AFFILIATIONS: American Society for Testing and Materials (ASTM) -

> Founding member of Committee D 35 on Geosynthetics Chairman ASTM D35 Subcommittee on Geomembranes 1985-2000

ASTM Award of Merit Recipient/ASTM Fellow - 1992 ASTM D18 Soil and Rock - Special Service Award - 2000

Transportation Research Board (TRB) of The National Academies

Appointed Member A2K07 Geosynthetics 2000 - 2003

National Society of Professional Engineers (NSPE) - Member

American Society of Civil Engineers (ASCE) - Member

Colorado Section - ASCE - Member

International Society of Soil Mechanics and Foundation Engineers

(ISSMFE) - Member

International Geosynthetics Society (IGS) - Member

North American Geosynthetics Society (NAGS) - Member

International Standards Organization (ISO) - Member TC 221

Team Leader - USA Delegation Geosynthetics 1985 - 2001 European Committee for Standardization (CEN) - USA Observer EPA Advisory Committee on Geosynthetics (Past Member) Association of State Dam Safety Officials (ASDSO) – Member U. S. Committee on Irrigation and Drainage (USCID) - Member Technical Advisory Committee - Geosynthetics Magazine Editorial Board - Geotextiles and Geomembranes Journal Fabricated Geomembrane Institute (FGI) – Board of Directors Co-Chairman International Conference on Geomembranes Co-Chairman ASTM Symposium on Impermeable Barriers

U.S. Naval Reserve Officer (Inactive)

Registered Professional Engineer – Civil (Colorado) Mine Safety Health Administration (MSHA) Certified

ACADEMIC BACKGROUND:

University of Arizona: M.S. - Civil Engineering - 1975 University of Arizona: B. S. - Civil Engineering – 1969 Wentworth Institute of Technology: A.S. Architecture – 1966

RONALD K. FROBEL, MSCE, P.E.

Page 2

PROFESSIONAL EXPERIENCE:

- R. K. Frobel & Associates Consulting Engineers
 Evergreen, Colorado, Principal and Owner, 1988 Present
- Chemie Linz AG and Polyfelt Ges.m.b.H., Linz, Austria U. S. Technical Manager Geosynthetics, 1985 1988
- U.S. Bureau of Reclamation, Engineering and Research Center
 Denver, Colorado, Technical Specialist in Construction
 Materials Research and Application, 1978 1985
- Water Resources Research Center (WRRC), University of Arizona Tucson, AZ, Associate Research Engineer, 1975 1978
- Engineering Experiment Station, University of Arizona Tucson, AZ, Research Assistant, 1974 1975

United States Navy, Commissioned Naval Officer, 1970 - 1973

REPRESENTATIVE EXPERIENCE:

R.K. Frobel & Associates: Civil engineering firm specializing in the fields of geotechnical, geo-environmental and geosynthetics. Expertise is provided to full service civil/geotechnical engineering firms, federal agencies, municipalities or owners on a direct contract, joint venture or sub-consultant basis. Responsibilities are primarily devoted to specialized technical assistance in design and application for foreign and domestic projects such as the following:

Forensics investigations into geotechnical and geosynthetics failures; providing expert report and testimony on failure analysis; providing design and peer review on landfill lining and cover system design, mine waste reclamation, water treatment facilities, hydro-technical canal, dam, reservoir and mining projects, floating reservoir covers; oil and gas waste containment; design of manufacturers technical literature and manuals; development and presentation of technical seminars; new product development and testing; MQA/CQA program design and implementation.

<u>Polyfelt Ges.m.b.H., Linz, Austria and Denver Colorado</u>: As U.S. technical manager, primary responsibilities included technical development for the Polyfelt line of geosynthetics for the U.S. civil engineering market as well as worldwide applications.

RONALD K. FROBEL, MSCE, P.E.

Page 3

U.S. Bureau of Reclamation, Denver, Colorado: As technical specialist, responsibilities included directing laboratory research, design and development investigations into geosynthetics and construction materials for use on large western water projects such as dams, canals, power plants and other civil structures. Included were material research, selection and testing, specification writing, large scale pilot test programs, MQA/CQA program design and supervision of site installations. Prime author or contributor to several USBR technical publications incorporating geosynthetics.

<u>University of Arizona, Tucson, Arizona</u>: As research engineer at the Water Resources Research Center, responsibilities included research, design and development of engineering materials and methods for use in construction of major water projects including potable water reservoirs, canals and distribution systems. Prime author or contributor to several WRRC technical publications.

Northeast Utilities, Hartford, Connecticut: As field engineer for construction at Northeast Utilities, responsibilities included liason for many construction projects including additions to power plants, construction of substations, erection of fuel oil pipelines and fuel oil storage tanks. Responsibilities also included detailed review, inspection and reporting on numerous construction projects.

U.S. Navy: Commissioned Naval Officer – Nuclear Program

PUBLICATIONS: Over 85 published articles, papers and books.

CONTACT DETAILS:

Ronald K. Frobel, MSCE, P.E. R. K. Frobel & Associates Consulting Civil/Geosynthetics Engineers PO Box 2633 Evergreen, Colorado 80439 USA Phone 720-289-0300 Email: geosynthetics@msn.com

Released to Imaging: 12/13/2024 9:08:20 AM

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD

Sent: Friday, December 13, 2024 8:56 AM

To: 'Chad Gallagher'

Subject: 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067]

Attachments: C-147 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT

[fVV2434635067].pdf

2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067]

Good morning Mr. Gallagher,

NMOCD has reviewed the recycling containment permit application and related documents, submitted by [371643] SOLARIS WATER MIDSTREAM, LLC on 12/04/2024, Application ID 408571, for 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] in C-26-23S-30E, Eddy County, New Mexico. [371643] SOLARIS WATER MIDSTREAM, LLC requested variances from 19.15.34 NMAC for 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067].

The following variances have been approved:

- The variance to 19.15.34.14 NMAC Table I for the use of alternate analytical method 8015/8015M for total petroleum hydrocarbons (TPH) is approved.
- The variance to 19.15.34.14 NMAC Table I for the use of alternate analytical method EPA 300.0 or SM4500 for the analysis of chloride is approved.
- The variance to 19.15.34.12.A.(2) NMAC for the no side-slope requirement for the AST containment with vertical walls is approved.
- The variance to 19.15.34.12.A.(3) NMAC for the liners to be anchored to the top of the AST steel walls and no anchor trenches is approved.
- The variance to 19.15.34.12.A.(4) NMAC for the installation on the AST containment of a 40-mil non-reinforced LLDPE primary liner and a 30-mil non-reinforced LLDPE secondary liner or a liner system consisting of a 40-mil non-reinforced LLDPE primary liner and a 40-mil non-reinforced LLDPE secondary liner is approved. [371643] SOLARIS WATER MIDSTREAM, LLC will notify the OCD through OCD Permitting of the installation of the liner system and provide the specifications of the liner system that has been installed.
- The variance to NMAC 19.15.34.12.D to install a gate or chain across the stairway between the ground surface and the open-top of the AST containment is approved. The operator shall place an appropriate sign on the gate or chain to prevent unauthorized human access to the open top of the containment and will provide a mechanism to lock the gate when responsible personnel are not onsite.

The form C-147 and related documents for 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] are approved with the following conditions of approval:

- The purpose of this permit is for oil and gas activities regulated under the NMAC 19.15.34.3 STATUTORY AUTHORITY: 19.15.34 NMAC is adopted pursuant to the Oil and Gas Act, Paragraph (15) of Section 70-2-12(B) NMSA 1978, which authorizes the division to regulate the disposition of water produced or used in connection with the drilling for or producing of oil and gas or both and Paragraph (21) of Section 70-2-12(B) NMSA 1978 which authorizes the regulation of the disposition of nondomestic wastes from the exploration, development, production or storage of crude oil or natural gas.
- 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] is approved for five
 years of operation from the date of permit application of 12/04/2024. 2RF-213 FORTY NINER RIDGE EAST
 REUSE FACILITY AND AST CONT [fVV2434635067] permit expires on 12/04/2029. If [371643] SOLARIS

- WATER MIDSTREAM, LLC wishes to extend operations past five years, an annual extension request must be submitted using on form C-147 Long through OCD Permitting by 11/04/2029.
- 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] consists of one (1) inground containment with a fluid capacity of 1,013,000.00 barrels and one (1) AST of 40,000.00 barrels.
- The total closure cost estimated of 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] in the amount of \$ 692,476.88, meets the requirements of NMAC 19.15.34.15.A. The financial assurance should be mailed to: EMNRD Oil Conservation Division, Administration & Compliance Bureau Attn: Bond Administrator 1220 S. St. Francis Drive | Santa Fe, NM 87505.
- [371643] SOLARIS WATER MIDSTREAM, LLC shall construct, operate, maintain, close, and reclaim 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] in compliance with NMAC 19.15.34 NMAC.
- [371643] SOLARIS WATER MIDSTREAM, LLC shall notify OCD, through OCD Permitting, when construction of 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] commences.
- [371643] SOLARIS WATER MIDSTREAM, LLC shall notify NMOCD through OCD Permitting when recycling operations commence and cease at 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067].
- A minimum of 3-feet freeboard must be maintained at 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] at all times during operations.
- If less than 20% of the total fluid capacity is utilized every six months, beginning from the first withdrawal, operations of the 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] are considered ceased and a notification of cessation of operations should be sent electronically to OCD Permitting. A request to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form through OCD Permitting. If after that 6-month extension period, the 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] is not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- [371643] SOLARIS WATER MIDSTREAM, LLC shall submit monthly reports of recycling and reuse of produced water, drilling fluids, and liquid oil field waste on OCD form C-148 via OCD Permitting even if there is zero activity.
- [371643] SOLARIS WATER MIDSTREAM, LLC shall inspect the recycling containment and associated leak detection systems weekly while it contains fluids. The operator shall maintain a current log of such inspections and make the logs available for review by the division upon request according to 19.15.34.13.A.
- [371643] SOLARIS WATER MIDSTREAM, LLC shall comply with 19.15.29 NMAC Releases in the event of any release of produced water or other oil field waste at 2RF-213 FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067].

Please reference number 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] in all future communications.

Regards,

Victoria Venegas • Environmental Specialist Advanced EMNRD - Oil Conservation Division 506 W. Texas Ave. Artesia, NM 88210 575.909.0269 | Victoria.Venegas@emnrd.nm.gov

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 408571

CONDITIONS

Operator:	OGRID:
SOLARIS WATER MIDSTREAM, LLC	371643
9651 Katy Fwy	Action Number:
Houston, TX 77024	408571
	Action Type:
	[C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	• 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] is approved for five years of operation from the date of permit application of 12/04/2024. 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] permit expires on 12/04/2029. If [371643] SOLARIS WATER MIDSTREAM, LLC wishes to extend operations past five years, an annual extension request must be submitted using on form C-147 Long through OCD Permitting by 11/04/2029. • [371643] SOLARIS WATER MIDSTREAM, LLC shall construct, operate, maintain, close, and reclaim 2RF-213 - FORTY NINER RIDGE EAST REUSE FACILITY AND AST CONT [fVV2434635067] in compliance with NMAC 19.15.34 NMAC.	12/13/2024