

Containment Closure Documentation

**3RF-55 - RINCON UNIT 2706-290
FACILITY ID [fcs1921338052]**



**Enduring Resources, LLC
200 Energy Court
Farmington, New Mexico 87401**

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147
Revised April 3, 2017

Recycling Facility and/or Recycling Containment

Type of Facility: Recycling Facility Recycling Containment*
Type of action: Permit Registration
 Modification Extension
 Closure Other (explain) CLOSURE OF AST TANKS

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: Enduring Resources IV, LLC (For multiple operators attach page with information) OGRID #: 372286
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name (include API# if associated with a well): Rincon Unit 2706-290
OCD Permit Number: 3RF-55 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr O Section 29 Township 27N Range 6W County: Rio Arriba
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

2.
 Recycling Facility:
Location of recycling facility (if applicable): Latitude 36.539671 Longitude -107.490588 NAD83
Proposed Use: Drilling* Completion* Production* Plugging*
**The re-use of produced water may NOT be used until fresh water zones are cased and cemented*
 Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*
 Fluid Storage
 Above ground tanks Recycling containment Activity permitted under 19.15.17 NMAC explain type _____
 Activity permitted under 19.15.36 NMAC explain type: _____ Other explain _____
 For multiple or additional recycling containments, attach design and location information of each containment
 Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date: _____

3.
 Recycling Containment:
 Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude 36.539671 Longitude -107.490588 NAD83
 For multiple or additional recycling containments, attach design and location information of each containment
 Lined Liner type: Thickness 30 mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: 300,000 bbl Dimensions: 5- 60,000 bbl 90' Radius x 12' Height
 Recycling Containment Closure Completion Date: 09/02/24

4.

Bonding:

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved) _____

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify Variance Requested _____

6.

Signs:

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

Variiances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting	
Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)**

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Heather Huntington Title: Permitting Technician
 Signature: Heather Huntington Date: 05/30/2025
 e-mail address: hhuntington@enduringresources.com Telephone: 505-636-9751

11.

OCD Representative Signature: Victoria Venegas Approval Date: 06/12/2025

Title: Environmental Specialist OCD Permit Number: 3RF-55

- * OCD Conditions _____
- Additional OCD Conditions on Attachment

Enduring Resources is requesting the closure of the 5 containment tanks permitted on this facility to allow for a permit modification that had been submitted and subsequently denied. NMOCD requires that the containment closure sampling requirements be met on the removed tanks prior to submitting a permit modification.

1. **Upon cessation of operations (Defined as the use of less than 20% of the pond's total fluid capacity), Enduring will remove all fluids within 60 days of the official date of cessation.**
The final date of use was September 2, 2024. All fluids were removed from the containment on September 2, 2024.
2. **Enduring will close the produced water containment within six (6) months from the official date of cessation. If Enduring will require more than 6 months to complete closure activities, an extension request will be filed prior to the six (6) month time limit for closure.**
The containment was disassembled September 2, 2024 and closure sampling was conducted on May 14, 2025.
3. **Closure activities will consist of the following:**
 - a. **Removal of all containment contents**
All containments were removed on September 2, 2024.
 - b. **Removal of liners and associated leak detection equipment for disposal at a division approved facility.**
All liner and leak detection materials were removed and disposed of at Bondad Landfill.
 - c. **Removal of all equipment associated with the continued operation of the recycling containment.**
All equipment associated with the continued operation of the recycling containment has been removed from the site.
 - d. **A 5-point composite soil sample will be collected in the containment area under the location of the liner, and the sample will be analyzed for the constituents listed in Table I.**
See attached sampling closure report. Samples are compliant with Table 1.
4. **Reclamation**
The location will be interim reclaimed in accordance with 19.15.34.14 NMAC in addition to the reclamation requirements by BLM (surface owner) once recycling facility is no longer in operation.



May 21, 2025

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

District III
1000 Rio Brazos Road
Aztec, NM 87410

**Re: Tank Closure Request
Rincon 2706-290
3RF-55
Facility ID fCS1921338052
Rio Arriba County, New Mexico**

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Enduring Resources (Enduring), has prepared this *Tank Closure Request* to document soil sampling activities performed after tank removal at the Rincon 2706-290 (Site) in Rio Arriba County, New Mexico. The purpose of the site assessment and soil sampling activities was to evaluate soil quality as requested in the New Mexico Oil Conservation Division (NMOCD) correspondence dated September 20, 2024, following removal of the Recycling Containment Aboveground Storage Tanks (ASTs) and infrastructure from the Site. This work was conducted in accordance with the C-147 Registration Package, *Rincon 2706-290, July 2019*, approved by the New Mexico Oil Conservation Division (NMOCD) on August 2, 2019. Based on the analytical results from the soil sampling events, Enduring is submitting this *Closure Request* for this facility.

SITE DESCRIPTION

The Site is located in Unit O, Section 29, Township 27 North, Range 6 West, in Rio Arriba County, New Mexico (36.539671° N, -107.490588° W) and is associated with oil and gas exploration and production operations on federal land, managed by the Bureau of Land Management (BLM). The Site location is shown on Figure 1.

The Site formerly consisted of five above ground storage tanks (AST) of 60,000 barrels (BBL) each. Upon closure all fluids were removed from the facility within 60 days of the date that operations ceased, and the containments were closed from use within six months from the date that Enduring ceased operation. Enduring removed all fluids, contents, synthetic liners, and leak detection piping and transferred these materials to a NMOCD- approved facility for disposal. All other equipment associated with the recycling containment and recycling facility were removed from the Site.

Enduring Resources
C-147 Closure Request
Rincon 2706-290

CLOSURE CRITERIA

Based on the approved recycling containment permit (permit number 3RF-55), the following Table I Closure Criteria for Recycling Containments apply per Title 19, Chapter 15, Part 34, Section 14 (19.15.34.14) of the New Mexico Administrative Code (NMAC).

- Benzene: 10 milligrams per kilogram (mg/kg)
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg
- Total petroleum hydrocarbons (TPH) as a combination of gasoline range organics (GRO) and TPH diesel range organics (DRO): 1,000 mg/kg
- TPH: 2,500 mg/kg
- Chloride: 10,000 mg/kg

SOIL SAMPLING ACTIVITIES AND ANALYTICAL RESULTS

On May 14, 2025, Ensolum personnel were at the Site to sample following the removal of the AST containments. Ensolum collected five 5-point composite soil samples (T1 to T5) from the ground below where the tanks were previously located. The 5-point composite samples were collected by placing five equivalent aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing. The soil sample locations are presented in Figure 2.

The soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil samples were transported under strict chain-of-custody procedures to Eurofins Environmental Testing Laboratories in Albuquerque, New Mexico, for analysis of the following contaminants of concern (COCs): BTEX following United States Environmental Protection Agency (EPA) Method 8021B; TPH-GRO, TPH-DRO, and TPH-motor oil range organics (MRO) following EPA Method 8015M/D; and chloride following EPA Method 300.0.

Laboratory analytical results for all confirmation soil samples indicated that all COCs were compliant with the Table 1 Closure Criteria. Laboratory analytical results are summarized in Table 1 and laboratory analytical reports are included as Attachment 1.

The five ASTs are closed per this work and other regulatory processes will permit new tanks and land use with the NMOCD and BLM. Areas not used in active operations will be reclaimed to a safe and stable condition that blends with the surrounding undisturbed area. Topsoil and subsoil will be replaced to their original relative positions and contoured to achieve erosion control, long term stability, and preservation of surface water flow patterns. The disturbed area will then be reseeded in the first favorable growing season following closure. The impacted surface area will be restored to the condition that existed prior to construction.

Reclamation of all disturbed areas no longer in use shall be considered complete when all ground disturbing activities have been completed and a uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent of pre-disturbance levels and total percent plant cover of at least seventy percent of pre-disturbance levels excluding noxious weeds. Soil cover and revegetation as required in 19.15.34.14 NMAC will be met in addition to the reclamation requirements by BLM (surface owner), which have provided for more stringent requirements for this facility location.

Enduring Resources
C-147 Closure Request
Rincon 2706-290

If you have any questions or comments, please contact us at (303) 601-1420 (dburns@ensolum.com) or (720) 989-6175 (tdembrowski@ensolum.com).

Sincerely,
Ensolum, LLC



Tracy Dembrowski
Project Geologist



Danny Burns
Senior Geologist

cc: Bureau of Land Management

Attachments:

Figure 1	Site Location Map
Figure 2	Soil Sample Location Map
Table 1	Soil Sample Analytical Results
Attachment 1	Laboratory Analytical Reports & Chain-of-Custody Documentation



FIGURES



Legend

- Soil Sample in Compliance with Applicable Closure Criteria
- Former Tank Location



Tank 1/T1



Tank 3/T3




Tank 2/T2



Tank 4/T4



Tank 5/T5



Default Folder: C:\Users\Greg Palese\OneDrive - ENSOLUM, LLC\Desktop\Ensolum GIS1 - Durango\Enduring\Rincon Unit 2706-290

Soil Sample Locations

Rincon Unit 2706-290
Enduring Resources, LLC

36.539678, -107.490512
Rio Arriba County, New Mexico

FIGURE
2





TABLE

TABLE 1
SOIL SAMPLE ANALYTICAL RESULTS
 RINCON UNIT 2706-290
 Enduring Resources, LLC
 Rio Arriba County, New Mexico

Sample Identification	Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	TPH DRO+GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
19.15.34.14 NMAC Table I Closure Criteria		10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	10,000
T1	5/14/2025	<0.025	<0.050	<0.050	<0.10	<0.10	<5.0	<9.1	<45	<9.1	<45	<60
T2	5/14/2025	<0.025	<0.049	<0.049	<0.098	<0.098	<4.9	<9.6	<48	<9.6	<48	<60
T3	5/14/2025	<0.024	<0.049	<0.049	<0.098	<0.098	<0.49	<10	<50	<10	<50	<60
T4	5/14/2025	<0.025	<0.049	<0.049	<0.098	<0.098	<4.9	<9.0	<45	<9.0	<45	<61
T5	5/14/2025	<0.025	<0.050	<0.050	<0.099	<0.099	<5.0	<9.9	<50	<9.9	<50	<60

Notes:
bgs: Below ground surface
BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes
mg/kg: Milligrams per kilogram
NE: Not Established
NMOC: New Mexico Oil Conservation Division
GRO: Gasoline Range Organics
DRO: Diesel Range Organics
MRO: Motor Oil/Lube Oil Range Organics
TPH: Total Petroleum Hydrocarbon
<: Indicates result less than the stated laboratory reporting limit (RL)
*Concentrations in **bold** and shaded exceed the New Mexico Oil Conservation Division Table I Closure Criteria for Soils Impacted by a Release*



ATTACHMENT 1

Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

ANALYTICAL REPORT

PREPARED FOR

Attn: Danny Montoya
Enduring Resources
200 Energy Court
Farmington, New Mexico 87401
Generated 5/21/2025 3:24:06 PM

JOB DESCRIPTION

Rincon Unit 2706-290

JOB NUMBER

885-24959-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
5/21/2025 3:24:06 PM

Authorized for release by
Catherine Upton, Project Manager
Catherine.upton@et.eurofinsus.com
(505)345-3975

Client: Enduring Resources
Project/Site: Rincon Unit 2706-290

Laboratory Job ID: 885-24959-1



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	11
QC Association Summary	15
Lab Chronicle	17
Certification Summary	19
Chain of Custody	20
Receipt Checklists	21

Definitions/Glossary

Client: Enduring Resources
Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Enduring Resources
Project: Rincon Unit 2706-290

Job ID: 885-24959-1

Job ID: 885-24959-1

Eurofins Albuquerque

Job Narrative 885-24959-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/15/2025 7:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.8°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



Client Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T1

Lab Sample ID: 885-24959-1

Date Collected: 05/14/25 13:40

Matrix: Solid

Date Received: 05/15/25 07:00

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		05/16/25 11:37	05/19/25 13:13	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		15 - 150			05/16/25 11:37	05/19/25 13:13	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		05/16/25 11:37	05/20/25 11:39	1
Ethylbenzene	ND		0.050	mg/Kg		05/16/25 11:37	05/20/25 11:39	1
Toluene	ND		0.050	mg/Kg		05/16/25 11:37	05/20/25 11:39	1
Xylenes, Total	ND		0.10	mg/Kg		05/16/25 11:37	05/20/25 11:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		15 - 150			05/16/25 11:37	05/20/25 11:39	1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.1	mg/Kg		05/16/25 13:35	05/19/25 12:10	1
Motor Oil Range Organics [C28-C40]	ND		45	mg/Kg		05/16/25 13:35	05/19/25 12:10	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	123		62 - 134			05/16/25 13:35	05/19/25 12:10	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		05/19/25 08:26	05/19/25 15:13	20

Client Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T2

Lab Sample ID: 885-24959-2

Date Collected: 05/14/25 13:45

Matrix: Solid

Date Received: 05/15/25 07:00

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		05/16/25 11:37	05/19/25 13:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		15 - 150			05/16/25 11:37	05/19/25 13:35	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		05/16/25 11:37	05/20/25 12:01	1
Ethylbenzene	ND		0.049	mg/Kg		05/16/25 11:37	05/20/25 12:01	1
Toluene	ND		0.049	mg/Kg		05/16/25 11:37	05/20/25 12:01	1
Xylenes, Total	ND		0.098	mg/Kg		05/16/25 11:37	05/20/25 12:01	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		15 - 150			05/16/25 11:37	05/20/25 12:01	1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		05/16/25 13:35	05/19/25 12:21	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		05/16/25 13:35	05/19/25 12:21	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	106		62 - 134			05/16/25 13:35	05/19/25 12:21	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		05/19/25 08:26	05/19/25 15:53	20

Client Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T3

Lab Sample ID: 885-24959-3

Date Collected: 05/14/25 13:50

Matrix: Solid

Date Received: 05/15/25 07:00

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		05/16/25 11:37	05/19/25 13:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		15 - 150			05/16/25 11:37	05/19/25 13:57	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		05/16/25 11:37	05/20/25 12:23	1
Ethylbenzene	ND		0.049	mg/Kg		05/16/25 11:37	05/20/25 12:23	1
Toluene	ND		0.049	mg/Kg		05/16/25 11:37	05/20/25 12:23	1
Xylenes, Total	ND		0.098	mg/Kg		05/16/25 11:37	05/20/25 12:23	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		15 - 150			05/16/25 11:37	05/20/25 12:23	1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		05/16/25 13:35	05/19/25 12:31	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		05/16/25 13:35	05/19/25 12:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	112		62 - 134			05/16/25 13:35	05/19/25 12:31	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		05/19/25 08:26	05/19/25 16:32	20

Client Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T4

Lab Sample ID: 885-24959-4

Date Collected: 05/14/25 13:55

Matrix: Solid

Date Received: 05/15/25 07:00

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		05/16/25 11:37	05/19/25 14:18	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		15 - 150			05/16/25 11:37	05/19/25 14:18	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		05/16/25 11:37	05/20/25 12:44	1
Ethylbenzene	ND		0.049	mg/Kg		05/16/25 11:37	05/20/25 12:44	1
Toluene	ND		0.049	mg/Kg		05/16/25 11:37	05/20/25 12:44	1
Xylenes, Total	ND		0.098	mg/Kg		05/16/25 11:37	05/20/25 12:44	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		15 - 150			05/16/25 11:37	05/20/25 12:44	1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.0	mg/Kg		05/16/25 13:35	05/19/25 12:42	1
Motor Oil Range Organics [C28-C40]	ND		45	mg/Kg		05/16/25 13:35	05/19/25 12:42	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	108		62 - 134			05/16/25 13:35	05/19/25 12:42	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		61	mg/Kg		05/19/25 08:26	05/19/25 16:45	20

Client Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T5

Lab Sample ID: 885-24959-5

Date Collected: 05/14/25 14:00

Matrix: Solid

Date Received: 05/15/25 07:00

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		05/16/25 11:37	05/19/25 14:40	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		15 - 150			05/16/25 11:37	05/19/25 14:40	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		05/16/25 11:37	05/20/25 13:06	1
Ethylbenzene	ND		0.050	mg/Kg		05/16/25 11:37	05/20/25 13:06	1
Toluene	ND		0.050	mg/Kg		05/16/25 11:37	05/20/25 13:06	1
Xylenes, Total	ND		0.099	mg/Kg		05/16/25 11:37	05/20/25 13:06	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		15 - 150			05/16/25 11:37	05/20/25 13:06	1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		05/16/25 13:35	05/19/25 12:53	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		05/16/25 13:35	05/19/25 12:53	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	107		62 - 134			05/16/25 13:35	05/19/25 12:53	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		05/19/25 08:26	05/19/25 16:58	20

QC Sample Results

Client: Enduring Resources
Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-26341/1-A
Matrix: Solid
Analysis Batch: 26476

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 26341

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		05/16/25 11:36	05/19/25 12:51	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		15 - 150			05/16/25 11:36	05/19/25 12:51	1

Lab Sample ID: LCS 885-26341/2-A
Matrix: Solid
Analysis Batch: 26476

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 26341

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	29.6		mg/Kg		118	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	235		15 - 150				

Lab Sample ID: 885-24959-A-1-B MS
Matrix: Solid
Analysis Batch: 26476

Client Sample ID: 885-24959-A-1-B MS
Prep Type: Total/NA
Prep Batch: 26341

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		25.0	27.5		mg/Kg		110	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	219		15 - 150						

Lab Sample ID: 885-24959-A-1-C MSD
Matrix: Solid
Analysis Batch: 26476

Client Sample ID: 885-24959-A-1-C MSD
Prep Type: Total/NA
Prep Batch: 26341

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		24.8	25.8		mg/Kg		104	70 - 130	6	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	216		15 - 150								

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-26341/1-A
Matrix: Solid
Analysis Batch: 26529

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 26341

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		05/16/25 11:36	05/20/25 11:18	1
Ethylbenzene	ND		0.050	mg/Kg		05/16/25 11:36	05/20/25 11:18	1
Toluene	ND		0.050	mg/Kg		05/16/25 11:36	05/20/25 11:18	1

Eurofins Albuquerque

QC Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-26341/1-A
Matrix: Solid
Analysis Batch: 26529

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 26341

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Xylenes, Total	ND		0.10	mg/Kg		05/16/25 11:36	05/20/25 11:18	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	94		15 - 150	05/16/25 11:36	05/20/25 11:18	1

Lab Sample ID: LCS 885-26341/3-A
Matrix: Solid
Analysis Batch: 26529

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 26341

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Benzene	1.00	0.880		mg/Kg		88	70 - 130
Ethylbenzene	1.00	0.901		mg/Kg		90	70 - 130
m-Xylene & p-Xylene	2.00	1.84		mg/Kg		92	70 - 130
o-Xylene	1.00	0.900		mg/Kg		90	70 - 130
Toluene	1.00	0.885		mg/Kg		89	70 - 130
Xylenes, Total	3.00	2.74		mg/Kg		91	70 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	95		15 - 150

Lab Sample ID: 885-24959-2 MS
Matrix: Solid
Analysis Batch: 26529

Client Sample ID: T2
Prep Type: Total/NA
Prep Batch: 26341

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
Benzene	ND		0.989	0.870		mg/Kg		88	70 - 130
Ethylbenzene	ND		0.989	0.896		mg/Kg		91	70 - 130
m-Xylene & p-Xylene	ND		1.98	1.82		mg/Kg		92	70 - 130
o-Xylene	ND		0.989	0.893		mg/Kg		90	70 - 130
Toluene	ND		0.989	0.871		mg/Kg		88	70 - 130
Xylenes, Total	ND		2.97	2.72		mg/Kg		92	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	97		15 - 150

Lab Sample ID: 885-24959-2 MSD
Matrix: Solid
Analysis Batch: 26529

Client Sample ID: T2
Prep Type: Total/NA
Prep Batch: 26341

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Benzene	ND		0.995	0.865		mg/Kg		87	70 - 130	0	20
Ethylbenzene	ND		0.995	0.898		mg/Kg		90	70 - 130	0	20
m-Xylene & p-Xylene	ND		1.99	1.82		mg/Kg		91	70 - 130	0	20
o-Xylene	ND		0.995	0.901		mg/Kg		91	70 - 130	1	20
Toluene	ND		0.995	0.870		mg/Kg		87	70 - 130	0	20
Xylenes, Total	ND		2.99	2.72		mg/Kg		91	70 - 130	0	20

Eurofins Albuquerque

QC Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 885-24959-2 MSD
 Matrix: Solid
 Analysis Batch: 26529

Client Sample ID: T2
 Prep Type: Total/NA
 Prep Batch: 26341

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	94		15 - 150

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-26350/1-A
 Matrix: Solid
 Analysis Batch: 26453

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 26350

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		05/16/25 13:35	05/19/25 11:49	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		05/16/25 13:35	05/19/25 11:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	111		62 - 134	05/16/25 13:35	05/19/25 11:49	1

Lab Sample ID: LCS 885-26350/2-A
 Matrix: Solid
 Analysis Batch: 26453

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 26350

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	56.5		mg/Kg		113	51 - 148

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Di-n-octyl phthalate (Surr)	122		62 - 134

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-26422/1-A
 Matrix: Solid
 Analysis Batch: 26430

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 26422

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.5	mg/Kg		05/19/25 08:26	05/19/25 14:20	1

Lab Sample ID: LCS 885-26422/2-A
 Matrix: Solid
 Analysis Batch: 26430

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 26422

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	15.0	15.3		mg/Kg		102	90 - 110

Lab Sample ID: 885-24959-1 MS
 Matrix: Solid
 Analysis Batch: 26430

Client Sample ID: T1
 Prep Type: Total/NA
 Prep Batch: 26422

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	ND		30.1	ND		mg/Kg		NC	50 - 150

Eurofins Albuquerque

QC Sample Results

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 885-24959-1 MSD
Matrix: Solid
Analysis Batch: 26430

Client Sample ID: T1
Prep Type: Total/NA
Prep Batch: 26422

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	ND		30.1	ND		mg/Kg		NC	50 - 150	NC	20

Lab Sample ID: 885-24959-2 MS
Matrix: Solid
Analysis Batch: 26430

Client Sample ID: T2
Prep Type: Total/NA
Prep Batch: 26422

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	ND		30.2	ND		mg/Kg		NC	50 - 150		

Lab Sample ID: 885-24959-2 MSD
Matrix: Solid
Analysis Batch: 26430

Client Sample ID: T2
Prep Type: Total/NA
Prep Batch: 26422

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	ND		29.9	ND		mg/Kg		NC	50 - 150	NC	20

QC Association Summary

Client: Enduring Resources
Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

GC VOA

Prep Batch: 26341

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	5030C	
885-24959-2	T2	Total/NA	Solid	5030C	
885-24959-3	T3	Total/NA	Solid	5030C	
885-24959-4	T4	Total/NA	Solid	5030C	
885-24959-5	T5	Total/NA	Solid	5030C	
MB 885-26341/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-26341/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-26341/3-A	Lab Control Sample	Total/NA	Solid	5030C	
885-24959-2 MS	T2	Total/NA	Solid	5030C	
885-24959-2 MSD	T2	Total/NA	Solid	5030C	
885-24959-A-1-B MS	885-24959-A-1-B MS	Total/NA	Solid	5030C	
885-24959-A-1-C MSD	885-24959-A-1-C MSD	Total/NA	Solid	5030C	

Analysis Batch: 26476

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	8015D	26341
885-24959-2	T2	Total/NA	Solid	8015D	26341
885-24959-3	T3	Total/NA	Solid	8015D	26341
885-24959-4	T4	Total/NA	Solid	8015D	26341
885-24959-5	T5	Total/NA	Solid	8015D	26341
MB 885-26341/1-A	Method Blank	Total/NA	Solid	8015D	26341
LCS 885-26341/2-A	Lab Control Sample	Total/NA	Solid	8015D	26341
885-24959-A-1-B MS	885-24959-A-1-B MS	Total/NA	Solid	8015D	26341
885-24959-A-1-C MSD	885-24959-A-1-C MSD	Total/NA	Solid	8015D	26341

Analysis Batch: 26529

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	8021B	26341
885-24959-2	T2	Total/NA	Solid	8021B	26341
885-24959-3	T3	Total/NA	Solid	8021B	26341
885-24959-4	T4	Total/NA	Solid	8021B	26341
885-24959-5	T5	Total/NA	Solid	8021B	26341
MB 885-26341/1-A	Method Blank	Total/NA	Solid	8021B	26341
LCS 885-26341/3-A	Lab Control Sample	Total/NA	Solid	8021B	26341
885-24959-2 MS	T2	Total/NA	Solid	8021B	26341
885-24959-2 MSD	T2	Total/NA	Solid	8021B	26341

GC Semi VOA

Prep Batch: 26350

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	SHAKE	
885-24959-2	T2	Total/NA	Solid	SHAKE	
885-24959-3	T3	Total/NA	Solid	SHAKE	
885-24959-4	T4	Total/NA	Solid	SHAKE	
885-24959-5	T5	Total/NA	Solid	SHAKE	
MB 885-26350/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-26350/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

Eurofins Albuquerque

QC Association Summary

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

GC Semi VOA

Analysis Batch: 26453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	8015D	26350
885-24959-2	T2	Total/NA	Solid	8015D	26350
885-24959-3	T3	Total/NA	Solid	8015D	26350
885-24959-4	T4	Total/NA	Solid	8015D	26350
885-24959-5	T5	Total/NA	Solid	8015D	26350
MB 885-26350/1-A	Method Blank	Total/NA	Solid	8015D	26350
LCS 885-26350/2-A	Lab Control Sample	Total/NA	Solid	8015D	26350

HPLC/IC

Prep Batch: 26422

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	300_Prep	
885-24959-2	T2	Total/NA	Solid	300_Prep	
885-24959-3	T3	Total/NA	Solid	300_Prep	
885-24959-4	T4	Total/NA	Solid	300_Prep	
885-24959-5	T5	Total/NA	Solid	300_Prep	
MB 885-26422/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-26422/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	
885-24959-1 MS	T1	Total/NA	Solid	300_Prep	
885-24959-1 MSD	T1	Total/NA	Solid	300_Prep	
885-24959-2 MS	T2	Total/NA	Solid	300_Prep	
885-24959-2 MSD	T2	Total/NA	Solid	300_Prep	

Analysis Batch: 26430

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-24959-1	T1	Total/NA	Solid	300.0	26422
885-24959-2	T2	Total/NA	Solid	300.0	26422
885-24959-3	T3	Total/NA	Solid	300.0	26422
885-24959-4	T4	Total/NA	Solid	300.0	26422
885-24959-5	T5	Total/NA	Solid	300.0	26422
MB 885-26422/1-A	Method Blank	Total/NA	Solid	300.0	26422
LCS 885-26422/2-A	Lab Control Sample	Total/NA	Solid	300.0	26422
885-24959-1 MS	T1	Total/NA	Solid	300.0	26422
885-24959-1 MSD	T1	Total/NA	Solid	300.0	26422
885-24959-2 MS	T2	Total/NA	Solid	300.0	26422
885-24959-2 MSD	T2	Total/NA	Solid	300.0	26422

Lab Chronicle

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T1

Lab Sample ID: 885-24959-1

Date Collected: 05/14/25 13:40

Matrix: Solid

Date Received: 05/15/25 07:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8015D		1	26476	AT	EET ALB	05/19/25 13:13
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8021B		1	26529	AT	EET ALB	05/20/25 11:39
Total/NA	Prep	SHAKE			26350	JM	EET ALB	05/16/25 13:35
Total/NA	Analysis	8015D		1	26453	MB	EET ALB	05/19/25 12:10
Total/NA	Prep	300_Prep			26422	DL	EET ALB	05/19/25 08:26
Total/NA	Analysis	300.0		20	26430	MA	EET ALB	05/19/25 15:13

Client Sample ID: T2

Lab Sample ID: 885-24959-2

Date Collected: 05/14/25 13:45

Matrix: Solid

Date Received: 05/15/25 07:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8015D		1	26476	AT	EET ALB	05/19/25 13:35
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8021B		1	26529	AT	EET ALB	05/20/25 12:01
Total/NA	Prep	SHAKE			26350	JM	EET ALB	05/16/25 13:35
Total/NA	Analysis	8015D		1	26453	MB	EET ALB	05/19/25 12:21
Total/NA	Prep	300_Prep			26422	DL	EET ALB	05/19/25 08:26
Total/NA	Analysis	300.0		20	26430	MA	EET ALB	05/19/25 15:53

Client Sample ID: T3

Lab Sample ID: 885-24959-3

Date Collected: 05/14/25 13:50

Matrix: Solid

Date Received: 05/15/25 07:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8015D		1	26476	AT	EET ALB	05/19/25 13:57
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8021B		1	26529	AT	EET ALB	05/20/25 12:23
Total/NA	Prep	SHAKE			26350	JM	EET ALB	05/16/25 13:35
Total/NA	Analysis	8015D		1	26453	MB	EET ALB	05/19/25 12:31
Total/NA	Prep	300_Prep			26422	DL	EET ALB	05/19/25 08:26
Total/NA	Analysis	300.0		20	26430	MA	EET ALB	05/19/25 16:32

Client Sample ID: T4

Lab Sample ID: 885-24959-4

Date Collected: 05/14/25 13:55

Matrix: Solid

Date Received: 05/15/25 07:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8015D		1	26476	AT	EET ALB	05/19/25 14:18

Eurofins Albuquerque

Lab Chronicle

Client: Enduring Resources
 Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Client Sample ID: T4

Lab Sample ID: 885-24959-4

Date Collected: 05/14/25 13:55

Matrix: Solid

Date Received: 05/15/25 07:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8021B		1	26529	AT	EET ALB	05/20/25 12:44
Total/NA	Prep	SHAKE			26350	JM	EET ALB	05/16/25 13:35
Total/NA	Analysis	8015D		1	26453	MB	EET ALB	05/19/25 12:42
Total/NA	Prep	300_Prep			26422	DL	EET ALB	05/19/25 08:26
Total/NA	Analysis	300.0		20	26430	MA	EET ALB	05/19/25 16:45

Client Sample ID: T5

Lab Sample ID: 885-24959-5

Date Collected: 05/14/25 14:00

Matrix: Solid

Date Received: 05/15/25 07:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8015D		1	26476	AT	EET ALB	05/19/25 14:40
Total/NA	Prep	5030C			26341	JE	EET ALB	05/16/25 11:37
Total/NA	Analysis	8021B		1	26529	AT	EET ALB	05/20/25 13:06
Total/NA	Prep	SHAKE			26350	JM	EET ALB	05/16/25 13:35
Total/NA	Analysis	8015D		1	26453	MB	EET ALB	05/19/25 12:53
Total/NA	Prep	300_Prep			26422	DL	EET ALB	05/19/25 08:26
Total/NA	Analysis	300.0		20	26430	MA	EET ALB	05/19/25 16:58

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Enduring Resources
Project/Site: Rincon Unit 2706-290

Job ID: 885-24959-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date																																				
New Mexico	State	NM9425, NM0901	02-27-26																																				
<p>The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.</p> <table border="1"> <thead> <tr> <th>Analysis Method</th> <th>Prep Method</th> <th>Matrix</th> <th>Analyte</th> </tr> </thead> <tbody> <tr> <td>300.0</td> <td>300_Prep</td> <td>Solid</td> <td>Chloride</td> </tr> <tr> <td>8015D</td> <td>5030C</td> <td>Solid</td> <td>Gasoline Range Organics [C6 - C10]</td> </tr> <tr> <td>8015D</td> <td>SHAKE</td> <td>Solid</td> <td>Diesel Range Organics [C10-C28]</td> </tr> <tr> <td>8015D</td> <td>SHAKE</td> <td>Solid</td> <td>Motor Oil Range Organics [C28-C40]</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Benzene</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Ethylbenzene</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Toluene</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Xylenes, Total</td> </tr> </tbody> </table>				Analysis Method	Prep Method	Matrix	Analyte	300.0	300_Prep	Solid	Chloride	8015D	5030C	Solid	Gasoline Range Organics [C6 - C10]	8015D	SHAKE	Solid	Diesel Range Organics [C10-C28]	8015D	SHAKE	Solid	Motor Oil Range Organics [C28-C40]	8021B	5030C	Solid	Benzene	8021B	5030C	Solid	Ethylbenzene	8021B	5030C	Solid	Toluene	8021B	5030C	Solid	Xylenes, Total
Analysis Method	Prep Method	Matrix	Analyte																																				
300.0	300_Prep	Solid	Chloride																																				
8015D	5030C	Solid	Gasoline Range Organics [C6 - C10]																																				
8015D	SHAKE	Solid	Diesel Range Organics [C10-C28]																																				
8015D	SHAKE	Solid	Motor Oil Range Organics [C28-C40]																																				
8021B	5030C	Solid	Benzene																																				
8021B	5030C	Solid	Ethylbenzene																																				
8021B	5030C	Solid	Toluene																																				
8021B	5030C	Solid	Xylenes, Total																																				
Oregon	NELAP	NM100001	02-26-26																																				

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Chain-of-Custody Record

Client: Enduring Resources

Turn-Around Time: EOD 5-19-25

Standard Rush

Project Name: Rincon Unit 2706-290

Project #: _____

Project Manager: DANNY BARNES

Sampler: DBB

On Ice: Yes No mg/L

of Coolers: 1

Cooler Temp (including CF): 21.0 to 2 = 2.8 (°C)

Container Type and # F402 COOL Preservative Type _____ HEAL No. _____


Date	Time	Matrix	Sample Name
5-14-2025	1340	SOIL	T1
	1345		T2
	1350		T3
	1355		T4
	1400		T5

Relinquished by [Signature] Date 5/14/25 Time 1516

Relinquished by [Signature] Date 5/15/25 Time 7:00

Received by [Signature] Date 5/14/25 Time 1516

Received by [Signature] Date 5/15/25 Time 7:00



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109 885-24959 COC

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

<input checked="" type="checkbox"/> BTX / MTBE / TMS (8021)	<input checked="" type="checkbox"/> TPH:8015 (GRO / DRO / MRO)	8081 Pesticides/8082 PCBs	EDB (Method 504.1)	PAHs by 8310 or 8270SIMS	RCRA 8 Metals	Cl ⁻ , Br ⁻ , NO ₃ ⁻ , NO ₂ ⁻ , PO ₄ ³⁻ , SO ₄ ²⁻	8260 (VOA)	8270 (Semi-VOA)	Total Coliform (Present/Absent)
---	--	---------------------------	--------------------	--------------------------	---------------	---	------------	-----------------	---------------------------------

Remarks: Spalase
CC: Skahn
Aburne
Consolum.com

If necessary samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly noted on the analytical report.



Login Sample Receipt Checklist

Client: Enduring Resources

Job Number: 885-24959-1

Login Number: 24959

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
TCEQ Mtd 1005 soil sample was frozen/delivered for prep within 48H of sampling.	True	



Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Thursday, June 12, 2025 2:24 PM
To: Heather Huntington
Subject: 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fCS1921338052]
Attachments: C-147 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fCS1921338052] 06.12.2025.pdf

3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fCS1921338052]

Good afternoon Ms. Huntington.

NMOCD has reviewed the C-147 and related documents submitted by [372286] ENDURING RESOURCES, LLC on 06/12/2025, Application ID **473691**, requesting closure of the permitted 60,000-barrel ASTs of permit 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fCS1921338052]. The closure request is approved with the following conditions of approval:

- The 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fCS1921338052] originally consisted of five, 60,000-barrel aboveground tanks to be used to treat and recycle produced water for re-use during [372286] ENDURING RESOURCES, LLC well completion activities. The five 60,000-barrel aboveground tanks will be replaced by six 400-barrel steel tanks
- [372286] ENDURING RESOURCES, LLC should request a modification to Permit 3RF-55 to reflect changes in the type and volume of water storage at the 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fCS1921338052].
- [372286] ENDURING RESOURCES, LLC should submit an updated Design and Construction Specifications, Maintenance & Operations Plan and Closure Plan.

Please let me know if you have any additional questions.

Best regards,

Victoria Venegas ● Environmental Specialist Advanced
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
575.909.0269 | Victoria.Venegas@emnrd.nm.gov

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 473691

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way Centennial, CO 80111	OGRID: 372286
	Action Number: 473691
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	<ul style="list-style-type: none"> The 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fcs1921338052] originally consisted of five, 60,000-barrel aboveground tanks to be used to treat and recycle produced water for re-use during [372286] ENDURING RESOURCES, LLC well completion activities. The five 60,000-barrel aboveground tanks will be replaced by six 400-barrel steel tanks • [372286] ENDURING RESOURCES, LLC should request a modification to Permit 3RF-55 to reflect changes in the type and volume of water storage at the 3RF-55 - RINCON UNIT 2706-290 FACILITY ID [fcs1921338052]. • [372286] ENDURING RESOURCES, LLC should submit an updated Design and Construction Specifications, Maintenance & Operations Plan and Closure Plan. 	6/12/2025