



| Cascade Services, LLC | 3403-B E. County Road 44, Midland, TX 79705 |

Rule 34 AST Closure

March 2026

FVV2516238405 FAT TIRE AST

Section 7, Township 17S, Range 30E, Eddy County

Lat/Long: 32.843896,-104.01605 NAD83

Order: 2RF-223-0

- Transmittal Letter
- C-147 (Closure)
- Description of Sampling Protocol and Laboratory Reports



On the left, satellite imagery from ESRI Services Showing the Fat Tire AST location before the AST was dismantled. Current Google Imagery on the right shows a clean site with no AST.

Prepared for:

Spur Energy Partners LLC

Houston, TX

Prepared by:

George Jennings

Cascade Services LLC

Midland, Texas



| Cascade Services, LLC | 3403-B E. County Road 44, Midland, TX 79705 |

March 2026

Ms. Leigh Barr
EMNRD – Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505
Via E-Mail

Ms. Victoria Venegas
NMOCD – District 2
811 S. First St.
Artesia, NM 88210
Via E-Mail

RE: Spur Energy Partners LLC, FVV2516238405 FAT TIRE AST, AST Containment Closure
M-07-17S-30E, Eddy County

Dear Ms. Barr and Ms. Venegas:

We are pleased to submit a C-147 closure report for the above-referenced project. Sample results demonstrate that fluid from the project has not contaminated the surrounding soil as defined by Table 1 of 19.15.34.14 NMAC.

As demonstrated in the initial C-147 application (see page 3 of 5 of Siting Criteria Demonstration), the depth to ground water is >400 feet below ground surface elevation. Therefore, the remediation standards for a depth to groundwater greater than 100 feet on Table 1 are applicable. However, the results are all below even the most stringent closure criteria.

A detailed description of the closure sampling protocol and laboratory results are presented in the following sections of this report. Below is a summary of the sampling results.



| Cascade Services, LLC | 3403-B E. County Road 44, Midland, TX 79705 |

*BRL = Below Reporting Limit		Sample ID's and Results				
Reporting Limit (mg/kg)	Constituent	Sample ID: SPC (H260952-01) (mg/kg)	SP N W (H260952-02) (mg/kg)	SP N E (H260952-03) (mg/kg)	SP S W (H260952-04) (mg/kg)	SP S E (H260952-05) (mg/kg)
0.050	Benzene	BRL	BRL	BRL	BRL	BRL
0.050	Toluene	BRL	BRL	BRL	BRL	BRL
0.050	Ethylbenzene	BRL	BRL	BRL	BRL	BRL
0.150	Total Xylenes	BRL	BRL	BRL	BRL	BRL
0.300	Total BTEX	BRL	BRL	BRL	BRL	BRL
16.0	Chloride	352	448	352	352	320
10.0	GRO C6-C10	BRL	BRL	BRL	BRL	BRL
10.0	DRO >C10-C28	BRL	21.3	17.7	24.5	36.4
10.0	EXT DRO >C28-C36	BRL	BRL	BRL	BRL	14.4
30.0	TPH (GRO+DRO+MRO)	BRL	21.3	17.7	24.5	50.8
20.0	GRO+DRO	BRL	21.3	17.7	24.5	36.4

This package will be submitted to the OCD via the Online Portal. If you have any questions or need additional information, please feel free to contact me. Thank you for your consideration.

Sincerely,
 Cascade Services LLC

George R. Jennings III
 Senior Geologist
gjennings@cascadeservicesllc.com
 575-618-2103

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment

Type of Facility: [X] Recycling Facility [X] Recycling Containment*
Type of action: [] Permit [] Registration
[] Modification [] Extension
[X] Closure [X] Other (explain) Closure of AST

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1. Operator: Spur Energy Partners LLC (For multiple operators attach page with information) OGRID #: 328947
Address: 9655 Katy Freeway Suite 500, Houston, Texas 77024
Facility or well name (include API# if associated with a well): Fat Tire AST
OCD Permit Number: 2RF-223 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr M Section 07 Township 17S Range 30E County: Lea
Surface Owner: [] Federal [X] State [] Private [] Tribal Trust or Indian Allotment

2. [X] Recycling Facility:
Location of recycling facility (if applicable): Latitude 32.843896 Longitude -104.016050 NAD83
Proposed Use: [X] Drilling* [X] Completion* [X] Production* [X] Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
[] Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.
[X] Fluid Storage
[X] Above ground tanks [X] Recycling containment [] Activity permitted under 19.15.17 NMAC explain type
[] Activity permitted under 19.15.36 NMAC explain type: [] Other explain
[] For multiple or additional recycling containments, attach design and location information of each containment
[X] Closure Report (required within 60 days of closure completion): [X] Recycling Facility Closure Completion Date: 2026-03-10

3. [X] Recycling Containment:
[] Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude 32.843896 Longitude -104.016050 NAD83
[] For multiple or additional recycling containments, attach design and location information of each containment
[] Lined [] Liner type: Thickness 40 P 40 S mil [] LLDPE [] HDPE [] PVC [] Other
[] String-Reinforced
Liner Seams: [X] Welded [] Factory [] Other Volume: 80 K bbl Dimensions: L x W x D
[X] Recycling Containment Closure Completion Date: 2026-03-10

4.

Bonding:

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify Safety gate with chain as described in original submission

6.

Signs:

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

Variations:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting	
Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

9.

Recycling Facility and/or Containment Checklist:


Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Ryan Barber Title: Sr, Engineer, Drilling & Completions
 Signature:  Date: 2026-03-09
 e-mail address: rbarber@spurenergy.com Telephone: 832-544-9267

11.

OCD Representative Signature: Victoria Venegas Approval Date: 03/13/2026

Title: Senior Environmental Scientist OCD Permit Number: 2RF-223 - [fVV2516238405]

- OCD Conditions _____
- Additional OCD Conditions on Attachment



| Cascade Services, LLC | 3403-B E. County Road 44, Midland, TX 79705 |

Description of Sampling Protocol and Laboratory Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 24, 2026

WADE DITTRICH

FLEX OILFIELD SERVICES LLC

PO BOX 1320

HOBBS, NM 88240

RE: FAT TIRE AST

Enclosed are the results of analyses for samples received by the laboratory on 02/18/26 13:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

FLEX OILFIELD SERVICES LLC
 WADE DITTRICH
 PO BOX 1320
 HOBBS NM, 88240
 Fax To:

Received:	02/18/2026	Sampling Date:	02/18/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	FAT TIRE AST	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	CASCADE		

Sample ID: SPC (H260952-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	02/19/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12		
DRO >C10-C28*	<10.0	10.0	02/18/2026	ND	231	115	200	3.07		
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND						

Surrogate: 1-Chlorooctane 82.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

FLEX OILFIELD SERVICES LLC
 WADE DITTRICH
 PO BOX 1320
 HOBBS NM, 88240
 Fax To:

Received:	02/18/2026	Sampling Date:	02/18/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	FAT TIRE AST	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	CASCADE		

Sample ID: SP N W (H260952-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16	
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71	
Total BTEX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	448	16.0	02/19/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	21.3	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 87.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

FLEX OILFIELD SERVICES LLC
 WADE DITTRICH
 PO BOX 1320
 HOBBS NM, 88240
 Fax To:

Received:	02/18/2026	Sampling Date:	02/18/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	FAT TIRE AST	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	CASCADE		

Sample ID: SP N E (H260952-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16	
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71	
Total BTEX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	02/19/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	17.7	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

FLEX OILFIELD SERVICES LLC
 WADE DITTRICH
 PO BOX 1320
 HOBBS NM, 88240
 Fax To:

Received:	02/18/2026	Sampling Date:	02/18/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	FAT TIRE AST	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	CASCADE		

Sample ID: SP S W (H260952-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16	
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71	
Total BTEX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	02/19/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	225	112	200	4.99	
DRO >C10-C28*	24.5	10.0	02/18/2026	ND	214	107	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 84.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

FLEX OILFIELD SERVICES LLC
 WADE DITTRICH
 PO BOX 1320
 HOBBS NM, 88240
 Fax To:

Received:	02/18/2026	Sampling Date:	02/18/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	FAT TIRE AST	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	CASCADE		

Sample ID: SP S E (H260952-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	02/19/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	225	112	200	4.99		
DRO >C10-C28*	36.4	10.0	02/18/2026	ND	214	107	200	3.28		
EXT DRO >C28-C36	14.4	10.0	02/18/2026	ND						

Surrogate: 1-Chlorooctane 84.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Friday, March 13, 2026 11:20 AM
To: Sarah Chapman; Bobbi Jo Crain; gjennings@CascadeServicesLLC.com
Subject: 2RF-223 - FAT TIRE AST FACILITY [fVV2516238405]
Attachments: C-147 2RF-223 - FAT TIRE AST FACILITY [fVV2516238405] 03.13.2026.pdf

2RF-223 - FAT TIRE AST FACILITY [fVV2516238405]

Good morning Ms. Chapman.

NMOCD has reviewed the closure request and related documents, submitted by [328947] Spur Energy Partners LLC on 03/11/2026, Application ID **561669**, for 2RF-223 - FAT TIRE AST FACILITY [fVV2516238405] in M-07-17S-30E, Eddy County, New Mexico. The closure request has been approved.

- Please note that according to NMAC 19.15.34.14.E: Once the operator has closed the recycling containment, the operator shall reclaim the containment's location to a safe and stable condition that blends with the surrounding undisturbed area. Topsoils and subsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns. The disturbed area shall then be reseeded in the first favorable growing season following the closure of recycling containment.
- The operator shall substantially restore the impacted surface area to the condition that existed prior to the construction of the recycling containment.
- NMAC 19.15.34.14.G: The re-vegetation and reclamation obligations imposed by federal, state trust land or tribal agencies on lands managed by those agencies shall supersede these provisions and govern the obligations of any operator subject to those provisions, provided that the other requirements provide equal or better protection of fresh water, human health, and the environment. In accordance with 19.15.34.14.H, the operator shall notify the division when reclamation and re-vegetation are complete.

Please let me know if you have any additional questions.

Regards,

Victoria Venegas • Senior Environmental Scientist
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
575.909.0269 | Victoria.Venegas@emnrd.nm.gov

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 561669

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 561669
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	NMOCD has reviewed the closure request and related documents, submitted by [328947] Spur Energy Partners LLC on 03/11/2026, Application ID 561669, for 2RF-223 - FAT TIRE AST FACILITY [FV2516238405] in M-07-17S-30E, Eddy County, New Mexico. The closure request has been approved.	3/13/2026