



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 13, 2026

LESTER WAYNE PRICE JR
WASSERHUND INC.
P.O. BOX 2140
LOVINGTON, NM 88260

RE: BUCKEYE BRINE STATION BW-04

Enclosed are the results of analyses for samples received by the laboratory on 03/31/26 16:07.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-4 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:37
---	---	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
FRESH	H261843-01	Water	31-Mar-26 12:55	31-Mar-26 16:07
BRINE	H261843-02	Water	31-Mar-26 13:00	31-Mar-26 16:07

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-4 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:37
---	---	------------------------------

FRESH

H261843-01 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride*	60.0		4.00	mg/L	1	6033121	AC	01-Apr-26	4500-Cl-B	
Density	1.0043			g/mL	1	6040209	HM	01-Apr-26	SM 2710F	
pH*	7.90		0.100	pH Units	1	6040110	HM	01-Mar-26	150.1	PH-HT
Temperature °C	20.3			pH Units	1	6040110	HM	01-Mar-26	150.1	PH-HT
TDS*	378		5.00	mg/L	1	6040952	HM	09-Apr-26	160.1	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-4 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:37
---	---	------------------------------

**BRINE
H261843-02 (Water)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride*	176000		4.00	mg/L	1	6033121	AC	01-Apr-26	4500-Cl-B	
Density	1.2114			g/mL	1	6040209	HM	01-Apr-26	SM 2710F	
pH*	6.49		0.100	pH Units	1	6040110	HM	01-Mar-26	150.1	PH-HT
Temperature °C	20.5			pH Units	1	6040110	HM	01-Mar-26	150.1	PH-HT
TDS*	286000		5.00	mg/L	1	6040952	HM	10-Apr-26	160.1	

Green Analytical Laboratories

Total Recoverable Metals by ICP (E200.7)

Sodium*	105000		500	mg/L	500	B261073	AES	07-Apr-26	EPA 200.7	
---------	--------	--	-----	------	-----	---------	-----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-4 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:37
---	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6033121 - General Prep - Wet Chem

Blank (6033121-BLK1)		Prepared & Analyzed: 31-Mar-26								
Chloride	ND	4.00	mg/L							
LCS (6033121-BS1)		Prepared & Analyzed: 31-Mar-26								
Chloride	108	4.00	mg/L	100		108	80-120			
LCS Dup (6033121-BSD1)		Prepared & Analyzed: 31-Mar-26								
Chloride	108	4.00	mg/L	100		108	80-120	0.00	20	

Batch 6040110 - General Prep - Wet Chem

LCS (6040110-BS1)		Prepared & Analyzed: 31-Mar-26								
pH	7.07		pH Units	7.00		101	90-110			
Duplicate (6040110-DUP1)		Source: H261822-01 Prepared & Analyzed: 31-Mar-26								
pH	6.91	0.100	pH Units		6.89			0.290	20	PH-HT
Temperature °C	22.6		pH Units		22.6			0.00	200	PH-HT

Batch 6040952 - Filtration

Blank (6040952-BLK1)		Prepared: 06-Apr-26 Analyzed: 09-Apr-26								
TDS	ND	5.00	mg/L							
LCS (6040952-BS1)		Prepared: 06-Apr-26 Analyzed: 09-Apr-26								
TDS	538		mg/L	500		108	80-120			
Duplicate (6040952-DUP1)		Source: H261843-01 Prepared: 06-Apr-26 Analyzed: 09-Apr-26								
TDS	369	5.00	mg/L		378			2.41	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-4 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:37
---	---	------------------------------

Total Recoverable Metals by ICP (E200.7) - Quality Control

Green Analytical Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B261073 - Total Recoverable by ICP										
Blank (B261073-BLK1)										
				Prepared: 06-Apr-26 Analyzed: 07-Apr-26						
Sodium	ND	1.00	mg/L							
LCS (B261073-BS1)										
				Prepared: 06-Apr-26 Analyzed: 07-Apr-26						
Sodium	1.76	1.00	mg/L	1.62		108	85-115			
LCS Dup (B261073-BSD1)										
				Prepared: 06-Apr-26 Analyzed: 07-Apr-26						
Sodium	1.58	1.00	mg/L	1.62		97.8	85-115	10.2	20	
Matrix Spike (B261073-MS1)										
		Source: 2604027-01		Prepared: 06-Apr-26 Analyzed: 07-Apr-26						
Sodium	7.30	1.00	mg/L	1.62	6.34	58.9	70-130			M3
Matrix Spike Dup (B261073-MSD1)										
		Source: 2604027-01		Prepared: 06-Apr-26 Analyzed: 07-Apr-26						
Sodium	7.14	5.00	mg/L	1.62	6.34	49.2	70-130	2.18	20	M3

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- PH-HT Analyzed outside the EPA recommended hold time of 15 minutes.
M3 Matrix spike recovery did not meet acceptance criteria. Accuracy of the spike is reduced since the analyte concentration in the sample is more than four times the spike level.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: WASSERHUND		BILL TO		ANALYSIS REQUEST																																																			
Project Manager: LESTER WAYNE PRICE JR.		P.O. #:		<table border="1"> <tr><td>Ph, TDS, CL, DENSITY</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>SODIUM</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>										Ph, TDS, CL, DENSITY																					SODIUM																				
Ph, TDS, CL, DENSITY																																																							
SODIUM																																																							
Address: 7 SYCAMORE LN		Company: WASSERHUND																																																					
City: GLENWOOD State: NM Zip: 88039		Attn: JOHN GANDY																																																					
Phone #: (505) 503-3575 Fax #:		Address: P.O. BOX 2041																																																					
Project #: Project Owner: JOHN GANDY		City: LOVINGTON																																																					
Project Name: BW - 4		State: NM Zip: 88260																																																					
Project Location: BUCKEYE NM		Phone #: (575) 369-9909																																																					
Sampler Name: LESTER WAYNE PRICE JR.		Fax #:																																																					
FOR LAB USE ONLY																																																							
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.	SAMPLING																																													
				GROUP: DWATER	WASTE WATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME																																									
H01843 2	FRESH IL	G	1						X				MAR 31 2006	10:55	X																																								
	BRINE IL, 250ml HNO3	G	2						X	X	X		MAR 31 2006	1:00 PM	X	X																																							

#1 - P 1000 UN - 0120501K

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: LESTER WAYNE PRICE JR	Date: MAR 31 2006	Time: 4:08 PM	Received By: Skodrigny	Verbal Resul <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Time:	Received By:	All Results are emailed. Please provide Email address: waprince23@hotmail.com, pricebusiness@hotmail.com	
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C: -0.8i	Corrected Temp. °C: -0.7i	Sample Condition Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>	CHECKED BY: (Initials) SK	
REMARKS: FRESH FROM FRESH TANK BRINE FROM BRINE TANK AIR TEMPERATURE 85 F @ 12:55 PM AIR TEMPERATURE 85 F @ 1:00 PM			Turnaround Time: Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>		
Thermometer ID #140 Correction Factor +0.1°C			Bacteria (only) Sample Condition Cool Intact <input type="checkbox"/> Observed Temp. °C Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Corrected Temp. °C		

FORM-006 R 3.6 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

#2) P.1000 UN - 0120501K
PASD HNO3 - 0220501K



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 13, 2026

LESTER WAYNE PRICE JR
WASSERHUND INC.
P.O. BOX 2140
LOVINGTON, NM 88260

RE: BUCKEYE BRINE STATION BW-04

Enclosed are the results of analyses for samples received by the laboratory on 03/31/26 16:07.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW - 1	H261842-01	Water	31-Mar-26 11:05	31-Mar-26 16:07

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

MW - 1

H261842-01 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Alkalinity, Bicarbonate	185		5.00	mg/L	1	6040112	AC	01-Apr-26	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	6040112	AC	01-Apr-26	310.1	
Cation/Anion Balance	-1.06			%	1	5092343	CK	13-Apr-26	CALC	
Chloride*	36.0		4.00	mg/L	1	6033121	AC	01-Apr-26	4500-Cl-B	
Conductivity*	553		1.00	umhos/cm @ 25°C	1	6040111	HM	01-Apr-26	120.1	
Oxidation/Reduction Potential	102			mV	1	6040814	HM	01-Apr-26	SM2580A	
Temperature	21.7			mV	1	6040814	HM	01-Apr-26	SM2580A	
pH*	7.67		0.100	pH Units	1	6040110	HM	01-Mar-26	150.1	PH-HT
Temperature °C	19.9			pH Units	1	6040110	HM	01-Mar-26	150.1	PH-HT
Specific Gravity @ 60° F	1.004		0.000	[blank]	1	6040208	HM	01-Apr-26	SM 2710F	
Sulfate*	72.1		16.7	mg/L	1.67	6040108	AC	01-Apr-26	375.4	
TDS*	357		5.00	mg/L	1	6040249	AC	08-Apr-26	160.1	
Alkalinity, Total*	152		4.00	mg/L	1	6040112	AC	01-Apr-26	310.1	

Green Analytical Laboratories

General Chemistry

Bromide	0.333		0.100	mg/L	1	B261080	AWG	09-Apr-26	EPA 300.0	
Fluoride*	0.782		0.100	mg/L	1	B261115	AWG	10-Apr-26	EPA 300.0	

Total Recoverable Metals by ICP (E200.7)

Calcium*	74.7		1.00	mg/L	5	B261073	AES	07-Apr-26	EPA 200.7	B1
Magnesium*	9.30		0.500	mg/L	5	B261073	AES	07-Apr-26	EPA 200.7	
Potassium*	<5.00		5.00	mg/L	5	B261073	AES	07-Apr-26	EPA 200.7	
Sodium*	27.0		5.00	mg/L	5	B261073	AES	07-Apr-26	EPA 200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC.
P.O. BOX 2140
LOVINGTON NM, 88260

Project: BUCKEYE BRINE STATION BW-04
Project Number: BW-04 MW-1
Project Manager: LESTER WAYNE PRICE JR
Fax To:

Reported:
13-Apr-26 16:28

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6033121 - General Prep - Wet Chem										
Blank (6033121-BLK1) Prepared & Analyzed: 31-Mar-26										
Chloride	ND	4.00	mg/L							
LCS (6033121-BS1) Prepared & Analyzed: 31-Mar-26										
Chloride	108	4.00	mg/L	100		108	80-120			
LCS Dup (6033121-BSD1) Prepared & Analyzed: 31-Mar-26										
Chloride	108	4.00	mg/L	100		108	80-120	0.00	20	
Batch 6040108 - General Prep - Wet Chem										
Blank (6040108-BLK1) Prepared & Analyzed: 01-Apr-26										
Sulfate	ND	10.0	mg/L							
LCS (6040108-BS1) Prepared & Analyzed: 01-Apr-26										
Sulfate	17.2	10.0	mg/L	20.0		85.8	80-120			
LCS Dup (6040108-BSD1) Prepared & Analyzed: 01-Apr-26										
Sulfate	17.3	10.0	mg/L	20.0		86.4	80-120	0.697	20	
Batch 6040110 - General Prep - Wet Chem										
LCS (6040110-BS1) Prepared & Analyzed: 31-Mar-26										
pH	7.07		pH Units	7.00		101	90-110			
Duplicate (6040110-DUP1) Source: H261822-01 Prepared & Analyzed: 31-Mar-26										
pH	6.91	0.100	pH Units		6.89			0.290	20	PH-HT
Temperature °C	22.6		pH Units		22.6			0.00	200	PH-HT

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6040111 - General Prep - Wet Chem

LCS (6040111-BS1) Prepared & Analyzed: 01-Apr-26

Conductivity	480		uS/cm	500		96.0	90-110			
--------------	-----	--	-------	-----	--	------	--------	--	--	--

Duplicate (6040111-DUP1) Source: H261842-01 Prepared & Analyzed: 01-Apr-26

Conductivity	554	1.00	umhos/cm @ 25°C		553			0.181	10	
--------------	-----	------	-----------------	--	-----	--	--	-------	----	--

Batch 6040112 - General Prep - Wet Chem

Blank (6040112-BLK1) Prepared & Analyzed: 01-Apr-26

Alkalinity, Carbonate	ND	1.00	mg/L							
Alkalinity, Bicarbonate	5.00	5.00	mg/L							
Alkalinity, Total	4.00	4.00	mg/L							

LCS (6040112-BS1) Prepared & Analyzed: 01-Apr-26

Alkalinity, Carbonate	ND	2.50	mg/L				80-120			
Alkalinity, Bicarbonate	305	12.5	mg/L				80-120			
Alkalinity, Total	250	10.0	mg/L	250		100	80-120			

LCS Dup (6040112-BSD1) Prepared & Analyzed: 01-Apr-26

Alkalinity, Carbonate	ND	2.50	mg/L				80-120		20	
Alkalinity, Bicarbonate	305	12.5	mg/L				80-120	0.00	20	
Alkalinity, Total	250	10.0	mg/L	250		100	80-120	0.00	20	

Batch 6040208 - General Prep - Wet Chem

Duplicate (6040208-DUP1) Source: H261842-01 Prepared & Analyzed: 01-Apr-26

Specific Gravity @ 60° F	1.004	0.000	[blank]		1.004			0.0160	20	
--------------------------	-------	-------	---------	--	-------	--	--	--------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6040249 - Filtration

Blank (6040249-BLK1) Prepared: 01-Apr-26 Analyzed: 07-Apr-26

TDS	ND	5.00	mg/L							
-----	----	------	------	--	--	--	--	--	--	--

LCS (6040249-BS1) Prepared: 01-Apr-26 Analyzed: 07-Apr-26

TDS	533		mg/L	500		107	80-120			
-----	-----	--	------	-----	--	-----	--------	--	--	--

Duplicate (6040249-DUP1) Source: H261781-01 Prepared: 01-Apr-26 Analyzed: 07-Apr-26

TDS	288	5.00	mg/L		287			0.348	20	
-----	-----	------	------	--	-----	--	--	-------	----	--

Batch 6040814 - General Prep - Wet Chem

LCS (6040814-BS1) Prepared: 01-Apr-26 Analyzed: 08-Apr-26

Oxidation/Reduction Potential	246		mV	240		102	90-110			
-------------------------------	-----	--	----	-----	--	-----	--------	--	--	--

Duplicate (6040814-DUP1) Source: H261842-01 Prepared & Analyzed: 01-Apr-26

Oxidation/Reduction Potential	100		mV		102			1.88	20	
-------------------------------	-----	--	----	--	-----	--	--	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

General Chemistry - Quality Control

Green Analytical Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B261080 - IC- Ion Chromatograph

Blank (B261080-BLK1) Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	ND	0.100	mg/L							
---------	----	-------	------	--	--	--	--	--	--	--

LCS (B261080-BS1) Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	2.32	0.100	mg/L	2.50		92.8	90-110			
---------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B261080-BSD1) Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	2.37	0.100	mg/L	2.50		94.6	90-110	1.96	20	
---------	------	-------	------	------	--	------	--------	------	----	--

Matrix Spike (B261080-MS1) Source: 2603344-01 Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	2.32	0.100	mg/L	2.50	ND	92.8	85-115			
---------	------	-------	------	------	----	------	--------	--	--	--

Matrix Spike (B261080-MS2) Source: 2603345-01 Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	2.36	0.100	mg/L	2.50	ND	94.4	85-115			
---------	------	-------	------	------	----	------	--------	--	--	--

Matrix Spike Dup (B261080-MSD1) Source: 2603344-01 Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	2.37	0.100	mg/L	2.50	ND	94.8	85-115	2.18	20	
---------	------	-------	------	------	----	------	--------	------	----	--

Matrix Spike Dup (B261080-MSD2) Source: 2603345-01 Prepared: 07-Apr-26 Analyzed: 08-Apr-26

Bromide	2.42	0.100	mg/L	2.50	ND	96.8	85-115	2.55	20	
---------	------	-------	------	------	----	------	--------	------	----	--

Batch B261115 - IC- Ion Chromatograph

Blank (B261115-BLK1) Prepared & Analyzed: 09-Apr-26

Fluoride	ND	0.100	mg/L							
----------	----	-------	------	--	--	--	--	--	--	--

LCS (B261115-BS1) Prepared & Analyzed: 09-Apr-26

Fluoride	2.56	0.100	mg/L	2.50		103	90-110			
----------	------	-------	------	------	--	-----	--------	--	--	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

General Chemistry - Quality Control

Green Analytical Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B261115 - IC- Ion Chromatograph

LCS Dup (B261115-BSD1)				Prepared & Analyzed: 09-Apr-26						
Fluoride	2.64	0.100	mg/L	2.50		106	90-110	2.96	20	
Matrix Spike (B261115-MS1)				Source: 2604027-01 Prepared & Analyzed: 09-Apr-26						
Fluoride	2.50	0.100	mg/L	2.50	0.167	93.4	85-115			
Matrix Spike (B261115-MS2)				Source: 2604036-01 Prepared: 09-Apr-26 Analyzed: 10-Apr-26						
Fluoride	2.42	0.100	mg/L	2.50	0.144	90.9	85-115			
Matrix Spike Dup (B261115-MSD1)				Source: 2604027-01 Prepared & Analyzed: 09-Apr-26						
Fluoride	2.56	0.100	mg/L	2.50	0.167	95.9	85-115	2.45	20	
Matrix Spike Dup (B261115-MSD2)				Source: 2604036-01 Prepared: 09-Apr-26 Analyzed: 10-Apr-26						
Fluoride	2.48	0.100	mg/L	2.50	0.144	93.2	85-115	2.37	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

WASSERHUND INC. P.O. BOX 2140 LOVINGTON NM, 88260	Project: BUCKEYE BRINE STATION BW-04 Project Number: BW-04 MW-1 Project Manager: LESTER WAYNE PRICE JR Fax To:	Reported: 13-Apr-26 16:28
---	---	------------------------------

Total Recoverable Metals by ICP (E200.7) - Quality Control

Green Analytical Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B261073 - Total Recoverable by ICP

Blank (B261073-BLK1)			Prepared: 06-Apr-26 Analyzed: 07-Apr-26							
Magnesium	ND	0.100	mg/L							
Calcium	0.445	0.200	mg/L							B1
Sodium	ND	1.00	mg/L							
Potassium	ND	1.00	mg/L							

LCS (B261073-BS1)			Prepared: 06-Apr-26 Analyzed: 07-Apr-26							
Calcium	2.12	0.200	mg/L	2.00		106	85-115			
Potassium	4.17	1.00	mg/L	4.00		104	85-115			
Magnesium	10.3	0.100	mg/L	10.0		103	85-115			
Sodium	1.76	1.00	mg/L	1.62		108	85-115			

LCS Dup (B261073-BSD1)			Prepared: 06-Apr-26 Analyzed: 07-Apr-26							
Sodium	1.58	1.00	mg/L	1.62		97.8	85-115	10.2	20	
Calcium	1.96	0.200	mg/L	2.00		98.2	85-115	7.80	20	
Potassium	3.98	1.00	mg/L	4.00		99.5	85-115	4.64	20	
Magnesium	9.58	0.100	mg/L	10.0		95.8	85-115	6.97	20	

Matrix Spike (B261073-MS1)			Source: 2604027-01		Prepared: 06-Apr-26 Analyzed: 07-Apr-26					
Sodium	7.30	1.00	mg/L	1.62	6.34	58.9	70-130			M3
Magnesium	13.0	0.100	mg/L	10.0	3.36	96.1	70-130			
Calcium	27.1	0.200	mg/L	2.00	26.2	42.5	70-130			M3
Potassium	5.56	1.00	mg/L	4.00	1.34	105	70-130			

Matrix Spike Dup (B261073-MSD1)			Source: 2604027-01		Prepared: 06-Apr-26 Analyzed: 07-Apr-26					
Potassium	5.99	5.00	mg/L	4.00	1.34	116	70-130	7.51	20	
Calcium	26.5	1.00	mg/L	2.00	26.2	13.0	70-130	2.21	20	M3
Magnesium	12.8	0.500	mg/L	10.0	3.36	94.3	70-130	1.43	20	
Sodium	7.14	5.00	mg/L	1.62	6.34	49.2	70-130	2.18	20	M3

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- Z-01 -1.06
- PH-HT Analyzed outside the EPA recommended hold time of 15 minutes.
- M3 Matrix spike recovery did not meet acceptance criteria. Accuracy of the spike is reduced since the analyte concentration in the sample is more than four times the spike level.
- B1 Target analyte detected in method blank at or above method reporting limit. Sample concentration found to be 10 times above the concentration found in the method blank or less than the reporting limit.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: WASSERHUND		BILL TO				ANALYSIS REQUEST																					
Project Manager: LESTER WAYNE PRICE JR. / PRICE LLC		P.O. #:				CAT ON ANIONS, SPEC. GRAVITY, Ph, ORP F, Br CAB BALANCE																					
Address: 7 SYCAMORE LN		Company: WASSERHUND																									
City: GLENWOOD State: NM Zip: 88039		Attn: JOHN GANDY																									
Phone #: (505) 503-3575 Fax #:		Address: P.O. BOX 2041																									
Project #: Project Owner: JOHN GANDY		City: LOVINGTON																									
Project Name: BW - 4 (MW - 1)		State: NM Zip: 88260																									
Project Location: BUCKEYE NM		Phone #: (575) 369-9909																									
Sampler Name: LESTER WAYNE PRICE JR.		Fax #:																									
FOR LAB USE ONLY																											
Lab I.D.	Sample I.D.	(G)RAE OR (C)OMP.	# CONTAINERS	MATRIX												PRESERV.		SAMPLING									
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME													
H4601842	MW - 11L, MW1 250ml, MW1	G	3	X						X	X		Mar 31, 2006	11:05 AM	X	X	X										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: LESTER WAYNE PRICE JR.	Date: 4:08 PM MAR 31, 2006	Received By: [Signature]
Relinquished By:	Date:	Received By:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C: -0.8 Corrected Temp. °C: -0.7	Sample Condition: Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

PI000UH-0120501K
2P250-0320501K
HNO3- H4J1005 9/34

Verbal Resul Yes No Add'l Phone #:
All Results are emailed. Please provide Email address:
wprice23@hotmail.com; price business 11@hotmail.com

REMARKS: Purged 3 well bore volumes, 2.5 gallons
Groundwater Temperature 67.6°F 11:05 AM
Air Temperature 79.6°F 11:05 AM

Turnaround Time: Standard Bacteria (only) Sample Condition
Rush Cool Intact Observed Temp. °C
 Yes No Yes No Corrected Temp. °C

Thermometer ID #140
Correction Factor +0.1°C

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 580005

COMMENTS

Operator: WASSERHUND INC P.O. Box 2073 Lovington, NM 88260	OGRID: 130851
	Action Number: 580005
	Action Type: [UF-DP] Brine Facility Discharge Plan (DISCHARGE PLAN BRINE EXTRACTION)

COMMENTS

Created By	Comment	Comment Date
cchavez	Water Quality Analysis: Brine Well, Water Well & MW-1 Sample Date: 3/31/2026	6/24/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 580005

CONDITIONS

Operator: WASSERHUND INC P.O. Box 2073 Lovington, NM 88260	OGRID: 130851
	Action Number: 580005
	Action Type: [UF-DP] Brine Facility Discharge Plan (DISCHARGE PLAN BRINE EXTRACTION)

CONDITIONS

Created By	Condition	Condition Date
cchavez	Aqueous Analytical Reports shall also be included in discharge permit required reports.	6/24/2026