

State of New Mexico
Oil Conservation Division

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Albert Ochoa Title: HSE Representative
 Signature:  Date: 04/07/2021
 email: albert.ochoa@goodnightmidstream.com Telephone: (4323) 242-6629

OCD Only

Received by: Chad Hensley Date: 05/28/2021

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  Date: 05/28/2021
 Printed Name: Chad Hensley Title: Environmental Specialist Advanced



CLOSURE REPORT

Property:

**Goodnight Midstream
Dodger Injection Well
Lea County, New Mexico
Unit Letter "F", Section 4, Township 22 South, Range 36 East
Latitude 32.424203, Longitude -103.273661**

NRM2022638776

April 2021

Prepared for:

**Goodnight Midstream
11612 Tower Rd
Midland, TX**

Attn: **Mr. Albert Ochoa**

Prepared by:

Thomas Franklin
Environmental Manager

Jack Zimmerman, PG, CPG
Senior Geologist

Table of Contents

1.0 INTRODUCTION	1
1.1 Site Description & Background	1
1.2 Project Objective	1
1.3 Standard of Care.....	1
1.4 Reliance.....	1
2.0 PROPOSED REMEDIAL ACTION GOALS.....	2
3.0 INITIAL RESPONSE & SAMPLING ACTIVITIES.....	2
3.1 Initial Response	2
3.2 Soil Sampling Activities	2
3.3 Soil Sampling Analytical Results.....	3
4.0 LABORATORY ANALYTICAL METHODS	3
5.0 SURFACE ACTIVITIES.....	3
6.0 CLOSURE REQUEST	4

APPENDICES

Appendix A

Figure 1 - Site Vicinity Map
 Figure 2 - Site Vicinity Map
 Figure 3 - Sample Location Map (August 5, 2020 sampling event)
 Figure 4 – Sample Location Map (Confirmation sampling grid and March 12, 2021 sampling event)
 Figure 5 - Topographic Map

Appendix B

Table 1 - Soil Analytical Summary (August 5, 2020 sampling event)
 Table 2 - Soil Analytical Summary (Confirmation sampling March 12, 2021 sampling event)

Appendix C

Photo Page

Appendix D

Laboratory Analysis

Appendix E

Initial and Final C-141

Appendix F

Manifest

Appendix G

Groundwater

CLOSURE REPORT

**Goodnight Midstream
Dodger Injection Well
Lea County, New Mexico
Unit Letter "F", Section 4, Township 22 South, Range 36 East
Latitude 32.424203, Longitude -103.273661
NRM2022638776**

April 2021

1.0 INTRODUCTION

1.1 Site Description & Background

American Safety Services Inc. (ASSI) has prepared this Closure Report for Goodnight Midstream at the Dodger Injection Well (referred to hereinafter as the "Site" or "subject Site"). This Closure Report is based upon data collected by ASSI on August 5, 2020 and March 12, 2021 and the interpretation of that data.

The Site is located in Unit Letter "F", Section 4, Township 22 South, Range 36 East, Lea County, New Mexico (GPS 32.424203, -103.273661). Figures 1, 2, 3, and 4 in Appendix A show the Site location.

Remedial action was conducted in accordance with the New Mexico Energy, Minerals, and Natural Resources Department (EMNRD), the New Mexico Oil Conservation Division (NMOCD), and rules under the New Mexico Administrative Code (*NMAC 19.15.29*).

1.2 Project Objective

The objective of the Closure Report is to present documentation of the activities that were performed at this Site to the NMOCD.

1.3 Standard of Care

ASSI's services are performed in accordance with standards provided by a firm rendering the same or similar services in the area during the same time frame. ASSI makes no warranties, expressed or implied, as to the services performed hereunder. Additionally, ASSI does not warranty the work of third parties supplying information used in the report (e.g. laboratories, regulatory agencies, or other third parties). This scope of services will be performed in accordance with the scope of work agreed to by the client.

1.4 Reliance

This report has been prepared for the exclusive use of Goodnight Midstream, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of

Goodnight Midstream and ASSI. Any unauthorized distribution or reuse is at the sole risk of Goodnight Midstream. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the proposal, the report, and ASSI's Agreement. The limitation of liability defined in the agreement is the aggregate limit of ASSI's liability to the client.

2.0 PROPOSED REMEDIAL ACTION GOALS

In accordance with the NMAC 19.15.29, ASSI utilized the general site characteristics to determine the appropriate "ranking" for the Site.

- The depth to the initial groundwater-bearing zone is greater than one hundred feet at the Site. For details refer to Groundwater in Appendix G,
- The impacted area is more than 1,000 feet (ft) from a water source, and
- Distance to the nearest surface water body is greater than 1,000 ft.

Cleanup goals for soils remaining in place include: 10 milligrams per kilogram (mg/Kg) for Benzene, 50 mg/Kg for Total Benzene, Toluene, Ethylbenzene, and Xylene (BTEX), 2,500 mg/Kg for Total Petroleum Hydrocarbons (TPH), and 20,000 mg/Kg for Chloride.

Figure 5 shows the location of the Site in Lea Co, New Mexico and surrounding topography.

3.0 INITIAL RESPONSE & SAMPLING ACTIVITIES

3.1 Initial Response

On August 5, 2020, ASSI personnel performed a site inspection in response to a release of fourteen (14) barrels (bbls) of produced water (NRM2022638776). The cause of the release was due to a $\frac{3}{8}$ – inch plug that vibrated out of a pump, which in-turn allowed the release to occur directly onto the ground. All the released fluid was contained on the production pad. A vacuum truck was dispatched to recover the fluid. Twelve (12) bbls of produced water were recovered. The release footprint was determined to be approximately nine thousand five-hundred and thirty (9,530) square feet of production pad.

3.2 Soil Sampling Activities

Initial sampling activities were conducted on August 5th by ASSI personnel, using a stainless-steel hand auger. Eight (8) auger holes were installed at various locations collecting material at discrete intervals from surface to one and-a-half (1.5) foot below ground surface (bgs) at sample locations Auger Hole 1 thru Auger Hole 4 and at a depth of one (1) foot bgs at sample locations North, South, East, and West. Table 1 in Appendix B presents analytical results. Figure 3 in Appendix A shows the approximate sample locations for the August 5th sampling event. During sample collection activities, soil was field screened for Chloride utilizing an electro conductivity meter.

3.3 Soil Sampling Analytical Results

Twelve (12) soil samples were collected during sampling activities on August 5th from sample locations Auger Hole 1 through Auger Hole 4 as well as North, South, East, and West. Collected samples were delivered by ASSI personnel to Xenco laboratory for analysis on August 5th. The samples were analyzed for BTEX, TPH, and Chloride (Table 1). Analytical results were compared to *Table I of the NMAC 19.15.29.12* and show BTEX, TPH, and Chloride concentrations are below the NMOCD guidelines for clean-up goals at all sample locations.

Based upon the data collected during the August 5th sampling event and review of the analytical results, the constituents of concern (COCs) were both vertically and horizontally delineated.

Additional sampling was requested by the NMOCD. Specifically, collection of confirmation samples (i.e., composite) representing an area of no more than 200 square feet (sq. ft.) each.

A grid area was designed covering the release footprint comprised of twelve (12) individual 10' X 20' cells equaling 200 sq. ft. each. Twelve (12) 5-point confirmation samples (i.e., composite) were collected. Figure 4 in Appendix A show the grid cells and the approximate sample locations for the March 12, 2021 sampling event.

The composite samples are comprised of material from a total of sixty (60) sample points (i.e., 5-sample points within each 200 sq. ft. cell). Auger holes were installed with a stainless-steel hand auger. Twelve (12) composite samples were submitted for laboratory analysis, as discussed in Section 3.3, under proper Chain-of-Custody. Samples were relinquished to Xenco Laboratories in Midland, TX for normal turn-around time.

4.0 LABORATORY ANALYTICAL METHODS

All samples were analyzed for BTEX using EPA method EPA 8021B, TPH utilizing EPA method SW8015 Mod, and Chloride utilizing EPA method 300. Laboratory analysis is provided in Appendix D.

Soil was collected in laboratory prepared glassware, placed on ice, and packed in a cooler. The sample coolers and completed chain-of-custody forms were relinquished to Xenco Laboratories in Midland, TX for a normal turn-around time.

Figure 3 in Appendix A indicates the approximate location of the auger holes installed within and outside the release footprint in relation to pertinent land features.

5.0 SURFACE ACTIVITIES

On August 6th, at the request of Goodnight Midstream, a third-party contractor was instructed to address the surface staining on the production pad. They removed approximately five (5) cubic yards (yd³) of material from the Site and temporally stockpiled it on a plastic liner.

On September 9th, the stockpiled material was removed by ASSI personal under an appropriate manifest and transported to Sundance Services West, Inc., located in Eunice, New Mexico. Appendix F of this report contains the completed waste profile manifest for the material.

6.0 Closure Request

Based upon the data collected and the Site work completed by ASSI, the constituents of concern (COCs) have been both vertically and horizontally delineated.

Based on the success of the response actions which are affirmed by laboratory analytical results, no additional remediation appears necessary at this time. Copies of the Initial and Final C-141 are provided in Appendix E.

ASSI, on behalf of Goodnight Midstream, respectfully requests closure of the Site.




APPENDIX A


Figures

Goodnight Midstream-Dodger Injection

Figure 1

Legend

 Dodger Injection Well



Goodnight Midstream-Dodger Injection

Figure 2

Legend



Dodger Injection Well



Dodger Injection Well

21

Google Earth

© 2020 Google

Released to Imaging: 5/28/2021 9:39:37 AM




1 mi

Goodnight Midstream-Dodger Injection

Figure 3

Legend

- Earthen Berm
- Release Footprint
- Sample Location



Goodnight Midstream-Dodger Injection

Legend

- 5-Point Composite
- Cells
- Earthen Berm
- Release Footprint

Figure 4



Goodnight Midstream-Dodger Injection

Topo

Legend



Dodger Injection Well



Google Earth



APPENDIX B

Table 1 and Table 2

TABLE 1															
Summary of Delineation Sampling Analytical Results For Job# (S): 669268															
Goodnight Midstream-Dodger Injection Well															
Lea Co. NM															
Sample Location	Sample Date & Time	Sample Depth (feet)	Soil Status	8015M				8021B							
				EPA 300 Chloride (mg/Kg)	Gasoline Range Hydrocarbons (GRO) (mg/Kg)	Diesel Range Organics (DRO) (mg/Kg)	Motor Oil Range Hydrocarbons (MRO) (mg/Kg)	Total TPH (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	m, p-Xylenes (mg/Kg)	o-Xylene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)
NMAC 19.15.29				20,000	NE	NE	NE	100	10	NE	NE	NE	NE	NE	50
Delineation Sampling															
Auger Hole 1	08/05/20 10:30	0-1'	In-situ	164	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.002	<0.002
Auger Hole 1	08/05/20 10:32	1'-1.5'	In-situ	67.0	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00201	<0.00201
Auger Hole 2	08/05/20 10:37	0-1'	In-situ	174	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00198	<0.00198
Auger Hole 2	08/05/20 10:39	1'-1.5'	In-situ	56.4	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00199	<0.00199
Auger Hole 3	08/05/20 10:44	0-1'	In-situ	206	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.002	<0.002
Auger Hole 3	08/05/20 10:46	1'-1.5'	In-situ	73.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00199	<0.00199
Auger Hole 4	08/05/20 10:51	0-1'	In-situ	195	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.002	<0.002
Auger Hole 4	08/05/20 10:53	1'-1.5'	In-situ	222	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00399	<0.00199	<0.00199	<0.00199
North	08/05/20 10:58	0-1'	In-situ	204	<49.8	<49.8	<49.8	<49.8	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00198	<0.00198
South	08/05/20 11:03	0-1'	In-situ	176	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00397	<0.00198	<0.00198	<0.00198
East	08/05/20 11:08	0-1'	In-situ	197	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00401	<0.00200	<0.002	<0.002
West	08/05/20 11:13	0-1'	In-situ	175	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00202	<0.00202

mg/Kg - milligrams per kilogram

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes analyzed by EPA method 8021

NE - not established

In-situ - sample collected in-place

Total TPH reported values are rounded off to 3-significant figures using the LMS Odd/Even Rounding Rule which is a laboratory accepted standard

TABLE 2																
Summary of Confirmation Sampling Analytical Results for JOB#: 880-386-1																
Goodnight Midstream-Dodger Injection																
Lea Co. NM																
Sample Location	Sample Date & Time	Sample Depth (feet)	Soil Status	EPA 300			8015M			8021B						
				Chloride (mg/Kg)	Gasoline Range Hydrocarbons (GRO) (mg/Kg)	Diesel Range Organics (DOR) (mg/Kg)	Motor Oil Range Hydrocarbons (MRO) (mg/Kg)	Total TPH (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	m-p Xylenes (mg/Kg)	o-Xylene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	
				20,000	NE	NE	NE	100	10	NE	NE	NE	NE	NE	NE	50
Confirmation Sampling																
Confirmation Sample 1	03/12/21 10:00	—	In-situ	357	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00201
Confirmation Sample 2	03/12/21 10:05	—	In-situ	880	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00200
Confirmation Sample 3	03/12/21 10:10	—	In-situ	8,130	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00201
Confirmation Sample 4	03/12/21 10:15	—	In-situ	13,900	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00201
Confirmation Sample 5	03/12/21 10:20	—	In-situ	11,800	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00202
Confirmation Sample 6	03/12/21 10:25	—	In-situ	15,100	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00199
Confirmation Sample 7	03/12/21 10:30	—	In-situ	13,800	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00199
Confirmation Sample 8	03/12/21 10:35	—	In-situ	12,100	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00200	<0.00401	<0.00200
Confirmation Sample 9	03/12/21 10:40	—	In-situ	19,000	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00202
Confirmation Sample 10	03/12/21 10:45	—	In-situ	15,900	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00200
Confirmation Sample 11	03/12/21 10:50	—	In-situ	11,400	<50.0	<50.0	<50.0	<50.0	<50.0	0.0031	<0.00201	<0.00201	0.00698	0.00334	0.0103	0.0134
Confirmation Sample 12	03/12/21 10:55	—	In-situ	7,690	<49.7	<49.7	<49.7	<49.7	<49.7	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00200

mg/Kg - milligrams per Kilogram

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes analyzed by EPA method 8021

NE - not established

— = not determined


In-situ - sample collected in-place

Total TPH reported values are rounded-off to 3-significant figures using the LIMS Odd/Even Rounding Rule which is a laboratory accepted standard



APPENDIX C

Photo Page



View West – A portion of the spill flow path caused by the fluid release within the release footprint.



View Southwest – A portion of the spill flow path caused by the fluid release within the release footprint.





View Northwest – Sample location Auger Hole 2
(red circle) middle of photograph.




View Southwest – Sample location Auger Hole 1
(red circle) middle of photograph.






View South— Sample location Auger Hole 4 (red circle) middle of photograph.



View Southeast – Sample location Auger Hole 3 (red circle) middle of photograph.



View North— Sample location South (red circle)
middle of photograph.



View South — Sample location North (red circle)
middle of photograph.





View East— Sample location West (red circle)
middle of photograph.



View West – Sample location East (red circle)
middle of photograph.






View Northeast – Stockpiled impacted material
(surface scraped).





View West– Sample locations Confirmation Sample 10, Confirmation Sample 9, and Confirmation Sample 8 (red circles) middle of photograph.



View North – Sample locations Confirmation Sample 12 and Confirmation Sample 11 (red circles) middle of photograph.





View South – Sample locations Confirmation Sample 1, Confirmation Sample 2, and Confirmation Sample 3 (red circles) left side of photograph.

GOODNIGHT
LABORATORIES



View South– Sample locations Confirmation Sample 6 and Confirmation Sample 7 (red circles) middle of photograph.

AMERICAN
SAFETY
SERVICES
INC
ASI



View South – Sample locations Confirmation
Sample 4, and Confirmation Sample 5 (red
circles) middle of photograph.



APPENDIX D

Laboratory Analysis

Certificate of Analysis Summary 669268
American Safety Services, Odessa, TX

Project Name: Goodnight Midstream-Dodger Injection Well
Project Id: Thomas Franklin
Contact: Lea Co. NM
Date Received in Lab: Wed 08.05.2020 15:08
Report Date: 08.10.2020 13:18
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	669268-001	669268-002	669268-003	669268-004	669268-005	669268-006
	Field Id:	Auger Hole 1	Auger Hole 1	Auger Hole 2	Auger Hole 2	Auger Hole 3	Auger Hole 3
	Depth:	0-1 ft	1-1.5 ft	0-1 ft	1-1.5 ft	0-1 ft	1-1.5 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	08.05.2020 10:30	08.05.2020 10:32	08.05.2020 10:37	08.05.2020 10:39	08.05.2020 10:44	08.05.2020 10:46
BTEX by EPA 8021B	Extracted:	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00
	Analyzed:	08.08.2020 23:52	08.09.2020 00:12	08.09.2020 00:33	08.09.2020 00:53	08.09.2020 01:14	08.09.2020 01:34
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Benzene	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199
	Toluene	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199
Chloride by EPA 300	Ethylbenzene	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199
	m,p-Xylenes	<0.00399 0.00399	<0.00402 0.00402	<0.00396 0.00396	<0.00398 0.00398	<0.00400 0.00400	<0.00398 0.00398
	o-Xylene	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199
	Total Xylenes	<0.002 0.002	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.002 0.002	<0.00199 0.00199
	Total BTEX	<0.002 0.002	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.002 0.002	<0.00199 0.00199
TPH By SW8015 Mod	Extracted:	08.06.2020 13:00	08.06.2020 13:00	08.06.2020 13:00	08.06.2020 13:00	08.06.2020 13:00	08.06.2020 13:00
	Analyzed:	08.06.2020 15:17	08.06.2020 15:33	08.06.2020 15:38	08.06.2020 15:44	08.06.2020 15:49	08.06.2020 15:54
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Chloride	164 4.99	67.0 5.00	174 4.95	56.4 4.98	206 5.03	73.0 5.04
	Gasoline Range Hydrocarbons (GRO)	<50.0 50.0	<49.8 49.8	<50.0 50.0	<49.9 49.9	<49.8 49.8	<50.0 50.0
Motor Oil Range Hydrocarbons (MRO)	Diesel Range Organics (DRO)	<50.0 50.0	<49.8 49.8	<50.0 50.0	<49.9 49.9	<49.8 49.8	<50.0 50.0
	Motor Oil Range Hydrocarbons (MRO)	<50.0 50.0	<49.8 49.8	<50.0 50.0	<49.9 49.9	<49.8 49.8	<50.0 50.0
	Total TPH	<50 50	<49.8 49.8	<50 50	<49.9 49.9	<49.8 49.8	<50 50

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Certificate of Analysis Summary 669268
American Safety Services, Odessa, TX

Project Name: Goodnight Midstream-Dodger Injection Well

Project Id: Thomas Franklin
Contact: Lea Co. NM
Project Location: Date Received in Lab: Wed 08.05.2020 15:08
Report Date: 08.10.2020 13:18
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	669268-007	669268-008	669268-009	669268-010	669268-011	669268-012
	Field Id:	Auger Hole 4	Auger Hole 4	North	South	East	West
	Depth:	0-1 ft	1-1.5 ft	0-1 ft	0-1 ft	0-1 ft	0-1 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	08.05.2020 10:51	08.05.2020 10:53	08.05.2020 10:58	08.05.2020 11:03	08.05.2020 11:08	08.05.2020 11:13
BTEX by EPA 8021B	Extracted:	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00	08.07.2020 17:00
	Analyzed:	08.09.2020 01:54	08.08.2020 23:31	08.09.2020 02:15	08.09.2020 03:37	08.09.2020 03:58	08.09.2020 04:18
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00200 0.00200	<0.00202 0.00202
		<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00200 0.00200	<0.00202 0.00202
Chloride by EPA 300	Extracted:	08.06.2020 13:00	08.06.2020 13:00	08.06.2020 14:50	08.06.2020 14:50	08.06.2020 14:50	08.06.2020 14:50
	Analyzed:	08.06.2020 15:59	08.06.2020 16:05	08.06.2020 16:24	08.06.2020 16:43	08.06.2020 16:50	08.06.2020 16:56
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		195 4.97	222 4.97	204 5.04	176 4.96	197 5.00	175 4.99
		08.06.2020 11:00	08.06.2020 11:00	08.06.2020 11:00	08.06.2020 11:00	08.06.2020 11:00	08.06.2020 11:00
TPH By SW8015 Mod	Extracted:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Analyzed:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
Gasoline Range Hydrocarbons (GRO)	Extracted:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Analyzed:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
Diesel Range Organics (DRO)	Extracted:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Analyzed:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
Motor Oil Range Hydrocarbons (MRO)	Extracted:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Analyzed:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
Total TPH	Extracted:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Analyzed:	08.06.2020 15:13	08.06.2020 15:34	08.06.2020 15:55	08.06.2020 16:17	08.06.2020 17:00	08.06.2020 17:21
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0
		<49.9 49.9	<49.9 49.9	<49.8 49.8	<50.0 50.0	<50.0 50.0	<50.0 50.0

BRL - Below Reporting Limit

Jessica Kramer

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



Environment Testing
Xenco

Analytical Report 669268

for

American Safety Services

Project Manager: Thomas Franklin

Goodnight Midstream-Dodger Injection Well

08.10.2020

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



08.10.2020

Project Manager: **Thomas Franklin**
American Safety Services
8715 Andrews Hwy
Odessa, TX 79765

Reference: Eurofins Xenco, LLC Report No(s): **669268**
Goodnight Midstream-Dodger Injection Well
Project Address: Lea Co. NM

Thomas Franklin:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 669268. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 669268 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

Jessica Kramer
Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

**Sample Cross Reference 669268****American Safety Services, Odessa, TX****Goodnight Midstream-Dodger Injection Well**

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
Auger Hole 1	S	08.05.2020 10:30	0 - 1 ft	669268-001
Auger Hole 1	S	08.05.2020 10:32	1 - 1.5 ft	669268-002
Auger Hole 2	S	08.05.2020 10:37	0 - 1 ft	669268-003
Auger Hole 2	S	08.05.2020 10:39	1 - 1.5 ft	669268-004
Auger Hole 3	S	08.05.2020 10:44	0 - 1 ft	669268-005
Auger Hole 3	S	08.05.2020 10:46	1 - 1.5 ft	669268-006
Auger Hole 4	S	08.05.2020 10:51	0 - 1 ft	669268-007
Auger Hole 4	S	08.05.2020 10:53	1 - 1.5 ft	669268-008
North	S	08.05.2020 10:58	0 - 1 ft	669268-009
South	S	08.05.2020 11:03	0 - 1 ft	669268-010
East	S	08.05.2020 11:08	0 - 1 ft	669268-011
West	S	08.05.2020 11:13	0 - 1 ft	669268-012

**CASE NARRATIVE***Client Name: American Safety Services**Project Name: Goodnight Midstream-Dodger Injection Well*

Project ID:
Work Order Number(s): 669268

Report Date: 08.10.2020
Date Received: 08.05.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3133955 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected.
Samples affected are: 669268-012.

Lab Sample ID 669268-008 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD).
m,p-Xylenes recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible
matrix interference. Samples in the analytical batch are: 669268-001, -002, -003, -004, -005, -006, -
007, -008, -009, -010, -011, -012.

The Laboratory Control Sample for m,p-Xylenes is within laboratory Control Limits, therefore the data
was accepted.



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 1** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-001 Date Collected: 08.05.2020 10:30 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	164	4.99	mg/kg	08.06.2020 15:17		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	08.06.2020 12:23	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	08.06.2020 12:23	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	08.06.2020 12:23	U	1
Total TPH	PHC635	<50	50	mg/kg	08.06.2020 12:23	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-130	08.06.2020 12:23	
o-Terphenyl	84-15-1	86	%	70-130	08.06.2020 12:23	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 1** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-001 Date Collected: 08.05.2020 10:30 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	08.08.2020 23:52	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	08.08.2020 23:52	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	08.08.2020 23:52	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	08.08.2020 23:52	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	08.08.2020 23:52	U	1
Total Xylenes	1330-20-7	<0.002	0.002	mg/kg	08.08.2020 23:52	U	1
Total BTEX		<0.002	0.002	mg/kg	08.08.2020 23:52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	113	%	70-130	08.08.2020 23:52		
4-Bromofluorobenzene	460-00-4	108	%	70-130	08.08.2020 23:52		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 1** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-002 Date Collected: 08.05.2020 10:32 Sample Depth: 1 - 1.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	67.0	5.00	mg/kg	08.06.2020 15:33		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	08.06.2020 13:26	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	08.06.2020 13:26	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	08.06.2020 13:26	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	08.06.2020 13:26	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	81	%	70-130	08.06.2020 13:26	
o-Terphenyl	84-15-1	81	%	70-130	08.06.2020 13:26	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 1** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-002 Date Collected: 08.05.2020 10:32 Sample Depth: 1 - 1.5 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	08.09.2020 00:12	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	08.09.2020 00:12	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	08.09.2020 00:12	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	08.09.2020 00:12	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	08.09.2020 00:12	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	08.09.2020 00:12	U	1
Total BTEX		<0.00201	0.00201	mg/kg	08.09.2020 00:12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	113	%	70-130	08.09.2020 00:12		
4-Bromofluorobenzene	460-00-4	104	%	70-130	08.09.2020 00:12		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 2** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-003 Date Collected: 08.05.2020 10:37 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	174	4.95	mg/kg	08.06.2020 15:38		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	08.06.2020 13:47	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	08.06.2020 13:47	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	08.06.2020 13:47	U	1
Total TPH	PHC635	<50	50	mg/kg	08.06.2020 13:47	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	79	%	70-130	08.06.2020 13:47	
o-Terphenyl	84-15-1	80	%	70-130	08.06.2020 13:47	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 2**

Matrix: Soil

Date Received: 08.05.2020 15:08

Lab Sample Id: 669268-003

Date Collected: 08.05.2020 10:37

Sample Depth: 0 - 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 08.07.2020 17:00

Basis: Wet Weight

Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	08.09.2020 00:33	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	08.09.2020 00:33	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	08.09.2020 00:33	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	08.09.2020 00:33	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	08.09.2020 00:33	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	08.09.2020 00:33	U	1
Total BTEX		<0.00198	0.00198	mg/kg	08.09.2020 00:33	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	112	%	70-130	08.09.2020 00:33		
1,4-Difluorobenzene	540-36-3	115	%	70-130	08.09.2020 00:33		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 2** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-004 Date Collected: 08.05.2020 10:39 Sample Depth: 1 - 1.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	56.4	4.98	mg/kg	08.06.2020 15:44		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	08.06.2020 14:08	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	08.06.2020 14:08	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	08.06.2020 14:08	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	08.06.2020 14:08	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-130	08.06.2020 14:08	
o-Terphenyl	84-15-1	80	%	70-130	08.06.2020 14:08	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 2**

Matrix: Soil

Date Received: 08.05.2020 15:08

Lab Sample Id: 669268-004

Date Collected: 08.05.2020 10:39

Sample Depth: 1 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 08.07.2020 17:00

Basis: Wet Weight

Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	08.09.2020 00:53	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	08.09.2020 00:53	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	08.09.2020 00:53	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	08.09.2020 00:53	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	08.09.2020 00:53	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	08.09.2020 00:53	U	1
Total BTEX		<0.00199	0.00199	mg/kg	08.09.2020 00:53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	108	%	70-130	08.09.2020 00:53		
1,4-Difluorobenzene	540-36-3	111	%	70-130	08.09.2020 00:53		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 3** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-005 Date Collected: 08.05.2020 10:44 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	206	5.03	mg/kg	08.06.2020 15:49		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	08.06.2020 14:30	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	08.06.2020 14:30	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	08.06.2020 14:30	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	08.06.2020 14:30	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-130	08.06.2020 14:30	
o-Terphenyl	84-15-1	86	%	70-130	08.06.2020 14:30	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 3** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-005 Date Collected: 08.05.2020 10:44 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	08.09.2020 01:14	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	08.09.2020 01:14	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	08.09.2020 01:14	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	08.09.2020 01:14	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	08.09.2020 01:14	U	1
Total Xylenes	1330-20-7	<0.002	0.002	mg/kg	08.09.2020 01:14	U	1
Total BTEX		<0.002	0.002	mg/kg	08.09.2020 01:14	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	70-130	08.09.2020 01:14		
1,4-Difluorobenzene	540-36-3	116	%	70-130	08.09.2020 01:14		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 3** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-006 Date Collected: 08.05.2020 10:46 Sample Depth: 1 - 1.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	73.0	5.04	mg/kg	08.06.2020 15:54		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	08.06.2020 14:51	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	08.06.2020 14:51	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	08.06.2020 14:51	U	1
Total TPH	PHC635	<50	50	mg/kg	08.06.2020 14:51	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-130	08.06.2020 14:51	
o-Terphenyl	84-15-1	79	%	70-130	08.06.2020 14:51	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 3**

Matrix: Soil

Date Received: 08.05.2020 15:08

Lab Sample Id: 669268-006

Date Collected: 08.05.2020 10:46

Sample Depth: 1 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 08.07.2020 17:00

Basis: Wet Weight

Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	08.09.2020 01:34	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	08.09.2020 01:34	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	08.09.2020 01:34	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	08.09.2020 01:34	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	08.09.2020 01:34	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	08.09.2020 01:34	U	1
Total BTEX		<0.00199	0.00199	mg/kg	08.09.2020 01:34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	111	%	70-130	08.09.2020 01:34		
1,4-Difluorobenzene	540-36-3	113	%	70-130	08.09.2020 01:34		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 4** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-007 Date Collected: 08.05.2020 10:51 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	195	4.97	mg/kg	08.06.2020 15:59		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	08.06.2020 15:13	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	08.06.2020 15:13	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	08.06.2020 15:13	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	08.06.2020 15:13	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	83	%	70-130	08.06.2020 15:13	
o-Terphenyl	84-15-1	78	%	70-130	08.06.2020 15:13	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 4** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-007 Date Collected: 08.05.2020 10:51 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	08.09.2020 01:54	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	08.09.2020 01:54	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	08.09.2020 01:54	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	08.09.2020 01:54	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	08.09.2020 01:54	U	1
Total Xylenes	1330-20-7	<0.002	0.002	mg/kg	08.09.2020 01:54	U	1
Total BTEX		<0.002	0.002	mg/kg	08.09.2020 01:54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	113	%	70-130	08.09.2020 01:54		
4-Bromofluorobenzene	460-00-4	111	%	70-130	08.09.2020 01:54		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 4** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-008 Date Collected: 08.05.2020 10:53 Sample Depth: 1 - 1.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: SPC % Moisture:
 Analyst: SPC Date Prep: 08.06.2020 13:00 Basis: Wet Weight
 Seq Number: 3133823

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	222	4.97	mg/kg	08.06.2020 16:05		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	08.06.2020 15:34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	08.06.2020 15:34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	08.06.2020 15:34	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	08.06.2020 15:34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-130	08.06.2020 15:34	
o-Terphenyl	84-15-1	79	%	70-130	08.06.2020 15:34	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **Auger Hole 4**

Matrix: Soil

Date Received: 08.05.2020 15:08

Lab Sample Id: 669268-008

Date Collected: 08.05.2020 10:53

Sample Depth: 1 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 08.07.2020 17:00

Basis: Wet Weight

Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	08.08.2020 23:31	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	08.08.2020 23:31	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	08.08.2020 23:31	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	08.08.2020 23:31	UX	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	08.08.2020 23:31	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	08.08.2020 23:31	U	1
Total BTEX		<0.00199	0.00199	mg/kg	08.08.2020 23:31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	70-130	08.08.2020 23:31		
1,4-Difluorobenzene	540-36-3	110	%	70-130	08.08.2020 23:31		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **North** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-009 Date Collected: 08.05.2020 10:58 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 08.06.2020 14:50 Basis: Wet Weight
 Seq Number: 3133831

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	204	5.04	mg/kg	08.06.2020 16:24		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	08.06.2020 15:55	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	08.06.2020 15:55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	08.06.2020 15:55	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	08.06.2020 15:55	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-130	08.06.2020 15:55	
o-Terphenyl	84-15-1	84	%	70-130	08.06.2020 15:55	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **North** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-009 Date Collected: 08.05.2020 10:58 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	08.09.2020 02:15	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	08.09.2020 02:15	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	08.09.2020 02:15	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	08.09.2020 02:15	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	08.09.2020 02:15	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	08.09.2020 02:15	U	1
Total BTEX		<0.00198	0.00198	mg/kg	08.09.2020 02:15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	114	%	70-130	08.09.2020 02:15		
4-Bromofluorobenzene	460-00-4	111	%	70-130	08.09.2020 02:15		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **South** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-010 Date Collected: 08.05.2020 11:03 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 08.06.2020 14:50 Basis: Wet Weight
 Seq Number: 3133831

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	176	4.96	mg/kg	08.06.2020 16:43		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	08.06.2020 16:17	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	08.06.2020 16:17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	08.06.2020 16:17	U	1
Total TPH	PHC635	<50	50	mg/kg	08.06.2020 16:17	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-130	08.06.2020 16:17	
o-Terphenyl	84-15-1	85	%	70-130	08.06.2020 16:17	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **South** Matrix: **Soil** Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-010 Date Collected: 08.05.2020 11:03 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	08.09.2020 03:37	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	08.09.2020 03:37	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	08.09.2020 03:37	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	08.09.2020 03:37	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	08.09.2020 03:37	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	08.09.2020 03:37	U	1
Total BTEX		<0.00198	0.00198	mg/kg	08.09.2020 03:37	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	104	%	70-130	08.09.2020 03:37		
4-Bromofluorobenzene	460-00-4	117	%	70-130	08.09.2020 03:37		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **East** Matrix: **Soil** Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-011 Date Collected: 08.05.2020 11:08 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: **CHE** % Moisture:
 Analyst: **CHE** Date Prep: 08.06.2020 14:50 Basis: **Wet Weight**
 Seq Number: 3133831

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	197	5.00	mg/kg	08.06.2020 16:50		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: **DVM** % Moisture:
 Analyst: **ARM** Date Prep: 08.06.2020 11:00 Basis: **Wet Weight**
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	08.06.2020 17:00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	08.06.2020 17:00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	08.06.2020 17:00	U	1
Total TPH	PHC635	<50	50	mg/kg	08.06.2020 17:00	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-130	08.06.2020 17:00	
o-Terphenyl	84-15-1	85	%	70-130	08.06.2020 17:00	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX Goodnight Midstream-Dodger Injection Well

Sample Id: **East** Matrix: **Soil** Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-011 Date Collected: 08.05.2020 11:08 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: **KTL** % Moisture:
 Analyst: **KTL** Date Prep: 08.07.2020 17:00 Basis: **Wet Weight**
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	08.09.2020 03:58	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	08.09.2020 03:58	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	08.09.2020 03:58	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	08.09.2020 03:58	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	08.09.2020 03:58	U	1
Total Xylenes	1330-20-7	<0.002	0.002	mg/kg	08.09.2020 03:58	U	1
Total BTEX		<0.002	0.002	mg/kg	08.09.2020 03:58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	119	%	70-130	08.09.2020 03:58		
1,4-Difluorobenzene	540-36-3	112	%	70-130	08.09.2020 03:58		



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **West** Matrix: Soil Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-012 Date Collected: 08.05.2020 11:13 Sample Depth: 0 - 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 08.06.2020 14:50 Basis: Wet Weight
 Seq Number: 3133831

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	175	4.99	mg/kg	08.06.2020 16:56		1

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.06.2020 11:00 Basis: Wet Weight
 Seq Number: 3133887

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	08.06.2020 17:21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	08.06.2020 17:21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	08.06.2020 17:21	U	1
Total TPH	PHC635	<50	50	mg/kg	08.06.2020 17:21	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-130	08.06.2020 17:21	
o-Terphenyl	84-15-1	85	%	70-130	08.06.2020 17:21	



Certificate of Analytical Results 669268

American Safety Services, Odessa, TX

Goodnight Midstream-Dodger Injection Well

Sample Id: **West** Matrix: **Soil** Date Received: 08.05.2020 15:08
 Lab Sample Id: 669268-012 Date Collected: 08.05.2020 11:13 Sample Depth: 0 - 1 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5035A
 Tech: KTL % Moisture:
 Analyst: KTL Date Prep: 08.07.2020 17:00 Basis: Wet Weight
 Seq Number: 3133955

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	08.09.2020 04:18	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	08.09.2020 04:18	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	08.09.2020 04:18	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	08.09.2020 04:18	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	08.09.2020 04:18	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	08.09.2020 04:18	U	1
Total BTEX		<0.00202	0.00202	mg/kg	08.09.2020 04:18	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	131	%	70-130	08.09.2020 04:18	**	
1,4-Difluorobenzene	540-36-3	106	%	70-130	08.09.2020 04:18		

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



American Safety Services

Goodnight Midstream-Dodger Injection Well

Analytical Method: Chloride by EPA 300

Seq Number: 3133823

MB Sample Id: 7708862-1-BLK

Matrix: Solid

LCS Sample Id: 7708862-1-BKS

Prep Method: E300P

Date Prep: 08.06.2020

LCSD Sample Id: 7708862-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	260	104	264	106	90-110	2	20	mg/kg	08.06.2020 13:32	

Analytical Method: Chloride by EPA 300

Seq Number: 3133831

MB Sample Id: 7708872-1-BLK

Matrix: Solid

LCS Sample Id: 7708872-1-BKS

Prep Method: E300P

Date Prep: 08.06.2020

LCSD Sample Id: 7708872-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	249	100	250	100	90-110	0	20	mg/kg	08.06.2020 16:12	

Analytical Method: Chloride by EPA 300

Seq Number: 3133823

Parent Sample Id: 669110-003

Matrix: Soil

MS Sample Id: 669110-003 S

Prep Method: E300P

Date Prep: 08.06.2020

MSD Sample Id: 669110-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	50.9	250	323	109	320	108	90-110	1	20	mg/kg	08.06.2020 13:48	

Analytical Method: Chloride by EPA 300

Seq Number: 3133823

Parent Sample Id: 669248-003

Matrix: Soil

MS Sample Id: 669248-003 S

Prep Method: E300P

Date Prep: 08.06.2020

MSD Sample Id: 669248-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	582	249	835	102	833	101	90-110	0	20	mg/kg	08.06.2020 15:01	

Analytical Method: Chloride by EPA 300

Seq Number: 3133831

Parent Sample Id: 669268-009

Matrix: Soil

MS Sample Id: 669268-009 S

Prep Method: E300P

Date Prep: 08.06.2020

MSD Sample Id: 669268-009 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	204	252	478	109	469	105	90-110	2	20	mg/kg	08.06.2020 16:31	

Analytical Method: Chloride by EPA 300

Seq Number: 3133831

Parent Sample Id: 669299-003

Matrix: Soil

MS Sample Id: 669299-003 S

Prep Method: E300P

Date Prep: 08.06.2020

MSD Sample Id: 669299-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	731	2530	3430	107	3400	105	90-110	1	20	mg/kg	08.06.2020 18:15	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



American Safety Services

Goodnight Midstream-Dodger Injection Well

Analytical Method: TPH By SW8015 Mod

Seq Number: 3133887

Matrix: Solid

Prep Method: SW8015P

Date Prep: 08.06.2020

MB Sample Id: 7708923-1-BLK

LCS Sample Id: 7708923-1-BKS

LCSD Sample Id: 7708923-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	841	84	813	81	70-130	3	20	mg/kg	08.06.2020 11:40	
Diesel Range Organics (DRO)	<50.0	1000	858	86	837	84	70-130	2	20	mg/kg	08.06.2020 11:40	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	91		94		91		70-130	%	08.06.2020 11:40
o-Terphenyl	91		95		91		70-130	%	08.06.2020 11:40

Analytical Method: TPH By SW8015 Mod

Seq Number: 3133887

Matrix: Solid

Prep Method: SW8015P

Date Prep: 08.06.2020

MB Sample Id: 7708923-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	08.06.2020 11:19	

Analytical Method: TPH By SW8015 Mod

Seq Number: 3133887

Matrix: Soil

Prep Method: SW8015P

Date Prep: 08.06.2020

Parent Sample Id: 669268-001

MS Sample Id: 669268-001 S

MSD Sample Id: 669268-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<49.9	998	808	81	818	82	70-130	1	20	mg/kg	08.06.2020 12:44	
Diesel Range Organics (DRO)	<49.9	998	833	83	846	85	70-130	2	20	mg/kg	08.06.2020 12:44	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	87		89		70-130	%	08.06.2020 12:44
o-Terphenyl	85		88		70-130	%	08.06.2020 12:44

Analytical Method: BTEX by EPA 8021B

Seq Number: 3133955

Matrix: Solid

Prep Method: SW5035A

Date Prep: 08.07.2020

MB Sample Id: 7709022-1-BLK

LCS Sample Id: 7709022-1-BKS

LCSD Sample Id: 7709022-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0868	87	0.0912	91	70-130	5	35	mg/kg	08.08.2020 20:49	
Toluene	<0.00200	0.100	0.0886	89	0.0904	90	70-130	2	35	mg/kg	08.08.2020 20:49	
Ethylbenzene	<0.00200	0.100	0.0904	90	0.0910	91	70-130	1	35	mg/kg	08.08.2020 20:49	
m,p-Xylenes	<0.00400	0.200	0.181	91	0.181	91	70-130	0	35	mg/kg	08.08.2020 20:49	
o-Xylene	<0.00200	0.100	0.0918	92	0.0919	92	70-130	0	35	mg/kg	08.08.2020 20:49	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		98		99		70-130	%	08.08.2020 20:49
4-Bromofluorobenzene	111		104		103		70-130	%	08.08.2020 20:49

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

[D] = 100*(C-A) / B
RPD = 200* | (C-E) / (C+E) |
[D] = 100 * (C) / [B]
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



American Safety Services
Goodnight Midstream-Dodger Injection Well

Analytical Method: BTEX by EPA 8021B

Seq Number: 3133955

Matrix: Soil

Prep Method: SW5035A

Date Prep: 08.07.2020

Parent Sample Id: 669268-008

MS Sample Id: 669268-008 S

MSD Sample Id: 669268-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00199	0.0996	0.0743	75	0.0728	73	70-130	2	35	mg/kg	08.08.2020 21:30	
Toluene	<0.00199	0.0996	0.0723	73	0.0703	70	70-130	3	35	mg/kg	08.08.2020 21:30	
Ethylbenzene	<0.00199	0.0996	0.0723	73	0.0697	70	70-130	4	35	mg/kg	08.08.2020 21:30	
m,p-Xylenes	<0.00398	0.199	0.144	72	0.138	69	70-130	4	35	mg/kg	08.08.2020 21:30	X
o-Xylene	<0.00199	0.0996	0.0729	73	0.0699	70	70-130	4	35	mg/kg	08.08.2020 21:30	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		100		70-130	%	08.08.2020 21:30
4-Bromofluorobenzene	106		100		70-130	%	08.08.2020 21:30

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



CHAIN OF CUSTODY

Page 1 OF 2

Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)
www.xenco.com

Phoenix, Arizona (480-355-0900)

Xenco Quote #

Xenco Job #

069208

Matrix Codes

W = Water
S = Soil/Sed/Solid
GW = Ground Water
DW = Drinking Water
P = Product
SW = Surface water
SL = Sludge
OW = Ocean/Sea Water
WI = Wipe
O = Oil
WW = Waste Water
A = Air

Project Information

Client / Reporting Information
Company Name / Branch: American Safety Services Inc.
Company Address: 8715 Andrews Hwy
Odessa TX 79765
Email: tfranklin@americansafety.net
Phone No: 432-557-9868
Project Contact: Thomas Franklin
Sampler's Name: Michael Dial

Project Name/Number: Goodnight Midstream-Dodger Injection Well
Project Location: Lea Co. NM
Invoice To: Albert Deha
PO Number: albert.deha@goodnightmidstream.com

Analytical Information

TPH 8015M
Chloride EPA 300.0
BTEX 8021B

Field ID / Point of Collection

No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	Notes
1	Auger Hole 1	0-1'	8/5/2020	1030	S	1									
2	Auger Hole 1	1-1.5'	8/5/2020	1032	S	1									
3	Auger Hole 2	0-1'	8/5/2020	1037	S	1									
4	Auger Hole 2	1-1.5'	8/5/2020	1039	S	1									
5	Auger Hole 3	0-1'	8/5/2020	1044	S	1									
6	Auger Hole 3	1-1.5'	8/5/2020	1046	S	1									
7	Auger Hole 4	0-1'	8/5/2020	1051	S	1									
8	Auger Hole 4	1-1.5'	8/5/2020	1053	S	1									
9	North	0-1'	8/5/2020	1058	S	1									
10	South	0-1'	8/5/2020	1103	S	1									

Turnaround Time (Business days)

Level II Std QC

Level IV (Full Data Pkg /raw data)

Next Day EMERGENCY

Level III Std QC+ Forms

TRRP Level IV

2 Day EMERGENCY

Level 3 (CLP Forms)

UST / RG -411

3 Day EMERGENCY

TRRP Checklist

TAT Starts Day received by Lab, if received by 5:00 pm

FED-EX / UPS: Tracking #

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY

Relinquished by: Sampler:

Date Time: 8/5/20 15:00

Received By: 1510

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2

Relinquished by:

Date Time: 8/5/20 15:00

Received By: 1515 / 2020

Relinquished By: 1515 / 2020

Date Time: 8/5/20 15:00

Received By: 2

Relinquished By: 2



Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

Page 2 of 2

CHAIN OF CUSTODY

Client / Reporting Information						Project Information						Xenoco Quote #	Xenoco Job #	Matrix Codes									
Company Name / Branch: American Safety Services Inc.						Project Name/Number: Goodnight Midstream-Dodger Injection Well																	
Company Address: 8715 Andrews Hwy Odessa, TX 79765						Project Location:																	
Email: tfranklin@americansafety.net mdial@americansafety.net						Phone No: 432-557-9868 432-557-6195						Invoice To: Lea Co. NM											
Project Contact: Thomas Franklin						PO Number:																	
Sampler's Name Michael Dial																							
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	TPH 8015M	Chloride EPA 300.0	BTEX 8021B						
1	East	0-1'	8/5/2020	1108	S	1									X	X	X						
2	West	0-1'	8/5/2020	1113	S	1									X	X	X						
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
Turnaround Time (Business days)																							
<input type="checkbox"/> Same Day TAT		<input type="checkbox"/> 5 Day TAT		<input type="checkbox"/> Level II Std QC		<input type="checkbox"/> Level IV (Full Data Pkg/raw data)																	
<input type="checkbox"/> Next Day EMERGENCY		<input type="checkbox"/> 7 Day TAT		<input type="checkbox"/> Level III Std QC+ Forms		<input type="checkbox"/> TRRP Level IV																	
<input type="checkbox"/> 2 Day EMERGENCY		<input checked="" type="checkbox"/> Contract TAT		<input type="checkbox"/> Level 3 (CLP Forms)		<input type="checkbox"/> UST / RG -411																	
<input type="checkbox"/> 3 Day EMERGENCY				<input type="checkbox"/> TRRP Checklist																			
TAT Starts Day received by Lab, if received by 5:00 pm																							
Relinquished by Sampler:		SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY																					
Date Time: 8/5/2020		Received By: [Signature]		Date Time: 8/5/2020		Received By: [Signature]																	
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															
Relinquished by:		Date Time: 8/5/2020		Received By:		Date Time: 8/5/2020		Received By:															

Eurofins Xenco, LLC

Prelogin/Nonconformance Report- Sample Log-In

Client: American Safety Services**Date/ Time Received:** 08.05.2020 03.08.00 PM**Work Order #:** 669268**Acceptable Temperature Range:** 0 - 6 degC**Air and Metal samples Acceptable Range:** Ambient**Temperature Measuring device used :** IR-8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	1.9
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

BTEX was in bulk container

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Date: 08.05.2020

Checklist reviewed by:

Jessica Kramer

Date: 08.06.2020



Environment Testing America

ANALYTICAL REPORT

Eurofins Xenco, Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-386-1

Client Project/Site: Goodnight Midstream-Dodger Injection

For:

American Safety Services Inc.
8715 Andrews Hwy
Odessa, Texas 79765

Attn: Thomas Franklin

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:
3/25/2021 7:08:53 PM

Jessica Kramer, Project Manager
(432)704-5440
jessica.kramer@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Laboratory Job ID: 880-386-1

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
Surrogate Summary	15
QC Sample Results	17
QC Association Summary	26
Lab Chronicle	30
Certification Summary	33
Method Summary	34
Sample Summary	35
Chain of Custody	36
Receipt Checklists	37

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Definitions/Glossary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Xenco, Midland

Case Narrative

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Job ID: 880-386-1

Laboratory: Eurofins Xenco, Midland

Narrative

Job Narrative 880-386-1

Receipt

The samples were received on 3/15/2021 8:40 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.7°C

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: Confirmation Sample 1 (880-386-1) and (880-400-A-1-A MS). Evidence of matrix interference is present; therefore acceptable

Detection Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 1

Lab Sample ID: 880-386-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	357		5.05		mg/Kg	1		300.0	Soluble

Client Sample ID: Confirmation Sample 2

Lab Sample ID: 880-386-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	880		25.1		mg/Kg	5		300.0	Soluble

Client Sample ID: Confirmation Sample 3

Lab Sample ID: 880-386-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8130		53.5		mg/Kg	10		300.0	Soluble

Client Sample ID: Confirmation Sample 4

Lab Sample ID: 880-386-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13900		99.4		mg/Kg	20		300.0	Soluble

Client Sample ID: Confirmation Sample 5

Lab Sample ID: 880-386-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	11800		99.4		mg/Kg	20		300.0	Soluble

Client Sample ID: Confirmation Sample 6

Lab Sample ID: 880-386-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	15100		249		mg/Kg	50		300.0	Soluble

Client Sample ID: Confirmation Sample 7

Lab Sample ID: 880-386-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13800		250		mg/Kg	50		300.0	Soluble

Client Sample ID: Confirmation Sample 8

Lab Sample ID: 880-386-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12100		249		mg/Kg	50		300.0	Soluble

Client Sample ID: Confirmation Sample 9

Lab Sample ID: 880-386-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	19000		248		mg/Kg	50		300.0	Soluble

Client Sample ID: Confirmation Sample 10

Lab Sample ID: 880-386-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	15900		100		mg/Kg	20		300.0	Soluble

Client Sample ID: Confirmation Sample 11

Lab Sample ID: 880-386-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.00310		0.00201		mg/Kg	1		8021B	Total/NA
Total BTEX	0.0134		0.00201		mg/Kg	1		8021B	Total/NA
Xylenes, Total	0.0103		0.00402		mg/Kg	1		8021B	Total/NA
m-Xylene & p-Xylene	0.00698		0.00402		mg/Kg	1		8021B	Total/NA
o-Xylene	0.00334		0.00201		mg/Kg	1		8021B	Total/NA
Chloride	11400		99.6		mg/Kg	20		300.0	Soluble

This Detection Summary does not include radiochemical test results.

Eurofins Xenco, Midland

Detection Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 12

Lab Sample ID: 880-386-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7690		49.9		mg/Kg	10		300.0	Soluble

This Detection Summary does not include radiochemical test results.

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 1

Lab Sample ID: 880-386-1

Date Collected: 03/12/21 10:00

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/15/21 13:54	03/16/21 02:39	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/15/21 13:54	03/16/21 02:39	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/15/21 13:54	03/16/21 02:39	1
Total BTEX	<0.00201	U	0.00201		mg/Kg		03/15/21 13:54	03/16/21 02:39	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/15/21 13:54	03/16/21 02:39	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/15/21 13:54	03/16/21 02:39	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/15/21 13:54	03/16/21 02:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	03/15/21 13:54	03/16/21 02:39	1
1,4-Difluorobenzene (Surr)	90		70 - 130	03/15/21 13:54	03/16/21 02:39	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		03/17/21 11:35	03/17/21 19:17	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		03/17/21 11:35	03/17/21 19:17	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		03/17/21 11:35	03/17/21 19:17	1
Total TPH	<50.1	U	50.1		mg/Kg		03/17/21 11:35	03/17/21 19:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130	03/17/21 11:35	03/17/21 19:17	1
o-Terphenyl	115		70 - 130	03/17/21 11:35	03/17/21 19:17	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	357		5.05		mg/Kg			03/15/21 16:02	1

Client Sample ID: Confirmation Sample 2

Lab Sample ID: 880-386-2

Date Collected: 03/12/21 10:05

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/15/21 13:54	03/16/21 03:05	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/15/21 13:54	03/16/21 03:05	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/15/21 13:54	03/16/21 03:05	1
Total BTEX	<0.00200	U	0.00200		mg/Kg		03/15/21 13:54	03/16/21 03:05	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/15/21 13:54	03/16/21 03:05	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/15/21 13:54	03/16/21 03:05	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/15/21 13:54	03/16/21 03:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	03/15/21 13:54	03/16/21 03:05	1
1,4-Difluorobenzene (Surr)	100		70 - 130	03/15/21 13:54	03/16/21 03:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:38	1

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 2

Lab Sample ID: 880-386-2

Date Collected: 03/12/21 10:05

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:38	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:38	1
Total TPH	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				03/17/21 11:35	03/17/21 19:38	1
o-Terphenyl	107		70 - 130				03/17/21 11:35	03/17/21 19:38	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	880		25.1		mg/Kg			03/15/21 16:17	5

Client Sample ID: Confirmation Sample 3

Lab Sample ID: 880-386-3

Date Collected: 03/12/21 10:10

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U F1	0.00201		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
Total BTEX	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 06:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				03/15/21 15:36	03/16/21 06:55	1
1,4-Difluorobenzene (Surr)	103		70 - 130				03/15/21 15:36	03/16/21 06:55	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:59	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:59	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:59	1
Total TPH	<49.9	U	49.9		mg/Kg		03/17/21 11:35	03/17/21 19:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	136	S1+	70 - 130				03/17/21 11:35	03/17/21 19:59	1
o-Terphenyl	130		70 - 130				03/17/21 11:35	03/17/21 19:59	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8130		53.5		mg/Kg			03/15/21 16:22	10

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 4

Lab Sample ID: 880-386-4

Date Collected: 03/12/21 10:15

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 07:21	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 07:21	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 07:21	1
Total BTEX	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 07:21	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/15/21 15:36	03/16/21 07:21	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/15/21 15:36	03/16/21 07:21	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/15/21 15:36	03/16/21 07:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	03/15/21 15:36	03/16/21 07:21	1
1,4-Difluorobenzene (Surr)	98		70 - 130	03/15/21 15:36	03/16/21 07:21	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 20:19	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 20:19	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 20:19	1
Total TPH	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 20:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130	03/17/21 11:35	03/17/21 20:19	1
o-Terphenyl	119		70 - 130	03/17/21 11:35	03/17/21 20:19	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13900		99.4		mg/Kg			03/15/21 16:27	20

Client Sample ID: Confirmation Sample 5

Lab Sample ID: 880-386-5

Date Collected: 03/12/21 10:20

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 07:47	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 07:47	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 07:47	1
Total BTEX	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 07:47	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/15/21 15:36	03/16/21 07:47	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/15/21 15:36	03/16/21 07:47	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 07:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	03/15/21 15:36	03/16/21 07:47	1
1,4-Difluorobenzene (Surr)	105		70 - 130	03/15/21 15:36	03/16/21 07:47	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/17/21 11:35	03/17/21 20:40	1

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 5

Lab Sample ID: 880-386-5

Date Collected: 03/12/21 10:20

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/17/21 11:35	03/17/21 20:40	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/17/21 11:35	03/17/21 20:40	1
Total TPH	<49.8	U	49.8		mg/Kg		03/17/21 11:35	03/17/21 20:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	135	S1+	70 - 130				03/17/21 11:35	03/17/21 20:40	1
o-Terphenyl	126		70 - 130				03/17/21 11:35	03/17/21 20:40	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11800		99.4		mg/Kg			03/15/21 16:32	20

Client Sample ID: Confirmation Sample 6

Lab Sample ID: 880-386-6

Date Collected: 03/12/21 10:25

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
Total BTEX	<0.00199	U	0.00199		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		03/15/21 15:36	03/16/21 08:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				03/15/21 15:36	03/16/21 08:12	1
1,4-Difluorobenzene (Surr)	117		70 - 130				03/15/21 15:36	03/16/21 08:12	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 21:01	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 21:01	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 21:01	1
Total TPH	<50.0	U	50.0		mg/Kg		03/17/21 11:35	03/17/21 21:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				03/17/21 11:35	03/17/21 21:01	1
o-Terphenyl	125		70 - 130				03/17/21 11:35	03/17/21 21:01	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15100		249		mg/Kg			03/15/21 16:37	50

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 7

Lab Sample ID: 880-386-7

Date Collected: 03/12/21 10:30

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/23/21 10:56	03/23/21 16:26	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/23/21 10:56	03/23/21 16:26	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/23/21 10:56	03/23/21 16:26	1
Total BTEX	<0.00199	U	0.00199		mg/Kg		03/23/21 10:56	03/23/21 16:26	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/23/21 10:56	03/23/21 16:26	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/23/21 10:56	03/23/21 16:26	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		03/23/21 10:56	03/23/21 16:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130	03/23/21 10:56	03/23/21 16:26	1
1,4-Difluorobenzene (Surr)	100		70 - 130	03/23/21 10:56	03/23/21 16:26	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U ** *1	50.0		mg/Kg		03/17/21 16:43	03/19/21 05:34	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 05:34	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 05:34	1
Total TPH	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 05:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130	03/17/21 16:43	03/19/21 05:34	1
o-Terphenyl	91		70 - 130	03/17/21 16:43	03/19/21 05:34	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13800		250		mg/Kg			03/15/21 16:42	50

Client Sample ID: Confirmation Sample 8

Lab Sample ID: 880-386-8

Date Collected: 03/12/21 10:35

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/25/21 10:12	03/25/21 15:25	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/25/21 10:12	03/25/21 15:25	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/25/21 10:12	03/25/21 15:25	1
Total BTEX	<0.00200	U	0.00200		mg/Kg		03/25/21 10:12	03/25/21 15:25	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		03/25/21 10:12	03/25/21 15:25	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		03/25/21 10:12	03/25/21 15:25	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/25/21 10:12	03/25/21 15:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	03/25/21 10:12	03/25/21 15:25	1
1,4-Difluorobenzene (Surr)	99		70 - 130	03/25/21 10:12	03/25/21 15:25	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U ** *1	49.9		mg/Kg		03/17/21 16:43	03/19/21 05:55	1

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 8

Lab Sample ID: 880-386-8

Date Collected: 03/12/21 10:35

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/17/21 16:43	03/19/21 05:55	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/17/21 16:43	03/19/21 05:55	1
Total TPH	<49.9	U	49.9		mg/Kg		03/17/21 16:43	03/19/21 05:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130				03/17/21 16:43	03/19/21 05:55	1
o-Terphenyl	84		70 - 130				03/17/21 16:43	03/19/21 05:55	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12100		249		mg/Kg			03/15/21 16:47	50

Client Sample ID: Confirmation Sample 9

Lab Sample ID: 880-386-9

Date Collected: 03/12/21 10:40

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
Total BTEX	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		03/15/21 15:36	03/16/21 09:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				03/15/21 15:36	03/16/21 09:28	1
1,4-Difluorobenzene (Surr)	108		70 - 130				03/15/21 15:36	03/16/21 09:28	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *+ *1	50.0		mg/Kg		03/17/21 16:43	03/19/21 06:16	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 06:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 06:16	1
Total TPH	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 06:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				03/17/21 16:43	03/19/21 06:16	1
o-Terphenyl	91		70 - 130				03/17/21 16:43	03/19/21 06:16	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19000		248		mg/Kg			03/18/21 15:27	50

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 10

Lab Sample ID: 880-386-10

Date Collected: 03/12/21 10:45

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 09:53	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 09:53	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 09:53	1
Total BTEX	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 09:53	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/15/21 15:36	03/16/21 09:53	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/15/21 15:36	03/16/21 09:53	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 09:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	03/15/21 15:36	03/16/21 09:53	1
1,4-Difluorobenzene (Surr)	116		70 - 130	03/15/21 15:36	03/16/21 09:53	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U ** *1	50.1		mg/Kg		03/17/21 16:43	03/19/21 06:37	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		03/17/21 16:43	03/19/21 06:37	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		03/17/21 16:43	03/19/21 06:37	1
Total TPH	<50.1	U	50.1		mg/Kg		03/17/21 16:43	03/19/21 06:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130	03/17/21 16:43	03/19/21 06:37	1
o-Terphenyl	92		70 - 130	03/17/21 16:43	03/19/21 06:37	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15900		100		mg/Kg			03/18/21 15:32	20

Client Sample ID: Confirmation Sample 11

Lab Sample ID: 880-386-11

Date Collected: 03/12/21 10:50

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/17/21 15:42	03/18/21 09:27	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/17/21 15:42	03/18/21 09:27	1
Toluene	0.00310		0.00201		mg/Kg		03/17/21 15:42	03/18/21 09:27	1
Total BTEX	0.0134		0.00201		mg/Kg		03/17/21 15:42	03/18/21 09:27	1
Xylenes, Total	0.0103		0.00402		mg/Kg		03/17/21 15:42	03/18/21 09:27	1
m-Xylene & p-Xylene	0.00698		0.00402		mg/Kg		03/17/21 15:42	03/18/21 09:27	1
o-Xylene	0.00334		0.00201		mg/Kg		03/17/21 15:42	03/18/21 09:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	03/17/21 15:42	03/18/21 09:27	1
1,4-Difluorobenzene (Surr)	95		70 - 130	03/17/21 15:42	03/18/21 09:27	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U ** *1	50.0		mg/Kg		03/17/21 16:43	03/19/21 07:19	1

Eurofins Xenco, Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 11

Lab Sample ID: 880-386-11

Date Collected: 03/12/21 10:50

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 07:19	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 07:19	1
Total TPH	<50.0	U	50.0		mg/Kg		03/17/21 16:43	03/19/21 07:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130				03/17/21 16:43	03/19/21 07:19	1
o-Terphenyl	82		70 - 130				03/17/21 16:43	03/19/21 07:19	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11400		99.6		mg/Kg			03/18/21 15:38	20

Client Sample ID: Confirmation Sample 12

Lab Sample ID: 880-386-12

Date Collected: 03/12/21 10:55

Matrix: Solid

Date Received: 03/15/21 08:40

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
Total BTEX	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/15/21 15:36	03/16/21 10:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				03/15/21 15:36	03/16/21 10:19	1
1,4-Difluorobenzene (Surr)	112		70 - 130				03/15/21 15:36	03/16/21 10:19	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U *+ *1	49.7		mg/Kg		03/17/21 16:43	03/19/21 07:40	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		03/17/21 16:43	03/19/21 07:40	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		03/17/21 16:43	03/19/21 07:40	1
Total TPH	<49.7	U	49.7		mg/Kg		03/17/21 16:43	03/19/21 07:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130				03/17/21 16:43	03/19/21 07:40	1
o-Terphenyl	84		70 - 130				03/17/21 16:43	03/19/21 07:40	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7690		49.9		mg/Kg			03/18/21 15:43	10

Eurofins Xenco, Midland

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-386-1	Confirmation Sample 1	109	90
880-386-2	Confirmation Sample 2	104	100
880-386-3	Confirmation Sample 3	100	103
880-386-3 MS	Confirmation Sample 3	108	123
880-386-3 MSD	Confirmation Sample 3	110	116
880-386-4	Confirmation Sample 4	94	98
880-386-5	Confirmation Sample 5	103	105
880-386-6	Confirmation Sample 6	119	117
880-386-7	Confirmation Sample 7	92	100
880-386-8	Confirmation Sample 8	117	99
880-386-9	Confirmation Sample 9	111	108
880-386-10	Confirmation Sample 10	112	116
880-386-11	Confirmation Sample 11	106	95
880-386-12	Confirmation Sample 12	102	112
LCS 880-484/1-A	Lab Control Sample	93	103
LCS 880-491/1-A	Lab Control Sample	86	110
LCS 880-500/1-B	Lab Control Sample	103	102
LCS 880-598/1-A	Lab Control Sample	103	99
LCS 880-750/33	Lab Control Sample	94	94
LCS 880-841/1-A	Lab Control Sample	98	101
LCSD 880-484/2-A	Lab Control Sample Dup	107	98
LCSD 880-491/2-A	Lab Control Sample Dup	108	118
LCSD 880-500/2-B	Lab Control Sample Dup	102	100
LCSD 880-598/2-A	Lab Control Sample Dup	95	98
LCSD 880-750/34	Lab Control Sample Dup	97	100
LCSD 880-841/2-A	Lab Control Sample Dup	101	100
MB 880-489/7	Method Blank	62 S1-	93
MB 880-491/5-A	Method Blank	57 S1-	103
MB 880-500/5-A	Method Blank	103	94
MB 880-526/5-A	Method Blank	123	101
MB 880-598/5-A	Method Blank	111	95
MB 880-841/5-A	Method Blank	100	99

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-386-1	Confirmation Sample 1	127	115
880-386-2	Confirmation Sample 2	116	107
880-386-3	Confirmation Sample 3	136 S1+	130
880-386-4	Confirmation Sample 4	125	119
880-386-5	Confirmation Sample 5	135 S1+	126
880-386-6	Confirmation Sample 6	134 S1+	125
880-386-7	Confirmation Sample 7	98	91

Eurofins Xenco, Midland

Surrogate Summary

Client: American Safety Services Inc.

Job ID: 880-386-1

Project/Site: Goodnight Midstream-Dodger Injection

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-386-8	Confirmation Sample 8	92	84
880-386-9	Confirmation Sample 9	101	91
880-386-10	Confirmation Sample 10	100	92
880-386-11	Confirmation Sample 11	92	82
880-386-12	Confirmation Sample 12	93	84
LCS 880-527/2-A	Lab Control Sample	133 S1+	111
LCS 880-537/2-A	Lab Control Sample	107	92
LCSD 880-527/3-A	Lab Control Sample Dup	138 S1+	114
LCSD 880-537/3-A	Lab Control Sample Dup	122	102
MB 880-527/1-A	Method Blank	121	117
MB 880-537/1-A	Method Blank	94	89

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: LCS 880-484/1-A

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 484

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.0<26U		mg/Kg		<8	20 - 130
5thylbenzene	0.100	0.0<U26		mg/Kg		<4	20 - 130
9olEene	0.100	0.0<<4<		mg/Kg		100	20 - 130
m-Tylene u X-Tylene	0., 00	0., 01,		mg/Kg		101	20 - 130
o-Tylene	0.100	0.0<U<6		mg/Kg		<4	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	37		10 - 970
9/4-5 Fluorobenzene (Surr)	907		10 - 970

Lab Sample ID: LCSD 880-484/2-A

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 484

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.1010		mg/Kg		101	20 - 130	3	34
5thylbenzene	0.100	0.1014		mg/Kg		10,	20 - 130	2	34
9olEene	0.100	0.1026		mg/Kg		108	20 - 130	8	34
m-Tylene u X-Tylene	0., 00	0., 163		mg/Kg		108	20 - 130	2	34
o-Tylene	0.100	0.1036		mg/Kg		10U	20 - 130	<	34

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	901		10 - 970
9/4-5 Fluorobenzene (Surr)	3:		10 - 970

Lab Sample ID: MB 880-489/7

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	&0.00, 00	p	0.00, 00		mg/Kg			03/14/, 1 12:U3	1
5thylbenzene	&0.00, 00	p	0.00, 00		mg/Kg			03/14/, 1 12:U3	1
9olEene	&0.00, 00	p	0.00, 00		mg/Kg			03/14/, 1 12:U3	1
9otal B95T	&0.00, 00	p	0.00, 00		mg/Kg			03/14/, 1 12:U3	1
TylenesR9otal	&0.00U00	p	0.00U00		mg/Kg			03/14/, 1 12:U3	1
m-Tylene u X-Tylene	&0.00U00	p	0.00U00		mg/Kg			03/14/, 1 12:U3	1
o-Tylene	&0.00, 00	p	0.00, 00		mg/Kg			03/14/, 1 12:U3	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	6,	S9-	10 - 970		07Di D 9 91@7	9
9/4-5 Fluorobenzene (Surr)	37		10 - 970		07Di D 9 91@7	9

Lab Sample ID: MB 880-491/5-A

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 491

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	&0.00, 01	p	0.00, 01		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-491/5-A

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 491

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
5thylbenzene	0.00, 01	p	0.00, 01		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1
9olEene	0.00, 01	p	0.00, 01		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1
9otal B95 T	0.00, 01	p	0.00, 01		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1
TylenesR9otal	0.00U, 0	p	0.00U, 0		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1
m-Tylene u X-Tylene	0.00U, 0	p	0.00U, 0		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1
o-Tylene	0.00, 01	p	0.00, 01		mg/Kg		03/14/, 1 14:36	03/16/, 1 06:30	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	11	S9-	10 - 970	07/09/19 09:06	07/06/19 06:00	9
9/4-5 Fluorobenzene (Surr)	907		10 - 970	07/09/19 09:06	07/06/19 06:00	9

Lab Sample ID: LCS 880-491/1-A

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 491

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.0<616		mg/Kg		<6	20 - 130
5thylbenzene	0.100	0.0<33U		mg/Kg		<3	20 - 130
9olEene	0.100	0.084, 0		mg/Kg		84	20 - 130
m-Tylene u X-Tylene	0., 00	0.1<80		mg/Kg		<<	20 - 130
o-Tylene	0.100	0.0<3<<		mg/Kg		<U	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	6		10 - 970
9/4-5 Fluorobenzene (Surr)	990		10 - 970

Lab Sample ID: LCSD 880-491/2-A

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 491

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.100	0.101<		mg/Kg		10,	20 - 130	6	34
5thylbenzene	0.100	0.0<<38		mg/Kg		<<	20 - 130	6	34
9olEene	0.100	0.1004		mg/Kg		101	20 - 130	12	34
m-Tylene u X-Tylene	0., 00	0., 1, 3		mg/Kg		106	20 - 130	2	34
o-Tylene	0.100	0.10, 8		mg/Kg		103	20 - 130	<	34

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	90:		10 - 970
9/4-5 Fluorobenzene (Surr)	99:		10 - 970

Lab Sample ID: 880-386-3 MS

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Confirmation Sample 3

Prep Type: Total/NA

Prep Batch: 491

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.00, 01	p O1	0.0<<6	0.08<, U		mg/Kg		<0	20 - 130
5thylbenzene	0.00, 01	p	0.0<<6	0.084<		mg/Kg		86	20 - 130

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-386-3 MS

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Confirmation Sample 3

Prep Type: Total/NA

Prep Batch: 491

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
9olEene	&0.00, 01	p	0.0<<6	0.0<332		mg/Kg		<U	20 - 130
m-Tylene u X-Tylene	&0.00U0,	p	0.1<<	0.1806		mg/Kg		<1	20 - 130
o-Tylene	&0.00, 01	p	0.0<<6	0.088, 2		mg/Kg		88	20 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	90:		10 - 970
9/4-5 Fluorobenzene (Surr)	9, 7		10 - 970

Lab Sample ID: 880-386-3 MSD

Matrix: Solid

Analysis Batch: 489

Client Sample ID: Confirmation Sample 3

Prep Type: Total/NA

Prep Batch: 491

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	&0.00, 01	p O1	0.100	0.06<44	O1	mg/Kg		6<	20 - 130	, 4	34
5thylbenzene	&0.00, 01	p	0.100	0.021U8		mg/Kg		21	20 - 130	18	34
9olEene	&0.00, 01	p	0.100	0.02630		mg/Kg		26	20 - 130	, 0	34
m-Tylene u X-Tylene	&0.00U0,	p	0., 01	0.1U<		mg/Kg		2U	20 - 130	1<	34
o-Tylene	&0.00, 01	p	0.100	0.02U8U		mg/Kg		2U	20 - 130	16	34

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	990		10 - 970
9/4-5 Fluorobenzene (Surr)	996		10 - 970

Lab Sample ID: MB 880-500/5-A

Matrix: Solid

Analysis Batch: 528

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 500

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	&0.00, 0,	p	0.00, 0,		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1
5thylbenzene	&0.00, 0,	p	0.00, 0,		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1
9olEene	&0.00, 0,	p	0.00, 0,		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1
9otal B95T	&0.00, 0,	p	0.00, 0,		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1
TylenesR9otal	&0.00U0U	p	0.00U0U		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1
m-Tylene u X-Tylene	&0.00U0U	p	0.00U0U		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1
o-Tylene	&0.00, 0,	p	0.00, 0,		mg/Kg		03/12/, 1 14:U,	03/18/, 1 0,:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	907		10 - 970	07D1D9 9i Q,	07D: D9 0, 06	9
9/4-5 Fluorobenzene (Surr)	34		10 - 970	07D1D9 9i Q,	07D: D9 0, 06	9

Lab Sample ID: LCS 880-500/1-B

Matrix: Solid

Analysis Batch: 528

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 500

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.0<816		mg/Kg		<8	20 - 130
5thylbenzene	0.100	0.1100		mg/Kg		110	20 - 130
9olEene	0.100	0.10U6		mg/Kg		104	20 - 130

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-500/1-B

Matrix: Solid

Analysis Batch: 528

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 500

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
m-Tylene u X-Tylene	0., 00	0., , 48		mg/Kg		113	20 - 130
o-Tylene	0.100	0.1110		mg/Kg		111	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	907		10 - 970
9/4-5 Fluorobenzene (Surr)	90,		10 - 970

Lab Sample ID: LCSD 880-500/2-B

Matrix: Solid

Analysis Batch: 528

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 500

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.0<208		mg/Kg		<2	20 - 130	1	34
5thylbenzene	0.100	0.10U4		mg/Kg		104	20 - 130	4	34
9olEene	0.100	0.0<<U		mg/Kg		<<	20 - 130	4	34
m-Tylene u X-Tylene	0., 00	0., 14,		mg/Kg		108	20 - 130	4	34
o-Tylene	0.100	0.104<		mg/Kg		106	20 - 130	4	34

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	90,		10 - 970
9/4-5 Fluorobenzene (Surr)	900		10 - 970

Lab Sample ID: MB 880-526/5-A

Matrix: Solid

Analysis Batch: 528

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 526

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	&0.00, 00	p	0.00, 00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1
5thylbenzene	&0.00, 00	p	0.00, 00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1
9olEene	&0.00, 00	p	0.00, 00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1
9otal B95T	&0.00, 00	p	0.00, 00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1
TylenesR9otal	&0.00U00	p	0.00U00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1
m-Tylene u X-Tylene	&0.00U00	p	0.00U00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1
o-Tylene	&0.00, 00	p	0.00, 00		mg/Kg		03/12/, 1 10:U4	03/12/, 1 14:1U	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	9, 7		10 - 970	07D1D9 90Qi	07D1D9 9i Q4	9
9/4-5 Fluorobenzene (Surr)	909		10 - 970	07D1D9 90Qi	07D1D9 9i Q4	9

Lab Sample ID: MB 880-598/5-A

Matrix: Solid

Analysis Batch: 750

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 598

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1
5thylbenzene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1
9olEene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1
9otal B95T	&0.00, 00	p	0.00, 00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-598/5-A

Matrix: Solid

Analysis Batch: 750

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 598

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TylenesRtotal	&0.00U00	p	0.00U00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1
m-Tylene u X-Tylene	&0.00U00	p	0.00U00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1
o-Tylene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 3/, 1 10:44	03/, 3/, 1 1U, 1	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	999		10 - 970	07D 7D 9 90C i	07D 7D 9 94C 9	9
9/4-5 Fluorobenzene (Surr)	3i		10 - 970	07D 7D 9 90C i	07D 7D 9 94C 9	9

Lab Sample ID: LCS 880-598/1-A

Matrix: Solid

Analysis Batch: 750

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 598

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.11, 2		mg/Kg		113	20 - 130
5thylbenzene	0.100	0.1, , U		mg/Kg		1, ,	20 - 130
9olEene	0.100	0.1, 34		mg/Kg		1, 3	20 - 130
m-Tylene u X-Tylene	0., 00	0., U03		mg/Kg		1, ,	20 - 130
o-Tylene	0.100	0.112<		mg/Kg		118	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	907		10 - 970
9/4-5 Fluorobenzene (Surr)	33		10 - 970

Lab Sample ID: LCSD 880-598/2-A

Matrix: Solid

Analysis Batch: 750

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 598

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.100	0.10, 4		mg/Kg		103	20 - 130	<	34
5thylbenzene	0.100	0.1066		mg/Kg		102	20 - 130	1U	34
9olEene	0.100	0.10<8		mg/Kg		110	20 - 130	1,	34
m-Tylene u X-Tylene	0., 00	0., 146		mg/Kg		108	20 - 130	13	34
o-Tylene	0.100	0.10U3		mg/Kg		10U	20 - 130	1,	34

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	3i		10 - 970
9/4-5 Fluorobenzene (Surr)	3:		10 - 970

Lab Sample ID: LCS 880-750/33

Matrix: Solid

Analysis Batch: 750

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.0<6, 4		mg/Kg		<6	20 - 130
5thylbenzene	0.100	0.0<382		mg/Kg		<U	20 - 130
9olEene	0.100	0.0<<04		mg/Kg		<<	20 - 130
m-Tylene u X-Tylene	0., 00	0.1<11		mg/Kg		<6	20 - 130
o-Tylene	0.100	0.0<3, 3		mg/Kg		<3	20 - 130

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	34		10 - 970
9/4-5 Fluorobenzene (Surr)	34		10 - 970

Lab Sample ID: LCSD 880-750/34

Matrix: Solid

Analysis Batch: 750

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.0<33U		mg/Kg		<3	20 - 130	3	34
5thylbenzene	0.100	0.0<386		mg/Kg		<U	20 - 130	0	34
9olEene	0.100	0.0<8, ,		mg/Kg		<8	20 - 130	1	34
m-Tylene u X-Tylene	0., 00	0.183,		mg/Kg		<,	20 - 130	U	34
o-Tylene	0.100	0.0<, 33		mg/Kg		<,	20 - 130	1	34

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	31		10 - 970
9/4-5 Fluorobenzene (Surr)	900		10 - 970

Lab Sample ID: MB 880-841/5-A

Matrix: Solid

Analysis Batch: 830

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 841

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1
5thylbenzene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1
9olEene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1
9otal B95 T	&0.00, 00	p	0.00, 00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1
TylenesRotal	&0.00U00	p	0.00U00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1
m-Tylene u X-Tylene	&0.00U00	p	0.00U00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1
o-Tylene	&0.00, 00	p	0.00, 00		mg/Kg		03/, 4/, 1 10:1,	03/, 4/, 1 1U, 3	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	900		10 - 970	07Di D9 90Q,	07Di D9 94C7	9
9/4-5 Fluorobenzene (Surr)	33		10 - 970	07Di D9 90Q,	07Di D9 94C7	9

Lab Sample ID: LCS 880-841/1-A

Matrix: Solid

Analysis Batch: 830

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 841

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.0<16U		mg/Kg		<,	20 - 130
5thylbenzene	0.100	0.0<03U		mg/Kg		<0	20 - 130
9olEene	0.100	0.08682		mg/Kg		82	20 - 130
m-Tylene u X-Tylene	0., 00	0.1280		mg/Kg		8<	20 - 130
o-Tylene	0.100	0.088U6		mg/Kg		88	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	3:		10 - 970
9/4-5 Fluorobenzene (Surr)	909		10 - 970

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-841/2-A

Matrix: Solid

Analysis Batch: 830

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 841

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.0<132		mg/Kg		<1	20 - 130	0	34
5thylbenzene	0.100	0.0<3U8		mg/Kg		<3	20 - 130	3	34
9olEene	0.100	0.088<8		mg/Kg		8<	20 - 130	,	34
m-Tylene u X-Tylene	0., 00	0.18U<		mg/Kg		<	20 - 130	U	34
o-Tylene	0.100	0.0<101		mg/Kg		<1	20 - 130	3	34

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	909		10 - 970
9/4-5 Fluorobenzene (Surr)	900		10 - 970

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-527/1-A

Matrix: Solid

Analysis Batch: 530

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 527

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline (ange) rganics 7G() HC6-C10	40.0	p	40.0		mg/Kg		03/12/, 1 11:34	03/12/, 1 11:36	1
Diesel (ange) rganics 7) ver C10-C, 8H	40.0	p	40.0		mg/Kg		03/12/, 1 11:34	03/12/, 1 11:36	1
) II (ange) rganics 7) ver C, 8-C36H	40.0	p	40.0		mg/Kg		03/12/, 1 11:34	03/12/, 1 11:36	1
9otal 9PF	40.0	p	40.0		mg/Kg		03/12/, 1 11:34	03/12/, 1 11:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
9-h cloroot aTne	9, 9		10 - 970	07/10/19 99C7i	07/10/19 99C76	9
o-perycen8l	991		10 - 970	07/10/19 99C7i	07/10/19 99C76	9

Lab Sample ID: LCS 880-527/2-A

Matrix: Solid

Analysis Batch: 530

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 527

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline (ange) rganics 7G() HC6-C10	1000	1, 18		mg/Kg		1, ,	20 - 130
Diesel (ange) rganics 7) ver C10-C, 8H	1000	1, 1,		mg/Kg		1, 1	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
9-h cloroot aTne	977	S9+	10 - 970
o-perycen8l	999		10 - 970

Lab Sample ID: LCSD 880-527/3-A

Matrix: Solid

Analysis Batch: 530

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 527

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline (ange) rganics 7G() HC6-C10	1000	1, , 0		mg/Kg		1, ,	20 - 130	0	, 0

5 Erofins TencoR Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-527/3-A

Matrix: Solid

Analysis Batch: 530

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 527

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel (ange) rganics 7) ver C10-C, 8H	1000	1, <0		mg/Kg		1, <	20 - 130	6	, 0

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
9-h cloroot aTne	97:	S9+	10 - 970
o-perycen8l	994		10 - 970

Lab Sample ID: MB 880-537/1-A

Matrix: Solid

Analysis Batch: 583

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 537

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline (ange) rganics 7G() HC6-C10	40.0	p	40.0		mg/Kg		03/12/, 1 16:U3	03/1</, 1 01:3<	1
Diesel (ange) rganics 7) ver C10-C, 8H	40.0	p	40.0		mg/Kg		03/12/, 1 16:U3	03/1</, 1 01:3<	1
) II (ange) rganics 7) ver C, 8-C36H	40.0	p	40.0		mg/Kg		03/12/, 1 16:U3	03/1</, 1 01:3<	1
9otal 9PF	40.0	p	40.0		mg/Kg		03/12/, 1 16:U3	03/1</, 1 01:3<	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
9-h cloroot aTne	34		10 - 970	07D1D9 96Q7	07D3D9 09Q3	9
o-perycen8l	: 3		10 - 970	07D1D9 96Q7	07D3D9 09Q3	9

Lab Sample ID: LCS 880-537/2-A

Matrix: Solid

Analysis Batch: 583

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 537

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline (ange) rganics 7G() HC6-C10	1000	104,		mg/Kg		104	20 - 130
Diesel (ange) rganics 7) ver C10-C, 8H	1000	86, .8		mg/Kg		86	20 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
9-h cloroot aTne	901		10 - 970
o-perycen8l	3,		10 - 970

Lab Sample ID: LCSD 880-537/3-A

Matrix: Solid

Analysis Batch: 583

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 537

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline (ange) rganics 7G() HC6-C10	1000	133<	*+ *1	mg/Kg		13U	20 - 130	, U	, 0
Diesel (ange) rganics 7) ver C10-C, 8H	1000	<8, .<		mg/Kg		<8	20 - 130	13	, 0

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
9-h cloroot aTne	9, ,		10 - 970

5 Erofins TencoRMidland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-537/3-A

Matrix: Solid

Analysis Batch: 583

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 537

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
<i>o</i> -perylene	90,		10 - 970

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-482/1-A

Matrix: Solid

Analysis Batch: 490

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	84.00	p	4.00		mg/Kg			03/14/, 1 1U, 1	1

Lab Sample ID: LCS 880-482/2-A

Matrix: Solid

Analysis Batch: 490

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	, 40	, 11.2		mg/Kg		<8	<0 - 110

Lab Sample ID: LCSD 880-482/3-A

Matrix: Solid

Analysis Batch: 490

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	, 40	, 14.6		mg/Kg		<8	<0 - 110	0	, 0

Lab Sample ID: MB 880-554/1-A

Matrix: Solid

Analysis Batch: 563

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	84.00	p	4.00		mg/Kg			03/18/, 1 13:, 8	1

Lab Sample ID: LCS 880-554/2-A

Matrix: Solid

Analysis Batch: 563

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	, 40	, 6, .6		mg/Kg		104	<0 - 110

Lab Sample ID: LCSD 880-554/3-A

Matrix: Solid

Analysis Batch: 563

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	, 40	, 61.<		mg/Kg		104	<0 - 110	0	, 0

5 Etofins Tenco R Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

GC VOA

Prep Batch: 484

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-1	Confirmation Sample 1	Total/NA	Solid	5035	
880-386-2	Confirmation Sample 2	Total/NA	Solid	5035	
LCS 880-484/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-484/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 489

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-1	Confirmation Sample 1	Total/NA	Solid	8021B	484
880-386-2	Confirmation Sample 2	Total/NA	Solid	8021B	484
880-386-3	Confirmation Sample 3	Total/NA	Solid	8021B	491
880-386-4	Confirmation Sample 4	Total/NA	Solid	8021B	491
880-386-5	Confirmation Sample 5	Total/NA	Solid	8021B	491
880-386-6	Confirmation Sample 6	Total/NA	Solid	8021B	491
880-386-9	Confirmation Sample 9	Total/NA	Solid	8021B	491
880-386-10	Confirmation Sample 10	Total/NA	Solid	8021B	491
880-386-12	Confirmation Sample 12	Total/NA	Solid	8021B	491
MB 880-489/7	Method Blank	Total/NA	Solid	8021B	
MB 880-491/5-A	Method Blank	Total/NA	Solid	8021B	491
LCS 880-484/1-A	Lab Control Sample	Total/NA	Solid	8021B	484
LCS 880-491/1-A	Lab Control Sample	Total/NA	Solid	8021B	491
LCSD 880-484/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	484
LCSD 880-491/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	491
880-386-3 MS	Confirmation Sample 3	Total/NA	Solid	8021B	491
880-386-3 MSD	Confirmation Sample 3	Total/NA	Solid	8021B	491

Prep Batch: 491

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-3	Confirmation Sample 3	Total/NA	Solid	5035	
880-386-4	Confirmation Sample 4	Total/NA	Solid	5035	
880-386-5	Confirmation Sample 5	Total/NA	Solid	5035	
880-386-6	Confirmation Sample 6	Total/NA	Solid	5035	
880-386-9	Confirmation Sample 9	Total/NA	Solid	5035	
880-386-10	Confirmation Sample 10	Total/NA	Solid	5035	
880-386-12	Confirmation Sample 12	Total/NA	Solid	5035	
MB 880-491/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-491/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-491/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-386-3 MS	Confirmation Sample 3	Total/NA	Solid	5035	
880-386-3 MSD	Confirmation Sample 3	Total/NA	Solid	5035	

Prep Batch: 500

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-11	Confirmation Sample 11	Total/NA	Solid	5035	
MB 880-500/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-500/1-B	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-500/2-B	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 526

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-526/5-A	Method Blank	Total/NA	Solid	5035	

Eurofins Xenco, Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

GC VOA

Analysis Batch: 528

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-11	Confirmation Sample 11	Total/NA	Solid	8021B	500
MB 880-500/5-A	Method Blank	Total/NA	Solid	8021B	500
MB 880-526/5-A	Method Blank	Total/NA	Solid	8021B	526
LCS 880-500/1-B	Lab Control Sample	Total/NA	Solid	8021B	500
LCSD 880-500/2-B	Lab Control Sample Dup	Total/NA	Solid	8021B	500

Prep Batch: 598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-7	Confirmation Sample 7	Total/NA	Solid	5035	
MB 880-598/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-598/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-598/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 750

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-7	Confirmation Sample 7	Total/NA	Solid	8021B	598
MB 880-598/5-A	Method Blank	Total/NA	Solid	8021B	598
LCS 880-598/1-A	Lab Control Sample	Total/NA	Solid	8021B	598
LCS 880-750/33	Lab Control Sample	Total/NA	Solid	8021B	
LCSD 880-598/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	598
LCSD 880-750/34	Lab Control Sample Dup	Total/NA	Solid	8021B	

Analysis Batch: 830

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-8	Confirmation Sample 8	Total/NA	Solid	8021B	841
MB 880-841/5-A	Method Blank	Total/NA	Solid	8021B	841
LCS 880-841/1-A	Lab Control Sample	Total/NA	Solid	8021B	841
LCSD 880-841/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	841

Prep Batch: 841

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-8	Confirmation Sample 8	Total/NA	Solid	5035	
MB 880-841/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-841/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-841/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

GC Semi VOA

Prep Batch: 527

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-1	Confirmation Sample 1	Total/NA	Solid	8015NM Prep	
880-386-2	Confirmation Sample 2	Total/NA	Solid	8015NM Prep	
880-386-3	Confirmation Sample 3	Total/NA	Solid	8015NM Prep	
880-386-4	Confirmation Sample 4	Total/NA	Solid	8015NM Prep	
880-386-5	Confirmation Sample 5	Total/NA	Solid	8015NM Prep	
880-386-6	Confirmation Sample 6	Total/NA	Solid	8015NM Prep	
MB 880-527/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-527/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-527/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Eurofins Xenco, Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

GC Semi VOA

Analysis Batch: 530

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-1	Confirmation Sample 1	Total/NA	Solid	8015B NM	527
880-386-2	Confirmation Sample 2	Total/NA	Solid	8015B NM	527
880-386-3	Confirmation Sample 3	Total/NA	Solid	8015B NM	527
880-386-4	Confirmation Sample 4	Total/NA	Solid	8015B NM	527
880-386-5	Confirmation Sample 5	Total/NA	Solid	8015B NM	527
880-386-6	Confirmation Sample 6	Total/NA	Solid	8015B NM	527
MB 880-527/1-A	Method Blank	Total/NA	Solid	8015B NM	527
LCS 880-527/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	527
LCSD 880-527/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	527

Prep Batch: 537

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-7	Confirmation Sample 7	Total/NA	Solid	8015NM Prep	
880-386-8	Confirmation Sample 8	Total/NA	Solid	8015NM Prep	
880-386-9	Confirmation Sample 9	Total/NA	Solid	8015NM Prep	
880-386-10	Confirmation Sample 10	Total/NA	Solid	8015NM Prep	
880-386-11	Confirmation Sample 11	Total/NA	Solid	8015NM Prep	
880-386-12	Confirmation Sample 12	Total/NA	Solid	8015NM Prep	
MB 880-537/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-537/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-537/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 583

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-7	Confirmation Sample 7	Total/NA	Solid	8015B NM	537
880-386-8	Confirmation Sample 8	Total/NA	Solid	8015B NM	537
880-386-9	Confirmation Sample 9	Total/NA	Solid	8015B NM	537
880-386-10	Confirmation Sample 10	Total/NA	Solid	8015B NM	537
880-386-11	Confirmation Sample 11	Total/NA	Solid	8015B NM	537
880-386-12	Confirmation Sample 12	Total/NA	Solid	8015B NM	537
MB 880-537/1-A	Method Blank	Total/NA	Solid	8015B NM	537
LCS 880-537/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	537
LCSD 880-537/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	537

HPLC/IC

Leach Batch: 482

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-1	Confirmation Sample 1	Soluble	Solid	DI Leach	
880-386-2	Confirmation Sample 2	Soluble	Solid	DI Leach	
880-386-3	Confirmation Sample 3	Soluble	Solid	DI Leach	
880-386-4	Confirmation Sample 4	Soluble	Solid	DI Leach	
880-386-5	Confirmation Sample 5	Soluble	Solid	DI Leach	
880-386-6	Confirmation Sample 6	Soluble	Solid	DI Leach	
880-386-7	Confirmation Sample 7	Soluble	Solid	DI Leach	
880-386-8	Confirmation Sample 8	Soluble	Solid	DI Leach	
MB 880-482/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-482/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-482/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Eurofins Xenco, Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

HPLC/IC

Analysis Batch: 490

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-1	Confirmation Sample 1	Soluble	Solid	300.0	482
880-386-2	Confirmation Sample 2	Soluble	Solid	300.0	482
880-386-3	Confirmation Sample 3	Soluble	Solid	300.0	482
880-386-4	Confirmation Sample 4	Soluble	Solid	300.0	482
880-386-5	Confirmation Sample 5	Soluble	Solid	300.0	482
880-386-6	Confirmation Sample 6	Soluble	Solid	300.0	482
880-386-7	Confirmation Sample 7	Soluble	Solid	300.0	482
880-386-8	Confirmation Sample 8	Soluble	Solid	300.0	482
MB 880-482/1-A	Method Blank	Soluble	Solid	300.0	482
LCS 880-482/2-A	Lab Control Sample	Soluble	Solid	300.0	482
LCSD 880-482/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	482

Leach Batch: 554

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-9	Confirmation Sample 9	Soluble	Solid	DI Leach	
880-386-10	Confirmation Sample 10	Soluble	Solid	DI Leach	
880-386-11	Confirmation Sample 11	Soluble	Solid	DI Leach	
880-386-12	Confirmation Sample 12	Soluble	Solid	DI Leach	
MB 880-554/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-554/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-554/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-386-9	Confirmation Sample 9	Soluble	Solid	300.0	554
880-386-10	Confirmation Sample 10	Soluble	Solid	300.0	554
880-386-11	Confirmation Sample 11	Soluble	Solid	300.0	554
880-386-12	Confirmation Sample 12	Soluble	Solid	300.0	554
MB 880-554/1-A	Method Blank	Soluble	Solid	300.0	554
LCS 880-554/2-A	Lab Control Sample	Soluble	Solid	300.0	554
LCSD 880-554/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	554

Eurofins Xenco, Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 1

Lab Sample ID: 880-386-1

Date Collected: 03/12/21 10:00

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			484	03/15/21 13:54	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 02:39	MR	XM
Total/NA	Prep	8015NM Prep			527	03/17/21 11:35	DM	XM
Total/NA	Analysis	8015B NM		1	530	03/17/21 19:17	SLC	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		1	490	03/15/21 16:02	CH	XM

Client Sample ID: Confirmation Sample 2

Lab Sample ID: 880-386-2

Date Collected: 03/12/21 10:05

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			484	03/15/21 13:54	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 03:05	MR	XM
Total/NA	Prep	8015NM Prep			527	03/17/21 11:35	DM	XM
Total/NA	Analysis	8015B NM		1	530	03/17/21 19:38	SLC	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		5	490	03/15/21 16:17	CH	XM

Client Sample ID: Confirmation Sample 3

Lab Sample ID: 880-386-3

Date Collected: 03/12/21 10:10

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 06:55	MR	XM
Total/NA	Prep	8015NM Prep			527	03/17/21 11:35	DM	XM
Total/NA	Analysis	8015B NM		1	530	03/17/21 19:59	SLC	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		10	490	03/15/21 16:22	CH	XM

Client Sample ID: Confirmation Sample 4

Lab Sample ID: 880-386-4

Date Collected: 03/12/21 10:15

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 07:21	MR	XM
Total/NA	Prep	8015NM Prep			527	03/17/21 11:35	DM	XM
Total/NA	Analysis	8015B NM		1	530	03/17/21 20:19	SLC	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		20	490	03/15/21 16:27	CH	XM

Eurofins Xenco, Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 5

Lab Sample ID: 880-386-5

Date Collected: 03/12/21 10:20

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 07:47	MR	XM
Total/NA	Prep	8015NM Prep			527	03/17/21 11:35	DM	XM
Total/NA	Analysis	8015B NM		1	530	03/17/21 20:40	SLC	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		20	490	03/15/21 16:32	CH	XM

Client Sample ID: Confirmation Sample 6

Lab Sample ID: 880-386-6

Date Collected: 03/12/21 10:25

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 08:12	MR	XM
Total/NA	Prep	8015NM Prep			527	03/17/21 11:35	DM	XM
Total/NA	Analysis	8015B NM		1	530	03/17/21 21:01	SLC	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		50	490	03/15/21 16:37	CH	XM

Client Sample ID: Confirmation Sample 7

Lab Sample ID: 880-386-7

Date Collected: 03/12/21 10:30

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			598	03/23/21 10:56	MR	XM
Total/NA	Analysis	8021B		1	750	03/23/21 16:26	PXS	XM
Total/NA	Prep	8015NM Prep			537	03/17/21 16:43	DM	XM
Total/NA	Analysis	8015B NM		1	583	03/19/21 05:34	AM	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		50	490	03/15/21 16:42	CH	XM

Client Sample ID: Confirmation Sample 8

Lab Sample ID: 880-386-8

Date Collected: 03/12/21 10:35

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			841	03/25/21 10:12	KL	XM
Total/NA	Analysis	8021B		1	830	03/25/21 15:25	KL	XM
Total/NA	Prep	8015NM Prep			537	03/17/21 16:43	DM	XM
Total/NA	Analysis	8015B NM		1	583	03/19/21 05:55	AM	XM
Soluble	Leach	DI Leach			482	03/15/21 10:42	SC	XM
Soluble	Analysis	300.0		50	490	03/15/21 16:47	CH	XM

Eurofins Xenco, Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Client Sample ID: Confirmation Sample 9

Lab Sample ID: 880-386-9

Date Collected: 03/12/21 10:40

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 09:28	MR	XM
Total/NA	Prep	8015NM Prep			537	03/17/21 16:43	DM	XM
Total/NA	Analysis	8015B NM		1	583	03/19/21 06:16	AM	XM
Soluble	Leach	DI Leach			554	03/18/21 10:22	SC	XM
Soluble	Analysis	300.0		50	563	03/18/21 15:27	WP	XM

Client Sample ID: Confirmation Sample 10

Lab Sample ID: 880-386-10

Date Collected: 03/12/21 10:45

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 09:53	MR	XM
Total/NA	Prep	8015NM Prep			537	03/17/21 16:43	DM	XM
Total/NA	Analysis	8015B NM		1	583	03/19/21 06:37	AM	XM
Soluble	Leach	DI Leach			554	03/18/21 10:22	SC	XM
Soluble	Analysis	300.0		20	563	03/18/21 15:32	WP	XM

Client Sample ID: Confirmation Sample 11

Lab Sample ID: 880-386-11

Date Collected: 03/12/21 10:50

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			500	03/17/21 15:42	MR	XM
Total/NA	Analysis	8021B		1	528	03/18/21 09:27	MR	XM
Total/NA	Prep	8015NM Prep			537	03/17/21 16:43	DM	XM
Total/NA	Analysis	8015B NM		1	583	03/19/21 07:19	AM	XM
Soluble	Leach	DI Leach			554	03/18/21 10:22	SC	XM
Soluble	Analysis	300.0		20	563	03/18/21 15:38	WP	XM

Client Sample ID: Confirmation Sample 12

Lab Sample ID: 880-386-12

Date Collected: 03/12/21 10:55

Matrix: Solid

Date Received: 03/15/21 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			491	03/15/21 15:36	MR	XM
Total/NA	Analysis	8021B		1	489	03/16/21 10:19	MR	XM
Total/NA	Prep	8015NM Prep			537	03/17/21 16:43	DM	XM
Total/NA	Analysis	8015B NM		1	583	03/19/21 07:40	AM	XM
Soluble	Leach	DI Leach			554	03/18/21 10:22	SC	XM
Soluble	Analysis	300.0		10	563	03/18/21 15:43	WP	XM

Laboratory References:

XM = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Xenco, Midland

Accreditation/Certification Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Laboratory: Eurofins Xenco, Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-20-21	06-30-21
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015B NM	8015NM Prep	Solid	Total TPH
8021B	5035	Solid	Total BTEX

Method Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XM
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XM
300.0	Anions, Ion Chromatography	MCAWW	XM
5035	Closed System Purge and Trap	SW846	XM
8015NM Prep	Microextraction	SW846	XM
DI Leach	Deionized Water Leaching Procedure	ASTM	XM

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

XM = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Xenco, Midland

Sample Summary

Client: American Safety Services Inc.
Project/Site: Goodnight Midstream-Dodger Injection

Job ID: 880-386-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
880-386-1	Confirmation Sample 1	Solid	03/12/21 10:00	03/15/21 08:40	
880-386-2	Confirmation Sample 2	Solid	03/12/21 10:05	03/15/21 08:40	
880-386-3	Confirmation Sample 3	Solid	03/12/21 10:10	03/15/21 08:40	
880-386-4	Confirmation Sample 4	Solid	03/12/21 10:15	03/15/21 08:40	
880-386-5	Confirmation Sample 5	Solid	03/12/21 10:20	03/15/21 08:40	
880-386-6	Confirmation Sample 6	Solid	03/12/21 10:25	03/15/21 08:40	
880-386-7	Confirmation Sample 7	Solid	03/12/21 10:30	03/15/21 08:40	
880-386-8	Confirmation Sample 8	Solid	03/12/21 10:35	03/15/21 08:40	
880-386-9	Confirmation Sample 9	Solid	03/12/21 10:40	03/15/21 08:40	
880-386-10	Confirmation Sample 10	Solid	03/12/21 10:45	03/15/21 08:40	
880-386-11	Confirmation Sample 11	Solid	03/12/21 10:50	03/15/21 08:40	
880-386-12	Confirmation Sample 12	Solid	03/12/21 10:55	03/15/21 08:40	

Eurofins Xenco, Midland



Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355

880-386 Chain of Custody



CHAIN OF CUSTODY

Page 1 of 2

Client / Reporting Information						Project Information						Analytical Information						Matrix Codes					
Company Name / Branch: American Safety Services Inc.						Project Name/Number:																	
Company Address: 8715 Andrews Hwy Odessa TX 79765						Project Location: Lea Co NM																	
Email: jfranklin@americansafety.net						Invoice To: Albert Olvera																	
Phone No: 432-557-9868																							
Project Contact: Thomas Franklin						PO Number: albert.olvera@goodnightwddstream.com																	
Sampler's Name Miguel																							
No	Field ID / Point of Collection					Collection		Number of preserved bottles								TPH 8015M		Chloride 300		BTEX 8021B		Field Comments	
	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MeOH	NONE										
1	Confirmation Sample 1	3/12/2021	1000	S	1									X	X	X							
2	Confirmation Sample 2	3/12/2021	1005	S	1									X	X	X							
3	Confirmation Sample 3	3/12/2021	1010	S	1									X	X	X							
4	Confirmation Sample 4	3/12/2021	1015	S	1									X	X	X							
5	Confirmation Sample 5	3/12/2021	1020	S	1									X	X	X							
6	Confirmation Sample 6	3/12/2021	1025	S	1									X	X	X							
7	Confirmation Sample 7	3/12/2021	1030	S	1									X	X	X							
8	Confirmation Sample 8	3/12/2021	1035	S	1									X	X	X							
9	Confirmation Sample 9	3/12/2021	1040	S	1									X	X	X							
10	Confirmation Sample 10	3/12/2021	1045	S	1									X	X	X							
Turnaround Time (Business days)						Data Deliverable Information								Notes.									
<input type="checkbox"/> Same Day TAT						<input checked="" type="checkbox"/> 5 Day TAT						<input type="checkbox"/> Level II Std QC						<input type="checkbox"/> Level IV (Full Data Pkg/raw data)					
<input type="checkbox"/> Next Day EMERGENCY						<input type="checkbox"/> 7 Day TAT						<input type="checkbox"/> Level III Std QC+ Forms						<input type="checkbox"/> TRRP Level IV					
<input type="checkbox"/> 2 Day EMERGENCY						<input type="checkbox"/> Contract TAT						<input type="checkbox"/> Level 3 (CLP Forms)						<input type="checkbox"/> UST / RG -411					
<input type="checkbox"/> 3 Day EMERGENCY												<input type="checkbox"/> TRRP Checklist											
TAT Starts Day received by Lab, if received by 5:00 pm																		FED-EX / UPS Tracking #					
Relinquished by Sample 1 Miguel Delora						Date Time: 03/15/21 0846						Received By J. Warner						Date Time: 2					
Relinquished by 3						Date Time						Received By 3						Custody Seal # 4					
Relinquished by 5						Date Time						Received By 5						Preserved where applicable					
On Ice <input checked="" type="checkbox"/>						Cooler Temp. 3.2/3.7						Thermo. Corr Factor											

Login Sample Receipt Checklist

Client: American Safety Services Inc.

Job Number: 880-386-1

Login Number: 386

List Source: Eurofins Midland

List Number: 1

Creator: Teel, Brianna

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



APPENDIX E

C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	Goodnight Midstream	OGRID
Contact Name	Albert Ochoa	Contact Telephone (325) 574-3442
Contact email	albert.ochoa@goodnightmidstream.com	Incident # (assigned by OCD) NRM2022638776
Contact mailing address	11612 Tower Rd, Midland, TX 79707	

Location of Release Source

Latitude 32.424203 Longitude -103.273661
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Dodger Injection Well	Site Type	Tank Battery
Date Release Discovered	08/04/2020	API# (if applicable)	

Unit Letter	Section	Township	Range	County
F	4	22S	36E	Lea

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☒ Private (Name: Llano Estacado Properties, LLC)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 14 bbls	Volume Recovered (bbls) 12 bbls
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: A 3/8" plug vibrated out of a pump. All the released fluid was contained onsite, a vacuum truck was dispatched to recover the fluid. An environmental company had been contacted to remediate the area in accordance with the NMOCD guidelines.

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped.	
<input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Albert Ochoa	Title: HSE Representative
Signature:	Date:
email: albert.ochoa@goodnightmidstream.com	Telephone: (325) 574-3442
<u>OCD Only</u>	
Received by: _____	Date: _____

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	212 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____ Date: _____

Incident ID	NRM2022638776
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____

Signature: _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



APPENDIX F

Manifests

**SUNDANCE SERVICES WEST, INC.**P.O. Box 1737 Eunice, New Mexico 88231
Business: (575) 394-2511 • Disposal: (575) 390-7842**TICKET No. 579810**

LEASE OPERATOR/SHIPPER/COMPANY: <u>Goodnight muck team.</u>	DATE: <u>04-09-20</u>
LEASE NAME: <u>dodger facility</u>	TIME: <u>11:18</u> AM/PM
RIG NAME & NUMBER:	VEHICLE NO: <u>834</u>
TRANSPORTER COMPANY: <u>American safety</u>	PHONE:
GENERATOR COMPANY MAN'S NAME: <u>Albert school</u>	PHONE: <u>325-574-3442</u>

CHARGE TO: Goodnight**TYPE OF MATERIAL**

<input type="checkbox"/> Tank Bottoms	<input type="checkbox"/> Drilling Fluids	<input type="checkbox"/> Rinsate	<input type="checkbox"/> BS&W Content:
<input type="checkbox"/> Solids	<input checked="" type="checkbox"/> Contaminated Soil	<input type="checkbox"/> Jet Out	

Description: AD**VOLUME OF MATERIAL**

<input type="checkbox"/> BBLs. _____ :	<input checked="" type="checkbox"/> YARD <u>5</u> :	<input type="checkbox"/> _____ :
--	---	----------------------------------

RRC or API #

C-133#

STICKERS, CODES, NUMBERS, ETC.

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER: [Signature]

(SIGNATURE)

FACILITY REPRESENTATIVE: [Signature]

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c



APPENDIX G

Groundwater

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-101
Revised July 18, 2013

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address Goodnight Midstream Permian, LLC 5910 N Central Expressway, Suite 850, Dallas, TX 75206		² OGRID Number 372311
		³ API Number 30-025-46397
⁴ Property Code 326132	⁵ Property Name ROBINSON STATE SWD	⁶ Well No. 1

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
F	4	22S	36E		1868	NORTH	1564	WEST	LEA

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
-	-	-	-		-	-	-	-	-

9. Pool Information

Pool Name SWD; GLORIETA	Pool Code 96106
----------------------------	--------------------

Additional Well Information

¹¹ Work Type N	¹² Well Type S	¹³ Cable/Rotary R	¹⁴ Lease Type Private Surface/ State Minerals	¹⁵ Ground Level Elevation 3,589'
¹⁶ Multiple No	¹⁷ Proposed Depth 6,600'	¹⁸ Formation Glorieta	¹⁹ Contractor TBD	²⁰ Spud Date Upon Approval
Depth to Ground water 140' (CP-01469-Pod 1)		Distance from nearest fresh water well 3,872 (CP-00727)		Distance to nearest surface water 20,898' (Northeast)

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program



Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surface	12-1/4"	9-5/8"	40 lb/ft	1553'	515	Surface
Production	8-3/4"	7"	26 lb/ft	6,600'	1,000	Surface
Tubing	-	4-1/2"	20 lb/ft	5,730'	N/A	N/A


Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular, Pipe & Blind/Shear Rams	3,000 psi	3,000 psi	Hydril, Cameron or Equivalent

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> , if applicable. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Nate Alleman		Approved By: 	
Title: Regulatory Specialist - ALL Consulting		Title: Petroleum Engineer	
E-mail Address: nalleman@all-llc.com		Approved Date: 09/30/2019	Expiration Date: 09/30/2021
Date: 9/19/2019	Phone: 918-237-0559	SEE ATTACHED	
		Conditions of Approval Attached	



NOT TO SCALE

Note: Listed depths and cement volumes are approximates based on available information.

Prepared by:

Drawn by: Joshua Ticknor

Project Manager:
Nathan Alleman

Date: 09/19/2019

Goodnight Midstream Permian, LLC
Robinson SWD 1
Section 4, Twp 22S, Rng 36E
1,868' FNL & 1,564' FWL
Lea County, NM

ALLCONSULTING

Goodnight Midstream Permian LLC**Robinson SWD 1****1,868' FNL & 1,564' FWL****Section 4 , Twp 22S, Rng 36E****Lea County, New Mexico****Proposed Drilling Plan for New SWD****1. Geologic Information:** Permian geologic formations

The Permian Glorieta Formation consist of interbedded carbonates rocks including dolomites, siltstones, and sands. Several thick sections of porous and permeable intervals are present within this formation in the area. Geologic information and depths of formation tops were obtained from surrounding wells within the area of interest. Total depth is 100 feet below the base of the Glorieta Formation. The base of the Rustler Formation and top of the Salado Formation is at approximately 470 feet plus 25 feet equals 495 feet to set bottom of the surface casing to protect the deepest underground sources of drinking water (USDWs).

Estimated Formation Top Depths:

Rustler	270'
Salado	470'
Grayburg	3,945'
San Andres	4,405'
Glorieta	5,750'
Total Depth	6,600'

2. Proposed Drilling Plan:

- a. Move in equipment, excavate cellar and install tinhorn, and then drill conductor hole and set and cement in conductor casing.
- b. Mobilize drilling rig and rig up drilling rig and associated equipment onsite. Set up H2S wind direction indicators and monitors; brief all personnel on Emergency Evacuation Routes and ALL Consulting Site Health and Safety Plan.
- c. Everyone onsite will have stop work authority.
- d. Perform Job Safety Analysis (JSA) meetings before each drilling shift change and prior to any subcontractor performing any task on the location. All equipment should be inspected daily and repaired or replaced as required.
- e. Drilling operations commence.
- f. Have mud logger monitoring returns. All drill cuttings and waste hauled to specified waste facility.
- g. After drilling the surface hole and setting and cementing the casing; if hydrogen sulfide (H2S) levels are detected greater than 10ppm, implement H2S Plan by ceasing operations, shut in well, employ H2S safety trailer and personnel safety devices, install flare line, etc. – refer to plan.
- h. Proper secondary containment needs to be in place. Spills need to be cleaned up immediately. Repair or otherwise correct the situation within 48 hours before resuming operations. Notify Oil Conservation Division (OCD) within 24 hours. Remediation started as soon as possible if required. Operator shall comply with 19.15.29 NMAC and 19.15.30 NMAC, as appropriate.

Proposed Robinson SWD 1 Drilling

i. Sundry forms need to be completed and filed as required by OCD.

3. **Proposed Casing Program:** Casing designed as follows:

STRING	HOLE SZ	DEPTH	CSG SZ	COND	WT/GRD	CLLPS/BRS	TNSN
						(Minimum Safety Factors)	
Conductor	20"	0-120'	16.0"	n/a	n/a	n/a	n/a
Surface	12.25"	0-495'	9.625"	New	40# J55	1.125/1.1	1.8
Production	8.75"	0-6,600'	7.0"	New	26# J55	1.125/1.1	1.8
Tubing	NA	0-5,730'	4.5"	New	20# N80 IPC	1.125/1.1	1.8

Notes:

- ✓ A deviation survey will be conducted and submitted with the Well Completion Report (Form C-105)
- ✓ While running all casing strings, the pipe will be kept a minimum of 1/3 full at all times to avoid approaching the collapse pressure of casing.
- ✓ Based on well completions and geophysical logs on adjacent wells, 7.0" casing shoe is expected to be set at 6,600'. Similarly, total depth will be approximately 6,600' as determined by open hole geophysical logging and after suitable porosity and low resistivity values have been identified. Maximum injection interval is anticipated to be from 5,750' to 6,600', but may change based upon actual wellbore determinations. A sundry notice will document such events as a C-105 well completion report filed within 60 days.

4. **Proposed Cementing Plans:**

Surface Casing: Cemented with approximately 155 sacks of Class A cement with 25% excess and circulated to the surface.

Production Casing: Cement with approximately 1,000 sacks of Class H cement with 25% excess and cement back to surface inside the 9-5/8" surface casing string. Cement top to be confirmed by cement bond logging after cement has cured to appropriate compressive strength.

5. **Pressure Control:** All Blowout Preventers (BOP) and related equipment will comply with well control requirements as described OCD Rules and Regulations and API RP 53, Section 17. The BOP will be either a Hydril, Cameron or equivalent. Minimum working pressure of the BOP and related equipment required for the drilling shall be 500 psi. The maximum working pressure is anticipated at 3,000 psig and the test pressure will be 3,000 psig. The OCD Hobbs district office shall be notified a minimum of 4 hours in advance for a representative to witness all BOP pressure tests. The test shall be performed by an independent service company utilizing a test plug (no cup of J-packer). The results of the test shall be recorded on a calibrated test chart submitted to the OCD district office. BOP testing shall be conducted at:

- a. Installation;
- b. After equipment or configuration changes;

Proposed Robinson SWD 1 Drilling

- c. At 30 days from any previous test, and;
- d. Any time operations warrant, such as well conditions.

The BOP specifications to be used during the various phases of the drilling and casing installation are included in the table below:

Casing Size	Annular Preventer	Rams
16"	26-3/4" – 3M, with diverter	None
9.625"	11" – 5M	Pipe & Blind/Shear – 5M
7.0"	11" – 5M	Pipe & Blind/Shear – 5M

A diagram showing the representative BOP setup is included as Attachment 1.

6. **Auxiliary Well Control and Monitoring:** Hydraulic remote BOP operation and mudlogging to monitor returns.

7. **Mud Program and Monitoring:** Mud will be balanced for all operations with adjustment as needed based on actual wellbore conditions and is proposed as follows:

DEPTH	MUD TYPE	WEIGHT	FV	PV	YP	FL	pH
0-495'	FW Spud Mud	8.5-9.2	70-40	20	12	NC	10.0
495'-6,600'	Brine Mud	9.2-10.0	28-32	NC	NC	NC	10.0

Mud and all cuttings monitored with all drill cuttings recovered for disposal. Returns shall be visually and electronically monitored. In the event of H₂S, mud shall be adjusted appropriately by weight and H₂S scavengers.

8. **H₂S Safety:** This well and related facilities are not expected to have H₂S releases. However, there may be H₂S in the area. There are no private residences or public facilities in the area but a contingency plan has been developed. Goodnight Midstream Permian, LLC will have a company representative available to personnel throughout all operations. If H₂S levels greater than 10ppm are detected or suspected, the H₂S Contingency Plan will be implemented at the appropriate level.

H₂S Safety – There is a low risk of H₂S in this area. The operator will comply with the provisions of New Mexico Administrative Code (NMAC) 19.15.11 and Bureau of Land Management (BLM) Onshore Oil and Gas Order #6.

- a. Monitoring – all personnel will wear monitoring devices.
- b. Warning Sign – a highly visible H₂S warning sign will be placed for obvious viewing at the vehicular entrance point onto location.
- c. Wind Detection – two (2) wind direction socks will be placed on location.
- d. Communications – will be via cellular phones and/or radios located within reach of the driller, the rig floor and safety trailer when applicable.
- e. Alarms – will be located at the rig floor, circulating pump/reverse unit area and the flare line and will be set for visual (red flashing light) at 15 ppm and visual and audible (115 decibel siren) at 20 ppm.
- f. Mud program – If H₂S levels require, proper mud weight, safe drilling practices and H₂S scavengers will minimize potential hazards.

Proposed Robinson SWD 1 Drilling

- g. Metallurgy – all tubulars, pressure control equipment, flowlines, valves, manifolds and related equipment will be rated for H₂S service if required.

The Goodnight Midstream Permian, LLC H₂S Contingency Plan will be implemented if levels greater than 10ppm H₂S are detected.

9. **Geophysical Logging and Testing:** Goodnight Midstream Permian, LLC expects to run:
- a. Geophysical logging through the proposed injection interval will ensure the target interval remains within the Glorieta.
 - b. An open hole gamma ray, SP, compensated density- neutron and dual resistivity log suite will be run from total depth to approximately 525'.
 - c. A cement bond log with gamma ray and collar locator will be run (Radial, CET or equivalent) on the production casing.
 - d. No cores or drill stem tests will be conducted. (The well may potentially be step rate tested in the future if additional injection pressures are required.)
10. **Potential Hazards:** H₂S is a potential hazard. No abnormal pressure or temperatures are anticipated, but drilling operations will be prepared in the event that those conditions occur.

No loss of circulation is expected to occur with the exception of drilling into the target disposal zone. All onsite personnel will be familiar with the safe operation of the equipment being used to drill this well. The maximum anticipated bottom-hole pressure is 2500 psig and the maximum anticipated bottom-hole temperature is 210°F.

11. **Waste Disposal Management:** All drill cuttings, fluids, and other solid wastes associated with drilling and completion operations will be transported to a solid waste facility and commercial Class IID injection operation that has been approved and permitted by the Environmental Bureau of the OCD.


12. **Anticipated Drilling Commencement Date:** Upon approval of the permit for saltwater disposal (SWD), operations would begin within 30 days based on rig availability. Drilling and completion of the well will take approximately six to seven weeks. Installation of the surface facility such as the secondary containment and tank battery, plumbing, injection pump(s), and other treatment and filtering associated equipment would be occurring after the well is completed. In any event, it is not expected for the construction of the surface facility of the project to last more than 90 days, pending on availability of subcontractors and equipment lead times.

13. **Completion for Salt Water Disposal:** Subsequent to SWD permit issuance from OCD and prior to commencing any work, a Notice of Intent (NOI) sundry will be submitted to complete the well for SWD and will detail the completion workover including all work otherwise described above, any change to the procedure noted herein and to perform mechanical integrity pressure testing per BLM and OCD test procedures (including appropriate OCD notification). The tubing and packer will be set at a depth of approximately 5,730 feet and the casing/tubing annulus will be filled with freshwater and corrosion inhibitor and pressure tested to the required test pressure using the standard annulus pressure test. Anticipated daily maximum volume is 25,000 barrels of water per day (bpd) and average of 12,500 bpd at a maximum surface injection pressure of 1,150 psig (0.2 psi/ft to the top of the injection interval).

Proposed Robinson SWD 1 Drilling

If satisfactory disposals rates cannot be achieved at default pressure of .02 psi/ft, Goodnight Midstream Permian, LLC will conduct a step-rate test and apply for an injection pressure increase 50 psig below actual parting pressure achieved during the step-rate testing.

Attachment 1 – Representative BOP Setup



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 23202

CONDITIONS

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 23202
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
chensley	None	5/28/2021