

# FOLK STATE #011 BATTERY CLOSURE REPORT/DEFERRAL REQUEST

API NO. 30-015-37397 2RP-5527 INCIDENT ID: NAB1919234395 RELEASE DATE: 06/12/2019 U/L J, SECTION 17, RANGE 17S, TOWNSHIP 29E EDDY COUNTY, NEW MEXICO

> 05/18/2021 PREPARED BY:



ARTESIA, NM 88210

May 18, 2021

New Mexico Energy, Minerals & Natural Resources NMOCD District II C/O Mike Bratcher, Chad Hensley, Robert Hamlet & Christina Eads 811 S. First Street Artesia, NM 88220

Spur Energy Partners C/O Braidy Moulder and Dakota Neel 920 Memorial City Way, Suite 1000 Houston, TX 77024

RE: Closure/Deferral Request for Spur Energy Partners – Folk State #011 Battery API No. 30-015-37397 RP ID: 2RP-5527 Incident ID No. NAB1919234395 U/L J, Section 17, Range 17S, Township 29E Eddy County, New Mexico

To Whom it May Concern,

On behalf of Spur Energy Partners, Energy Staffing & Services (ESS) has prepared this Closure/Deferral Report that describes the assessment, delineation and remediation associated with the Folk State #011 Battery (hereafter referred to as the "Folk State", dated June 12<sup>th</sup>, 2019). COG Operating provided the notification and submission of the C141 Release Notification on June 12<sup>th</sup>, 2019 with RP# 2RP-5527 and Incident ID NAB1919234395.

This letter provides a description of the spill assessment and remediation activities and demonstrates that the closure criteria established in 19.15.29.12 *New Mexico Administrative Code (NMAC; New Mexico Oil Conservation Division, 2018),* have been met and all applicable regulations have been followed. This document is intended to serve as a final report to obtain approval from the NMOCD for closure of this release.

#### **Incident Description**

On June 12, 2019 a release occurred at the Folk State #011 Battery site when a hole developed on the circulating line, releasing the fluid inside the lined containment. It was observed that approximately 112bbls of crude oil was released. A vacuum truck was dispatched, 80bbls of crude oil was recovered and hauled to disposal. Although the release that occurred on June 12, 2019 it was contained withing the boundaries of the engineered pad and within the secondary containment. No fluid was released into any undisturbed areas and/or waterways.

This release was reported under COG Operating, LLC as they were the operator of record during the release, while Spur Energy Partners was in the process of finalizing the purchase of this lease. Spur took over operation on November 11, 2019.

#### Site Description

The release at the Folk State, occurred on State Land, 32.83377, -104.09565, approximately 6.81 miles northwest of Loco Hills, New Mexico. The description of the site is Unit Letter J, Section 17, Township 17S, Range 29E in Eddy County, New Mexico. The location is within the Permian Basin and has historically been used for oil and gas exploration and production. The aerial photograph and site schematic are included.

The Folk State complex consists of oil and gas equipment, a tank battery and a nearby oil and gas exploration and production well. This well is the closest well to the release and is known as the Folk State #011, which is the API No. associated with this release. The following sections precisely describe the release area inside the facility.

The surrounding landscape is associated with the Kimbrough-Stegall Loams, with 0 to 3 percent slopes. The elevation is 3622 ft. The soil map and data are attached herein.

There is no surface water located on or near the site. There are no continuously flowing watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features at the Folk State, as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

The site has a "medium potential" for Karst Geology to be present near the Folk State site according to the *United States Department of the Interior, Bureau of Land Management*. Please find the Karst Map attached herein.

The nearest groundwater well according to the *New Mexico Office of the State Engineer* is RA 11807 POD1 and is found to be 3173' from the site with ground water data of 76'bgs (below ground surface) and was drilled in 2012. Upon researching the OSE Database (map included); no wells were found inside the ½ mile radius. Please find the attached groundwater data and mapping.

#### **Closure Criteria Determination**

Using Table I, Closure Criteria for Soils Impacted by a Release dated 8/14/2018, this site falls under the site ranking of <100'bgs due to the groundwater depth but due to this site falling under the "medium karst potential", the closure criteria then fall under <50'bgs.

DGW	Constituent	Method	Limit
≤ 50'	Chloride	EPA 300.0 OR SM4500 CLB	600 mg/kg
	TPH (GRO + DRO + MRO)	EPA SW-846 METHOD 8015M	100 mg/kg
	GRO + DRO	EPA SW-846 METHOD 8015M	50 mg/kg
	BTEX	EPA SW-846 METHOD 8021B OR 8260B	10 mg/kg
	Benzene	EPA SW-846 METHOD 8021B OR 8260B	10 mg/kg

#### **Soil Sampling Procedures**

Soil sampling for laboratory analysis was conducted according to the NMOCD – approved industry standards. Accepted NMOCD soil sampling procedures and laboratory analytical methods are as follows:

- Collect clean samples in air tight glass jars supplied by the laboratory to conduct the analysis
- Each sample jar was labelled with site and sample information
- Samples were kept in and stored in a cool place and packed on ice
- Promptly ship samples to the lab for analysis following the COC (chain of custody) procedures

The following lab analysis method was used for each bottom hole and sidewall samples submitted to Envirotech Analytical Laboratory:

Volatile Organics by EPA 8021B

• Benzene, Toluene, Ethylbenzene, p.m. Xylene, o-Xylene and Total Xylenes Nonhalogenated Organics by EPA 8015

- Gasoline Range Organics (C6-C10)
- Nonhalogenated Organics by EPH 8015D DRO/GRO
  - Diesel Range Organics (C10-C28)
  - Oil Range Organics (C28-C40)

Anions by EPA 300.0/9056A

Chloride

#### **Delineation and Remedial Activities**

On or about, January 28<sup>th</sup>, 2020, Hungry Horse, LLC dispatched a crew to the location to begin digging out the material that was previously placed over the lined containment. The site had previously been mapped and photographed. The impacted material inside the containment was excavated out of the containment area by hand. The contaminated material was then stockpiled on plastic outside the lined containment. Upon fully excavating the material from on-top of the liner it became apparent that the liner contained numerous large holes, rips and missing liner in some areas. At this time, it was determined that the liner was not worth patching or repairing. The liner was then cut out and hauled to disposal. The area inside the containment then had to be fully delineated both vertically and horizontally. Thirteen (13) vertical sample points were set inside the containment with (8) horizontal sidewalls sample points. The site was sampled in 1' and 2' intervals. Both a hand-auger and mini track-hoe was used to delineate the site, due to the electrical lines, production lines and production equipment being in the area of impact. All of the surface samples obtained for sample point 1 thru 13 showed no indication of impact at the surface. The impacted area measured 12750.037 sq. ft. covering the entire containment. Taking out the production equipment and lines in the area, this leaves approximatley 4000 square feet of free space.

Vertical delineation continued after the sample points were placed and surface samples were tested and logged. Each sample was titrated in the field, then jarred and sent to Envirotech Laboratory for confirmation. A PID Meter was also used to detect high concentrations of TPH. SP1 was delineated to 2'bgs and hit refusal due to hard rock in the area, chlorides were under the criteria but TPH and BTEX were above recommended levels. SP2 was delineated to 6'bgs and hit refusal, with concentrations above criteria on TPH only. SP3 was delineated to 2'bgs and hit refusal, with concentrations below the levels for chlorides but above for TPH. SP4 was delineated to 2'bgs, hitting refusal with concentrations above the levels for TPH only. SP5 thru SP13 was delineated to 4-6'bgs, with all levels below the concentration requirements. SP5 thru SP12 did not show any elevated field-testing during delineation. SP13 showed field testing was elevated in chlorides but lab analysis showed otherwise.

After obtaining the vertical samples, a full horizontal delineation began to ascertain the edges of the impacted area. Each sidewalls were sampled in the field, using the titration method, then jarred and sent to Envirotech Laboratories for confirmation. Out of the (8) samples taken during the horizontal delineation only SP5 and SP6 were elevated in chloride contamination. Please find the vertical and delineation sample data and laboratory reports attached herein.

Upon receipt of the confirmed lab analysis, it was decided to excavate 1'to 2'bgs in the area of impact from the containment area. This would maintain the integrity of the tank battery and other production lines and equipment within the containment. Excavation began by using hand shovels and a mini track-hoe when possible. The impacted material was then placed on plastic.

Following excavation an email was sent to the NMOCD requesting witnessing of final closure samples. Approximately 240 cu. yds. of contaminated soil was then loaded and hauled to Lea Land Disposal. Approximately 280 yards of clean soil was back-hauled and stockpiled on site. Following expiration of the 48-waiting period, closure samples were obtained and with no witnessing from the NMOCD due to time constraints.

The area of impact was divided into two halves, each half had 5 sample points (taking out the covered areas with production equipment) and a total of 6 sidewalls. The site was not fully excavated to meet the standard for this site due to infrastructure interference. The closure sample data indicates that contamination of the soil is still evident, that falls outside the closure criteria for this site. Therefore, a decision was made to backfill the excavated area and request a deferral of this release for the Folk State. Following receipt of the confirmed closure samples, the site was backfilled with approximately 280 cu. yds. of imported clean soil. The area was then leveled, production lines were stabilized and the area was contoured back to its natural state. The berms were replaced to contain any future spills or releases.

#### **Closure Report Submittal and Denial**

A closure report was drafted and submitted to the OCD on June 24<sup>th</sup>, 2020. The closure report was then denied by the OCD on September 30, 2020 for the following reasons:

The OCD has denied the submitted Closure Report/Deferral Request C-141 for incident # NAB1919234395 FOLK STATE #011 @ 30-015-37397 for the following reasons:

• The Depth to groundwater has not been established. When nearby wells are used to determine depth to groundwater, the wells should be no further than ½ mile away from the site, data should be no more than 25 years old, and well construction information should be provided:

http://www.emnrd.state.nm.us/OCD/documents/OCDInternalPolicy-SpillRuleClarifications.pdf. Therefore, the remediation levels outlined in Table 1 of 19.15.29 NMAC have not been established for this site.

• Vertical delineation, which is driven by depth to water, is incomplete because the depth to groundwater has not been established.

• Each confirmation floor sample was representative of ~6000 square feet, exceeding part 29 Closure Requirements by over 30 times.

• The OCD wants to clarify that the entire release area will not be deferred, only the sample points that are around production equipment such as production tanks, wellheads and pipelines. The release must be remediated to the fullest extent possible. The deferral may be granted so long as the contamination is fully delineated and does not cause an imminent risk to human health, the environment, or ground water. All sample points, except the requested sample points for deferral, must have contaminated soil removed before a deferral request is uploaded to the payment portal.

At this time, Spur Energy decided to drill a borehole to confirm that ground water was not found <76'. A boring rig went out to the site on Monday May 10<sup>th</sup>, 2021. Boring log

information is found below and is attached to this report. The location of the borehole was placed at 32.8336260 -104.0965154. The borehole was placed on the west side of the location, side gradient of the release, away from any flowlines, buried lines of production infrastructure.

0' to 3' – topsoil 3' to 14' – caliche 14' to 20' – red sand/clay 20' to 30' – red sand 30' to 78' – anhydrite/red sand/clay

The borehole was left open for 48hours. Upon returning the borehole was still dry at 78'. The Borehole was then plugged from bottom to top with 35 sacks of bentonite chips.

No further delineation was completed as this site will need a further delineation, excavation and reclamation once the wells have been plugged and the facility is no longer needed.

#### **Closure/Deferral Request**

ESS on behalf of Spur Energy Partners requests that the delineation, partial remediation and depth to ground water determination to provide resourceful information to have this release that occurred on the Folk State to be placed under deferment. Due to lines, production infrastructure and safe excavating restrictions, that deferment be granted until the wells going to this facility have been plugged or reconstruction and/or placement of the facility is redesigned, that the impacted area stay in place and this release in question be deferred. With the removal of the liner, full delineation and partial remediation only in the impacted zone, that enough evidence has been provided to prove that there is no imminent danger to the environment and drinking water due to the Folk State Release that occurred on June 12, 2019. The tank battery area will require further delineation and remediation once the location is decommissioned, tanks are removed and all other production equipment is removed or relocated. Due to safety precautions, live production lines and electrical sources, it is determined unsafe to compromise the production equipment with further excavation at this time.

The information provided in this report can be used to determine that further actions are needed at time of abandonment. If you have any questions or concerns, please contact the undersigned.

Sincerely,

# Natalie Gladden

# **Director of Environmental and Regulatory Services Energy Staffing Services, LLC.**

#7 Compress Rd Artesia, NM 88210 Cell: 575-390-6397 Email: <u>natalie@energystaffingllc.com</u>



Attachments: Initial C141 Site Map Soil Map Karst Map Groundwater Data and Mapping Before Photos Sample Data Delineation Sample Map w/GPS **Delineation Lab Analysis During Photos** Closure Sample Map w/GPS Closure Lab Analysis **Final Photos Closure Denial Email Boring Logs Drilling Photos** Final C141

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

. • . 1

State of New Mexico Energy Minerals and Natural **Resources Department** 

**Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Page 9 of 123

Incident ID	
District RP	
Facility ID	
Application ID	

# **Release Notification**

## **Responsible Party**

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

## **Location of Release Source**

Latitude	Longitude
	(NAD 83 in decimal degrees to 5 decimal places)
Site Name	Sita Type

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: \_

## **Nature and Volume of Release**

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

Page	2
1 uge	-

#### Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the responsible party consider this a major release?
release as defined by	
19.15.29.7(A) NMAC?	
Yes No	
If YES, was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?

# **Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.


All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:	Title:
Signature:	Date:
email:	Telephone:
OCD Only	
Received by:	Date:



Released to Imaging: 7/1/20

and the second se

211

Old Loso Rd N

:26:38 AM

OLK STATE #011 BATTERY






Released to Imaging: 7/1/2021 8:26:38 AM

rea of Ir	Area of Interest (AOI) Area of Interest (AOI)		Spoil Area Stony Spot	The soil surveys that comprise your AOI were mapped at 1:20,000.
Soils	Soil Mon Llait Dobroom	8	Very Stony Spot	Warning: Soil Map may not be valid at this scale.
1	Soil Map Unit Lines	\$	Wet Spot	Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil
	Soil Map Unit Points	Ø	Other	line placement. The maps do not show the small areas of
Special	Special Point Features	Ņ,	Special Line Features	cultrasurig soils triat could riave been shown at a more detailed scale.
э [	Blowout	Water Features	eatures Streams and Canals	Please rely on the bar scale on each map sheet for map
<b>X</b> )#		Transportation	rtation 5	measurements. Source of Many - Natural Decources Consorration Sonvice
•	Closed Depression	ŧ ł	raiis Interstate Highwavs	Vertical Survey URL: Continues Societary - Web Mercator (FDSG-2857)
ኤ	Gravel Pit	2	US Routes	Mans from the Weh Soil Survey are haved on the Weh Marrator
•:	Gravelly Spot	8	Major Roads	projection, which preserves direction and shape but distorts
0	Landfill	Ì	Local Roads	distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more
~	Lava Flow	Background	pun	accurate calculations of distance or area are required.
-\$	Marsh or swamp	J.	Aerial Photography	This product is generated from the USDA-NRCS certified data as of the version date(s) listed helow
₩	Mine or Quarry			Sail Survey Area: Eddy Area New Mavino
0	Miscellaneous Water			
0	Perennial Water			Soil map units are labeled (as space allows) for map scales
>	Rock Outcrop			1:50,000 or larger.
+	Saline Spot			Date(s) aerial images were photographed: Feb 27, 2020—Feb
:••	Sandy Spot			to, toto The orthorhorto or other base men on which the soil lines were
0	Severely Eroded Spot			compiled and digitized probably differs from the background
٥	Sinkhole			imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.
A	Slide or Slip			-
Ø	Sodic Spot			

FOLK STATE #011 BATTERY

# Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
кт	Kimbrough-Stegall loams, 0 to 3 percent slopes	7.9	100.0%
Totals for Area of Interest		7.9	100.0%



# Received by OCD: 5/20/2021 4:35:14 PM SPUR ENERGY PARTNERS

FOLK STATE #011 BATTERY DOR: 6.12.19 KARST MAP: MEDIUM

Google Earth Released to Imaging: 7/1/2021 8:26:38 AM mage Landsat / Copernicus

## Legend



FOLK STATE #011 BATTERY



FOLK STATE #011 BATTERY

82

🥖 Medium

Lovington Hwy



### Received by OCD: 5/20/2021 4:35:14 PM SPUR ENERGY PARINERS

FOLK STATE #011 BATTERY DOR: 6.12.19 GROUNDWATER MAP

RA 12307 POD 1 - 4214' FROM SITE 58' DGW


FOLK STATE #011 BATTERY

82

S. MARTIN THE NEW YORK


Provide a set of the

Google Earth Released to Imaging: 1/1/2021 8:26:38 AM mage Landsat / Copernicus







FOLK STATE #011 BEGINNING PHOTOS















Company Name: SPUR			Location	Name:	FOLK STA	TE #011 BTY	,	Release Date:	6/12/2019		
SP ID	Depth	Titr	PID	L-BTEX	L-DRO	L-ORO	L-GRO	L-TPH	L-CHL	Soil	Notes
	SURF			L-DIEA	L-DKO	L-OKO	L-GKO	L-IFN	L-CHL	3011	Notes
SP 1	1'	160	TPH								
		240	TPH								
	2'	400	ТРН	8.9	8770	3660	162	12592.00	153		COULDN'T GO DEEPER - ROCK
SP 2	SURF	320	ТРН			-					
	1'	400	ТРН								
	2'	320	ТРН								
	4'	320	ТРН								
	6'	320	ТРН	ND	1010	507	ND	1517.00	190		
SP 3	SURF	240	TPH								
	1'	1760	TPH								
	2'	1040	TPH	ND	882	480	ND	1362.00	564		
SP 4	SURF	160	ТРН								
	1'	160	TPH								
	2'	160	ТРН	0.0951	5210	<b>2460</b>	ND	7670.00	28.1		
SP 5	SURF	240	TPH								
	1'	240	ТРН								
	2'	240	ТРН								
	4'	240	TPH								
	6'	240	TPH	ND	498	287	ND	785.00	98.7		
SP 6	SURF	160	TPH								
	1'	160	TPH								
	2'	240	TPH								
	4'	240	TPH								
	6'	240	ТРН	ND	147	105	ND	252.00	ND		
SP 7	SURF	240	TPH								

	1'	160	ТРН							
	2'	560	ТРН							
	4'	160	ТРН							
	6'	160	ТРН	ND	386	231	ND	627.00	33.7	
SP 8	SURF	160	ТРН							
	1'	240	TPH							
	2'	240	TPH							
	4'	160								
	6'	320		ND	ND	ND	ND	ND	ND	
SP 9	SURF	240	TPH							
	1'	240	TPH							
	2'	160	TPH							
	4'	160								
	6'	160		ND	ND	ND	ND	ND	ND	
SP 10	SURF	240	TPH							
	1'	160	ТРН							
	2'	240	ТРН							
	4'	160	ТРН							
	6'	160		ND	46.2	ND	ND	46.20	ND	
SP 11	SURF	240	ТРН							
	1'	240	ТРН							
	2'	240	ТРН							
	4'	240	ТРН							
	6'	240		ND	ND	ND	ND	ND	135	
SP 12	SURF	320	ТРН							
	1'	480	ТРН							
	2'	320	ТРН							
	4'	480		ND	ND	ND	ND	ND	266	

SP13	SURF	ND	ТРН							
	1'	1440	ТРН							
	2'	1200	ТРН							
	4'	1440		ND	ND	ND	ND	ND	220	
	•	1440							220	
BG		160		ND	ND	ND	ND	ND	21.3	
DO		100							21.5	
SW1	SURF	320					1		1	
5001	1'	160		ND	ND	ND	ND	ND	ND	
	<b>-</b>	100								
SW2	SURF	960					1		1	
5002	1'	80		ND	ND	ND	ND	ND	ND	
	<u>1-</u>									
SW3	SURF	1050			[	[				
5005	1'	240		ND	ND	ND	ND	ND	49.4	
	<b>-</b>	240								
SW4	SURF	1200			[	[				
5004	1'	240		ND	ND	ND	ND	ND	33.3	
	<u> </u> +	240							55.5	
SW5	SURF	3600			[	[				
5115	1'	2320		ND	ND	ND	ND	ND	2110	
	1-	2320							2110	
SW6	SURF	800			[	[				
5110	1'	960		ND	34.9	ND	ND	ND	870	
	-	500			010				0,0	
SW7	SURF	800								
	1'	560		ND	ND	ND	ND	ND	462	
	<b>1</b> -									
SW8	SURF	320								
	1'	320		ND	ND	ND	ND	ND	130	
	-									
<mark>C SW 1</mark>		160		ND	30.3	ND	ND	30.30	46.1	
0011		100			0010					
<mark>C SW 2</mark>		160		ND	ND	ND	ND	ND	1260	
2 3 4 2		100							1200	

C SW 4       80       ND       165							-				
C SW 5     240     ND     ND     ND     ND     ND     ND     165     Image: Constraint of the second	C SW 3		240	ND	ND	ND	ND	ND	2430		
C SW 5     240     ND     ND     ND     ND     ND     ND     165     Image: Constraint of the second											
C SW 6       400       ND       41.8       ND       ND       41.80       490       Image: Second Secon	C SW 4		80	ND	ND	ND	ND	ND	ND		
C SW 6       400       ND       41.8       ND       ND       41.80       490       Image: Second Secon			•								
C SW 6       400       ND       41.8       ND       ND       41.80       490       Image: Second Secon	C SW 5		240	ND	ND	ND	ND	ND	165		
NCSP 1240240ND112005010ND27410.0025.1Image: State Sta											
NCSP 1240240ND112005010ND27410.0025.1Image: State Sta	C SW 6		400	ND	41.8	ND	ND	41.80	490		
Image: section of the section of th	<u> </u>										
Image: section of the section of th	NCSP 1		240	ND	11200	5010	ND	27410.00	25.1		
Image: Normal systemImage: Normal system											
Image: Normal systemImage: Normal system	NCSP 2		720	ND	3760	1860	ND	5620.00	ND		
Image: Normal systemImage: Normal system			720		5700	1000		5020.00			
Image: Normal systemImage: Normal system			160	ND	9690	1850	ND	11540.00	28.3		
Image: series of the series	NCJF J		100		3030	1050		11340.00	30.3		
Image: series of the series			160	ND	4750	1040		E800.00	ND		
Image: series of the series	NCSP 4		100		4750	1040		5890.00			
Image: series of the series			160		4460	1000		6440.00			
Image: SCSP1Image: SCSP1Image: SCSP2Image: SCSP3Image: SCSP3 </td <td>INCSP 5</td> <td></td> <td>100</td> <td>ND</td> <td>4460</td> <td>1980</td> <td></td> <td>6440.00</td> <td></td> <td></td> <td></td>	INCSP 5		100	ND	4460	1980		6440.00			
Image: SCSP1Image: SCSP1Image: SCSP2Image: SCSP3Image: SCSP3 </td <td></td> <td></td> <td>240</td> <td></td> <td>7470</td> <td>2510</td> <td>ND</td> <td>10000.00</td> <td>150</td> <td></td> <td></td>			240		7470	2510	ND	10000.00	150		
SCSP2720ND39701760ND5730.00NDAddSCSP3720ND160ND160016001600160016001600SCSP3160160ND1680929ND2609.00ND10001000SCSP4160ND1200601ND1801.00134100010001000SCSP5160ND403459ND862.0014710001000147	CPIN		240	ND	7470	3210	ND	10980.00	120		
SCSP2720ND39701760ND5730.00NDAddSCSP3720ND160ND160016001600160016001600SCSP3160160ND1680929ND2609.00ND10001000SCSP4160ND1200601ND1801.00134100010001000SCSP5160ND403459ND862.0014710001000147	<u></u>		240	2.62	45.00	6220	54.0	24074.20			
Image: Normal SCSP3Image: Normal	SCSP1		240	2.63	15600	6220	51.2	218/1.20	ND		
Image: Normal SCSP3Image: Normal					0.070	4760					
Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP5Image: SCSP5 </td <td>SCSP2</td> <td></td> <td>/20</td> <td>ND</td> <td>3970</td> <td>1/60</td> <td>ND</td> <td>5730.00</td> <td>ND</td> <td></td> <td></td>	SCSP2		/20	ND	3970	1/60	ND	5730.00	ND		
Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP4Image: SCSP5Image: SCSP5 </td <td></td>											
SCSP5         160         ND         403         459         ND         862.00         147 <t< td=""><td>SCSP3</td><td></td><td>160</td><td>ND</td><td>1680</td><td>929</td><td>ND</td><td>2609.00</td><td>ND</td><td></td><td></td></t<>	SCSP3		160	ND	1680	929	ND	2609.00	ND		
SCSP5         160         ND         403         459         ND         862.00         147 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
	SCSP4		160	ND	1200	601	ND	1801.00	134		
CP S         COMP         240         0.151         4250         1870         ND         6120.00         65.4         Image: Complex in the second sec	SCSP5		160	ND	403	459	ND	862.00	147		
CP S         COMP         240         0.151         4250         1870         ND         6120.00         65.4											
	CP S	COMP	240	0.151	4250	1870	ND	6120.00	65.4		

Page 26 of 123



SW1

# FOLK STATE BATTERY DOR: 06/12/2019

SIDEWALL GPS SW1: 32.834216 -104.095874 SW2: 32.834129 -104.095726 SW3: 32.833921 -104.095580 SW4: 32.833689 -104.095408 SW5: 32.833603 -104.095350 SW6: 32.833619 -104.095535 SW2 SW7: 32.833878 -104.095720 SW8: 32.834076 -104.095861

SW3

oSP8

SW6

SP9

SW4

oSP11

SP12 SW5

Legend

0

Point\_generic

SamplePoint

oSP6

BG SAMPLE

ESS

SW8 SP2

0

oSP4

oSP

SW7

BACKGROUND GPS 32.834129 -104.095219

SAMPLE POINT GPS SP1: 32.834151 -104.095837 SP2: 32.834086 -104.095826 SP3: 32.834091 -104.095741 SP4: 32.833958 -104.095751 SP5: 32.833938 -104.095655 SP6: 32.833880 -104.095627 SP7: 32.833812 -104.095588 SP8: 32.833689 -104.095545 SP9: 32.833713 -104.095545 SP9: 32.833627 -104.095507 SP11: 32.833625 -104.095407 SP12: 32.833516 -104.095364 SP13: 32.833552 -104.095448



# **Released to Imaging:** 7/1/2021 8:26:38 AM

Source: Esrl, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



# **Analytical Report**

**Report Summary** 

Client: Spur

Samples Received: 3/31/2020 Job Number: 19054-0003 Work Order: P003135 Project Name/Location: Folk State

Walter Hinkow

Date: 4/1/20

Report Reviewed By:

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

Ph (505) 632-0615 Fx (505) 632-1865

5796 Highway 64, Farmington, NM 87401

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 15:58

#### **Analytical Report for Samples**

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
SP1-6'	P003135-01A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP2-6'	P003135-02A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP3-2'	P003135-03A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP4-2'	P003135-04A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP5-6'	P003135-05A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP6-6'	P003135-06A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP7-6'	P003135-07A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP8-6'	P003135-08A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP9-6'	P003135-09A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP10-6'	P003135-10A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP11-6'	P003135-11A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP12-4'	P003135-12A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
SP13-4'	P003135-13A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.
Background	P003135-14A	Soil	03/30/20	03/31/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project	Name:	Folk	State						
PO Box 1058	Project	Number:		54-0003				Reported:		
Hobbs NM, 88240	Project	Manager:	Nata	lie Gladden				04/01/20 15:58		
			SP1-6'							
			35-01 (S	olid)						
		Reporting								
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organics by EPA 8021										
Benzene	0.138	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Toluene	0.991	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Ethylbenzene	1.96	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
p,m-Xylene	5.26	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
o-Xylene	3.64	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Total Xylenes	8.90	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Surrogate: 4-Bromochlorobenzene-PID		125 %	50	)-150	2014006	03/31/20	03/31/20	EPA 8021B		
Nonhalogenated Organics by 8015 - DRO	/ORO									
Diesel Range Organics (C10-C28)	8770	500	mg/kg	20	2014004	03/31/20	03/31/20	EPA 8015D		
Oil Range Organics (C28-C40)	3660	1000	mg/kg	20	2014004	03/31/20	03/31/20	EPA 8015D		
Surrogate: n-Nonane		208 %	50	0-200	2014004	03/31/20	03/31/20	EPA 8015D	<i>S5</i>	
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	162	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D		
Surrogate: 1-Chloro-4-fluorobenzene-FID		106 %	50	)-150	2014006	03/31/20	03/31/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	153	100	mg/kg	5	2014003	03/31/20	03/31/20	EPA 300.0/9056A		

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Proje	ect Name:	Folk	State					
PO Box 1058	Proj	ect Number:	1905	54-0003				<b>Reported:</b>	
Hobbs NM, 88240	Proj	ect Manager:	Nata	lie Gladden				04/01/20 15:	58
			SP2-6'						
		P0031	35-02 (S	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		108 %	50	0-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	1010	125	mg/kg	5	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	507	250	mg/kg	5	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		106 %	50	0-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
- Surrogate: 1-Chloro-4-fluorobenzene-FID		92.6 %	50	)-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	190	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Project	Project Name:							
PO Box 1058	Project	Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Project	Manager:	Nata	lie Gladden			04/01/20 15:58		
			SP3-2'						
· · · · · · · · · · · · · · · · · · ·			35-03 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		108 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	ORO								
Diesel Range Organics (C10-C28)	882	125	mg/kg	5	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	480	250	mg/kg	5	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		109 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		90.2 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	564	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Project	Folk	State						
PO Box 1058	Project	Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Project	Manager:	Nata	lie Gladden				04/01/20 15:58	
			SP4-2'						
			35-04 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	0.0739	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	0.0698	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	0.0253	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	0.0951	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO	D/ORO								
Diesel Range Organics (C10-C28)	5210	500	mg/kg	20	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	2460	1000	mg/kg	20	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		111 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GR	0								
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		91.0 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	28.1	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Projec	Folk	State						
PO Box 1058	Projec	t Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Projec	t Manager:	Nata	lie Gladden				04/01/20 15:58	
			SP5-6'						
			35-05 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OI	RO								
Diesel Range Organics (C10-C28)	498	50.0	mg/kg	2	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	287	100	mg/kg	2	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		108 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		90.8 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	98.7	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Project Name:		Folk	State						
PO Box 1058	Project Number:		19054-0003					Reported:		
Hobbs NM, 88240	Projec	Project Manager:		lie Gladden				04/01/20 15:58		
			SP6-6'							
			35-06 (So	olid)						
		Reporting								
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organics by EPA 8021										
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Surrogate: 4-Bromochlorobenzene-PID		107 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B		
Nonhalogenated Organics by 8015 - DRO/OR	0									
Diesel Range Organics (C10-C28)	147	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D		
Oil Range Organics (C28-C40)	105	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D		
Surrogate: n-Nonane		93.4 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D		
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D		
Surrogate: 1-Chloro-4-fluorobenzene-FID		90.5 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	ND	40.0	mg/kg	2	2014003	03/31/20	03/31/20	EPA 300.0/9056A		

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Project Name:		Folk	State						
PO Box 1058	Project Number:		19054-0003					Reported:		
Hobbs NM, 88240	Proje	ct Manager:	Natalie Gladder				04/01/20 15:58			
		:	SP7-6'							
		P0031	35-07 (Se	olid)						
Reporting										
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organics by EPA 8021										
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Surrogate: 4-Bromochlorobenzene-PID		106 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B		
Nonhalogenated Organics by 8015 - DRO/OR	0									
Diesel Range Organics (C10-C28)	386	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D		
Oil Range Organics (C28-C40)	231	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D		
Surrogate: n-Nonane		109 %	50-200		2014004	03/31/20	03/31/20	EPA 8015D		
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D		
Surrogate: 1-Chloro-4-fluorobenzene-FID		90.9 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	33.7	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A		

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Project Name:		Folk	State						
PO Box 1058	Project Number:		19054-0003					Reported:		
Hobbs NM, 88240	Projec	et Manager:	Nata	Natalie Gladden				04/01/20 15:58		
		:	SP8-6'							
			35-08 (Se	olid)						
Reporting										
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organics by EPA 8021										
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B		
Surrogate: 4-Bromochlorobenzene-PID		106 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B		
Nonhalogenated Organics by 8015 - DRO/OR	0									
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D		
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D		
Surrogate: n-Nonane		86.6 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D		
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D		
- Surrogate: 1-Chloro-4-fluorobenzene-FID		90.6 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	ND	100	mg/kg	5	2014003	03/31/20	03/31/20	EPA 300.0/9056A		

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Proje	ct Name:	Folk	State					
PO Box 1058	Proje	et Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Proje	ct Manager:	Nata	lie Gladden				04/01/20 15:	58
			SP9-6'						
			35-09 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		104 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		84.2 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
- Surrogate: 1-Chloro-4-fluorobenzene-FID		87.2 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Proje	ect Name:	Folk	State					
PO Box 1058	Proje	ect Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Proje	ect Manager:	Nata	lie Gladden				04/01/20 15:	58
		S	SP10-6'						
			35-10 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		103 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	)								
Diesel Range Organics (C10-C28)	46.2	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		101 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		86.9 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Proje	ct Name:	Folk	State					
PO Box 1058	Proje	et Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Proje	ct Manager:	Nata	lie Gladden				04/01/20 15:	58
		S	SP11-6'						
			35-11 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		103 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		82.5 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.1 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	135	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com



Spur	Proje	ect Name:	Folk	State					
PO Box 1058	Proje	ect Number:	1905	54-0003				<b>Reported:</b>	
Hobbs NM, 88240	Proje	ect Manager:	Nata	lie Gladden				04/01/20 15:	58
		S	SP12-4'						
		P0031	35-12 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		103 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	)								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		90.6 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
- Surrogate: 1-Chloro-4-fluorobenzene-FID		86.2 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	266	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Proj	ect Name:	Folk	State					
PO Box 1058	Proj	ect Number:	1905	54-0003				Reported:	
Hobbs NM, 88240	Proje	ect Manager:	Nata	lie Gladden				04/01/20 15:	58
		S	SP13-4'						
			35-13 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		104 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		86.3 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.5 %	50	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	220	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Projec	t Name:	Folk	State					
PO Box 1058	Projec	t Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Projec	t Manager:	Nata	lie Gladden				04/01/20 15:	58
		Bac	kgroun	d					
			35-14 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		103 %	50	-150	2014006	03/31/20	03/31/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OF	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014004	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		94.5 %	50	-200	2014004	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014006	03/31/20	03/31/20	EPA 8015D	
- Surrogate: 1-Chloro-4-fluorobenzene-FID		86.8 %	50-	-150	2014006	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	21.3	20.0	mg/kg	1	2014003	03/31/20	03/31/20	EPA 300.0/9056A	

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 15:58

#### Volatile Organics by EPA 8021 - Quality Control

### **Envirotech Analytical Laboratory**

			•		•					
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2014006 - Purge and Trap EPA 5030A										
Blank (2014006-BLK1)				Prepared:	03/31/20 0 /	Analyzed: (	)3/31/20 1			
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250								
p,m-Xylene	ND	0.0500								
o-Xylene	ND	0.0250								
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.31		"	8.00		104	50-150			
LCS (2014006-BS1)				Prepared:	03/31/20 0 4	Analyzed: (	03/31/20 1			
Benzene	5.06	0.0250	mg/kg	5.00		101	70-130			
Toluene	5.09	0.0250	"	5.00		102	70-130			
Ethylbenzene	5.10	0.0250	"	5.00		102	70-130			
p,m-Xylene	10.2	0.0500	"	10.0		102	70-130			
o-Xylene	5.11	0.0250	"	5.00		102	70-130			
Total Xylenes	15.3	0.0250	"	15.0		102	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.53		"	8.00		107	50-150			
Matrix Spike (2014006-MS1)	Sou	rce: P003133-	01	Prepared:	03/31/20 0 /	Analyzed: (	03/31/20 1			
Benzene	4.80	0.0250	mg/kg	5.00	ND	96.0	54.3-133			
Toluene	4.82	0.0250	"	5.00	ND	96.3	61.4-130			
Ethylbenzene	4.81	0.0250	"	5.00	ND	96.1	61.4-133			
p,m-Xylene	9.60	0.0500	"	10.0	ND	96.0	63.3-131			
o-Xylene	4.83	0.0250	"	5.00	ND	96.6	63.3-131			
Total Xylenes	14.4	0.0250	"	15.0	ND	96.2	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.38		"	8.00		105	50-150			
Matrix Spike Dup (2014006-MSD1)	Sou	rce: P003133-	01	Prepared:	03/31/20 0 /	Analyzed: (	03/31/20 1			
Benzene	4.97	0.0250	mg/kg	5.00	ND	99.4	54.3-133	3.49	20	
Toluene	4.97	0.0250	''''''''''''''''''''''''''''''''''''''	5.00	ND	99.4	61.4-130	3.17	20	
Ethylbenzene	4.96	0.0250		5.00	ND	99.2	61.4-133	3.17	20	
p,m-Xylene	9.90	0.0500		10.0	ND	99.2 99.0	63.3-131	3.10	20	
o-Xylene	4.98	0.0250		5.00	ND	99.0 99.6	63.3-131	3.06	20	
Total Xylenes	4.98	0.0250	"	15.0	ND	99.0	0-200	3.09	200	
Surrogate: 4-Bromochlorobenzene-PID	8.42	0.0230	"	8.00	n.b	105	50-150	5.67	200	
Surrogue. +-Dromocniorobenzene-11D	0.72			0.00		105	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 15:58

#### Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

### Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2014004 - DRO Extraction EPA 3570										
Blank (2014004-BLK1)				Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	51.0		"	50.0		102	50-200			
LCS (2014004-BS1)				Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	443	25.0	mg/kg	500		88.6	38-132			
Surrogate: n-Nonane	46.9		"	50.0		93.9	50-200			
Matrix Spike (2014004-MS1)	Sou	rce: P003133-	01	Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	468	25.0	mg/kg	500	ND	93.6	38-132			
Surrogate: n-Nonane	47.3		"	50.0		94.7	50-200			
Matrix Spike Dup (2014004-MSD1)	Sou	rce: P003133-	01	Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	490	25.0	mg/kg	500	ND	98.0	38-132	4.55	20	
Surrogate: n-Nonane	48.7		"	50.0		97.3	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 15:58

#### Nonhalogenated Organics by 8015 - GRO - Quality Control

	En	virotech A	Analyti	cal Labor	atory					
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2014006 - Purge and Trap EPA 5030A			01110	20101		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2	10.0		
Blank (2014006-BLK1)				Prepared: (	)3/31/20 0 A	Analyzed: 0	3/31/20 1			
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		"	8.00		91.9	50-150			
LCS (2014006-BS2)				Prepared: (	)3/31/20 0 A	Analyzed: 0	3/31/20 1			
Gasoline Range Organics (C6-C10)	44.7	20.0	mg/kg	50.0		89.3	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.38		"	8.00		92.2	50-150			
Matrix Spike (2014006-MS2)	Sour	ce: P003133-	01	Prepared: (	)3/31/20 0 A	Analyzed: 0	3/31/20 1			
Gasoline Range Organics (C6-C10)	45.3	20.0	mg/kg	50.0	ND	90.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		"	8.00		91.9	50-150			
Matrix Spike Dup (2014006-MSD2)	Sour	ce: P003133-	01	Prepared: (	)3/31/20 0 A	Analyzed: 0	3/31/20 1			
Gasoline Range Organics (C6-C10)	44.7	20.0	mg/kg	50.0	ND	89.5	70-130	1.25	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.38		"	8.00		92.3	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 15:58

#### Anions by 300.0/9056A - Quality Control

#### **Envirotech Analytical Laboratory**

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2014003 - Anion Extraction EPA 30	0.0/9056A									
Blank (2014003-BLK1)				Prepared &	Analyzed:	03/31/20 0				
Chloride	ND	20.0	mg/kg							
LCS (2014003-BS1)				Prepared &	Analyzed:	03/31/20 0				
Chloride	235	20.0	mg/kg	250		93.8	90-110			
Matrix Spike (2014003-MS1)	Sour	ce: P003131-	01	Prepared: (	3/31/2004	Analyzed: 0	3/31/20 1			
Chloride	508	20.0	mg/kg	250	252	102	80-120			
Matrix Spike Dup (2014003-MSD1)	Sour	ce: P003131-	01	Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Chloride	509	20.0	mg/kg	250	252	103	80-120	0.289	20	

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

 5796 Highway 64, Farmington, NM 87401
 Ph (505) 632-0615 Fx (505) 632-1865
 envirotech-inc.com

 24 Hour Emergency Response Phone (800) 362-1879
 Labadmin@envirotech-inc.com

Released to Imaging: 7/1/2021 8:26:38 AM



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 15:58

#### **Notes and Definitions**

S5	Surrogate spike recovery	v exceeded acceptance limit	s due to interfering target and/o	r non-target analytes.
----	--------------------------	-----------------------------	-----------------------------------	------------------------

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

\*\* Methods marked with \*\* are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Project Information	Chain of	Custody										Page of _	2
Client: Sfur	Bill To					ab Us	se On	ıly	T	AT	E	PA Program	C
Project: Folk State Project Manager:	Attention: Address:		Lab	WO#	ŧ			Number	1D	3D	RCRA	CWA SDWA	
Address:	<u>City, State, Zip</u>		PO	031	35		19	sis and Metho	IX	1			Ľ
City, State, Zip	Phone:						Analy	sis and Metho		1		State NM CO UT AZ	
Phone:	Email: Natalie		15	15								NW CO OT AL	
Email: Natalie			y 80	y 80	17	0		0.0	-			TX OK	
Report due by:		an a se tracter materi	RO b	RO b	y 802	/ 826	601(	le 301	NN -	X1.			
Time Date Matrix No Sampled Sampled Matrix Containers Sample ID		Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC - NM	BGDOC • TX		Remarks	
S I SPI-	( ) K	T. Sala							X				
SP2-	6'	2							Í.				
SP3-	Z'	3											
SP4-2	2'	9											
SP5-6	, <mark>(</mark> ,	S											
SP6-4	<i>x</i>	6											
SP7- (	o'	F											
SP8-6		8											
SP9-1	e	9											
1 SP10-	6'	10							T				
Additional Instructions:												J	
(field sampler), attest to the validity and authenticity of this sample. I am aware t time of collection is considered fraud and may be grounds for legal action. Samplec	by:	ation, date or						requiring thermal prese packed in ice at an avg t				e day they are sampled or subsequent days.	
Relinquished by: (Signature)	Received by: (Signature)	Date 3.30.	20	Time	40	5	Roco	ived on ice:		ab Us	e Only		
Relinquished by: (Signature)	40 Received by: (Signature)	Date 3/3/12		Time	30		T1	avea on ice.	С Т2	)) IN		T3	
Relingdished by: (Signature) Date Time	Received by: (Signature)	Date		Time				Toma °c (	<u>-rz.</u>			13	
ample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other	l	Container	Type	:g-g	lass.	<b>p</b> - po	olv/ola	Temp °C	or glas	S. V	VOA		
lote: Samples are discarded 30 days after results are reported unless oth	er arrangements are made. Hazardous samples will be	returned to cli	entor	dispose	ed of at	t the cl	lient ex	pense. The report	for the	e analys	is of the abo	ove samples is applicable	
only to those samples received by the laboratory with this COC. The liabi	lity of the laboratory is limited to the amount paid for o	on the report.											

ient: SPUR Bill To	0	·		La	ab Us	se On	lv	Т	AT		Page of _	
roject: Folk State Attention:		Lab	WO#	ŧ	1.	Job	Number ·	1D	30	RCRA		
Project Manager:     Address:       Address:     City, State, Zip		PO	03	135		19	054-000	37				
City, State, Zip Phone:				-		Analy	sis and Meth	nod /			State NM CO UT AZ	
hone:		15	15								NM CO UT AZ	
mail: Natalie		by 80	by 80	121	50	0	0.0	5			ТХ ОК	
Time Date III	Lab	DRO/ORO by 8015	DRO	by 80	oy 82(	s 601	de 30	C - NI	XL-1			
Sampled Sampled Matrix Containers Sample ID	Number	DRO/	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC - NM	BGDOC - TX		Remarks	
S   SP 1-6'	11							X				
1 SP12-4'	12							1				
SP 13-6'	13											
Background	14											
Deckgrund	<u> </u>							-				
								_				
Additional Instructions:												
(field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabellin me of collection is considered fraud and may be grounds for legal action. Sampled by:	g the sample location, date or			-		Samples r received p	equiring thermal pr backed in ice at an a	eservation m vg temp abo	iust be rei ve 0 but le	ceived on ice ti ess than 6 °C o	he day they are sampled or in subsequent days.	
elinquished by: (Signature) Date Time Received by: (Signature)	Date 3.30-2	222	Time	da	-					e Only		
telinquished by: (Signature) Date Time Received by: (Signature)	Date		Time	40-	>	Recei	ived on ice:	(Y	)/ N			
Eliquished by: (Signature) Date Time Received by: (Signature)	2/ 3/31/2			30		<u>T1</u>		<u>T2</u>			<u>T3</u>	
elioquished by: (Signature) Date Time Received by: (Signature)	Date		Time			AVG	Temp °C	4				
mple Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other	Container	Type:	g-g	lass, I	) - no	lv/pla	stic ag - am	her glas	s, v - \	/OA		
lote: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous sa nly to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amo	amples will be returned to cli	ent or o	dispose	ed of at	t the cl	ient exp	pense. The rep	ort for the	analys	is of the ab	ove samples is applicable	

.



## **Analytical Report**

**Report Summary** 

Client: Spur

Samples Received: 3/31/2020 Job Number: 19054-0003 Work Order: P003134 Project Name/Location: Folk State

Walter Hinkimm

Date: 4/1/20

Report Reviewed By:

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

Ph (505) 632-0615 Fx (505) 632-1865

5796 Highway 64, Farmington, NM 87401

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com

Released to Imaging: 7/1/2021 8:26:38 AM



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 13:23

### **Analytical Report for Samples**

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
SW1-1'	P003134-01A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW2-1'	P003134-02A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW3-1'	P003134-03A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW4-1'	P003134-04A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW5-2'	P003134-05A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW6-1'	P003134-06A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW7-1'	P003134-07A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.
SW8-1'	P003134-08A	Soil	03/28/20	03/31/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Projec	et Name:	Folk	State					
PO Box 1058	Projec	et Number:	1905	4-0003				Reported:	
Hobbs NM, 88240	Projec	et Manager:	Nata	lie Gladden				04/01/20 13:	23
		S	SW1-1'						
		P0031	34-01 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		101 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Toluene-d8		105 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.5 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		86.7 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		101 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Toluene-d8		105 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.5 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Projec	t Name:	Folk	State					
PO Box 1058	Projec	t Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Projec	t Manager:	Natal	lie Gladden				04/01/20 13:	23
		S	SW2-1'						
			34-02 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		97.2 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Toluene-d8		104 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Bromofluorobenzene		95.7 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		88.4 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		<i>97.2</i> %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Toluene-d8		104 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Bromofluorobenzene		95.7 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Projec	t Name:	Folk	State					
PO Box 1058	Projec	t Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Projec	t Manager:	Natal	lie Gladden				04/01/20 13:	23
		S	SW3-1'						
			34-03 (Sa	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		99.5 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Bromofluorobenzene		98.2 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		88.7 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		99.5 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Bromofluorobenzene		98.2 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	49.4	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

envirotech
Analytical Laboratory

Spur	Project	Name:	Folk	State					
PO Box 1058	Project	Number:	19054-0003					Reported:	
Hobbs NM, 88240	Project	Manager:	Natalie Gladden					04/01/20 13:23	
		S	SW4-1'						
			34-04 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		97.6 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Bromofluorobenzene		96.4 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/ORO	)								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		90.8 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		97.6 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Bromofluorobenzene		96.4 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	33.3	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Projec	et Name:	Folk	State						
PO Box 1058	Project Number:		1905	19054-0003					Reported:	
Hobbs NM, 88240	Projec	et Manager:	Natalie Gladden					04/01/20 13:23		
		5	SW5-2'							
		P0031	34-05 (So	olid)						
		Reporting								
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organic Compounds by 8260										
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Surrogate: 1,2-Dichloroethane-d4		105 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B		
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B		
Surrogate: Bromofluorobenzene		100 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B		
Nonhalogenated Organics by 8015 - DRO/ORO	)									
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D		
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D		
Surrogate: n-Nonane		82.4 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D		
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D		
Surrogate: 1,2-Dichloroethane-d4		105 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D		
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D		
Surrogate: Bromofluorobenzene		100 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	2110	40.0	mg/kg	2	2014002	03/31/20	03/31/20	EPA 300.0/9056A		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

e	Analytical Laboratory

Spur	Project	Name:	Folk	State					
PO Box 1058	Project	Number:	19054-0003					Reported:	
Hobbs NM, 88240	Project	Manager:	Natalie Gladden					04/01/20 13:23	
		S	SW6-1'						
			34-06 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		98.8 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.5 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/ORG	)								
Diesel Range Organics (C10-C28)	34.9	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		79.9 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		98.8 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.5 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	870	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Projec	t Name:	Folk	State					
PO Box 1058	Projec	t Number:	19054-0003					Reported:	
Hobbs NM, 88240	Projec	t Manager:	Natal	ie Gladden				04/01/20 13:23	
		S	SW7-1'						
			34-07 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		96.2 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Toluene-d8		105 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.9 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/ORO	)								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D	
Surrogate: n-Nonane		86.5 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		96.2 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Toluene-d8		105 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.9 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	462	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

envirotech
Analytical Laboratory

Spur	Project	Name:	Folk	State						
PO Box 1058	Project	Number:	19054-0003					Reported:		
Hobbs NM, 88240	Project	Manager:	Natalie Gladden					04/01/20 13:	04/01/20 13:23	
		S	SW8-1'							
		P0031	34-08 (So	olid)						
		Reporting								
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organic Compounds by 8260										
Benzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Toluene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Ethylbenzene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
p,m-Xylene	ND	0.0500	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
o-Xylene	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Total Xylenes	ND	0.0250	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8260B		
Surrogate: 1,2-Dichloroethane-d4		96.8 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B		
Surrogate: Toluene-d8		107 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B		
Surrogate: Bromofluorobenzene		99.4 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8260B		
Nonhalogenated Organics by 8015 - DRO/ORO	)									
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D		
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2014005	03/31/20	03/31/20	EPA 8015D		
Surrogate: n-Nonane		85.4 %	50-	-200	2014005	03/31/20	03/31/20	EPA 8015D		
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2014007	03/31/20	03/31/20	EPA 8015D		
Surrogate: 1,2-Dichloroethane-d4		96.8 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D		
Surrogate: Toluene-d8		107 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D		
Surrogate: Bromofluorobenzene		99.4 %	70-	-130	2014007	03/31/20	03/31/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	130	20.0	mg/kg	1	2014002	03/31/20	03/31/20	EPA 300.0/9056A		

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 13:23

#### Volatile Organic Compounds by 8260 - Quality Control

#### **Envirotech Analytical Laboratory** Spike %REC RPD Reporting Source Result Limit Units Level Result %REC Limits RPD Limit Notes Analyte Batch 2014007 - Purge and Trap EPA 5030A Blank (2014007-BLK1) Prepared: 03/31/20 0 Analyzed: 03/31/20 1 Benzene ND 0.0250 mg/kg Toluene ND 0.0250 Ethylbenzene ND 0.0250 ... ., p,m-Xylene ND 0.0500 ND 0.0250 ... o-Xylene ... Total Xylenes ND 0.0250 Surrogate: 1,2-Dichloroethane-d4 0.525 " 0.500 105 70-130 Surrogate: Toluene-d8 0.534 0.500 107 70-130 Surrogate: Bromofluorobenzene 0.493 0.500 98.5 70-130 LCS (2014007-BS1) Prepared: 03/31/20 0 Analyzed: 03/31/20 1 2.26 0.0250 2.50 70-130 Benzene 90.5 mg/kg Toluene 2.56 0.0250 2 50 102 70-130 .. Ethylbenzene 2.56 0.0250 2.50 102 70-130 .. p,m-Xylene 5.08 0.0500 5.00 102 70-130 2.51 0.0250 ... 2.50 100 70-130 o-Xylene ... 7.59 0.0250 101 Total Xylenes 7.50 0-200 Surrogate: 1,2-Dichloroethane-d4 0.502 " 0.500 100 70-130 70-130 Surrogate: Toluene-d8 0.534 0.500 107 Surrogate: Bromofluorobenzene 0.493 0.500 98.6 70-130 Matrix Spike (2014007-MS1) Source: P003134-01 Prepared: 03/31/20 0 Analyzed: 03/31/20 1 Benzene 2.32 0.0250 mg/kg 2.50 ND 92.9 48-131 Toluene 2.58 0.0250 2.50 ND 103 48-130 Ethylbenzene 2.59 0.0250 .. 2.50 ND 104 45-135 ... p,m-Xylene 103 43-135 5.16 0.0500 5.00 ND o-Xylene 2.56 0.0250 2.50 ND 103 43-135 7.72 0.0250 ... 7.50 ND 103 0-200 Total Xylenes Surrogate: 1,2-Dichloroethane-d4 0.533 0.500 107 70-130 0.538 0.500 108 70-130 Surrogate: Toluene-d8 0.490 Surrogate: Bromofluorobenzene 0.500 98.0 70-130 Matrix Spike Dup (2014007-MSD1) Source: P003134-01 Prepared: 03/31/20 0 Analyzed: 03/31/20 1 2.31 23 Benzene 0.0250 mg/kg 2.50 ND 92.3 48-131 0.626 0.0250 2.50 ND 102 48-130 1.35 24 Toluene 2.54 Ethylbenzene 2.54 0.0250 ... 2.50 ND 102 45-135 1.97 27 .. 0.0500 27 5.09 5.00 ND 102 43-135 1.39 p,m-Xylene " o-Xylene 2.52 0.0250 2.50 ND 101 43-135 1.93 27 ... Total Xylenes 7.60 0.0250 7.50 ND 101 0-200 1.57 200 0.505 Surrogate: 1,2-Dichloroethane-d4 0.500 101 70-130 Surrogate: Toluene-d8 0.519 0.500 104 70-130 Surrogate: Bromofluorobenzene 0.489 0.500 97.8 70-130

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

 5796 Highway 64, Farmington, NM 87401
 Ph (505) 632-0615 Fx (505) 632-1865
 envirotech-inc.com

 24 Hour Emergency Response Phone (800) 362-1879
 Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 13:23

#### Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

#### Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2014005 - DRO Extraction EPA 3570										
Blank (2014005-BLK1)				Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	51.0		"	50.0		102	50-200			
LCS (2014005-BS1)				Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	457	25.0	mg/kg	500		91.3	38-132			
Surrogate: n-Nonane	48.5		"	50.0		97.0	50-200			
Matrix Spike (2014005-MS1)	Sou	rce: P003132-	01	Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	452	25.0	mg/kg	500	ND	90.5	38-132			
Surrogate: n-Nonane	49.0		"	50.0		97.9	50-200			
Matrix Spike Dup (2014005-MSD1)	Sou	rce: P003132-	01	Prepared: (	03/31/20 0 A	Analyzed: 0	3/31/20 1			
Diesel Range Organics (C10-C28)	444	25.0	mg/kg	500	ND	88.8	38-132	1.90	20	
Surrogate: n-Nonane	47.7		"	50.0		95.4	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 13:23

#### Nonhalogenated Organics by 8015 - GRO - Quality Control

#### **Envirotech Analytical Laboratory** Spike %REC RPD Reporting Source Analyte Result Limit Units Level Result %REC Limits RPD Limit Notes Batch 2014007 - Purge and Trap EPA 5030A Blank (2014007-BLK1) Prepared: 03/31/20 0 Analyzed: 03/31/20 1 Gasoline Range Organics (C6-C10) ND 20.0 mg/kg Surrogate: 1,2-Dichloroethane-d4 0.525 0.500 105 70-130 " Surrogate: Toluene-d8 0.534 0.500 107 70-130 Surrogate: Bromofluorobenzene 0.493 0.500 98.5 70-130 LCS (2014007-BS2) Prepared: 03/31/20 0 Analyzed: 03/31/20 1 Gasoline Range Organics (C6-C10) 53.6 20.0 50.0 107 70-130 mg/kg Surrogate: 1,2-Dichloroethane-d4 0.512 0.500 102 70-130 0.542 0.500 108 70-130 Surrogate: Toluene-d8 0.477 0.500 95.3 70-130 Surrogate: Bromofluorobenzene Prepared: 03/31/20 0 Analyzed: 03/31/20 1 Matrix Spike (2014007-MS2) Source: P003134-01 Gasoline Range Organics (C6-C10) 52.3 70-130 20.0 mg/kg 50.0 ND 105 0.479 95.7 70-130 Surrogate: 1,2-Dichloroethane-d4 0.500 Surrogate: Toluene-d8 0.540 0.500 108 70-130 Surrogate: Bromofluorobenzene 0.497 0.500 99.3 70-130 Matrix Spike Dup (2014007-MSD2) Source: P003134-01 Prepared: 03/31/20 0 Analyzed: 03/31/20 1 Gasoline Range Organics (C6-C10) 50.5 20.0 mg/kg 50.0 ND 70-130 3.50 20 101 0.498 0.500 99.5 70-130 Surrogate: 1,2-Dichloroethane-d4 107 0 537 0 500 70-130 Surrogate: Toluene-d8 Surrogate: Bromofluorobenzene 0.491 0.500 98.1 70-130

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com

Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 13:23

#### Anions by 300.0/9056A - Quality Control

#### **Envirotech Analytical Laboratory**

		Reporting		Spike	Source		%REC		RPD					
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes				
Batch 2014002 - Anion Extraction EPA 30	0.0/9056A													
Blank (2014002-BLK1)				Prepared &	Analyzed:	03/31/20 0	)							
Chloride	ND	20.0	mg/kg											
LCS (2014002-BS1)				Prepared &	Analyzed:	03/31/20 0	)							
Chloride	240	20.0	mg/kg	250		95.9	90-110							
Matrix Spike (2014002-MS1)	Sour	Source: P003132-01			3/31/20 0 /	Analyzed: 0								
Chloride	247	20.0	mg/kg	250	ND	98.8	80-120							
Matrix Spike Dup (2014002-MSD1)	ke Dup (2014002-MSD1) Source		01	Prepared: (	3/31/20 0 4	Analyzed: 0	3/31/20 1							
Chloride	248	20.0	mg/kg	250	ND	99.1	80-120	0.295	20					

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

_	5796 Highway 64, Farmington, NM 87401	envirotech-inc.com	
	24 Hour Emergency Response Phone (800) 362-1879		Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/01/20 13:23

#### **Notes and Definitions**

ND	Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

\*\* Methods marked with \*\* are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Client: SPUR Project: FOIK State			Contraction of the second s	Sill To		1.14	Maria			se Or			AT	E	PA Program		
oject: oject Ma	and the second s	IK S	state		Attention: Address:	Zip		Lab WO# P003134				Job Number 9954-0003 Analysis and Metho		1D	1D/3D	RCRA	CWA SDWA
ldress:	indger.				City, State, Zip									3 Y	X.		
ity, State,	, Zip				Phone:						Anary			Г		State	
none: nail:	Nata	1.1.1.			Email: Natal:	e		015	015								
eport due		he						by 8	by 8	021	60	10	0.00	N			TX OK
Time	Date	Matrix	No	Sample ID	1997 ( 1979) 1		Lab	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC - NM	BGDOC - TX		
ampled	Sampled		Containers				Number	DRC	GRC	BTE	VOC	Met	Chlo	BGD	BGDC		Remarks
21	3.28.20	5	1	SW1-	11		1							X			
	1	1		SWZ-	(1) (1)		2							1			
				SW3-			3										
				SW4-											-		
	20.20						4										
	29.20			SW5-	2		C. ANGUNE TRA										
B	28.20			SW6-			6										
				SW7-1			7										
		l	l	SW8-1			8										
ditional	Instructi	ons:												_			
ied sampler),	attest to the v	validity and au	uthenticity of	this sample. I am aware	that tampering with or intentionally mis	labelling the sample loc:	ation, date or										e day they are sampled or
ne of collection	n is considered	l fraud and m	ay be ground	for legal action. Sample	Received by Signat	urol	Data					received	I packed in ice at an av				n subsequent days.
linguished	N PIL	lina	3	30 20 Time	os Za	5 A	Date 3-30-2	202	Time	40	5	Rece	eived on ice:		ab Us	e Only	
elinquished	by: (Signat	ure)	/ Date	lime	Received by: (Signat	ure)	Date		Time			necc	.wed on ice.		27 18		
linquished	by: (Signat	ure)	Date		640 Rain Jo Received by: (Signat	juz	3312 Date	0	J. Time	30		<u>T1</u>		<u>T2</u>		1.4.1.6.0.5	<u>T3</u>
0	-7.1.0.1.				freeewearby, (Signat		Date		inne			AVG	Temp °C	4			
nple Matrix:				queous, O - Other		Acres 1	Container	Type	g - g	ass, p	) - no	lv/nla	astic ag - am	per glas	S.V-	VOA	ove samples is applicable

Released to Imaging: 7/1/2021 8:26:38 AM




### FOLK STATE #011 DURING PHOTOS – RELEASE DATE 06/12/2019

















ÓESS

# Spur Energy Partners Folk State 011

NORTH COMPOSITE SAMPLE GPS NCSP1: 32.834132 -104.095861 NCSP2: 32.834132 -104.095766 NCSP3: 32.834045 -104.095791 NCSP4: 32.833973 -104.095657 NCSP5: 32.833884 -104.095688

## **CLOSURE SAMPLE MAP**



CLOSURE SIDEWALL GPS CSW1: 32.834219 -104.095887 CSW2: 32.834078 -104.095666 CSW3: 32.833770 -104.095438 CSW4: 32.833494 -104.095346 CSW5: 32.833618 -104.095536 CSW6: 32.834004 -104.095820

\*NCSP4

NCSP5 12750.037

80

Yards

SCSP1

\*SCSP2

SCSP3

\*SCSP4

\*SCSP5 C SW4

SOUTH COMPOSITE SAMPLE GPS: SCSP1: 32.833804 -104.095634 SCSP2: 32.833767 -104.095508 SCSP3: 32.833690 -104.095555 SCSP4: 32.833641 -104.095413 SCSP5: 32.833502 -104.095402

40

60



Released to Imaging: 7/1/2021 8:26:38 AM

20

0

10

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Received by OCD: 5/20/2021 4:35:14 PM



# **Analytical Report**

**Report Summary** 

Client: Spur

Samples Received: 4/6/2020 Job Number: 19054-0003 Work Order: P004015 Project Name/Location: Folk State Bty

Walter Hinder

Date: 4/7/20

Report Reviewed By:

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

Ph (505) 632-0615 Fx (505) 632-1865

5796 Highway 64, Farmington, NM 87401

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com

Released to Imaging: 7/1/2021 8:26:38 AM



Spur	Project Name:	Folk State Bty	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/07/20 12:04

# **Analytical Report for Samples**

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Comp South - SP1	P004015-01A	Soil	03/31/20	04/06/20	Glass Jar, 4 oz.
Comp South - SP2	P004015-02A	Soil	03/31/20	04/06/20	Glass Jar, 4 oz.
Comp South - SP3	P004015-03A	Soil	03/31/20	04/06/20	Glass Jar, 4 oz.
Comp South - SP4	P004015-04A	Soil	03/31/20	04/06/20	Glass Jar, 4 oz.
Comp South - SP5	P004015-05A	Soil	03/31/20	04/06/20	Glass Jar, 4 oz.
Comp South	P004015-06A	Soil	03/31/20	04/06/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Pro	ject Name:	Folk	State Bty					
PO Box 1058	Pro	ject Number:	1905	4-0003				<b>Reported:</b>	
Hobbs NM, 88240	Pro	ject Manager:	Nata	lie Gladden				04/07/20 12:	04
		Comp	South -	SP1					
		P0040	15-01 (S	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Toluene	0.125	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Ethylbenzene	0.759	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
p,m-Xylene	1.39	0.0500	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
o-Xylene	1.25	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Total Xylenes	2.63	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		123 %	50	-150	2015001	04/06/20	04/06/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	15600	1250	mg/kg	50	2015002	04/06/20	04/06/20	EPA 8015D	
Oil Range Organics (C28-C40)	6220	2500	mg/kg	50	2015002	04/06/20	04/06/20	EPA 8015D	
Surrogate: n-Nonane		162 %	50	-200	2015002	04/06/20	04/06/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	51.2	20.0	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8015D	
- Surrogate: 1-Chloro-4-fluorobenzene-FID		92.1 %	50	-150	2015001	04/06/20	04/06/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2015003	04/06/20	04/06/20	EPA 300.0/9056A	

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com

e	Analytical Laboratory

Spur	Project	t Name:	Folk	State Bty					
PO Box 1058	Project	t Number:	19054-0003					<b>Reported:</b>	
Hobbs NM, 88240	Project	t Manager:	Natalie Gladden					04/07/20 12:0	04
		-	South -						
		P0040 Reporting	15-02 (S	olid)					
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Ethylbenzene	0.0543	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		110 %	50	-150	2015001	04/06/20	04/06/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO	D/ORO								
Diesel Range Organics (C10-C28)	3970	500	mg/kg	20	2015002	04/06/20	04/06/20	EPA 8015D	
Oil Range Organics (C28-C40)	1760	1000	mg/kg	20	2015002	04/06/20	04/06/20	EPA 8015D	
Surrogate: n-Nonane		100 %	50	-200	2015002	04/06/20	04/06/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO	)								
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.1 %	50	-150	2015001	04/06/20	04/06/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2015003	04/06/20	04/06/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Pro	ject Name:	Folk	State Bty					
PO Box 1058	Pro	ject Number:	1905	54-0003				<b>Reported:</b>	
Hobbs NM, 88240	Pro	ject Manager:	Nata	lie Gladden				04/07/20 12:	04
		Comp	South -	SP3					
			15-03 (S	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		108 %	50	)-150	2015001	04/06/20	04/06/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/ORO	)								
Diesel Range Organics (C10-C28)	1680	125	mg/kg	5	2015002	04/06/20	04/06/20	EPA 8015D	
Oil Range Organics (C28-C40)	929	250	mg/kg	5	2015002	04/06/20	04/06/20	EPA 8015D	
Surrogate: n-Nonane		107 %	50	)-200	2015002	04/06/20	04/06/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.4 %	50	)-150	2015001	04/06/20	04/06/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	20.8	20.0	mg/kg	1	2015003	04/06/20	04/06/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Spur	Projec	t Name:	Folk	State Bty					
PO Box 1058	Projec	t Number:	19054-0003					<b>Reported:</b>	
Hobbs NM, 88240	Projec	t Manager:	Natalie Gladden					04/07/20 12:04	
			South -						
		Reporting	15-04 (So	olid)					
	D k		TT '4	D'1 ('		D 1			N. (
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50	-150	2015001	04/06/20	04/06/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OF	RO								
Diesel Range Organics (C10-C28)	1200	50.0	mg/kg	2	2015002	04/06/20	04/06/20	EPA 8015D	
Oil Range Organics (C28-C40)	601	100	mg/kg	2	2015002	04/06/20	04/06/20	EPA 8015D	
Surrogate: n-Nonane		106 %	50	-200	2015002	04/06/20	04/06/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		89.9 %	50	-150	2015001	04/06/20	04/06/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	134	20.0	mg/kg	1	2015003	04/06/20	04/06/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Proje	ect Name:	Folk	State Bty					
PO Box 1058	Proje	ect Number:	1905	54-0003				<b>Reported:</b>	
Hobbs NM, 88240	Proje	ect Manager:	Nata	lie Gladden				04/07/20 12:	04
		Comp	South -	SP5					
			15-05 (S	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		109 %	50	)-150	2015001	04/06/20	04/06/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	503	125	mg/kg	5	2015002	04/06/20	04/06/20	EPA 8015D	
Oil Range Organics (C28-C40)	459	250	mg/kg	5	2015002	04/06/20	04/06/20	EPA 8015D	
Surrogate: n-Nonane		99.6 %	50	0-200	2015002	04/06/20	04/06/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		93.0 %	50	)-150	2015001	04/06/20	04/06/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	147	20.0	mg/kg	1	2015003	04/06/20	04/06/20	EPA 300.0/9056A	_

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

0	Analytical Laboratory

Spur	Proj	ect Name:	Folk	State Bty					
PO Box 1058	Proj	ect Number:	19054-0003					<b>Reported:</b>	
Hobbs NM, 88240	Proj	ect Manager:	Nata	lie Gladden				04/07/20 12:	04
		Co	mp Sout	h					
			15-06 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Ethylbenzene	0.154	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
p,m-Xylene	0.0624	0.0500	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
o-Xylene	0.0888	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Total Xylenes	0.151	0.0250	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		111 %	50	-150	2015001	04/06/20	04/06/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	4250	250	mg/kg	10	2015002	04/06/20	04/06/20	EPA 8015D	
Oil Range Organics (C28-C40)	1870	500	mg/kg	10	2015002	04/06/20	04/06/20	EPA 8015D	
Surrogate: n-Nonane		109 %	50	-200	2015002	04/06/20	04/06/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015001	04/06/20	04/06/20	EPA 8015D	
- Surrogate: 1-Chloro-4-fluorobenzene-FID		92.5 %	50	-150	2015001	04/06/20	04/06/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	65.4	20.0	mg/kg	1	2015003	04/06/20	04/06/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State Bty	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/07/20 12:04

## Volatile Organics by EPA 8021 - Quality Control

# **Envirotech Analytical Laboratory**

			·		·					
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2015001 - Purge and Trap EPA 5030A										
Blank (2015001-BLK1)				Prepared: (	04/06/20 0 A	Analyzed: (	4/06/20 1			
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.69		"	8.00		109	50-150			
LCS (2015001-BS1)				Prepared: (	04/06/20 0 A	Analyzed: (	4/06/20 1			
Benzene	4.52	0.0250	mg/kg	5.00		90.3	70-130			
Toluene	4.62	0.0250	"	5.00		92.5	70-130			
Ethylbenzene	4.66	0.0250	"	5.00		93.2	70-130			
o,m-Xylene	9.33	0.0500	"	10.0		93.3	70-130			
p-Xylene	4.71	0.0250	"	5.00		94.3	70-130			
Total Xylenes	14.0	0.0250	"	15.0		93.6	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.50		"	8.00		106	50-150			
Matrix Spike (2015001-MS1)	Sou	ırce: P004013-	01	Prepared: (	04/06/20 0 A	Analyzed: (	4/06/20 1			
Benzene	4.74	0.0250	mg/kg	5.00	ND	94.7	54.3-133			
Toluene	4.85	0.0250	"	5.00	ND	97.1	61.4-130			
Ethylbenzene	4.89	0.0250	"	5.00	ND	97.9	61.4-133			
p,m-Xylene	9.78	0.0500	"	10.0	ND	97.8	63.3-131			
p-Xylene	4.92	0.0250	"	5.00	ND	98.4	63.3-131			
Total Xylenes	14.7	0.0250	"	15.0	ND	98.0	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.69		"	8.00		109	50-150			
Matrix Spike Dup (2015001-MSD1)	Sou	ırce: P004013-	01	Prepared: (	04/06/20 0 A	Analyzed: (	4/06/20 1			
Benzene	4.74	0.0250	mg/kg	5.00	ND	94.7	54.3-133	0.0243	20	
Toluene	4.83	0.0250	"	5.00	ND	96.7	61.4-130	0.422	20	
Ethylbenzene	4.87	0.0250	"	5.00	ND	97.4	61.4-133	0.495	20	
p,m-Xylene	9.72	0.0500	"	10.0	ND	97.2	63.3-131	0.591	20	
p-Xylene	4.90	0.0250	"	5.00	ND	97.9	63.3-131	0.430	20	
Total Xylenes	14.6	0.0250	"	15.0	ND	97.5	0-200	0.537	200	
Surrogate: 4-Bromochlorobenzene-PID	8.44		"	8.00		106	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Analyte

RPD

Limit

Notes



Spur	Project Name:	Folk State Bty	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/07/20 12:04

### Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

#### **Envirotech Analytical Laboratory** Reporting Spike Source %REC Result Limit Units Level Result %REC Limits RPD Batch 2015002 - DRO Extraction EPA 3570 Blank (2015002-BLK1) Prepared: 04/06/20 0 Analyzed: 04/06/20 1 Diesel Range Organics (C10-C28) ND 25.0 mg/kg Oil Range Organics (C28-C40) ND 50.0

Surrogate: n-Nonane	46.4		"	50.0		92.8	50-200			
LCS (2015002-BS1)				Prepared: 0	04/06/20 0 A	Analyzed: (	04/06/20 1			
Diesel Range Organics (C10-C28)	411	25.0	mg/kg	500		82.3	38-132			
Surrogate: n-Nonane	46.4		"	50.0		92.8	50-200			
Matrix Spike (2015002-MS1)	Source	: P004013-0	01	Prepared: 0	04/06/20 0 A	Analyzed: (	04/06/20 1			
Diesel Range Organics (C10-C28)	438	25.0	mg/kg	500	ND	87.6	38-132			
Surrogate: n-Nonane	44.3		"	50.0		88.6	50-200			
Matrix Spike Dup (2015002-MSD1)	Source	Source: P004013-01				Analyzed: (	04/06/20 1			
Diesel Range Organics (C10-C28)	437	25.0	mg/kg	500	ND	87.3	38-132	0.278	20	
Surrogate: n-Nonane	46.4		"	50.0		92.9	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State Bty	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/07/20 12:04

## Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory										
	D L	Reporting		Spike	Source	A/DEC	%REC	0.00	RPD	N
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2015001 - Purge and Trap EPA 5030A										
Blank (2015001-BLK1)				Prepared: 0	04/06/20 0 A	Analyzed: 0	4/06/20 1			
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.44		"	8.00		93.0	50-150			
LCS (2015001-BS2)				Prepared: 0	04/06/20 0 A	Analyzed: 0	4/06/20 1			
Gasoline Range Organics (C6-C10)	45.3	20.0	mg/kg	50.0		90.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		"	8.00		91.8	50-150			
Matrix Spike (2015001-MS2)	Sour	ce: P004013-	01	Prepared: 0	04/06/20 0 A	Analyzed: 0	4/06/20 1			
Gasoline Range Organics (C6-C10)	46.9	20.0	mg/kg	50.0	ND	93.8	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.50		"	8.00		93.8	50-150			
Matrix Spike Dup (2015001-MSD2)	Sour	ce: P004013-	01	Prepared: 0	04/06/20 0 A	Analyzed: 0	4/06/20 1			
Gasoline Range Organics (C6-C10)	46.5	20.0	mg/kg	50.0	ND	93.1	70-130	0.794	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.51		"	8.00		93.9	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com

Spur	Project Name:	Folk State Bty	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/07/20 12:04

# Anions by 300.0/9056A - Quality Control

### **Envirotech Analytical Laboratory**

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2015003 - Anion Extraction EPA 30	0.0/9056A									
Blank (2015003-BLK1)				Prepared: 0	04/06/20 0	Analyzed: 0	4/06/20 1			
Chloride	ND	20.0	mg/kg							
LCS (2015003-BS1)				Prepared: 0	04/06/20 0	Analyzed: 0	4/06/20 1			
Chloride	253	20.0	mg/kg	250		101	90-110			
Matrix Spike (2015003-MS1)	Sour	ce: P004013-	01	Prepared: (	04/06/20 0	Analyzed: 0	4/06/20 1			
Chloride	596	20.0	mg/kg	250	295	120	80-120			
Matrix Spike Dup (2015003-MSD1)	Sour	ce: P004013-	01	Prepared: 0	04/06/20 0	Analyzed: 0	4/06/20 1			
Chloride	607	20.0	mg/kg	250	295	125	80-120	1.75	20	M2

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

 5796 Highway 64, Farmington, NM 87401
 Ph (505) 632-0615 Fx (505) 632-1865
 envirotech-inc.com

 24 Hour Emergency Response Phone (800) 362-1879
 Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State Bty	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Natalie Gladden	04/07/20 12:04

#### **Notes and Definitions**

M2	Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
----	---

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

\*\* Methods marked with \*\* are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

**Project Information** 

Project Manager: 1

City, State, Zip

Report due by: Time

Date

Sampled

2

3

No

Containers

less

Matrix

OI

Sample ID

om

, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or

Client:

Project:

Address:

Phone: Email:

Sampled

Page 14 of

<del>5/</del>20/2021 4:35:14 PM

Chain of (	Custody											F	Page		_ of
Bill To				La	ab Us	se Or	ily	in part of	T	AT	E	PA Pr	ogra	m	
Address: Your Plans He	de	Lab PD	WO#	15		Job	Num	ber -003	10	3D	RCRA	CV		_	WA
City, State, Zip								nd Metho					Sta	te	
Phone: 30-4397 Email: Nylodden D		ب م	2			1						NM	CO	UT	AZ
efte hugery-horse .	com	7 by 801	0 by 801	3021	260	010	300.0		WN	×		TX	ОК		
	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0		BGDOC - NM	BGDOC - TX			Rem	arks	1
Southe-SPI	1								5						
South -SP2	2								$\left \right\rangle$						
South -SP3	3														
South - SP4	4													- <i>M</i>	
South - SP5	5								$\rangle$						
Saith	6								2						
									•						

Page 86 of 123

# time of collection is considered fraud and may be grounds for legal action. Sampled by:

Additional Instructions:

Relinquished by: (Signature)	Date	Time	Received by: (Signature)-	Date	Time		Lab Use Only	
hour shall	4320	11:50	And to	4.3.2020	1150	Received on ice:	(Y) / N	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	and State States and States		
270	4.3.2020	1420	Kaing Lour	416/20	7:30	T1	T2	T3
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	A STREET STREET		13
V						AVG Temp °C 4	L	
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other					e: g - glass, p - p	oly/plastic, ag - ambe	r glass, v - VOA	

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



24 Hour Emergency Response Phone (600) 362-1879

Ph (505) 632-1881 Fx (505) 632-1865

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.

envirotech-inc.com

labadmin@envirotech-inc.com

Received by OCD: 5/20/2021 4:35:14 PM



# **Analytical Report**

**Report Summary** 

Client: Spur

Samples Received: 4/9/2020 Job Number: 19054-0003 Work Order: P004024 Project Name/Location: Folk State SWD

Report Reviewed By:

Walter Hinkon

Date: 4/10/20

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

Ph (505) 632-0615 Fx (505) 632-1865

5796 Highway 64, Farmington, NM 87401

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State SWD	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Kenny Kidd	04/10/20 11:17

# **Analytical Report for Samples**

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Composite North SP1	P004024-01A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
Composite North SP2	P004024-02A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
Composite North SP3	P004024-03A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
Composite North SP4	P004024-04A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
Composite North SP5	P004024-05A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
Composite North	P004024-06A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
CSW1	P004024-07A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
CSW2	P004024-08A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
CSW3	P004024-09A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
CSW4	P004024-10A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
CSW5	P004024-11A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.
CSW6	P004024-12A	Soil	04/02/20	04/09/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

24 Hour Emergency Response Phone (800) 362-1879

envirotech-inc.com

Labadmin@envirotech-inc.com

Page 2 of 21

Spur	Project	Project Name:							
PO Box 1058	5	Project Number:		State SWD 4-0003	Reported:				
Hobbs NM, 88240	5	Manager:	Kenny Kidd					04/10/20 11:17	
10005 110, 002 10				•				0 1/ 10/20 11.	.,
		-	site Nort 24-01 (Sc						
		Reporting	24-01 (30	iiu)					
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		93.1 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		105 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		99.9 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO	D/ORO								
Diesel Range Organics (C10-C28)	11200	1250	mg/kg	50	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	5010	2500	mg/kg	50	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		116 %	50-	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO	)								
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		93.1 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		105 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		99.9 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	25.1	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Spur	Project	Project Name:		State SWD					
PO Box 1058	Project Number:		1905	4-0003	Reported:				
Hobbs NM, 88240	Project	t Manager:	Kenr	ny Kidd				04/10/20 11:	17
		Compos	site Nort	th SP2					
			24-02 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		<i>99.7 %</i>	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.8 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/0	ORO								
Diesel Range Organics (C10-C28)	3760	250	mg/kg	10	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	1860	500	mg/kg	10	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		96.1 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		<i>99.7 %</i>	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.8 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	562	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

Spur	Projec	t Name:	Folk State SWD						
PO Box 1058	Project Number:		1905	4-0003				Reported:	
Hobbs NM, 88240	Projec	Kenny Kidd					04/10/20 11:17		
		Compos	site Nort	th SP3					
			24-03 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		93.7 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		107 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		98.4 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	9690	500	mg/kg	20	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	1850	1000	mg/kg	20	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		95.3 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		93.7 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		107 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		98.4 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	38.3	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

Spur	Project Name:		Folk	State SWD					
PO Box 1058	Project Number:		1905	4-0003	Reported:				
Hobbs NM, 88240	Projec	t Manager:	Kenn	y Kidd				04/10/20 11:	17
			site Nort 24-04 (So						
		Reporting		,iiu)					
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		99.1 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		103 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		99.2 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	4750	500	mg/kg	20	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	1040	1000	mg/kg	20	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		92.2 %	50-	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		99.1 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		103 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		99.2 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

envirotech Analytical Laboratory
,

Spur	Project Name:		Folk	State SWD					
PO Box 1058	Project Number:		1905	4-0003				Reported:	
Hobbs NM, 88240	Project Manager:		Kenn	ny Kidd				04/10/20 11:	17
		Compos	site Nort	h SP5					
			24-05 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		97.5 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		105 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		99.5 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/OI	RO								
Diesel Range Organics (C10-C28)	4460	250	mg/kg	10	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	1980	500	mg/kg	10	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		120 %	50-	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		97.5 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		105 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		99.5 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

	tical Labo	Project Name: Project Number:						Reported:	
Hobbs NM, 88240	Projec	t Manager:	Kenr	ny Kidd				04/10/20 11:	17
		-	oosite No						
		P0040 Reporting	24-06 (Se	olid)					
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		96.7 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		107 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.2 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO	/ORO								
Diesel Range Organics (C10-C28)	7470	500	mg/kg	20	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	3510	1000	mg/kg	20	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		108 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nearly and a down and the 9015 CDO									
Nonhalogenated Organics by 8015 - GRO	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Gasoline Range Organics (C6-C10)	IND								
Surrogate: 1,2-Dichloroethane-d4		96.7%		-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		107 %		-130	2015019	04/09/20	04/09/20 04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.2 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	150	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

Spur	Projec	t Name:	Folk State SWD								
PO Box 1058	Project Number:		1905	4-0003				Reported:			
Hobbs NM, 88240	Projec	t Manager:	Kenny Kidd					04/10/20 11:1			
			CSW1								
P004024-07 (Solid)											
Reporting											
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organic Compounds by 8260											
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Surrogate: 1,2-Dichloroethane-d4		98.0 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B			
Surrogate: Toluene-d8		105 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B			
Surrogate: Bromofluorobenzene		97.1 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B			
Nonhalogenated Organics by 8015 - DRO/OR	0										
Diesel Range Organics (C10-C28)	30.3	25.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D			
Surrogate: n-Nonane		86.2 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D			
Surrogate: 1,2-Dichloroethane-d4		98.0 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D			
Surrogate: Toluene-d8		105 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D			
Surrogate: Bromofluorobenzene		97.1 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	46.1	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A			

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

Spur PO Box 1058 Hobbs NM, 88240	Projec Projec Projec	1905	State SWD 4-0003 ny Kidd	<b>Reported:</b> 04/10/20 11:17					
			CSW2						
			24-08 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		98.8 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.8 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/C	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		104 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		98.8 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.8 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	1260	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Spur	Project Name:		Folk	State SWD							
PO Box 1058	Project Number:		1905	4-0003				Reported:			
Hobbs NM, 88240	Project	Manager:	Kenny Kidd					04/10/20 11:17			
<u></u>			CSW3								
P004024-09 (Solid)											
Reporting											
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organic Compounds by 8260											
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B			
Surrogate: 1,2-Dichloroethane-d4		96.9 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B			
Surrogate: Toluene-d8		106 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B			
Surrogate: Bromofluorobenzene		96.8 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B			
Nonhalogenated Organics by 8015 - DRO/ORO											
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D			
Surrogate: n-Nonane		91.9 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D			
Surrogate: 1,2-Dichloroethane-d4		96.9 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D			
Surrogate: Toluene-d8		106 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D			
Surrogate: Bromofluorobenzene		96.8 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	2430	100	mg/kg	5	2015021	04/09/20	04/09/20	EPA 300.0/9056A			

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

envirotech
Analytical Laboratory

Spur PO Box 1058 Hobbs NM, 88240	Projec Projec Projec	1905	State SWD 4-0003 ny Kidd	<b>Reported:</b> 04/10/20 11:17					
110003 1111, 00240	110jee	-		ly Kidd				04/10/20 11.	1,
			CSW4 24-10 (Sc	olid)					
		Reporting	(3)						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		93.9 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		97.6 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		108 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		93.9 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		97.6 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com

Spur PO Box 1058 Hobbs NM, 88240	Project Name: Project Number: Project Manager:		1905	State SWD 4-0003 ny Kidd	<b>Reported:</b> 04/10/20 11:17				
		-	CSW5	-					
			24-11 (So	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		102 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		106 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		99.7 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/Ol	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		88.5 %	50-	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		102 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		106 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		99.7 %	70-	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	165	100	mg/kg	5	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

Spur	Projec	et Name:	Folk	State SWD					
PO Box 1058	Project Number:		1905	54-0003	Reported:				
Hobbs NM, 88240	Projec	et Manager:	Keni	ny Kidd				17	
			CSW6						
		P0040	24-12 (Se	olid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by 8260									
Benzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Toluene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Ethylbenzene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
p,m-Xylene	ND	0.0500	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
o-Xylene	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Total Xylenes	ND	0.0250	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		93.2 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Toluene-d8		107 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Surrogate: Bromofluorobenzene		95.3 %	70	-130	2015019	04/09/20	04/09/20	EPA 8260B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	41.8	25.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2015016	04/09/20	04/09/20	EPA 8015D	
Surrogate: n-Nonane		89.3 %	50	-200	2015016	04/09/20	04/09/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: 1,2-Dichloroethane-d4		93.2 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Toluene-d8		107 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Surrogate: Bromofluorobenzene		95.3 %	70	-130	2015019	04/09/20	04/09/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	490	40.0	mg/kg	2	2015021	04/09/20	04/09/20	EPA 300.0/9056A	

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State SWD	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Kenny Kidd	04/10/20 11:17

### Volatile Organic Compounds by 8260 - Quality Control

#### **Envirotech Analytical Laboratory** Spike %REC RPD Reporting Source Result Limit Units Level Result %REC Limits RPD Limit Notes Analyte Batch 2015019 - Purge and Trap EPA 5030A Blank (2015019-BLK1) Prepared: 04/09/20 0 Analyzed: 04/09/20 2 Benzene ND 0.0250 mg/kg Toluene ND 0.0250 Ethylbenzene ND 0.0250 ... ., p,m-Xylene ND 0.0500 ND 0.0250 ... o-Xylene ... Total Xylenes ND 0.0250 Surrogate: 1,2-Dichloroethane-d4 0.512 " 0.500 102 70-130 Surrogate: Toluene-d8 0.531 0.500 106 70-130 Surrogate: Bromofluorobenzene 0.491 0.500 98.2 70-130 Prepared: 04/09/20 0 Analyzed: 04/09/20 2 LCS (2015019-BS1) 2.15 0.0250 2.50 70-130 Benzene 85.9 mg/kg Toluene 2 41 0.0250 2 50 96.4 70-130 .. Ethylbenzene 2.42 0.0250 2.50 97.0 70-130 .. p,m-Xylene 4 80 0.0500 5.00 959 70-130 2.40 0.0250 ... 2.50 70-130 o-Xylene 96.1 ... 0.0250 Total Xylenes 7.20 7.50 96.0 0-200 Surrogate: 1,2-Dichloroethane-d4 0.490 " 0.500 98.0 70-130 70-130 Surrogate: Toluene-d8 0.543 0.500 109 Surrogate: Bromofluorobenzene 0.483 0.500 96.6 70-130 Matrix Spike (2015019-MS1) Source: P004024-01 Prepared: 04/09/20 0 Analyzed: 04/09/20 2 Benzene 2.10 0.0250 mg/kg 2.50 ND 84.1 48-131 Toluene 2.36 0.0250 2.50 ND 94.5 48-130 Ethylbenzene 2.39 0.0250 .. 2.50 ND 95.6 45-135 ... 4.74 94.7 43-135 p,m-Xylene 0.0500 5.00 ND o-Xylene 2.36 0.0250 2.50 ND 94.5 43-135 7.10 0.0250 ... 7.50 ND 94.6 0-200 Total Xylenes Surrogate: 1,2-Dichloroethane-d4 0.495 0.500 99.0 70-130 0.531 0.500 106 70-130 Surrogate: Toluene-d8 0.487 Surrogate: Bromofluorobenzene 0.500 97.4 70-130 Matrix Spike Dup (2015019-MSD1) Prepared: 04/09/20 0 Analyzed: 04/10/20 0 Source: P004024-01 2.30 23 Benzene 0.0250 mg/kg 2.50 ND 91.8 48-131 8.82 2.62 0.0250 2.50 ND 105 10.4 24 Toluene 48-130 Ethylbenzene 2.65 0.0250 ... 2.50 ND 106 45-135 10.3 27 .. 0.0500 27 5.24 5.00 ND 105 43-135 10.1 p,m-Xylene " o-Xylene 2.63 0.0250 2.50 ND 105 43-135 10.7 27 ... Total Xylenes 7.87 0.0250 7.50 ND 105 0-200 10.3 200 Surrogate: 1,2-Dichloroethane-d4 0.505 0.500 101 70-130 Surrogate: Toluene-d8 0.535 0.500 107 70-130 Surrogate: Bromofluorobenzene 0.494 0.500 98.7 70-130

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

 5796 Highway 64, Farmington, NM 87401
 Ph (505) 632-0615 Fx (505) 632-1865
 envirotech-inc.com

 24 Hour Emergency Response Phone (800) 362-1879
 Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State SWD	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Kenny Kidd	04/10/20 11:17

## Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

# Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD						
Analyte	Result	Limit Unit		Level	Result	%REC	Limits	RPD	Limit	Notes					
Batch 2015016 - DRO Extraction EPA 35	570														
Blank (2015016-BLK1)				Prepared & Analyzed: 04/09/20 0											
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg												
Oil Range Organics (C28-C40)	ND	50.0	"												
Surrogate: n-Nonane	44.4		"	50.0		88.8	50-200								
LCS (2015016-BS1)				Prepared: (	04/09/20 0 A	Analyzed: (	4/09/20 1								
Diesel Range Organics (C10-C28)	471	25.0	mg/kg	500		94.2	38-132								
Surrogate: n-Nonane	47.3		"	50.0		94.7	50-200								
Matrix Spike (2015016-MS1)	Sour	ce: P004024-	07	Prepared: (	04/09/20 0 A	Analyzed: (	4/09/20 1								
Diesel Range Organics (C10-C28)	520	25.0	mg/kg	500	30.3	97.9	38-132								
Surrogate: n-Nonane	44.7		"	50.0		89.3	50-200								
Matrix Spike Dup (2015016-MSD1)	Sour	ce: P004024-	07	Prepared: (	04/09/20 0 A	4/09/20 2									
Diesel Range Organics (C10-C28)	531	25.0	mg/kg	500	30.3	100	38-132	2.08	20						
Surrogate: n-Nonane	49.8		"	50.0		99.6	50-200								
Diesel Range Organics (C10-C28)		25.0			30.3			2.08	20						

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Labadmin@envirotech-inc.com



Spur	Project Name: Folk State	SWD
PO Box 1058	Project Number: 19054-000	3 Reported:
Hobbs NM, 88240	Project Manager: Kenny Kic	d 04/10/20 11:17

## Nonhalogenated Organics by 8015 - GRO - Quality Control

#### **Envirotech Analytical Laboratory** Spike %REC RPD Reporting Source Analyte Result Limit Units Level Result %REC Limits RPD Limit Notes Batch 2015019 - Purge and Trap EPA 5030A Blank (2015019-BLK1) Prepared: 04/09/20 0 Analyzed: 04/09/20 2 Gasoline Range Organics (C6-C10) ND 20.0 mg/kg Surrogate: 1,2-Dichloroethane-d4 0.512 0.500 102 70-130 " Surrogate: Toluene-d8 0.531 0.500 106 70-130 Surrogate: Bromofluorobenzene 0.491 0.500 98.2 70-130 LCS (2015019-BS2) Prepared: 04/09/20 0 Analyzed: 04/09/20 2 Gasoline Range Organics (C6-C10) 52.2 20.0 50.0 104 70-130 mg/kg Surrogate: 1,2-Dichloroethane-d4 0.491 0.500 98.1 70-130 0.541 0.500 108 70-130 Surrogate: Toluene-d8 0.475 0.500 95.0 70-130 Surrogate: Bromofluorobenzene Prepared: 04/09/20 0 Analyzed: 04/10/20 0 Matrix Spike (2015019-MS2) Source: P004024-01 Gasoline Range Organics (C6-C10) 52.8 ND 70-130 20.0 mg/kg 50.0 106 0.485 96.9 70-130 Surrogate: 1,2-Dichloroethane-d4 0.500 Surrogate: Toluene-d8 0.539 0.500 108 70-130 Surrogate: Bromofluorobenzene 0.485 0.500 97.0 70-130 Matrix Spike Dup (2015019-MSD2) Source: P004024-01 Prepared: 04/09/20 0 Analyzed: 04/10/20 0 Gasoline Range Organics (C6-C10) 51.9 20.0 mg/kg 50.0 ND 104 70-130 1.57 20 0.505 101 0.500 70-130 Surrogate: 1,2-Dichloroethane-d4 105 0 524 0 500 70-130 Surrogate: Toluene-d8 Surrogate: Bromofluorobenzene 0.492 0.500 98.3 70-130

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Spur	Project Name:	Folk State SWD	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Kenny Kidd	04/10/20 11:17

# Anions by 300.0/9056A - Quality Control

### **Envirotech Analytical Laboratory**

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2015021 - Anion Extraction EPA 3	00.0/9056A									
Blank (2015021-BLK1)			4/09/20 2							
Chloride	ND	20.0	mg/kg							
LCS (2015021-BS1)				Prepared: (	04/09/20 0 A	Analyzed: 0	4/09/20 2			
Chloride	255	20.0	mg/kg	250		102	90-110			
Matrix Spike (2015021-MS1)	Sour	ce: P004024-	01	Prepared: (	04/09/20 0 4	Analyzed: 0	4/09/20 2			
Chloride	278	20.0	mg/kg	250	25.1	101	80-120			
Matrix Spike Dup (2015021-MSD1)	Sour	ce: P004024-	01	Prepared: (	04/09/20 0 4	Analyzed: 0	4/09/20 2			
Chloride	280	20.0	mg/kg	250	25.1	102	80-120	0.416	20	

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

 5796 Highway 64, Farmington, NM 87401
 Ph (505) 632-0615
 Fx (505) 632-1865
 envirotech-inc.com

 24 Hour Emergency Response Phone (800) 362-1879
 Labadmin@envirotech-inc.com
 Labadmin@envirotech-inc.com

Released to Imaging: 7/1/2021 8:26:38 AM

Page 18 of 21



Spur	Project Name:	Folk State SWD	
PO Box 1058	Project Number:	19054-0003	Reported:
Hobbs NM, 88240	Project Manager:	Kenny Kidd	04/10/20 11:17

#### **Notes and Definitions**

ND	Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

\*\* Methods marked with \*\* are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com Labadmin@envirotech-inc.com

Proi	ect	Information
		monnation

Received by OCD: 5/20/2021 4:35:14 PM

#### 01071 -

Client:	Our Fre	Ceta			1997	Bill To		PO	040	_		0.0-				AT		NA D.	
Project:	Fir Ener	He SIN	n		Attention	Vlatelie Glack	10	Lab	WO#		ab Us	Constraint Acres 27 (C. Sc.	Numbe	-	1D	AT	RCRA	PA Progra	
Project N	Aanager:	henny	hid		Address:	The children		Po	040	TI	-		54-		2	30	NCKA	CWA	SDWA
Address:		J			City, State	, Zip				419	70	Analy	sis and	Metho	d			Sta	ate
City, Stat	e, Zip				Phone:										T			179.50	UTAZ
hone:					Email: 🗸	19 lacber OHing	gry-Horce.co	8015	15									X	
Email:									y 80	21	0	0	0.0		5			TX OK	
Report d	1		1					RO t	ROb	y 80.	826	601	le 30		NN-	¥.			
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID			Lab	DRO/ORO by	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0		BGDOC - NM	BGDOC -		Rem	narks
	4.2	0	1		0		Number	ā	Ū	8	ž	Σ	Ċ	_	BC	BG			
	2020	S	9	Comp	ositellor	th SPI									X				
				Canpo	sik North	n SP2	2												
				Compos	vie North	SP3	3												
				Campo	sik North	Sp4	4												
				Camoo	sile North	n SPS	5												
				Com	note Nor	In	6												
				CSU	7		7												
			1	CSU	2		8												
				CCI	13							-	-+						
		V	U	Lou	5		9							A	,				
	4.2	S	G	CSU	JY J		10							X	X				
Addition	al Instruc	tions:																	
				this sample. I am aw s for legal action. San		intentionally mislabelling the sam	ple location, date or											day they are san ubsequent days.	
	ed by: (Signa				B.I.C Receive	ed by: (Signature)	Date	L.,	Time		7						e Only		
Retinquish	ed by: (Signa	ture)	Date	Tim		atrue ( 10ad ed by: (Signature)	Date		Time	48		Rece	ived or	n ice:	Ľ	) N			
	rie	ald	an 7	18/20 1	:05	Such	1 4.8.0	020	1-	30.		<u>T1</u>			<u>T2</u>			<u>T3</u>	
keinquisn	ed by: (Signa	ture	Date 4.	8.2020	1640 Receive	edby: (Signature)	Date 4/9/	20	Time 9	30		AVG	Temp	°c <b>4</b>					
				queous, <b>O</b> - Other		17	Container	Туре	: g - g	lass, p	p - pol	ly/pla	stic, ag	- ambe	er glas	s, v - \	/OA		
lote: Sampl	es are discard	ed 30 days a	after results a	re reported unless	other arrangements ar	e made. Hazardous samples w	ill be returned to cl	ient or i	dispose	ed of at	t the cli	ent ex	pense. T	ne report	for the	e analys	is of the abov	ve samples is	applicable
my to those	e samples reci	erveu by the	aboratory w	in this COC. The	inability of the laborator	y is limited to the amount pair	a for on the report.												

Released to Imaging: 7/1/2021 8:26:38 AM

.

Project Information	Chain of Custody										Page 2 of 2	Page 21 of 21
Project: File State Swo	Attention: Matalic Glacien	. Chair				e Only		CONST.	TAT		EPA Program	e 21
Project Manager:	Address:	P	WO#	DZU	4	Job N	umber		3D	RCRA	CWA SDWA	Pag
Address:	City, State, Zip			<u>v-</u>	A	Analysi	is and Met	hod		I	State	
City, State, Zip Phone:	Phone:					-					NM CO UT AZ	
Email:	Email: ngloever 9 Hingy - Horse con	8015	8015				0					
Report due by:		RO by	ROby	/ 802	8260	6010	e 300	NN -	Ĕ			
Time Date Matrix No Sampled Sampled Matrix Containers Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC - NM	BGDOC - TX		Remarks	00.17
4.2 S G CGW5	11							X				E .m
4.2 3 G CSW6	12	a card a resolution of the						X				
					_		_		_			
									+			
	second second											
	ing and a second se		-+									
Additional Instructions:												
<ol> <li>(field sampler), attest to the validity and authenticity of this sample. I am aware the time of collection is considered fraud and may be grounds for legal action. Sampled</li> </ol>	tat		-								he day they are sampled or on subsequent days.	
Relinquished by: (Signature) Date (4.2 Time 2020 3:		20	Time			Receiv	ved on ice	. l	ab Us	e Only		
Relinquished by: (Signature) Date Time	Received by: (Signature) Date 4-8-2	-	Time	304	3	 Г1		тz			Т3	
Relinquished by: (Signature) Date Time	40 Reventory: (Signature) Date 4/91	20	Time	30	四日四		emp °C_	4 <u></u>				
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other	Container	Type:	g - gl	lass, p	o - pol	y/plas	tic, ag - an	nber gla	iss, v -	VOA		
Note Samples are discarded 30 days after results are reported unless othe only to those samples received by the laboratory with this COC. The liabil	er arrangements are made. Hazardous samples will be returned to cl ity of the laboratory is limited to the amount paid for on the report	ient or c	lispose	d of at	the clie	ent expe	ense. The rep	port for th	ne analy	sis of the ab	pove samples is applicable	
( A and in a harak	5796 US Highway 64, Farmington, NM 87401 24 Hour Emergency Response Phone (800) 362-1879			Ph	(505) 6:	32-1881	Fx (505) 632-	1865			irotech-inc.com invirotech-inc.com	1 42 10/





FOLK STATE #011 BATTERY

**FINAL PHOTOS** 









Received by OCD: 5/20/2021 4:35:14 PM

Page 6

Oil Conservation Division

Incident ID	NAB1919234395
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.
A scaled site and sampling diagram as described in 19.15.29.11 NMAC
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Natalie Gladden Title: Director of Environmental and Regulatory			
Signature: Addu Gloddu Date: (24/2020			
email: natalie@energystaffingllc.com Telephone: 575-390-6397			
OCD Only			
Received by: Victoria Venegas Date: 06/24/2020			
Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.			

Closure Approve	ed by: CLOSURE DENIED	Date:	09/30/2020	
Printed Name:	Victoria Venegas	Title:	Engineering Tech. III	

#### Venegas, Victoria, EMNRD

From:	Venegas, Victoria, EMNRD
Sent:	Wednesday, September 30, 2020 10:40 AM
То:	Kenny Kidd; Bratcher, Mike, EMNRD; Hamlet, Robert, EMNRD; Eads, Cristina, EMNRD
Cc:	spills@slo.state.nm.us; natalie@energystaffingllc.com
Subject:	NAB1919234395 FOLK STATE #011 @ 30-015-37397
Attachments:	(C-141 Closure) NAB1919234395 FOLK STATE #011 @ 30-015-37397.pdf

#### NAB1919234395 FOLK STATE #011 @ 30-015-37397

Mr. Kidd,

The OCD has denied the submitted Closure Report/Deferral Request C-141 for incident # NAB1919234395 FOLK STATE #011 @ 30-015-37397 for the following reasons:

- The Depth to groundwater has not been established. When nearby wells are used to determine depth to groundwater, the wells should be no further than ½ mile away from the site, data should be no more than 25 years old, and well construction information should be provided:
   <u>http://www.emnrd.state.nm.us/OCD/documents/OCDInternalPolicy-SpillRuleClarifications.pdf</u>. Therefore, the remediation levels outlined in Table 1 of 19.15.29 NMAC have not been established for this site.
- Vertical delineation, which is driven by depth to water, is incomplete because the depth to groundwater has not been established.
- Each confirmation floor sample was representative of ~6000 square feet, exceeding part 29 Closure Requirements by over 30 times.
- The OCD wants to clarify that the entire release area will not be deferred, only the sample points that are around production equipment such as production tanks, wellheads and pipelines. The release must be remediated to the fullest extent possible. The deferral may be granted so long as the contamination is fully delineated and does not cause an imminent risk to human health, the environment, or ground water. All sample points, except the requested sample points for deferral, must have contaminated soil removed before a deferral request is uploaded to the payment portal.

The Denied C-141 can be found in the online image file. Please review and make the required correction prior to resubmitting through the fee portal. Thank you,

Victoria Venegas State of New Mexico Energy, Minerals, and Natural Resources Oil Conservation Division 811 S. First St., Artesia NM 88210 (575) 909-0269 Victoria.Venegas@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

# **Soil Bore Report**

Info	Customer:				Phone:		Date:
Well I				575-390-639	97	5/10/20	
	Well Name:			Location:		1	
Genei				32.8336260,	-104.0965154	1	
	DEPTH						
	FROM	TO	THICKNESS (feet)	COLOR	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATE BEARING CAVITIES OR FRACTURES		CLUDE WATER
	0	. 3	3		Γ	OP SOIL	
	3	14	11		CI	HALECHE	
	14	20	6		RED	SAND/CLAY	
	20	30	10		R	ED SAND	
	30	78	48		ANHYDRITE	/ RED SNAD / CLAY	
	and the second s	and the second					
		Long Long Long Long Long Long Long Long		LEFT BORE	HOLE OPEN FOR 48 H	OURS. UPON RETURNIN	G THE BORE WAS
	e and e and e a			STILL DRY AT 78'. PLUGGED BORE HOLE FROM THE BOTTOM UP			
		John I			WITH 3/8 HOLE P	LUG (BENTONITE CHI	P).
	Strengt Bar	" Ringg					
TI		And					
WE		The second secon					
F							
0	arm Married						
00		and		to a state in the state of the st			
L				and a succession of the succes			
	1		ala a lang				
	Name of Street			20 C		425	Annual Strengton St
	and the second se	A State of S	ng dilan yang Ng 1 Ji				
			en ande 11 me en <sup>17</sup> 12 i e				
	and and a little second	The St. Leaguermone R	and the second second		E Representation and and and and and and and and and an		
					ł.	and the second sec	
				artinen ardınadar yanış artiştiri. Şereşere			

1118 West Broadway Place

Hobbs, N.M. 88240

Office: 575-396-3790

## Received by OCD: 5/20/2021 4:35:14 PM SPUR ENERGY PARTNERS

FOLK STATE #11 BATTERY BOREHOLE MAP

T.

Legend \$ 32.8336260 - 104.0965154

Page 115 of 123

tarth PcN

BOREHO

211

Old Loco Rd N

### FOLK STATE #11 BATTERY DRILLING PHOTOS





Received by OCD: 5/20/2021 4:35:14 PM State of New Mexico Form C-141

**Oil Conservation Division** 

	U	
Incident ID		
District RP		
Facility ID		
Application ID		

## Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>&gt;78'BGS</u> (ft bgs)
Did this release impact groundwater or surface water?	🗋 Yes 🛛 No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	🗌 Yes 🛛 No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	🗌 Yes 🛛 No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	🗌 Yes 🛛 No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	🗌 Yes 🛛 No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	🗌 Yes 🛛 No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	🗌 Yes 🛛 No
Are the lateral extents of the release within 300 feet of a wetland?	🗌 Yes 🛛 No
Are the lateral extents of the release overlying a subsurface mine?	🗌 Yes 🖾 No
Are the lateral extents of the release overlying an unstable area such as karst geology?	🛛 Yes 🗌 No
Are the lateral extents of the release within a 100-year floodplain?	🗌 Yes 🛛 No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	🗌 Yes 🔀 No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

#### Characterization Report Checklist: Each of the following items must be included in the report.

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- $\boxtimes$ Data table of soil contaminant concentration data
- $\boxtimes$ Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release  $\boxtimes$
- $\boxtimes$ Boring or excavation logs
- Photographs including date and GIS information  $\square$
- $\boxtimes$ Topographic/Aerial maps
- $\boxtimes$ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Page 3

	<i>ceived by OCD: 5/20/2021 4:35:14 PM</i> m C-141 State of New Mexico			<b>Page 119 of 123</b>
Form C-141			Incident ID	
Page 4	Oil Conservation Division		District RP	
			Facility ID	
			Application ID	
regulations all operator public health or the env failed to adequately inv addition, OCD accepta and/or regulations. Printed Name: NAT. Signature:	e information given above is true and complete to the rs are required to report and/or file certain release noti vironment. The acceptance of a C-141 report by the O vestigate and remediate contamination that pose a through nce of a C-141 report does not relieve the operator of ALIE GLADDEN	ifications and perform co OCD does not relieve the eat to groundwater, surfa f responsibility for comp NVIRONMENTAL A	orrective actions for rele e operator of liability sho ace water, human health liance with any other fector ND REGULATORY	ases which may endanger ould their operations have or the environment. In leral, state, or local laws
Received by:		Date:		

*Received by OCD: 5/20/2021 4:35:14 PM* Form C-141 State of New Mexico

Page 5

Oil Conservation Division

Remediation Plan Checklist: Each of the following items must be included in the plan.

Page 120 of 123

Incident ID	
District RP	
Facility ID	
Application ID	

## **Remediation Plan**

<ul> <li>Detailed description of proposed remediation technique</li> <li>Scaled sitemap with GPS coordinates showing delineation points</li> <li>Estimated volume of material to be remediated</li> <li>Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>			
Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.			
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.			
Extents of contamination must be fully delineated.			
Contamination does not cause an imminent risk to human health, the environment, or groundwater.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.  Printed Name: NATALIE GLADDEN Title: DIRECTOR OF ENVIRONMENTAL AND REGULATORY Signature: Date: 5-20-21 email: NATALIE@ENERGYSTAFFINGLLC.COM Telephone: 575-390-6397 OCD Only			
Approved Approved with Attached Conditions of Approval Denied Deferral Approved			
Signature: Date:			

Page 6

Incident ID	
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11 NMAC

Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)

Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)

Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: NATALIE GLADDEN_ Title: _DIRECTOR OF E	INVIRONMENTAL AND REGULATORY
Signature: Atali Galade	Date: 5/20/21
email: <u>NATALIE@ENERGYSTAFFINGLLC.COM</u>	Telephone: <u>575-390-6397</u>

OCD Only

Received by:

Date:

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:	Date:
Printed Name:	Title:

*Received by OCD: 5/20/2021 4:35:14 PM* Form C-141 State of New Mexico

Page 122 of 123

Page 5

Oil Conservation Division

Remediation Plan Checklist: Each of the following items must be included in the plan.

Incident ID	
District RP	
Facility ID	
Application ID	

## **Remediation Plan**

<ul> <li>Detailed description of proposed remediation technique</li> <li>Scaled sitemap with GPS coordinates showing delineation points</li> <li>Estimated volume of material to be remediated</li> <li>Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>			
<b>Deferral Requests Only:</b> Each of the following items must be confirmed as part of any request for deferral of remediation.			
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.			
Extents of contamination must be fully delineated.			
Contamination does not cause an imminent risk to human health, the environment, or groundwater.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.  Printed Name: NATALIE GLADDEN Title: DIRECTOR OF ENVIRONMENTAL AND REGULATORY Signature: Date: 5-20-21 email: NATALIE@ENERGYSTAFFINGLLC.COM Telephone: 575-390-6397			
OCD Only			
Received by: Chad Hensley Date: 07/01/2021			
Approved Approved with Attached Conditions of Approval Denied Deferral Approved			
Signature:			

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	29039
	Action Type:
	[C-141] Release Corrective Action (C-141)

#### CONDITIONS

Created By	Condition	Condition Date
chensley	Spur's deferral requests to complete final remediation during any future major construction/alteration or final plugging and abandonment, whichever occurs first is approved. The deferred C- 141 will be accepted for record and marked accordingly. The release will remain open in OCD database files and reflect an open environmental issue.	7/1/2021

CONDITIONS

Action 29039