



Jason Michelson
Project Manager

**Chevron Environmental
Management Company**
1500 Louisiana Street, #38116
Houston, Texas 77002
Work: 832-854-5601
Cell: 281-660-8564
jmichelson@chevron.com

November 15, 2019

New Mexico Oil Conservation Division, District 1
1625 N. French Drive
Hobbs, NM 88240

**Re: Vacuum Grayburg San Andres Unit 16
Site Closure Report
Case No. 1RP-3256 & 1RP-2760
Lea County, New Mexico**

Dear whom it concerns,

Please find enclosed for your files, a copy of the following report:

- Vacuum Grayburg San Andres Unit 16 – Site Closure Report

The submittal was prepared by Arcadis U.S., Inc. (Arcadis) on behalf of Chevron Environmental Management Company (CEMC).

Please do not hesitate to call Scott Foord with Arcadis at 713-953-4853 or myself at 832-854-5601, should you have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jason Michelson".

Jason Michelson

Encl. Vacuum Grayburg San Andres Unit 16 – Site Closure Report

C.C. Amy Barnhill, Chevron/MCBU

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: CHEVRON U.S.A. Inc.	Contact: Luke Welch
Address: 56 Texas Camp Road, Lovington, NM 88260	Telephone No.: Office: (713) 372-0292 Mobile: (832) 627-9171
Facility Name: Vacuum Grayburg San Andres Unit #16	Facility Type: Water Injection Well

Surface Owner:	Mineral Owner:	API No. 3002534944
----------------	----------------	--------------------

LOCATION OF RELEASE


Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	02	18.0S	34.0E					Lea

Latitude 32.77345715° Longitude -103.5268596°

NATURE OF RELEASE

Type of Release: Flare	Volume of Release 12.354 bbls of produced water ~40,000 Chlorides	Volume Recovered: 12 bbls
Source of Release: Flare	Date and Hour of Occurrence: 11/10/11 9:30	Date and Hour of Discovery: 11/10/11 9:45
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom? David Pagano	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.* Internal Corrosion on tubing collar caused pinhole leak. Immediately ordered vacuum truck to be onsite to contain and contacted 3 rd party to plug leak and repair.		
Describe Area Affected and Cleanup Action Taken.* Spill contained, liquid was vacuumed, excavated down to 2 ft bgs, and impacted soil was disposed. Vacuum truck recovered 12 bbls of fluid. Five discrete soil confirmation samples were collected from the base of the excavation. These sampling results indicated the presence of hydrocarbon and chloride concentrations in shallow soils at levels of regulatory concern. In response to the sampling results, an additional site assessment was conducted to confirm the extent of soil impacts. Results of the additional assessment are provided in the attached report.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		

OIL CONSERVATION DIVISION

Signature: 	Approved by Environmental Specialist:	
Printed Name: Luke Welch	Approval Date:	Expiration Date:
Title: Project Manager	Conditions of Approval:	
E-mail Address: LWelch@chevron.com	Attached <input type="checkbox"/>	
Date: 11-19-14 Phone: (713) 372-0292		

* Attach Additional Sheets If Necessary



Mr. Jason Michelson
 Project Manager
 Chevron Environmental Management Company
 1500 Smith Street, Room 38116
 Houston, Texas 77002

ARCADIS U.S., Inc.
 10205 Westheimer
 Suite 800
 Houston
 Texas 77042
 Tel 713 953 4800
 Fax 713 977 4620
www.arcadis-us.com

Subject:

Site Closure Report

Vacuum Grayburg San Andres Unit 16
 Lea County, New Mexico

ENVIRONMENT

Dear Mr. Michelson :

On behalf of Chevron Environmental Management Company (CEMC), ARCADIS U.S., Inc. (ARCADIS) prepared this Site Closure Report (report) to document cleanup actions and soil sampling activities at the Vacuum Grayburg San Andres Unit 16 (VGSAU #16) located in Lea County, New Mexico (site; Figure 1). These activities were conducted in response to a release of approximately 12.35 barrels (bbls) of produced water that occurred on November 10, 2011.

Date:
 October 2, 2019

Contact:
 Scott Foord

Phone:
 713-953-4853

Email:
 Scott.Foord@arcadis.com

To evaluate the potential for this release to impact groundwater, ARCADIS developed a Site Conceptual Model (SCM; Attachment 1). Based on the SCM, potential impacts to groundwater are not considered possible due to the following:

Our ref:
 B0048601.0000

- The small volume of material released (12.35 total bbls).
- Response activities included removal of liquids and impacted surface soil.
- Local conditions include low rainfall and high evapotranspiration, which minimize potential infiltration.
- The presence of a caliche layer impedes the vertical migration of liquids.
- Groundwater is encountered at significant depth (96 feet below ground surface [bgs]).
- Geochemical modeling using the United States Environmental Protection Agency (USEPA) Multimedia Exposure Assessment Model (MULTIMED) Version 2.0

Imagine the result



Mr. Jason Michelson
October 2, 2019

(USEPA 1996) indicates that a significantly larger release would be necessary to cause an exceedance of regulatory criteria in groundwater.

This report describes spill response activities for the November 10, 2011 release and follow-up soil assessment activities that occurred on May 20, 2013.

Background Information

This section summarizes the site location and description, as well as the regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

Site Location and Description

The site is located within the Chevron-operated Vacuum Unit, approximately 14 miles southwest of Lovington, New Mexico. New Mexico Highway 238 is located approximately 2 miles east of the site.

The site is located in the western edge of the Permian Basin, a 75,000-square-mile area in west Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north and Chaves County to the west. Lovington (the closest town) is located approximately 14 miles northeast of the site and the closest agricultural area is located approximately 9 miles northeast of the site.

The site is located southeast of the VGSAU #16 wellhead. The release described in the following sections occurred in the field next to the well pad. A photo log of the site is included as Attachment 2.

Nearby Water Wells and Surface Water

Based on satellite imagery, no surface-water bodies were identified within 3 miles of the site (GoogleEarth 2014). In May 2013, ARCADIS field verified that no surface-water bodies are located within 1,000 feet of the site.

In September 2014, ARCADIS reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2011), which indicates that no water-supply wells are located within 1,000 feet of the site. The NMOSE online database identified 298 water-supply wells within a 5-mile radius of the site (NMOSE 2011). A petroleum-industry-related water-supply well, located



Mr. Jason Michelson
October 2, 2019

approximately 1,700 feet southeast (i.e., hydraulically downgradient) of the site, was identified as the closest designated-use well to the site.

Climate

Monthly average temperatures near the site vary from a minimum of 27.9 degrees Fahrenheit (°F) in January to a maximum of 93.9°F in July (Western Regional Climate Center [WRCC] Hobbs, New Mexico [294026] weather station). Total average precipitation in the area of the site recorded from the available WRCC period of record between 1912 and 2013 was approximately 15.75 inches per year (WRCC 2014a).

Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. The total average evapotranspiration from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2014b).

Regional Geology and Hydrogeology

The site elevation is approximately 4,010 feet above mean sea level. The site is located in the Querecho Plains immediately west of the Mescalero Ridge, which demarcates the western boundary of the (Miocene to Pliocene) High Plains Ogallala Formation (Reeves 1972). A rapid drop in elevation of 200 to 250 feet occurs west of the northwest-trending Mescalero Ridge. The Ogallala Formation east of the ridge is predominantly composed of unconsolidated alluvial fan deposits of sand and gravel near the base, overlain by interbedded sand and clay in the upper portion (Seni 1980). Repeated depositional events on the High Plains surface beginning approximately 7 million years ago, followed by aerial exposure, generated a thick sequence of caliche horizons that are competent enough to act as a cliff for the expression of Mescalero Ridge. These hard caliche deposits form the upper portion of the stratigraphic sequence. In the site area, the Ogallala Formation is underlain by red beds of the Upper Triassic-age Dockum Group. The nearest area where the Ogallala is underlain by the Cretaceous-age Trinity Group is approximately 45 miles to the northwest of the site (Fallin 1988).

The Querecho Plain is 80 percent covered by a moderately stable dune field (Reeves 1972) that is deposited on top of Triassic Dockum red beds. The red bed surface, which is 400,000 to 500,000 years old, is relatively flat with minor erosional incisions and a 3- to 13-foot-thick near-surface caliche layer (Bachman 1980). Deposition of sand and the formation of the dune field began 60,000 years ago, with additional development beginning 9,000 years ago (Hall 2002). The surface and interior of



Mr. Jason Michelson
October 2, 2019

these dunes do not contain caliche; however, a 1-foot layer of caliche is common at the bottom of the dunes at the contact with the red bed surface. Groundwater in the area is in the Dockum Group at a depth of approximately 100 feet (Summers 1972). Compared to the Ogallala Formation to the west of the site, the Dockum Group groundwater is not a major resource in the area, with poor potential water production rates and elevated natural dissolved solids.

Water-supply wells located on the southern High Plains east of Mescalero Ridge in central Lea County and near the site, as discussed in the Nearby Water Wells and Surface Water section of this report, are completed in the High Plains Aquifer (HPA). The HPA consists primarily of the Ogallala Formation, and in localized areas, alluvial sediment of Quaternary age. Near the site, the HPA is present directly above the Triassic-age Dockum Group, which occurs at a depth of approximately 140 feet bgs (Ash 1963, Fahlquist 2003, Nativ 1988, Nicholson and Clebsch 1961, Tillery 2008). The regional groundwater flow direction is to the east-southeast (Tillery 2008).

Groundwater near the site is encountered at a depth of approximately 96 feet bgs (NMOSE 2014; Attachment 3).

Initial Release Response Activities

A release of approximately 12.35 bbls of produced water occurred at the site on November 10, 2011 due to a pinhole leak in a tubing collar. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered approximately 12 bbls of fluids using a vacuum truck. Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected five discrete confirmation soil samples from the base of the excavation on November 17, 2011. Information regarding the disposal of the excavated soil was not provided. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil.

Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), David Pagano (Chevron MCBU) submitted a Notification of Release and Correction (Form C-141) detailing the location, volume of release, and initial and planned cleanup efforts taken for the site. The original and updated C-141 forms are included as Attachment 4.

Confirmation Soil Sampling

Five discrete confirmation soil samples were collected from the base of the excavation on November 17, 2011. As reported in the laboratory analytical report



Mr. Jason Michelson
October 2, 2019

(Attachment 5), soil sample containers were transported on ice, under chain of custody procedures to Cardinal Laboratories Environmental Analytical Services for the following analyses:

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by USEPA Method 8021B
- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) and total petroleum hydrocarbons as diesel range organics (TPH-DRO) by USEPA Method 8015M
- Chloride by USEPA Method SM4500Cl-B.

Confirmation soil sample results are presented in Table 1. The complete laboratory analytical results with chain of custody documentation are included in Attachment 5.

Data Evaluation Approach

Chevron MCBU personnel compared data from the five November 2011 confirmation soil samples to regulatory criteria to provide context for the concentrations of analytes detected and to evaluate the need for additional sampling. The regulatory criteria selected are based on potential receptors near the site and consist of the following:

- NMOCD risk-based soil remediation action levels (SRALs) for benzene, total BTEX, and total petroleum hydrocarbons (TPH) for leaks, spills, and releases (NMOCD 1993). SRALs were calculated using the NMOCD criteria presented in the tables below.

Criteria	Site-Specific Result	Ranking Score
Depth to groundwater	50 to 99 feet	10
Wellhead protection area	No	0
Distance to surface-water body	>1,000 feet	0
Total Ranking Score		10

SRALs	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH (mg/kg)
	10	50	1,000

Note:
mg/kg = milligrams per kilogram



Mr. Jason Michelson
October 2, 2019

- New Mexico Administrative Code (NMAC) closure criteria for soil beneath belowgrade tanks, drying pads associated with closed-loop systems, and pits where contents are removed (NMAC 2009).

Criteria	Site-Specific Result	Chloride (mg/kg)
Depth below bottom of pit to groundwater	50 to 100 feet	500

Confirmation Soil Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, and chloride for the five discrete confirmation soil samples collected in November 2011 are provided in Table 1 and summarized below:

- Of the five confirmation soil samples collected, ethylbenzene and total xylenes were detected above the laboratory reporting limits (LRLs) in only one soil sample collected at VGSAU #16 SP#5 (0.272 and 0.625 mg/kg, respectively). Benzene and BTEX were not detected above the SRALs of 10 and 50 mg/kg, respectively in any of the five confirmation soil samples.
- TPH-GRO was detected above LRLs in only one of the five soil samples collected (VGSAU #16 SP#5 at 24.4 mg/kg).
- TPH-DRO was detected above LRLs in all five soil samples collected at concentrations ranging from 32.5 mg/kg (VGSAU#16 SP#1) to 1,450 mg/kg (VGSAU#16 SP#4).
- TPH (TPH-DRO and TPH-GRO) was detected in all five confirmation samples, at concentrations ranging from 32.5 mg/kg (VGSAU #16 SP#1) to 1,474.4 mg/kg (VGSAU #16 SP#5). TPH was detected above the SRAL of 1,000 mg/kg in soil sample VGSAU #16 SP#5.
- Chloride was detected in all five confirmation samples collected, at concentrations ranging from 5,760 mg/kg (VGSAU#16 SP#1) to 14,000 mg/kg (VGSAU#16 SP#2). Chloride was detected above the NMAC closure criterion of 500 mg/kg in all five samples collected.

The complete laboratory analytical results with chain of custody documentation are included in Attachment 5.



Mr. Jason Michelson
October 2, 2019

TPH concentrations in confirmation soil sample VGSAU #16 SP#5 and chloride concentrations in all five confirmation soil samples were above the regulatory criteria, which prompted additional site assessment activities.

Site Assessment Activities

In May 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in November 2011, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. The site assessment activities and results are discussed below.

Pre-Field Activities

Prior to initiating field activities, ARCADIS updated the site-specific Health and Safety Plan in accordance with state and federal requirements. Prior to initiating drilling activities, underground utilities and other potential subsurface obstructions near the proposed boring locations were located and marked. A New Mexico One Call ticket was issued for the site, and a private third-party utility locator cleared all proposed boring locations for potential on- and off-site utilities that were not otherwise identified. Finally, ARCADIS staff conducted a visual inspection of the site to identify potential utility lines. Boring locations were flagged during the utility locate and coordinates were recorded using a Trimble® global positioning unit with differential capability.

Soil Sampling

To evaluate the potential extent of impacts to soil at the site, ARCADIS advanced seven soil borings (VGSAU 16-01, VGSAU 16-02, VGSAU 16-03, VGSAU 16-04, VGSAU 16-05, VGSAU 16-06, and VGSAU 16-07) on May 20, 2013. Soil sample locations are shown on Figure 2.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 30 feet bgs using air rotary drilling equipment.

Soil was continuously logged for stratigraphic characteristics. The soil samples were field screened for the presence of volatile organic compounds using a photo



Mr. Jason Michelson
October 2, 2019

ionization detector (PID) in combination with visual and olfactory screening methods for evidence of petroleum hydrocarbons. The PID used during this investigation was calibrated daily with fresh air and isobutylene gas. Field personnel recorded PID readings, soil types, and other pertinent geologic data on the boring logs (Attachment 6). No staining or elevated PID readings were observed.

Lithologic data indicate that the subsurface material primarily consists of caliche (soil carbonate) profiles including "caprock," nodular, and sandy caliche layers from approximately 0 to 30 feet bgs (Attachment 6).

Soil Assessment Sampling

Seven soil samples were collected from each boring location (for a total of 49 soil samples) beginning at a depth of 2 feet bgs (the approximate depth of the soil excavation in the initial release response activities) and continuing at 5-foot intervals from 5 to 30 feet bgs.

The assessment soil samples were retained in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to TestAmerica Laboratories.

Soil samples collected from boring locations VGSAU 16-05, VGSAU 16-06, and VGSAU 16-07 were placed on hold pending analytical results from the other sample locations. Based on the analytical results, one soil sample collected from boring location VGSAU 16-05 at a depth of 2 feet bgs, one soil sample collected from boring location VGSAU 16-06 at a depth of 2 feet bgs, and three soil samples collected from boring location VGSAU 16-07 at depths of 20, 25, and 30 feet bgs were analyzed. A total of 33 out of the 49 soil assessment samples collected were analyzed.

Soil Assessment Sample Analysis

Soil samples collected from each boring were analyzed for one or more of the following constituents:

- BTEX by USEPA Method 8021B
- TPH-GRO by USEPA Method 8015B
- TPH-DRO by USEPA Method 8015B
- Chloride by USEPA Method 9056



Mr. Jason Michelson
October 2, 2019

Boring Abandonment

Following sampling, the boreholes were filled with soil cuttings from the total depth to ground surface. The ground surface was restored to match the surrounding conditions.

Soil Assessment Comparison Criteria

To support site closure, ARCADIS developed a site-specific soil screening level (SSL) for chloride by simulating unsaturated zone flow, transport, and saturated zone mixing of chloride using the MULTIMED model Version 2.0 (USEPA 1996). The NMAC chloride standard for domestic water supply of 250 milligrams per liter (NMAC 2001) was used to estimate a maximum allowable concentration of chloride in soil that would not leach to groundwater above the standard. The NMAC chloride standard is consistent with the National Secondary Drinking Water Standard for chloride, addressing taste and odor concerns (USEPA 2010).

Conservative site-specific input parameters were used in the MULTIMED (USEPA 1996) simulations compared to actual site and release conditions. Specifically:

- Modeled source lengths and areas modeled are generally significantly larger than the actual chloride-impacted soil areas.
- Chloride-impacted soil was modeled as having a uniform chloride concentration for the entire volume (i.e., area x depth) of specified soil.
- A reduction in chloride concentrations in subsurface soil due to soil chemical transformation or adsorption mechanisms was not included in the model calculations.

Based on the depth to groundwater and the aerial and vertical extents of each of the MULTIMED (USEPA 1996) simulations, with these conservative site-specific input parameters, modeled peak chloride concentrations will reach groundwater in approximately 540 to 860 years.

A memo, Chloride MULTIMED Simulated Soil Screening Levels for the Protection of Groundwater, is included as Attachment 7. The site-specific SSL was calculated using the input parameters presented in the table below.



Mr. Jason Michelson
October 2, 2019

Site-Specific Input Parameters	
Source length (m)	45
Source area (m ²)	2,000
Source depth (m)	0 to 1
Depth to groundwater (m)	20
Chloride SSL (mg/kg)	38,000¹

¹ A chloride SSL of 38,800 mg/kg was calculated using MUTLTIMED (USEPA 1996)
m = meter
m² = square meter

Soil Assessment Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, and chloride for the 33 soil assessment samples are provided in Table 1 and summarized below:

- Benzene, ethylbenzene, and total xylenes were not detected above LRLs in any of soil assessment samples. Toluene was detected in 26 of the 28 soil assessment samples that were analyzed for BTEX at concentrations ranging from 0.011 mg/kg (VGSAU 16-02 at 10 feet bgs) to 0.025 mg/kg (VGSAU 16-02 at 5 feet bgs).
- TPH-GRO was not detected above LRLs in any of the soil assessment samples.
- TPH-DRO was detected above LRLs in only one of the 28 soil assessment samples analyzed for TPH-DRO at a concentration of 28.7 mg/kg (VGSAU 16-01 at 25 feet bgs).
- Chloride was detected in all 33 soil assessment samples at concentrations ranging from 32 mg/kg (VGSAU 16-04 at 15 feet bgs) to 672 mg/kg (VGSAU 16-02 at 20 feet bgs).

Laboratory analytical results with chain of custody documentation are provided in Attachment 5.

Summary and Conclusions

A release of produced water occurred at the site on November 10, 2011 due to a pinhole leak in a tubing collar. Chevron MCBU personnel stopped the release and recovered approximately 12 bbls of fluids (primarily oil) using a vacuum truck. Visually impacted soil was excavated to a depth of approximately 2 feet bgs and five



Mr. Jason Michelson
October 2, 2019

discrete confirmation soil samples were collected from the base of the excavation in November 2011.

Based on confirmation soil sampling results for TPH and chloride above regulatory criteria, additional investigation was planned. In May 2013, additional soil samples were collected to assess soil impacts within the observed aerial extent of the release. Chloride concentrations in soil were below the site-specific SSL, which was calculated using the MULTIMED model (USEPA 1996).

All 33 soil assessment samples collected in May 2013, had chloride concentrations below the site-specific SSL (Attachment 7) and 1,000 mg/kg. Not all chloride concentrations were delineated to 250 mg/kg; however chloride impacts in shallow soil potentially associated with the release were delineated.

Potential migration of remaining petroleum hydrocarbons or chloride to groundwater is not expected due to the small size of the release, low precipitation (WRCC 2014a), high evapotranspiration rates (WRCC 2014b), and fine-grained nature of caliche layers present beneath the site. MULTIMED model results demonstrate that the remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.

Soil data presented in this report support a conclusion that impacted soil associated with the November 10, 2011 release at the site poses no significant threat to groundwater resources or other receptors. ARCADIS recommends that CEMC submit a request to the NMOCD that no further investigations or additional cleanup actions need to be performed at the site and that the NMOCD grant No Further Action status to the site.

If you have any questions or comments regarding the information presented in this report, please contact Scott Foord at 713.953.4853 or at Scott.Foord@arcadis.com, or Greg Cutshall at 859.253.9036 or at Greg.Cutshall@arcadis.com.

Sincerely,

ARCADIS U.S., Inc.

Scott Foord
Certified Project Manager

Greg Cutshall
Program Manager



Mr. Jason Michelson
October 2, 2019

Enclosures:

- Table 1 Soil Sampling Analytical Results

- Figure 1 Site Location Map – VGSAU #16
- Figure 2 Release and Soil Boring Locations – VGSAU #16

Attachments:

- Attachment 1 Site Conceptual Model
- Attachment 2 Photo Log
- Attachment 3 New Mexico Office of the State Engineer – Depth to Water
- Attachment 4 Release Notification and Corrective Action (C-141 Form)
- Attachment 5 Laboratory Analytical Reports
- Attachment 6 Boring Logs (May 2013)
- Attachment 7 Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater Memo

References:

Ash, S.R. 1963. Ground-water conditions in northern Lea County, New Mexico. New Mexico Bureau of Mines and Mineral Resources, Atlas HA-62.

Bachman, George O. 1980. Regional Geology and Cenozoic History of Pecos Region, Southeastern New Mexico, US Dept. of Interior Geological Survey, Open File Report 80-1099, 120 pp.,

Fahlquist, L. 2003. Ground-water quality of the southern High Plains Aquifer, Texas and New Mexico, 2001. U. S. Geological Survey Open-File Report 03-345, 69 p.

Fallin, J.A. Tony 1988. Hydrogeology of Lower Cretaceous Strata Under the Southern High Plains of New Mexico, New Mexico Geology, Vol. 10, No. 1, pp. 6-9, February 1988.

Google Earth. 2014. Lovington, New Mexico, 32_46_57.76N, 103_29_26.55W, elev 3913 feet, Google Earth Imagery. February 13.

Hall, Stephen A. 2002. Field Guide to the Geomorphology of the Mescalero Sands, Southeastern New Mexico, Report Submitted to the State of New Mexico Historic Preservation Division and New Mexico Bureau of Land Management, Project No. 35-00-15334.11. October 2002.



Mr. Jason Michelson
October 2, 2019

- Nativ, R. 1988. Hydrogeology and hydrochemistry of the Ogallala aquifer, Southern High Plains, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations no. 177, 64 p.
- New Mexico Administrative Code. 2001. Title 20, Chapter 6 of the New Mexico Administrative Code for Environmental Protection, Water Quality, Ground and Surface Water Protection, 20.6.2.3103 NMAC. January.
- New Mexico Administrative Code. 2009. Title 19, Chapter 15 of the New Mexico Administrative Code concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC. July.
- New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).
- New Mexico Office of the State Engineer. 2011. Water Information, Maps and Data, Geospatial Data, OSE Well Data, http://www.ose.state.nm.us/water_info_data.html, July.
- New Mexico Office of the State Engineer. 2014. New Mexico Water Rights Reporting System, <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>, May.
- New Mexico Oil Conservation Division. 1993. Guidelines for Remediation of Leaks, Spills and Releases. August 13.
- Nicholson, A., Jr., and A. Clebsch, Jr. 1961. Geology and Ground-Water Conditions in Southern Lea County, New Mexico. ERMS 241583. Ground-Water Report 6. Socorro, NM: New Mexico Bureau of Mines and Mineral Resources.
- Reeves, C.C. Jr. 1972. Tertiary-Quaternary stratigraphy and geomorphology of West Texas and southeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 108-117.
- Seni, S.J. 1980. Sand-body geometry and depositional systems, Ogallala Formation, Texas. University of Texas, Bureau of Economic Geology, Report of Investigations No.105, 40 p.
- Summers, W.K. 1972. Geology and Regional Hydrology of the Pecos River Basin, New Mexico, New Mexico Bureau of Geology and Mineral Resources, Open File Report No. 37, 393 pp. June 1972.



Mr. Jason Michelson
October 2, 2019

Tillery, A. 2008. Current (2004-07) conditions and changes in ground-water levels from predevelopment to 2007, Southern High Plains Aquifer, Southeast New Mexico-Lea County Underground Water Basin. U.S. Geological Survey, Scientific Investigations Map 3044.

United States Environmental Protection Agency. 1996. Multimedia Exposure Assessment Model for exposure assessment, MULTIMED 2.0 Beta. October.

United States Environmental Protection Agency. 2010. List of Contaminants and their Maximum Contaminant Levels, List of National Secondary Drinking Water Regulations. Online at: <http://water.epa.gov/drink/contaminants/#List>, July 1.

Western Regional Climate Center. 2014a. Hobbs, New Mexico (294026) weather station. <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm4026>. Viewed on May 5.

Western Regional Climate Center. 2014b. Artesia, New Mexico, monthly average pan evaporation. <http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW MEXICO>. Viewed on May 6.



Table

Table 1
Soil Sampling Analytical Results

Site Assessment Report
Vacuum Grayburg San Andres Unit 16
Lea County, New Mexico


Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
SRALs ^(a)			10	---	---	---	50	1,000		---	---
NMAC Closure Criteria ^(b)			---	---	---	---	---	---	---	250	---
MULTIMED Site-Specific SSL ^(c)			---	---	---	---	---	---	---	38,800	---
VGSAU#16 SP#1	11/17/2011	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	32.5	5,760	--
VGSAU#16 SP#2	11/17/2011	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	66.2	14,000	--
VGSAU#16 SP#3	11/17/2011	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	63.5	9,000	--
VGSAU#16 SP#4	11/17/2011	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	101	6,000	--
VGSAU#16 SP#5	11/17/2011	0	<0.050	<0.050	0.272	0.625	--	24.4	1450	6,720	--
VGSAU 16 - 01	5/20/2013	2	<0.052	0.019	<0.052	<0.156	0.019	<15.6	<15.6	112	3.6
	5/20/2013	5	<0.053	0.017	<0.053	<0.158	0.017	<15.8	<16.0	96	4.8
	5/20/2013	10	<0.053	0.021	<0.053	<0.158	0.021	<15.8	<15.8	144	5.2
	5/20/2013	15	<0.053	<0.053	<0.053	<0.160	<0.321	<16.0	<16.0	128	6.5
	5/20/2013	20	<0.056	0.023	<0.056	<0.169	0.023	<16.9	<16.9	80	11.4
	5/20/2013	25	<0.051	0.014	<0.051	<0.153	0.014	<15.3	28.7	64	1.7
	5/20/2013	30	<0.051	0.013	<0.051	<0.152	0.013	<15.2	<15.2	64	1.0
VGSAU 16 - 02	5/20/2013	2	<0.052	0.014	<0.052	<0.155	0.014	<15.5	<15.5	176	3.0
	5/20/2013	5	<0.053	0.017	<0.053	<0.159	0.017	<15.9	<15.9	176	5.5
	5/20/2013	10	<0.053	0.011	<0.053	<0.159	0.011	<15.9	<15.9	288	5.9
	5/20/2013	15	<0.051	0.016	<0.051	<0.153	0.016	<15.3	<15.3	192	2.0
	5/20/2013	20	<0.055	0.024	<0.055	<0.164	0.024	<16.4	<16.4	672	8.8
	5/20/2013	25	<0.054	<0.054	<0.054	<0.161	0.008	<16.1	<16.1	576	7.1
	5/20/2013	30	<0.059	0.020	<0.059	<0.177	0.020	<17.7	<17.7	160	15.3
VGSAU 16 - 03	5/20/2013	2	<0.053	0.015	<0.053	<0.158	0.015	<15.8	<15.8	288	5.3
	5/20/2013	5	<0.052	0.021	<0.052	<0.156	0.021	<15.6	<15.6	96	4.0
	5/20/2013	10	<0.056	0.018	<0.056	<0.169	0.018	<16.9	<16.9	240	11.2
	5/20/2013	15	<0.052	0.013	<0.052	<0.155	0.013	<15.5	<15.5	160	3.1
	5/20/2013	20	<0.055	0.016	<0.055	<0.164	0.016	<16.4	<16.4	224	8.5
	5/20/2013	25	<0.052	0.015	<0.052	<0.156	0.015	<15.6	<15.6	160	3.9
	5/20/2013	30	<0.054	0.015	<0.054	<0.163	0.015	<16.3	<16.3	64	7.8
VGSAU 16 - 04	5/20/2013	2	<0.052	0.023	<0.052	<0.157	0.023	<15.7	<15.7	560	4.4
	5/20/2013	5	<0.055	0.025	<0.055	<0.166	0.025	<16.6	<16.6	80	9.7
	5/20/2013	10	<0.053	0.014	<0.053	<0.160	0.014	<16.0	<16.0	48	6.5
	5/20/2013	15	<0.052	0.014	<0.052	<0.157	0.014	<15.7	<15.7	32	4.3
	5/20/2013	20	<0.056	0.012	<0.056	<0.168	0.012	<16.8	<16.8	80	10.6
	5/20/2013	25	<0.053	0.013	<0.053	<0.158	0.013	<15.8	<15.8	48	5.1
	5/20/2013	30	<0.051	0.014	<0.051	<0.152	0.014	<15.2	<15.2	96	1.4
VGSAU 16 - 05	5/20/2013	2	--	--	--	--	--	--	--	192	--
VGSAU 16 - 06	5/20/2013	2	--	--	--	--	--	--	--	48	--
VGSAU 16 - 07	5/20/2013	20	--	--	--	--	--	--	--	80	--
	5/20/2013	25	--	--	--	--	--	--	--	128	--
	5/20/2013	30	--	--	--	--	--	--	--	160	--

Notes:
 % Percent
 mg/kg Miligram(s) per kilogram
 < Analyte was not detected above the specified method reporting limit
 --* Information regarding the depth of these samples is not available.
 -- Not Analyzed/Not Listed
 bgs Below ground surface
 BTEX Benzene, toluene, ethylbenzene, and total xylenes
 MULTIMED Multimedia Exposure Assessment Model
 NMAC New Mexico Administrative Code
 TPH-GRO Total Petroleum Hydrocarbons as Gasoline Range Organics
 TPH-DRO Total Petroleum Hydrocarbons as Diesel Range Organics
 SRAL Soil remediation action level
 SSL Soil screening level

(a) SRALs, for leaks, spills, and releases, New Mexico Oil Conservation Division, August 1993
 (b) Title 19, Chapter 15 of the NMAC concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC, July 2009
 (c) MULTIMED exposure assessment, 2.0 Beta, United States Environmental Protection Agency, October 1996



Figures



CITY:\MAPS\ESTER_P\1668019\VGSAU_16\8 SMALL_PN_TN_GIEN\CAD\mxd\ACT\1668019\1668019\1668019\VGSAU16.dwg LAYOUT: 1 SAVED: 4/20/2014 7:11 PM ACADVER: 8.15 (LMS TECH) PAGES: 1 PLOT STYLE TABLE: ... PLOTTED: 4/20/2014 7:11 PM BY: SMALL BRAN

CITY: MANCHESTER DIV/GROUP: ENVCAD DB: B.SMALL PM: TM
G:\ENVCAD\Emeryville\RETURN-TO\Manchester-CT\B0048601\Final\B00486010000-B02.dwg LAYOUT: 1 SAVED: 11/15/2013 4:26 PM ACADVER: 18.1S (LMS TECH) PAGES: 1 PLOTSTYLETABLE: PLOTTED: 11/15/2013 4:27 PM BY: REYES, ALEC




LEGEND:

- MAY 2013 ASSESSMENT SOIL SAMPLING LOCATION
- ① OCTOBER 2011 CONFIRMATION SOIL SAMPLING LOCATION
- UNDERGROUND UTILITY LINE
- - - ABOVE GROUND UTILITY LINE
- APPROXIMATE EXTENT OF SPILL

NOTES:

1. AERIAL PHOTOGRAPH FROM GOOGLE EARTH PRO.
2. COORDINATES FOR ALL MAY 2013 SAMPLE LOCATIONS WERE COLLECTED USING A SUB-METER TRIMBLE GPS UNIT.
3. UTILITIES WERE IDENTIFIED USING GROUND PENETRATING RADAR, RADIO FREQUENCY SURVEY OR VISUAL MEANS.



VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT
TEAM UNITS
LEA COUNTY, NEW MEXICO
SITE ASSESSMENT REPORT

**RELEASE AND SOIL BORING LOCATIONS
VGSAU #16**




FIGURE
2




Attachment 1


Site Conceptual Model



The site is located in the western edge of the Permian Basin with Lovington (the closest town) located approximately 16 miles northeast of the site. Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. According to information obtained from the NMOSE online database, groundwater near the site is encountered at a depth of approximately 96 feet bgs.



A release of approximately 12.354 bbls of produced water occurred at the site on November 10, 2011 due to a pinhole leak in an underground utility line. Chevron personnel from the MidContinent Business Unit (MCBU) stopped the release and recovered an approximately 12 bbls of fluids using a vacuum truck. Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected five discrete confirmation soil samples from the base of the excavation. Analyte concentrations in one or more confirmation soil samples were above regulatory criteria, which prompted additional site assessment activities.



In May 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in November 2011, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. Analyte concentrations in samples collected during the 2013 assessment were reported below site-specific criteria. Site assessment activities demonstrate that remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.

VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT TEAM UNITS
LEA COUNTY, NEW MEXICO
SITE ASSESSMENT REPORT

**Site Conceptual Model
VGSAU #16**

FIGURE
1



Attachment 2

Photolog

Vacuum Grayburg San Andres
Unit #16
Site Assessment Report
Photolog
Lea County, New Mexico

ARCADIS



Photograph 1 – Vacuum Grayburg San Andres Unit #16; Facing Northwest



Photograph 2 – Vacuum Grayburg San Andres Unit #16 release area; Facing Northeast



Attachment 3

New Mexico Office of the State
Engineer – Depth to Water



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
L 04160	L	LE		3	3	01	18S	34E		638585	3626911*	627	165	100	65
L 02722 S3	L	LE		4	3	02	18S	34E		637374	3626892*	663			
L 05788 POD11	L	LE		2	3	2	02	18S	34E	637862	3627802*	689	240	95	145
L 05788 POD16	L	LE		2	3	2	02	18S	34E	637862	3627802*	689	240	96	144
L 05788 POD6	L	LE		2	3	2	02	18S	34E	637862	3627802*	689	240	94	146
L 05788 POD9	L	LE		2	3	2	02	18S	34E	637862	3627802*	689	250	95	155
L 05788 POD10	L	LE		4	4	1	02	18S	34E	637459	3627596*	713	240	100	140
L 05788 POD17	L	LE		4	4	1	02	18S	34E	637459	3627596*	713	240	97	143

Average Depth to Water: **96 feet**

Minimum Depth: **94 feet**

Maximum Depth: **100 feet**

Record Count: 8

UTMNAD83 Radius Search (in meters):

Easting (X): 637995.5

Northing (Y): 3627125.56

Radius: 750

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



Attachment 4

Release Notification and Corrective
Action (C-141 Form)

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company	Chevron USA Inc.	Contact	David A. Pagano
Address	15 Smith Rd., Midland, TX, 79705	Telephone No.	wk: 575-396-4414X275 cell: 505-787-9816
Facility Name	Vacuum Grayburg San Andres Unit #16	Facility Type	Water Injection Well
Surface Owner	Mineral Owner	API No. 3002524308	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	02	18.0S	34E					Lea

VGSAU 016 Latitude: 32.77345715 Longitude; -103.5268596

NATURE OF RELEASE

Type of Release	Flare	Volume of Release	12.354 bbls of produced water ~40,000 Chlorides	Volume Recovered	12bbls
Source of Release	Flare	Date and Hour of Occurrence	11/10/11 9:30	Date and Hour of Discovery	11/10/11 9:45
Was Immediate Notice Given?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?			
By Whom?		Date and Hour			
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*
Internal Corrosion on tubing collar caused pinhole leak. Immediately had Vacuum Truck to be onsite to contain and contacted 3rd party to plug leak and repair.

Describe Area Affected and Cleanup Action Taken.*
12bbls of fluid recovered with vacuum truck and initiated back hoe to pickup and dispose of contaminated soil (top 2ft of soil).

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION		
Printed Name: David A. Pagano	Approved by Environmental Specialist:		
Title: Health & Environmental Specialist	Approval Date:	Expiration Date:	
E-mail Address: dpgn@chevron.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date: 10/6/11	Phone: 505-787-9816		

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: CHEVRON U.S.A. Inc.	Contact: Luke Welch
Address: 56 Texas Camp Road, Lovington, NM 88260	Telephone No.: Office: (713) 372-0292 Mobile: (832) 627-9171
Facility Name: Vacuum Grayburg San Andres Unit #16	Facility Type: Water Injection Well

Surface Owner:	Mineral Owner:	API No. 3002534944
----------------	----------------	--------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	02	18.0S	34.0E					Lea

Latitude 32.77345715° Longitude -103.5268596°

NATURE OF RELEASE

Type of Release: Flare	Volume of Release 12.354 bbls of produced water ~40,000 Chlorides	Volume Recovered: 12 bbls
Source of Release: Flare	Date and Hour of Occurrence: 11/10/11 9:30	Date and Hour of Discovery: 11/10/11 9:45
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom? David Pagano	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.* Internal Corrosion on tubing collar caused pinhole leak. Immediately ordered vacuum truck to be onsite to contain and contacted 3 rd party to plug leak and repair.		
Describe Area Affected and Cleanup Action Taken.* Spill contained, liquid was vacuumed, excavated down to 2 ft bgs, and impacted soil was disposed. Vacuum truck recovered 12 bbls of fluid. Five discrete soil confirmation samples were collected from the base of the excavation. These sampling results indicated the presence of hydrocarbon and chloride concentrations in shallow soils at levels of regulatory concern. In response to the sampling results, an additional site assessment was conducted to confirm the extent of soil impacts. Results of the additional assessment are provided in the attached report.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		

Signature: <i>Luke Welch</i>	OIL CONSERVATION DIVISION	
Printed Name: Luke Welch	Approved by Environmental Specialist: <i>Bradford Billings</i>	
Title: Project Manager	Approval Date: 12/09/2019	Expiration Date:
E-mail Address: LWelch@chevron.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 11-19-14	Phone: (713) 372-0292	

* Attach Additional Sheets If Necessary

nTO1423251161



Attachment 5

Laboratory Analytical Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 28, 2011

DAVID PAGANO

Chevron - Lovington

HCR 60 Box 423

Lovington, NM 88260

RE: SOIL SAMPLES

Enclosed are the results of analyses for samples received by the laboratory on 11/18/11 12:00.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received:	11/18/2011	Sampling Date:	11/17/2011
Reported:	11/28/2011	Sampling Type:	Soil
Project Name:	SOIL SAMPLES	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: VGSAU #16 SP #1 (H102517-01)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/22/2011	ND	2.09	104	2.00	0.977		
Toluene*	<0.050	0.050	11/22/2011	ND	1.98	99.2	2.00	0.795		
Ethylbenzene*	<0.050	0.050	11/22/2011	ND	2.26	113	2.00	0.221		
Total Xylenes*	<0.150	0.150	11/22/2011	ND	6.51	109	6.00	0.0467		

Surrogate: 4-Bromofluorobenzene (PIL) 109 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	5760	16.0	11/22/2011	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	11/19/2011	ND	217	108	200	6.01		
DRO >C10-C28	32.5	10.0	11/19/2011	ND	188	94.2	200	8.91		

Surrogate: 1-Chlorooctane 80.1 % 55.5-154

Surrogate: 1-Chlorooctadecane 103 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received:	11/18/2011	Sampling Date:	11/17/2011
Reported:	11/28/2011	Sampling Type:	Soil
Project Name:	SOIL SAMPLES	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: VGSAU #16 SP #2 (H102517-02)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/22/2011	ND	2.09	104	2.00	0.977		
Toluene*	<0.050	0.050	11/22/2011	ND	1.98	99.2	2.00	0.795		
Ethylbenzene*	<0.050	0.050	11/22/2011	ND	2.26	113	2.00	0.221		
Total Xylenes*	<0.150	0.150	11/22/2011	ND	6.51	109	6.00	0.0467		

Surrogate: 4-Bromofluorobenzene (PIL) 105 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	14000	16.0	11/22/2011	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	11/19/2011	ND	217	108	200	6.01		
DRO >C10-C28	66.2	10.0	11/19/2011	ND	188	94.2	200	8.91		

Surrogate: 1-Chlorooctane 75.3 % 55.5-154

Surrogate: 1-Chlorooctadecane 96.2 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received:	11/18/2011	Sampling Date:	11/17/2011
Reported:	11/28/2011	Sampling Type:	Soil
Project Name:	SOIL SAMPLES	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: VGSAU #16 SP #3 (H102517-03)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/22/2011	ND	2.09	104	2.00	0.977		
Toluene*	<0.050	0.050	11/22/2011	ND	1.98	99.2	2.00	0.795		
Ethylbenzene*	<0.050	0.050	11/22/2011	ND	2.26	113	2.00	0.221		
Total Xylenes*	<0.150	0.150	11/22/2011	ND	6.51	109	6.00	0.0467		

Surrogate: 4-Bromofluorobenzene (PIL) 106 % 64.4-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	9000	16.0	11/22/2011	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	11/19/2011	ND	217	108	200	6.01		
DRO >C10-C28	63.5	10.0	11/19/2011	ND	188	94.2	200	8.91		

Surrogate: 1-Chlorooctane 83.9 % 55.5-154

Surrogate: 1-Chlorooctadecane 107 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received:	11/18/2011	Sampling Date:	11/17/2011
Reported:	11/28/2011	Sampling Type:	Soil
Project Name:	SOIL SAMPLES	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: VGSAU #16 SP #4 (H102517-04)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/22/2011	ND	2.09	104	2.00	0.977		
Toluene*	<0.050	0.050	11/22/2011	ND	1.98	99.2	2.00	0.795		
Ethylbenzene*	<0.050	0.050	11/22/2011	ND	2.26	113	2.00	0.221		
Total Xylenes*	<0.150	0.150	11/22/2011	ND	6.51	109	6.00	0.0467		

Surrogate: 4-Bromofluorobenzene (PIL) 106 % 64.4-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	6000	16.0	11/22/2011	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	11/19/2011	ND	217	108	200	6.01		
DRO >C10-C28	101	10.0	11/19/2011	ND	188	94.2	200	8.91		

Surrogate: 1-Chlorooctane 76.2 % 55.5-154

Surrogate: 1-Chlorooctadecane 99.4 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 11/18/2011
 Reported: 11/28/2011
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 11/17/2011
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGSAU #16 SP #5 (H102517-05)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/23/2011	ND	2.09	104	2.00	0.977		
Toluene*	<0.050	0.050	11/23/2011	ND	1.98	99.2	2.00	0.795		
Ethylbenzene*	0.272	0.050	11/23/2011	ND	2.26	113	2.00	0.221		
Total Xylenes*	0.625	0.150	11/23/2011	ND	6.51	109	6.00	0.0467		

Surrogate: 4-Bromofluorobenzene (PIL) 131 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	6720	16.0	11/22/2011	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	24.4	10.0	11/19/2011	ND	217	108	200	6.01		
DRO >C10-C28	1450	10.0	11/19/2011	ND	188	94.2	200	8.91		

Surrogate: 1-Chlorooctane 82.5 % 55.5-154

Surrogate: 1-Chlorooctadecane 112 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 28, 2013

JONATHAN OLSEN

ARCADIS U.S., INC. - HOUSTON

630 PLAZA DRIVE, SUITE 600

HIGHLANDS RANCH, CO 80129

RE: CHEVRON BUCKEYE FMT

Enclosed are the results of analyses for samples received by the laboratory on 05/21/13 17:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
VGSAU 16-05 (2')	H301221-01	Soil	20-May-13 14:02	21-May-13 17:00
VGSAU 16-06 (2')	H301221-08	Soil	20-May-13 16:32	21-May-13 17:00
VGSAU 16-04 (2')	H301221-15	Soil	20-May-13 15:12	21-May-13 17:00
VGSAU 16-04 (5')	H301221-16	Soil	20-May-13 15:16	21-May-13 17:00
VGSAU 16-04 (10')	H301221-17	Soil	20-May-13 15:20	21-May-13 17:00
VGSAU 16-04 (15')	H301221-18	Soil	20-May-13 15:28	21-May-13 17:00
VGSAU 16-04 (20')	H301221-19	Soil	20-May-13 15:40	21-May-13 17:00
VGSAU 16-04 (25')	H301221-20	Soil	20-May-13 15:58	21-May-13 17:00
VGSAU 16-04 (30')	H301221-21	Soil	20-May-13 16:20	21-May-13 17:00
VGSAU 16-07 (20')	H301221-26	Soil	20-May-13 10:10	21-May-13 17:00
VGSAU 16-07 (25')	H301221-27	Soil	20-May-13 10:15	21-May-13 17:00
VGSAU 16-07 (30')	H301221-28	Soil	20-May-13 10:20	21-May-13 17:00
VGSAU 16-03 (2')	H301221-29	Soil	20-May-13 10:30	21-May-13 17:00
VGSAU 16-03 (5')	H301221-30	Soil	20-May-13 10:35	21-May-13 17:00
VGSAU 16-03 (10')	H301221-31	Soil	20-May-13 10:40	21-May-13 17:00
VGSAU 16-03 (15')	H301221-32	Soil	20-May-13 10:50	21-May-13 17:00
VGSAU 16-03 (20')	H301221-33	Soil	20-May-13 11:00	21-May-13 17:00
VGSAU 16-03 (25')	H301221-34	Soil	20-May-13 11:15	21-May-13 17:00
VGSAU 16-03 (30')	H301221-35	Soil	20-May-13 11:35	21-May-13 17:00
VGSAU 16-01 (2')	H301221-36	Soil	20-May-13 12:45	21-May-13 17:00
VGSAU 16-01 (5')	H301221-37	Soil	20-May-13 12:50	21-May-13 17:00
VGSAU 16-01 (10')	H301221-38	Soil	20-May-13 12:55	21-May-13 17:00
VGSAU 16-01 (15')	H301221-39	Soil	20-May-13 13:00	21-May-13 17:00
VGSAU 16-01 (20')	H301221-40	Soil	20-May-13 13:25	21-May-13 17:00
VGSAU 16-01 (25')	H301221-41	Soil	20-May-13 13:40	21-May-13 17:00
VGSAU 16-01 (30')	H301221-42	Soil	20-May-13 13:50	21-May-13 17:00
VGSAU 16-02 (2')	H301221-43	Soil	20-May-13 11:42	21-May-13 17:00

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

VGSAU 16-02 (5')	H301221-44	Soil	20-May-13 11:48	21-May-13 17:00
VGSAU 16-02 (10')	H301221-45	Soil	20-May-13 11:57	21-May-13 17:00
VGSAU 16-02 (15')	H301221-46	Soil	20-May-13 12:15	21-May-13 17:00
VGSAU 16-02 (20')	H301221-47	Soil	20-May-13 12:20	21-May-13 17:00
VGSAU 16-02 (25')	H301221-48	Soil	20-May-13 12:25	21-May-13 17:00
VGSAU 16-02 (30')	H301221-49	Soil	20-May-13 12:38	21-May-13 17:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

VGSAU 16-05 (2')

H301221-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	192	16.0	mg/kg	4	3061403	DW	14-Jun-13	4500-Cl-B	
----------	-----	------	-------	---	---------	----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-06 (2')
H301221-08 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	48.0	16.0	mg/kg	4	3061403	DW	14-Jun-13	4500-Cl-B	
-----------------	-------------	------	-------	---	---------	----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (2')
H301221-15 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	4.42	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	95.6	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	560	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.7	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		88.8 %		70-130	3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		97.1 %		70-130	3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.023	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.023	0.314	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		109 %		89.4-126	3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (5')
H301221-16 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	9.69	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	90.3	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
<i>Surrogate: 1-Chlorooctane</i>		83.6 %		70-130	3060310	CK	29-May-13	8015M	
<i>Surrogate: o-Terphenyl</i>		91.0 %		70-130	3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.055	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.025	0.055	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.055	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.166	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.025	0.332	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		110 %		89.4-126	3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (10')
H301221-17 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	6.47	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	93.5	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	48.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.0	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.0	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		91.7 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		100 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.014	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.160	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.014	0.321	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (15')
H301221-18 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	4.25	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	95.8	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	32.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.7	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		100 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		114 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.014	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.014	0.313	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		108 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (20')
H301221-19 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	10.6	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	89.4	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
<i>Surrogate: 1-Chlorooctane</i>		93.5 %	70-130		3060310	CK	29-May-13	8015M	
<i>Surrogate: o-Terphenyl</i>		100 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.056	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.012	0.056	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.056	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.168	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.012	0.336	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		110 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (25')
H301221-20 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	94.9	0.100	%	1	3052212	AP	24-May-13	D2216	
% Moisture	5.14	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	48.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		95.2 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		106 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.013	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.158	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.013	0.316	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		110 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-04 (30')
H301221-21 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	1.38	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	98.6	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	96.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.2	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.2	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		89.0 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		94.6 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.014	0.051	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.152	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.014	0.304	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-07 (20')
H301221-26 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	80.0	16.0	mg/kg	4	3062705	AP	27-Jun-13	4500-Cl-B	I-02
-----------------	-------------	------	-------	---	---------	----	-----------	-----------	------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-07 (25')
H301221-27 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	128	16.0	mg/kg	4	3061403	DW	14-Jun-13	4500-Cl-B	
-----------------	------------	-------------	--------------	----------	----------------	-----------	------------------	------------------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-07 (30')
H301221-28 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	160	16.0	mg/kg	4	3061403	DW	14-Jun-13	4500-Cl-B	
-----------------	------------	------	-------	---	---------	----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (2')
H301221-29 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	5.28	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	94.7	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	288	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		86.3 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		95.1 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.015	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.158	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.015	0.317	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (5')
H301221-30 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	4.03	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	96.0	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	96.0	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
<i>Surrogate: 1-Chlorooctane</i>		93.0 %	70-130		3060310	CK	29-May-13	8015M	
<i>Surrogate: o-Terphenyl</i>		105 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.021	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.156	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.021	0.313	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		110 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (10')
H301221-31 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	11.2	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	88.8	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	240	16.0	mg/kg	4	3052208	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.9	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.9	mg/kg dry	1	3060310	CK	29-May-13	8015M	
<i>Surrogate: 1-Chlorooctane</i>		85.4 %	70-130		3060310	CK	29-May-13	8015M	
<i>Surrogate: o-Terphenyl</i>		93.6 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.056	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.018	0.056	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.056	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.169	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.018	0.338	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		111 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (15')
H301221-32 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	3.09	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	96.9	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	160	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.5	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.5	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		96.0 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		108 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.013	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.155	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.013	0.310	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (20')
H301221-33 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	8.50	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	91.5	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	224	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.4	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.4	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		99.7 %		70-130	3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		118 %		70-130	3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.055	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Toluene*	0.016	0.055	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Ethylbenzene*	ND	0.055	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total Xylenes*	ND	0.164	mg/kg dry	50	3052210	AP	24-May-13	8021B	
Total BTEX	0.016	0.328	mg/kg dry	50	3052210	AP	24-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %		89.4-126	3052210	AP	24-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (25')
H301221-34 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	3.91	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	96.1	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	160	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		92.0 %		70-130	3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		104 %		70-130	3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052210	AP	25-May-13	8021B	
Toluene*	0.015	0.052	mg/kg dry	50	3052210	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052210	AP	25-May-13	8021B	
Total Xylenes*	ND	0.156	mg/kg dry	50	3052210	AP	25-May-13	8021B	
Total BTEX	0.015	0.312	mg/kg dry	50	3052210	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %		89.4-126	3052210	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-03 (30')
H301221-35 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	7.78	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	92.2	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	64.0	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.3	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.3	mg/kg dry	1	3060310	CK	29-May-13	8015M	
<i>Surrogate: 1-Chlorooctane</i>		97.6 %	70-130		3060310	CK	29-May-13	8015M	
<i>Surrogate: o-Terphenyl</i>		106 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.015	0.054	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.163	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.015	0.325	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		112 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (2')
H301221-36 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	3.56	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	96.4	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	112	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.6	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		95.1 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.019	0.052	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.156	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.019	0.311	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (5')
H301221-37 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	4.80	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	95.2	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	96.0	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		112 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		122 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.017	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.158	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.017	0.315	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (10')
H301221-38 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	94.8	0.100	%	1	3052212	AP	24-May-13	D2216	
% Moisture	5.16	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	144	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.8	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		86.8 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		98.0 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.021	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.158	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.021	0.316	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (15')
H301221-39 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	93.5	0.100	%	1	3052212	AP	24-May-13	D2216	
% Moisture	6.47	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	128	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.0	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.0	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		88.9 %		70-130	3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		98.7 %		70-130	3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.160	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	ND	0.321	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %		89.4-126	3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (20')
H301221-40 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	11.4	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	88.6	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.9	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.9	mg/kg dry	1	3060310	CK	29-May-13	8015M	
<i>Surrogate: 1-Chlorooctane</i>		121 %	70-130		3060310	CK	29-May-13	8015M	
<i>Surrogate: o-Terphenyl</i>		131 %	70-130		3060310	CK	29-May-13	8015M	S-GC

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.056	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.023	0.056	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.056	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.169	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.023	0.338	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (25')
H301221-41 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	1.69	0.100	%	1	3052212	AP	24-May-13	D2216	
% Solids	98.3	0.100	%	1	3052212	AP	24-May-13	D2216	
Chloride	64.0	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.3	mg/kg dry	1	3060310	CK	29-May-13	8015M	
DRO >C10-C28	28.7	15.3	mg/kg dry	1	3060310	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		99.2 %	70-130		3060310	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3060310	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.014	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.153	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.014	0.305	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-01 (30')
H301221-42 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	1.04	0.100	%	1	3052213	AP	24-May-13	D2216	
% Solids	99.0	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	64.0	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.2	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.2	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		92.3 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		98.8 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.013	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.152	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.013	0.303	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (2')
H301221-43 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	2.97	0.100	%	1	3052213	AP	24-May-13	D2216	
% Solids	97.0	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	176	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.5	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.5	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		93.1 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		105 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.014	0.052	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.155	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.014	0.309	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (5')
H301221-44 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	5.50	0.100	%	1	3052213	AP	24-May-13	D2216	
% Solids	94.5	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	176	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.9	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.9	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		93.7 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		103 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.017	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.159	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.017	0.317	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (10')
H301221-45 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Moisture	5.94	0.100	%	1	3052213	AP	24-May-13	D2216	
% Solids	94.1	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	288	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.9	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.9	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		94.5 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		101 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.011	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.159	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.011	0.319	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (15')
H301221-46 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	98.0	0.100	%	1	3052213	AP	24-May-13	D2216	
% Moisture	1.98	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	192	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	15.3	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	15.3	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		88.0 %		70-130	3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		94.0 %		70-130	3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.016	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.153	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.016	0.306	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %		89.4-126	3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (20')
H301221-47 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	91.2	0.100	%	1	3052213	AP	24-May-13	D2216	
% Moisture	8.81	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	672	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.4	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.4	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		103 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		113 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.055	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.024	0.055	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.055	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.164	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.024	0.329	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (25')
H301221-48 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	92.9	0.100	%	1	3052213	AP	24-May-13	D2216	
% Moisture	7.11	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	576	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	16.1	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	16.1	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		107 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		117 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	ND	0.054	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.161	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.008	0.323	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

**VGSAU 16-02 (30')
H301221-49 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

% Solids	84.7	0.100	%	1	3052213	AP	24-May-13	D2216	
% Moisture	15.3	0.100	%	1	3052213	AP	24-May-13	D2216	
Chloride	160	16.0	mg/kg	4	3052303	DW	23-May-13	4500-Cl-B	

Organic Compounds

SUB-PBE

GRO C6-C10	ND	17.7	mg/kg dry	1	3060312	CK	29-May-13	8015M	
DRO >C10-C28	ND	17.7	mg/kg dry	1	3060312	CK	29-May-13	8015M	
Surrogate: 1-Chlorooctane		91.8 %	70-130		3060312	CK	29-May-13	8015M	
Surrogate: o-Terphenyl		96.2 %	70-130		3060312	CK	29-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.059	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Toluene*	0.020	0.059	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Ethylbenzene*	ND	0.059	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total Xylenes*	ND	0.177	mg/kg dry	50	3052211	AP	25-May-13	8021B	
Total BTEX	0.020	0.354	mg/kg dry	50	3052211	AP	25-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052211	AP	25-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3052208 - 1:4 DI Water

Blank (3052208-BLK1)				Prepared & Analyzed: 22-May-13						
Chloride	ND	16.0	mg/kg							
LCS (3052208-BS1)				Prepared & Analyzed: 22-May-13						
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (3052208-BSD1)				Prepared & Analyzed: 22-May-13						
Chloride	416	16.0	mg/kg	400		104	80-120	3.77	20	
Duplicate (3052208-DUP1)				Source: H301220-34 Prepared & Analyzed: 22-May-13						
Chloride	720	16.0	mg/kg		736			2.20	20	
Matrix Spike (3052208-MS1)				Source: H301220-34 Prepared & Analyzed: 22-May-13						
Chloride	1060	16.0	mg/kg	400	736	80.0	80-120			

Batch 3052212 - General Prep - Wet Chem

Blank (3052212-BLK1)				Prepared: 23-May-13 Analyzed: 24-May-13						
% Solids	100	0.100	%							
% Moisture	ND	0.100	%							
Duplicate (3052212-DUP1)				Source: H301221-15 Prepared: 23-May-13 Analyzed: 24-May-13						
% Moisture	4.15	0.100	%		4.42			6.30	20	
% Solids	95.8	0.100	%		95.6			0.282	20	

Batch 3052213 - General Prep - Wet Chem

Blank (3052213-BLK1)				Prepared: 23-May-13 Analyzed: 24-May-13						
% Moisture	ND	0.100	%							
% Solids	100	0.100	%							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3052213 - General Prep - Wet Chem

Duplicate (3052213-DUP1)	Source: H301221-42		Prepared: 23-May-13 Analyzed: 24-May-13							
% Moisture	1.15	0.100	%		1.04			10.0	20	
% Solids	98.8	0.100	%		99.0			0.111	20	

Batch 3052303 - 1:4 DI Water

Blank (3052303-BLK1)	Prepared & Analyzed: 23-May-13									
Chloride	ND	16.0	mg/kg							

LCS (3052303-BS1)	Prepared & Analyzed: 23-May-13									
Chloride	448	16.0	mg/kg	400		112	80-120			

LCS Dup (3052303-BSD1)	Prepared & Analyzed: 23-May-13									
Chloride	432	16.0	mg/kg	400		108	80-120	3.64	20	

Duplicate (3052303-DUP1)	Source: H301221-32		Prepared & Analyzed: 23-May-13							
Chloride	144	16.0	mg/kg		160			10.5	20	

Matrix Spike (3052303-MS1)	Source: H301221-32		Prepared & Analyzed: 23-May-13							
Chloride	528	16.0	mg/kg	400	160	92.0	80-120			

Batch 3061403 - 1:4 DI Water

Blank (3061403-BLK1)	Prepared & Analyzed: 14-Jun-13									
Chloride	ND	16.0	mg/kg							

LCS (3061403-BS1)	Prepared & Analyzed: 14-Jun-13									
Chloride	432	16.0	mg/kg	400		108	80-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3061403 - 1:4 DI Water

LCS Dup (3061403-BSD1)				Prepared & Analyzed: 14-Jun-13						
Chloride	416	16.0	mg/kg	400		104	80-120	3.77	20	
Duplicate (3061403-DUP1)				Source: H301356-01 Prepared & Analyzed: 14-Jun-13						
Chloride	29200	16.0	mg/kg		31200			6.62	20	
Matrix Spike (3061403-MS1)				Source: H301356-01 Prepared & Analyzed: 14-Jun-13						
Chloride	36000	16.0	mg/kg	400	31200	NR	80-120			QM-07

Batch 3062705 - 1:4 DI Water

Blank (3062705-BLK1)				Prepared: 26-Jun-13 Analyzed: 27-Jun-13						
Chloride	ND	16.0	mg/kg							
LCS (3062705-BS1)				Prepared: 26-Jun-13 Analyzed: 27-Jun-13						
Chloride	400	16.0	mg/kg	400		100	80-120			
LCS Dup (3062705-BSD1)				Prepared: 26-Jun-13 Analyzed: 27-Jun-13						
Chloride	400	16.0	mg/kg	400		100	80-120	0.00	20	
Duplicate (3062705-DUP1)				Source: H301484-01 Prepared: 26-Jun-13 Analyzed: 27-Jun-13						
Chloride	ND	16.0	mg/kg		0.00				20	
Matrix Spike (3062705-MS1)				Source: H301484-01 Prepared: 26-Jun-13 Analyzed: 27-Jun-13						
Chloride	416	16.0	mg/kg	400	0.00	104	80-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Organic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3060310 - General Prep

Blank (3060310-BLK1) Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	ND	15.0	mg/kg wet							
DRO >C10-C28	ND	15.0	mg/kg wet							
Surrogate: 1-Chlorooctane	107		mg/kg	100		107	70-130			
Surrogate: o-Terphenyl	57.9		mg/kg	50.0		116	70-130			

LCS (3060310-BS1) Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1080	15.0	mg/kg wet	1000		108	75-125			
DRO >C10-C28	876	15.0	mg/kg wet	1000		87.6	75-125			
Surrogate: 1-Chlorooctane	117		mg/kg	100		117	70-130			
Surrogate: o-Terphenyl	52.4		mg/kg	50.0		105	70-130			

LCS Dup (3060310-BSD1) Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1150	15.0	mg/kg wet	1000		115	75-125	6.28	20	
DRO >C10-C28	962	15.0	mg/kg wet	1000		96.2	75-125	9.36	20	
Surrogate: 1-Chlorooctane	126		mg/kg	100		126	70-130			
Surrogate: o-Terphenyl	49.4		mg/kg	50.0		98.8	70-130			

Matrix Spike (3060310-MS1) Source: H301221-41 Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1100	15.3	mg/kg dry	1020	ND	108	75-125			
DRO >C10-C28	938	15.3	mg/kg dry	1020	28.7	89.4	75-125			
Surrogate: 1-Chlorooctane	121		mg/kg	100		121	70-130			
Surrogate: o-Terphenyl	50.6		mg/kg	50.0		101	70-130			

Matrix Spike Dup (3060310-MSD1) Source: H301221-41 Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1110	15.3	mg/kg dry	1020	ND	109	75-125	0.922	20	
DRO >C10-C28	929	15.3	mg/kg dry	1020	28.7	88.5	75-125	1.01	20	
Surrogate: 1-Chlorooctane	118		mg/kg	100		118	70-130			
Surrogate: o-Terphenyl	46.4		mg/kg	50.0		92.8	70-130			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Organic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3060312 - General Prep

Blank (3060312-BLK1) Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	ND	15.0	mg/kg wet							
DRO >C10-C28	ND	15.0	mg/kg wet							
Surrogate: 1-Chlorooctane	114		mg/kg	100		114	70-130			
Surrogate: o-Terphenyl	62.2		mg/kg	50.0		124	70-130			

LCS (3060312-BS1) Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1190	15.0	mg/kg wet	1000		119	75-125			
DRO >C10-C28	975	15.0	mg/kg wet	1000		97.5	75-125			
Surrogate: 1-Chlorooctane	124		mg/kg	100		124	70-130			
Surrogate: o-Terphenyl	48.4		mg/kg	50.0		96.8	70-130			

LCS Dup (3060312-BSD1) Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1120	15.0	mg/kg wet	1000		112	75-125	6.06	20	
DRO >C10-C28	974	15.0	mg/kg wet	1000		97.4	75-125	0.103	20	
Surrogate: 1-Chlorooctane	129		mg/kg	100		129	70-130			
Surrogate: o-Terphenyl	52.8		mg/kg	50.0		106	70-130			

Matrix Spike (3060312-MS1) Source: H301221-49 Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1350	17.7	mg/kg dry	1180	ND	114	75-125			
DRO >C10-C28	1150	17.7	mg/kg dry	1180	ND	97.0	75-125			
Surrogate: 1-Chlorooctane	127		mg/kg	100		127	70-130			
Surrogate: o-Terphenyl	52.4		mg/kg	50.0		105	70-130			

Matrix Spike Dup (3060312-MSD1) Source: H301221-49 Prepared: 28-May-13 Analyzed: 29-May-13

GRO C6-C10	1420	17.7	mg/kg dry	1180	ND	120	75-125	5.13	20	
DRO >C10-C28	1240	17.7	mg/kg dry	1180	ND	105	75-125	7.92	20	
Surrogate: 1-Chlorooctane	106		mg/kg	100		106	70-130			
Surrogate: o-Terphenyl	54.7		mg/kg	50.0		109	70-130			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	------------	-----------	-------

Batch 3052210 - Volatiles

Blank (3052210-BLK1)		Prepared: 22-May-13 Analyzed: 24-May-13								
Benzene	ND	0.050	mg/kg wet							
Toluene	0.010	0.050	mg/kg wet						J	
Ethylbenzene	ND	0.050	mg/kg wet							
Total Xylenes	ND	0.150	mg/kg wet							
Total BTEX	0.010	0.300	mg/kg wet						J	
Surrogate: 4-Bromofluorobenzene (PID)	0.0547		mg/kg wet	0.0500		109	89.4-126			

LCS (3052210-BS1)		Prepared: 22-May-13 Analyzed: 24-May-13								
Benzene	2.21	0.050	mg/kg wet	2.00		111	76.4-135			
Toluene	1.99	0.050	mg/kg wet	2.00		99.6	80.2-135			
Ethylbenzene	2.17	0.050	mg/kg wet	2.00		109	78.5-133			
Total Xylenes	6.29	0.150	mg/kg wet	6.00		105	80.1-135			
Surrogate: 4-Bromofluorobenzene (PID)	0.0528		mg/kg wet	0.0500		106	89.4-126			

LCS Dup (3052210-BSD1)		Prepared: 22-May-13 Analyzed: 24-May-13								
Benzene	2.34	0.050	mg/kg wet	2.00		117	76.4-135	5.67	16.4	
Toluene	2.10	0.050	mg/kg wet	2.00		105	80.2-135	5.35	16.6	
Ethylbenzene	2.30	0.050	mg/kg wet	2.00		115	78.5-133	5.48	16.1	
Total Xylenes	6.61	0.150	mg/kg wet	6.00		110	80.1-135	4.96	15.8	
Surrogate: 4-Bromofluorobenzene (PID)	0.0532		mg/kg wet	0.0500		106	89.4-126			

Batch 3052211 - Volatiles

Blank (3052211-BLK1)		Prepared: 22-May-13 Analyzed: 25-May-13								
Benzene	ND	0.050	mg/kg wet							
Toluene	0.010	0.050	mg/kg wet						J	
Ethylbenzene	ND	0.050	mg/kg wet							
Total Xylenes	ND	0.150	mg/kg wet							
Total BTEX	0.010	0.300	mg/kg wet						J	
Surrogate: 4-Bromofluorobenzene (PID)	0.0561		mg/kg wet	0.0500		112	89.4-126			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE FMT Project Number: B0048601.0000.TAX03 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 28-Jun-13 16:38
---	--	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3052211 - Volatiles

LCS (3052211-BS1)

Prepared: 22-May-13 Analyzed: 25-May-13

Benzene	2.16	0.050	mg/kg wet	2.00		108	76.4-135			
Toluene	1.96	0.050	mg/kg wet	2.00		98.1	80.2-135			
Ethylbenzene	2.16	0.050	mg/kg wet	2.00		108	78.5-133			
Total Xylenes	6.27	0.150	mg/kg wet	6.00		104	80.1-135			
Surrogate: 4-Bromofluorobenzene (PID)	0.0542		mg/kg wet	0.0500		108	89.4-126			

LCS Dup (3052211-BS1)

Prepared: 22-May-13 Analyzed: 25-May-13

Benzene	2.28	0.050	mg/kg wet	2.00		114	76.4-135	5.43	16.4	
Toluene	2.06	0.050	mg/kg wet	2.00		103	80.2-135	4.80	16.6	
Ethylbenzene	2.26	0.050	mg/kg wet	2.00		113	78.5-133	4.75	16.1	
Total Xylenes	6.53	0.150	mg/kg wet	6.00		109	80.1-135	4.10	15.8	
Surrogate: 4-Bromofluorobenzene (PID)	0.0543		mg/kg wet	0.0500		109	89.4-126			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- SUB-PBE Analysis subcontracted to Permian Basin Environmental Lab, NELAP accreditation # T104704156-12-1.
- S-GC Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- I-02 This result was analyzed outside of the EPA recommended holding time.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: ALH 015-02
 Project Manager: Tony Oliver
 Address: 2929 W. Highway E, Suite 300
 City: Houston State: TX Zip: 77402
 Phone #: 713.953.4874 Fax #: _____
 Project #: PC-48601, owner, TMS Project Owner: Chesson
 Project Name: Chesson Pachtz Oil Field
 Project Location: Pachtz Oil Field
 Sampler Name: Kevin Kwan
 P.O. #: _____ Company: _____
 Attn: _____ Address: _____
 City: _____ State: _____ Zip: _____
 Phone #: _____ Fax #: _____

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX							DATE	TIME	REMARKS	ANALYSIS REQUEST
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:				
H301221	V654U16-05 (2)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1402	Chl6, 1, 2 USEPA 300.1						
1	V654U16-05 (5)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1410	multim TPH 8015, BTEX 8021B						
2	V654U16-05 (10)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1415	Hold						
3	V654U16-05 (5)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1420							
4	V654U16-05 (20)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1430							
5	V654U16-05 (25)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1445							
6	V654U16-06 (2)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1500							
7	V654U16-06 (5)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1632							
8	V654U16-06 (10)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1635							
9	V654U16-06 (15)	6	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5-20-13	1640							


PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits, incurred by client, its subsidiaries, affiliates or other persons, arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or other warranties.

Relinquished By: _____ Date: 5-21-13
 Time: _____
 Received By: Kevin Kwan
 Date: 5-21-13
 Time: _____

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: _____
 Sample Condition: Cool Intact
 Checked By: _____
 Add'l Phone #: _____
 Add'l Fax #: _____

REMARKS: Hold V654U16-05 and V654U16-06 5/21/13.

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: ALCOA
 Project Manager: Steve Clark
 Address: 2929 Highway 16 E., Suite 300
 City: Albuquerque State: NM Zip: 87102
 Phone #: 505.486.1100 Fax #: 505.486.1100
 Project #: 18-0861-0001 Project Owner: Alcoa
 Project Name: Chromium Recovery Plant
 Project Location: Highway 16 E. 110
 Sampler Name: Steve Clark

P.O. #: _____
 Company: _____
 Attn: _____
 Address: _____
 City: _____ State: _____ Zip: _____
 Phone #: _____ Fax #: _____

Lab I.D.	Sample I.D.	FOR LABOR USE ONLY		MATRIX	PRESERV	SAMPLING	DATE	TIME	REMARKS	Yes	No	Add'l Phone #:
		(G)RAB OR (C)OMP	# CONTAINERS									
H30122-1	V65H16-06(15')		2	X			5-20-13	1645	Chromium USEPA 300.1			
	V65H16-06(20')		2	X			5-20-13	1648				
	V65H16-06(25')		2	X			5-20-13	1655				
	V65H16-06(30')		2	X			5-20-13	1700				
	V65H16-04(20')		2	X			5-20-13	1512				
	V65H16-04(15')		2	X			5-20-13	1516				
	V65H16-04(10')		2	X			5-20-13	1528				
	V65H16-04(20')		2	X			5-20-13	1540				
	V65H16-04(25')		2	X			5-20-13	1558				

PLEASE NOTE: Liability and Damages: Cardinal's liability shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause, whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits, incurred by client, its subsidiaries, affiliates, or any other person, arising out of or related to the performance of services, hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated theories of damages.

Relinquished By: [Signature] Date: 5-21-13
 Received By: [Signature] Date: 1700
 Time: _____

Delivered By: (Circle One) UPS
 Sampler - UPS - Bus - Other: 60
 Sample Condition: Intact
 Checked By: [Signature]

Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326
#54

Phone Result: Yes No Add'l Phone #:
 Fax Result: Yes No Add'l Fax #:
 REMARKS: Hold V65H16-06 samples



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: ARRA 015-02
 Project Manager: Teresa A. Cleary
 Address: 2929 W. Simpson Ln., Suite 300
 City: Houston State: TX Zip: 77402
 Phone #: 713.953.4874 FAX #: _____
 Project #: 16048601, 0000, TM3 Project Owner: Brown
 Project Name: Chromon Buchholz FMT
 Project Location: Antitox Oil Field
 Sampler Name: David Brown

P.O. #: _____
 Company: _____
 Attn: _____
 Address: _____
 City: _____ State: _____ Zip: _____
 Phone #: _____
 Fax #: _____

Lab I.D.	Sample I.D.	(GRAB OR C) COMP.	# CONTAINERS	MATRIX						DATE	TIME	REMARKS
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:			
H301221												
31	V654U16-03(C6)		2							5-20-13	1040	Chloride USEPA 300.1
32	V654U16-03(C5)		2							5-20-13	1050	
33	V654U16-03(C2)		2							5-20-13	1100	mixture TPH8015, BTEX 80216
34	V654U16-03(C5)		2							5-20-13	1115	
35	V654U16-03(C6)		2							5-20-13	1135	
36	V654U16-01(C5)		2							5-20-13	1245	
37	V654U16-01(C5)		2							5-20-13	1250	
38	V654U16-01(C6)		2							5-20-13	1255	
39	V654U16-01(C5)		2							5-20-13	1300	
40	V654U16-01(C2)		2							5-20-13	1325	


PLEASE NOTE: Liability and Damages: Cardinal's liability and its/its exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subcontractors, affiliates or subcontractors, arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated provisions or otherwise.

Relinquished By: _____
 Date: 5-21-13
 Time: 1300
 Received By: Paul Jensen
 Date: _____
 Time: _____

Phone Result: Yes No Add'l Phone #:
 Fax Result: Yes No Add'l Fax #:
 REMARKS:

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: 60
 Sample Condition:
 Cool Intact
 Yes No
 Checked By: [Signature]

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326 #54



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: ALCOA
 Project Manager: Zachary Olson
 Address: 2929 W. Warner Ln, Suite 300
 City: Houston State: TX Zip: 77402
 Phone #: 713.953.4874 Fax #: _____
 Project #: 16048601.0002, M39 Project Owner: Alcoa
 Project Name: Current Package FPR
 Project Location: Package Oil Field
 Sampler Name: Eric Murray
 P.O. #: _____ Company: _____
 Address: _____ City: _____
 State: _____ Zip: _____
 Phone #: _____ Fax #: _____

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	REMARKS
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER			
H30121												
41	V654U16-01(25')		2						5-20-13	1340	1	Chloride, USEPA 300.1
42	V654U16-01(30')		2						5-20-13	1350	1	
43	V654U16-02(2')		2						5-20-13	1142	1	nickel, TPH8015, BTEX 8021B
44	V654U16-02(5')		2						5-20-13	1148	1	
45	V654U16-02(10')		2						5-20-13	1157	1	
46	V654U16-02(15')		2						5-20-13	1215	1	
47	V654U16-02(20')		2						5-20-13	1220	1	
48	V654U16-02(25')		2						5-20-13	1225	1	
49	V654U16-02(30')		2						5-20-13	1238	1	

PLEASE NOTE: Labels and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subcontractors, affiliates, or successors arising out of or related to the performance of services hereunder by Cardinal regardless of whether such claim is based upon any of the above stated remedies or otherwise.

Reinquinshed By: _____ Date: 5-21-13
 Time: 1:00
 Relinquished By: _____ Date: _____
 Time: _____
 Received By: Eric Murray
 Received By: _____

Delivered By: (Circle One) UPS
 Sampler - UPS - Bus - Other: _____
 Sample Condition: Intact Cool Yes No
 CHECKED BY: _____ (Initials)
 Phone Result: Yes No Add'l Phone #:
 Fax Result: Yes No Add'l Fax #:
 REMARKS:

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326 #54



Attachment 6

Boring Logs (May 2013)

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 01



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							SANDY CLAY (Topsoil), Brown (10YR4/3), very fine to fine grained, subangular, poorly sorted, dry, friable, mostly clay, roots in sample.
1		AR	2	4.4		☒		CAPROCK CALICHE, Very Pale Brown (10YR8/3 to 10YR7/3), indurated, laminated, showing trace pisolites, trace sand, silt to very fine grained, subrounded, poorly sorted, dry, fractured.
		AR	3					
5	-5			4.0		☒		SILTY/SANDY CALICHE, Very Pale Brown (10YR8/3), soft, arenaceous, dry, mostly caliche, powdery, silt to fine grained, subangular to subrounded, poorly sorted, loose.
		AR	5					CAPROCK CALICHE, Very Pale Brown (10YR8/3 to 10YR7/3), indurated, laminated, contains pisolites, trace sand, very fine grained, subrounded, poorly sorted, siliceous.
10	-10			6.3		☒		SANDY CALICHE, Very Pale Brown (10TR7/3), soft, slightly moist, very fine to fine grained, subrounded, poorly sorted, loose. Formation contains concretionary sandy siliceous nodules, some Pale Brown (10YR6/3) indurated, 0.5 cm to 1 cm, well sorted.
		AR	5					
15	-15			6.3		☒		CLAYEY CALICHE, Very Pale Brown (10YR8/2), soft, dry, powdery, argillaceous, trace sand as described above.
		AR	5					
20	-20			3.0		☒		CALCAREOUS SAND, Very Pale Brown (10YR7/3), very fine to fine grained, subangular to subrounded, poorly sorted, loose, dry, contains concretionary siliceous nodules, Light Brown (10YR6/3), indurated, rounded, sandy, poorly sorted, 0.3 cm to 1 cm.
		AR	5					
25	-25			4.5		☒		SANDSTONE, Light Brownish Gray (10YR6/2), very fine to fine grained, subrounded, poorly sorted, siliceous, indurated, dry.
		AR	5					
30	-30			7.9		☒		

<p>ARCADIS Infrastructure · Water · Environment · Buildings</p>	<p>Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;</p>
--	--

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 02



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR	2	2.3	☒		CALICHE PAD, indurated caliche at surface, Pink (7.5YR7/3 to 7.5YR8/2), firm to indurated, fractured, slightly brecciated, contains birdseye (pisoliths) caliche, laminated, dry.
1			AR	3		☒		
5	-5				3.3	☒		SANDY/CLAYEY CALICHE, Very Pale Brown (10YR8/3), soft to slightly firm, arenaceous, dry, mostly caliche, some sand, very fine to fine grained, subangular, poorly sorted, trace concretionary caliche, nodular, Very Pale Brown (10YR7/3), indurated, rounded, calcium carbonate cemented, 0.2 to 0.5 cm.
2			AR	5				CAPROCK CALICHE, Brown (7.5YR5/4), indurated, laminated, contains pisoliths, dry, siliceous, contains some sand, silt to fine grained, subrounded, poorly sorted.
10	-10				6.7	☒		SILTY/SANDY/CLAYEY CALICHE, Very Pale Brown (10YR8/2), soft, dry, powdery, argillaceous, contains traces silt to very fine grains, subrounded, poorly sorted, sand. Formation also contains caliche, Very Pale Brown (10YR8/2 to 10YR7/2), concretions, firm, slightly friable to blocky, nodular, trace, 0.1 cm to 0.5 cm.
15	-15				13.4	☒		Same as above, formation began showing some siliceous nodules, Light Yellowish Brown (10YR6/4), indurated, rounded.
4			AR	5				SANDSTONE, Light Brownish Gray (2.5YR6/2), fine grained, subrounded, poorly sorted, indurated, very siliceous.
20	-20				4.8	☒		CALCAREOUS SAND, Very Pale Brown (10YR7/3), fine grained, subrounded, poorly sorted, loose, dry. Formation contains concretionary siliceous nodules, Light Brown (10YR6/3), indurated, rounded, sandy, very fine to fine grained, subrounded.
25	-25				8.1	☒		
6			AR	5				SANDSTONE, Light Brownish Gray (10YR6/2), very fine to fine grained, subrounded, poorly sorted, siliceous, indurated.
30	-30				5.2	☒		

<p>ARCADIS Infrastructure · Water · Environment · Buildings</p>	<p>Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;</p>
--	--

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 03



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR	2	4.7	☒		SILTY CALICHE, Pale Yellow (2.5YR8/2), indurated caliche at surface, calcium carbonate cementation, dry.
1			AR	3	5.2	☒		SANDY/CLAYEY CALICHE, Very Pale Brown (10YR8/3), soft to slightly firm, arenaceous, dry, mostly caliche, some sand, very fine to fine grained, subangular, poorly sorted, trace concretionary caliche, nodular, Very Pale Brown (10YR7/3), indurated, rounded, calcium carbonate cemented, 0.3 to 1.5 cm Same as above, concretions turned siliceous.
2			AR	5				CAPROCK CALICHE, Brown (7.5YR5/4), indurated, laminated, siliceous, dry, contains some sand, silt to fine grained, subrounded, poorly sorted.
3			AR	5	4.8	☒		SILTY/SANDY/CLAYEY CALICHE, Very Pale Brown (10YR8/2), soft, moist, argillaceous, contains traces silt to very fine grains, subrounded, poorly sorted, sand. Formation also contains concretionary caliche, Very Pale Brown (10YR8/2 to 10YR7/2), firm, friable, trace, 0.1 cm to 0.5 cm.
4			AR	5	5.4	☒		Same as above, formation began showing more nodules.
5			AR	5	4.4	☒		CALCAREOUS SAND, Very Pale Brown (10YR8/2), very fine to fine grained, subangular to subrounded, poorly sorted, loose, dry, contains trace concretionary siliceous nodules, indurated, Light Brownish Gray (10YR6/2), nodules contain sand, some silt to fine grained, 0.5 cm to 3 cm.
6			AR	5	5.4	☒		SANDSTONE, Brown (10YR5/3) to Light Gray (10YR7/2), very fine to fine grained, subrounded, poorly sorted, siliceous, indurated.
30	30				3.2	☒		

<p>ARCADIS Infrastructure · Water · Environment · Buildings</p>	<p>Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;</p>
---	--

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 04



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							SANDY CLAY (Topsoil), Brown (10YR4/3), friable, dry, mostly clay, some sand, very fine to fine grained, subangular, poorly sorted, arenaceous.
1		AR	2	10.1		☒		CAPROCK CALICHE, Very Pale Brown (10YR8/3 to 10YR7/3), laminated, indurated, showing pisolites. Formation is silty, fractured, weathered, then becomes solid at 1 feet bgs.
		AR	3					
5	-5				9.1	☒		CALCAREOUS SANDY CLAY, Very Pale Brown (10YR7/4), soft, arenaceous, slightly moist, very fine to fine grained, subrounded, poorly sorted. Formation contains concretionary caliche nodules, Very Pale Brown (10YR8/2), indurated, 0.3 to 0.7 cm.
		AR	5					CAPROCK CALICHE, Light Brown (7.5YR6/4), indurated, trace sand, fine grained, subrounded, poorly sorted, some sand, formation is laminated and shows some pisolites.
10	-10				4.9	☒		SANDY CALICHE, Very Pale Brown (10YR7/3), soft, slightly moist, half caliche argillaceous, some sand, very fine to fine grained, subrounded, poorly sorted, loose. Formation contains some concretionary, caliche nodules. Very Pale Brown (10YR8/2), very fine to indurated, some arenaceous, very fine to fine grained, subrounded, moderately sorted, some argillaceous, blocky, 0.5 cm to 1.5 cm.
		AR	5					SILICEOUS CALICHE, Light Brown (7.5YR6/4), indurated, trace sand, fine grained, subrounded, poorly sorted.
15	-15				9.1	☒		SANDY CALICHE, Very Pale Brown (10YR8/2), soft, dry, arenaceous, some caliche, some sand, fine grained, subrounded, poorly sorted, loose, concretionary, siliceous, nodules, Pink (7.5YR7/3), indurated, silty, 0.2 to 0.5 cm.
		AR	5					
20	-20				7.1	☒		CALCAREOUS SAND, Very Pale Brown (10YR7/3), very fine to fine grained, subangular, poorly sorted, loose, dry. Formation contains trace concretionary calcite, nodules, Pale Yellow (2.5YR8/2), firm, rounded, 0.2 to 0.5 cm.
		AR	5					
25	-25				6.0	☒		SANDSTONE, Light Brownish Gray (10YR6/2), very fine to fine grained, subrounded, poorly sorted, siliceous, indurated, dry.
		AR	5					
30	-30				9.7	☒		

	<p>Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;</p>
--	--

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 05



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR	2	4.8			SANDY CLAY (Topsoil), Brown (10YR4/3), friable, dry, mostly clay, some sand, very fine to fine grained, subangular, poorly sorted, roots in sample.
1			AR	3	11.0			CAPROCK CALICHE, Very Pale Brown (10YR8/3 to 10YR7/3), laminated, indurated, trace sand, silt to very fine grained, subangular to subrounded, poorly sorted, dry, fractured, weathered.
5	-5		AR	5	9.2			SILICEOUS CALICHE, Light Brown (7.5YR8/4), indurated, trace sand, fine grained, subrounded, poorly sorted. Same as above, some formation becomes fractured.
10	-10		AR	5	6.3			CLAYEY CALICHE, Very Pale Brown (10YR8/3), soft, powdery, contains concretionary siliceous, nodules, 0.3 to 1 cm, nodules are silty.
15	-15		AR	5	6.5			Same as above, formation becomes arenaceous.
20	-20		AR	5	7.3			SANDSTONE, Light Brownish Gray (10YR6/2), very fine to fine grained, subrounded, poorly sorted, siliceous, indurated, dry.
25	-25		AR	5	7.2			
30	-30							



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 06



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R. Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							SANDY CLAY (Topsoil), Brown (10YR4/3), friable, dry, mostly clay, some sand, very fine to fine grained, subangular to subrounded, poorly sorted, arenaceous, roots in sample.
1		AR	2	6.3				CAPROCK CALICHE, Very Pale Brown (10YR8/3 to 10YR7/3), laminated, indurated, showing pisolites, contains silica and calcium carbonate cementation. Formation is silty, fractured, weathered, becomes solid at 1 feet bgs.
		AR	3					
5	-5				3.6			CLAYEY CALICHE, Very Pale Brown (10YR8/3), soft, powdery, argillaceous, mostly caliche, some sand, very fine to fine grained, subangular to subrounded, poorly sorted, loose, slight moisture in formation. Formation contains trace concretionary caliche nodules, Pale Yellow (2.5YR8/3), indurated, rounded, 0.2 cm to 0.5 cm.
2		AR	5					
10	-10				5.6			CAPROCK CALICHE, Light Brown (7.5YR6/4), laminated, indurated, showing pisolites, trace sand, fine grained, subrounded, poorly sorted, some sand.
3		AR	5					
15	-15				6.1			SANDY CALICHE, Very Pale Brown (10YR8/2), slightly firm, dry, half caliche, some sand, very fine to fine grained, subrounded, poorly sorted, loose, some concretionary caliche, nodules, Very Pale Brown (10YR7/3), indurated, 0.3 to 0.5 cm, rounded.
4		AR	5					
20	-20				5.1			CALCAREOUS SAND, Very Pale Brown (10YR8/2), very fine to fine grains, subangular to subrounded, poorly sorted, loose, calcareous, intergranular clay is powdery, dry. Formation contains trace concretionary caliche nodules as described above, 0.1 cm to 0.4 cm.
5		AR	5					
25	-25				6.2			SANDSTONE, Light Brownish Gray (10YR6/2), very fine to fine grained, subrounded, poorly sorted, siliceous, indurated, dry.
6		AR	5					
30	-30				9.2			

<p>ARCADIS Infrastructure · Water · Environment · Buildings</p>	<p>Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;</p>
--	--

Date Start/Finish: 5/20/2013
 Drilling Company: White Drilling/R Dallas

Well/Boring ID: VGSAU16 - 07



Drilling Method: Air Rotary
 Sampling Method: Shovel

Client: Chevron EMC
 Location: Vacuum Grayburg San Andres Unit
 Well 16

Borehole Depth: 30' bgs
 Descriptions By: R. Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR	2	1.8			CALICHE PAD, Pink (7.5YR7/3 to 7.5YR8/2), firm, fractured, slightly brecciated, dry, mixed indurated, silica cemented and calcium carbonate cemented caliche.
1			AR	3				SANDY CLAY, Brown (7.5YR4/4), firm, blocky, dry, mostly clay, some sand, very fine to fine grained, subangular, poorly sorted, formation contains trace caliche, Very Pale Brown (10YR8/2), nodular, friable, traces throughout formation.
5	-5				1.3			SILTY CALICHE, Pale Yellow (2.5YR8/2), indurated, calcium carbonate cemented, dry.
								SANDY/CLAYEY CALICHE, Very Pale Brown (10YR8/2), soft, dry, argillaceous, formation contains traces sand, silt to fine grained, subrounded, poorly sorted, formation also contained traces indurated caliche, same color as formation, concretions, nodular, rounded, throughout formation.
2			AR	5				CAPROCK CALICHE, Light Yellowish Brown (10YR6/4), laminated, siliceous, indurated, dry.
10	-10				2.2			SANDY/CLAYEY CALICHE, Very Pale Brown (10YR8/3), slightly firm, powdery, dry, contains trace sand, very fine to fine grained, subrounded, poorly sorted, loose.
								Same as above, formation contains sandy caliche, concretionary nodules, 10YR7/3, Very Pale Brown, indurated, 0.5 cm, sand, very fine to fine grained, subrounded, poorly sorted, traces.
15	-15				2.6			
4			AR	5				
20	-20				2.3			CALCAREOUS SAND, Very Pale Brown (10YR8/2), very fine to fine grained, subangular to subrounded, poorly sorted, loose, formation contains some sandy concretionary siliceous, nodules, indurated, 0.5 cm to 1.5 cm, dry, formation nodules are Light Yellowish Brown (10YR6/4).
								Same as above, slight increase in sand.
25	-25				3.7			
6			AR	5				SANDSTONE, Brown (10YR5/3), fine grained, subangular to subrounded, poorly sorted, indurated, siliceous, dry.
30	-30				5.9			



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;



Attachment 7

Chloride Multimedia Exposure
Assessment Model Simulated
Soil Screening Levels for the
Protection of Groundwater Memo



ARCADIS U.S., Inc.
2929 Briarpark Drive
Suite 300
Houston
Texas 77042
Tel 713 953 4800
Fax 713 977 4620

MEMO

To:
Kegan Boyer, Chevron Environmental
Management Company

Copies:
Chris Shepherd, ARCADIS
Kathleen Abbott, ARCADIS
David Evans, ARCADIS

From:
Jonathan Olsen

Date:
May 8, 2014

ARCADIS Project No.:
B0048615.0000

Subject:
**Chloride Multimedia Exposure Assessment Model Simulated Soil Screening
Levels for the Protection of Groundwater**
HES Transfer Sites, Lea County, New Mexico

On behalf of Chevron Environmental Management Company, ARCADIS U.S., Inc. (ARCADIS) evaluated chloride remediation action levels for use at the Health Environmental Safety (HES) Transfer Sites near Hobbs, New Mexico. The New Mexico Oil Conservation District (NMOCD) has established soil screening levels (SSLs) for fluid management pits (also known as the "NMOCD PIT RULE" [NMAC 19.15.17]); however, no formal SSLs have been established by the NMOCD or the New Mexico Environmental Department (NMED) for surface releases of production water. The Risk Assessment Guidance for Investigation and Remediation (NMED 2012) states that SSLs should be based on risk to human health and the potential migration to groundwater with respect to the NMED-specific tap water SSL. Chloride is not considered hazardous and the NMED and the United States Environmental Protection Agency (USEPA) have not established tap water screening levels for chloride. However, the NMED has established a chloride standard for groundwater (NMAC 20.6.2.1101) of 250 milligrams per liter (mg/L). Therefore, the SSL for chloride should be based on the soil leaching to groundwater pathway.

To evaluate a chloride SSL for use at the HES Transfer Sites, ARCADIS performed simulations of unsaturated zone flow, transport, and saturated zone mixing of chloride using the Multimedia Exposure Assessment Model Version 2.0 (MULTIMED; USEPA 1996) to evaluate the potential migration of chloride in shallow soil through the unsaturated zone to the underlying groundwater. The initial simulations were intended to estimate a maximum allowable chloride soil concentration (site SSL) to evaluate HES Transfer



Sites in Lea County and eastern Eddy County, New Mexico, and to develop a baseline approach for using the model for potential future evaluations of solute migration at other HES Transfer Sites in New Mexico.

MULTIMED Overview

MULTIMED was originally designed to simulate the movement of solutes leaching from a landfill to various exposure pathways. Due to its general acceptance by the NMOCD and the USEPA and its ability to simulate unsaturated and saturated zone flow and transport, MULTIMED was selected for this evaluation. The model, as designed, simulates one-dimensional vertical transport in the unsaturated zone to the saturated zone based on user-provided input parameters considering vadose zone, saturated zone, and chemical-specific characteristic parameters.

The simulations were performed using both the unsaturated and saturated zone modules available in MULTIMED. The unsaturated zone module performs solutions of the downward flow of infiltrating water to the water table by Darcy's Law:

$$Q = -K_v \cdot K_{rw} \left(\frac{\delta\psi}{\delta z} \right)$$

Where:

ψ is the pressure head (meters [m])

z is the depth (m)

K_v is the saturated hydraulic conductivity (meters per year [m/year])

K_{rw} is the relative hydraulic conductivity

The boundary condition at the water table is:

$$\psi \cdot L = 0$$

Where:

L is the thickness of the unsaturated zone (m)

In the unsaturated zone, it is necessary to specify the relationship between relative hydraulic conductivity, pressure head, and water saturation. This relationship is given by van Genuchten (1976):

$$S_e = \theta_r + \frac{\theta_s - \theta_r}{[1 + (\alpha\psi^\beta)^\gamma]}$$

ARCADIS

Where:

θ_r and θ_s are the residual water saturation and total water saturation (dimensionless), respectively

β, γ, α are empirical soil-specific parameters (dimensionless)

ψ is the air pressure entry head (m)

S_e is the effective saturation (fraction)

Source area concentrations are input as leachate concentrations, therefore, the soil/water partition equation was used to convert between total soil concentration in milligrams per kilogram (mg/kg) and the leachate concentration in mg/L:

$$C_t = \frac{C_l \cdot R \cdot \theta_w}{\rho_b}$$

Where:

C_t is the concentration of the chemical of interest in soil (mg/kg)

C_l is the concentration of the chemical of interest in leachate (mg/L)

R is the retardation coefficient (dimensionless, assumed 1 for chloride)

ρ_b is the bulk density of the soil (mg/L or grams per cubic centimeter)

The mass of the chemical of interest that reaches the groundwater is expressed by the simplified steady-state equation (Salhotra et al. 1995) that couples the vadose zone to the groundwater:

$$M_L = A_w \cdot Q_f \cdot C_l$$

Where:

M_L is the chemical of interest mass that leaches from site soil (grams per year [g/year])

A_w is the width of the source area (m²)

Q_f is the percolation rate from the facility/site (m/year)

The mixed groundwater concentration is controlled by the quasi-three-dimensional advection dispersion equations that are evaluated based on the following chemical concentration relationship within the mixing zone (Salhotra et al. 1995):

$$C(x, y, z, t) = \frac{H}{B} C_f(x, y, t) + \Delta C_p(x, y, z, t)$$



Where:

C is the dissolved concentration (mg/L, g/m³)

x, y, z are the spatial coordinates (m)

t is elapsed time (year)

H is the source zone penetration (m), with a maximum equal to B

B is the thickness of the saturated zone (m)

MULTIMED's output concentration is a centerline concentration based on a calculated dilution attenuation factor. Thus, the output concentration is the maximum concentration of the chemical of interest in groundwater at a reasonable distance downgradient from the source area.

Model Design, Inputs, and Assumptions

The required input parameters for the MULTIMED simulations are summarized in Table 1. Input parameters include model structure, unsaturated and saturated zones, and chemical characteristics. Minimal site-specific data regarding the HES sites are available; therefore, numerous input parameters are based on published reports, default NMED values (2012), default values provided in the modeling code, and ARCADIS's experience, as indicated in Table 1. The model values are considered representative of the Lea County, New Mexico area. Due to the intended use of the SSL at multiple sites, more conservative values were generally selected for the given ranges of input parameters.

The general assumptions used in the MULTIMED model design include:

- The unsaturated and saturated zones are a single, homogeneous material.
- The applied recharge and infiltration are constant throughout the simulation.
- Initial chloride concentrations in soil below the source area and in groundwater are equal to 0.
- The model assumes no chemical transformation or adsorption of chloride to soil materials.

The simulations were performed using the transient model capabilities of MULTIMED. Steady-state simulations were not chosen because MULTIMED requires the assumption that the source is continuous and constant throughout the simulation, which is not appropriate for these evaluations. Also, the transient model was selected to provide output that simulates the aquifer concentrations versus time and models a finite source.



Model Simulations and Results

Using the input parameters provided, soil concentrations for chloride were iteratively varied to arrive at an appropriate maximum allowable soil concentration that would be protective of groundwater for each of the scenarios. To calculate the maximum concentration that would be observed given the input concentrations and parameters, the simulation period selected was 1,980 years with 20-year time steps.

To ascertain the maximum allowable chloride concentration for more typical chloride concentration distribution and depth to groundwater scenarios, eight MULTIMED simulations were completed. The scenarios are summarized in Table 2. The input values for the simulations were the same, except for the thickness and width of the chloride-affected soil within the soil column. The first four simulations evaluated homogeneous chloride-affected soil 20 meters wide (400 square meters [m^2]) and varied the chloride-affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters. The remaining four simulations evaluated homogeneous chloride-affected soil 45 meters wide (2,000 m^2) and varied the chloride affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters

The predicted groundwater concentrations versus time are illustrated on Figures 1 through 8. The peak arrival times varied between 540 and 860 years. The simulations indicate the site SSLs for the protection of groundwater ranged from 8,525 to 266,100 mg/kg (Table 2) depending on the scenario and are protective of the New Mexico chloride groundwater standard of 250 mg/L.

The MULTIMED model, like any model, requires the use of simplifying assumptions regarding subsurface conditions and flow processes that result in inherent limitations and uncertainty compared to an actual flow system. In this case, uncertainty may be related to:

- The model assumes homogeneous unsaturated and saturated zones; the actual conditions at the sites likely contain numerous heterogeneities.
- The applied recharge and infiltration rates are constant. The aquifer hydraulic gradient is also assumed to be constant. These rates likely vary with time, and these variations may influence the solute migration and mixing, resulting in short-term changes in aquifer concentrations
- The model is a theoretical simulation of transport processes and is not verified or calibrated against site-specific data.

Conclusions and Recommendations

The model simulations reasonably represent conditions encountered at most of the Lea County and eastern Eddy County HES Transfer Sites. HES Transfer Sites with chloride-affected soil can be screened



against SSLs in Table 2, assuming they meet the specified conditions (source length, source depth, depth to groundwater, and soil concentration). For calculated SSLs greater than 100,000 mg/kg, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the NMED risk assessment guidance (NMED 2012). For sites that meet all of these conditions, no further action is recommended. For the sites that do not meet these conditions, site-specific evaluations should be conducted.

Enclosures:

Tables

Table 1	MULTIMED V2.0 Model Inputs
Table 2	Soil Screening Level Matrix

Figures

Figure 1	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)
Figure 2	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
Figure 3	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)
Figure 4	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)
Figure 5	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)
Figure 6	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
Figure 7	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)
Figure 8	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)



References

New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).

Salhotra, A.M., P. Mineart, S. Sharp-Hansen, T. Allison, R. Johns, and W.B. Mills. 1995. Multimedia Exposure Assessment Model (MULTIMED 2.0) for Evaluating the Land Disposal of Wastes--Model Theory. United States Environmental Protection Agency, Athens, GA. Unpublished Report.

United States Environmental Protection Agency. 1996. A Subtitle D Landfill Application Manual for the Multimedia Exposure Assessment Model (MULTIMED 2.0). Final Report.

Van Genuchten, M, Th., and P.J. Wierenga. 1976. Mass Transfer Studies in Sorbing Porous Media I. Analytical Solutions. Soil Science Society of America Proceedings. v 40, 473-480.



Tables

Table 1
MULTIMED V2.0 Model Inputs
Chevron HES Transfer Sites
Lea County, New Mexico

Parameters	Value(s)	Units	Notes	
Unsaturated Zone Flow Parameters:				
Depth of Unsaturated Zone	20.0	m	Local water levels (20m & 30.5m)	
Hydraulic Conductivity	0.06	cm/hr	Texas (2011)	
Unsaturated Zone Porosity	0.44	fraction	NMED (2012) Default	
Residual Water Content	0.260	fraction	NMED (2012) Default	
Unsaturated Zone Transport Parameters:				
Thickness of Layer	20 & 30.5	m	Regional water levels	
Percent of Organic Matter	1.5%		NMED (2012) Default (not used)	
Bulk Density	1.5	g/cm ³	NMED (2012) Default	
Biological Decay Coefficient	0	1/yr	(not used)	
Aquifer Parameters:				
Aquifer Porosity	0.43	fraction	NMED (2012) Default	
Bulk Density	1.5	g/cm ³	NMED (2012) Default	
Aquifer Thickness	12.0	m	NMED (2012) Default	
Hydraulic Conductivity	542	m/yr	Texas (2011), Velocity ~ 1/2 NMED Default	
Hydraulic Gradient	0.010	m/m	NMED (2012) Default	
Organic Carbon Content	0.020	fraction	NMED (2012) Default (not used)	
Temperature of Aquifer	15.0	°C	NMED (2012) Default (not used)	
pH	6.2		(not used)	
x-distance Radial Distance from Site to Receptor	12	m	equal to aquifer thickness	
Source Parameters:				
Infiltration Rate	0.013	m/yr	~0.5 in/yr, Texas (2011)	
Area of Waste	400 & 2000	m ²	NMED (2012) Default (~45m x45m)	
Recharge Rate	0.013	m/yr	Texas (2011)	
Duration of Pulse	540 to 840	yr	Varied, set equal to peak arrival time	
Discharge Concentrations	0	mg/L		
Initial Soil Concentrations:				
	Depth (m)			
Chloride leachate concentration	0	varied	mg/L	Calculated for each scenario ¹
Chloride leachate concentration	1 & 3	0	mg/L	
Chloride leachate concentration	20 & 30.5	0	mg/L	
Additional Parameters:				
Method		Gaussian		
New Mexico Environment Department, 2012. Risk		Chloride		
Chemical Parameters:				
Normalized Distribution Coefficient	0.00	mL/g	Model Derived	
Van Genuchten Parameters:				
Alpha Van Genuchten coefficient	0.38	unitless	NCSS Soil Characterization Data ²	
Beta Van Genuchten coefficient	1.2	unitless	NCSS Soil Characterization Data ²	

Notes:

°C - degrees celcius
 cm - centimeters
 cm³ - cubic centimeters
 g - grams
 hr - hour
 L - liters
 m - meters
 m² - meter squared
 mg - milligrams
 mL - milliliters
 yr - year

1 - calculated using the soil-water partitioning equation
 2 - van Genuchten transport parameters are typical values for caliche-like material

References:

NMED - New Mexico Environmental Department Risk Assessment Guidance for Site Investigations and Remediation. February 2012.
 NCSS - National Cooperative Soil Survey, National Cooperative Soil Characterization Database
 Texas - Texas Water Development Board 2011. Update of the Groundwater Availability Model for the Edwards-Trinity (Plateau) and Pecos Valley Aquifers of Texas. January 21, 2011

Table 2
Soil Screening Level Matrix
Chevron HES Transfer Sites
Lea County, New Mexico

Scenario	Source Length (m)	Source Area (m)	Source Depth (m)	Depth to Groundwater (m)	SSL _{gw} (mg/Kg)	Notes
1	20	400	0-1	20.0	108,000	1
2	20	400	0-1	30.5	266,100	1
3	20	400	0-3	20.0	23,750	
4	20	400	0-3	30.5	45,000	
5	45	2,000	0-1	20.0	38,800	
6	45	2,000	0-1	30.5	95,500	
7	45	2,000	0-3	20.0	8,525	
8	45	2,000	0-3	30.5	16,100	

NMED SSL Ceiling = 100,000 mg/Kg

Notes:

m - meters

mg/Kg - milligrams per Kilogram

NMED - New Mexico Environmental Department

SSL_{gw} - Site soil screening levels for the migration to groundwater pathway

SSL Ceiling - Soil Screening Level Ceiling (NMED 2012)


1 - the NMED SSL ceiling should be used


References:


New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).





Figures




















District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 2511

CONDITIONS

Operator: Arcadis U.S., Inc 630 Plaza Drive Highlands Ranch, CO 80129	OGRID: 329073
	Action Number: 2511
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
bbillings	None	7/21/2021