

# Certificate of Analysis

Number: 6030-20100055-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Matt Erickson Marathon Oil Corporation 4111 S. Tidwell Carlsbad, NM 88220 Oct. 09, 2020

Station Name:Urraca 24H Fuel GasSampled By:Jonah RezaStation Number:19776FGSample Of:GasSpotStation Location:MarathonSample Date:10/06/2020 12:32

Station Location: Marathon Sample Date: 10/06/2020 12:32
Sample Point: RGA Sample Conditions: 84.39 psig, @ 100.22 °F Ambient: 91 °F

Type of Sample: Spot-Cylinder Effective Date: 10/06/2020 12:32
Heat Trace Used: N/A Method: GPA-2261M
Sampling Method: Fill and Purge Cylinder No: 1111-001284

Sampling Company: SPL Cylinder No. 1111-001284

Sampling Company: SPL Instrument: 70104124 (Inficon GC-MicroFusion)

Analyzed: 10/09/2020 10:47:38 by KNF Last Inst. Cal.: 10/05/2020 0:00 AM

### **Analytical Data**

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia		
Nitrogen	2.324	2.33710	2.878		GPM TOTAL C2+	5.094
Methane	72.015	72.41203	51.065		GPM TOTAL C3+	2.498
Carbon Dioxide	7.216	7.25596	14.037		GPM TOTAL iC5+	0.440
Ethane	9.672	9.72539	12.855	2.596		
Propane	4.965	4.99195	9.676	1.372		
lso-butane	0.624	0.62734	1.603	0.205		
n-Butane	1.521	1.52948	3.908	0.481		
Iso-pentane	0.328	0.32991	1.046	0.120		
n-Pentane	0.331	0.33313	1.057	0.121		
Hexanes Plus	0.455	0.45771	1.875	0.199		
	99.451	100.00000	100.000	5.094		
Calculated Physical Properties		Total	l	C6+		
Relative Density Real Gas		0.7880	)	3.2176		
	Calculated Molecular Weight		5	93.19		
Compressibility Factor		0.9964	ļ			
<b>GPA 2172 Calculati</b>	ion:					
Calculated Gross E	BTU per ft <sup>3</sup> @ 14.65 ps	sia & 60°F				
Real Gas Dry BTU	•	1150	)	5113		
Water Sat. Gas Base	e BTU	1130	)	5024		
Ideal, Gross HV - Dry at 14.65 psia		1145.8	}	5113.2		
Ideal, Gross HV - Wet		1125.8	}	5023.7		

Comments: H2S Field Content 0 ppm

Mcf/day 61.19745

Caly Atom

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

Quality Assurance:

Flaring/Venting Event Volume (MCF):	76.25
Flare or vent:	Flare
Date discovered:	8/5/2021
Time discovered:	8:50 AM
Date terminated:	8/5/2021
Time terminated:	10:30 AM
Total Duration (hrs):	1.5

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 42253

Q	UESTIONS		
Operator:  MARATHON OIL PERMIAN LLC 5555 San Felipe St. Houston, TX 77056		OGRID: 372098 Action Number: 42253 Action Type: [C-129] Venting and/or Flaring (C-129)	
QUESTIONS			
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	th the rest of the questions.	
Incident Well	[30-025-42226] URRACA 1	1 AV FEDERAL COM #024H	
Incident Facility	Not answered.		
Determination of Departing Dequipments			
Determination of Reporting Requirements  Answer all questions that apply. The Reason(s) statements are calculated based on your answers are	nd may provide addional quidance		
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes		
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	No		
Is this considered a submission for a notification of a major venting and/or flaring	Yes, minor venting and/or	flaring of natural gas.	
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may	v he a major or minor release under 19 15 29 7 NMAC	
Was there or will there be at least 50 MCF of natural gas vented and/or flared		De a major of militor release under 19.10.29.7 Nilino.	
during this event	Yes		
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No		
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		
Equipment Involved			
Equipment Involved  Primary Equipment Involved	Producing Well		
	Producing Well high pressure flare		
Primary Equipment Involved  Additional details for Equipment Involved. Please specify	Ĭ.		
Primary Equipment Involved  Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas	Ĭ.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.	high pressure flare		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage	high pressure flare		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent	high pressure flare  72 2		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent  Hydrogen Sulfide (H2S) PPM, rounded up	high pressure flare		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent	high pressure flare  72 2 0		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent  Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent	72 2 0 7 0		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	72 2 0 7 0		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	high pressure flare  72 2 0 7 0 iffications for each gas.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement	high pressure flare  72 2 0 7 0 iffications for each gas.  Not answered.  Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced Time venting and/or flaring was discovered or commenced	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 0 Not answered. Not answered. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced	high pressure flare  72 2 0 7 0 iffications for each gas. Not answered.		

Not answered.

Natural Gas Vented (Mcf) Details

Natural Gas Flared (Mcf) Details	Cause: High Line Pressure   Producing Well   Natural Gas Flared   Released: 76 Mcf   Recovered: 0 Mcf   Lost: 76 Mcf ]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity		
Was or is this venting and/or flaring a result of downstream activity	Not answered.	
Date notified of downstream activity requiring this venting and/or flaring	Not answered.	
Time notified of downstream activity requiring this venting and/or flaring	Not answered.	

Steps and Actions to Prevent Waste		
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True	
Please explain reason for why this event was beyond your operator's control	High Line Pressure - No Notification Received	
Steps taken to limit the duration and magnitude of venting and/or flaring	no notification was provided as required per NMAC 19.15.28.8 (D). As soon as flaring was identified, immediate actions were taken to limit magnitude of flaring/venting.	
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Increased Back Pressure Relief Valve to limit potential flaring during downstream upsets but still maintain safety at the facility	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 42253

#### **CONDITIONS**

Operator:	OGRID:
MARATHON OIL PERMIAN LLC	372098
5555 San Felipe St.	Action Number:
Houston, TX 77056	42253
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

#### CONDITIONS

Created By	Condition	Condition Date
icastro	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	8/17/2021