Received by OCD: 2/9/2021	1 11:39:58 AM
Form C-141	State of New Mexico
Page 6	Oil Conservation Division

	Page 1 of 330
Incident ID	
District RP	
Facility ID	
Application ID	

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.						
A scaled site and sampling diagram as described in 19.15.29.11 NMAC						
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)						
☐ Laboratory analyses of final sampling (Note: appropriate OD	OC District office must be notified 2 days prior to final sampling)					
Description of remediation activities						
and regulations all operators are required to report and/or file certa may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regularestore, reclaim, and re-vegetate the impacted surface area to the caccordance with 19.15.29.13 NMAC including notification to the	lations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in					
Signature: Larry Baker	Date: 2/9/2021					
	Telephone:432-631-6982					
Note: This is for the soil remediation or	nly still conducting groundwater monitoring.					
OCD Only						
Received by:	Date:					
Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.						
Closure Approved by:	Date:					
Printed Name:	Title:					

# 1RP-5636 Closure Report East Blinebry Drinkard Unit #37 Produced Water Spill

Lea County, New Mexico

Latitude: N 32.47956° Longitude: W -103.12206°

LAI Project No. 19-0112-49

December 31, 2020

Prepared for:

Apache Corporation 303 Veterans Airpark Lane Midland, Texas 79705

Prepared by: Larson & Associates, Inc. 507 North Marienfeld Street, Suite 205 Midland, Texas 79701

Mark J. Larson, P.G.

Certified Professional Geologist #10490

Daniel St. Germain Staff Geologist

Released to Imaging: 8/27/2021 10:20:40 AM

This Page Intentionally Left Blank

## **Table of Contents**

1.0 Introduction	1
1.1 Background	
1.2 Physical Setting	
1.3 Remediation Levels	
2.0 Remediation	
3.0 Variance	
4.0 Monitoring wells	
5.0 Closure Request	4

#### **Tables**

Table 1 Confirmation Sample Analytical Data Summary

## **Figures**

Figure 1 Topographic Map
Figure 2 Aerial Map of Spill Area

Aerial Map all Auria Maria

Figure 3 Aerial Map showing Monitoring Well Locations
Figure 4 Site Map Showing Monitoring Well Locations

## **Appendices**

Appendix A Initial C-141

Appendix B Laboratory Reports

Appendix C Photographs

Appendix D OCD Communications

#### 1.0 INTRODUCTION

Larson & Associates, Inc. (LAI) has prepared this report on behalf of Apache Corporation (Apache) for closure of the excavation associated with a produced water spill at the East Blinebry Drinkard Unit (EBDU) #37 (Site) located in Unit E (SW/4, SW/4), Section 13, Township 21 South and Range 37 East, in Lea County, New Mexico. The geodetic position is North 32.479569° and West -103.122061°. The surface ownership is private. Figure 1 presents a topographic map.

## 1.1 Background

The spill occurred at a pipeline junction and flowed west about 675 feet. Approximately 350 feet west of the origin the release flowed south about 450 feet before terminating in a low-lying area. The volume of the release and volume of fluid recovered is unknown. The release is considered major due to the unknown volume of the release. The release covered an area measuring approximately 31,320 square feet or approximately 0.72 acres. Apache submitted form C-141 to OCD on July 26, 2019. Appendix A presents the initial C-141.

## 1.2 Physical Setting

The physical setting is as follows:

- The surface elevation is approximately 3,420 feet above mean sea level (msl).
- The topography slopes gently towards the southwest.
- The nearest surface water feature is a low-lying area about 500 feet southwest of the release origin.
- The soils are designated as "Kimbrough gravelly loam, dry, 0 to 3 percent slopes", consisting of about 3 inches of gravelly loam, underlain by about 7 inches of loam and cemented material (caliche) to about 80 inches below ground surface (bgs), in descending order.
- The soil is not considered prime farmland.
- According to the Texas Bureau of Economic Geology Geologic Atlas of Texas Hobbs Sheet, the surface geology is windblown sand (Holocene to middle Pleistocene) consisting of dark brown to grayish brown sand derived from the underlying Blackwater Draw formation.
- The Ogallala Formation (Tertiary) underlies the Blackwater Draw Formation and is comprised of fluvial sand, silt, clay and localized gravel, with indistinct to massive crossbeds.
- Groundwater occurs in the Ogallala formation between about 55 feet bgs near the point of release to about 47 feet bgs near the point of termination.
- A fresh water well (windmill) is located about 300 feet south of the point of termination for the release and is not shown on the New Mexico Office of the State Engineer (OSE) website.

#### 1.3 Remediation Levels

The following remediation standards are based on closure criteria for soils impacted by a release of unknown volume as presented in Table 1 of 19.15.29 NMAC:

Benzene 10 mg/Kg
 BTEX 50 mg/Kg
 TPH 100 mg/Kg
 Chloride 600 mg/Kg

Further, 19.15.29.13 NMAC (Restoration, Reclamation and Re-Vegetation) requires the operator to restore the impacted surface area that existed prior to the release or their final land use.

#### 2.0 REMEDIATION

Beginning around June 9, 2020, DRG Oilfield Services, Inc. (DRG), Odessa, Texas, under the supervision from Apache, began excavating contaminated soil to 4.1 feet bgs from Spill Area 1 (26,886 square feet) and to 12 feet bgs from Spill Area 2 (4,431 square feet).

On July 13, 2020, LAI personnel collected thirty-eight (38) five-point composite confirmation soil samples for every 200 square feet of excavation sidewalls in Area 1 and Area 2. The samples were delivered under chain of custody and preservation to Xenco in Midland, Texas, which analyzed the samples for benzene, toluene, ethylbenzene and xylenes (BTEX), total petroleum hydrocarbons (TPH) including gasoline range (C6 to C-12) organics, diesel range (>C12 to C28) organics and oil range (>C28 to C35) organics, and chloride by EPA SW-846 Methods 8021B, 8015M, and Method 300, respectfully. Table 1 presents the confirmation soil sample analytical data summary. Figure 2 presents an aerial map showing the confirmation soil sample locations. Appendix B presents the laboratory reports.

The laboratory reported benzene, BTEX and TPH concentrations below the OCD remediation limits of 10 milligrams per kilogram (mg/Kg), 50 mg/Kg and 100 mg/Kg, respectfully. Chloride was reported above the OCD remediation limit of 600 mg/Kg in the following samples:

C-1	1,150 mg/Kg	C-12	626 mg/Kg
C-2	3,570 mg/Kg	C-17	927 mg/Kg
C-3	1,990 mg/Kg	C-21	1,290 mg/Kg
C-4	3,060 mg/Kg	C-22	704 mg/Kg
C-5	650 mg/Kg	C-23	6,200 mg/Kg
C-6	1,060 mg/Kg	C-24	1,110 mg/Kg
C-7	12,100 mg/Kg	C-26	5,280 mg/Kg
C-8	24,800 mg/Kg	C-27	1,210 mg/Kg
C-9	4,160 mg/Kg	C-28	8,280 mg/Kg
C-10	2,190 mg/Kg	C-32	867 mg/Kg

On July 27 and 29, 2020, DRG excavated additional soil to reduce the chloride concentrations at the above-referenced locations. On August 4, 2020, LAI personnel collected nineteen (19) composite confirmation samples. Soil was not excavated at sample C-1 due to its proximity to a gas pipeline owned by Targa Resources, Inc. Xenco analyzed the samples for chloride by EPA Method 300. Chloride exceeded the OCD remediation limit of 600 mg/Kg in samples C-22 (608 mg/Kg), C-23 (13,900 mg/kg), and C-28 (630 mg/kg). GRD excavated additional soil from C-22, C-23, and C-28.

On August 4, 2020, LAI personnel resampled location C-1, and collected samples from C-22, C-23, and C-28, following additional soil removal. Xenco analyzed all samples for chloride by EPA Method 300 and sample C-1 for TPH by EPA 846 Method SW8015M. The TPH concentration in sample C-1 was below the analytical method reporting limit (<50.3 mg/Kg). Chloride concentrations were below the OCD remediation limit of 600 mg/Kg.

On August 3, 10, and 11, 2020, LAI personnel collected soil samples from five (5) borings (BH-1 through BH-5) installed in the bottom of the excavation at Area 2 after backfilling with caliche to approximately five (5) feet bgs. Soil samples were collected with a Geoprobe Model 7822DT direct push rig at 10, 12, 14, 16, 18, 20, and 25 feet bgs to confirm the vertical extent of chloride. A soil samples was also collected from 30 feet bgs at BH-1 in Area 2. Xenco analyzed the samples for chloride by EPA Method 300. Xenco reported chloride concentrations below the remediation limit of 600 mg/Kg in all samples. Appendix C presents photographs.

#### 3.0 VARIANCE

On October 29, 2019, Apache submitted a remediation plan that proposed installing a 20-mil thickness polyethylene liner in the bottom of the excavation (12 feet bgs) at Area 2. On August 10 and 11, 2020, LAI personnel collected soil samples from five (5) borings (BH-1 through BH-5) installed in bottom of the excavation at Area 2 after backfilling the excavation to approximately 5 feet bgs with clean caliche. The laboratory reported chloride concentrations above 600 mg/Kg in two (2) samples: BH-3, 10 feet (774 mg/Kg) and BH-3, 12 feet (666 mg/Kg). During g a telephone call on September 11, 2020, OCD approved forgoing the 20-mil thickness liner and backfilling the excavation with clean caliche to three (3) feet bgs and to ground surface with topsoil, however, Apache completed backfilling the excavation with topsoil from five (5) feet to ground surface. Appendix D presents OCD communications.

#### 4.0 MONITORING WELLS

On September 29, 2020, Scarborough Drilling, Inc. (SDI), under LAI supervision, drilled two (2) additional borings (TMW-3 and TWM-4). Monitoring well TMW-3 was installed west of the Area 2 excavation to approximately 68 feet bgs. Monitoring well TMW-4 was drilled east of the Area 2 excavation to approximately 70 feet bgs. Both monitoring well locations were moved with OCD notification due to a buried natural gas pipeline (TMW-3) and thick brush (TMW-4). Monitoring well TMW-3 was moved approximately 125 feet west and south from its proposed location. Monitoring well TMW-4 was moved approximately 25 feet south from its proposed location. Figure 3 presents an aerial drawing showing the monitoring well locations.

The monitoring wells were completed with two (2) inch threaded schedule 40 PVC casing and approximately twenty (20) feet 0.01-inch factory slotted screen. The screens were positioned above and below the groundwater level observed during drilling. On September 30, 2020 groundwater was recorded at 57.62 feet bgs in TMW-3 and 57.39 feet bgs in well TMW-4. The wells were developed using an electric submersible pump to remove to sediment disturbed and fresh water introduced during drilling. All monitor wells were surveyed for geodetic position and elevation, including surface elevation and top of casing (TOC) elevation, West Company, a New Mexico licensed professional surveyor (license number 23263). Figure 4 presents a Site drawing showing the monitoring well locations.

Apache will continue quarterly monitoring of groundwater in wells TMW-1 through TWM-4 and the windmill during 2021 with laboratory analysis of groundwater samples for BTEX, chloride and TDS. Notice will be provided to OCD in Hobbs and Santa Fe, New Mexico at least 7 working days prior to each groundwater monitoring event. The OCD will be notified immediately upon receipt laboratory analysis with significant increase of analyte concentrations.

Apache

## **5.0 CLOSURE REQUEST**

Apache requests no further action for this release.

**Tables** 

Table 1
Confirmation Soil Sample Analytical Data Summary
Apache Corp., EBDU #37
Lea County, New Mexico

Page 1 of 3

Area	Sample ID	Location	Depth (feet)	Collection Date	Status	Benzene (mg/Kg)	BTEX (mg/Kg)	C6 - C12 (mg/Kg)	C12 - C28 (mg/Kg)	C28 - C35 (mg/Kg)	TPH (mg/Kg)	Chloride (mg/Kg)
Remedia	tion Standar	d:				10	50				100/2,500	600/10,000
					Confirmation	on Compos	ite Sample:	S				
1	C-1	Sidewall	0 - 4	07/13/2020 08/04/2020	In-Situ	<0.00201		<49.8 <50.3	83.3 <50.3	<49.8 <50.3	83.3 <50.3	<b>1,150</b> 338
1	C-2	Sidewall	0 - 4 0 - 4	07/13/2020 07/27/2020	In-Situ	<0.00202	<0.00202	<49.8 	<49.8 	<49.8 	<49.8 	<b>3,570</b> 87
1	C-3	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00202	<0.00202	<50.0 	<50.0 	<50.0 	<50.0 	<b>1,990</b> 39
1	C-4	Sidewall	0 - 4	07/29/2020	In-Situ	<0.00199 		<49.8 	<49.8 	<49.8 	<49.8 	<b>3,060</b> 21.8
1	C-5	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00200	0.00205	<50.0 	<50.0 	<50.0 	<50.0 	<b>650</b> 5.75
1	C-6	Sidewall	0 - 4	07/29/2020	In-Situ	<0.00200	0.00262	<50.0 	<50.0 	<50.0 	<50.0 	<b>1,060</b> 162
1	C-7	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00200	0.00378 	<49.8 	<49.8 	<49.8 	<49.8 	<b>12,100</b> 11.5
1	C-8	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00198	<0.00198	<50.0 	<50.0 	<50.0 	<50.0 	<b>24,800</b> 19
1	C-9	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00199	0.00438	<49.9 	<49.9 	<49.9 	<49.9 	<b>4,160</b> 200
1	C-10	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00201	0.00336	<49.8 	<49.8 	<49.8 	<49.8 	<b>2,190</b> 126
1	C-11	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00539	<50.0	<50.0	<50.0	<50.0	44.8
1	C-12	Sidewall	0 - 4	07/13/2020 07/29/2020	In-Situ	<0.00198	0.00415 	<50.0 	<50.0 	<50.0 	<50.0 	<b>626</b> 17.6
2	C-13	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00198	0.00252	<50.0	<50.0	<50.0	<50.0	44.1
2	C-14	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00570	<49.9	<49.9	<49.9	<49.9	14.1
2	C-15	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00254	<49.9	<49.9	<49.9	<49.9	24.3
2	C-16	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00552	<50.0	<50.0	<50.0	<50.0	229
2	C-17	Sidewall	0 - 4	07/13/2020 07/29/2020	Excavated In-Situ	<0.00200	0.00275 	<49.9 	<49.9 	<49.9 	<49.9 	<b>927</b> 9.8
2	C-18	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00722	<50.0	<50.0	<50.0	<50.0	227
1	C-19	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00199	0.00557	<50.0	<50.0	<50.0	<50.0	60.6

Table 1
Confirmation Soil Sample Analytical Data Summary
Apache Corp., EBDU #37
Lea County, New Mexico

Page 2 of 3

1	C-20	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00968	<49.9	<49.9	<49.9	<49.9	44.3
1	C-21	Sidewall	0 - 4	07/13/2020	Excavated	<0.00200	0.00705	<50.0	<50.0	<50.0	<50.0	1,290
				07/29/2020	In-Situ							237
1	C-22	Sidewall	0 - 4	07/13/2020	Excavated	<0.00200	0.00493	<50.0	<50.0	<50.0	<50.0	704
				07/29/2020	Excavated							608
				8/04/2020	In-Situ							10.7
1	C-23	Sidewall	0 - 4	07/13/2020		<0.00200	0.00339	<49.9	<49.9	<49.9	<49.9	6,200
				07/29/2020								13,900
				8/04/2020	In-Situ							15.8
1	C-24	Sidewall	0 - 4	07/13/2020		<0.00200	0.00732	<50.0	<50.0	<50.0	<50.0	1,110
				07/29/2020								37.4
1	C-25	Sidewall	0 - 4	07/13/2020		<0.00201	0.00464	<49.9	<49.9	<49.9	<49.9	254
1	C-26	Sidewall	0 - 4	07/13/2020		<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	5,280
				07/29/2020								307
1	C-27	Sidewall	0 - 4	07/13/2020		<0.00200	0.00482	<49.9	<49.9	<49.9	<49.9	1,210
				07/29/2020								71.6
1	C-28	Sidewall	0 - 4	07/13/2020		<0.00200	<0.00200	<49.8	<49.8	<49.8	<49.8	8,280
				07/29/2020								630
				8/04/2020	In-Situ							415
1	C-29	Sidewall	0 - 4	07/13/2020		<0.00199		<50.0	<50.0	<50.0	<50.0	197
1	C-30	Sidewall	0 - 4	07/13/2020		<0.00198		<50.0	<50.0	<50.0	<50.0	264
1	C-31	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200		<49.9	<49.9	<49.9	<49.9	42.1
1	C-32	Sidewall	0 - 4	07/13/2020		<0.00199	0.00325	<50.0	<50.0	<50.0	<50.0	867
				07/29/2020								30.8
1	C-33	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00199	0.00712	<49.8	<49.8	<49.8	<49.8	553
1	C-34	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00199	0.00781	<50.0	<50.0	<50.0	<50.0	242
1	C-35	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00198	0.00876	<50.0	<50.0	<50.0	<50.0	9.23
1	C-36	Sidewall	0 - 4	07/13/2020	In-Situ	<0.00200	0.00478	<50.0	<50.0	<50.0	<50.0	64.4
1	C-37	Sidewall	0 - 4	07/13/2020		<0.00200	0.00502	<49.9	<49.9	<49.9	<49.9	14.6
1	C-38	Sidewall	0 - 4	07/13/2020		<0.00199		<49.9	<49.9	<49.9	<49.9	28.7
Soil Boring Samples												
2	BH-1	Bottom	10	8/03/2020	In-Situ							11.6
1			12	8/03/2020	In-Situ							13.3
1			14	8/03/2020	In-Situ							13.4
			16	8/03/2020	In-Situ							22.9
			18	8/03/2020	In-Situ							34.4
			20	8/03/2020	In-Situ							24.7

Table 1
Confirmation Soil Sample Analytical Data Summary
Apache Corp., EBDU #37
Lea County, New Mexico

Page 3 of 3

2	BH-2	Bottom	10	8/10/2020	In-Situ	 	 		 79.7
			12	8/10/2020	In-Situ	 	 		 18.4
			14	8/10/2020	In-Situ	 	 		 10.1
			16	8/10/2020	In-Situ	 	 		 10.3
			18	8/10/2020	In-Situ	 	 		 9.67
			20	8/10/2020	In-Situ	 	 		 9.64
			25	8/10/2020	In-Situ	 	 		 11.6
2	BH-3	Bottom	10	8/10/2020	In-Situ	 	 		 774
			12	8/10/2020	In-Situ	 	 		 666
			14	8/10/2020	In-Situ	 	 		 419
			16	8/10/2020	In-Situ	 	 		 60.2
			18	8/10/2020	In-Situ	 	 		 89.3
			20	8/10/2020	In-Situ	 	 		 227
			25	8/10/2020	In-Situ	 	 		 32.7
2	BH-4	Bottom	10	8/10/2020	In-Situ	 	 		 24
			12	8/10/2020	In-Situ	 	 		 12
			14	8/10/2020	In-Situ	 	 		 10.3
			16	8/10/2020	In-Situ	 	 		 15
			18	8/10/2020	In-Situ	 	 		 12.7
			20	8/10/2020	In-Situ	 	 		 11.8
			25	8/10/2020	In-Situ	 	 		 13.4
	DILE	Dattana	10	0/11/2020	In City				10.2
2	BH-5	Bottom	10 12	8/11/2020	In-Situ In-Situ	 	 		 10.2 9.94
			14	8/11/2020		 	 		
			14 16	8/11/2020 8/11/2020	In-Situ In-Situ	 	 		 9.78 12.2
			18	8/11/2020	In-Situ In-Situ	 	 		 9.3
			20	8/11/2020	In-Situ In-Situ	 	 		 9.3 9.77
			20	0/11/2020	เมาวเเน	 	 	_ <del></del>	 10.5
									10.5


Notes: analysis performed by Xenco Laboratories, Midland, Texas, by SW-846 Method 8021B (BETX), Method 8015 (TPH) and Method 300 (chloride) Depth in feet below ground surface (bgs)

mg/Kg: milligrams per kilogram equivalent to parts per million (ppm)

**Bold and Highlighted exceeds OCD remediation action limits and excavated** 

<sup>&</sup>lt;: denotes concentration less than analytical method reporting limit

**Figures** 






Figure 2 - Aerial Map Showing Excavation Area




Figure 3 - Site Map Showing Monitoring Well Locations



Appendix A

Initial C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	NDHR1922141227
District RP	1RP-5636
Facility ID	
Application ID	pDHR1922140928

# **Release Notification**

## **Responsible Party**

Responsible Party: Apache Corporation	OGRID 873
Contact Name: Bruce Baker	Contact Telephone: (432) 631-6982
Contact email: Larry.Baker@apachecorp.com	Incident # (assigned by OCD)
Contact Mailing Address: 2350 W. Marland Blvd, Hobbs, NM 88240	

## **Location of Release Source**

Latitude: W 32.4807053 Longitude: N -103.123085

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: EBDU #37 WIW				Site Type: Water Injection	Well		
Date Release Discovered: July 14, 2019					API # 3002506556		
Unit Letter	Section	Township	Range		County		
Е	12	21S	37E	LEA	`		
Surface Owner: State Federal Tribal Private (Name: William Stephens)							
Nature and Volume of Release							

Materia	l(s) Released (Select all that apply and attach calculations or specific	justification for the volumes provided below)					
Crude Oil	Volume Released (Unknown bbls)	Volume Recovered (Unknown bbls)					
Produced Water	Volume Released (Unknown bbls)	Volume Recovered (Unknown bbls)					
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No					
Condensate	Volume Released (bbls)	Volume Recovered (bbls)					
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)					
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)					
Cause of Release							
Isolation valve failure due to internal corrosion.							

Received by OCD: 2/9/2021 11:39:58 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division Page 20 of 330

Incident ID
District RP
Facility ID
Application ID

NDHR1922141227
IRP-5636
pDHR1922140928

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
☐ Yes ⊠ No	
	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? CD by Bruce Baker, Senior Environmental Technician, Apache Corporation
	Initial Response
The responsible p	party must undertake the following actions immediately unless they could create a safety hazard that would result in injury
The source of the rele	ase has been stopped.
The impacted area has	s been secured to protect human health and the environment.
Released materials ha	we been contained via the use of berms or dikes, absorbent pads, or other containment devices.
	ecoverable materials have been removed and managed appropriately.
If all the actions described	l above have <u>not</u> been undertaken, explain why:
Dor 10 15 20 9 D (4) NM	AC the responsible party may commence remediation immediately after discovery of a release. If remediation
has begun, please attach a	a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred a tarea (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
regulations all operators are public health or the environm failed to adequately investigations.	rmation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and required to report and/or file certain release notifications and perform corrective actions for releases which may endanger nent. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have atteand remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In f a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws
Printed Name: <u>Jeff Broon</u>	Title: Environmental Technician
Signature:	Date: <u>07/24/2019</u>
Email: <u>Jeffrey.Broom@a</u> p	Dachecorp.com Telephone: (432) 664-4677
OCD Only	
Received by: <u>Dylan Ro</u>	ose-Coss Date: <u>08/09/2019</u>

Appendix B

Laboratory Reports

# **Certificate of Analysis Summary 667044**

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

Project Id:

19-0112-49

. . .

**Date Received in Lab:** Mon 07.13.2020 16:43

**Contact:** Mark Larson

**Report Date:** 07.24.2020 13:02

Project Manager: Holly Taylor

**Project Location:** 

	Lab Id:	667044-0	001	667044-0	02	667044-0	003	667044-	004	667044-0	005	667044-0	006
Analysis Paguested	Field Id:	C-1		C-2		C-3		C-4		C-5		C-6	
Analysis Requested	Depth:												
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	07.13.2020	10:45	07.13.2020	10:35	07.13.2020	10:30	07.13.2020	10:27	07.13.2020	10:23	07.13.2020	10:20
BTEX by EPA 8021B	Extracted:	07.17.2020	14:30	07.17.2020	14:30	07.17.2020	14:30	07.17.2020	14:30	07.17.2020 14:30		07.17.2020	14:30
	Analyzed:	07.18.2020	02:55	07.18.2020	03:15	07.18.2020	03:36	07.18.2020	03:56	07.18.2020 04:17		07.18.2020 04:37	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00202	0.00202	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200
Toluene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00202	0.00202	0.00262	0.00199	0.00205	0.00200	0.00262	0.00200
Ethylbenzene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00202	0.00202	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200
m,p-Xylenes		< 0.00402	<0.00402 0.00402		0.00403	< 0.00403	0.00403	< 0.00398	0.00398	< 0.00399	0.00399	< 0.00399	0.00399
o-Xylene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00202	0.00202	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200
Total Xylenes		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00202	0.00202	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200
Total BTEX		< 0.00201	0.00201	<0.00202 0.00202		< 0.00202	0.00202	0.00262	0.00199	0.00205	0.00200	0.00262	0.00200
Chloride by EPA 300	Extracted:	07.16.2020	11:30	07.16.2020 11:30		07.16.2020 11:30		07.16.2020 11:30		07.16.2020 11:30		07.16.2020 11:30	
	Analyzed:	07.16.2020	16:26	07.16.2020	16:32	07.16.2020 16:50		07.16.2020 16:57		07.16.2020 17:03		07.16.2020 17:0	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		1150	4.96	3570	24.9	1990	25.0	3060	25.2	650	4.96	1060	4.99
TPH by SW8015 Mod	Extracted:	07.16.2020	12:00	07.16.2020	12:00	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30
	Analyzed:	07.16.2020	14:05	07.16.2020	14:26	07.15.2020	12:50	07.15.2020	13:55	07.15.2020 14:17		07.15.2020	14:38
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<49.8	<49.8 49.8		49.8	< 50.0	50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Diesel Range Organics (DRO)		83.3	83.3 49.8		49.8	< 50.0	50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		<49.8	<49.8 49.8		49.8	< 50.0	50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Total TPH		83.3	49.8	<49.8	49.8	< 50.0	50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# Certificate of Analysis Summary 667044

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

Project Id: Contact:

**Project Location:** 

19-0112-49

Mark Larson

**Date Received in Lab:** Mon 07.13.2020 16:43

**Report Date:** 07.24.2020 13:02

**Project Manager:** Holly Taylor

Troject Docation.								-	roject 1.1	anager.	<i>yy</i> .		
	Lab Id:	667044-0	007	667044-0	08	667044-0	009	667044-0	010	667044-0	011	667044-0	12
Analysis Paguastad	Field Id:	C-7		C-8		C-9		C-10		C-11		C-12	
Analysis Requested	Depth:												
	Matrix:	SOIL		SOIL		SOIL	,	SOIL	,	SOIL		SOIL	
	Sampled:	07.13.2020	10:15	07.13.2020	10:10	07.13.2020	10:05	07.13.2020	10:00	07.13.2020	09:58	07.13.2020	09:55
BTEX by EPA 8021B	Extracted:	07.17.2020	14:30	07.17.2020	14:30	07.17.2020	14:30	07.17.2020	14:30	07.17.2020	14:30	07.17.2020	14:30
	Analyzed:	07.18.2020	04:57	07.18.2020	05:18	07.18.2020	05:38	07.18.2020	05:59	07.18.2020 11:01		07.18.2020 11:22	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		< 0.00200	0.00200	< 0.00198	0.00198	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00200	0.00200	< 0.00198	0.00198
Toluene		0.00378	0.00200	< 0.00198	0.00198	0.00438	0.00199	0.00336	0.00201	0.00539	0.00200	0.00415	0.00198
Ethylbenzene		< 0.00200	0.00200	< 0.00198	0.00198	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00200	0.00200	< 0.00198	0.00198
m,p-Xylenes		< 0.00400	0.00400	< 0.00397	0.00397	< 0.00398	0.00398	< 0.00402	0.00402	< 0.00399	0.00399	< 0.00396	0.00396
o-Xylene		< 0.00200	0.00200	< 0.00198	0.00198	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00200	0.00200	< 0.00198	0.00198
Total Xylenes		< 0.00200	0.00200	< 0.00198	0.00198	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00200	0.00200	< 0.00198	0.00198
Total BTEX		0.00378	0.00200	< 0.00198	0.00198	0.00438	0.00199	0.00336	0.00201	0.00539	0.00200	0.00415	0.00198
Chloride by EPA 300	Extracted:	07.16.2020	11:30	07.16.2020 11:30		07.16.2020 11:30		07.20.2020 12:45		07.20.2020 12:45		07.20.2020 12:45	
	Analyzed:	07.16.2020	17:15	07.16.2020	17:21	07.16.2020 17:27		07.21.2020 01:05		07.21.2020 01:26		07.21.2020 01:3	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		12100	101	24800	250	4160	25.0	2190	24.9	44.8	5.01	626	5.03
TPH by SW8015 Mod	Extracted:	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30
	Analyzed:	07.15.2020	15:00	07.15.2020	15:22	07.15.2020	15:44	07.15.2020	16:06	07.15.2020	16:27	07.15.2020	16:49
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<49.8	49.8	< 50.0	50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Diesel Range Organics (DRO)		<49.8	<49.8 49.8		50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	<50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		<49.8	49.8	< 50.0	50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Total TPH		<49.8	49.8	< 50.0	50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	< 50.0	50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

**Environment Testing** 

# Certificate of Analysis Summary 667044

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

**Project Id:** 

19-0112-49

**Date Received in Lab:** Mon 07.13.2020 16:43

Contact:

eurofins 💸

Mark Larson

**Report Date:** 07.24.2020 13:02 Project Manager: Holly Taylor

**Project Location:** 

Lab Id: 667044-013 667044-014 667044-015 667044-016 667044-017 667044-018 Field Id: C-13 C-14 C-15 C-16 C-17 C-18 Analysis Requested Depth: Matrix: SOIL SOIL SOIL SOIL SOIL SOIL 07.13.2020 09:45 Sampled: 07.13.2020 09:51 07.13.2020 09:48 07.13.2020 09:52 07.13.2020 09:56 07.13.2020 09:48 BTEX by EPA 8021B 07.17.2020 14:30 07.21.2020 16:00 07.21.2020 16:00 07.21.2020 16:00 Extracted: 07.21.2020 16:00 07.21.2020 16:00 Analyzed: 07.18.2020 11:42 07.22.2020 03:09 07.22.2020 03:29 07.22.2020 03:50 07.22.2020 04:10 07.22.2020 04:30 RLmg/kg RL mg/kg RLRLRLRLUnits/RL: mg/kg mg/kg mg/kg mg/kg < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00198 0.00198 < 0.00200 0.00200 Benzene 0.00198 0.00570 0.00200 0.00254 0.00200 0.00552 0.00200 0.00275 0.00200 0.00722 0.00200 Toluene 0.00252 < 0.00198 0.00198 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 Ethylbenzene < 0.00397 0.00397 < 0.00400 0.00400 < 0.00400 0.00400 < 0.00400 0.00400 < 0.00400 0.00400 < 0.00400 0.00400 m,p-Xylenes < 0.00200 0.00200 < 0.00200 < 0.00200 0.00200 0.00200 o-Xylene < 0.00198 0.00198 < 0.00200 0.00200 0.00200 < 0.00200 0.00198 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00200 0.00200 < 0.00198 < 0.00200 Total Xylenes Total BTEX 0.00252 0.00198 0.00570 0.00200 0.00254 0.00200 0.00552 0.00200 0.00275 0.00200 0.00722 0.00200 Chloride by EPA 300 Extracted: 07.20.2020 12:45 07.20.2020 12:45 07.20.2020 12:45 07.20.2020 12:45 07.20.2020 12:45 07.20.2020 12:45 07.21.2020 01:37 07.21.2020 01:53 07.21.2020 01:58 07.21.2020 02:03 07.21.2020 02:08 07.21.2020 02:13 Analyzed: RLRL RL RLRL RL Units/RL: mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg Chloride 44.1 4.99 14.1 4.97 24.3 4.96 229 5.04 927 5.03 227 5.00 TPH by SW8015 Mod Extracted: 07.15.2020 08:30 07.15.2020 08:30 07.15.2020 08:30 07.15.2020 08:30 07.15.2020 08:30 07.15.2020 08:30

07.15.2020 17:55

RL

49.9

49.9

49.9

49.9

mg/kg

<49.9

<49.9

<49.9

<49.9

07.15.2020 18:17

RL

49.9

49.9

49.9

49.9

mg/kg

<49.9

<49.9

<49.9

<49.9

BRL - Below Reporting Limit

Total TPH

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Analyzed:

Units/RL:

07.15.2020 17:33

< 50.0

< 50.0

< 50.0

< 50.0

RL

50.0

50.0

50.0

50.0

mg/kg

Holly Taylor

07.15.2020 19:00

RL

49.9

49.9

49.9

49.9

mg/kg

<49.9

<49.9

<49.9

<49.9

07.15.2020 19:22

RL

50.0 50.0

50.0

50.0

mg/kg

< 50.0

< 50.0

< 50.0

< 50.0

07.15.2020 18:38

mg/kg

< 50.0

< 50.0

< 50.0

< 50.0

RL

50.0

50.0

50.0

50.0

Gasoline Range Hydrocarbons (GRO)

Motor Oil Range Hydrocarbons (MRO)

Diesel Range Organics (DRO)

# **Certificate of Analysis Summary 667044**

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

Project Id:

19-0112-49

**Date Received in Lab:** Mon 07.13.2020 16:43

Contact: Mark Larson

**Report Date:** 07.24.2020 13:02 **Project Manager:** Holly Taylor

**Project Location:** 

	Lab Id:	667044-0	)19	667044-0	020	667044-0	)21	667044-	022	667044-0	)23	667044-0	)24
	Field Id:	C-19		C-20		C-21		C-22		C-23		C-24	
Analysis Requested	Depth:	0.17		0.20		0 2.		0 22		0 20		02.	
	Matrix:	SOIL		SOIL		SOIL	,	SOIL	,	SOIL		SOIL	
	Sampled:	07.13.2020	10:10	07.13.2020	10:04	07.13.2020	10:08	07.13.2020	10:12	07.13.2020	10:18	07.13.2020	10:22
BTEX by EPA 8021B	Extracted:	07.22.2020	08:00	07.21.2020	16:00	07.21.2020	16:00	07.21.2020 16:00		07.21.2020	16:00	07.21.2020	16:00
	Analyzed:	07.22.2020	09:17	07.22.2020	04:51	07.22.2020	05:11	07.22.2020	05:32	07.22.2020 05:52		07.22.2020 06:13	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200
Toluene		0.00557	0.00199	0.00968	0.00200	0.00705	0.00200	0.00493	0.00200	0.00339	0.00200	0.00732	0.00200
Ethylbenzene		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200
m,p-Xylenes		< 0.00398	<0.00398 0.00398		0.00400	< 0.00400	0.00400	< 0.00400	0.00400	< 0.00400	0.00400	< 0.00400	0.00400
o-Xylene		< 0.00199	<0.00199 0.00199		0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200
Total Xylenes		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200
Total BTEX		0.00557	0.00199	0.00968	0.00200	0.00705	0.00200	0.00493	0.00200	0.00339	0.00200	0.00732	0.00200
Chloride by EPA 300	Extracted:	07.20.2020	12:45	07.20.2020 12:45		07.20.2020 12:45		07.20.2020 12:45		07.20.2020 12:45		07.20.2020 12:4	
	Analyzed:	07.21.2020	02:19	07.21.2020	02:34	07.21.2020 02:40		07.21.2020 02:55		07.21.2020 03:00		07.21.2020 03:0	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		60.6	4.98	44.3	5.03	1290	4.96	704	4.99	6200	49.5	1110	4.97
TPH by SW8015 Mod	Extracted:	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30
	Analyzed:	07.15.2020	19:43	07.15.2020	20:04	07.15.2020	20:26	07.15.2020	20:47	07.15.2020	12:50	07.15.2020	13:55
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		< 50.0	<50.0 50.0		49.9	< 50.0	50.0	< 50.0	50.0	<49.9	49.9	< 50.0	50.0
Diesel Range Organics (DRO)		< 50.0	<50.0 50.0		49.9	< 50.0	50.0	< 50.0	50.0	<49.9	49.9	< 50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		< 50.0	<50.0 50.0		49.9	< 50.0	50.0	< 50.0	50.0	<49.9	49.9	< 50.0	50.0
Total TPH		< 50.0	50.0	<49.9	49.9	< 50.0	50.0	< 50.0	50.0	<49.9	49.9	< 50.0	50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

eurofins Environment Testing

# Certificate of Analysis Summary 667044

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

**Project Id:** 

**Project Location:** 

19-0112-49

**Date Received in Lab:** Mon 07.13.2020 16:43

Mark Larson **Contact:** 

**Report Date:** 07.24.2020 13:02

Project Manager: Holly Taylor

	Lab Id:	667044-0	025	667044-0	26	667044-0	)27	667044-0	028	667044-0	)29	667044-0	)30
Analysis Passastad	Field Id:	C-25		C-26		C-27		C-28		C-29		C-30	
Analysis Requested	Depth:												
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	07.13.2020	10:26	07.13.2020	10:32	07.13.2020	10:36	07.13.2020	10:40	07.13.2020	10:44	07.13.2020	10:48
BTEX by EPA 8021B	Extracted:	07.22.2020	16:30	07.22.2020	16:30	07.22.2020	16:30	07.22.2020	16:30	07.22.2020	16:30	07.22.2020 16:30	
	Analyzed:	07.22.2020	21:47	07.22.2020	22:08	07.22.2020	22:28	07.22.2020	22:49	07.22.2020	23:09	07.22.2020 23:30	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		< 0.00201	0.00201	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00198	0.00198
Toluene		0.00464	0.00201	< 0.00200	0.00200	0.00482	0.00200	< 0.00200	0.00200	0.00906	0.00199	0.00556	0.00198
Ethylbenzene		< 0.00201	0.00201	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00198	0.00198
m,p-Xylenes		< 0.00402	0.00402	< 0.00401	0.00401	< 0.00401	0.00401	< 0.00401	0.00401	< 0.00398	0.00398	< 0.00396	0.00396
o-Xylene		< 0.00201	0.00201	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00198	0.00198
Total Xylenes		< 0.00201	0.00201	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00198	0.00198
Total BTEX		0.00464	0.00201	< 0.00200	0.00200	0.00482	0.00200	< 0.00200	0.00200	0.00906	0.00199	0.00556	0.00198
Chloride by EPA 300	Extracted:	07.20.2020	12:45	07.20.2020 12:45		07.20.2020 12:45		07.20.2020 12:45		07.16.2020 15:20		07.16.2020 15:20	
	Analyzed:	07.21.2020	03:11	07.21.2020	03:16	07.21.2020 03:21		07.21.2020 03:27		07.16.2020 18:23		07.16.2020 18	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		254	5.02	5280	25.0	1210	4.99	8280	49.7	197	5.03	264 X	4.96
TPH by SW8015 Mod	Extracted:	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30
	Analyzed:	07.15.2020	14:17	07.15.2020	14:38	07.15.2020	15:00	07.15.2020	15:22	07.15.2020	15:44	07.15.2020	16:06
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<49.9	<49.9 49.9		50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Diesel Range Organics (DRO)		<49.9	<49.9 49.9		50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	< 50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		<49.9	<49.9 49.9		50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	<50.0	50.0
Total TPH		<49.9	49.9	< 50.0	50.0	<49.9	49.9	<49.8	49.8	< 50.0	50.0	<50.0	50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

eurofins Environment Testing

# Certificate of Analysis Summary 667044

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

**Project Id: Contact:** 

19-0112-49

**Date Received in Lab:** Mon 07.13.2020 16:43

Mark Larson

**Report Date:** 07.24.2020 13:02

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	667044-0	031	667044-0	32	667044-0	)33	667044-0	)34	667044-0	)35	667044-0	)36
Analysis Requested	Field Id:	C-31		C-32		C-33		C-34		C-35		C-36	
Analysis Requested	Depth:												
	Matrix:	SOIL	,	SOIL		SOIL		SOIL	,	SOIL	,	SOIL	
	Sampled:	07.13.2020	10:52	07.13.2020	10:56	07.13.2020	11:00	07.13.2020	11:05	07.13.2020	11:01	07.13.2020	10:52
BTEX by EPA 8021B	Extracted:	07.22.2020	16:30	07.22.2020	16:30	07.22.2020	16:30	07.22.2020	16:30	07.22.2020 16:30		07.22.2020 16:30	
	Analyzed:	07.22.2020	23:50	07.23.2020	00:11	07.23.2020	00:31	07.23.2020	00:52	07.23.2020	02:14	07.23.2020	02:34
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		< 0.00200	0.00200	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00198	0.00198	< 0.00200	0.00200
Toluene		< 0.00200	0.00200	0.00325	0.00199	0.00712	0.00199	0.00781	0.00199	0.00876	0.00198	0.00478	0.00200
Ethylbenzene		< 0.00200	0.00200	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00198	0.00198	< 0.00200	0.00200
m,p-Xylenes		< 0.00400	<0.00400 0.00400		0.00398	< 0.00398	0.00398	< 0.00398	0.00398	< 0.00397	0.00397	< 0.00400	0.00400
o-Xylene		< 0.00200	0.00200	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00198	0.00198	< 0.00200	0.00200
Total Xylenes		< 0.00200	0.00200	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00199	0.00199	< 0.00198	0.00198	< 0.00200	0.00200
Total BTEX		< 0.00200	0.00200	0.00325	0.00199	0.00712	0.00199	0.00781	0.00199	0.00876	0.00198	0.00478	0.00200
Chloride by EPA 300	Extracted:	07.16.2020	15:20	07.16.2020 15:20		07.16.2020 15:20		07.16.2020 15:20		07.16.2020 15:20		07.16.2020 15:20	
	Analyzed:	07.16.2020	18:29	07.16.2020	18:35	07.16.2020 18:41		07.16.2020 18:59		07.16.2020 19:06		07.16.2020 19:12	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		42.1	4.99	867	4.97	553	4.99	242	5.00	9.23	5.03	64.4	5.05
TPH by SW8015 Mod	Extracted:	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30	07.15.2020	08:30
	Analyzed:	07.15.2020	16:27	07.15.2020	16:49	07.15.2020	17:33	07.15.2020	17:55	07.15.2020	18:17	07.15.2020	18:38
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<49.9	<49.9 49.9		50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0	< 50.0	50.0
Diesel Range Organics (DRO)		<49.9	<49.9 49.9		50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0	< 50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		<49.9	<49.9 49.9		50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0	< 50.0	50.0
Total TPH		<49.9	49.9	< 50.0	50.0	<49.8	49.8	< 50.0	50.0	< 50.0	50.0	< 50.0	50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# **Certificate of Analysis Summary 667044**

Larson and Associates, Inc., Midland, TX

Project Name: EBDU #37

Project Id:

19-0112-49

**Date Received in Lab:** Mon 07.13.2020 16:43

**Contact:** Mark Larson

**Report Date:** 07.24.2020 13:02

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	667044-0	37	667044-0	)38		
Analysis Requested	Field Id:	C-37		C-38			
Anaiysis Requesieu	Depth:						
	Matrix:	SOIL		SOIL			
	Sampled:	07.13.2020	10:52	07.13.2020	10:48		
BTEX by EPA 8021B	Extracted:	07.22.2020	16:30	07.22.2020	16:30		
	Analyzed:	07.23.2020	02:55	07.23.2020	03:15		
	Units/RL:	mg/kg	RL	mg/kg	RL		
Benzene		< 0.00200	0.00200	< 0.00199	0.00199		
Toluene		0.00502	0.00200	0.00857	0.00199		
Ethylbenzene		< 0.00200	0.00200	< 0.00199	0.00199		
m,p-Xylenes			0.00401	< 0.00398	0.00398		
o-Xylene		< 0.00200	0.00200	< 0.00199	0.00199		
Total Xylenes		< 0.00200	0.00200	< 0.00199	0.00199		
Total BTEX		0.00502	0.00200	0.00857	0.00199		
Chloride by EPA 300	Extracted:	07.16.2020	15:20	07.16.2020	15:20		
	Analyzed:	07.16.2020	19:30	07.16.2020	19:49		
	Units/RL:	mg/kg	RL	mg/kg	RL		
Chloride		14.6 X	4.99	28.7	5.04		
TPH by SW8015 Mod	Extracted:	07.15.2020	08:30	07.15.2020	08:30		
	Analyzed:	07.15.2020	19:00	07.15.2020	19:22		
	Units/RL:	mg/kg	RL	mg/kg	RL		
Gasoline Range Hydrocarbons (GRO)		<49.9	49.9	<49.9	49.9		
Diesel Range Organics (DRO)		<49.9	49.9	<49.9	49.9		
Motor Oil Range Hydrocarbons (MRO)		<49.9	49.9	<49.9	49.9		
Total TPH		<49.9	49.9	<49.9	49.9		

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



# **Analytical Report 667044**

## for

# Larson and Associates, Inc.

**Project Manager: Mark Larson** 

EBDU #37 19-0112-49 07.24.2020

Collected By: Client



## 1211 W. Florida Ave Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054) Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



07.24.2020

Project Manager: Mark Larson Larson and Associates, Inc. P. O. Box 50685 Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): 667044

EBDU #37
Project Address:

#### Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 667044. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 667044 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

thely Taylor

Holly Taylor

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# **Sample Cross Reference 667044**

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
C-1	S	07.13.2020 10:45		667044-001
C-2	S	07.13.2020 10:35		667044-002
C-3	S	07.13.2020 10:30		667044-003
C-4	S	07.13.2020 10:27		667044-004
C-5	S	07.13.2020 10:23		667044-005
C-6	S	07.13.2020 10:20		667044-006
C-7	S	07.13.2020 10:15		667044-007
C-8	S	07.13.2020 10:10		667044-008
C-9	S	07.13.2020 10:05		667044-009
C-10	S	07.13.2020 10:00		667044-010
C-11	S	07.13.2020 09:58		667044-011
C-12	S	07.13.2020 09:55		667044-012
C-13	S	07.13.2020 09:51		667044-013
C-14	S	07.13.2020 09:48		667044-014
C-15	S	07.13.2020 09:45		667044-015
C-16	S	07.13.2020 09:48		667044-016
C-17	S	07.13.2020 09:52		667044-017
C-18	S	07.13.2020 09:56		667044-018
C-19	S	07.13.2020 10:10		667044-019
C-20	S	07.13.2020 10:04		667044-020
C-21	S	07.13.2020 10:08		667044-021
C-22	S	07.13.2020 10:12		667044-022
C-23	S	07.13.2020 10:18		667044-023
C-24	S	07.13.2020 10:22		667044-024
C-25	S	07.13.2020 10:26		667044-025
C-26	S	07.13.2020 10:32		667044-026
C-27	S	07.13.2020 10:36		667044-027
C-28	S	07.13.2020 10:40		667044-028
C-29	S	07.13.2020 10:44		667044-029
C-30	S	07.13.2020 10:48		667044-030
C-31	S	07.13.2020 10:52		667044-031
C-32	S	07.13.2020 10:56		667044-032
C-33	S	07.13.2020 11:00		667044-033
C-34	S	07.13.2020 11:05		667044-034
C-35	S	07.13.2020 11:01		667044-035
C-36	S	07.13.2020 10:52		667044-036
C-37	S	07.13.2020 10:52		667044-037
C-38	S	07.13.2020 10:48		667044-038

## **CASE NARRATIVE**

eurofins

Environment Testing
Xenco

Client Name: Larson and Associates, Inc.

Project Name: EBDU #37

 Project ID:
 19-0112-49
 Report Date:
 07.24.2020

 Work Order Number(s):
 667044
 Date Received:
 07.13.2020

#### Sample receipt non conformances and comments:

#### Sample receipt non conformances and comments per sample:

None

#### **Analytical non conformances and comments:**

Batch: LBA-3131896 Chloride by EPA 300

Lab Sample ID 667044-037 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 667044-029, -030, -031, -032, -033, -034, -035, -036, -037, -038.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3132080 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected.

Samples affected are: 667044-013.

Lab Sample ID 667044-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 667044-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011, -012, -013. The Laboratory Control Sample for Toluene, Benzene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3132276 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected. Samples affected are: 667044-017,667044-018,667044-024,667044-022,667044-023,667044-020.

Batch: LBA-3132394 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected.

Samples affected are: 667044-019.

## Page 33 of 330

#### CASE NARRATIVE

🍪 eurofins **Environment Testing** Xenco

Client Name: Larson and Associates, Inc.

Project Name: EBDU #37

Project ID: Report Date: 07.24.2020 19-0112-49 Work Order Number(s): 667044 Date Received: 07.13.2020

Batch: LBA-3132400 BTEX by EPA 8021B

Lab Sample ID 667044-031 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Ethylbenzene, Toluene recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 667044-025, -026, -027, -028, -029, -030, -031, -032, -033, -034, -035, -036, -037, -038.

The Laboratory Control Sample for Toluene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Ethylbenzene Relative Percent Difference (RPD) between matrix spike and duplicate was above quality control limits.

Samples in the analytical batch are: 667044-025, -026, -027, -028, -029, -030, -031, -032, -033, -034, -035, -036, -037, -038

## Certificate of Analytical Results 667044

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-1 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-001

Date Collected: 07.13.2020 10:45

Prep Method: E300P % Moisture:

Tech: CHE

Date Prep:

07.16.2020 11:30

Basis:

Wet Weight

Seq Number: 3131895

Analyst:

CHE

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1150	4.96	mg/kg	07.16.2020 16:26		1

Analytical Method: TPH by SW8015 Mod

Analytical Method: Chloride by EPA 300

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM

ARM

07.16.2020 12:00 Date Prep:

Basis:

Wet Weight

Seq Number: 3131955

Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
PHC610	<49.8	49.8		mg/kg	07.16.2020 14:05	U	1
C10C28DRO	83.3	49.8		mg/kg	07.16.2020 14:05		1
PHCG2835	<49.8	49.8		mg/kg	07.16.2020 14:05	U	1
PHC635	83.3	49.8		mg/kg	07.16.2020 14:05		1
	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
	111-85-3	105	%	70-130	07.16.2020 14:05		
	84-15-1	106	%	70-130	07.16.2020 14:05		
	PHC610 C10C28DRO PHCG2835 PHC635	PHC610 <49.8 C10C28DRO <b>83.3</b> PHCG2835 <49.8 PHC635 <b>83.3</b> Cas Number	PHC610	PHC610	PHC610         <49.8         49.8         mg/kg           C10C28DRO         83.3         49.8         mg/kg           PHCG2835         <49.8	PHC610         <49.8         49.8         mg/kg         07.16.2020 14:05           C10C28DRO         83.3         49.8         mg/kg         07.16.2020 14:05           PHCG2835         <49.8	PHC610

## Certificate of Analytical Results 667044

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-1

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-001

Date Collected: 07.13.2020 10:45

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 07.17.2020 14:30

Basis: Wet Weight

Seq Number: 3132080

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00201	0.00201		mg/kg	07.18.2020 02:55	UX	1
Toluene	108-88-3	< 0.00201	0.00201		mg/kg	07.18.2020 02:55	UX	1
Ethylbenzene	100-41-4	< 0.00201	0.00201		mg/kg	07.18.2020 02:55	UX	1
m,p-Xylenes	179601-23-1	< 0.00402	0.00402		mg/kg	07.18.2020 02:55	UX	1
o-Xylene	95-47-6	< 0.00201	0.00201		mg/kg	07.18.2020 02:55	UX	1
Total Xylenes	1330-20-7	< 0.00201	0.00201		mg/kg	07.18.2020 02:55	U	1
Total BTEX		< 0.00201	0.00201		mg/kg	07.18.2020 02:55	U	1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
4-Bromofluorobenzene	460-00-4	115	%	70-130	07.18.2020 02:55	
1,4-Difluorobenzene	540-36-3	115	%	70-130	07.18.2020 02:55	

## Certificate of Analytical Results 667044

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-2 Matrix:

Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-002

Analytical Method: Chloride by EPA 300

Date Collected: 07.13.2020 10:35

Prep Method: E300P

Basis:

CHE Tech:

Analyst:

CHE

Date Prep: 07.16.2020 11:30 % Moisture:

Wet Weight

Seq Number: 3131895

Result **Parameter** Cas Number RLUnits **Analysis Date** Dil Flag Chloride 16887-00-6 3570 24.9 mg/kg 07.16.2020 16:32 5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep: 07.16.2020 12:00 Basis:

Wet Weight

Seq Number: 3131955

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8		mg/kg	07.16.2020 14:26	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8		mg/kg	07.16.2020 14:26	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8		mg/kg	07.16.2020 14:26	U	1
Total TPH	PHC635	<49.8	49.8		mg/kg	07.16.2020 14:26	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	97	%	70-130	07.16.2020 14:26		
o-Terphenyl		84-15-1	102	%	70-130	07.16.2020 14:26		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-2 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-002

Date Collected: 07.13.2020 10:35

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

Date Prep: 07.17.2020 14:30 % Moisture:

Basis:

Wet Weight

KTL Analyst:

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00202	0.00202	mg/kg	07.18.2020 03:15	U	1
Toluene	108-88-3	< 0.00202	0.00202	mg/kg	07.18.2020 03:15	U	1
Ethylbenzene	100-41-4	< 0.00202	0.00202	mg/kg	07.18.2020 03:15	U	1
m,p-Xylenes	179601-23-1	< 0.00403	0.00403	mg/kg	07.18.2020 03:15	U	1
o-Xylene	95-47-6	< 0.00202	0.00202	mg/kg	07.18.2020 03:15	U	1
Total Xylenes	1330-20-7	< 0.00202	0.00202	mg/kg	07.18.2020 03:15	U	1
Total BTEX		< 0.00202	0.00202	mg/kg	07.18.2020 03:15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	117	%	70-130	07.18.2020 03:15	
4-Bromofluorobenzene	460-00-4	120	%	70-130	07.18.2020 03:15	

# Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-3

Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-003

Matrix: Soil
Date Collected: 07.13.2020 10:30

Analytical Method: Chloride by EPA 300

CHE

Prep Method: E300P

Tech: CHE

Analyst:

Date Prep:

% Moisture:

Basis: We

Wet Weight

Seq Number: 3131895

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1990	25.0	mg/kg	07.16.2020 16:50		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep:

07.15.2020 08:30

07.16.2020 11:30

Basis:

Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0		mg/kg	07.15.2020 12:50	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 12:50	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 12:50	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 12:50	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	90	%	70-130	07.15.2020 12:50		
o-Terphenyl		84-15-1	95	%	70-130	07.15.2020 12:50		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-3 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-003

Date Collected: 07.13.2020 10:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

07.18.2020 03:36

Tech: KTL

% Moisture:

Analyst:

KTL

Date Prep: 07.17.2020 14:30 Basis:

Wet Weight

Seq Number: 3132080

4-Bromofluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00202	0.00202		mg/kg	07.18.2020 03:36	U	1
Toluene	108-88-3	< 0.00202	0.00202		mg/kg	07.18.2020 03:36	U	1
Ethylbenzene	100-41-4	< 0.00202	0.00202		mg/kg	07.18.2020 03:36	U	1
m,p-Xylenes	179601-23-1	< 0.00403	0.00403		mg/kg	07.18.2020 03:36	U	1
o-Xylene	95-47-6	< 0.00202	0.00202		mg/kg	07.18.2020 03:36	U	1
Total Xylenes	1330-20-7	< 0.00202	0.00202		mg/kg	07.18.2020 03:36	U	1
Total BTEX		< 0.00202	0.00202		mg/kg	07.18.2020 03:36	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	115	%	70-130	07.18.2020 03:36		

116

%

70-130

460-00-4

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-4

4

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-004

Date Collected: 07.13.2020 10:27

Prep Method: E300P

Tech: CHE

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.16.2020 11:30

% Moisture: Basis:

Wet Weight

Seq Number: 3131895

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3060	25.2	mg/kg	07.16.2020 16:57		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst:

Analyst:

DVM

ARM

Date Prep: 07.15.2020 08:30

Basis:

Wet Weight

Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
PHC610	<49.8	49.8		mg/kg	07.15.2020 13:55	U	1
C10C28DRO	<49.8	49.8		mg/kg	07.15.2020 13:55	U	1
PHCG2835	<49.8	49.8		mg/kg	07.15.2020 13:55	U	1
PHC635	<49.8	49.8		mg/kg	07.15.2020 13:55	U	1
(	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
	PHC610 C10C28DRO PHCG2835 PHC635	PHC610 <49.8 C10C28DRO <49.8 PHCG2835 <49.8	PHC610 <49.8 49.8 C10C28DRO <49.8 49.8 PHCG2835 <49.8 49.8 PHC635 <49.8 49.8	PHC610	PHC610	PHC610         <49.8         49.8         mg/kg         07.15.2020 13:55           C10C28DRO         <49.8	PHC610

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-4

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-004

Analytical Method: BTEX by EPA 8021B

Date Collected: 07.13.2020 10:27

Prep Method: SW5035A

% Moisture:

Tech: KTL

Analyst:

KTL

Date Prep: 07.17.2020 14:30

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199	mg/kg	07.18.2020 03:56	U	1
Toluene	108-88-3	0.00262	0.00199	mg/kg	07.18.2020 03:56		1
Ethylbenzene	100-41-4	< 0.00199	0.00199	mg/kg	07.18.2020 03:56	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398	mg/kg	07.18.2020 03:56	U	1
o-Xylene	95-47-6	< 0.00199	0.00199	mg/kg	07.18.2020 03:56	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199	mg/kg	07.18.2020 03:56	U	1
Total BTEX		0.00262	0.00199	mg/kg	07.18.2020 03:56		1
Currogata	Co	a Numbor	9/ Dogovory I	Inita I imita	Analysis Data	Flog	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
4-Bromofluorobenzene	460-00-4	119	%	70-130	07.18.2020 03:56	
1,4-Difluorobenzene	540-36-3	114	%	70-130	07.18.2020 03:56	



#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-5 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-005

Date Collected: 07.13.2020 10:23

Prep Method: E300P

Tech:

CHE

Analytical Method: Chloride by EPA 300

% Moisture:

CHE Analyst:

Date Prep:

07.16.2020 11:30

Basis:

Wet Weight

Seq Number: 3131895

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	650	4.96	mg/kg	07.16.2020 17:03		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 14:17	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 14:17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 14:17	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 14:17	U	1
Surrogate	(	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-5

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-005

Date Collected: 07.13.2020 10:23

Prep Method: SW5035A

Analytical Method: BTEX by EPA 8021B

repriremou. B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 07.17.2020 14:30

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200	mg/kg	07.18.2020 04:17	U	1
Toluene	108-88-3	0.00205	0.00200	mg/kg	07.18.2020 04:17		1
Ethylbenzene	100-41-4	< 0.00200	0.00200	mg/kg	07.18.2020 04:17	U	1
m,p-Xylenes	179601-23-1	< 0.00399	0.00399	mg/kg	07.18.2020 04:17	U	1
o-Xylene	95-47-6	< 0.00200	0.00200	mg/kg	07.18.2020 04:17	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200	mg/kg	07.18.2020 04:17	U	1
Total BTEX		0.00205	0.00200	mg/kg	07.18.2020 04:17		1

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
1,4-Difluorobenzene	540-36-3	113	%	70-130	07.18.2020 04:17	
4-Bromofluorobenzene	460-00-4	120	%	70-130	07.18.2020 04:17	

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: **C-6** 

Analytical Method: Chloride by EPA 300

CHE

Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-006

Date Collected: 07.13.2020 10:20

Prep Method: E300P

Tech: CHE

Analyst:

Date Prep: 07.16.2020 11:30 % Moisture:

Basis:

Wet Weight

Seq Number: 3131895

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1060	4.99	mg/kg	07.16.2020 17:09		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep: 07.15.2020 08:30 Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Surrogate	C	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	91	%	70-130	07.15.2020 14:38
o-Terphenyl	84-15-1	94	%	70-130	07.15.2020 14:38

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-6

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-006

Date Collected: 07.13.2020 10:20

Prep Method: SW5035A

% Moisture:

Tech: KTL

Analyst:

KTL

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.17.2020 14:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.18.2020 04:37	U	1
Toluene	108-88-3	0.00262	0.00200		mg/kg	07.18.2020 04:37		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.18.2020 04:37	U	1
m,p-Xylenes	179601-23-1	< 0.00399	0.00399		mg/kg	07.18.2020 04:37	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.18.2020 04:37	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.18.2020 04:37	U	1
Total BTEX		0.00262	0.00200		mg/kg	07.18.2020 04:37		1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
4-Bromofluorobenzene	460-00-4	123	%	70-130	07.18.2020 04:37	
1,4-Difluorobenzene	540-36-3	114	%	70-130	07.18.2020 04:37	

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-7

Analytical Method: Chloride by EPA 300

Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-007

Date Collected: 07.13.2020 10:15

Prep Method: E300P

CHE Tech:

Analyst:

Tech:

Date Prep: 07.16.2020 11:30 % Moisture: Basis:

Wet Weight

Seq Number: 3131895

CHE

Result **Parameter** Cas Number RLUnits **Analysis Date** Dil Flag Chloride 16887-00-6 12100 101 mg/kg 07.16.2020 17:15 20

Analytical Method: TPH by SW8015 Mod

DVM

Analyst: ARM Seq Number: 3131823

Date Prep:

07.15.2020 08:30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8		mg/kg	07.15.2020 15:00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8		mg/kg	07.15.2020 15:00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8		mg/kg	07.15.2020 15:00	U	1
Total TPH	PHC635	<49.8	49.8		mg/kg	07.15.2020 15:00	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

111-85-3 07.15.2020 15:00 1-Chlorooctane 95 70-130 o-Terphenyl 84-15-1 101 70-130 07.15.2020 15:00

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-7

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-007

Soil Date Collected: 07.13.2020 10:15

Matrix:

Prep Method: SW5035A

07.18.2020 04:57

% Moisture:

Tech: KTL

Analyst:

KTL

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.17.2020 14:30 Basis:

Wet Weight

Seq Number: 3132080

1,4-Difluorobenzene

Parameter	Cas Number	Result	$\mathbf{RL}$		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.18.2020 04:57	U	1
Toluene	108-88-3	0.00378	0.00200		mg/kg	07.18.2020 04:57		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.18.2020 04:57	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.18.2020 04:57	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.18.2020 04:57	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.18.2020 04:57	U	1
Total BTEX		0.00378	0.00200		mg/kg	07.18.2020 04:57		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	126	%	70-130	07.18.2020 04:57		

118

%

70-130

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: **C-8**  Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-008

Date Collected: 07.13.2020 10:10

Prep Method: E300P

Tech:

CHE

Analytical Method: Chloride by EPA 300

% Moisture:

CHE Analyst:

Date Prep:

07.16.2020 11:30

Basis:

Wet Weight

Seq Number: 3131895

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24800	250	mg/kg	07.16.2020 17:21		50

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P % Moisture:

Tech: Analyst: DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 15:22	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 15:22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 15:22	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 15:22	U	1
Surrogate	C	as Number	% Recovery	Units	Limits	Analysis Date	Flag	

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: **C-8**  Matrix:

Date Received:07.13.2020 16:43

Prep Method: SW5035A

Lab Sample Id: 667044-008

Analytical Method: BTEX by EPA 8021B

Soil Date Collected: 07.13.2020 10:10

07.17.2020 14:30

% Moisture:

Tech: KTL

Analyst:

KTL Date Prep: Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00198	0.00198		mg/kg	07.18.2020 05:18	U	1
Toluene	108-88-3	< 0.00198	0.00198		mg/kg	07.18.2020 05:18	U	1
Ethylbenzene	100-41-4	< 0.00198	0.00198		mg/kg	07.18.2020 05:18	U	1
m,p-Xylenes	179601-23-1	< 0.00397	0.00397		mg/kg	07.18.2020 05:18	U	1
o-Xylene	95-47-6	< 0.00198	0.00198		mg/kg	07.18.2020 05:18	U	1
Total Xylenes	1330-20-7	< 0.00198	0.00198		mg/kg	07.18.2020 05:18	U	1
Total BTEX		< 0.00198	0.00198		mg/kg	07.18.2020 05:18	U	1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Fl
1,4-Difluorobenzene	540-36-3	117	%	70-130	07.18.2020 05:18	
4-Bromofluorobenzene	460-00-4	127	%	70-130	07.18.2020 05:18	

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-9

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-009

Date Collected: 07.13.2020 10:05

Prep Method: E300P

Ticp

% Moisture:

10u. E300F

Tech: CHE

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.16.2020 11:30

Basis:

Wet Weight

Seq Number: 3131895

Analyst:

 Parameter
 Cas Number
 Result
 RL
 Units
 Analysis Date
 Flag
 Dil

 Chloride
 16887-00-6
 4160
 25.0
 mg/kg
 07.16.2020 17:27
 5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep: 07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 15:44	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 15:44	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 15:44	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 15:44	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	90	%	70-130	07.15.2020 15:44		
o-Terphenyl		84-15-1	96	%	70-130	07.15.2020 15:44		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-9

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-009

Analytical Method: BTEX by EPA 8021B

Date Collected: 07.13.2020 10:05

Prep Method: SW5035A

07.18.2020 05:38

D<sub>e</sub>

07.17.2020 14:30

%

70-130

% Moisture:

Tech: KTL

Analyst:

KTL Date Prep:

Basis:

Wet Weight

Seq Number: 3132080

1,4-Difluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.18.2020 05:38	U	1
Toluene	108-88-3	0.00438	0.00199		mg/kg	07.18.2020 05:38		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.18.2020 05:38	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.18.2020 05:38	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.18.2020 05:38	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.18.2020 05:38	U	1
Total BTEX		0.00438	0.00199		mg/kg	07.18.2020 05:38		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	123	%	70-130	07.18.2020 05:38		

116

540-36-3

# Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-10

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-010

Date Collected: 07.13.2020 10:00

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

СНЕ

Analytical Method: Chloride by EPA 300

Date Prep: 07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2190	24.9	mg/kg	07.21.2020 01:05		

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8		mg/kg	07.15.2020 16:06	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8		mg/kg	07.15.2020 16:06	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8		mg/kg	07.15.2020 16:06	U	1
Total TPH	PHC635	<49.8	49.8		mg/kg	07.15.2020 16:06	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	93	%	70-130	07.15.2020 16:06		
o-Terphenyl		84-15-1	98	%	70-130	07.15.2020 16:06		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-10

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-010

Date Collected: 07.13.2020 10:00

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisti

% Moisture:

Analyst: KTL

Date Prep:

07.17.2020 14:30

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00201	0.00201		mg/kg	07.18.2020 05:59	U	1
Toluene	108-88-3	0.00336	0.00201		mg/kg	07.18.2020 05:59		1
Ethylbenzene	100-41-4	< 0.00201	0.00201		mg/kg	07.18.2020 05:59	U	1
m,p-Xylenes	179601-23-1	< 0.00402	0.00402		mg/kg	07.18.2020 05:59	U	1
o-Xylene	95-47-6	< 0.00201	0.00201		mg/kg	07.18.2020 05:59	U	1
Total Xylenes	1330-20-7	< 0.00201	0.00201		mg/kg	07.18.2020 05:59	U	1
Total BTEX		0.00336	0.00201		mg/kg	07.18.2020 05:59		1
Surrogate	C	as Number	% Recovery	Units	Limits	Analysis Date	Flag	
4.75 (7)			420		<b>50.400</b>	07.10.2020.07.70		

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	128	%	70-130	07.18.2020 05:59	
1,4-Difluorobenzene	540-36-3	116	%	70-130	07.18.2020 05:59	

# Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-11 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-011

Soil Date Collected: 07.13.2020 09:58

07.20.2020 12:45

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

CHE Analyst:

Date Prep:

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	44.8	5.01	mg/kg	07.21.2020 01:26		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech:

DVM

% Moisture:

Analyst: ARM Date Prep: 07.15.2020 08:30 Basis: Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0		mg/kg	07.15.2020 16:27	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0		mg/kg	07.15.2020 16:27	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0		mg/kg	07.15.2020 16:27	U	1
Total TPH	PHC635	<50.0	50.0		mg/kg	07.15.2020 16:27	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	88	%	70-130	07.15.2020 16:27		
o-Terphenyl		84-15-1	92	%	70-130	07.15.2020 16:27		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-11 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-011

Soil Date Collected: 07.13.2020 09:58

Analytical Method: BTEX by EPA 8021B

KTL

Prep Method: SW5035A

Tech: KTL % Moisture:

Analyst:

Date Prep: 07.17.2020 14:30 Basis:

07.18.2020 11:01

Wet Weight

Seq Number: 3132080

1,4-Difluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.18.2020 11:01	U	1
Toluene	108-88-3	0.00539	0.00200		mg/kg	07.18.2020 11:01		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.18.2020 11:01	U	1
m,p-Xylenes	179601-23-1	< 0.00399	0.00399		mg/kg	07.18.2020 11:01	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.18.2020 11:01	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.18.2020 11:01	U	1
Total BTEX		0.00539	0.00200		mg/kg	07.18.2020 11:01		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	113	%	70-130	07.18.2020 11:01		

111

%

70-130

540-36-3

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-12

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-012

Date Collected: 07.13.2020 09:55

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	626	5.03	mg/kg	07.21.2020 01:32		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep: 07.15.2020 08:30

Basis:

Wet Weight

Cas Number	Result	$\mathbf{RL}$		Units	<b>Analysis Date</b>	Flag	Dil
PHC610	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
PHC635	<50.0	50.0		mg/kg	07.15.2020 16:49	U	1
•	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
	111-85-3	92	%	70-130	07.15.2020 16:49		
8	84-15-1	97	%	70-130	07.15.2020 16:49		
	PHC610 C10C28DRO PHCG2835 PHC635	PHC610 <50.0 C10C28DRO <50.0 PHCG2835 <50.0	PHC610	PHC610	PHC610         <50.0         50.0         mg/kg           C10C28DRO         <50.0	PHC610         <50.0         50.0         mg/kg         07.15.2020 16:49           C10C28DRO         <50.0	PHC610

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-12

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-012

Date Collected: 07.13.2020 09:55

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

07.18.2020 11:22

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 07.17.2020 14:30

Basis: V

Wet Weight

Seq Number: 3132080

1,4-Difluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00198	0.00198		mg/kg	07.18.2020 11:22	U	1
Toluene	108-88-3	0.00415	0.00198		mg/kg	07.18.2020 11:22		1
Ethylbenzene	100-41-4	< 0.00198	0.00198		mg/kg	07.18.2020 11:22	U	1
m,p-Xylenes	179601-23-1	< 0.00396	0.00396		mg/kg	07.18.2020 11:22	U	1
o-Xylene	95-47-6	< 0.00198	0.00198		mg/kg	07.18.2020 11:22	U	1
Total Xylenes	1330-20-7	< 0.00198	0.00198		mg/kg	07.18.2020 11:22	U	1
Total BTEX		0.00415	0.00198		mg/kg	07.18.2020 11:22		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	127	%	70-130	07.18.2020 11:22		

116

%

70-130

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-13

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-013

Soil Date Collected: 07.13.2020 09:51

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

CHE Analyst:

07.20.2020 12:45

% Moisture: Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	44.1	4.99	mg/kg	07.21.2020 01:37		1

Matrix:

Date Prep:

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0		mg/kg	07.15.2020 17:33	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 17:33	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 17:33	U	1
Total TPH	PHC635	<50.0	50.0		mg/kg	07.15.2020 17:33	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4 611		444.05.0			<b>5</b> 0 400	05 45 2020 45 22		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-13 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-013

Date Collected: 07.13.2020 09:51

Prep Method: SW5035A

% Moisture:

Tech: KTL

Analyst:

KTL

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.17.2020 14:30 Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00198	0.00198		mg/kg	07.18.2020 11:42	U	1
Toluene	108-88-3	0.00252	0.00198		mg/kg	07.18.2020 11:42		1
Ethylbenzene	100-41-4	< 0.00198	0.00198		mg/kg	07.18.2020 11:42	U	1
m,p-Xylenes	179601-23-1	< 0.00397	0.00397		mg/kg	07.18.2020 11:42	U	1
o-Xylene	95-47-6	< 0.00198	0.00198		mg/kg	07.18.2020 11:42	U	1
Total Xylenes	1330-20-7	< 0.00198	0.00198		mg/kg	07.18.2020 11:42	U	1
Total BTEX		0.00252	0.00198		mg/kg	07.18.2020 11:42		1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	117	%	70-130	07.18.2020 11:42	
4-Bromofluorobenzene	460-00-4	137	%	70-130	07.18.2020 11:42	**



### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-14 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-014

Date Collected: 07.13.2020 09:48

Prep Method: E300P

% Moisture:

Tech: CHE Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	14.1	4.97	mg/kg	07.21.2020.01:53		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM

Seq Number: 3131823

ARM

Date Prep: 07.15.2020 08:30 Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 17:55	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 17:55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 17:55	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 17:55	U	1
Surrogate	C	as Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	F
1-Chlorooctane	111-85-3	95	%	70-130	07.15.2020 17:55	
o-Terphenyl	84-15-1	101	%	70-130	07.15.2020 17:55	

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-14 Lab Sample Id: 667044-014 Matrix: Soil Date Received:07.13.2020 16:43

Date Collected: 07.13.2020 09:48

Prep Method: SW5035A

% Moisture:

Tech: **AMF** 

**AMF** Analyst:

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.21.2020 16:00 Basis: Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 03:09	U	1
Toluene	108-88-3	0.00570	0.00200		mg/kg	07.22.2020 03:09		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 03:09	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 03:09	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 03:09	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 03:09	U	1
Total BTEX		0.00570	0.00200		mg/kg	07.22.2020 03:09		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	100	%	70-130	07.22.2020 03:09		
4-Bromofluorobenzene		460-00-4	117	%	70-130	07.22.2020 03:09		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-15

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-015

Analytical Method: Chloride by EPA 300

Date Collected: 07.13.2020 09:45

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst: CHE

Date Prep:

07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.3	4.96	mg/kg	07.21.2020 01:58		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM

Analyst: ARM Seq Number: 3131823 Date Prep: 07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 18:17	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 18:17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 18:17	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 18:17	U	1
Surrogate	C	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	93	%	70-130	07.15.2020 18:17
o-Terphenyl	84-15-1	99	%	70-130	07.15.2020 18:17

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-15 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-015

Soil Date Collected: 07.13.2020 09:45

Prep Method: SW5035A

07.22.2020 03:29

%

70-130

Tech: **AMF** 

Analytical Method: BTEX by EPA 8021B

% Moisture:

Basis:

**AMF** Analyst:

Date Prep:

07.21.2020 16:00

Wet Weight

Seq Number: 3132276

4-Bromofluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 03:29	U	1
Toluene	108-88-3	0.00254	0.00200		mg/kg	07.22.2020 03:29		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 03:29	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 03:29	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 03:29	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 03:29	U	1
Total BTEX		0.00254	0.00200		mg/kg	07.22.2020 03:29		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	:	540-36-3	101	%	70-130	07.22.2020 03:29		

121

460-00-4

# Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-16 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-016

Soil Date Collected: 07.13.2020 09:48

% Moisture:

Prep Method: E300P

Analytical Method: Chloride by EPA 300

CHE CHE

Date Prep:

07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Tech:

Tech:

Analyst:

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	229	5.04	mg/kg	07.21.2020 02:03		1

Analytical Method: TPH by SW8015 Mod

DVM

Analyst: ARM Seq Number: 3131823

Date Prep:

07.15.2020 08:30

Prep Method: SW8015P % Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Surrogate	(	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	98	%	70-130	07.15.2020 18:38
o-Terphenyl	84-15-1	104	%	70-130	07.15.2020 18:38

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-16

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-016

Date Collected: 07.13.2020 09:48

Prep Method: SW5035A

Analytical Method: BTEX by EPA 8021B

% Moisture:

Tech: AMF

Analyst:

AMF

Date Prep: 07.21.2020 16:00

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 03:50	U	1
Toluene	108-88-3	0.00552	0.00200		mg/kg	07.22.2020 03:50		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 03:50	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 03:50	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 03:50	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 03:50	U	1
Total BTEX		0.00552	0.00200		mg/kg	07.22.2020 03:50		1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
4-Bromofluorobenzene	460-00-4	130	%	70-130	07.22.2020 03:50	
1,4-Difluorobenzene	540-36-3	105	%	70-130	07.22.2020 03:50	

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-17

Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-017

Date Collected: 07.13.2020 09:52

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech:

CHE

% Moisture:

Analyst:

CHE

Date Prep: 07.20.2020 12:45 Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	927	5.03	mg/kg	07.21.2020 02:08		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

DVM

% Moisture:

Analyst: ARM

Tech:

Date Prep: 07.15.2020 08:30 Basis: Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	94	%	70-130	07.15.2020 19:00		
o-Terphenyl		84-15-1	100	%	70-130	07.15.2020 19:00		

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-17 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-017

Soil Date Collected: 07.13.2020 09:52

Prep Method: SW5035A

07.22.2020 04:10

Tech: **AMF** 

Analytical Method: BTEX by EPA 8021B

% Moisture:

Analyst:

**AMF** 

Date Prep: 07.21.2020 16:00 Basis:

Wet Weight

Seq Number: 3132276

4-Bromofluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 04:10	U	1
Toluene	108-88-3	0.00275	0.00200		mg/kg	07.22.2020 04:10		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 04:10	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 04:10	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 04:10	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 04:10	U	1
Total BTEX		0.00275	0.00200		mg/kg	07.22.2020 04:10		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	106	%	70-130	07.22.2020 04:10		

136

%

70-130

460-00-4

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-18 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-018

Date Collected: 07.13.2020 09:56

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

Date Prep:

% Moisture:

Analyst:

CHE

07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	227	5.00	mg/kg	07.21.2020 02:13		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM

ARM

Date Prep: 07.15.2020 08:30 Basis:

Wet Weight

Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
PHC610	< 50.0	50.0		mg/kg	07.15.2020 19:22	U	1
C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 19:22	U	1
PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 19:22	U	1
PHC635	<50.0	50.0		mg/kg	07.15.2020 19:22	U	1
•	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
	111-85-3	90	%	70-130	07.15.2020 19:22		
8	84-15-1	93	%	70-130	07.15.2020 19:22		
	PHC610 C10C28DRO PHCG2835 PHC635	PHC610 <50.0 C10C28DRO <50.0 PHCG2835 <50.0	PHC610	PHC610	PHC610         <50.0         50.0         mg/kg           C10C28DRO         <50.0	PHC610         <50.0         50.0         mg/kg         07.15.2020 19:22           C10C28DRO         <50.0	PHC610         <50.0         50.0         mg/kg         07.15.2020 19:22         U           C10C28DRO         <50.0

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-18 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-018

Date Collected: 07.13.2020 09:56

Prep Method: SW5035A

Tech: AMF

% Moisture: Basis:

Wet Weight

Analyst:

**AMF** 

Analytical Method: BTEX by EPA 8021B

Date Prep:

07.21.2020 16:00

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 04:30	U	1
Toluene	108-88-3	0.00722	0.00200		mg/kg	07.22.2020 04:30		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 04:30	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 04:30	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 04:30	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 04:30	U	1
Total BTEX		0.00722	0.00200		mg/kg	07.22.2020 04:30		1
Surrogate	Ca	as Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	105	%	70-130	07.22.2020 04:30	
4-Bromofluorobenzene	460-00-4	132	%	70-130	07.22.2020 04:30	**

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-19 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-019

Date Collected: 07.13.2020 10:10

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.20.2020 12:45 Basis:

Wet Weight

Seq Number: 3132156

Result **Parameter** Cas Number RLUnits **Analysis Date** Dil Flag Chloride 16887-00-6 60.6 4.98 mg/kg 07.21.2020 02:19 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0		mg/kg	07.15.2020 19:43	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 19:43	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 19:43	U	1
Total TPH	PHC635	<50.0	50.0		mg/kg	07.15.2020 19:43	U	1
Surrogate	C	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	89	%	70-130	07.15.2020 19:43
o-Terphenyl	84-15-1	95	%	70-130	07.15.2020 19:43

### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-19 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-019

Soil Date Collected: 07.13.2020 10:10

Analytical Method: BTEX by EPA 8021B

KTL

Prep Method: SW5035A

Tech: KTL

Analyst:

Date Prep:

% Moisture:

07.22.2020 08:00

Basis:

Wet Weight

Parameter	Cas Number	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.22.2020 09:17	U	1
Toluene	108-88-3	0.00557	0.00199		mg/kg	07.22.2020 09:17		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.22.2020 09:17	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.22.2020 09:17	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.22.2020 09:17	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.22.2020 09:17	U	1
Total BTEX		0.00557	0.00199		mg/kg	07.22.2020 09:17		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	131	%	70-130	07.22.2020 09:17	**	
1,4-Difluorobenzene		540-36-3	105	%	70-130	07.22.2020 09:17		

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-20 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-020

Soil Date Collected: 07.13.2020 10:04

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.20.2020 12:45 Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	44.3	5.03	mg/kg	07.21.2020 02:34		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

07.15.2020 20:04

% Moisture:

Tech: Analyst: DVM ARM

Date Prep:

84-15-1

07.15.2020 08:30

Basis:

70-130

Wet Weight

Seq Number: 3131823

o-Terphenyl

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 20:04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 20:04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 20:04	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 20:04	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	91	%	70-130	07.15.2020 20:04		

95

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-20

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-020

Date Collected: 07.13.2020 10:04

Prep Method: SW5035A

% Moisture:

Tech: AMI

Analyst:

AMF AMF

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.21.2020 16:00

Basis: We

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 04:51	U	1
Toluene	108-88-3	0.00968	0.00200		mg/kg	07.22.2020 04:51		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 04:51	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 04:51	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 04:51	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 04:51	U	1
Total BTEX		0.00968	0.00200		mg/kg	07.22.2020 04:51		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	105	%	70-130	07.22.2020 04:51		
4-Bromofluorobenzene		460-00-4	136	%	70-130	07.22.2020 04:51	**	

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-21

Matrix:

Result

1290

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-021

Date Collected: 07.13.2020 10:08

Analytical Method: Chloride by EPA 300

Prep Method: E300P % Moisture:

Tech: Analyst:

Chloride

CHE

CHE

Date Prep: 07.20.2020 12:45 Basis:

Wet Weight

Seq Number: 3132156

**Parameter** 

Cas Number 16887-00-6

RL4.96 Units

mg/kg

**Analysis Date** 

07.21.2020 02:40

Dil Flag 1

Flag

Analytical Method: TPH by SW8015 Mod

Tech:

DVM

Analyst: ARM Date Prep:

07.15.2020 08:30

Prep Method: SW8015P % Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	07.15.2020 20:26	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0	mg/kg	07.15.2020 20:26	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0	mg/kg	07.15.2020 20:26	U	1
Total TPH	PHC635	< 50.0	50.0	mg/kg	07.15.2020 20:26	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	93	%	70-130	07.15.2020 20:26
o-Terphenyl	84-15-1	97	%	70-130	07.15.2020 20:26

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-21

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-021

Analytical Method: BTEX by EPA 8021B

Date Collected: 07.13.2020 10:08

07.21.2020 16:00

%

70-130

Prep Method: SW5035A

07.22.2020 05:11

% Moisture:

Tech: AMF

Analyst:

AMF Date Prep:

Basis:

Wet Weight

Seq Number: 3132276

1,4-Difluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 05:11	U	1
Toluene	108-88-3	0.00705	0.00200		mg/kg	07.22.2020 05:11		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 05:11	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 05:11	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 05:11	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 05:11	U	1
Total BTEX		0.00705	0.00200		mg/kg	07.22.2020 05:11		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	129	%	70-130	07.22.2020 05:11		

103

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-22

Matrix: Soil
Date Collected: 07.13.2020 10:12

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-022

Date Conceted: 07:13.

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	704	4.99	mg/kg	07.21.2020 02:55		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:

DVM

Analyst: ARM Seq Number: 3131823 Date Prep: 07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 20:47	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 20:47	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 20:47	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 20:47	U	1
Surrogate	•	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

 Surrogate
 Cas Number
 % Recovery
 Units
 Limits
 Analysis Date

 1-Chlorooctane
 111-85-3
 91
 %
 70-130
 07.15.2020 20:47

 o-Terphenyl
 84-15-1
 95
 %
 70-130
 07.15.2020 20:47

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-22

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-022

Analytical Method: BTEX by EPA 8021B

**AMF** 

Date Collected: 07.13.2020 10:12

Prep Method: SW5035A

07.22.2020 05:32

% Moisture:

Tech: AMF

Analyst:

Date Prep: 07.21.2020 16:00

Basis: V

Wet Weight

Seq Number: 3132276

1,4-Difluorobenzene

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 05:32	U	1
Toluene	108-88-3	0.00493	0.00200		mg/kg	07.22.2020 05:32		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 05:32	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 05:32	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 05:32	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 05:32	U	1
Total BTEX		0.00493	0.00200		mg/kg	07.22.2020 05:32		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	137	%	70-130	07.22.2020 05:32	**	

103

%

70-130

540-36-3

# Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-23

.

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-023

Date Collected: 07.13.2020 10:18

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst: CHE

Date Prep:

07.20.2020 12:45

07.15.2020 08:30

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6200	49.5	mg/kg	07.21.2020 03:00		10

Analytical Method: TPH by SW8015 Mod

Analytical Method: Chloride by EPA 300

DVM

Analyst: ARM

Tech:

ADM

Analyst: ARW Seq Number: 3131827

Prep Method: SW8015P

% Moisture:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 12:50	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 12:50	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 12:50	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 12:50	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	F
1-Chlorooctane	111-85-3	88	%	70-130	07.15.2020 12:50	
o-Terphenyl	84-15-1	85	%	70-130	07.15.2020 12:50	

Date Prep:

Xenco

# Certificate of Analytical Results 667044

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-23 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-023

Date Collected: 07.13.2020 10:18

70-130

Prep Method: SW5035A

07.22.2020 05:52

% Moisture:

Tech: **AMF** 

Analyst:

**AMF** 

Analytical Method: BTEX by EPA 8021B

Date Prep:

07.21.2020 16:00

%

Basis:

Wet Weight

Seq Number: 3132276

1,4-Difluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 05:52	U	1
Toluene	108-88-3	0.00339	0.00200		mg/kg	07.22.2020 05:52		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 05:52	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 05:52	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 05:52	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 05:52	U	1
Total BTEX		0.00339	0.00200		mg/kg	07.22.2020 05:52		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	134	%	70-130	07.22.2020 05:52	**	

103

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-24

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-024

Date Collected: 07.13.2020 10:22

Prep Method: E300P

Prep I

% Moisture:

Tech: CHI

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Analyst:

 Parameter
 Cas Number
 Result
 RL
 Units
 Analysis Date
 Flag
 Dil

 Chloride
 16887-00-6
 1110
 4.97
 mg/kg
 07.21.2020 03:06
 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep: 07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 13:55	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 13:55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 13:55	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 13:55	U	1
Surrogate	C	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-24 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-024

Date Collected: 07.13.2020 10:22

Prep Method: SW5035A

Analytical Method: BTEX by EPA 8021B

% Moisture:

Tech: **AMF** 

Analyst:

**AMF** 

Date Prep: 07.21.2020 16:00 Basis:

Wet Weight

Parameter	Cas Numbe	er Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 06:13	U	1
Toluene	108-88-3	0.00732	0.00200		mg/kg	07.22.2020 06:13		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 06:13	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 06:13	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 06:13	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 06:13	U	1
Total BTEX		0.00732	0.00200		mg/kg	07.22.2020 06:13		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	133	%	70-130	07.22.2020 06:13	**	
1,4-Difluorobenzene		540-36-3	103	%	70-130	07.22.2020 06:13		

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id:

C-25

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-025

Date Collected: 07.13.2020 10:26

Analytical Method: Chloride by EPA 300

CHE

CHE

07.20.2020 12:45

Prep Method: E300P

% Moisture:

Basis:

Wet Weight

Seq Number: 3132156

Tech:

Tech:

Analyst:

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	254	5.02	mg/kg	07.21.2020 03:11		1

Date Prep:

Analytical Method: TPH by SW8015 Mod

DVM

Analyst: ARM Date Prep:

07.15.2020 08:30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 14:17	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 14:17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 14:17	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 14:17	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-25 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-025

Soil Date Collected: 07.13.2020 10:26

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL % Moisture:

KTL

Analyst:

Date Prep: 07.22.2020 16:30 Basis: Wet Weight

07.22.2020 21:47

Seq Number: 3132400

4-Bromofluorobenzene

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00201	0.00201		mg/kg	07.22.2020 21:47	U	1
Toluene	108-88-3	0.00464	0.00201		mg/kg	07.22.2020 21:47		1
Ethylbenzene	100-41-4	< 0.00201	0.00201		mg/kg	07.22.2020 21:47	U	1
m,p-Xylenes	179601-23-1	< 0.00402	0.00402		mg/kg	07.22.2020 21:47	U	1
o-Xylene	95-47-6	< 0.00201	0.00201		mg/kg	07.22.2020 21:47	U	1
Total Xylenes	1330-20-7	< 0.00201	0.00201		mg/kg	07.22.2020 21:47	U	1
Total BTEX		0.00464	0.00201		mg/kg	07.22.2020 21:47		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	115	%	70-130	07.22.2020 21:47		

98

%

70-130

460-00-4

Xenco

## Certificate of Analytical Results 667044

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-26 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-026

Date Collected: 07.13.2020 10:32

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

Tech:

CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.20.2020 12:45

07.15.2020 08:30

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	5280	25.0	mg/kg	07.21.2020 03:16		5

Analytical Method: TPH by SW8015 Mod

DVM

Analyst: ARM

o-Terphenyl

Seq Number: 3131827

Prep Method: SW8015P

07.15.2020 14:38

% Moisture:

70-130

Basis:

Wet Weight

Parameter	Cas Number	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Total TPH	PHC635	<50.0	50.0		mg/kg	07.15.2020 14:38	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	89	%	70-130	07.15.2020 14:38		

91

Date Prep:

84-15-1

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-26

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-026

Date Collected: 07.13.2020 10:32

Prep Method: SW5035A

Analytical Method: BTEX by EPA 8021B

KTL

% Moisture:

Tech: KTL

Analyst:

Date Prep:

07.22.2020 16:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 22:08	U	1
Toluene	108-88-3	< 0.00200	0.00200		mg/kg	07.22.2020 22:08	U	1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 22:08	U	1
m,p-Xylenes	179601-23-1	< 0.00401	0.00401		mg/kg	07.22.2020 22:08	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 22:08	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 22:08	U	1
Total BTEX		< 0.00200	0.00200		mg/kg	07.22.2020 22:08	U	1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Fla
1,4-Difluorobenzene	540-36-3	116	%	70-130	07.22.2020 22:08	
4-Bromofluorobenzene	460-00-4	101	%	70-130	07.22.2020 22:08	

# Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-27

Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-027

Matrix: Soil
Date Collected: 07.13.2020 10:36

Prep Method: E300P

% Moisture:

Tech: C

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.20.2020 12:45

Basis:

Wet Weight

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1210	4.99	mg/kg	07.21.2020 03:21		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 15:00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 15:00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 15:00	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 15:00	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	87	%	70-130	07.15.2020 15:00		
o-Terphenyl		84-15-1	90	%	70-130	07.15.2020 15:00		

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-27 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-027

Soil Date Collected: 07.13.2020 10:36

Prep Method: SW5035A

Tech: KTL

% Moisture:

07.22.2020 22:28

Analyst:

KTL

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.22.2020 16:30 Basis:

Wet Weight

Seq Number: 3132400

1,4-Difluorobenzene

Parameter	Cas Number	r Result	$\mathbf{RL}$		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 22:28	U	1
Toluene	108-88-3	0.00482	0.00200		mg/kg	07.22.2020 22:28		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 22:28	U	1
m,p-Xylenes	179601-23-1	< 0.00401	0.00401		mg/kg	07.22.2020 22:28	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 22:28	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 22:28	U	1
Total BTEX		0.00482	0.00200		mg/kg	07.22.2020 22:28		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	107	%	70-130	07.22.2020 22:28		

111

%

70-130

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-28 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-028

Date Collected: 07.13.2020 10:40

Prep Method: E300P

% Moisture:

Tech:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.20.2020 12:45

Basis:

Wet Weight

CHE Analyst:

Seq Number: 3132156

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	8280	49.7	mg/kg	07.21.2020 03:27		10

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

07.15.2020 15:22

% Moisture:

Tech: Analyst: DVM ARM

Date Prep: 07.15.2020 08:30 Basis:

70-130

Wet Weight

Seq Number: 3131827

o-Terphenyl

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8		mg/kg	07.15.2020 15:22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8		mg/kg	07.15.2020 15:22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8		mg/kg	07.15.2020 15:22	U	1
Total TPH	PHC635	<49.8	49.8		mg/kg	07.15.2020 15:22	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	91	%	70-130	07.15.2020 15:22		

94

84-15-1

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-28

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-028

Date Collected: 07.13.2020 10:40

Prep Method: SW5035A

% Moisture:

Tech: Analyst: KTL KTL

Analytical Method: BTEX by EPA 8021B

Date Prep:

07.22.2020 16:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 22:49	U	1
Toluene	108-88-3	< 0.00200	0.00200		mg/kg	07.22.2020 22:49	U	1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 22:49	U	1
m,p-Xylenes	179601-23-1	< 0.00401	0.00401		mg/kg	07.22.2020 22:49	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 22:49	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 22:49	U	1
Total BTEX		< 0.00200	0.00200		mg/kg	07.22.2020 22:49	U	1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	110	%	70-130	07.22.2020 22:49	
4-Bromofluorobenzene	460-00-4	108	%	70-130	07.22.2020 22:49	

Xenco

## Certificate of Analytical Results 667044

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-29 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-029

Date Collected: 07.13.2020 10:44

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.16.2020 15:20 Basis:

Wet Weight

Seq Number: 3131896

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	197	5.03	mg/kg	07.16.2020 18:23		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep: 07.15.2020 08:30 Basis:

Wet Weight

Parameter	Cas Number	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 15:44	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 15:44	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 15:44	U	1
Total TPH	PHC635	<50.0	50.0		mg/kg	07.15.2020 15:44	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	88	%	70-130	07.15.2020 15:44		
o-Terphenyl		84-15-1	85	%	70-130	07.15.2020 15:44		

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-29 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-029

Soil Date Collected: 07.13.2020 10:44

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

07.22.2020 23:09

KTL Tech:

% Moisture:

Analyst:

KTL

Date Prep: 07.22.2020 16:30 Basis:

70-130

Wet Weight

Seq Number:	3132400
Parameter	

1,4-Difluorobenzene

Parameter	Cas Number	Result	$\mathbf{RL}$		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.22.2020 23:09	U	1
Toluene	108-88-3	0.00906	0.00199		mg/kg	07.22.2020 23:09		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.22.2020 23:09	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.22.2020 23:09	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.22.2020 23:09	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.22.2020 23:09	U	1
Total BTEX		0.00906	0.00199		mg/kg	07.22.2020 23:09		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	113	%	70-130	07.22.2020 23:09		

110

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-30

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-030

Date Collected: 07.13.2020 10:48

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.16.2020 15:20

Basis:

Wet Weight

Seq Number: 3131896

Result **Parameter** Cas Number RLUnits **Analysis Date** Dil Flag Chloride 16887-00-6 264 4.96 mg/kg 07.16.2020 18:04 X 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

07.15.2020 16:06

% Moisture:

70-130

Tech:
Analyst:

DVM ARM

Date Prep:

07.15.2020 08:30

Basis: W

Wet Weight

Seq Number: 3131827

o-Terphenyl

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0		mg/kg	07.15.2020 16:06	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 16:06	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 16:06	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 16:06	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag	
1-Chlorooctane		111-85-3	82	%	70-130	07.15.2020 16:06		

84

84-15-1

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-30 Matrix:

Soil Date Collected: 07.13.2020 10:48 Date Received:07.13.2020 16:43

Lab Sample Id: 667044-030

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

% Moisture:

Tech: KTL

Analyst:

KTL

Date Prep: 07.22.2020 16:30 Basis: Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00198	0.00198		mg/kg	07.22.2020 23:30	U	1
Toluene	108-88-3	0.00556	0.00198		mg/kg	07.22.2020 23:30		1
Ethylbenzene	100-41-4	< 0.00198	0.00198		mg/kg	07.22.2020 23:30	U	1
m,p-Xylenes	179601-23-1	< 0.00396	0.00396		mg/kg	07.22.2020 23:30	U	1
o-Xylene	95-47-6	< 0.00198	0.00198		mg/kg	07.22.2020 23:30	U	1
Total Xylenes	1330-20-7	< 0.00198	0.00198		mg/kg	07.22.2020 23:30	U	1
Total BTEX		0.00556	0.00198		mg/kg	07.22.2020 23:30		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	111	%	70-130	07.22.2020 23:30		
4-Bromofluorobenzene		460-00-4	115	%	70-130	07.22.2020 23:30		

Xenco

#### Certificate of Analytical Results 667044

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-31

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-031

Date Collected: 07.13.2020 10:52

Prep Method: E300P

% Moisture:

Basis:

Tech: CH

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.16.2020 15:20

Wet Weight

Seq Number: 3131896

 Parameter
 Cas Number
 Result
 RL
 Units
 Analysis Date
 Flag
 Dil

 Chloride
 16887-00-6
 42.1
 4.99
 mg/kg
 07.16.2020 18:29
 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

07.15.2020 16:27

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep: 07.15.2020 08:30

Basis:

70-130

Wet Weight

Seq Number: 3131827

o-Terphenyl

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 16:27	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 16:27	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 16:27	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 16:27	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	84	%	70-130	07.15.2020 16:27		

84

84-15-1

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-31

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-031

Date Collected: 07.13.2020 10:52

07.22.2020 16:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.22.2020 23:50	U	1
Toluene	108-88-3	< 0.00200	0.00200		mg/kg	07.22.2020 23:50	UX	1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.22.2020 23:50	UXF	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.22.2020 23:50	UX	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.22.2020 23:50	UX	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.22.2020 23:50	U	1
Total BTEX		< 0.00200	0.00200		mg/kg	07.22.2020 23:50	U	1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Fla
4-Bromofluorobenzene	460-00-4	115	%	70-130	07.22.2020 23:50	
1,4-Difluorobenzene	540-36-3	106	%	70-130	07.22.2020 23:50	

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-32 Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-032

Soil Date Collected: 07.13.2020 10:56

07.16.2020 15:20

07.15.2020 08:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

CHE Tech:

% Moisture:

CHE Analyst:

Date Prep:

Basis:

Wet Weight

Wet Weight

Seq Number: 3131896

Result **Parameter** Cas Number RLUnits **Analysis Date** Dil Flag Chloride 16887-00-6 867 4.97 mg/kg 07.16.2020 18:35 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech:

DVM

% Moisture:

Basis:

Analyst: ARM

Seq Number: 3131827

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 16:49	U	1
Surrogate	(	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Date Prep:

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	89	%	70-130	07.15.2020 16:49
o-Terphenyl	84-15-1	86	%	70-130	07.15.2020 16:49

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-32

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-032

Date Collected: 07.13.2020 10:56

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KT

KTL

% Moisture:

Analyst: KTL

Date Prep:

07.22.2020 16:30

Basis:

Wet Weight

Parameter	Cas Number	Result	$\mathbf{RL}$		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.23.2020 00:11	U	1
Toluene	108-88-3	0.00325	0.00199		mg/kg	07.23.2020 00:11		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.23.2020 00:11	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.23.2020 00:11	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.23.2020 00:11	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.23.2020 00:11	U	1
Total BTEX		0.00325	0.00199		mg/kg	07.23.2020 00:11		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1 Promofluorobanzana	,	160 00 4	110	0/-	70 120	07 22 2020 00:11		

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
4-Bromofluorobenzene	460-00-4	118	%	70-130	07.23.2020 00:11	
1,4-Difluorobenzene	540-36-3	108	%	70-130	07.23.2020 00:11	

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-33 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-033

Date Collected: 07.13.2020 11:00

Analytical Method: Chloride by EPA 300

Prep Method: E300P

CHE Tech:

% Moisture:

CHE

Analyst:

Date Prep:

07.16.2020 15:20

Basis:

Wet Weight

Seq Number: 3131896

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	553	4.99	mg/kg	07.16.2020 18:41		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: Analyst: DVM ARM

Date Prep: 07.15.2020 08:30 % Moisture:

Basis:

Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8		mg/kg	07.15.2020 17:33	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8		mg/kg	07.15.2020 17:33	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8		mg/kg	07.15.2020 17:33	U	1
Total TPH	PHC635	<49.8	49.8		mg/kg	07.15.2020 17:33	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	85	%	70-130	07.15.2020 17:33		
o-Terphenyl		84-15-1	88	%	70-130	07.15.2020 17:33		

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-33

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-033

Date Collected: 07.13.2020 11:00

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

% Moisture:

Tech: KTL Analyst: KTL

Date Prep: 07.22.2020 16:30

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.23.2020 00:31	U	1
Toluene	108-88-3	0.00712	0.00199		mg/kg	07.23.2020 00:31		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.23.2020 00:31	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.23.2020 00:31	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.23.2020 00:31	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.23.2020 00:31	U	1
Total BTEX		0.00712	0.00199		mg/kg	07.23.2020 00:31		1
Surrogate	Ca	as Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag
4-Bromofluorobenzene	460-00-4	118	%	70-130	07.23.2020 00:31	
1,4-Difluorobenzene	540-36-3	107	%	70-130	07.23.2020 00:31	

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-34

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-034

Date Collected: 07.13.2020 11:05

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.16.2020 15:20

Basis:

Wet Weight

Seq Number: 3131896

 Parameter
 Cas Number
 Result
 RL
 Units
 Analysis Date
 Flag
 Dil

 Chloride
 16887-00-6
 242
 5.00
 mg/kg
 07.16.2020 18:59
 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep: 07.15.2020 08:30

Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 17:55	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 17:55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 17:55	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 17:55	U	1
Surrogate	C	as Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	88	%	70-130	07.15.2020 17:55
o-Terphenyl	84-15-1	88	%	70-130	07.15.2020 17:55



## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-34

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-034

Date Collected: 07.13.2020 11:05

07.22.2020 16:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.23.2020 00:52	U	1
Toluene	108-88-3	0.00781	0.00199		mg/kg	07.23.2020 00:52		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.23.2020 00:52	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.23.2020 00:52	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.23.2020 00:52	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.23.2020 00:52	U	1
Total BTEX		0.00781	0.00199		mg/kg	07.23.2020 00:52		1
Surrogate	Ca	s Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	123	%	70-130	07.23.2020 00:52	
1,4-Difluorobenzene	540-36-3	108	%	70-130	07.23.2020 00:52	

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-35 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-035

Date Collected: 07.13.2020 11:01

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: Analyst: CHE CHE

Date Prep:

07.16.2020 15:20

Basis:

Wet Weight

Seq Number: 3131896

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.23	5.03	mg/kg	07.16.2020 19:06		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

07.15.2020 18:17

% Moisture:

Tech: Analyst: DVM ARM

Date Prep:

84-15-1

07.15.2020 08:30

Basis:

70-130

Wet Weight

Seq Number: 3131827

o-Terphenyl

Parameter	Cas Number	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 18:17	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 18:17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 18:17	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 18:17	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	<b>Analysis Date</b>	Flag	
1-Chlorooctane		111-85-3	95	%	70-130	07.15.2020 18:17		

93

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-35

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-035

Date Collected: 07.13.2020 11:01

Prep Method: SW5035A

% Moisture:

Tech: KTL

Analyst:

KTL

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.22.2020 16:30

Basis:

Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00198	0.00198		mg/kg	07.23.2020 02:14	U	1
Toluene	108-88-3	0.00876	0.00198		mg/kg	07.23.2020 02:14		1
Ethylbenzene	100-41-4	< 0.00198	0.00198		mg/kg	07.23.2020 02:14	U	1
m,p-Xylenes	179601-23-1	< 0.00397	0.00397		mg/kg	07.23.2020 02:14	U	1
o-Xylene	95-47-6	< 0.00198	0.00198		mg/kg	07.23.2020 02:14	U	1
Total Xylenes	1330-20-7	< 0.00198	0.00198		mg/kg	07.23.2020 02:14	U	1
Total BTEX		0.00876	0.00198		mg/kg	07.23.2020 02:14		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene		540-36-3	111	%	70-130	07.23.2020 02:14		
4-Bromofluorobenzene		460-00-4	96	%	70-130	07.23.2020 02:14		

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-36

Matrix: Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-036

Date Collected: 07.13.2020 10:52

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

07.16.2020 15:20

Basis:

Wet Weight

Seq Number: 3131896

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	64.4	5.05	mg/kg	07.16.2020 19:12		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech:
Analyst:

DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Total TPH	PHC635	< 50.0	50.0		mg/kg	07.15.2020 18:38	U	1
Surrogate	(	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-36 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-036

Date Collected: 07.13.2020 10:52

Analytical Method: BTEX by EPA 8021B

KTL

Prep Method: SW5035A

Tech: KTL % Moisture:

Analyst:

Date Prep: 07.22.2020 16:30 Basis: Wet Weight

07.23.2020 02:34

Seq Number: 3132400

1,4-Difluorobenzene

Parameter	Cas Number	r Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.23.2020 02:34	U	1
Toluene	108-88-3	0.00478	0.00200		mg/kg	07.23.2020 02:34		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.23.2020 02:34	U	1
m,p-Xylenes	179601-23-1	< 0.00400	0.00400		mg/kg	07.23.2020 02:34	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.23.2020 02:34	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.23.2020 02:34	U	1
Total BTEX		0.00478	0.00200		mg/kg	07.23.2020 02:34		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene		460-00-4	118	%	70-130	07.23.2020 02:34		

107

%

70-130

540-36-3

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-37

Matrix:

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-037

Matrix: Soil
Date Collected: 07.13.2020 10:52

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: C

CHE

% Moisture:

Analyst: CHE

Date Prep:

07.16.2020 15:20

Basis:

Wet Weight

Seq Number: 3131896

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	14.6	4 99	mg/kg	07.16.2020 19:30	X	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech:
Analyst:

DVM ARM

Date Prep: 07.15.2020 08:30

% Moisture: Basis:

Wet Weight

Parameter	Cas Numbe	r Result	RL		Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 19:00	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	84	%	70-130	07.15.2020 19:00		
o-Terphenyl		84-15-1	86	%	70-130	07.15.2020 19:00		

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-37 Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-037

Date Collected: 07.13.2020 10:52

70-130

Prep Method: SW5035A

Tech: KTL

Analytical Method: BTEX by EPA 8021B

% Moisture:

07.23.2020 02:55

Analyst:

KTL

Date Prep:

07.22.2020 16:30

Basis:

Wet Weight

Seq Number: 3132400

1,4-Difluorobenzene

Parameter	Cas Number	Result	$\mathbf{RL}$		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00200	0.00200		mg/kg	07.23.2020 02:55	U	1
Toluene	108-88-3	0.00502	0.00200		mg/kg	07.23.2020 02:55		1
Ethylbenzene	100-41-4	< 0.00200	0.00200		mg/kg	07.23.2020 02:55	U	1
m,p-Xylenes	179601-23-1	< 0.00401	0.00401		mg/kg	07.23.2020 02:55	U	1
o-Xylene	95-47-6	< 0.00200	0.00200		mg/kg	07.23.2020 02:55	U	1
Total Xylenes	1330-20-7	< 0.00200	0.00200		mg/kg	07.23.2020 02:55	U	1
Total BTEX		0.00502	0.00200		mg/kg	07.23.2020 02:55		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	,	460-00-4	119	%	70-130	07.23.2020 02:55		

106

540-36-3

#### Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-38

Matrix:

Soil

Date Received:07.13.2020 16:43

Lab Sample Id: 667044-038

Date Collected: 07.13.2020 10:48

Prep Method: E300P

Prep

Tech: CH

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.16.2020 15:20

Basis:

% Moisture:

Wet Weight

Seq Number: 3131896

 Parameter
 Cas Number
 Result
 RL
 Units
 Analysis Date
 Flag
 Dil

 Chloride
 16887-00-6
 28.7
 5.04
 mg/kg
 07.16.2020 19:49
 1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

% Moisture:

Tech: Analyst: DVM ARM

Date Prep:

07.15.2020 08:30

Basis:

Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9		mg/kg	07.15.2020 19:22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9		mg/kg	07.15.2020 19:22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9		mg/kg	07.15.2020 19:22	U	1
Total TPH	PHC635	<49.9	49.9		mg/kg	07.15.2020 19:22	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date
1-Chlorooctane	111-85-3	89	%	70-130	07.15.2020 19:22
o-Terphenyl	84-15-1	93	%	70-130	07.15.2020 19:22

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-38 Matrix: Soil Date Received:07.13.2020 16:43

Lab Sample Id: 667044-038

Date Collected: 07.13.2020 10:48

Prep Method: SW5035A

% Moisture:

Tech: KTL

Analyst:

KTL

Analytical Method: BTEX by EPA 8021B

Date Prep: 07.22.2020 16:30 Basis: Wet Weight

Parameter	Cas Number	r Result	$\mathbf{RL}$		Units	Analysis Date	Flag	Dil
Benzene	71-43-2	< 0.00199	0.00199		mg/kg	07.23.2020 03:15	U	1
Toluene	108-88-3	0.00857	0.00199		mg/kg	07.23.2020 03:15		1
Ethylbenzene	100-41-4	< 0.00199	0.00199		mg/kg	07.23.2020 03:15	U	1
m,p-Xylenes	179601-23-1	< 0.00398	0.00398		mg/kg	07.23.2020 03:15	U	1
o-Xylene	95-47-6	< 0.00199	0.00199		mg/kg	07.23.2020 03:15	U	1
Total Xylenes	1330-20-7	< 0.00199	0.00199		mg/kg	07.23.2020 03:15	U	1
Total BTEX		0.00857	0.00199		mg/kg	07.23.2020 03:15		1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1.4-Difluorobenzene		540-36-3	108	%	70-130	07.23.2020 03:15		



## **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

**BRL** Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.

#### **QC Summary** 667044

#### Larson and Associates, Inc.

EBDU #37

Analytical Method: Chloride by EPA 300

Seq Number: 3131895

Matrix: Solid

E300P Prep Method:

07.16.2020 Date Prep:

7707476-1-BLK LCS Sample Id: 7707476-1-BKS MB Sample Id:

LCSD Sample Id: 7707476-1-BSD

RPD MB Spike LCS LCS Limits %RPD Units Analysis LCSD LCSD **Parameter** Result Amount Result %Rec Result %Rec Limit Date

Chloride < 5.00 250 260 104 261 90-110 0 20 07.16.2020 14:29 104 mg/kg

Analytical Method: Chloride by EPA 300

Seq Number:

3131896

Matrix: Solid

Prep Method: Date Prep:

E300P

MB Sample Id:

7707518-1-BLK

LCS Sample Id: 7707518-1-BKS

LCSD Sample Id: 7707518-1-BSD

07.16.2020

**Parameter** 

MB

LCS LCS LCSD LCSD

%RPD RPD Units Analysis

Chloride

Result < 5.00

< 5.00

Result

73 9

424

Parent

Result

264

Result 263

Spike

250

Amount

%Rec Result 105

%Rec 105 90-110

Limits

Limit 20

Date

Flag 07.16.2020 17:52

Page 111 of 330

Flag

Analytical Method: Chloride by EPA 300

Seq Number:

3132156

Matrix: Solid

Prep Method:

0

3

E300P

mg/kg

07.20.2020

MB Sample Id:

7707611-1-BLK

LCS Sample Id:

7707611-1-BKS

263

Date Prep: LCSD Sample Id: 7707611-1-BSD

Analysis Flag

**Parameter** 

Seq Number:

Chloride

MR Result

LCS Result %Rec 232

LCS LCSD Result

LCSD %Rec

95

Limits 90-110

90-110

**RPD** %RPD Limit 20

Units

Date

07.21.2020 00:55

Analytical Method: Chloride by EPA 300

3131895

Spike

249

Amount

Spike

250

Amount

Matrix: Soil

%Rec

117

93

Result

345

238

E300P Prep Method: 07.16.2020

Date Prep:

RPD

Limit

20

MSD Sample Id: 667048-075 SD

mg/kg

**Parameter** 

Parent Sample Id:

667048-075 Parent MS Sample Id: MS MS Result

667048-075 S MSD

**MSD** %Rec

109

Limits %RPD Units

Analysis Flag Date

3131895

5

mg/kg

07.16.2020 14:47 X

Analytical Method: Chloride by EPA 300

Seq Number: Parent Sample Id:

Matrix: Soil

364

Prep Method: Date Prep: E300P 07.16.2020

**Parameter** 

667048-085 Parent

MS Sample Id: Spike MS

703

MS

544

Result

667048-085 S

%RPD

MSD Sample Id:

mg/kg

Units

mg/kg

667048-085 SD

07.16.2020 16:14

Chloride

Chloride

Result

Result Amount

250

MS %Rec

112

MS

113

%Rec

MSD Result

702

Limits MSD %Rec

111

MSD

%Rec

105

RPD Limit

0

%RPD

4

Units

Analysis Flag Date

X

X

Parent Sample Id:

Analytical Method: Chloride by EPA 300

Spike

248

Amount

Matrix: Soil

90-110

Limits

90-110

E300P Prep Method:

Seq Number:

**Parameter** 

Chloride

3131896 667044-030

MS Sample Id:

667044-030 S

**MSD** 

Result

524

Date Prep:

RPD

Limit

20

20

07.16.2020 MSD Sample Id:

667044-030 SD Analysis Flag

Date

07.16.2020 18:10

MS/MSD Percent Recovery Relative Percent Difference

[D] = 100\*(C-A) / BRPD = 200\* | (C-E) / (C+E) | LCS = Laboratory Control Sample = Parent Result = MS/LCS Result = MSD/LCSD Result

MS = Matrix Spike B = Spike Added D = MSD/LCSD % Rec

Flag

B = Spike Added

D = MSD/LCSD % Rec

#### **QC Summary** 667044

#### Larson and Associates, Inc.

EBDU #37

Analytical Method: Chloride by EPA 300 E300P Prep Method: Seq Number: 3131896 Matrix: Soil Date Prep: 07.16.2020 MS Sample Id: 667044-037 S MSD Sample Id: 667044-037 SD Parent Sample Id: 667044-037

MS RPD **Parent** Spike MS Limits %RPD Units Analysis MSD MSD Flag **Parameter** Result Amount Result %Rec Result %Rec Limit Date

Chloride 14.6 250 292 111 90-110 20 07.16.2020 19:36 281 107 4 X mg/kg

Analytical Method: Chloride by EPA 300 Prep Method: E300P

Seq Number: 3132156 Matrix: Soil Date Prep: 07.20.2020 667044-010 667044-010 S MS Sample Id: MSD Sample Id: 667044-010 SD Parent Sample Id:

Parent Spike MS MS MSD MSD Limits %RPD RPD Units Analysis **Parameter** Flag Result Amount Result %Rec %Rec Limit Date Result 20 07.21.2020 01:11 Chloride 2190 1240 3340 93 3510 106 90-110 5 mg/kg

E300P Analytical Method: Chloride by EPA 300 Prep Method: Seq Number: 3132156 Matrix: Soil Date Prep: 07.20.2020

MS Sample Id: 667044-019 S MSD Sample Id: 667044-019 SD 667044-019 Parent Sample Id: MS

MS

Spike **RPD** Parent MSD **MSD** Analysis Flag **Parameter** Result Result Limit Date Amount %Rec Result %Rec Chloride 20 07.21.2020 02:24 60.6 249 295 94 315 102 90-110 7 mg/kg

%RPD

Limite

Units

SW8015P Analytical Method: TPH by SW8015 Mod Prep Method:

3131823 Matrix: Solid Seq Number: Date Prep: 07.15.2020 MB Sample Id: 7707429-1-BLK LCS Sample Id: 7707429-1-BKS LCSD Sample Id: 7707429-1-BSD

MB Spike LCS LCS LCSD LCSD Limits %RPD **RPD** Units Analysis **Parameter** Result Limit Date Result Amount %Rec %Rec Result Gasoline Range Hydrocarbons (GRO) 07.15.2020 12:07 20 < 50.0 1000 1100 110 1100 110 70-130 0 mg/kg 07.15.2020 12:07 Diesel Range Organics (DRO) 1090 109 70-130 20 < 50.0 1000 1110 111 2 mg/kg

LCS MBMB LCS LCSD Limits Units Analysis LCSD **Surrogate** %Rec %Rec Flag Date Flag %Rec Flag 07.15.2020 12:07 1-Chlorooctane 101 106 109 70-130 % 07.15.2020 12:07 o-Terphenyl 113 111 113 70-130 %

SW8015P Analytical Method: TPH by SW8015 Mod Prep Method: Seq Number: 3131827 Matrix: Solid Date Prep: 07.15.2020

LCS Sample Id: 7707430-1-BKS LCSD Sample Id: 7707430-1-BSD MB Sample Id: 7707430-1-BLK

MB Spike LCS LCS %RPD RPD Units Analysis LCSD LCSD Limits **Parameter** Limit Result Amount Result %Rec Date Result %Rec Gasoline Range Hydrocarbons (GRO) 07.15.2020 12:07 1000 958 96 888 20 < 50.0 89 70-130 8 mg/kg 07.15.2020 12:07 Diesel Range Organics (DRO) 1010 101 70-130 < 50.0 1000 904 90 11 20 mg/kg

MB MB LCS LCS LCSD Units Analysis Limits LCSD **Surrogate** Flag Date %Rec Flag %Rec %Rec Flag 07.15.2020 12:07 1-Chlorooctane 87 97 89 70-130 % 07.15.2020 12:07 o-Terphenyl 96 105 95 70-130 %

MS/MSD Percent Recovery [D] = 100\*(C-A) / BLCS = Laboratory Control Sample MS = Matrix Spike

LCS/LCSD Recovery [D] = 100 \* (C) / [B]= MS/LCS Result Log Diff. = Log(Sample Duplicate) - Log(Original Sample) Log Difference = MSD/LCSD Result

 $RPD = 200* \mid (C-E) \mid (C+E) \mid$ 

Final 1.000

= Parent Result

Relative Percent Difference



#### **QC Summary** 667044

#### Larson and Associates, Inc.

EBDU #37

SW8015P Analytical Method: TPH by SW8015 Mod Prep Method: Date Prep: Seq Number: 3131955 Matrix: Solid 07.16.2020 7707520-1-BLK LCS Sample Id: 7707520-1-BKS LCSD Sample Id: 7707520-1-BSD MB Sample Id:

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	< 50.0	1000	885	89	939	94	70-130	6	20	mg/kg	07.16.2020 11:54	
Diesel Range Organics (DRO)	< 50.0	1000	981	98	1000	100	70-130	2	20	mg/kg	07.16.2020 11:54	
Surrogate	MB %Rec	MB Flag			LCS Flag	LCSI %Rec		_	imits	Units	Analysis Date	
1-Chlorooctane	102		9	9		102		70	-130	%	07.16.2020 11:54	
o-Terphenyl	111		10	00		105		70	-130	%	07.16.2020 11:54	

SW8015P Analytical Method: TPH by SW8015 Mod Prep Method: 3131823 Date Prep: 07.15.2020

Seq Number: Matrix: Solid MB Sample Id: 7707429-1-BLK

MB Units Analysis Flag **Parameter** Result Date 07.15.2020 11:46 Motor Oil Range Hydrocarbons (MRO) < 50.0 mg/kg

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P

Seq Number: 3131827 Matrix: Solid Date Prep: 07.15.2020

MB Sample Id: 7707430-1-BLK

MB Units Analysis Flag **Parameter** Result Date Motor Oil Range Hydrocarbons (MRO) < 50.0 07.15.2020 11:46 mg/kg

SW8015P Analytical Method: TPH by SW8015 Mod Prep Method:

Seq Number: 3131955 Matrix: Solid Date Prep: 07.16.2020

MB Sample Id: 7707520-1-BLK

MB Units Analysis Flag **Parameter** Result Date Motor Oil Range Hydrocarbons (MRO) 07.16.2020 11:33 < 50.0 mg/kg

SW8015P Analytical Method: TPH by SW8015 Mod Prep Method: Seq Number: 3131823 Matrix: Soil Date Prep: 07.15.2020

MS Sample Id: 667044-003 S MSD Sample Id: 667044-003 SD Parent Sample Id: 667044-003

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date
Gasoline Range Hydrocarbons (GRO)	<49.9	997	959	96	862	86	70-130	11	20	mg/kg	07.15.2020 13:12
Diesel Range Organics (DRO)	<49.9	997	926	93	856	86	70-130	8	20	mg/kg	07.15.2020 13:12

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	92		85		70-130	%	07.15.2020 13:12
o-Terphenyl	92		85		70-130	%	07.15.2020 13:12

MS/MSD Percent Recovery [D] = 100\*(C-A) / BLCS = Laboratory Control Sample MS = Matrix Spike A = Parent Result

RPD = 200\* | (C-E) / (C+E) | [D] = 100 \* (C) / [B] LCS/LCSD Recovery = MS/LCS Result Log Diff. = Log(Sample Duplicate) - Log(Original Sample) E = MSD/LCSD Result Log Difference

B = Spike AddedD = MSD/LCSD % Rec

Relative Percent Difference

Flag

Flag

#### **QC Summary** 667044

#### Larson and Associates, Inc.

EBDU #37

Analytical Method: TPH by SW8015 Mod

SW8015P Prep Method:

Seg Number: 3131827 Matrix: Soil MS Sample Id: 667044-023 S Parent Sample Id: 667044-023

Date Prep: 07.15.2020 MSD Sample Id: 667044-023 SD

RPD **Parent** Spike MS MS Limits %RPD Units Analysis MSD **MSD Parameter** Result Amount Result %Rec Result %Rec Limit Date Gasoline Range Hydrocarbons (GRO) <49.9 997 911 91 20 07.15.2020 13:12 884 89 70-130 3 mg/kg 07.15.2020 13:12 70-130 20 Diesel Range Organics (DRO) <49.9 997 948 95 943 95 1 mg/kg

Analysis MS MS MSD MSD Limits Units **Surrogate** %Rec Flag Flag Date %Rec 07.15.2020 13:12 1-Chlorooctane 92 91 70-130 % 07.15.2020 13:12 o-Terphenyl 95 91 70-130 %

Analytical Method: TPH by SW8015 Mod

Seq Number:

Parent Sample Id:

MB Sample Id:

3131955

Prep Method:

SW8015P

Matrix: Soil Date Prep: 07.16.2020 MS Sample Id: 667184-001 S MSD Sample Id: 667184-001 SD 667184-001

Parent Spike MS MS MSD Limits %RPD **RPD** Units Analysis MSD **Parameter** Result Amount Result %Rec Result %Rec Limit Date 07.16.2020 13:00 Gasoline Range Hydrocarbons (GRO) <49.9 96 20 997 959 949 95 70-130 1 mg/kg 07.16.2020 13:00 Diesel Range Organics (DRO) <49.9 997 1050 105 1040 104 70-130 1 20 mg/kg

MS MS MSD Limits Units MSD Analysis **Surrogate** Date %Rec Flag %Rec Flag 07.16.2020 13:00 1-Chlorooctane 106 104 70-130 % 07.16.2020 13:00 o-Terphenyl 103 101 70-130 %

Analytical Method: BTEX by EPA 8021B

Seq Number: 3132080

Prep Method:

SW5035A

Matrix: Solid Date Prep: 07.17.2020 LCS Sample Id: 7707661-1-BKS LCSD Sample Id: 7707661-1-BSD 7707661-1-BLK

LCS %RPD **RPD** Units MB Spike LCS Limits Analysis LCSD LCSD **Parameter** Result %Rec Limit Date Result Amount %Rec Result 07.18.2020 10:00 Benzene < 0.00200 0.100 0.0911 91 0.0799 80 70-130 13 35 mg/kg 07.18.2020 10:00 Toluene < 0.00200 0.100 0.0962 96 0.0848 85 70-130 13 35 mg/kg mg/kg 07.18.2020 10:00 Ethylbenzene < 0.00200 0.100 0.0998 100 0.0861 86 70-130 15 35 07.18.2020 10:00 < 0.00400 0.200 0.194 97 0.167 70-130 15 35 m,p-Xylenes 84 mg/kg 07.18.2020 10:00 0.0984 98 70-130 14 35 o-Xylene < 0.00200 0.100 0.0852 85 mg/kg

LCS MB MB LCS LCSD LCSD Limits Units Analysis Surrogate %Rec %Rec Flag Date Flag %Rec Flag 07.18.2020 10:00 1,4-Difluorobenzene 115 95 94 70-130 % 07.18.2020 10:00 4-Bromofluorobenzene 108 103 98 70-130 %

= MSD/LCSD Result

07.21.2020 20:39

Flag

Flag

4-Bromofluorobenzene

109

## QC Summary 667044

#### Larson and Associates, Inc.

EBDU #37

102

70-130

%

Analytical Method:BTEX by EPA 8021BPrep Method:SW5035ASeq Number:3132276Matrix:SolidDate Prep:07.21.2020MB Sample Id:7707803-1-BLKLCS Sample Id:7707803-1-BKSLCSD Sample Id:7707803-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	< 0.00200	0.100	0.107	107	0.106	106	70-130	1	35	mg/kg	07.21.2020 20:39	
Toluene	< 0.00200	0.100	0.102	102	0.106	106	70-130	4	35	mg/kg	07.21.2020 20:39	
Ethylbenzene	< 0.00200	0.100	0.0995	100	0.104	104	70-130	4	35	mg/kg	07.21.2020 20:39	
m,p-Xylenes	< 0.00400	0.200	0.193	97	0.205	103	70-130	6	35	mg/kg	07.21.2020 20:39	
o-Xylene	< 0.00200	0.100	0.0934	93	0.0998	100	70-130	7	35	mg/kg	07.21.2020 20:39	
Surrogate	MB %Rec	MB Flag	L0 %l		LCS Flag	LCSD %Rec			imits	Units	Analysis Date	
1,4-Difluorobenzene	101		9	7		95		70	-130	%	07.21.2020 20:39	

Analytical Method:BTEX by EPA 8021BPrep Method:SW5035ASeq Number:3132394Matrix:SolidDate Prep:07.22.2020

95

MB Sample Id: 7707874-1-BLK LCS Sample Id: 7707874-1-BKS LCSD Sample Id: 7707874-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date
Benzene	< 0.00200	0.100	0.0974	97	0.0961	96	70-130	1	35	mg/kg	07.22.2020 07:14
Toluene	< 0.00200	0.100	0.108	108	0.106	106	70-130	2	35	mg/kg	07.22.2020 07:14
Ethylbenzene	< 0.00200	0.100	0.110	110	0.107	107	70-130	3	35	mg/kg	07.22.2020 07:14
m,p-Xylenes	< 0.00400	0.200	0.222	111	0.216	108	70-130	3	35	mg/kg	07.22.2020 07:14
o-Xylene	< 0.00200	0.100	0.109	109	0.107	107	70-130	2	35	mg/kg	07.22.2020 07:14

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	101		92		93		70-130	%	07.22.2020 07:14
4-Bromofluorobenzene	115		115		114		70-130	%	07.22.2020 07:14

Analytical Method:BTEX by EPA 8021BPrep Method:SW5035ASeq Number:3132400Matrix:SolidDate Prep:07.22.2020

MB Sample Id: 7707878-1-BLK LCS Sample Id: 7707878-1-BKS LCSD Sample Id: 7707878-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date
Benzene	< 0.00200	0.100	0.119	119	0.109	109	70-130	9	35	mg/kg	07.22.2020 19:44
Toluene	< 0.00200	0.100	0.0981	98	0.0973	97	70-130	1	35	mg/kg	07.22.2020 19:44
Ethylbenzene	< 0.00200	0.100	0.0922	92	0.0927	93	70-130	1	35	mg/kg	07.22.2020 19:44
m,p-Xylenes	< 0.00400	0.200	0.174	87	0.178	89	70-130	2	35	mg/kg	07.22.2020 19:44
o-Xylene	< 0.00200	0.100	0.0859	86	0.0877	88	70-130	2	35	mg/kg	07.22.2020 19:44

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	112		108		102		70-130	%	07.22.2020 19:44
4-Bromofluorobenzene	89		93		96		70-130	%	07.22.2020 19:44

MS/MSD Percent Recovery Relative Percent Difference LCS/LCSD Recovery Log Difference [D] = 100\*(C-A) / B RPD = 200\* | (C-E) / (C+E) | [D] = 100 \* (C) / [B] Log Diff - Log(Sample Duplic

Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample A = Parent Result

C = MS/LCS ResultE = MSD/LCSD Result MS = Matrix Spike B = Spike Added D = MSD/LCSD % Rec

Flag

#### **QC Summary** 667044

#### Larson and Associates, Inc.

EBDU #37

SW5035A Analytical Method: BTEX by EPA 8021B Prep Method: Seq Number: Matrix: Soil 3132080 Date Prep: 07.17.2020 Parent Sample Id: 667044-001 MS Sample Id: 667044-001 S MSD Sample Id: 667044-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	< 0.00200	0.100	0.0480	48	0.0513	52	70-130	7	35	mg/kg	07.18.2020 01:32	X
Toluene	< 0.00200	0.100	0.0475	48	0.0550	55	70-130	15	35	mg/kg	07.18.2020 01:32	X
Ethylbenzene	< 0.00200	0.100	0.0392	39	0.0515	52	70-130	27	35	mg/kg	07.18.2020 01:32	X
m,p-Xylenes	< 0.00400	0.200	0.0735	37	0.0983	49	70-130	29	35	mg/kg	07.18.2020 01:32	X
o-Xylene	< 0.00200	0.100	0.0385	39	0.0509	51	70-130	28	35	mg/kg	07.18.2020 01:32	X

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	116		110		70-130	%	07.18.2020 01:32
4-Bromofluorobenzene	101		101		70-130	%	07.18.2020 01:32

SW5035A Analytical Method: BTEX by EPA 8021B Prep Method:

Seq Number: 3132276 Matrix: Soil Date Prep: 07.21.2020 MS Sample Id: 667748-001 S MSD Sample Id: 667748-001 S Parent Sample Id: 667748-001

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date
Benzene	< 0.00200	0.100	0.0779	78	0.0737	74	70-130	6	35	mg/kg	07.21.2020 21:20
Toluene	< 0.00200	0.100	0.0837	84	0.0843	84	70-130	1	35	mg/kg	07.21.2020 21:20
Ethylbenzene	< 0.00200	0.100	0.0828	83	0.0848	85	70-130	2	35	mg/kg	07.21.2020 21:20
m,p-Xylenes	< 0.00400	0.200	0.165	83	0.171	86	70-130	4	35	mg/kg	07.21.2020 21:20
o-Xylene	< 0.00200	0.100	0.0812	81	0.0832	83	70-130	2	35	mg/kg	07.21.2020 21:20

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	94		90		70-130	%	07.21.2020 21:20
4-Bromofluorobenzene	104		105		70-130	%	07.21.2020 21:20

Prep Method: SW5035A Analytical Method: BTEX by EPA 8021B Seq Number: 3132394 Matrix: Soil Date Prep: 07.22.2020

MS Sample Id: 667044-019 S MSD Sample Id: 667044-019 SD

Parent Sample Id: 667044-019

Parameter	Parent Spike MS		MIS	MS MSD MSD L			%KPD	KPD	Units	Anaiysis	
1 at afficter	Result	Amount	Result	%Rec	Result	%Rec			Limit		Date
Benzene	< 0.00200	0.100	0.0750	75	0.0767	77	70-130	2	35	mg/kg	07.22.2020 07:55
Toluene	0.00557	0.100	0.0878	82	0.0875	82	70-130	0	35	mg/kg	07.22.2020 07:55
Ethylbenzene	< 0.00200	0.100	0.0829	83	0.0827	83	70-130	0	35	mg/kg	07.22.2020 07:55
m,p-Xylenes	< 0.00400	0.200	0.163	82	0.162	81	70-130	1	35	mg/kg	07.22.2020 07:55
o-Xylene	< 0.00200	0.100	0.0781	78	0.0782	78	70-130	0	35	mg/kg	07.22.2020 07:55

Surrogate	MS MS %Rec Flag	MSD MS %Rec Fla		Units	Analysis Date
1,4-Difluorobenzene	96	96	70-130	%	07.22.2020 07:55
4-Bromofluorobenzene	119	117	70-130	%	07.22.2020 07:55

MS/MSD Percent Recovery Relative Percent Difference LCS/LCSD Recovery Log Difference

[D] = 100\*(C-A) / BRPD = 200\* | (C-E) / (C+E) | [D] = 100 \* (C) / [B]

Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample A = Parent Result C = MS/LCS Result E = MSD/LCSD Result

MS = Matrix Spike B = Spike Added D = MSD/LCSD % Rec

## QC Summary 667044



#### Larson and Associates, Inc.

EBDU #37

 Analytical Method:
 BTEX by EPA 8021B
 Prep Method:
 SW5035A

 Seq Number:
 3132400
 Matrix:
 Soil
 Date Prep:
 07.22.2020

 Parent Sample Id:
 667044-031
 MS Sample Id:
 667044-031 S
 MSD Sample Id:
 667044-031 SD

•												
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	< 0.00199	0.0996	0.0959	96	0.0764	77	70-130	23	35	mg/kg	07.22.2020 20:25	
Toluene	< 0.00199	0.0996	0.0793	80	0.0584	59	70-130	30	35	mg/kg	07.22.2020 20:25	X
Ethylbenzene	< 0.00199	0.0996	0.0693	70	0.0484	49	70-130	36	35	mg/kg	07.22.2020 20:25	XF
m,p-Xylenes	< 0.00398	0.199	0.132	66	0.0944	48	70-130	33	35	mg/kg	07.22.2020 20:25	X
o-Xylene	< 0.00199	0.0996	0.0653	66	0.0475	48	70-130	32	35	mg/kg	07.22.2020 20:25	X
			N	1S	MS	MST	) MSI	D Li	imits	Units	Analysis	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	106		106		70-130	%	07.22.2020 20:25
4-Bromofluorobenzene	93		100		70-130	%	07.22.2020 20:25

Re	eceive	d by C	CD:	2/9/	2021	11:	39:5	84	М	T	I	1		T	T	T	T	T		TT T			т		Pag	<u>e</u> 118	of 330
LABORATORY: X	RELINQUISHED BY:(Signature)	RELINQUISHED BY:(Signature)	RELINCUISHED BY:(Signature)	TOTAL	6-18	6-14	C-13	6-112	C-11	6-10	C-9	C-8	<i>i-7</i>	6-6	5-7	6-4	(-)	CL		Field Sample I.D.	TIME ZONE: Time zone/State:	ō	Data Reported to:	A SSOCIATES, Inc. Environmental Consultants	∆arson &		
COCO	signature)	signature)	signature)																.2	Lab#		S=SOIL W=WATER A=AIR		es, Inc I Consultants			
		,				-			2	<b>~</b> ,				-		-			113/20 1	Date		P=PAINT SL=SLUDGE OT=OTHER		. •			
	DATE/TIME	DATE/TIME	DATE/TIME		7 5th	948	15	न्त्र	458	1000	1005/	1010	1017	2026	<i>[723</i>	1=27	8,0	1-35	1242	Time Ma		DGE					
	RECE	ŔECE	R	3	i										4.000				( )	Matrix # of Conta	ainers			Mic	507 N. A	THE STATE OF THE S	
	RECEIVED BY: (Signature)	RECEIVED BY: (Signature)	RECEIVED BY: (Signature)																	HCI HNO <sub>3</sub> H <sub>2</sub> SO <sub>4</sub> •	NaOH <sup>©</sup>	PRESERVATION		Midland, TX 79701 432-687-0901	507 N. Marienfeld, Ste.		
	nature)	nature)	nature)								MA		476				Λια		XXX	UNPRESS		ATION		9701 01	, Ste. 200		
			2		* + + -		<u>*</u>							***			M Mo	<b>~</b>	<b>ў</b> х х ,	ROPE AND STATE OF THE PROPERTY	$\langle \rangle \setminus$		LAI PR	PROJECT	DATE:		
	OTHER [	1 DAY	TURN AR						-		- Parton Carte						ing and the second		×			TAT TOOK IN	LAI PROJECT #:		7/13/	W	_ Z.
			RN AROUND TIME																	18/8/0X		/ / /	19-0	LOCATION OR NAME:	50	107	) :
☐ HAND	CARRIER BILL #	RECEIVING TEMP:	LABORAI											-						\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		TO DESTRUCTION OF THE PROPERTY	Ĺ		-		-
☐ HAND DELIVERED		RECEIVING TEMP: 5	LABORATORY USE ONLY:																		0 h 30		7	FROU # 37	NORK O	CH	
		BROKEN DINTACT	ATX:	F															×	FIELD NOT	ASIRON LA CITAL DE CI		COLLECTOR	T 37	1	CHAIN-OF-CUSTOD	
																	to AF	マジュロ		FIELD	1985 198 1987 1988		TIT		PAGE_	F-CUS	No
		NOTUSED	0									***************************************				27 (	Pack	127		FIELD NOTES	\		R		아 <b>W</b>	STOD)	හි
Re	elease	d to In	nagir	ıg: 8	/27/2	202	1 10:	20:4	10 Å	M				Pag	e 97	of 10	0				Fina	ıl 1.000				, _	

Page 119 of 330 LABORATORY: RELINQUISHED BY:(Signature) RELINQUISHED BY: (Signature) TOTAL RELINQUISHED BY:(Signature) TIME ZONE: Time zone/State: Data Reported to: \_\_Yes |XNo 6-24 TRRP report? C-23 6-20 C-27 6-25 C-26 (-16 Field Sample I.D. C-28 C . IN (-17 ( こ) 12) 1-19 arson & ssociates, Inc. Environmental Consultants XTACO W=WATER A=AIR S=SOIL Lab# Date OT=OTHER SL=SLUDGE P=PAINT 1072 128 20 10 1 8 2 1032 456 275 1048 1044 1012 1004 lolo 152 DATE/TIME 1008 DATE/TIME DATE/TIME Time Matrix 507 N. Marienfeld, Ste. 200 RECEIVED BY: (Signature) RECEIVED BY: (Signature) RECEIVED BY: (Signature) # of Containers Midland, TX 79701 432-687-0901 PRESERVATION HCI HNO, H₂SO₄ ☐ NaOH ☐ UNPRESSERVED DATE: LAI PROJECT #: PROJECT LOCATION OR NAME: ۲ 2 DAY 🔲 1 DAY NORMAL X OTHER [ **TURN AROUND TIME** LABORATORY USE ONLY CARRIER BILL # HAND DELIVERED CUSTODY SEALS - D BROKEN DINTACT DNOT USED RECEIVING TEMP: 5340 THERM#: LAB WORK ORDER#: EB00#37 COLLECTOR: \_ PAGE 2\_ OF 3 0 BIZ FIELD NOTES Mario Direct Released to Imaging: 8/27/2021

Page 98 of 100

Final 1.000

CHAIN-OF-CUSTODY

No 197

Page 120 of 330 RELINQUISHED BY (Signature) LABORATORY: RELINQUISHED BY:(Signature) RELINQUISHED BY:(Signature) C-34 TIME ZONE:
Time zone/State: TOTAL 6.33 Data Reported to: C-32 ついり Yes No Field Sample I.D. TRRP report? arson & 1 SSOCIATES, Inc. Environmental Consultants くらんつ A=AIR S=SOIL W=WATER Lab# 2/11/1 Date SL=SLUDGE OT=OTHER P=PAINT DATE/TIME かんり 1882 200 Q -5 135 DATE/TIME DATE/TIME Time Matrix 507 N. Marienfeld, Ste. 200 REPORTED BY: (Signature) RECEIVED BY: (Signature) RECEIVED BY: (Signature) # of Containers Midland, TX 79701 432-687-0901 HCI PRESERVATION HNO, H,SO₄ ☐ NaOH ☐ **ICE** UNPRESSERVED DATE: LAI PROJECT #: PROJECT LOCATION OR NAME: 1 DAY 🗔 2 DAY □ NORMAL 🛣 OTHER [ **TURN AROUND TIME** LABORATORY USE ONLY HAND DELIVERED CARRIER BILL # RECEIVING TEMP: 5.3 4.9 THERM#: 1000 CUSTODY SEALS - D BROKEN DINTACT TNOT USED E800 #3> CHAIN-OF-CUSTODY COLLECTOR: 77 \$ 05 \_ PAGE 3\_ OF 3 FIELD NOTES Africac Released to Imaging: 8/27/2021 Page 99 of 100

Final 1.000

## **Eurofins Xenco, LLC**

## Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Date/ Time Received: 07.13.2020 04.43.00 PM

Temperature Measuring device used: IR-8

Work Order #: 667044

	Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?		4.9	
#2 *Shipping container in good condition?		Yes	
#3 *Samples received on ice?		Yes	
#4 *Custody Seals intact on shipping conta	iner/ cooler?	N/A	
#5 Custody Seals intact on sample bottles?		N/A	
#6*Custody Seals Signed and dated?		N/A	
#7 *Chain of Custody present?		Yes	
#8 Any missing/extra samples?		No	
#9 Chain of Custody signed when relinquis	hed/ received?	Yes	
#10 Chain of Custody agrees with sample I	abels/matrix?	Yes	
#11 Container label(s) legible and intact?		Yes	
#12 Samples in proper container/ bottle?		Yes	BTEX was in bulk container
#13 Samples properly preserved?		Yes	
#14 Sample container(s) intact?		Yes	
#15 Sufficient sample amount for indicated	test(s)?	Yes	
#16 All samples received within hold time?		Yes	
#17 Subcontract of sample(s)?		N/A	
#18 Water VOC samples have zero headsp	pace?	N/A	

Analyst:		PH Device/Lot#:	
	Checklist completed by:	Bawa Tal Brianna Teel	Date: <u>07.14.2020</u>
	Checklist reviewed by:	Holly Taylor	Date: 07 16 2020

Holly Taylor

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

**Environment Testing** 

#### Page 122 of 330

# Certificate of Analysis Summary 668318

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU #37** 

**Project Id: Contact:** 

eurofins |

19-0112-49 Mark Larson **Date Received in Lab:** Tue 07.28.2020 08:45

**Report Date:** 07.29.2020 15:48

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	668318-001			
Analysis Requested	Field Id:	C-2			
Analysis Requesieu	Depth:				
	Matrix:	SOIL			
	Sampled:	07.27.2020 14:15			
Chloride by EPA 300	Extracted:	07.29.2020 08:40			
	Analyzed:	07.29.2020 09:58			
	Units/RL:	mg/kg RL			
Chloride		86.5 5.04			

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



# **Analytical Report 668318**

#### for

# Larson and Associates, Inc.

**Project Manager: Mark Larson** 

EBDU #37 19-0112-49 07.29.2020

Collected By: Client



#### 1211 W. Florida Ave Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054) Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



07.29.2020

Project Manager: Mark Larson Larson and Associates, Inc. P. O. Box 50685 Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): 668318

EBDU #37
Project Address:

#### Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 668318. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 668318 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

John Builes

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# **Sample Cross Reference 668318**

## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
C-2	S	07.27.2020 14:15		668318-001

#### Page 126 of 330

#### **CASE NARRATIVE**

💸 eurofins **Environment Testing** Xenco

Client Name: Larson and Associates, Inc.

Project Name: EBDU #37

Project ID: Report Date: 07.29.2020 19-0112-49 Work Order Number(s): 668318 Date Received: 07.28.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



## Larson and Associates, Inc., Midland, TX

EBDU #37

Sample Id: C-2

Matrix: Soil

Date Received:07.28.2020 08:45

Lab Sample Id: 668318-001

Date Collected: 07.27.2020 14:15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.29.2020 08:40

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	86.5	5.04	mg/kg	07.29.2020 09:58		1



## **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

**BRL** Below Reporting Limit. **ND** Not Detected.

**RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.

E300P

E300P

Prep Method:

## QC Summary 668318

# eurofins Environment Testing Xenco

MB Sample Id:

#### Larson and Associates, Inc.

EBDU #37

Analytical Method: Chloride by EPA 300
Seq Number: 3132893 Matrix: Solid

3132893 Matrix: Solid Date Prep: 07.29.2020 7708262-1-BLK LCS Sample Id: 7708262-1-BKS LCSD Sample Id: 7708262-1-BSD

LCS RPD MB Spike LCS LCSD Limits %RPD Units Analysis LCSD Flag **Parameter** Result Amount Result %Rec Result %Rec Limit Date Chloride < 5.00 250 236 94 236 94 90-110 0 20 07.29.2020 09:45 mg/kg

Analytical Method: Chloride by EPA 300 Prep Method:

 Seq Number:
 3132893
 Matrix:
 Soil
 Date Prep:
 07.29.2020

 Parent Sample Id:
 668222-009
 MS Sample Id:
 668222-009 S
 MSD Sample Id:
 668222-009 SD

Parent Spike MS MS MSD **MSD** Limits %RPD RPD Units Analysis **Parameter** Flag Result Amount Result %Rec %Rec Limit Date Result

Analytical Method: Chloride by EPA 300 Prep Method: E300P

 Seq Number:
 3132893
 Matrix:
 Soil
 Date Prep:
 07.29.2020

 Parent Sample Id:
 668318-001
 MS Sample Id:
 668318-001 S
 MSD Sample Id:
 668318-001 SD

%RPD **RPD Parent** Spike MS MS Units Analysis MSD **MSD** Limits Flag **Parameter** Result Result %Rec Limit Date Amount Result %Rec

Chloride 86.5 252 334 98 330 97 90-110 1 20 mg/kg 07.29.2020 10:04

CHAIN-OF-CUSTODY

8168010

Nº 1257

Final 1.000

## **Eurofins Xenco, LLC**

## Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Acceptable Temperature Range: 0 - 6 degC

Date/ Time Received: 07.28.2020 08.45.00 AM

Air and Metal samples Acceptable Range: Ambient

Work Order #: 668318

Analyst:

Temperature Measuring device used: IR-8

S	ample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	27.1	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	No	
#4 *Custody Seals intact on shipping contained	r/ cooler? N/A	
#5 Custody Seals intact on sample bottles?	N/A	
#6*Custody Seals Signed and dated?	N/A	
#7 *Chain of Custody present?	Yes	
#8 Any missing/extra samples?	No	
#9 Chain of Custody signed when relinquished	/ received? Yes	
#10 Chain of Custody agrees with sample labe	els/matrix? Yes	
#11 Container label(s) legible and intact?	Yes	
#12 Samples in proper container/ bottle?	Yes	
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicated tes	t(s)? Yes	
#16 All samples received within hold time?	Yes	
#17 Subcontract of sample(s)?	N/A	
#18 Water VOC samples have zero headspace	e? <b>N/A</b>	

* Must be completed for aft	er-hours delivery of	f samples prior to	placing in the refrigerator

Checklist completed by:	Briuma Tol Brianna Teel	Date: <u>07.28.2020</u>	_
Checklist reviewed by:	Holly Taylor Holly Taylor	Date: <u>07.28.2020</u>	_

PH Device/Lot#:

**Environment Testing** 

#### Page 132 of 330

# **Certificate of Analysis Summary 668607**

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU 37** 

Project Id:

**Project Location:** 

eurofins |

19-0112-49

**Date Received in Lab:** Thu 07.30.2020 09:20

Contact: Mar

Mark Larson

NM

**Report Date:** 07.31.2020 13:12 **Project Manager:** Holly Taylor

	Lab Id:	668607-00	)1	668607-00	)2	668607-00	)3	668607-0	04	668607-0	05	668607-00	06
Analysis Requested	Field Id:	C-3		C-4		C-5		C-6		C-7		C-8	
Anaiysis Requesiea	Depth:												
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	07.29.2020 (	9:34	07.29.2020 (	9:42	07.29.2020	9:47	07.29.2020	)9:51	07.29.2020	09:56	07.29.2020 1	16:35
Chloride by EPA 300	Extracted:	07.30.2020 1	2:10	07.30.2020	2:10	07.30.2020 1	2:10	07.30.2020	12:10	07.30.2020	12:10	07.30.2020 1	12:10
	Analyzed:	07.30.2020 1	2:39	07.30.2020	2:57	07.30.2020 1	3:03	07.30.2020	13:10	07.30.2020	13:16	07.30.2020 1	13:34
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		39.0 X	5.02	21.8	4.99	5.75	4.97	162	5.04	11.5	4.95	19.0	4.95

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Hely Taylor

**Environment Testing** 

NM

#### Page 133 of 330

# **Certificate of Analysis Summary 668607**

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU 37** 

Project Id:

**Project Location:** 

💸 eurofins

19-0112-49

**Date Received in Lab:** Thu 07.30.2020 09:20

**Contact:** Mark Larson

**Report Date:** 07.31.2020 13:12 **Project Manager:** Holly Taylor

<b>o</b>									•	O			
	Lab Id:	668607-0	07	668607-00	)8	668607-00	)9	668607-0	10	668607-0	11	668607-01	12
Analysis Requested	Field Id:	C-9		C-10		C-26		C-27		C-28		C-12	
Analysis Requesieu	Depth:												
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	07.29.2020	16:32	07.29.2020 1	6:30	07.29.2020	13:10	07.29.2020	12:28	07.29.2020	13:05	07.29.2020 1	13:23
Chloride by EPA 300	Extracted:	07.30.2020	12:10	07.30.2020	2:10	07.30.2020	12:10	07.30.2020	12:10	07.30.2020	12:10	07.30.2020 1	12:10
	Analyzed:	07.30.2020	13:40	07.30.2020 1	3:46	07.30.2020	13:53	07.30.2020	13:59	07.30.2020	14:05	07.30.2020 1	14:23
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		200	5.04	126	5.01	307	4.96	71.6	4.99	630	5.00	17.6	5.03

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Hely Taylor

#### Page 134 of 330

# **Certificate of Analysis Summary 668607**

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU 37** 

Project Id:

**Contact:** 

19-0112-49

,

**Date Received in Lab:** Thu 07.30.2020 09:20

Mark Larson

**Report Date:** 07.31.2020 13:12

**Project Location:** 

NM

**Project Manager:** Holly Taylor

	Lab Id:	668607-0	13	668607-0	14	668607-0	15	668607-0	16	668607-0	17	668607-01	18
Analysis Requested	Field Id:	C-17		C-32		C-21		C-22		C-23		C-24	
Analysis Requesieu	Depth:												
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	07.29.2020	14:15	07.29.2020	4:00	07.29.2020	15:23	07.29.2020	16:45	07.29.2020	16:05	07.29.2020 1	16:00
Chloride by EPA 300	Extracted:	07.30.2020	12:10	07.30.2020 1	2:10	07.30.2020	12:10	07.30.2020	12:10	07.30.2020	12:10	07.30.2020 1	12:10
	Analyzed:	07.30.2020	14:29	07.30.2020	4:48	07.30.2020	14:54	07.30.2020	15:00	07.30.2020	15:06	07.30.2020 1	15:12
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		9.78	4.96	30.8	4.98	237	5.00	608	5.04	13900	99.2	37.4	4.98

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holy Taylor



# **Analytical Report 668607**

#### for

# Larson and Associates, Inc.

**Project Manager: Mark Larson** 

EBDU 37 19-0112-49 07.31.2020

Collected By: Client



#### 1211 W. Florida Ave Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054) Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



07.31.2020

Project Manager: Mark Larson Larson and Associates, Inc. P. O. Box 50685 Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): 668607

**EBDU 37** 

Project Address: NM

#### Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 668607. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 668607 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

thely Taylor

**Holly Taylor** 

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# **Sample Cross Reference 668607**

## Larson and Associates, Inc., Midland, TX

EBDU 37

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
C-3	S	07.29.2020 09:34		668607-001
C-4	S	07.29.2020 09:42		668607-002
C-5	S	07.29.2020 09:47		668607-003
C-6	S	07.29.2020 09:51		668607-004
C-7	S	07.29.2020 09:56		668607-005
C-8	S	07.29.2020 16:35		668607-006
C-9	S	07.29.2020 16:32		668607-007
C-10	S	07.29.2020 16:30		668607-008
C-26	S	07.29.2020 13:10		668607-009
C-27	S	07.29.2020 12:28		668607-010
C-28	S	07.29.2020 13:05		668607-011
C-12	S	07.29.2020 13:23		668607-012
C-17	S	07.29.2020 14:15		668607-013
C-32	S	07.29.2020 14:00		668607-014
C-21	S	07.29.2020 15:23		668607-015
C-22	S	07.29.2020 16:45		668607-016
C-23	S	07.29.2020 16:05		668607-017
C-24	S	07.29.2020 16:00		668607-018

#### Page 138 of 330

#### **CASE NARRATIVE**

eurofins

Environment Testing
Xenco

Client Name: Larson and Associates, Inc.

Project Name: EBDU 37

Project ID: 19-0112-49 Report Date: 07.31.2020 Work Order Number(s): 668607 Date Received: 07.30.2020

#### Sample receipt non conformances and comments:

#### Sample receipt non conformances and comments per sample:

None

#### **Analytical non conformances and comments:**

Batch: LBA-3133114 Chloride by EPA 300

Lab Sample ID 668607-011 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 668607-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011, -012, -013, -014, -015, -016, -017, -018.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



## Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-3

Matrix: Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-001

Date Collected: 07.29.2020 09:34

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Maiatuma

Tech: CI

CHE

% Moisture:

Analyst: CHE

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	39.0	5.02	mg/kg	07.30.2020 12:39	X	1

## Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-4 Matrix:

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-002

Soil Date Collected: 07.29.2020 09:42

07.30.2020 12:10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

Date Prep:

% Moisture:

CHE Analyst:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	21.8	4.99	mg/kg	07.30.2020 12:57		1

## Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-5 Matrix:

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-003

Soil Date Collected: 07.29.2020 09:47

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	5.75	4.97	mg/kg	07.30.2020 13:03		1



## Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-6 Lab Sample Id: 668607-004 Matrix: Soil

Date Received:07.30.2020 09:20

Date Collected: 07.29.2020 09:51

Analytical Method: Chloride by EPA 300

CHE

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	162	5.04	mg/kg	07.30.2020 13:10		1



## Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Soil

Sample Id: C-7 Lab Sample Id: 668607-005 Matrix:

Date Received:07.30.2020 09:20

D

Date Collected: 07.29.2020 09:56

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Chloride	16887-00-6	11.5	4.95	mg/kg	07.30.2020 13:16		1



## Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: **C-8** 

Analytical Method: Chloride by EPA 300

Matrix: Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-006

Date Collected: 07.29.2020 16:35

07.30.2020 12:10

Prep Method: E300P

Tech: CHE

Analyst:

CHE

% Moisture:

Basis:

Wet Weight

Seq Number: 3133114

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	19.0	4.95	mg/kg	07.30.2020 13:34		1

Date Prep:



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-9

Matrix: Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-007

Date Collected: 07.29.2020 16:32

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Chloride	16887-00-6	200	5.04	mg/kg	07.30.2020 13:40		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-10

Matrix: Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-008

Analytical Method: Chloride by EPA 300

CHE

Date Collected: 07.29.2020 16:30

07.30.2020 12:10

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

Date Prep:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Chloride	16887-00-6	126	5.01	mg/kg	07.30.2020 13:46		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-26

Matrix: Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-009

Date Collected: 07.29.2020 13:10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	307	4.96	mg/kg	07.30.2020 13:53		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-27 Lab Sample Id: 668607-010 Matrix: Soil Date Received:07.30.2020 09:20

Date Collected: 07.29.2020 12:28

Analytical Method: Chloride by EPA 300

Prep Method: E300P

CHE

% Moisture:

Tech: CHE

Analyst:

Date Prep: 07.30.2020 12:10 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	71.6	4.99	mg/kg	07.30.2020 13:59		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-28 Lab Sample Id: 668607-011 Matrix: Soil Date Received:07.30.2020 09:20

Date Collected: 07.29.2020 13:05

Analytical Method: Chloride by EPA 300

CHE

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

Date Prep: 07.30.2020 12:10 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	630	5.00	mg/kg	07.30.2020 14:05		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-12 Matrix:

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-012

Soil Date Collected: 07.29.2020 13:23

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	17.6	5.03	mg/kg	07.30.2020 14:23		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-17 Matrix:

Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-013

Date Collected: 07.29.2020 14:15

Prep Method: E300P

Analytical Method: Chloride by EPA 300 Tech:

CHE

% Moisture:

Analyst:

CHE

Date Prep: 07.30.2020 12:10 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.78	4.96	mg/kg	07.30.2020 14:29		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-32 Matrix: Soil Date Received:07.30.2020 09:20

Lab Sample Id: 668607-014

Date Collected: 07.29.2020 14:00

Prep Method: E300P

CHE

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: Analyst:

CHE

Date Prep: 07.30.2020 12:10 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	30.8	4.98	mg/kg	07.30.2020 14:48		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-21

Matrix: Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-015

Date Collected: 07.29.2020 15:23

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	237	5.00	mg/kg	07.30.2020 14:54		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-22

Matrix:

Soil

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-016

Date Collected: 07.29.2020 16:45

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 07.30.2020 12:10

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	608	5.04	mg/kg	07.30.2020 15:00		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-23 Matrix:

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-017

Soil Date Collected: 07.29.2020 16:05

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech:

Analyst:

CHE CHE

Date Prep: 07.30.2020 12:10 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13900	99.2	mg/kg	07.30.2020 15:06		20



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: C-24 Matrix:

Date Received:07.30.2020 09:20

Lab Sample Id: 668607-018

Analytical Method: Chloride by EPA 300

Soil Date Collected: 07.29.2020 16:00

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Date Prep: 07.30.2020 12:10 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	37.4	4.98	mg/kg	07.30.2020 15:12		1



# **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

**BRL** Below Reporting Limit. **ND** Not Detected.

**RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.



#### **QC Summary** 668607

### Larson and Associates, Inc.

**EBDU 37** 

Analytical Method: Chloride by EPA 300

Matrix: Solid

E300P Prep Method:

E300P

Page 158 of 330

Seq Number: 3133114 Date Prep: 07.30.2020 7708388-1-BLK LCS Sample Id: 7708388-1-BKS LCSD Sample Id: 7708388-1-BSD MB Sample Id:

LCS RPD MB Spike LCS LCSD Limits %RPD Units Analysis LCSD Flag **Parameter** 

Result Amount Result %Rec Result %Rec Limit Date Chloride < 5.00 250 98 99 90-110 0 20 07.30.2020 12:27 246 247 mg/kg

Analytical Method: Chloride by EPA 300

Prep Method: 3133114 Seq Number: Matrix: Soil Date Prep: 07.30.2020

MS Sample Id: 668607-001 S MSD Sample Id: Parent Sample Id: 668607-001 668607-001 SD

Parent Spike MS MS MSD **MSD** Limits %RPD RPD Units Analysis **Parameter** Flag Result Amount Result %Rec Result %Rec Limit Date

20 07.30.2020 12:45 Chloride 39.0 251 319 112 315 110 90-110 1 mg/kg X

Analytical Method: Chloride by EPA 300

E300P Prep Method: Seq Number: 3133114 07.30.2020 Matrix: Soil Date Prep:

MS Sample Id: 668607-011 S MSD Sample Id: 668607-011 SD Parent Sample Id: 668607-011

%RPD **RPD** Parent Spike MS MS Units Analysis MSD **MSD** Limits Flag **Parameter** Result Result %Rec Limit Date Amount Result %Rec 07.30.2020 14:11 Chloride 630 250 879 100 90-110 0 20 mg/kg 876 98

61215 NO 109899 CHAIN-OF-CUSTODY

Page 159 of 330

arson &

507 N. Marienfeld, Ste. 200

Midland, TX 79701

P0#: DATE:

LAB WORK ORDER#: FBDU 37

PAGE 1 OF 2

1/29/20

PROJECT LOCATION OR NAME:

432-687-0901

ssociates, Inc. Environmental Consultants

Page 28 of 30

Final 1.000

666607 Nº 1217

### **Eurofins Xenco, LLC**

### Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Acceptable Temperature Range: 0 - 6 degC

Date/ Time Received: 07.30.2020 09.20.00 AM

Air and Metal samples Acceptable Range: Ambient

Work Order #: 668607

Analyst:

Temperature Measuring device used: ir8

	Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?		25.3	
#2 *Shipping container in good condition?		Yes	
#3 *Samples received on ice?		Yes	
#4 *Custody Seals intact on shipping contain	iner/ cooler?	N/A	
#5 Custody Seals intact on sample bottles?		N/A	
#6*Custody Seals Signed and dated?		N/A	
#7 *Chain of Custody present?		Yes	
#8 Any missing/extra samples?		No	
#9 Chain of Custody signed when relinquish	ned/ received?	Yes	
#10 Chain of Custody agrees with sample la	abels/matrix?	Yes	
#11 Container label(s) legible and intact?		Yes	
#12 Samples in proper container/ bottle?		Yes	
#13 Samples properly preserved?		Yes	
#14 Sample container(s) intact?		Yes	
#15 Sufficient sample amount for indicated	test(s)?	Yes	
#16 All samples received within hold time?		Yes	
#17 Subcontract of sample(s)?		N/A	
#18 Water VOC samples have zero headsp	pace?	N/A	

* Must be completed for after-hours deliver	v of samp	oles prior to	placing in the	he refrigerator
made be completed for ditor medic deliver	<i>,</i> 0. 0ap	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	p.aog t.	

Checklist completed by:	Jessica Kramer	Date: <u>07.30.2020</u>
	3333ida Haarrion	

PH Device/Lot#:

Checklist reviewed by:

Holly Taylor

Date: 07.30.2020

eurofins Environment Testing

### Page 162 of 330

# Certificate of Analysis Summary 668986

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU 37** 

**Project Id:** 

**Contact:** 

19-0112-49

**Date Received in Lab:** Tue 08.04.2020 08:30

Mark Larson

**Report Date:** 08.04.2020 15:48

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	668986-00	01	668986-002		668986-003		668986-0	04	668986-0	05	668986-00	)6
Analysis Requested	Field Id:	BH-1 10	'	BH-1 12'		BH-1 14'		BH-1 16'		BH-1 18'		BH-1 20'	
Anatysis Requested	Depth:												
	Matrix:	SOIL	SOIL			SOIL		SOIL		SOIL		SOIL	
	Sampled:	08.03.2020	11:40	08.03.2020 1	1:42	08.03.2020	1:53	08.03.2020	11:55	08.03.2020	11:57	08.03.2020 1	2:24
Chloride by EPA 300	Extracted:	08.04.2020	08.04.2020 10:45		08.04.2020 10:45		08.04.2020 10:45 08		08.04.2020 10:45		10:45	08.04.2020 10:45	
	Analyzed:	08.04.2020	08.04.2020 11:53		1:58	08.04.2020 12:03		08.04.2020 12:08		08.04.2020 12:14		08.04.2020 12:19	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		11.6	5.00	13.3	5.00	13.4	5.03	22.9	4.95	34.4	4.99	24.7 X	5.05

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Vramer

# Certificate of Analysis Summary 668986

Page 163 of 330

💸 eurofins **Environment Testing** 

Larson and Associates, Inc., Midland, TX

**Project Name: EBDU 37** 

**Project Id: Contact:** 

**Project Location:** 

19-0112-49 Mark Larson

**Date Received in Lab:** Tue 08.04.2020 08:30

**Report Date:** 08.04.2020 15:48

Project Manager: Holly Taylor

Toject Escation.						Troject ii	ininger.	
	Lab Id:	668986-00	)7	668986-00	18			
Analysis Requested	Field Id:	BH-1 25	'	BH-1 30'				
Anulysis Requesieu	Depth:							
	Matrix:	SOIL	SOIL					
	Sampled:	08.03.2020 1	08.03.2020 13:30		3:33			
Chloride by EPA 300	Extracted:	08.04.2020 1	0:45	08.04.2020 1	0:45			
	Analyzed:	08.04.2020 1	2:35	08.04.2020 1	2:40			
	Units/RL:	mg/kg	RL	mg/kg	RL			
Chloride		31.0	5.00	31.5	5.04			

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Weamer



# **Analytical Report 668986**

### for

# Larson and Associates, Inc.

**Project Manager: Mark Larson** 

EBDU 37 19-0112-49 08.04.2020

Collected By: Client



### 1211 W. Florida Ave Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054) Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



08.04.2020

Project Manager: Mark Larson Larson and Associates, Inc. P. O. Box 50685 Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): 668986

**EBDU 37** Project Address:

#### Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 668986. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 668986 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# Sample Cross Reference 668986

### Larson and Associates, Inc., Midland, TX

EBDU 37

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
BH-1 10'	S	08.03.2020 11:40		668986-001
BH-1 12'	S	08.03.2020 11:42		668986-002
BH-1 14'	S	08.03.2020 11:53		668986-003
BH-1 16'	S	08.03.2020 11:55		668986-004
BH-1 18'	S	08.03.2020 11:57		668986-005
BH-1 20'	S	08.03.2020 12:24		668986-006
BH-1 25'	S	08.03.2020 13:30		668986-007
BH-1 30'	S	08.03.2020 13:33		668986-008

### Page 167 of 330

### **CASE NARRATIVE**

🍪 eurofins **Environment Testing** Xenco

Client Name: Larson and Associates, Inc.

Project Name: EBDU 37

Project ID: Report Date: 08.04.2020 19-0112-49 Work Order Number(s): 668986 Date Received: 08.04.2020

### Sample receipt non conformances and comments:

### Sample receipt non conformances and comments per sample:

None

### **Analytical non conformances and comments:**

Batch: LBA-3133486 Chloride by EPA 300

Lab Sample ID 668986-006 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 668986-001, -002, -003, -004, -005, -006, -007, -008.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 10'

Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-001

Date Collected: 08.03.2020 11:40

Prep Method: E300P

% Moisture:

Tech: CF

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

08.04.2020 10:45

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.6	5.00	mg/kg	08.04.2020 11:53		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 12' Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-002

Date Collected: 08.03.2020 11:42

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE CHE

Analyst:

Date Prep: 08.04.2020 10:45 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.3	5.00	mg/kg	08.04.2020 11:58		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 14' Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-003

Date Collected: 08.03.2020 11:53

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE Analyst:

CHE

Date Prep: 08.04.2020 10:45 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.4	5.03	mg/kg	08.04.2020 12:03		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 16' Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-004

Date Collected: 08.03.2020 11:55

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep:

08.04.2020 10:45

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	22.9	4.95	mg/kg	08.04.2020 12:08		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 18'

Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-005

Date Collected: 08.03.2020 11:57

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.04.2020 10:45

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	34.4	4.99	mg/kg	08.04.2020 12:14		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 20'

Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-006

Date Collected: 08.03.2020 12:24

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE

Analyst:

CHE Date Prep:

08.04.2020 10:45 Basis:

s: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.7	5.05	mg/kg	08.04.2020 12:19	X	1

### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 25'

Matrix:

08.04.2020 10:45

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-007

Matrix: Soil
Date Collected: 08.03.2020 13:30

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	31.0	5.00	mg/kg	08.04.2020 12:35		1



### Larson and Associates, Inc., Midland, TX

**EBDU 37** 

Sample Id: BH-1 30'

Matrix:

Soil

Date Received:08.04.2020 08:30

Lab Sample Id: 668986-008

Date Collected: 08.03.2020 13:33

Prep Method: E300P

Analytical Method: Chloride by EPA 300

CHE

CHE

Date Prep: 08.04.2020 10:45

Basis:

% Moisture:

Wet Weight

Seq Number: 3133486

Tech:

Analyst:

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	31.5	5.04	mg/kg	08.04.2020 12:40		1



# **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit. **ND** Not Detected.

**RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

#### 668986 **QC Summary**

### Larson and Associates, Inc.

**EBDU 37** 

LCSD

Limits

%RPD

Analytical Method: Chloride by EPA 300

Seq Number: 3133486

7708666-1-BLK

MB

Result

Matrix: Solid LCS Sample Id: 7708666-1-BKS

Spike

Amount

E300P Prep Method:

Date Prep:

08.04.2020

LCSD Sample Id:

7708666-1-BSD

RPD Units Analysis Flag Limit Date

08.04.2020 10:55

Result Result %Rec Chloride < 5.00 250 267 107 268 90-110 0 20 107

LCS

Analytical Method: Chloride by EPA 300

3133486

668967-001

Matrix: Soil MS Sample Id:

LCS

%Rec

668967-001 S

LCSD

Prep Method: Date Prep:

20

E300P

08.04.2020

MSD Sample Id: 668967-001 SD

mg/kg

mg/kg

**Parameter** 

Chloride

Parent Sample Id:

Seq Number:

MB Sample Id:

**Parameter** 

Parent Result

297

Spike Amount 2510

MS MS Result %Rec 3050 110

MSD Result 3040

**MSD** %Rec 109 90-110

Limits

0

%RPD

%RPD

RPD Units Limit

Analysis

Flag Date 08.04.2020 11:10

Analytical Method: Chloride by EPA 300

Seq Number: Parent Sample Id: 3133486 668986-006

Matrix: Soil

MS Sample Id: 668986-006 S

**MSD** 

E300P Prep Method:

08.04.2020 Date Prep:

MSD Sample Id: 668986-006 SD Units

**Parameter** Chloride

Parent Result

Spike Amount 24.7 253

MS MS Result %Rec 312 114

Result 312

MSD

%Rec 114

90-110

Limits

Limit 0 20

**RPD** 

mg/kg

Analysis Flag Date 08.04.2020 12:24 X

MS/MSD Percent Recovery Relative Percent Difference LCS/LCSD Recovery Log Difference

[D] = 100\*(C-A) / BRPD = 200\* | (C-E) / (C+E) | [D] = 100 \* (C) / [B]

Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample A = Parent Result = MS/LCS Result E = MSD/LCSD Result

MS = Matrix Spike B = Spike AddedD = MSD/LCSD % Rec

Nº 1322

# **Eurofins Xenco, LLC**

### Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Acceptable Temperature Range: 0 - 6 degC

Date/ Time Received: 08.04.2020 08.30.00 AM

Air and Metal samples Acceptable Range: Ambient

Work Order #: 668986

Temperature Measuring device used: IR-8

Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?	2.2	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	Yes	
#4 *Custody Seals intact on shipping container/ cooler?	N/A	
#5 Custody Seals intact on sample bottles?	N/A	
#6*Custody Seals Signed and dated?	N/A	
#7 *Chain of Custody present?	Yes	
#8 Any missing/extra samples?	No	
#9 Chain of Custody signed when relinquished/ received?	Yes	
#10 Chain of Custody agrees with sample labels/matrix?	Yes	
#11 Container label(s) legible and intact?	Yes	
#12 Samples in proper container/ bottle?	Yes	
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicated test(s)?	Yes	
#16 All samples received within hold time?	Yes	
#17 Subcontract of sample(s)?	N/A	
#18 Water VOC samples have zero headspace?	N/A	

* Must be completed for after-hours deliver	v of samp	oles prior to	placing in the	he refrigerator
made by completed for ditor medic deliver	<i>,</i> 0. 0ap	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	p.aog t.	

Analyst:				
	Checklist completed by:	Bridge Tol	Date: 08.04.2020	
	Checklist reviewed by:	Jessica Vermer	Data: 08 04 2020	

Jessica Kramer

eurofins Environment Testing

### Page 180 of 330

# **Certificate of Analysis Summary 669190**

Larson and Associates, Inc., Midland, TX

Project Name: Apache -EBDu #37

**Project Id: Contact:** 

19-0112-49 Mark Larson

**Date Received in Lab:** Wed 08.05.2020 10:28

**Report Date:** 08.06.2020 16:24

**Project Manager:** Holly Taylor

<b>Project Location:</b>	

	Lab Id:	669190-001		669190-002		669190-003		669190-004		
Analysis Requested	Field Id:	C-28		C-22		C-23		C-1		
Analysis Requesieu	Depth:									
	Matrix:	SOIL		SOIL		SOIL		SOIL		
	Sampled:	08.04.2020	12:54	08.04.2020 14:04		08.04.2020 14:12		08.04.2020 17:28		
Chloride by EPA 300	Extracted:	08.05.2020	11:26	08.05.2020 11:26 08.05.		08.05.2020 11:26		08.05.2020 11:26		
	Analyzed:	08.05.2020 12:29		08.05.2020	08.05.2020 12:45		08.05.2020 12:57			
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		415	9.98	10.7	10.0	15.8	10.1	338	10.1	
TPH By SW8015 Mod	Extracted:							08.06.2020	0:30	
	Analyzed:							08.06.2020	0:45	
	Units/RL:							mg/kg	RL	
Gasoline Range Hydrocarbons (GRO)								< 50.3	50.3	
Diesel Range Organics (DRO)								<50.3	50.3	
Motor Oil Range Hydrocarbons (MRO)								<50.3	50.3	
Total TPH								<50.3	50.3	

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holy Taylor

# **Analytical Report 669190**

for

Larson and Associates, Inc.

**Project Manager: Mark Larson** 

Apache -EBDu #37 19-0112-49 08.06.2020

Collected By: Client

### 1089 N Canal Street Carlsbad, NM 88220

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054) Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



08.06.2020

Project Manager: Mark Larson Larson and Associates, Inc. P. O. Box 50685 Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): 669190

**Apache -EBDu #37** Project Address:

#### Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 669190. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 669190 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

thely Taylor

Holly Taylor

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# **Sample Cross Reference 669190**

### Larson and Associates, Inc., Midland, TX

Apache -EBDu #37

Sample Id	Matrix	Date Collected Sample Depth	Lab Sample Id
C-28	S	08.04.2020 12:54	669190-001
C-22	S	08.04.2020 14:04	669190-002
C-23	S	08.04.2020 14:12	669190-003
C-1	S	08.04.2020 17:28	669190-004

### Page 184 of 330

### **CASE NARRATIVE**

eurofins **Environment Testing** Xenco

Client Name: Larson and Associates, Inc.

Project Name: Apache -EBDu #37

Project ID: Report Date: 08.06.2020 19-0112-49 Work Order Number(s): 669190 Date Received: 08.05.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



### Larson and Associates, Inc., Midland, TX

Apache -EBDu #37

Sample Id: C-28 Lab Sample Id: 669190-001 Matrix: Soil

Date Received:08.05.2020 10:28

Date Collected: 08.04.2020 12:54

Analytical Method: Chloride by EPA 300

MAB

Prep Method: E300P

% Moisture:

Tech: MAB

Analyst:

Date Prep: 08.05.2020 11:26

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	415	9.98	mg/kg	08.05.2020 12:29		1



### Larson and Associates, Inc., Midland, TX

Apache -EBDu #37

Sample Id: C-22 Lab Sample Id: 669190-002 Matrix: Soil

Date Received:08.05.2020 10:28

Date Collected: 08.04.2020 14:04

Analytical Method: Chloride by EPA 300

MAB

Prep Method: E300P

% Moisture:

Tech: MAB

Analyst:

Date Prep: 08.05.2020 11:26

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.7	10.0	mg/kg	08.05.2020 12:45		1



### Larson and Associates, Inc., Midland, TX

Apache -EBDu #37

Sample Id: C-23

Matrix: Soil

Date Received:08.05.2020 10:28

Lab Sample Id: 669190-003

Date Collected: 08.04.2020 14:12

Prep Method: E300P

% Moisture:

Tech: MAB

Analyst:

MAB

Analytical Method: Chloride by EPA 300

Date Prep: 08.05.2020 11:26

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units An	alysis Date Flag	Dil
Chloride	16887-00-6	15.8	10.1	mg/kg 08.03	5.2020 12:51	1

### Larson and Associates, Inc., Midland, TX

Apache -EBDu #37

Sample Id: C-1 Matrix: Soil Date Received:08.05.2020 10:28

Lab Sample Id: 669190-004

Date Collected: 08.04.2020 17:28

08.05.2020 11:26

Analytical Method: Chloride by EPA 300

Prep Method: E300P

MAB Tech:

% Moisture:

MAB Analyst:

Date Prep:

Basis:

Wet Weight

Seq Number: 3133628

Result **Parameter** Cas Number RLUnits **Analysis Date** Dil Flag Chloride 16887-00-6 338 10.1 mg/kg 08.05.2020 12:57 1

Analytical Method: TPH By SW8015 Mod

Prep Method: SW8015P

Tech:

 $\operatorname{DTH}$ 

% Moisture:

Analyst: DTH Date Prep: 08.06.2020 10:30 Basis: Wet Weight

Parameter	Cas Number	Result	RL		Units	<b>Analysis Date</b>	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3		mg/kg	08.06.2020 10:45	U	1
Diesel Range Organics (DRO)	C10C28DRO	< 50.3	50.3		mg/kg	08.06.2020 10:45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	< 50.3	50.3		mg/kg	08.06.2020 10:45	U	1
Total TPH	PHC635	<50.3	50.3		mg/kg	08.06.2020 10:45	U	1
Surrogate		Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane		111-85-3	106	%	70-135	08.06.2020 10:45		
o-Terphenyl		84-15-1	112	%	70-135	08.06.2020 10:45		



# **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

**BRL** Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.

Flag

Flag

Flag

#### **QC Summary** 669190

#### Larson and Associates, Inc.

Apache -EBDu #37

Analytical Method: Chloride by EPA 300

Seg Number: 3133628

E300P Prep Method: Matrix: Solid Date Prep: 08.05.2020

LCS Sample Id: 7708772-1-BKS MB Sample Id: 7708772-1-BLK

LCSD Sample Id: 7708772-1-BSD

LCS RPD MB Spike LCS Limits %RPD Units Analysis LCSD LCSD Flag **Parameter** Result Amount Result %Rec Result %Rec Limit Date Chloride <10.0 250 270 108 90-110 0 20 08.05.2020 12:17 269 108 mg/kg

Analytical Method: Chloride by EPA 300 3133628

Matrix: Soil

Prep Method: E300P

Date Prep: 08.05.2020

Seq Number: 669190-001 S 669190-001 MS Sample Id: Parent Sample Id:

MSD Sample Id: 669190-001 SD

Parent Spike MS MS MSD MSD Limits %RPD RPD Units Analysis **Parameter** Flag Result Amount Result %Rec %Rec Limit Date Result

08.05.2020 12:34 Chloride 415 200 629 107 629 107 90-110 0 20 mg/kg

Analytical Method: TPH By SW8015 Mod

Seq Number: 3133666 Matrix: Solid

SW8015P Prep Method:

Date Prep: 08.05.2020

LCS Sample Id: 7708781-1-BKS LCSD Sample Id: 7708781-1-BSD MB Sample Id: 7708781-1-BLK

MB Spike **RPD** LCS LCS %RPD Units LCSD LCSD Limits Analysis Parameter Result %Rec Limit Date Result Amount Result %Rec 08.05.2020 15:25 Gasoline Range Hydrocarbons (GRO) 993 99 35 < 50.0 1000 1000 100 70-135 1 mg/kg Diesel Range Organics (DRO) < 50.0 1000 1040 104 1040 70-135 0 35 08.05.2020 15:25 104 mg/kg

MB MB LCS LCS LCSD Limits Units Analysis LCSD **Surrogate** Flag Flag %Rec Flag %Rec %Rec Date 120 08.05.2020 15:25 1-Chlorooctane 104 120 70-135 % o-Terphenyl 104 112 110 70-135 % 08.05.2020 15:25

Analytical Method: TPH By SW8015 Mod

3133751

Matrix: Solid

Prep Method:

SW8015P

MB Sample Id:

Seq Number:

7708853-1-BLK

LCS Sample Id: 7708853-1-BKS

Date Prep: LCSD Sample Id: 7708853-1-BSD

08.06.2020

%RPD RPD MB Spike LCS LCS LCSD LCSD Limits Units Analysis **Parameter** %Rec Result Limit Result Date Amount Result %Rec Gasoline Range Hydrocarbons (GRO) 08.06.2020 10:04 < 50.0 1000 1020 102 1030 103 70-135 1 35 mg/kg

08.06.2020 10:04 1090 70-135 3 Diesel Range Organics (DRO) < 50.0 1000 1060 106 109 35 mg/kg MB MB LCS LCS LCSD Limits Units Analysis LCSD **Surrogate** %Rec Flag %Rec Flag %Rec Flag Date

08.06.2020 10:04 107 124 1-Chlorooctane 124 70-135 % 08.06.2020 10:04 o-Terphenyl 113 116 70-135 % 109

Analytical Method: TPH By SW8015 Mod

Seq Number: 3133666 Matrix: Solid

Prep Method: Date Prep: SW8015P 08.05.2020

MS = Matrix Spike

D = MSD/LCSD % Rec

B = Spike Added

Units

MB Sample Id: 7708781-1-BLK

MB

Analysis **Parameter** Date Result Motor Oil Range Hydrocarbons (MRO) 08.05.2020 15:05 < 50.0 mg/kg

MS/MSD Percent Recovery Relative Percent Difference LCS/LCSD Recovery Log Difference

[D] = 100\*(C-A) / BRPD = 200\* | (C-E) / (C+E) | [D] = 100 \* (C) / [B]

Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample = Parent Result = MS/LCS Result

= MSD/LCSD Result

Final 1.000

Page 11 of 15

Flag



# Larson and Associates, Inc.

669190

Apache -EBDu #37

Analytical Method: TPH By SW8015 Mod

Seq Number: 3133751 Matrix: Solid

SW8015P Prep Method:

08.06.2020

Date Prep:

MB Sample Id: 7708853-1-BLK MB

Units Analysis **Parameter** Result Date

Motor Oil Range Hydrocarbons (MRO) < 50.0 08.06.2020 09:44 mg/kg

SW8015P Analytical Method: TPH By SW8015 Mod Prep Method: Seq Number: 3133666 Matrix: Soil Date Prep: 08.05.2020

MS Sample Id: 669190-001 S Parent Sample Id: 669190-001 MSD Sample Id: 669190-001 SD

Spike Parent MS MS MSD **MSD** Limits %RPD RPD Units Analysis **Parameter** Flag Result Amount Result %Rec %Rec Limit Date Result Gasoline Range Hydrocarbons (GRO) 35 08.05.2020 16:26 < 50.0 1000 939 94 915 92 70-135 3 mg/kg 08.05.2020 16:26 Diesel Range Organics (DRO) < 50.0 1000 967 97 962 96 70-135 1 35 mg/kg

MS MSD MS MSD Limits Units Analysis Surrogate %Rec Flag Flag Date %Rec 118 116 70-135 % 08.05.2020 16:26 1-Chlorooctane 08.05.2020 16:26 106 107 70-135 % o-Terphenyl

Analytical Method: TPH By SW8015 Mod Prep Method: SW8015P

3133751 Seq Number: Matrix: Soil Date Prep: 08.06.2020 Parent Sample Id: 669190-004 MS Sample Id: 669190-004 S MSD Sample Id: 669190-004 SD

Parent Spike MS MS %RPD RPD Units MSD MSD Limits Analysis Flag **Parameter** Result Result Limit Amount %Rec Result %Rec Date Gasoline Range Hydrocarbons (GRO) < 50.1 1000 981 98 946 95 70-135 4 35 08.06.2020 11:05 mg/kg Diesel Range Organics (DRO) < 50.1 1000 1020 102 985 99 70-135 3 35 mg/kg 08.06.2020 11:05

MS **MSD** MS **MSD** Limits Units Analysis **Surrogate** %Rec Flag Flag Date %Rec 08.06.2020 11:05 122 119 70-135 1-Chlorooctane % 08.06.2020 11:05 o-Terphenyl 112 109 70-135 %

Page 13 of 15

Released to Imaging: 8/27/2021 10:20:40 AM

Final 1.000

Nº 1258

# **Inter-Office Shipment**

IOS Number : **68404** 

Date/Time: 08.06.2020

Created by:

Delivery Priority:

Martha Castro

Please send report to: Holly Taylor

Address:

1089 N Canal Street

Lab# From: **Carlsbad**Lab# To: **Midland** 

and Air Bill No.:

E-Mail:

holly.taylor@xenco.com

Sample Id	Matrix Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
669190-004	S C-1	08.04.2020 17:28	TX1005	TPH by Texas1005	08.06.2020	08.18.2020	HTA P	HCC12C28 PHCC28C35	

### **Inter Office Shipment or Sample Comments:**

Relinquished By:

Martha Castro

Date Relinquished:

08.06.2020

Received By:

Date Received:

Cooler Temperature:

### **Eurofins Xenco, LLC**

## Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Work Order #: 669190

Analyst:

Date/ Time Received: 08.05.2020 10.28.00 AM

Acceptable Temperature Range: 0 - 6 degC Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used: T-NM-007

	Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?		3	
#2 *Shipping container in good condition?		Yes	
#3 *Samples received on ice?		Yes	
#4 *Custody Seals intact on shipping contain	iner/ cooler?	Yes	
#5 Custody Seals intact on sample bottles?		Yes	
#6*Custody Seals Signed and dated?		Yes	
#7 *Chain of Custody present?		Yes	
#8 Any missing/extra samples?		No	
#9 Chain of Custody signed when relinquish	ned/ received?	Yes	
#10 Chain of Custody agrees with sample la	abels/matrix?	Yes	
#11 Container label(s) legible and intact?		Yes	
#12 Samples in proper container/ bottle?		Yes	
#13 Samples properly preserved?		Yes	
#14 Sample container(s) intact?		Yes	
#15 Sufficient sample amount for indicated	test(s)?	Yes	
#16 All samples received within hold time?		Yes	
#17 Subcontract of sample(s)?		No	
#18 Water VOC samples have zero headsp	pace?	N/A	

* Must be completed for after-hours delive	ery of samples prior	r to placing in th	e refrigerator
--	----------------------	--------------------	----------------

Checklist completed by:	Elizabeth McClellan	Date: <u>08.05.2020</u>	_
Checklist reviewed by:	Jelian S.	Date: 08.06.2020	

Martha Castro

PH Device/Lot#:

eurofins Environment Testing

### Page 195 of 330

# **Certificate of Analysis Summary 669750**

Larson and Associates, Inc., Midland, TX

**Project Name: EBOU 37** 

Project Id:

**Contact:** 

19-0112-49

**Date Received in Lab:** Tue 08.11.2020 15:56

Mark Larson

**Report Date:** 08.12.2020 17:13

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	669750-00	01	669750-00	)2	669750-00	)3	669750-0	04	669750-0	05	669750-00	)6
Analysis Requested	Field Id:	BH-2 10	,	BH-2 12	•	BH-2 14'		BH-2 16'		BH-2 18'		BH-2 20'	
Analysis Requesieu	Depth:												
	Matrix:	SOIL	SOIL			SOIL		SOIL		SOIL		SOIL	
	Sampled:	08.10.2020	08.10.2020 11:01		1:03	08.10.2020	1:05	08.10.2020	11:09	08.10.2020	11:10	08.10.2020 1	1:11
Chloride by EPA 300	Extracted:	08.11.2020	08.11.2020 16:39		6:39	08.11.2020	6:39	08.11.2020	16:39	08.11.2020	16:39	08.11.2020 1	6:39
	Analyzed:	08.11.2020	8.11.2020 18:27		8:42	08.11.2020	8:48	08.11.2020	18:53	08.11.2020	18:58	08.11.2020 1	9:14
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		79.7	4.97	18.4	5.02	10.1	4.98	10.3	4.99	9.67	4.96	9.64	4.95

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holy Taylor

### Page 196 of 330

# **Certificate of Analysis Summary 669750**

Larson and Associates, Inc., Midland, TX

**Project Name: EBOU 37** 

**Project Id:** 

**Contact:** 

19-0112-49 Mark Larson **Date Received in Lab:** Tue 08.11.2020 15:56

**Report Date:** 08.12.2020 17:13

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	669750-00	07	669750-00	)8	669750-00	)9	669750-0	10	669750-0	11	669750-01	12										
Analysis Requested	Field Id:	BH-2 25	BH-2 25'		í-2 25' B		BH-2 25'		BH-2 25'		BH-4 10'		BH-4 10'		BH-4 12'		BH-4 12'			BH-4 16'		BH-4 18'	
Analysis Requesieu	Depth:																						
	Matrix:	SOIL	SOIL			SOIL		SOIL		SOIL		SOIL											
	Sampled:	08.10.2020	08.10.2020 11:20		3:05	08.10.2020	3:50	08.10.2020	3:55	08.10.2020	14:05	08.10.2020 1	14:10										
Chloride by EPA 300	Extracted:	08.11.2020	16:39	08.11.2020 1	6:39	08.11.2020	6:39	08.11.2020	6:39	08.11.2020	16:39	08.11.2020 1	16:39										
	Analyzed:	08.11.2020	08.11.2020 19:19		9:25	08.11.2020	9:30	08.11.2020	9:35	08.11.2020	19:40	08.11.2020 1	19:56										
	Units/RL:	mg/kg	mg/kg RL		RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL										
Chloride		11.6	4.98	24.0	5.04	12.0	5.01	10.3	4.97	15.0	5.00	12.7	5.03										

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Hely Taylor

### Page 197 of 330

# **Certificate of Analysis Summary 669750**

Larson and Associates, Inc., Midland, TX

**Project Name: EBOU 37** 

Project Id:

19-0112-49 Mark Larson **Date Received in Lab:** Tue 08.11.2020 15:56

**Report Date:** 08.12.2020 17:13

Project Manager: Holly Taylor

Contact:

**Project Location:** 

	Lab Id:	669750-0	13	669750-0	14	669750-0	15	669750-0	16	669750-0	17	669750-0	18
Analysis Requested	Field Id:	BH-4 20	BH-4 20'		BH-4 25'		BH-3 10'			BH-3 14'		BH-3 16'	
Anuiysis Requesieu	Depth:												
	Matrix:	SOIL	SOIL			SOIL		SOIL		SOIL		SOIL	
	Sampled:	08.10.2020 1	08.10.2020 14:40		08.10.2020 14:45		09:50	08.11.2020 (	)9:55	08.11.2020	09:59	08.11.2020 10:00	
Chloride by EPA 300	Extracted:	08.11.2020 1	6:39	08.11.2020 1	6:39	08.11.2020	16:39	08.11.2020	16:39	08.11.2020	16:39	08.11.2020	16:39
	Analyzed:	08.11.2020 2	08.11.2020 20:01		20:17	08.11.2020	20:23	08.11.2020 2	20:28	08.11.2020	20:33	08.11.2020 2	20:38
	Units/RL:	mg/kg	mg/kg RL		RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		11.8	5.05	13.4	4.99	774	4.96	666	4.97	419	4.97	60.2	4.97

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holy Taylor

eurofins Environment Testing

### Page 198 of 330

# **Certificate of Analysis Summary 669750**

Larson and Associates, Inc., Midland, TX

**Project Name: EBOU 37** 

Project Id:

**Contact:** 

19-0112-49 Mark Larson **Date Received in Lab:** Tue 08.11.2020 15:56

**Report Date:** 08.12.2020 17:13

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	669750-0	19	669750-02	20	669750-02	21	669750-02	22	669750-0	23	669750-02	24		
Analysis Requested	Field Id:	BH-3 18		BH-3 20	•	BH-3 25'		BH-5 10'		BH-5 12'		BH-5 12'		BH-5 14'	
Anaiysis Requesieu	Depth:														
	Matrix:	SOIL	SOIL			SOIL		SOIL		SOIL		SOIL			
	Sampled:	08.11.2020	08.11.2020 10:15		08.11.2020 10:20		0:25	08.11.2020	0:56	08.11.2020	10:58	08.11.2020 1	1:00		
Chloride by EPA 300	Extracted:	08.11.2020	16:39	08.11.2020	6:39	08.11.2020	6:43	08.11.2020	6:43	08.11.2020	16:43	08.11.2020 1	6:43		
	Analyzed:	08.11.2020 2	08.11.2020 20:44		20:49	08.11.2020 2	21:21	08.11.2020 2	21:36	08.11.2020	21:42	08.11.2020 2	21:47		
	Units/RL:	mg/kg	ng/kg RL		RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL		
Chloride		89.3	5.02	227	5.05	32.7	5.01	10.2	4.99	9.94	5.00	9.78	5.04		

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holy Taylor

eurofins Environment Testing

### Page 199 of 330

# **Certificate of Analysis Summary 669750**

Larson and Associates, Inc., Midland, TX

**Project Name: EBOU 37** 

**Project Id: Contact:** 

19-0112-49 Mark Larson

**Date Received in Lab:** Tue 08.11.2020 15:56

**Report Date:** 08.12.2020 17:13

**Project Location:** 

**Project Manager:** Holly Taylor

	Lab Id:	669750-02	.5	669750-02	26	669750-02	27	669750-0	28		
Analysis Requested	Field Id:	BH-5 16'		BH-5 18	'	BH-5 20'		BH-5 25'			
Analysis Requesieu	Depth:										
	Matrix:	SOIL		SOIL		SOIL		SOIL			
	Sampled:	08.11.2020 1			08.11.2020 11:18		1:20	08.11.2020	11:30		
Chloride by EPA 300	Extracted:	08.11.2020 1	6:43	08.11.2020 1	6:43	08.11.2020 1	6:43	08.11.2020	16:43		
	Analyzed:	08.11.2020 2	1:52	08.11.2020 2	22:08	08.11.2020 2	22:13	08.11.2020	22:19		
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL		
Chloride		12.2	5.02	9.30	4.97	9.77	4.96	10.5	4.98		

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Hely Taylor



# **Analytical Report 669750**

for

# Larson and Associates, Inc.

**Project Manager: Mark Larson** 

EBOU 37 19-0112-49 08.12.2020

Collected By: Client



### 1211 W. Florida Ave Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054) Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



08.12.2020

Project Manager: Mark Larson Larson and Associates, Inc. P. O. Box 50685 Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): 669750

**EBOU 37** Project Address:

#### Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 669750. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 669750 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

thely Taylor

Holly Taylor

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

# **Sample Cross Reference 669750**

### Larson and Associates, Inc., Midland, TX

EBOU 37

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
BH-2 10'	S	08.10.2020 11:01		669750-001
BH-2 12'	S	08.10.2020 11:03		669750-002
BH-2 14'	S	08.10.2020 11:05		669750-003
BH-2 16'	S	08.10.2020 11:09		669750-004
BH-2 18'	S	08.10.2020 11:10		669750-005
BH-2 20'	S	08.10.2020 11:11		669750-006
BH-2 25'	S	08.10.2020 11:20		669750-007
BH-4 10'	S	08.10.2020 13:05		669750-008
BH-4 12'	S	08.10.2020 13:50		669750-009
BH-4 14'	S	08.10.2020 13:55		669750-010
BH-4 16'	S	08.10.2020 14:05		669750-011
BH-4 18'	S	08.10.2020 14:10		669750-012
BH-4 20'	S	08.10.2020 14:40		669750-013
BH-4 25'	S	08.10.2020 14:45		669750-014
BH-3 10'	S	08.11.2020 09:50		669750-015
BH-3 12'	S	08.11.2020 09:55		669750-016
BH-3 14'	S	08.11.2020 09:59		669750-017
BH-3 16'	S	08.11.2020 10:00		669750-018
BH-3 18'	S	08.11.2020 10:15		669750-019
BH-3 20'	S	08.11.2020 10:20		669750-020
BH-3 25'	S	08.11.2020 10:25		669750-021
BH-5 10'	S	08.11.2020 10:56		669750-022
BH-5 12'	S	08.11.2020 10:58		669750-023
BH-5 14'	S	08.11.2020 11:00		669750-024
BH-5 16'	S	08.11.2020 11:16		669750-025
BH-5 18'	S	08.11.2020 11:18		669750-026
BH-5 20'	S	08.11.2020 11:20		669750-027
BH-5 25'	S	08.11.2020 11:30		669750-028

### **CASE NARRATIVE**

Page 203 of 330

eurofins Environment Testing Xenco

Client Name: Larson and Associates, Inc.

Project Name: EBOU 37

 Project ID:
 19-0112-49
 Report Date:
 08.12.2020

 Work Order Number(s):
 669750
 Date Received:
 08.11.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 10' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-001

Soil Date Collected: 08.10.2020 11:01

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE Analyst:

CHE

Date Prep: 08.11.2020 16:39 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	79.7	4.97	mg/kg	08.11.2020 18:27		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 12' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-002

Soil Date Collected: 08.10.2020 11:03

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

Seq Number: 3134219

% Moisture:

CHE Analyst:

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	18.4	5.02	mg/kg	08.11.2020 18:42		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 14'

Matrix: Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-003

Analytical Method: Chloride by EPA 300

Date Collected: 08.10.2020 11:05

08.11.2020 16:39

Prep Method: E300P

Prep

Tech: CHE

Analyst:

CHE Date Prep:

% Moisture: Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.1	4.98	mg/kg	08.11.2020 18:48		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 16' Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-004

Date Collected: 08.10.2020 11:09

Prep Method: E300P

Analytical Method: Chloride by EPA 300

CHE

% Moisture:

Tech: CHE

Analyst:

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.3	4.99	mg/kg	08.11.2020 18:53		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 18' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-005

Soil Date Collected: 08.10.2020 11:10

Prep Method: E300P

Tech:

CHE

Analytical Method: Chloride by EPA 300

% Moisture:

CHE Analyst:

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.67	4.96	mg/kg	08.11.2020 18:58		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 20'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-006

Date Collected: 08.10.2020 11:11

Prep Method: E300P

% Moisture:

Tech: CH

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.64	4.95	mg/kg	08.11.2020 19:14		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-2 25'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-007

Date Collected: 08.10.2020 11:20

Prep Method: E300P

% Moisture:

Tech: CF

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.6	4.98	mg/kg	08.11.2020 19:19		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 10'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-008

Date Collected: 08.10.2020 13:05

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CH

Analyst:

CHE CHE

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.0	5.04	mg/kg	08.11.2020 19:25		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 12' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-009

Soil Date Collected: 08.10.2020 13:50

Prep Method: E300P

Tech:

CHE

Analytical Method: Chloride by EPA 300

% Moisture:

CHE Analyst:

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	12.0	5.01	mg/kg	08.11.2020 19:30		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 14'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-010

Date Collected: 08.10.2020 13:55

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.3	4.97	mg/kg	08.11.2020 19:35		1

### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 16'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-011

Date Collected: 08.10.2020 14:05

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	15.0	5.00	mg/kg	08.11.2020 19:40		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 18' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-012

Soil Date Collected: 08.10.2020 14:10

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	12.7	5.03	mg/kg	08.11.2020 19:56		1



### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 20' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-013

Soil Date Collected: 08.10.2020 14:40

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE % Moisture:

CHE

Analyst:

Date Prep: 08.11.2020 16:39 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.8	5.05	mg/kg	08.11.2020 20:01		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-4 25' Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-014

Analytical Method: Chloride by EPA 300

CHE

Date Collected: 08.10.2020 14:45

Prep Method: E300P

CHE

% Moisture:

Tech:

Analyst:

Date Prep:

08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.4	4.99	mg/kg	08.11.2020 20:17		1

#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 10' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-015

Analytical Method: Chloride by EPA 300

Soil Date Collected: 08.11.2020 09:50

08.11.2020 16:39

Prep Method: E300P

Tech: CHE

% Moisture:

CHE Analyst:

Date Prep:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	774	4.96	mg/kg	08.11.2020 20:23		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 12' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-016

Analytical Method: Chloride by EPA 300

Soil Date Collected: 08.11.2020 09:55

08.11.2020 16:39

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst:

CHE Date Prep: Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Chloride	16887-00-6	666	4.97	mg/kg	08.11.2020 20:28		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 14' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-017

Analytical Method: Chloride by EPA 300

CHE

Soil Date Collected: 08.11.2020 09:59

Prep Method: E300P

Tech: CHE

Analyst:

% Moisture:

Date Prep: 08.11.2020 16:39 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil	
Chloride	16887-00-6	419	4.97	mg/kg	08.11.2020 20:33		1	



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 16'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-018

Date Collected: 08.11.2020 10:00

Prep Method: E300P

% Moisture:

Tech:

Analyst:

CHE CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.11.2020 16:39

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	60.2	4.97	mg/kg	08.11.2020 20:38		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 18'

Matrix:

Soil

08.11.2020 16:39

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-019

Analytical Method: Chloride by EPA 300

Date Collected: 08.11.2020 10:15

Prep Method: E300P

r rep wieur

Tech: CHE

Analyst:

CHE Date Prep:

% Moisture:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	89.3	5.02	mg/kg	08.11.2020 20:44		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 20' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-020

Soil Date Collected: 08.11.2020 10:20

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE

Analytical Method: Chloride by EPA 300

Date Prep: 08.11.2020 16:39 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	227	5.05	mg/kg	08.11.2020 20:49		1

#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-3 25'

Matrix: Soil

Date Prep:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-021

Date Collected: 08.11.2020 10:25

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE

Analyst:

CHE

08.11.2020 16:43

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	32.7	5.01	mg/kg	08.11.2020 21:21		1

#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 10' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-022

Soil Date Collected: 08.11.2020 10:56

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

CHE Analyst:

Date Prep:

08.11.2020 16:43

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.2	4.99	mg/kg	08.11.2020 21:36		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 12'

Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-023

Analytical Method: Chloride by EPA 300

Date Collected: 08.11.2020 10:58

Prep Method: E300P

% Moisture:

Tech: CHE

Analyst:

CHE Date Prep:

08.11.2020 16:43

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	<b>Analysis Date</b>	Flag	Dil
Chloride	16887-00-6	9.94	5.00	mg/kg	08.11.2020 21:42		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 14' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-024

CHE

Soil Date Collected: 08.11.2020 11:00

08.11.2020 16:43

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE

Analyst:

Date Prep:

Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.78	5.04	mg/kg	08.11.2020 21:47		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 16' Matrix:

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-025

Soil Date Collected: 08.11.2020 11:16

08.11.2020 16:43

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE

Analyst:

CHE Date Prep: Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	12.2	5.02	mg/kg	08.11.2020 21:52		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 18' Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-026

Date Collected: 08.11.2020 11:18

Prep Method: E300P

Analytical Method: Chloride by EPA 300

% Moisture:

Tech: CHE CHE

Analyst:

Date Prep: 08.11.2020 16:43 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.30	4.97	mg/kg	08.11.2020 22:08		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 20' Matrix:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-027

Analytical Method: Chloride by EPA 300

Date Collected: 08.11.2020 11:20

Prep Method: E300P

CHE

% Moisture:

Tech: CHE

Analyst:

Date Prep: 08.11.2020 16:43 Basis:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.77	4.96	mg/kg	08.11.2020 22:13		1



#### Larson and Associates, Inc., Midland, TX

**EBOU 37** 

Sample Id: BH-5 25' Matrix:

Date Prep:

Soil

Date Received:08.11.2020 15:56

Lab Sample Id: 669750-028

Date Collected: 08.11.2020 11:30

Basis:

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: Analyst: CHE CHE

08.11.2020 16:43

% Moisture:

Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.5	4.98	mg/kg	08.11.2020 22:19		1



# **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

**BRL** Below Reporting Limit. **ND** Not Detected.

**RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.

#### **QC Summary** 669750

#### Larson and Associates, Inc.

**EBOU 37** 

E300P Analytical Method: Chloride by EPA 300 Prep Method: 3134219 Seg Number: Matrix: Solid Date Prep: 08.11.2020 7709203-1-BLK LCS Sample Id: 7709203-1-BKS LCSD Sample Id: 7709203-1-BSD MB Sample Id:

RPD MB Spike LCS LCS Limits %RPD Units Analysis LCSD LCSD Flag **Parameter** Result Amount Result %Rec Result %Rec Limit Date

Chloride < 5.00 250 106 267 90-110 0 20 08.11.2020 18:16 266 107 mg/kg

Analytical Method: Chloride by EPA 300

Seq Number: 3134222 Matrix: Solid Date Prep: 08.11.2020

7709204-1-BKS 7709204-1-BSD LCS Sample Id: LCSD Sample Id: MB Sample Id: 7709204-1-BLK

MB Spike LCS LCS LCSD LCSD Limits %RPD RPD Units Analysis **Parameter** Flag Result Amount Result %Rec %Rec Limit Date Result 250 20 08.11.2020 21:10 Chloride < 5.00 266 106 265 106 90-110 0 mg/kg

Analytical Method: Chloride by EPA 300

3134219 Seq Number: Matrix: Soil Date Prep: 08.11.2020 MS Sample Id: 669750-001 S MSD Sample Id: 669750-001 SD 669750-001

Parent Sample Id: Spike **RPD Parent** MS MS %RPD Units Limite Analysis

MSD **MSD** Flag **Parameter** Result Result Limit Date Amount %Rec Result %Rec Chloride 107 20 08.11.2020 18:32 79.7 249 347 347 107 90-110 0 mg/kg

Analytical Method: Chloride by EPA 300

Prep Method: 3134219 Matrix: Soil 08.11.2020 Seq Number: Date Prep: Parent Sample Id: 669750-011 MS Sample Id: 669750-011 S MSD Sample Id: 669750-011 SD

RPD Parent Spike MS MS MSD MSD Limits %RPD Units Analysis Flag **Parameter** Result Limit Date Result Amount %Rec %Rec Result

08.11.2020 19:46 Chloride 20 15.0 250 288 109 289 110 90-110 0 mg/kg

Analytical Method: Chloride by EPA 300

3134222 08.11.2020 Seq Number: Matrix: Soil Date Prep: 669700-003 S Parent Sample Id: 669700-003 MS Sample Id: MSD Sample Id: 669700-003 SD

Parent Spike MS MS Limits %RPD RPD Units Analysis MSD MSD Flag **Parameter** Result Limit Date Result Amount %Rec Result %Rec

08.12.2020 09:52 7940 10400 20 Chloride 2510 98 10500 102 90-110 1 mg/kg

Analytical Method: Chloride by EPA 300

3134222 08.11.2020 Seq Number: Matrix: Soil Date Prep:

669750-021 S 669750-021 SD MS Sample Id: MSD Sample Id: Parent Sample Id: 669750-021 MS

MS

Spike **MSD** MSD Flag **Parameter** Result Result Limit Date Amount %Rec %Rec Result  $08.11.2020\ 21:26$ 20 Chloride 32.7 251 307 109 305 108 90-110 1 mg/kg

MS/MSD Percent Recovery Relative Percent Difference LCS/LCSD Recovery Log Difference

[D] = 100\*(C-A) / BRPD = 200\* | (C-E) / (C+E) |[D] = 100 \* (C) / [B]

Parent

Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample = Parent Result = MS/LCS Result

= MSD/LCSD Result

%RPD

Limits

MS = Matrix Spike B = Spike Added D = MSD/LCSD % Rec

Analysis

Prep Method:

Prep Method:

Prep Method:

Prep Method:

RPD

E300P

E300P

E300P

E300P

E300P

Units

#### **Eurofins Xenco, LLC**

# Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Acceptable Temperature Range: 0 - 6 degC

Date/ Time Received: 08.11.2020 03.56.00 PM

Air and Metal samples Acceptable Range: Ambient

Work Order #: 669750

Analyst:

Temperature Measuring device used: IR-8

Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?	24.9	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	No	
#4 *Custody Seals intact on shipping container/ cooler?		
#5 Custody Seals intact on sample bottles?	N/A	
#6*Custody Seals Signed and dated?	N/A	
#7 *Chain of Custody present?	Yes	
#8 Any missing/extra samples?	No	
#9 Chain of Custody signed when relinquished/ received?	Yes	
#10 Chain of Custody agrees with sample labels/matrix?	Yes	
#11 Container label(s) legible and intact?		
#12 Samples in proper container/ bottle?	Yes	
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicated test(s)?	Yes	
#16 All samples received within hold time?		
#17 Subcontract of sample(s)?	N/A	
#18 Water VOC samples have zero headspace?	N/A	

Must be completed for after-hours delivery of samples prior to placing in the refrigerator
--

Checklist completed by:	Brianna Teel	Date: <u>08.11.2020</u>	
Checklist reviewed by:	Holly Taylor	Date: 08 12 2020	

Holly Taylor


PH Device/Lot#:

Appendix C

Photographs



Liner in Spill Area 2, facing south.



Seeding backfilled excavation, facing south.



Backfilled excavation, facing west.



Backfilled excavation, facing northeast.



Backfilled excavation, facing east.



Backfilled excavation, facing west.

Page 3 of 3

Appendix D

**OCD Communications** 

From: <u>Billings, Bradford, EMNRD</u>

To: Mark Larson

Cc: Baker, Larry; Robert Nelson

Subject: RE: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Date: Tuesday, September 1, 2020 4:10:21 PM

09/01/2020

Mark,

As stated below was agreed in our phone conversation.

**Bradford Billings** 

EMNRD/OCD

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations

From: Mark Larson < Mark@laenvironmental.com>

Sent: Tuesday, September 1, 2020 10:48 AM

**To:** Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>

Cc: Baker, Larry < Larry.Baker@apachecorp.com>; Robert Nelson < rnelson@laenvironmental.com>

Subject: [EXT] FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

#### Hello Bradford,

This email confirms our call today, September 1, 2020, for approval to complete backfilling the excavation in the swale at EBDU #37. As discussed the excavation is currently backfilled with caliche to approximately 5 feet below ground surface (bgs). NMOCD approved filling the remainder of the excavation to three (3) feet with clean caliche and to ground surface with topsoil. Since Apache is finishing backfilling the north excavation with topsoil it will fill the excavation in the swale with topsoil from 5 feet to ground surface. Notification will be submitted o NMOCD at least 7 days excluding weekends prior to installing monitoring wells. Please let me know if this is not consistent with our discussion. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Thank you,

Mark J. Larson, P.G.

President/Sr. Hydrogeologist 507 N. Marienfeld St., Suite 202 Midland, Texas 79701

Office – 432-687-0901

Cell - 432-556-8656

Fax – 432-687-0456 mark@laenvironmental.com



From: Mark Larson

**Sent:** Thursday, August 13, 2020 8:26 AM

**To:** 'Bradford.Billings@state.nm.us' < <u>Bradford.Billings@state.nm.us</u>>

Cc: Baker, Larry < <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a>; Robert Nelson <a href="mailto:rnelson@laenvironmental.com">rnelson@laenvironmental.com</a>

Subject: FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

#### Hello Bradford,

Soil sampling at EBDU #37 was completed on August 11, 202. The laboratory reported chloride above the OCD closure criteria of 600 milligrams per kilogram (mg/Kg) in two (2) samples: BH-3, 10 feet (774 mg/Kg) and 12 feet (666 mg/Kg). Chloride was 419 mg/Kg in the sample from 14 feet. Apache would like to forgo installing the 20 mil thickness polyethylene liner in the bottom of the large excavation and fill the remainder of the Area 2 excavation with caliche to approximately 3 feet bgs and with top soil from 3 feet to ground surface. The excavation north of the large excavation will be completed per the approved remediation plan. Please see the attached drawing (Figure 2) for the boring locations. Table 4 presents the confirmation composite sample locations. Drilling and installation for two (2) monitoring wells is scheduled for Monday, August 18<sup>th</sup>.

Your approval is this remediation plan modification is requested. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

**From:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Sent:** Monday, August 10, 2020 10:51 AM **To:** Mark Larson < <u>Mark@laenvironmental.com</u>>

**Cc:** Baker, Larry < <u>Larry.Baker@apachecorp.com</u>>; Robert Nelson < <u>rnelson@laenvironmental.com</u>>

**Subject:** RE: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

08/10/2020

Hello M. Baker (Apache) and Mr. Larson (LAI),

As OCD has been informed you are looking to proceed on the site tomorrow, the following:

OCD approves the modifications as indicated in attached email form LAI. If the circumstances occur as is possible, there would be no need for the liner, and OCD agrees. OCD appreciates the desire to generate accurate data and is please for your efforts along those lines. If field data indicates a modification please attempt to contact me on phone or email.

Thank you and please be safe and careful.

Sincerely,

Bradford Billings EMNRD/OCD

**From:** Mark Larson < <u>Mark@laenvironmental.com</u>>

Sent: Monday, August 10, 2020 8:49 AM

**To:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Cc:** Baker, Larry <<u>Larry.Baker@apachecorp.com</u>>; Robert Nelson <<u>rnelson@laenvironmental.com</u>>

**Subject:** [EXT] FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Hello Bradford,

I am following up on the email below to see if you have had a moment to review.

Thank you,

Mark

From: Mark Larson

**Sent:** Friday, August 7, 2020 11:45 AM

**To:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Cc:** Baker, Larry < <u>Larry.Baker@apachecorp.com</u>>; Robert Nelson < <u>rnelson@laenvironmental.com</u>>

**Subject:** FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Hello Bradford,

Apache Corporation has completed backfilling the deep excavation (Area 2) at EBUD #37 (1RP-5636) with clean caliche to approximately five (5) feet below ground surface (bgs) to allow access for a Geoprobe Model 7822DT to delineate the vertical extent of chloride in soil below the excavation at approximately 12 feet bgs. Personnel from Larson & Associates, Inc. (LAI) collected soil samples at the proposed boring location (BH-1) near the center of the excavation at 10, 12, 14, 16, 18 and 20 feet bgs, on August 3, 2020. The laboratory reported chloride at 11.6 mg/Kg (10 feet), 13.3 mg/Kg (12 feet), 13.4 mg/Kg (14 feet), 22.9 mg/Kg (16 feet), 34.4 mg/Kg (18 feet) and 24.7 mg/Kg at 20 feet bgs. Previous bottom samples from B15 collected on August 8, 2019, from 13, 15, 17, 19, 21 and 22 feet bgs, reported chloride at 720 mg/Kg, 1,840 mg/Kg, 1,950 mg/Kg, 3,800 mg/Kg, 544 mg/Kg, and 3,440 mg/Kg, respectively, and suggested possible sample cross contamination. Benzene, BTEX and TPH were the analytical method reporting limits. LAI personnel collected composite sidewall samples from the excavation to approximately 5 feet that were analyzed for benzene, BTEX and TPH. The final concentrations are below the OCD cleanup levels in Table 1 (19.15.29 NMAC).

Apache requests approval from OCD to collect additional delineation soil samples with the Geoprobe from four (4) locations (north, south, east and west) from location BH-1 at the same depths (10, 12,14,16,18 and 20 feet) and analyze the samples for chloride. Apache would like to forgo installing the 20 mil thickness polyethylene liner in the bottom of the large excavation If chloride concentrations are below the OCD remediation limit (600 mg/Kg). Apache will fill the remainder of the Area 2 excavation with caliche to approximately 3 feet bgs and with top soil from 3 feet to ground surface. The excavation north of the large excavation will be completed per the approved remediation plan. Please see the attached drawing (Figure 2) for the proposed borings BH-2 through BH-5. Figure 2a presents the composite soil sample locations. Table 4 presents the confirmation composite sample locations.

Your approval is this remediation plan modification is requested. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

**From:** Mark Larson < <u>Mark@laenvironmental.com</u>>

Sent: Monday, December 23, 2019 1:58 PM

To: Bradford.Billings@state.nm.us

**Cc:** Baker, Larry <<u>Larry.Baker@apachecorp.com</u>>; Rachel Owen <<u>rowen@laenvironmental.com</u>>;

Mark Larson < <u>Mark@laenvironmental.com</u>>

**Subject:** Re: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Dear Bradford,

This email will confirm our phone conversation on December 20, 2019 for the EBDU #37 produced water release:

- Apache will install a boring in the bottom of the excavation to delineate the vertical extent of chloride in soil. Soil samples will be collected beginning at the bottom of the excavation and every five (5) feet thereafter until chloride decreases below 600 mg/Kg or groundwater is encountered;
- Apache will install two (2) additional monitoring wells at locations shown on the attached drawing. The monitoring wells will be constructed similar to monitoring well TMW-1 and TMW-2 with about 20 feet of screen placed above and below the groundwater level observed during drilling. Groundwater is expected to occur around 50 feet bgs therefore the borings will be advanced to around 70 feet bgs;
- Survey wells for top of elevation (top of casing and ground) for groundwater potentiometric surface elevation, flow direction and gradient;
- Apache will close the excavation at Area 1 according to the remediation plan dated October 29, 2019;
- Apache will close the excavation at Area 2, based on the laboratory results of samples from
  the boring to be placed in the bottom of the excavation, by filling the excavation to
  approximately 5 feet bgs with clean caliche, installing a 20 mill thickness polyethylene liner at
  approximately 5 feet bgs and backfilling to surface with clean topsoil;
- Seed Area 1 and Area 2 following remediation according to landowner requirements;
- Perform quarterly groundwater monitoring (5 wells) and reporting.

Your approval is this addendum remediation plan is requested. Please contact Bruce Baker with Apache or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

# 1RP-5636 **2021**

# First (1<sup>st</sup>) Quarter GROUNDWATER MONITORING REPORT (January – March)

East Blinebry Drinkard Unit #37 Lea County, New Mexico

> Latitude: N 32.47956° Longitude: W -103.12206°

LAI Project No. 19-0112-49

April 20, 2021

#### Prepared for:

Apache Corporation 303 Veterans Airpark Lane Midland, Texas 79705

#### Prepared by:

Larson & Associates, Inc.
507 North Marienfeld Street, Suite 202
Midland, Texas 79701

Mark J. Larson, P.G. Certified Professional Geologist #10490 Daniel A. St. Germain Staff Geologist

Samuel &

This Page Intentionally Left Blank

Tal	h	le	οf	Co	nte	ents
	~		vı	-		,,,,,

1.0 Executive Summary	1
·	
2.0 Introduction	1
2.1 Background	7
2.2 Monitoring Well Installations	2
3.0 DEPTH TO GROUNDWATER AND GROUNDWATER POTENTIOMETRIC SURFACE ELEVATION	3
4.0 Groundwater Samples and Analysis	3
4.1 Organic Analysis	4
4.2 Inorganic Analysis	4
5.0 Conclusions	4

#### **Tables**

Table 1 Monitor Well Construction and Gauging Summary
Table 2 Groundwater Sample Analytical Data Summary

#### **Figures**

Figure 1 Topographic Map

Figure 2 Aerial Map

Figure 3 Groundwater Potentiometric Map, March 11, 2021

Figure 4 Chloride Concentration in Groundwater Map, March 11, 2021

Figure 5 TDS Concentration in Groundwater Map, March 11, 2021

#### **Appendices**

Appendix A Initial C-141

Appendix B OCD Communications

Appendix C Boring Logs

Appendix D Laboratory Report

1RP-5636 2021 Groundwater Monitoring Report (January – March) EBDU #37, Lea County, New Mexico April 20, 2021

#### **1.0 EXECUTIVE SUMMARY**

Larson & Associates, Inc. (LAI) has prepared this first quarter groundwater monitoring report on behalf of Apache Corporation (Apache) for submittal to the New Mexico Oil Conservation Division (OCD) District 1 in Hobbs and Santa Fe, New Mexico. This report presents the 2021 first quarter (January – March) groundwater gauging summary and laboratory analysis of groundwater samples collected from four (4) monitor wells (TMW-1, TMW-2, TMW-3, and TMW-4) and a windmill at the East Blinebry Drinkard Unit (EBDU) #37 (Site) located in Lea County, New Mexico. The geodetic position is North 32.479569° and West -103.122061°.

The following groundwater monitoring activities occurred on March 11, 2021:

- Gauged depth to ground water in four (4) monitor wells (TMW-1 through TMW-4).
- Purged and collected groundwater samples from four (4) monitor wells (TMW-1 through TMW-4).
- > Collect groundwater samples from a windmill located south from the Site.
- Analyzed groundwater samples for benzene, toluene, ethylbenzene, and xylenes (BTEX), total dissolved solids (TDS), and chloride.

The following observations are documented in this report:

- No significant changes were observed in potentiometric surface elevation, flow direction, or gradient during the monitoring period.
- ➤ Groundwater flow was from north to south at gradients between 0.0012 feet per foot (ft/ft) and 0.0019 ft/ft.
- ➤ BTEX was not reported above the analytical method reporting limits (RL) or New Mexico Water Quality Control Commission (WQCC) human health standards in groundwater samples collected on March 11, 2021.
- Chloride was reported above the WQCC domestic water quality standard of 250 milligrams per liter (mg/L) in groundwater samples collected from wells TMW-2 (293 mg/L), TMW-4 (834 mg/L), and the windmill (252 mg/L).
- > TDS was reported above the WQCC domestic water quality standard of 1,000 mg/L in the groundwater sample collected from well TMW-4 (1960 mg/L).

Apache will continue quarterly monitoring of groundwater in wells TMW-1 through TMW-4 and the windmill during 2021 with laboratory analysis of groundwater samples for BTEX, TDS, and chloride. Notice will be provided to OCD in Hobbs and Santa Fe, New Mexico at least 5 working days prior to each groundwater monitoring event. OCD will be notified immediately upon receipt laboratory analysis with significant increase of analyte concentrations.

#### 2.0 INTRODUCTION

Larson & Associates, Inc. (LAI), on behalf of Apache Corporation (Apache), has prepared this first quarter groundwater monitoring report for submittal to the New Mexico Oil Conservation Division (OCD) District 1 in Hobbs and Santa Fe, New Mexico. This report presents the first quarter laboratory analysis of groundwater samples collected from monitor wells (TMW-1, TMW-2, TMW-3, TMW-4) and a windmill at the East Blinebry Drinkard Unit (EBDU) #37 (Site) located in Lea County, New Mexico. The geodetic

1RP-5636 2021 Groundwater Monitoring Report (January – March) EBDU #37, Lea County, New Mexico April 20, 2021

position is North 32.479569° and West -103.122061°. Figure 1 presents a topographic map. Figure 2 presents an aerial map.

#### 2.1 Background

The spill originated from a flowline at a pipeline junction located about 720 feet east from Well #37. Produced fluids (oil and water) flowed west about 350 feet west from the release origin, and south about 450 feet before terminating in low-lying area. The volume of the release and recovered fluid are unknown. The spill is designated as a major release due to the unknown volume of the release. The spill covered an area measuring about 31,320 square feet or about 0.72 acres. The initial C-141 was submitted on July 26, 2019 and was assigned remediation permit number 1RP-5636. Appendix A presents the initial C-141.

On October 29, 2019, Apache submitted to the OCD a remediation plan titled, "1RP-5636 REMEDIATION PLAN, East Blinebry Drinkard Unit #37 Produced water Spill, Lea County, New Mexico, October 29, 2019". On December 23, 2019, OCD approved an addendum to the remediation plan based on a telephone call on December 20, 2019, with the following conditions:

- Apache will install a boring in the bottom of the excavation to delineate the vertical extent of chloride in soil. Soil samples will be collected beginning at the bottom of the excavation and every five (5) feet thereafter until chloride decreases below 600 mg/Kg or groundwater is encountered.
- Apache will install two (2) additional monitoring wells at locations shown on the attached drawing. The monitoring wells will be constructed similar to monitoring well TMW-1 and TMW-2 with about 20 feet of screen placed above and below the groundwater level observed during drilling. Groundwater is expected to occur around 50 feet bgs therefore the borings will be advanced to around 70 feet bgs.
- Survey wells for top of elevation (top of casing and ground) for groundwater potentiometric surface elevation, flow direction and gradient.
- Apache will close the excavation at Area 1 according to the remediation plan dated October 29, 2019.
- Apache will close the excavation at Area 2, based on the laboratory results of samples from the boring to be placed in the bottom of the excavation, by filling the excavation to approximately 5 feet bgs with clean caliche, installing a 20-mill thickness polyethylene liner at approximately 5 feet bgs and backfilling to surface with clean topsoil.
- Seed Area 1 and Area 2 following remediation according to landowner requirement.
- Perform quarterly groundwater monitoring (5 wells) and reporting.

Appendix B presents the OCD communications.

#### 2.2 Monitoring Well Installations

On September 29, 2019, Scarborough Drilling Inc. (SDI), under LAI supervision, installed two (2) monitoring wells (TMW-1 and TMW-2) under permits issued by the State of New Mexico Office of the State Engineer. Monitoring wells TMW-3 and TMW-4 were repositioned to avoid removing thick vegetation and/or crossing underground pipelines. Monitoring well TMW-3 was repositioned about 100 feet west from its original location. Monitoring well TMW-4 was repositioned about 30 feet east from its original location. OCD approved the relocation of the monitoring wells September 22, 2020. Appendix B presents OCD communications.

1RP-5636 2021 Groundwater Monitoring Report (January – March) EBDU #37, Lea County, New Mexico April 20, 2021

Monitoring wells TMW-3 and TMW-4 were drilled to approximately 68.41 feet bgs and 70.09 feet bgs, respectively. Both wells were completed with two (2) inch threaded schedule 40 PVC casing and approximately twenty (20) feet of 0.01-inch factory slotted screen. The screens were positioned above and below the groundwater level observed during drilling. Graded silica sand was placed around the well screens to about two (2) feet above the screens. The remaining annulus above the screens was filled to about 1-foot bgs with bentonite chips and hydrated with potable water. The wells are secured with locking steel covers.

The monitor wells (TMW-1 through TMW-4) were surveyed by West Company, a State of New Mexico Licensed Professional Land Surveyor (LPS Number 23263) for geodetic position and elevation, including surface elevation and top of casing (TOC) elevation. Figure 2 presents the monitoring well locations. Appendix C presents the boring logs and monitoring well completion records.

#### 3.0 DEPTH TO GROUNDWATER AND GROUNDWATER POTENTIOMETRIC SURFACE ELEVATION

On March 11, 2021, depth to groundwater was gauged in wells TMW-1 through TMW-4. Groundwater was measured at 49.41 (TMW-1), 58.0 (TMW-2), 57.59 (TMW-3), and 57.4 (TMW-4) feet below top of casing (TOC). The groundwater potentiometric surface elevation ranged from 3,366.16 feet above mean sea level (MSL) at TMW-2 (up gradient) to 3,365.16 above MSL at TMW-1 (down gradient). Groundwater flow from north to south at gradients between 0.0012 feet per foot (ft/ft) and 0.0019 ft/ft.

No significant changes in potentiometric surface elevation, flow direction, or gradient were observed on March 11, 2021. Figure 3 presents the groundwater potentiometric surface map on March 11, 2021. Table 1 presents monitor well construction and gauging summary.

#### 4.0 GROUNDWATER SAMPLES AND ANALYSIS

On March 10, 2021 LAI personnel collected groundwater samples from monitoring wells TMW-1 through TMW-4, using the low stress or low flow method following EPA protocol (EQASOP-GW4, Revision 4, September 19, 2017) where an environmental pump is submerged near the middle of the water column and the well is pumped at a low flow rate until environmental parameters stabilize.

Groundwater samples were collected from discharge through dedicated disposable Tygon tubing. The tubing was discarded after each use and the pump was thoroughly cleaned with a solution of potable water and laboratory grade detergent (alconox) and rinsed with distilled water. The samples were transferred to labeled laboratory containers, packed in an ice chest filled with ice, and delivered under chain of custody control to Xenco Laboratories (Xenco), a National Environmental Laboratory Accreditation Conference (NELAC) accredited laboratory, located in Midland, Texas. A duplicate sample was collected from the windmill for laboratory quality assurance and quality control (QA/QC).

Xenco analyzed the samples for benzene, toluene, ethylbenzene, xylene (BTEX) according to EPA SW-846 Method SW-8260D, total dissolved solids (TDS) by Method SM 2540C, and chloride by EPA Method 300. Table 2 presents the laboratory analytical summary. Appendix B presents the laboratory report.

1RP-5636 2021 Groundwater Monitoring Report (January – March) EBDU #37, Lea County, New Mexico April 20, 2021

## 4.1 Organic Analysis

Xenco reported BTEX concentrations below the laboratory analytical reporting limit (RL) and New Mexico Water Quality Control Commission (WQCC) human health standards in groundwater samples from TMW-1 through TMW-4 and windmill March 11, 2021. The results are consistent with the results from previous groundwater monitoring events.

## 4.2 Inorganic Analysis

Chloride concentrations remain above the WQCC domestic water quality standard (250 mg/L) in samples collected from monitoring wells TMW-2 (293 mg/L), TMW-4 (834 mg/L), and the windmill (252 mg/L). Chloride concentrations were below WQCC domestic water quality standards in monitoring wells TMW-1 (10.9 mg/L) and TMW-2 (213 mg/L), and consistent with previous monitoring events. The duplicate (QA/QC) sample (Dup-1) collected from the windmill is within 2.8 percent (259 mg/L) of the original chloride value (252 mg/L) for the windmill. No data quality exceptions were noted in Xenco case narratives. Figure 4 presents the chloride isopleth map for March 11, 2021.

TDS concentrations remain above the WQCC domestic water quality standard (1,000 mg/L) in samples collected from TMW-2 (1,000 mg/L) and TMW-4 (1,960 mg/L). TDS concentrations remain below the WQCC domestic water quality standards in monitoring wells TMW-1 (360 mg/L), TMW-3, (900 mg/L), and the windmill (745 mg/L). Figure 5 presents the TDS isopleth map for March 11, 2021.

## **5.0 CONCLUSIONS**

The following observations are made in this report:

- The groundwater flow direction was from north to south at gradients between approximately 0.0012 and 0.0019 ft/ft.
- No significant changes were observed in potentiometric surface elevation, flow direction, or gradient during the monitoring period.
- BTEX was reported below the analytical reporting limit and WQCC human health standards in groundwater samples collected from TMW-1 through TMW-4.
- Chloride concentrations were reported above WQCC domestic water quality standard (250 mg/L) in groundwater samples collected from TMW-2 (293 mg/L), TMW-4 (834 mg/L), and the windmill (252 mg/L).
- TDS concentrations were reported above the WQCC domestic water quality standard (1,000 mg/L) in groundwater samples collected from TMW-2 (1,000 mg/L) and TMW-4 (1,960 mg/L).
- Apache will continue quarterly monitoring of groundwater in wells TMW-1 through TMW-4 and the windmill during 2021 with laboratory analysis of groundwater samples for BTEX, chloride and TDS.

Notice will be provided to OCD in Hobbs and Santa Fe, New Mexico at least 7 working days prior to each groundwater monitoring event. The OCD will be notified immediately upon receipt of laboratory analysis with significant increase of analyte concentrations.

**Tables** 

Received by OCD: 2/9/2021 11:39:58 AM

## Table 1 1RP-5636

# Monitoring Well Completion and Gauging Summary Apache Corportaion, EBDU #37 Lea County, New Mexico

			Well	Informatio	n				Groundwater Data							
Well No.	Date Drilled	Well Depth (Feet TOC)	Drilled Depth (Feet BGS)	Well Diameter (inches)	Surface Elevation (Feet AMSL)	Screen Interval (Feet BGS)	Casing Stickup (Feet)	TOC Elevation (Feet AMSL)	Date Gauged	Depth to Water (feet TOC)	Depth to Water (feet BGS)	Water Column Height (feet)	Groundwater Elevation (feet AMSL)			
TMW-1	09/19/2019	74.36	71.00	2	3411.21	42.32 - 61.97	3.36	3,414.57	09/23/2019 12/26/2019 09/30/2020 12/07/2020 03/11/2021	46.18 48.90 49.31 49.42 49.41	42.82 45.54 45.95 46.06 46.05	28.18 26.27 25.05 24.94 24.95	3,368.39 3,365.67 3,365.26 3,365.15 3,365.16			
TMW-2	09/19/2019	82.86	80.00	2	3421.30	47.50 - 67.50	2.86	3,424.16	09/23/2019 12/26/2019 09/30/2020 12/07/2020 03/11/2021	55.80 57.50 58.01 58.08 58.00	52.94 54.64 55.15 55.22 55.14	27.06 25.36 24.85 24.78 24.86	3,368.36 3,366.66 3,366.15 3,366.08 3,366.16			
TWM-3	09/29/2020	71.29	68.41	2	3420.33	49.96 - 68.41	2.88	3,423.21	09/23/2019 12/26/2020 09/30/2020 12/07/2020 03/11/2021	 57.62 57.68 57.59	 54.74 54.80 54.71	 13.67 13.61 13.70	3,365.59 3,365.53 3,365.62			
TMW-4	09/29/2020	73.25	70.09	2	3420.03	49.96 - 69.76	3.16	3,423.19	09/23/2019 12/26/2019 09/30/2020 12/07/2020 03/11/2021	 57.39 57.45 57.40	 54.23 54.29 54.24	 15.86 15.80 15.85	 3,365.80 3,365.74 3,365.79			

Notes: monitoring wells installed by Environ-Drill, Albuquerque, New Mexico with 2 inch schedule 40 PVC casing and screen

bgs: below ground surface

TOC: top of casing

AMSL: denotes elevation in feet above mean sea level

Table 2

1RP-5636

Groundwater Sample Analytical Data Summary

Apache Corporation, EBDU 37, Lea County, New Mexico

Sample	Collection	Benzene	Toluene	Ethylbenzene	Xylenes	Chloride	TDS	Depth To	
	Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	Water	
NMWQCC Stand	ard:	*0.005	*1	*0.7	*0.62	**250	**1,000	(Feet TOC)	
Windmill	(') 08/01/2019	<0.001	<0.001	<0.001	<0.003	232	732		
	(²) 09/23/2019								
	(²) 12/26/2019	<0.000800	<0.00200	<0.00200	<0.00200	259	688		
	( <sup>3</sup> ) 09/30/2020	<0.00200	<0.00200	<0.00200	<0.00200	274	730		
	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	287	930		
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	252	745		
TMW-1	(²) 09/23/2019	<0.00800	<0.00200	<0.00200	<0.00200	37.4	400	46.18	
_	(²) 12/26/2019			<0.00200	<0.00200		390	48.9	
	( <sup>3</sup> ) 09/30/2020		<0.00200	<0.00200	<0.00200		390	49.31	
	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200		383	49.42	
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400		360		
TMW-2	(²) 09/23/2019	<0.00800	<0.00200	<0.00200	<0.00200	338	1,220	55.8	
110100-2	(°) 03/23/2013 (°) 12/26/2019			<0.00200	<0.00200		1,170	57.5	
	(°) 12/20/2019 (°) 09/30/2020	<0.00200	0.00227	<0.00200	<0.00200		1,040	58.01	
	(°) 03/30/2020 (°) 12/07/2020	<0.00200	<0.00227	<0.00200	<0.00200		1,040	58.06	
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00200		1,000	30.00	
	( ) 03/11/2021	<b>10.00200</b>	<b>10.00200</b>	<b>\0.00200</b>	<b>10.00400</b>	233	1,000		
TMW-3	09/23/2019								
	12/26/2019								
	( <sup>3</sup> ) 09/30/2020	<0.00200	0.00322	<0.00200	0.00448	212	891	57.62	
	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	214	948	57.68	
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	213	900		
TMW-4	09/23/2019								
	12/26/2019								
	( <sup>3</sup> ) 09/30/2020	<0.00200	0.00314	<0.00200	<0.00200	1,020	2,040	57.39	
	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	987	2,300	57.45	
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	834	1,960		
DUP-1 (Windmill)	( <sup>3</sup> ) 09/30/2020	<0.00200	<0.00200	<0.00200	<0.00200	276	794		
DUP-1 (Windmill)		<0.00200	<0.00200	<0.00200	<0.00200		908		
DUP-1 (Windmill)	l '_'	<0.00200	<0.00200	<0.00200	<0.00200		798		

## Table 2 1RP-5636

# Groundwater Sample Analytical Data Summary Apache Corporation, EBDU 37, Lea County, New Mexico

### Notes:

('): analysis performed by Cardinal Laboratories, Hobbs, New Mexico, by EPA SW-846 Method 8021B (BTEX) and titration methods (chloride and TDS).

(²): analysis performed by DHL Analytical, Round Rock, Texas, by EPA SW-846 Method 8021B (BTEX) and Method 300 (chloride).

(3): analysis performed by Xenco Laboratories, Midland, Texas, by EPA SW-846 Method 8021B (BTEX) and Method 300 (chloride).

(4): anaylis performed by Eurofins-Xenco, Midland, Texas, by EPA SW-846 Method 8021B (BTEX) and Method 300 (chloride). Units reported as ug/L in report, converted to mg/L.

< values: concentration is less than method reporting limit (RL).


- \*: NMWQCC Human Health Standard
- \*\*: NMWQCC Domestic Water Quality Standard
- --: no data available


TOC: top of casing


All values reported in milligrams per liter (mg/L) equivalent to parts per million (ppm)

Bold and highlighted denotes analyte concentration exceeds NMWQCC domestic water quality standard

**Figures** 










Figure 4a - Chloride Concentration in Groundwater, March 11, 2021




Figure 5a - TDS Concentration in Groundwater, March 11, 2021

Appendix A

Initial C-141

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	NDHR1922141227
District RP	1RP-5636
Facility ID	
Application ID	pDHR1922140928

## **Release Notification**

## **Responsible Party**

Responsible Party: Apache Corporation	OGRID 873
Contact Name: Bruce Baker	Contact Telephone: (432) 631-6982
Contact email: Larry.Baker@apachecorp.com	Incident # (assigned by OCD)
Contact Mailing Address: 2350 W. Marland Blvd, Hobbs, NM 88240	

## **Location of Release Source**

Latitude: W 32.4807053 Longitude: N -103.123085

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: E	BDU #37 W	/IW		Site Type: Water Injection Well						
Date Release	Discovered	: July 14, 2019		API # 3002506556						
Unit Letter	Section	Township	Danga		County					
E E	12	21S	Range 37E	LEA	County					
L	12	210	J/L	LL	1					
Surface Owne	r: State	Federal T	ribal 🔀 Private	(Name:	William Stephens)					
			Nature an	d Vo	lume of Release					

Materia	al(s) Released (Select all that apply and attach calculations or specific	e justification for the volumes provided below)
Crude Oil	Volume Released (Unknown bbls)	Volume Recovered (Unknown bbls)
Produced Water	Volume Released (Unknown bbls)	Volume Recovered (Unknown bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		
Isolation valve failure du	ne to internal corrosion.	

Received by OCD: 2/9/2021 11:39:58 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

Page 266 of 330

Incident ID	NDHR1922141227
District RP	1RP-5636
Facility ID	
Application ID	pDHR1922140928

Was this a major	If YES, for what reason(s) does the responsible party consider this a major release?
release as defined by 19.15.29.7(A) NMAC?	
, ,	
☐ Yes ⊠ No	
If VES was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
	CD by Bruce Baker, Senior Environmental Technician, Apache Corporation
	Initial Response
The responsible	party must undertake the following actions immediately unless they could create a safety hazard that would result in injury
The source of the rele	ease has been stopped.
	s been secured to protect human health and the environment.
Released materials ha	ave been contained via the use of berms or dikes, absorbent pads, or other containment devices.
All free liquids and re	ecoverable materials have been removed and managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain why:
has begun, please attach	AC the responsible party may commence remediation immediately after discovery of a release. If remediation a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred at area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
	rmation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and
public health or the environs	required to report and/or file certain release notifications and perform corrective actions for releases which may endanger ment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have
	ate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In f a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws
Printed Name: <u>Jeff Broom</u>	Title: Environmental Technician
Signature:	Date: <u>07/24/2019</u>
Email: <u>Jeffrey.Broom@a</u> g	pachecorp.com Telephone: (432) 664-4677
OCD Only	
Received by: <u>Dylan Ro</u>	ose-Coss Date: 08/09/2019
J. Dyimi ICC	

Appendix B

**OCD Communications** 

From: <u>Billings, Bradford, EMNRD</u>

To: Mark Larson

Cc: <u>Baker, Larry; Rachel Owen</u>

**Subject:** RE: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

**Date:** Monday, December 23, 2019 3:21:06 PM

12/23/2019

Apache Corp. – Larry Baker Larson Environmental

RE: 1RP-5636/EBDU #37, the following:

The attached/stringed email as an addendum to offered Work Plan is approved, including the location of proposed monitor wells, as was discussed recently on the telephone.

Please keep a copy of this communication for your records, as NO paper copy will follow. It may take some days for this to be uploaded to The Oil Conservation Division (OCD) data base,

ODE appreciates your efforts.

Sincerely,

Bradford Billings EMNRD/OCD Santa Fe, NM

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations

From: Mark Larson < Mark@laenvironmental.com>

**Sent:** Monday, December 23, 2019 12:58 PM

To: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>

Cc: Baker, Larry <Larry.Baker@apachecorp.com>; Rachel Owen <rowen@laenvironmental.com>;

Mark Larson < Mark@laenvironmental.com>

Subject: [EXT] Re: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Dear Bradford,

This email will confirm our phone conversation on December 20, 2019 for the EBDU #37 produced water release:

- Apache will install a boring in the bottom of the excavation to delineate the vertical extent of chloride in soil. Soil samples will be collected beginning at the bottom of the excavation and every five (5) feet thereafter until chloride decreases below 600 mg/Kg or groundwater is encountered;
- Apache will install two (2) additional monitoring wells at locations shown on the attached drawing. The monitoring wells will be constructed similar to monitoring well TMW-1 and TMW-2 with about 20 feet of screen placed above and below the groundwater level observed during drilling. Groundwater is expected to occur around 50 feet bgs therefore the borings will be advanced to around 70 feet bgs;
- Survey wells for top of elevation (top of casing and ground) for groundwater potentiometric surface elevation, flow direction and gradient;
- Apache will close the excavation at Area 1 according to the remediation plan dated October 29, 2019;
- Apache will close the excavation at Area 2, based on the laboratory results of samples from the boring to be placed in the bottom of the excavation, by filling the excavation to approximately 5 feet bgs with clean caliche, installing a 20 mill thickness polyethylene liner at approximately 5 feet bgs and backfilling to surface with clean topsoil;
- Seed Area 1 and Area 2 following remediation according to landowner requirements;
- Perform quarterly groundwater monitoring (5 wells) and reporting.

Your approval is this addendum remediation plan is requested. Please contact Bruce Baker with Apache or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432- 556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

From: <u>Billings, Bradford, EMNRD</u>

To: Mark Larson

Cc: Baker, Larry; Robert Nelson

**Subject:** RE: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Date: Tuesday, September 1, 2020 4:10:21 PM

09/01/2020

Mark,

As stated below was agreed in our phone conversation.

**Bradford Billings** 

EMNRD/OCD

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations

From: Mark Larson < Mark@laenvironmental.com>

Sent: Tuesday, September 1, 2020 10:48 AM

**To:** Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>

Cc: Baker, Larry < Larry.Baker@apachecorp.com>; Robert Nelson < rnelson@laenvironmental.com>

Subject: [EXT] FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

## Hello Bradford,

This email confirms our call today, September 1, 2020, for approval to complete backfilling the excavation in the swale at EBDU #37. As discussed the excavation is currently backfilled with caliche to approximately 5 feet below ground surface (bgs). NMOCD approved filling the remainder of the excavation to three (3) feet with clean caliche and to ground surface with topsoil. Since Apache is finishing backfilling the north excavation with topsoil it will fill the excavation in the swale with topsoil from 5 feet to ground surface. Notification will be submitted o NMOCD at least 7 days excluding weekends prior to installing monitoring wells. Please let me know if this is not consistent with our discussion. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Thank you,

Mark J. Larson, P.G. President/Sr. Hydrogeologist

507 N. Marienfeld St., Suite 202

Midland, Texas 79701

Office - 432-687-0901

Cell - 432-556-8656

Fax – 432-687-0456 mark@laenvironmental.com



From: Mark Larson

Sent: Thursday, August 13, 2020 8:26 AM

**To:** 'Bradford.Billings@state.nm.us' < <u>Bradford.Billings@state.nm.us</u>>

Cc: Baker, Larry < <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a>; Robert Nelson <a href="mailto:rnelson@laenvironmental.com">rnelson@laenvironmental.com</a>

Subject: FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

## Hello Bradford,

Soil sampling at EBDU #37 was completed on August 11, 202. The laboratory reported chloride above the OCD closure criteria of 600 milligrams per kilogram (mg/Kg) in two (2) samples: BH-3, 10 feet (774 mg/Kg) and 12 feet (666 mg/Kg). Chloride was 419 mg/Kg in the sample from 14 feet. Apache would like to forgo installing the 20 mil thickness polyethylene liner in the bottom of the large excavation and fill the remainder of the Area 2 excavation with caliche to approximately 3 feet bgs and with top soil from 3 feet to ground surface. The excavation north of the large excavation will be completed per the approved remediation plan. Please see the attached drawing (Figure 2) for the boring locations. Table 4 presents the confirmation composite sample locations. Drilling and installation for two (2) monitoring wells is scheduled for Monday, August 18<sup>th</sup>.

Your approval is this remediation plan modification is requested. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

**From:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Sent:** Monday, August 10, 2020 10:51 AM **To:** Mark Larson < <u>Mark@laenvironmental.com</u>>

**Cc:** Baker, Larry < <u>Larry.Baker@apachecorp.com</u>>; Robert Nelson < <u>rnelson@laenvironmental.com</u>>

Subject: RE: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

08/10/2020

Hello M. Baker (Apache) and Mr. Larson (LAI),

As OCD has been informed you are looking to proceed on the site tomorrow, the following:

OCD approves the modifications as indicated in attached email form LAI. If the circumstances occur as is possible, there would be no need for the liner, and OCD agrees. OCD appreciates the desire to generate accurate data and is please for your efforts along those lines. If field data indicates a modification please attempt to contact me on phone or email.

Thank you and please be safe and careful.

Sincerely,

Bradford Billings EMNRD/OCD

**From:** Mark Larson < <u>Mark@laenvironmental.com</u>>

Sent: Monday, August 10, 2020 8:49 AM

**To:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Cc:** Baker, Larry <<u>Larry.Baker@apachecorp.com</u>>; Robert Nelson <<u>rnelson@laenvironmental.com</u>>

**Subject:** [EXT] FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Hello Bradford,

I am following up on the email below to see if you have had a moment to review.

Thank you,

Mark

From: Mark Larson

**Sent:** Friday, August 7, 2020 11:45 AM

**To:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Cc:** Baker, Larry < <u>Larry.Baker@apachecorp.com</u>>; Robert Nelson < <u>rnelson@laenvironmental.com</u>>

**Subject:** FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Hello Bradford,

Apache Corporation has completed backfilling the deep excavation (Area 2) at EBUD #37 (1RP-5636) with clean caliche to approximately five (5) feet below ground surface (bgs) to allow access for a Geoprobe Model 7822DT to delineate the vertical extent of chloride in soil below the excavation at approximately 12 feet bgs. Personnel from Larson & Associates, Inc. (LAI) collected soil samples at the proposed boring location (BH-1) near the center of the excavation at 10, 12, 14, 16, 18 and 20 feet bgs, on August 3, 2020. The laboratory reported chloride at 11.6 mg/Kg (10 feet), 13.3 mg/Kg (12 feet), 13.4 mg/Kg (14 feet), 22.9 mg/Kg (16 feet), 34.4 mg/Kg (18 feet) and 24.7 mg/Kg at 20 feet bgs. Previous bottom samples from B15 collected on August 8, 2019, from 13, 15, 17, 19, 21 and 22 feet bgs, reported chloride at 720 mg/Kg, 1,840 mg/Kg, 1,950 mg/Kg, 3,800 mg/Kg, 544 mg/Kg, and 3,440 mg/Kg, respectively, and suggested possible sample cross contamination. Benzene, BTEX and TPH were the analytical method reporting limits. LAI personnel collected composite sidewall samples from the excavation to approximately 5 feet that were analyzed for benzene, BTEX and TPH. The final concentrations are below the OCD cleanup levels in Table 1 (19.15.29 NMAC).

Apache requests approval from OCD to collect additional delineation soil samples with the Geoprobe from four (4) locations (north, south, east and west) from location BH-1 at the same depths (10, 12,14,16,18 and 20 feet) and analyze the samples for chloride. Apache would like to forgo installing the 20 mil thickness polyethylene liner in the bottom of the large excavation If chloride concentrations are below the OCD remediation limit (600 mg/Kg). Apache will fill the remainder of the Area 2 excavation with caliche to approximately 3 feet bgs and with top soil from 3 feet to ground surface. The excavation north of the large excavation will be completed per the approved remediation plan. Please see the attached drawing (Figure 2) for the proposed borings BH-2 through BH-5. Figure 2a presents the composite soil sample locations. Table 4 presents the confirmation composite sample locations.

Your approval is this remediation plan modification is requested. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

**From:** Mark Larson < <u>Mark@laenvironmental.com</u>>

Sent: Monday, December 23, 2019 1:58 PM

To: Bradford.Billings@state.nm.us

**Cc:** Baker, Larry <<u>Larry.Baker@apachecorp.com</u>>; Rachel Owen <<u>rowen@laenvironmental.com</u>>;

Mark Larson < <u>Mark@laenvironmental.com</u>>

**Subject:** Re: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Dear Bradford,

This email will confirm our phone conversation on December 20, 2019 for the EBDU #37 produced water release:

- Apache will install a boring in the bottom of the excavation to delineate the vertical extent of chloride in soil. Soil samples will be collected beginning at the bottom of the excavation and every five (5) feet thereafter until chloride decreases below 600 mg/Kg or groundwater is encountered;
- Apache will install two (2) additional monitoring wells at locations shown on the attached drawing. The monitoring wells will be constructed similar to monitoring well TMW-1 and TMW-2 with about 20 feet of screen placed above and below the groundwater level observed during drilling. Groundwater is expected to occur around 50 feet bgs therefore the borings will be advanced to around 70 feet bgs;
- Survey wells for top of elevation (top of casing and ground) for groundwater potentiometric surface elevation, flow direction and gradient;
- Apache will close the excavation at Area 1 according to the remediation plan dated October 29, 2019;
- Apache will close the excavation at Area 2, based on the laboratory results of samples from
  the boring to be placed in the bottom of the excavation, by filling the excavation to
  approximately 5 feet bgs with clean caliche, installing a 20 mill thickness polyethylene liner at
  approximately 5 feet bgs and backfilling to surface with clean topsoil;
- Seed Area 1 and Area 2 following remediation according to landowner requirements;
- Perform quarterly groundwater monitoring (5 wells) and reporting.

Your approval is this addendum remediation plan is requested. Please contact Bruce Baker with Apache or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

From: <u>Billings, Bradford, EMNRD</u>

To: Mark Larson

Cc: <u>Baker, Larry</u>; <u>Robert Nelson</u>

**Subject:** RE: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

**Date:** Monday, August 10, 2020 11:03:12 AM

08/10/2020

Hello M. Baker (Apache) and Mr. Larson (LAI),

As OCD has been informed you are looking to proceed on the site tomorrow, the following:

OCD approves the modifications as indicated in attached email form LAI. If the circumstances occur as is possible, there would be no need for the liner, and OCD agrees. OCD appreciates the desire to generate accurate data and is please for your efforts along those lines. If field data indicates a modification please attempt to contact me on phone or email.

Thank you and please be safe and careful.

Sincerely,

Bradford Billings EMNRD/OCD

From: Mark Larson < Mark@laenvironmental.com>

Sent: Monday, August 10, 2020 8:49 AM

To: Billings, Bradford, EMNRD < Bradford. Billings@state.nm.us>

Cc: Baker, Larry < Larry.Baker@apachecorp.com>; Robert Nelson < rnelson@laenvironmental.com>

Subject: [EXT] FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Hello Bradford,

I am following up on the email below to see if you have had a moment to review.

Thank you,

Mark

From: Mark Larson

**Sent:** Friday, August 7, 2020 11:45 AM

**To:** Billings, Bradford, EMNRD < <u>Bradford.Billings@state.nm.us</u>>

**Cc:** Baker, Larry <<u>Larry.Baker@apachecorp.com</u>>; Robert Nelson <<u>rnelson@laenvironmental.com</u>>

Subject: FW: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Hello Bradford,

Apache Corporation has completed backfilling the deep excavation (Area 2) at EBUD #37 (1RP-5636) with clean caliche to approximately five (5) feet below ground surface (bgs) to allow access for a Geoprobe Model 7822DT to delineate the vertical extent of chloride in soil below the excavation at approximately 12 feet bgs. Personnel from Larson & Associates, Inc. (LAI) collected soil samples at the proposed boring location (BH-1) near the center of the excavation at 10, 12, 14, 16, 18 and 20 feet bgs, on August 3, 2020. The laboratory reported chloride at 11.6 mg/Kg (10 feet), 13.3 mg/Kg (12 feet), 13.4 mg/Kg (14 feet), 22.9 mg/Kg (16 feet), 34.4 mg/Kg (18 feet) and 24.7 mg/Kg at 20 feet bgs. Previous bottom samples from B15 collected on August 8, 2019, from 13, 15, 17, 19, 21 and 22 feet bgs, reported chloride at 720 mg/Kg, 1,840 mg/Kg, 1,950 mg/Kg, 3,800 mg/Kg, 544 mg/Kg, and 3,440 mg/Kg, respectively, and suggested possible sample cross contamination. Benzene, BTEX and TPH were the analytical method reporting limits. LAI personnel collected composite sidewall samples from the excavation to approximately 5 feet that were analyzed for benzene, BTEX and TPH. The final concentrations are below the OCD cleanup levels in Table 1 (19.15.29 NMAC).

Apache requests approval from OCD to collect additional delineation soil samples with the Geoprobe from four (4) locations (north, south, east and west) from location BH-1 at the same depths (10, 12,14,16,18 and 20 feet) and analyze the samples for chloride. Apache would like to forgo installing the 20 mil thickness polyethylene liner in the bottom of the large excavation If chloride concentrations are below the OCD remediation limit (600 mg/Kg). Apache will fill the remainder of the Area 2 excavation with caliche to approximately 3 feet bgs and with top soil from 3 feet to ground surface. The excavation north of the large excavation will be completed per the approved remediation plan. Please see the attached drawing (Figure 2) for the proposed borings BH-2 through BH-5. Figure 2a presents the composite soil sample locations. Table 4 presents the confirmation composite sample locations.

Your approval is this remediation plan modification is requested. Please contact Bruce Baker with Apache at (432) 631-6982 or email <a href="mailto:Larry.Baker@apachecorp.com">Larry.Baker@apachecorp.com</a> or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

From: Mark Larson < Mark@laenvironmental.com > Sent: Monday, December 23, 2019 1:58 PM

To: Bradford.Billings@state.nm.us

**Cc:** Baker, Larry < <u>Larry.Baker@apachecorp.com</u>>; Rachel Owen < <u>rowen@laenvironmental.com</u>>;

Mark Larson < <u>Mark@laenvironmental.com</u>>

**Subject:** Re: 1RP-5636 - EBDU #37 Addendum to Remediation Plan

Dear Bradford,

This email will confirm our phone conversation on December 20, 2019 for the EBDU #37 produced water release:

- Apache will install a boring in the bottom of the excavation to delineate the vertical extent of chloride in soil. Soil samples will be collected beginning at the bottom of the excavation and every five (5) feet thereafter until chloride decreases below 600 mg/Kg or groundwater is encountered;
- Apache will install two (2) additional monitoring wells at locations shown on the attached drawing. The monitoring wells will be constructed similar to monitoring well TMW-1 and TMW-2 with about 20 feet of screen placed above and below the groundwater level observed during drilling. Groundwater is expected to occur around 50 feet bgs therefore the borings will be advanced to around 70 feet bgs;
- Survey wells for top of elevation (top of casing and ground) for groundwater potentiometric surface elevation, flow direction and gradient;
- Apache will close the excavation at Area 1 according to the remediation plan dated October 29, 2019;
- Apache will close the excavation at Area 2, based on the laboratory results of samples from the boring to be placed in the bottom of the excavation, by filling the excavation to approximately 5 feet bgs with clean caliche, installing a 20 mill thickness polyethylene liner at approximately 5 feet bgs and backfilling to surface with clean topsoil;
- Seed Area 1 and Area 2 following remediation according to landowner requirements;
- Perform quarterly groundwater monitoring (5 wells) and reporting.

Your approval is this addendum remediation plan is requested. Please contact Bruce Baker with Apache or me if you have questions.

Mark J. Larson, P.G.
President/Sr. Hydrogeologist
507 N. Marienfeld St., Suite 202
Midland, Texas 79701
Office – 432-687-0901
Cell – 432-556-8656
Fax – 432-687-0456
mark@laenvironmental.com



"Serving the Permian Basin Since 2000"

Appendix C

**Boring Logs** 

				BORING	RECORD				
		Start: 11	:40	NO	LOG	Surface Elevation: TOC Elecation:		REMARKS	
GEOLOGIC	DEPTH	Finish: 12	2:58	DESCRIPTION	IC L	Vented Cap	~ X X	BACKGROUNI	
UNIT		DESC	CRIPTION LITHOLOGIC	SCR	GRAPHIC	Riser	IN INF	FID READING	j 2014
		DLO	on non Emiocodo	当	GR/	bentonite	NUMBER RECOVERY	SOIL:	PPM
	0	Silty Cla	y, 7.5YR, 5/1, Gray,	CI	///				$\exists$
	_		e Grained Quartz	CL				1	
		Sand, D		Caliche					$\exists$
	5 —	1	7.5YR, 7/1 to 7/2,					5	
	_	11	Gray, Sandy, Fine to	1					╡
	10—	Sand, D	ne Grained Quartz	1					$\exists$
	" -		nd, 10YR, 6/4, Light	SM				10	4
	_		sh, Very Fine to	Sivi					7
	15		ained Quartz Sand,		$\ \cdot\ _1$				4
	_	Poorly S	Sorted, Subrounded,					15	=
	_	Loose	_,						4
	20		6/6, Reddish Yellow						4
		Round	0', Poorly Sorted,	1		Sodium		20	╡
		41	/4, Very Pale Brown	/		Bentonite		20	Ⅎ
	25—	Below 1	•	//					=
		i ———	'R, 5/6 to 6/6,	' sw				25	4
		Yellowisl	n Red to Reddish					25	4
	30—	1	ery Fine Grained						
	_	1	and, Poorly Sorted,						-
		1	Moist, Very Moist					30	7
	35—	Below 35		$\overline{}$					
	_	1	ne, 5YR, 6/6, Reddish						4
	40—		/ery Fine Grained and,Poorly Sorted,			40.00		35	_=
		1	ely Well Cemented to						-
	_	Well Cer				42.32 Graded		40	7
	45			Sand		Silica Sar	d	40	4
$-\frac{46.72}{}$				Stone					4
						2" Sch. 4			Ⅎ
	50—					PVC		45	$\exists$
	_					Threade 0.0.0"	1		4
	55					Slotted Screw			$\exists$
	33 -	Gravelly	Sand, 7.5YR, 6/6,	\					-
	_	11	Yellow, Fine to Mediun	A					7
	60-	Grained	Quartz Sand, Round,		27 12			60	4
	_		to 40mm	SP	SA	61.97 Cap		60	4
	_		ΓD: 62'			62.65 <b>XXX</b> Cap			
<u> </u>				1		、JOB NUMBER : Apach	- Corn	/ 19-0112-40	-
ı ==		JOUS AUGER S			OF BORING	HOLE DIAMETER :	5"	7.7 10 0112- <del>4</del> 9	-[
		ENETRATION T	L LABORATO	DRY TEST L			<del></del> U #37		-
	NDISTURBE 'ATER TABLI		+ PENETROI  NR NO RECO		NS/ SQ. FT )	LAI GEOLOGIST : M. L			_[
w	AILN IADL	L ( 24 NK3 )	DRILL DATE :		NUMBER :	DRILLING CONTRACTO			-[
Aarson & ssociates, Environmental Consul	Inc.		9-19-2019		W-1	DRILLING METHOD :		<u> </u>	<u> </u>

				I	BORING	RECORD					_			
		Start: 15	5:02		NO NO	00		ation: 3,563.50 on: 3,566,23	)'		REMARKS			
GEOLOGIC	DEPTH	Finish:	15:55		DESCRIPTION USCS	GRAPHIC LOG		Vented Cap	8	Ϋ́	BACKGROUN			
UNIT		DESC	CRIPTION LITHOLO	OGIC	SCR	PH		Riser	1BE	RECOVERY	PID READING	3		
		DES	JAIP HON LITHOLC	JGIC	DES	3R/		Bentonite	$\leq$		SOIL:	PPM PPM		
	0 —	Silty Cla	ay, 10YR, 5/6, A	\sh	CL		7/		1		15:02			
		Brown,												
	-	Caliche	, 7.5YR, 8/2, Pir	nkish								-		
	5 —		Sandy to Modera								15:03	_		
			ne Grained Qua	rtz								_		
	_	Sand			Caliche							-		
	10—									+	15:05	_		
	-											_		
		Silty Sa	nd, 7.5YR, 7/2,									_		
			Gray, Very Fine			*					15:10	_		
	15		l Quartz Sand, F	Poorly						+	15.10	_		
		Sorted,	Dry		SM									
	-											-		
	20_										15:15			
	_											4		
	_		YR, 6/0, Reddis					Sodium				-		
			Very Fine Grain					Bernonine						
	25		Sand, Poorly So	orted,						+	15:17	_		
	_	Dry										-		
											45.00	_		
	30				SW					$^{\dagger}$	15:22	-		
					000									
	-											_		
	35										15:23			
	_											4		
	_											_		
	40	Sand 5	YR, 6/6, Reddis	sh.					$\vdash$	+	15:28	_		
	-		Moderate Well	) i i								_		
			ted, Poorly Sorte	ed, Drv								4		
	45 <u></u>		, , ,	, ,							15:30	-		
	45_				SW		45.5			$\top$	10.00			
	-				3**		47.5					4		
	-						47.5	Graded Silica				-		
		*	*Continue*					Sand	$\prod$	1	45.54:-			
10 01	NE CONTINU	JOUS AUGER S	SAMPLER —	WATER TAE	BLE ( TIME	OF BORING	<i>,</i> 1	BER : Apache	Coi					
ST	TANDARD PI	ENETRATION 1	EST _	LABORATO	RY TEST L	OCATION		HOLE DIAMETER: 5"						
	NDISTURBE		+	PENETROM		NS/ SQ. FT )		N: EBDU #3						
— w	ATER TABLE	E ( 24 HRS )	NR	NO RECOVI			LAI GEOLO			arso				
Aarson & ssociates, I	nc.		DRILL DATE : 9-20-2019		BORING TMV	NUMBER :		CONTRACTO			SDC			
Environmental Consult		DRILLING	METHOD :A	ır K	otary	<u>'</u>								

				BORING	RECORD										
		Start: 15	5:02	NO	OG	Surface Elevation: 3,563.50' TOC Elecation: 3,566,23'  REMARKS									
GEOLOGIC	DEPTH	Finish:	15:55	DESCRIPTION USCS	GRAPHIC LOG										
UNIT		DESC	CRIPTION LITHOLOGIC	SCR	APH	*Continue*  *Continue*  *Continue*  *Continue*  *Continue*	iG DDA								
		DEG	JAN TIGIT ETTIGEGGIG	Ä	GR/	Continue Sol:	PPM								
	50	,	*Continue*												
							_								
						Graded Silica Sand									
		0114	101 51 501				_								
	55 —	Moist at	d Clayey Below 50',												
		WOISt at	. 55				_								
							_								
							_								
						2" Sch. 40	_								
	60 —					PVC Threaded									
						0.0.0" Slotted	_								
				SM-SC		Screw	_								
				OW CC			_								
	<u></u>						_								
	65 —														
							_								
						67.85 Cap	_								
							_								
	70						_								
	′0 —					]									
							_								
	$\neg$						_								
							_								
	75						_								
	, ,														
			7.5YR, 4/3, Light												
			Poorly Sorted,	GW	HAY.		_								
		Round,	Red Bed												
	80		TD: 79'			80.00									
							_								
							_								
ONE	E CONTINU	OUS AUGER S	SAMPLER — WATER	TABLE ( TIME	OF BORING	JOB NUMBER : Apache Corp. / 19-0112-49									
STA	ANDARD PE	NETRATION T		` TORY TEST L		HOLE DIAMETER : 5"									
UNE	DISTURBED	SAMPLE	+ PENETRO	OMETER (TOI	NS/ SQ. FT )	LOCATION : EBDU #37									
WATER TABLE (24 HRS ) NR NO RECOV						LAI GEOLOGIST : M. Larson									
DRILL DATE:					NUMBER :	DRILLING CONTRACTOR : SDC									
Agrson & 9-20-2019 Environmental Consultants					<i>l</i> -2	DRILLING METHOD : Air Rotary									

				E	BORING	RECORD	)											
		Start: 09	9:35 MST		NO	90		PI	D	RE	ΑΓ	OIN	G	S	AMP	LE		REMARKS
GEOLOGIC	DEPTH	Finish: 1	0:30 MST		DESCRIPTION USCS	SRAPHIC LOG	F	РМ	Х	·				_ &	READING	:КY	E	BACKGROUND
UNIT		DESC	CRIPTION LITHOLOGIC		SCF	H d	2	4 6	8	10	12	14	16 1	NUMBER	REAL	RECOVERY	티	PID READING
		520	7 1.01. E111.020010		DE	GR/									등	REC	닑	SOIL:PPM
	0	Sand, 7.	5YR 4/4, Brown, Fir	ne	SM				T		Ì		П	1		Ħ	1	_
			Fine Quartz															_
	5 _	II '	uartz and Feldspar	.										2		H	5	_
	=	11	e to Well Sorted, Su d to Well Rounded	b														=
	10 _	L	7.5YR 8/2, Pinkish		Caliche									3		H	10	
	=		andy, Fine to Very F	ine														3
	15 _		Well Sorted, Well			$\Box$												_=
	=	Rounded	l											4			15	=
	20 _	Sand, 10	YR 8/2, Very Pale															<del>-</del>
	20 _	Brown, C	Quartz Rich Sand, W											5			20	7
	=		to Very Well Round		, SM													=
	25 _		II Sorted, Fine to Ve ined Quartz Sand	ry	Civi									6			25	=
	=																	=
	30 _		6, Strong Brown, , Quartz Rich, Well											7		Н.	30	
			to Very Well Round	ded,														3
	35 _		Il Sorted, Fine to Ve															_
	=		ined Quartz Sand w	ith										8			35	=
	40 =		in Depth Lithology															=
	40 _		the Same comes Silty to Very											9		ľ	40	$\equiv$
	45 -	_	ined Quartz Sand to	)														_
	45 _	65'												10			45	_
	=																	7
	50 _													1	1	H	50	$\exists$
	=				014													=
	55 —				SM									12	2	H	55	_
	=																	_
	60 _													1		Щ	60	_
	=													'	]		50	7
	65 —													1	1	Ш		3
	=	,	Sand, 7.5YR, Strong	g	SP									'		П	65	=
	70 =		ine to Very Fine			1.1~1								1			68	4
	=		Sand, Quartz and , Oxidized, Sub															=
	75 —		to Sub Rounded,															
	-	. •	-15mm), Poorly Sort	ted														=
		•	TD: 68.41'	_				Ш								Щ		
ONE CONTINUOUS AUGER SAMPLER — WATER TA						OF BORING	,										9-	-0112-49
STANDARD PENETRATION TEST LABORATO						OCATION		IOLE								<u>5"</u> 7		
	NDISTURBE		·		LOCATION : EBDU #37 OVERY  LAI GEOLOGIST : T. Jackson													
— w	ATER TABLI	E ( 24 HRS )	NR NO RE	COVE	_												ЛΙ	SDC
Aarson & ssociates, I	nc.		DRILL DATE : 09-29-2020			NUMBER : <b>W-3</b>		RILI RILI									rv	300
Environmental Consulta	ants						L	/1 \1L	<u>-11</u>	vG	ıvl	<u>- 1</u>	IUL	<i>_</i>	1		1	

	BORING RECORD												
		Start:12:	NOI	90	PID READING SAI					LE		REMARKS	
GEOLOGIC	DEPTH	Finish13	Finish13:40		GRAPHIC LOG	Riser  Bentonite				R	≅RY	- 1	BACKGROUND
UNIT		DESCRIPTION LITHOLOGIC		DESCRIPTION USCS	APH					MBE	COVER	PTH	PID READING
			51.11 11614 E11116E6616	DE	GR/			/	Bentonite		ZEC	넭	SOIL :PPM
	0	Caliche,	7.5YR 8/2, Pinkish							1		1	
		1	edium to Very Fine,	Caliche									
	5 _		orted, Sub Angular to							2		5	_
	=	Sub Rou	nded										_
	10 _				$\vdash$					3		10	
	=									$ $			
	15 _		YR 8/2, Very Pale										E
	_		uartz Rich Sand, Well							4		15	
	20 _		Rounded to Very Well Rounded, Very Well Sorted, Fine to Very										
	20	Fine Qua		SM						5		20	_
	=	i iiio Qua	niz Gana										4
	25 _	7.5YR 5/0	6, Strong Brown,							6		25	
			, Quartz Rich Sand,										$\blacksquare$
	30 —		ular to Sub Rounded,							Ш			
	_		orted, Coarse to Fine Quartz Sand with							7		30	_
	35 _	Increase											
	33 _		nology Remained							8		35	
	_		and Grain Size										$\blacksquare$
	40 _	4	ed to Fine to Very Fine							9		40	
	=		and, Well Sorted,			45.96	7	/-	Sodium Bentonite				
	45 _	Rounded	to Well Rounded			47.96			Bentonite	10		45	
	=					49.96				'4		43	
	50 —						<b>#</b>						1
	50 -								011 0 1 40	11		50	$\blacksquare$
	<sub>==</sub> -			SM					PVC 2" Sch. 40				_
	55 —								Threaded 0.0.0"	12		55	_ <del>-</del>
			SYR, Strong Brown,						Slotted Screw				$\blacksquare$
	60 —		vel, Fine to Very				<b>※</b>			13		60	_
	=		Quartz Sand, Quartz spar, Oxidized, Sub										
	65 –	1	o Sub Rounded,				<b>#</b>			14		65	·
	=		-15mm), Poorly Sorted				<b>※</b>						
	70 —	`	TD: 70 001			69.76 <b>-</b> 70.09	<u> </u>		— Сар	15		70	
	_		TD: 70.09'										, <u> </u>
	75 <del>-</del>												
	=												4
										Ш			
ONE CONTINUOUS AUGER SAMPLER WATER TABLE (TIME OF BORING) JOB NUMBER : Apache/ 19-0112-49											<u>-U112-49</u>		
STANDARD PENETRATION TEST  LABORATORY TEST LOCATION  HOLE DIAMETER: 5"  LOCATION: FRDIL#37													
UN		ter (TONS/ SQ. FT) LOCATION : EBDU #37  RY LAI GEOLOGIST : T. Jackson											
w/	ATER TABL	E ( 24 HRS )	ERY	III IN INC.							ווע		
Agrson & DRILL DATE: 09-29-2020					NUMBER : W-4		DRILLING CONTRACTOR : SDC  DRILLING METHOD : Air Rotary						
Environmental Consulta			DKILL	IING IV	ı⊏ II			Jid	ı y				

Appendix D

Laboratory Report

# **Environment Testing America**

## **ANALYTICAL REPORT**

Eurofins Xenco, Midland 1211 W. Florida Ave Midland, TX 79701 Tel: (432)704-5440

Laboratory Job ID: 880-387-1

Client Project/Site: Apache-EBDU #37

For:

Larson & Associates, Inc. 507 N Marienfeld Suite 202 Midland, Texas 79701

Attn: Mr. Mark J Larson

Holly Taylor

Authorized for release by: 3/26/2021 9:50:23 AM

Holly Taylor, Project Manager (806)794-1296

holly.taylor@eurofinset.com

····· Links ·····

Review your project results through

Total Access

Have a Question?



Visit us at:

www.eurofinsus.com/Env

Released to Imaging: 8/27/2021 10:20:40 AM

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

\_

3

4

6

\_\_\_\_\_

9

10

12

13

14

11

Client: Larson & Associates, Inc.

Project/Site: Apache-EBDU #37

Laboratory Job ID: 880-387-1

## **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	15
Lab Chronicle	17
Certification Summary	
Method Summary	20
Sample Summary	21
Chain of Custody	
Receint Checklists	23

\_

3

4

6

8

10

12

4 4

1

## **Definitions/Glossary**

Client: Larson & Associates, Inc. Job ID: 880-387-1

Project/Site: Apache-EBDU #37

**Qualifiers** 

**GC VOA** Qualifier **Qualifier Description** 

F1 MS and/or MSD recovery exceeds control limits. U Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier **Qualifier Description** 

U Indicates the analyte was analyzed for but not detected.

**Subcontract** 

Qualifier **Qualifier Description** 

K Sample analyzed outside of recommended hold time.

U Analyte was not detected.

**Glossary** 

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery **CFL** Contains Free Liquid **CFU** Colony Forming Unit **CNF** Contains No Free Liquid

Duplicate Error Ratio (normalized absolute difference) **DER** 

Dil Fac **Dilution Factor** 

Detection Limit (DoD/DOE) DL

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

**EDL** Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) Minimum Detectable Concentration (Radiochemistry) MDC

MDL Method Detection Limit Minimum Level (Dioxin) ML MPN Most Probable Number Method Quantitation Limit MQL

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

**Practical Quantitation Limit PQL** 

**PRES** Presumptive QC **Quality Control** 

**RER** Relative Error Ratio (Radiochemistry)

RI Reporting Limit or Requested Limit (Radiochemistry)

**RPD** Relative Percent Difference, a measure of the relative difference between two points

**TEF** Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

**TNTC** Too Numerous To Count

Eurofins Xenco, Midland

## Case Narrative

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Job ID: 880-387-1

Job ID: 880-387-1

Laboratory: Eurofins Xenco, Midland

Narrative

Job Narrative 880-387-1

## Comments

No additional comments.

### Receipt

The samples were received on 3/15/2021 9:18 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.5° C.

#### GC VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## **General Chemistry**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### **Subcontract non-Sister**

See attached subcontract report.

## **VOA Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### **Subcontract Work**

Method TDS: This method was subcontracted to Eurofins Stafford. The subcontract laboratory certification is different from that of the facility issuing the final report.

3

4

5

6

1

9

10

12

1

A E

15

# **Detection Summary**

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Job ID: 880-387-1

Client Sample ID: TWM-1

Client Sample ID: TWM-1 Lab Sample ID: 880-387-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	Method	Prep Type
Chloride	10.9		0.500	mg/L		300.0	Total/NA
Total Dissolved Solids	360	K	5.00	mg/L	1	TDS	Total/NA

Client Sample ID: TWM-3 Lab Sample ID: 880-387-2

Analyte	Result Qualifier	RL	Unit	Dil Fac	D Method	Prep Type
Chloride	213	5.00	mg/L	10	300.0	Total/NA
Total Dissolved Solids	900 K	5.00	mg/L	1	TDS	Total/NA

Client Sample ID: TWM-2 Lab Sample ID: 880-387-3

	Analyte	Result	Qualifier	RL	Unit	Dil Fac	D Method	Prep Type
	Chloride	293		5.00	mg/L	10	300.0	Total/NA
l	Total Dissolved Solids	1000	K	5.00	mg/L	1	TDS	Total/NA

Client Sample ID: TWM-4 Lab Sample ID: 880-387-4

Analyte	Result Qualifier	RL	Unit	Dil Fac	D Method	Prep Type
Chloride	834	10.0	mg/L	20	300.0	Total/NA
Total Dissolved Solids	1960 K	5.00	mg/L	1	TDS	Total/NA

Client Sample ID: Windmill Lab Sample ID: 880-387-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D Method	Prep Type
Chloride	252		2.50	mg/L	5	300.0	Total/NA
Total Dissolved Solids	745	K	5.00	mg/L	1	TDS	Total/NA

Client Sample ID: Dup-1 Lab Sample ID: 880-387-6

Analyte	Result Qualifier	RL	Unit	Dil Fac D	Method	Prep Type
Chloride	259	2.50	mg/L	5	300.0	Total/NA
Total Dissolved Solids	798 K	5.00	mg/L	1	TDS	Total/NA

This Detection Summary does not include radiochemical test results.

Job ID: 880-387-1

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Lab Sample ID: 880-387-1 **Client Sample ID: TWM-1** 

Date Collected: 03/11/21 08:53 **Matrix: Water** Date Received: 03/15/21 09:18

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00		ug/L			03/24/21 02:09	1
Ethylbenzene	<2.00	U	2.00		ug/L			03/24/21 02:09	1
Toluene	<2.00	U	2.00		ug/L			03/24/21 02:09	1
Total BTEX	<2.00	U	2.00		ug/L			03/24/21 02:09	1
Xylenes, Total	<4.00	U	4.00		ug/L			03/24/21 02:09	1
m-Xylene & p-Xylene	<4.00	U	4.00		ug/L			03/24/21 02:09	1
o-Xylene	<2.00	U	2.00		ug/L			03/24/21 02:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130					03/24/21 02:09	1
1,4-Difluorobenzene (Surr)	102		70 - 130					03/24/21 02:09	1
Method: 300.0 - Anions, Io	on Chromatogra	phy							
Analyte	•	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.9		0.500		mg/L			03/17/21 23:08	1
Method: TDS - SM 2540C	Total Dissolved	Solids (TI	OS)						
		•	•		1114	_	B	A I	D11 E
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

**Client Sample ID: TWM-3** Lab Sample ID: 880-387-2

Date Collected: 03/11/21 09:12 **Matrix: Water** Date Received: 03/15/21 09:18

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00		ug/L			03/20/21 10:50	1
Ethylbenzene	<2.00	U	2.00		ug/L			03/20/21 10:50	1
Toluene	<2.00	U	2.00		ug/L			03/20/21 10:50	1
Total BTEX	<2.00	U	2.00		ug/L			03/20/21 10:50	1
Xylenes, Total	<4.00	U	4.00		ug/L			03/20/21 10:50	1
m-Xylene & p-Xylene	<4.00	U	4.00		ug/L			03/20/21 10:50	1
o-Xylene	<2.00	U	2.00		ug/L			03/20/21 10:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130					03/20/21 10:50	1
1,4-Difluorobenzene (Surr)	99		70 - 130					03/20/21 10:50	1
Method: 300.0 - Anions, Io	n Chromatogra	phy							
Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chloride	213		5.00		mg/L			03/17/21 23:17	10
- Method: TDS - SM 2540C T	otal Dissolved	Solids (TI	OS)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	900	K	5.00		mg/L		03/21/21 12:30	03/21/21 12:30	

Client: Larson & Associates, Inc.

Job ID: 880-387-1

Project/Site: Apache-EBDU #37

Client Sample ID: TWM-2 Lab Sample ID: 880-387-3

. Matrix: Water

Date Collected: 03/11/21 09:36 Date Received: 03/15/21 09:18

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00		ug/L			03/20/21 11:11	1
Ethylbenzene	<2.00	U	2.00		ug/L			03/20/21 11:11	1
Toluene	<2.00	U	2.00		ug/L			03/20/21 11:11	1
Total BTEX	<2.00	U	2.00		ug/L			03/20/21 11:11	1
Xylenes, Total	<4.00	U	4.00		ug/L			03/20/21 11:11	1
m-Xylene & p-Xylene	<4.00	U	4.00		ug/L			03/20/21 11:11	1
o-Xylene	<2.00	U	2.00		ug/L			03/20/21 11:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130					03/20/21 11:11	1
1,4-Difluorobenzene (Surr)	101		70 - 130					03/20/21 11:11	1
Method: 300.0 - Anions, lo	n Chromatogra	phy							
Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chloride	293		5.00		mg/L			03/17/21 23:26	10
Method: TDS - SM 2540C T	otal Dissolved	Solids (TI	OS)						
Analyte		Qualifier	, RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1000	IZ.	5.00		mg/L		03/21/21 12:30	03/21/21 12:30	- 1

Client Sample ID: TWM-4 Lab Sample ID: 880-387-4

Date Collected: 03/11/21 10:05 Matrix: Water

Date Received: 03/15/21 09:18

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00		ug/L			03/20/21 11:31	1
Ethylbenzene	<2.00	U	2.00		ug/L			03/20/21 11:31	1
Toluene	<2.00	U	2.00		ug/L			03/20/21 11:31	1
Total BTEX	<2.00	U	2.00		ug/L			03/20/21 11:31	1
Xylenes, Total	<4.00	U	4.00		ug/L			03/20/21 11:31	1
m-Xylene & p-Xylene	<4.00	U	4.00		ug/L			03/20/21 11:31	1
o-Xylene	<2.00	U	2.00		ug/L			03/20/21 11:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130					03/20/21 11:31	1
1,4-Difluorobenzene (Surr)	101		70 - 130					03/20/21 11:31	1
Method: 300.0 - Anions, Io	n Chromatogra	phy							
Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chloride	834		10.0		mg/L			03/17/21 23:35	20
Method: TDS - SM 2540C 1	Total Dissolved	Solids (TE	OS)						
Michiga. 100 - Sim 20400 1									
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

Eurofins Xenco, Midland

2

3

\_

6

8

10

12

14

15

Job ID: 880-387-1

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

**Client Sample ID: Windmill** 

Lab Sample ID: 880-387-5

**Matrix: Water** 

Date	Collected:	03/12/21	13:26
Date	Received:	03/15/21	09:18

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00		ug/L			03/20/21 11:52	1
Ethylbenzene	<2.00	U	2.00		ug/L			03/20/21 11:52	1
Toluene	<2.00	U	2.00		ug/L			03/20/21 11:52	1
Total BTEX	<2.00	U	2.00		ug/L			03/20/21 11:52	1
Xylenes, Total	<4.00	U	4.00		ug/L			03/20/21 11:52	1
m-Xylene & p-Xylene	<4.00	U	4.00		ug/L			03/20/21 11:52	1
o-Xylene	<2.00	U	2.00		ug/L			03/20/21 11:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108	-	70 - 130					03/20/21 11:52	1
1,4-Difluorobenzene (Surr)	101		70 - 130					03/20/21 11:52	1
Method: 300.0 - Anions, lo	n Chromatogra	phy							
Analyte	_	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chloride	252		2.50		mg/L			03/18/21 00:02	5
- Method: TDS - SM 2540C T	otal Dissolved	Solids (TI	OS)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	745	K	5.00		mg/L		03/21/21 12:30	03/21/21 12:30	1

Lab Sample ID: 880-387-6 **Client Sample ID: Dup-1** Date Collected: 03/12/21 00:00

Date Received: 03/15/21 09:18

Released to Imaging: 8/27/2021 10:20:40 AM

**Matrix: Water** 

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00		ug/L			03/24/21 02:30	1
Ethylbenzene	<2.00	U	2.00		ug/L			03/24/21 02:30	1
Toluene	<2.00	U	2.00		ug/L			03/24/21 02:30	1
Total BTEX	<2.00	U	2.00		ug/L			03/24/21 02:30	1
Xylenes, Total	<4.00	U	4.00		ug/L			03/24/21 02:30	1
m-Xylene & p-Xylene	<4.00	U	4.00		ug/L			03/24/21 02:30	1
o-Xylene	<2.00	U	2.00		ug/L			03/24/21 02:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130					03/24/21 02:30	1
1,4-Difluorobenzene (Surr)	101		70 - 130					03/24/21 02:30	1
Method: 300.0 - Anions, Io	n Chromatogra	phy							
Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chloride	259		2.50		mg/L			03/18/21 00:11	5
Method: TDS - SM 2540C 1	otal Dissolved	Solids (TD	OS)						
Analyte		Qualifier	RL	MDI	Unit	D	Prepared	Analyzed	Dil Fac
Allalyte	ittoduit	Qualifici			•				

# **Surrogate Summary**

Client: Larson & Associates, Inc. Job ID: 880-387-1 Project/Site: Apache-EBDU #37

Method: 8021B - Volatile Organic Compounds (GC)

**Matrix: Water Prep Type: Total/NA** 

_ab Sample ID		BFB1	DFBZ1	
	Client Sample ID	(70-130)	(70-130)	
320-139-B-4 MS	Matrix Spike	93	99	
320-139-B-4 MSD	Matrix Spike Duplicate	97	101	
380-387-1	TWM-1	91	102	
380-387-2	TWM-3	102	99	
380-387-3	TWM-2	108	101	
380-387-4	TWM-4	107	101	
380-387-5	Windmill	108	101	
380-387-6	Dup-1	95	101	
390-344-A-1 MS	Matrix Spike	100	98	
390-344-A-1 MSD	Matrix Spike Duplicate	103	95	
_CS 880-592/3	Lab Control Sample	100	100	
_CS 880-750/33	Lab Control Sample	94	94	
CSD 880-592/4	Lab Control Sample Dup	100	100	
CSD 880-750/34	Lab Control Sample Dup	97	100	
MB 880-592/8	Method Blank	102	97	
MB 880-598/5-A	Method Blank	111	95	
MB 880-750/39	Method Blank	115	96	

DFBZ = 1,4-Difluorobenzene (Surr)

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Job ID: 880-387-1

# Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-592/8

**Matrix: Water Analysis Batch: 592**  **Client Sample ID: Method Blank** Prep Type: Total/NA

03/19/21 10:29

MB MB Result Qualifier RL Unit D Prepared Analyzed Dil Fac <2.00 U 2.00 ug/L 03/19/21 10:29 <4.00 U 4.00 ug/L 03/19/21 10:29 <4.00 U 4.00 ug/L 03/19/21 10:29

ug/L

MB MB

<2.00 U

Surrogate	%Recovery 0	Qualifier Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102	70 - 130		03/19/21 10:29	1
1,4-Difluorobenzene (Surr)	97	70 - 130		03/19/21 10:29	1

2.00

Lab Sample ID: LCS 880-592/3

**Matrix: Water** 

Analyte

Benzene

Toluene

Total BTEX

o-Xylene

Xylenes, Total

m-Xylene & p-Xylene

Ethylbenzene

**Analysis Batch: 592** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

	Spike	LCS	LCS		%Rec.	
Analyte	Added	Result	Qualifier Unit	D %Rec	Limits	
Benzene	100	104.1	ug/L		70 - 130	
Ethylbenzene	100	114.1	ug/L	114	70 - 130	
Toluene	100	110.0	ug/L	110	70 - 130	
m-Xylene & p-Xylene	200	233.0	ug/L	117	70 - 130	
o-Xylene	100	112.0	ug/L	112	70 - 130	

LCS LCS

Surrogate	%Recovery Qu	alifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1.4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-592/4

**Matrix: Water** 

**Analysis Batch: 592** 

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA % Pac DDD

	Spike	LCSD	LCSD				7οRec.		KPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	100	110.6		ug/L		111	70 - 130	6	20	
Ethylbenzene	100	119.9		ug/L		120	70 - 130	5	20	
Toluene	100	115.8		ug/L		116	70 - 130	5	20	
m-Xylene & p-Xylene	200	244.2		ug/L		122	70 - 130	5	20	
o-Xylene	100	117.1		ug/L		117	70 - 130	4	20	

Snika

ICSD ICSD

LCSD LCSD

Surrogate	%Recovery Qualifie	r Limits
4-Bromofluorobenzene (Surr)	100	70 - 130
1,4-Difluorobenzene (Surr)	100	70 - 130

Lab Sample ID: 890-344-A-1 MS

**Matrix: Water** 

Alialysis Dalcii. 552										
	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	<2.00	U F1	100	114.4		ug/L		114	70 - 130	

Eurofins Xenco, Midland

Prep Type: Total/NA

**Client Sample ID: Matrix Spike** 

Page 10 of 23

Client Sample ID: Matrix Spike

Prep Type: Total/NA

# **QC Sample Results**

Client: Larson & Associates, Inc. Job ID: 880-387-1

Project/Site: Apache-EBDU #37

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-344-A-1 MS

**Matrix: Water Analysis Batch: 592** 

	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Ethylbenzene	<2.00	U F1	100	121.0		ug/L		121	70 - 130
Toluene	<2.00	U F1	100	118.2		ug/L		118	70 - 130
m-Xylene & p-Xylene	<4.00	U F1	200	247.1		ug/L		124	70 - 130
o-Xylene	<2.00	U F1	100	119.3		ug/L		119	70 - 130

MS MS Limits Surrogate %Recovery Qualifier 70 - 130 4-Bromofluorobenzene (Surr) 100 1,4-Difluorobenzene (Surr) 98 70 - 130

Lal

Ma

Analysis Batch: 592

ab Sample ID: 890-344-A-1 MSD	Client Sample ID: Matrix Spike Duplicate
atrix: Water	Prep Type: Total/NA
nalysis Patch, 502	

Sample Sample Spike MSD MSD %Rec. **RPD** Limit Result Qualifier Added Result Qualifier Limits RPD Analyte Unit D %Rec Benzene <2.00 U F1 100 <2.00 UF1 70 - 130 NC 25 ug/L Ethylbenzene <2.00 UF1 100 <2.00 UF1 ug/L 0 70 - 130 NC 25 Toluene <2.00 UF1 100 <2.00 UF1 0 70 - 130 NC 25 ug/L m-Xylene & p-Xylene 200 0 70 - 130 NC 25 <4.00 U F1 <4.00 UF1 ug/L o-Xylene <2.00 UF1 100 <2.00 UF1 ug/L 70 - 130 NC

MSD MSD

Surrogate	%Recovery Qualifie	r Limits
4-Bromofluorobenzene (Surr)	103	70 - 130
1 4-Difluorobenzene (Surr)	95	70 - 130

Lab Sample ID: MB 880-598/5-A

**Matrix: Water** 

**Analysis Batch: 750** 

**Client Sample ID: Method Blank** Prep Type: Total/NA

Prep Batch: 598

	MB	MB MB						
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L		03/23/21 10:55	03/23/21 14:21	1
Ethylbenzene	<2.00	U	2.00	ug/L		03/23/21 10:55	03/23/21 14:21	1
Toluene	<2.00	U	2.00	ug/L		03/23/21 10:55	03/23/21 14:21	1
Total BTEX	<2.00	U	2.00	ug/L		03/23/21 10:55	03/23/21 14:21	1
Xylenes, Total	<4.00	U	4.00	ug/L		03/23/21 10:55	03/23/21 14:21	1
m-Xylene & p-Xylene	<4.00	U	4.00	ug/L		03/23/21 10:55	03/23/21 14:21	1
o-Xylene	<2.00	U	2.00	ug/L		03/23/21 10:55	03/23/21 14:21	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	03/23/21 10:55	03/23/21 14:21	1
1,4-Difluorobenzene (Surr)	95		70 - 130	03/23/21 10:55	03/23/21 14:21	1

Lab Sample ID: MB 880-750/39

**Matrix: Water** 

**Analysis Batch: 750** 

	MB	MB						
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			03/24/21 01:27	1
Ethylbenzene	<2.00	U	2.00	ug/L			03/24/21 01:27	1

Eurofins Xenco, Midland

Prep Type: Total/NA

**Client Sample ID: Method Blank** 

Page 11 of 23

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Job ID: 880-387-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-750/39

**Matrix: Water Analysis Batch: 750** 

Client Sample ID: Method Blank

**Prep Type: Total/NA** 

MB MB

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	<2.00	U	2.00	ug/L			03/24/21 01:27	1
Total BTEX	<2.00	U	2.00	ug/L			03/24/21 01:27	1
Xylenes, Total	<4.00	U	4.00	ug/L			03/24/21 01:27	1
m-Xylene & p-Xylene	<4.00	U	4.00	ug/L			03/24/21 01:27	1
o-Xylene	<2.00	U	2.00	ug/L			03/24/21 01:27	1

MB MB

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115	70 - 130		03/24/21 01:27	1
1,4-Difluorobenzene (Surr)	96	70 - 130		03/24/21 01:27	1

**Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Lab Sample ID: LCS 880-750/33 **Matrix: Water** 

**Analysis Batch: 750** 

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	100	96.25		ug/L		96	70 - 130	
Ethylbenzene	100	93.87		ug/L		94	70 - 130	
Toluene	100	99.05		ug/L		99	70 - 130	
m-Xylene & p-Xylene	200	191.1		ug/L		96	70 - 130	
o-Xylene	100	93.23		ug/L		93	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifie	r Limits
4-Bromofluorobenzene (Surr)	94	70 - 130
1.4-Difluorobenzene (Surr)	94	70 - 130

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Lab Sample ID: LCSD 880-750/34 **Matrix: Water** 

**Analysis Batch: 750** 

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	100	93.34		ug/L		93	70 - 130	3	20
Ethylbenzene	100	93.86		ug/L		94	70 - 130	0	20
Toluene	100	98.22		ug/L		98	70 - 130	1	20
m-Xylene & p-Xylene	200	183.2		ug/L		92	70 - 130	4	20
o-Xylene	100	92.33		ug/L		92	70 - 130	1	20

LCSD LCSD

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	97	70 - 130
1,4-Difluorobenzene (Surr)	100	70 - 130

Lab Sample ID: 820-139-B-4 MS

**Matrix: Water** 

Analysis Batch: 750											
_	Sample	Sample	Spike	MS	MS				%Rec.		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Benzene	<2.00	U	100	96.80		ug/L		97	70 - 130		-
Ethylbenzene	<2.00	U	100	95.39		ug/L		95	70 - 130		
Toluene	<2.00	U	100	101.2		ug/L		101	70 - 130		

Eurofins Xenco, Midland

Prep Type: Total/NA

Client Sample ID: Matrix Spike

Page 12 of 23

Lab Sample ID: 820-139-B-4 MS

Client: Larson & Associates, Inc. Job ID: 880-387-1 Project/Site: Apache-EBDU #37

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Client Sample ID: Matrix Spike Prep Type: Total/NA

**Matrix: Water Analysis Batch: 750** 

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
m-Xylene & p-Xylene	<4.00	U	200	190.3		ug/L		95	70 - 130	
o-Xylene	<2.00	U	100	91.70		ug/L		92	70 - 130	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	93		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 820-139-B-4 MSD **Client Sample ID: Matrix Spike Duplicate Matrix: Water** Prep Type: Total/NA

**Analysis Batch: 750** 

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<2.00	U	100	99.07		ug/L		99	70 - 130	2	25
Ethylbenzene	<2.00	U	100	101.1		ug/L		101	70 - 130	6	25
Toluene	<2.00	U	100	104.3		ug/L		104	70 - 130	3	25
m-Xylene & p-Xylene	<4.00	U	200	201.7		ug/L		101	70 - 130	6	25
o-Xylene	<2.00	U	100	98.08		ug/L		98	70 - 130	7	25

MSD MSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 70 - 130 97 1,4-Difluorobenzene (Surr) 101 70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-549/3 **Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA** 

**Analysis Batch: 549** 

MB MB Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac Chloride <0.500 U 0.500 mg/L 03/17/21 22:13

Lab Sample ID: LCS 880-549/4 **Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA** 

**Analysis Batch: 549** 

Spike LCS LCS %Rec. Added Analyte Result Qualifier Unit %Rec Limits Chloride 25.0 90 - 110 23.89 mg/L

**Lab Sample ID: LCSD 880-549/5** Client Sample ID: Lab Control Sample Dup **Matrix: Water** Prep Type: Total/NA

**Analysis Batch: 549** 

Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit %Rec Limits RPD Limit Chloride 25.0 23.77 95 90 - 110 mg/L

Job ID: 880-387-1

Prep Batch: 3154281\_P

Prep Batch: 3154281\_P

**Prep Type: Total/NA** 

Prep Type: Total/NA

Prep Batch: 3154281\_P

**Client Sample ID: Duplicate** 

Client Sample ID: Lab Control Sample Dup

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-415-A-1 MS **Client Sample ID: Matrix Spike** Prep Type: Total/NA

**Matrix: Water Analysis Batch: 549** 

Sample Sample Spike MS MS %Rec. Analyte Result Qualifier Added Result Qualifier Unit Limits D %Rec Chloride 25.0 51.0 75.29 mg/L 97 90 - 110

Lab Sample ID: 880-415-A-1 MSD Client Sample ID: Matrix Spike Duplicate **Matrix: Water Prep Type: Total/NA** 

**Analysis Batch: 549** 

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	51.0		25.0	75.26		mg/L	<u></u>	97	90 - 110	0	20

Method: TDS - SM 2540C Total Dissolved Solids (TDS)

Lab Sample ID: 3154281-1-BLK **Client Sample ID: Method Blank** Prep Type: Total/NA

**Matrix: WATER** 

Analysis Batch: 3154281

**BLANK BLANK** 

Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<5 U	5	mg/L		03/21/21 12:30	03/21/21 12:30	1

Lab Sample ID: 3154281-1-BKS **Client Sample ID: Lab Control Sample Matrix: WATER** Prep Type: Total/NA

Analysis Batch: 3154281

-	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Total Dissolved Solids	 1000	987		mg/L		99	80 - 120

Lab Sample ID: 3154281-1-BSD

**Matrix: WATER** 

Analysis Batch: 3154281						P	rep Batch	: 31542	281_P
	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Total Dissolved Solids	1000	955		mg/L		96	80 - 120	3	10

Lab Sample ID: 692017-006 D

**Matrix: WATER** 

Analysis Batch: 3154281

	Sample	Sample	DUP	DUP					RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D		RPD	Limit
Total Dissolved Solids	798		742		mg/L			7	10

# **QC Association Summary**

Client: Larson & Associates, Inc.

Project/Site: Apache-EBDU #37

Job ID: 880-387-1

**GC VOA** 

**Analysis Batch: 592** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-387-2	TWM-3	Total/NA	Water	8021B	
880-387-3	TWM-2	Total/NA	Water	8021B	
880-387-4	TWM-4	Total/NA	Water	8021B	
880-387-5	Windmill	Total/NA	Water	8021B	
MB 880-592/8	Method Blank	Total/NA	Water	8021B	
LCS 880-592/3	Lab Control Sample	Total/NA	Water	8021B	
LCSD 880-592/4	Lab Control Sample Dup	Total/NA	Water	8021B	
890-344-A-1 MS	Matrix Spike	Total/NA	Water	8021B	
890-344-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8021B	

Prep Batch: 598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-598/5-A	Method Blank	Total/NA	Water	5035	

**Analysis Batch: 750** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-387-1	TWM-1	Total/NA	Water	8021B	
880-387-6	Dup-1	Total/NA	Water	8021B	
MB 880-598/5-A	Method Blank	Total/NA	Water	8021B	598
MB 880-750/39	Method Blank	Total/NA	Water	8021B	
LCS 880-750/33	Lab Control Sample	Total/NA	Water	8021B	
LCSD 880-750/34	Lab Control Sample Dup	Total/NA	Water	8021B	
820-139-B-4 MS	Matrix Spike	Total/NA	Water	8021B	
820-139-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8021B	

**HPLC/IC** 

**Analysis Batch: 549** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-387-1	TWM-1	Total/NA	Water	300.0	
880-387-2	TWM-3	Total/NA	Water	300.0	
880-387-3	TWM-2	Total/NA	Water	300.0	
880-387-4	TWM-4	Total/NA	Water	300.0	
880-387-5	Windmill	Total/NA	Water	300.0	
880-387-6	Dup-1	Total/NA	Water	300.0	
MB 880-549/3	Method Blank	Total/NA	Water	300.0	
LCS 880-549/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 880-549/5	Lab Control Sample Dup	Total/NA	Water	300.0	
880-415-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
880-415-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

**Subcontract** 

Analysis Batch: 3154281

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-387-1	TWM-1	Total/NA	Water	TDS	3154281_P
880-387-2	TWM-3	Total/NA	Water	TDS	3154281_P
880-387-3	TWM-2	Total/NA	Water	TDS	3154281_P
880-387-4	TWM-4	Total/NA	Water	TDS	3154281_P
880-387-5	Windmill	Total/NA	Water	TDS	3154281_P
880-387-6	Dup-1	Total/NA	Water	TDS	3154281_P
3154281-1-BLK	Method Blank	Total/NA	WATER	TDS	3154281_P

Eurofins Xenco, Midland

3

5

7

O

10

12

10

1:

# **QC Association Summary**

Client: Larson & Associates, Inc. Job ID: 880-387-1 Project/Site: Apache-EBDU #37

# **Subcontract (Continued)**

# **Analysis Batch: 3154281 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
3154281-1-BKS	Lab Control Sample	Total/NA	WATER	TDS	3154281_P
3154281-1-BSD	Lab Control Sample Dup	Total/NA	WATER	TDS	3154281_P
692017-006 D	Duplicate	Total/NA	WATER	TDS	3154281_P

## Prep Batch: 3154281\_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-387-1	TWM-1	Total/NA	Water	NONE	-
880-387-2	TWM-3	Total/NA	Water	NONE	
880-387-3	TWM-2	Total/NA	Water	NONE	
880-387-4	TWM-4	Total/NA	Water	NONE	
880-387-5	Windmill	Total/NA	Water	NONE	
880-387-6	Dup-1	Total/NA	Water	NONE	
3154281-1-BLK	Method Blank	Total/NA	WATER	***DEFAULT PREP***	
3154281-1-BKS	Lab Control Sample	Total/NA	WATER	***DEFAULT PREP***	
3154281-1-BSD	Lab Control Sample Dup	Total/NA	WATER	***DEFAULT PREP***	
692017-006 D	Duplicate	Total/NA	WATER	***DEFAULT PREP***	

10

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Date Received: 03/15/21 09:18

Lab Sample ID: 880-387-1 Client Sample ID: TWM-1 Date Collected: 03/11/21 08:53

**Matrix: Water** 

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	750	03/24/21 02:09	PXS	XM
Total/NA	Analysis	300.0		1	549	03/17/21 23:08	СН	XM
Total/NA	Prep	NONE		1	3154281_P	03/21/21 12:30		XS
Total/NA	Analysis	TDS		1	3154281	03/21/21 12:30	DTN	XS

**Client Sample ID: TWM-3** Lab Sample ID: 880-387-2 Date Collected: 03/11/21 09:12

**Matrix: Water** 

Date Received: 03/15/21 09:18

Batch Batch Dilution Batch Prepared **Prep Type** Method **Factor** Number or Analyzed Type Run Analyst Lab Total/NA Analysis 8021B 03/20/21 10:50 MR  $\overline{\mathsf{XM}}$ Total/NA Analysis 300.0 10 549 03/17/21 23:17 CH ΧM Total/NA Prep NONE 1 3154281 P 03/21/21 12:30 XS Total/NA Analysis TDS 3154281 03/21/21 12:30 DTN XS 1

**Client Sample ID: TWM-2** Lab Sample ID: 880-387-3

Date Collected: 03/11/21 09:36 **Matrix: Water** 

Date Received: 03/15/21 09:18

Batch Batch Dilution Batch **Prepared** Method **Prep Type** Number or Analyzed Type Run **Factor** Analyst Lab Total/NA 8021B 03/20/21 11:11 MR XM Analysis ΧM Total/NA Analysis 300.0 10 549 03/17/21 23:26 CH Total/NA NONE XS Prep 3154281 P 03/21/21 12:30 1 Total/NA **TDS** XS Analysis 1 3154281 03/21/21 12:30 DTN

Lab Sample ID: 880-387-4 Client Sample ID: TWM-4

Date Collected: 03/11/21 10:05 **Matrix: Water** Date Received: 03/15/21 09:18

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	592	03/20/21 11:31	MR	XM
Total/NA	Analysis	300.0		20	549	03/17/21 23:35	СН	XM
Total/NA	Prep	NONE		1	3154281_P	03/21/21 12:30		XS
Total/NA	Analysis	TDS		1	3154281	03/21/21 12:30	DTN	XS

**Client Sample ID: Windmill** Lab Sample ID: 880-387-5

Date Collected: 03/12/21 13:26 **Matrix: Water** Date Received: 03/15/21 09:18

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	592	03/20/21 11:52	MR	XM
Total/NA	Analysis	300.0		5	549	03/18/21 00:02	СН	XM
Total/NA	Prep	NONE		1	3154281_P	03/21/21 12:30		XS
Total/NA	Analysis	TDS		1	3154281	03/21/21 12:30	DTN	XS

# **Lab Chronicle**

Client: Larson & Associates, Inc.

Project/Site: Apache-EBDU #37

Lab Sample ID: 880-387-6

**Matrix: Water** 

Job ID: 880-387-1

**Client Sample ID: Dup-1** Date Collected: 03/12/21 00:00

Date Received: 03/15/21 09:18

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	750	03/24/21 02:30	PXS	XM
Total/NA	Analysis	300.0		5	549	03/18/21 00:11	СН	XM
Total/NA	Prep	NONE		1	3154281_P	03/21/21 12:30		XS
Total/NA	Analysis	TDS		1	3154281	03/21/21 12:30	DTN	XS

#### **Laboratory References:**

XM = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

XS = Eurofins Stafford, 4147 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

# **Accreditation/Certification Summary**

Client: Larson & Associates, Inc. Job ID: 880-387-1

Project/Site: Apache-EBDU #37

# **Laboratory: Eurofins Xenco, Midland**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-20-21	06-30-21

# **Laboratory: Eurofins Stafford**

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	<b>Expiration Date</b>
Texas	NELAP	T104704215-21-39	06-30-21

# **Method Summary**

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Job ID: 880-387-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XM
300.0	Anions, Ion Chromatography	MCAWW	XM
2540C	SM 2540C Total Dissolved Solids (TDS)	SM	XS
5030B	Purge and Trap	SW846	XM

#### **Protocol References:**

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### **Laboratory References:**

XM = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440 XS = Eurofins Stafford, 4147 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Ę

15

# **Sample Summary**

Client: Larson & Associates, Inc. Project/Site: Apache-EBDU #37

Job ID: 880-387-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
880-387-1	TWM-1	Water	03/11/21 08:53	03/15/21 09:18	
880-387-2	TWM-3	Water	03/11/21 09:12	03/15/21 09:18	
880-387-3	TWM-2	Water	03/11/21 09:36	03/15/21 09:18	
880-387-4	TWM-4	Water	03/11/21 10:05	03/15/21 09:18	
880-387-5	Windmill	Water	03/12/21 13:26	03/15/21 09:18	
880-387-6	Dup-1	Water	03/12/21 00:00	03/15/21 09:18	

3

4

6

9

10

12

*A A* 

15

LABORATORY Xenco	RELINQUISHED BY (Signature) DATE/TIME	RELINQUISHED BY (Signature) DATE/TIME	RELINQUISHED BY(Signature)  DATE/TIME  3/15/12/ 9/8					·	3/12/21	<u></u>	2	3	TMW-1 3/11/21 0853 W	Field Sample I D Lab # Date Time Matrix	MST	TIME ZONE Time zone/State	TRRP report?  S=SOIL  P=PAINT  W=WATER  SL=SLUDGE  A=AIR  OT=OTHER	Data Reported to	Environmental Consultants	Agrson &	880-387 Chain of Custody			
	RECEIVED BY (Signature)	RECEIVED BY (Signature)	RECEIVED BY (Signature)					1-					9 - X	# of Co HCI X HNO <sub>3</sub> H <sub>2</sub> SO <sub>4</sub> ICE X UNPRE	N 2 ESSE	aOH C	ATION	LAI PROJECT	432-687-0901 PROJE	. 200	DATE:		1 1 1 1	
AND DELIVERED	2 DAY   CARRIER BILL#		JND TIME													\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	PODRATIONS OF THE PROPERTY OF	# 19-0112-491	PROJECT LOCATION OR NAME: Afache		3/15/2021	С		
RED		BROKEN DINTACT DINTINGED	LABORATORY USE ONLY:						, , , , , ,	105t 0st	23		- 11	X X X	$\bigcirc$	$\sqrt{2}$		1 O	- FBOW #37	ķ	PAGE 1 OF 1	CHAIN-OF-CUSTODY	Nº → 53 → 53 → 21	

Released to Imaging: 8/27/2021 10:20:40 AM

# **Login Sample Receipt Checklist**

Client: Larson & Associates, Inc. Job Number: 880-387-1

Login Number: 387 List Source: Eurofins Midland

List Number: 1 Creator: Teel, Brianna

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

77 **0J 330** 

Ľ

3

4

6

8

10

12

13

15

Table 2 1RP-5636

# Groundwater Sample Analytical Data Summary Apache Corporation, EBDU 37, Lea County, New Mexico

Sample	Collection	Benzene	Toluene	Ethylbenzene	zene Xylenes Ch		TDS	Depth To
	Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	Water
NMWQCC Stand		*0.005	*1	*0.7	*0.62	**250	**1,000	(Feet TOC)
Windmill	(') 08/01/2019		<0.001	<0.001	<0.003	232	732	
	(²) 09/23/2019							
	(²) 12/26/2019		<0.00200	<0.00200	<0.00200	259	688	
	( <sup>3</sup> ) 09/30/2020	<0.00200	<0.00200	<0.00200	<0.00200		730	
	( <sup>3</sup> ) 12/07/2020		<0.00200	<0.00200	<0.00200		930	
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400		745	
	( <sup>3</sup> ) 06/10/2021		<0.00200	<0.00200	<0.00400		781	
	(,,,,,							
TMW-1	(²) 09/23/2019	<0.00800	<0.00200	<0.00200	<0.00200	37.4	400	46.18
	(²) 12/26/2019	<0.000800	<0.00200	<0.00200	<0.00200	21.1	390	48.90
	( <sup>3</sup> ) 09/30/2020	<0.00200	<0.00200	<0.00200	<0.00200	22.6	390	49.31
	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	13.1	383	49.42
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	10.9	360	49.41
	( <sup>3</sup> ) 06/10/2021	<0.00200	<0.00200	<0.00200	<0.00400	14.5	360	49.67
TMW-2	(²) 09/23/2019	<0.00800	<0.00200	<0.00200	<0.00200	338	1,220	55.80
	(²) 12/26/2019	<0.000800	<0.00200	<0.00200	<0.00200	307	1,170	57.50
	( <sup>3</sup> ) 09/30/2020	<0.00200	0.00227	<0.00200	<0.00200	314	1,040	58.01
	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	298	1,050	58.06
	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	293	1,000	58.00
	( <sup>3</sup> ) 06/10/2021	<0.00200	<0.00200	<0.00200	<0.00400	267	1,050	58.12
TMW-3	09/23/2019							
	12/26/2019							
	( <sup>3</sup> ) 09/30/2020		0.00322	<0.00200	0.00448	212	891	57.62
	( <sup>3</sup> ) 12/07/2020				<0.00200		948	57.68
	( <sup>3</sup> ) 03/11/2021			<0.00200	<0.00400		900	57.59
	( <sup>3</sup> ) 06/10/2021	<0.00200	<0.00200	<0.00200	<0.00400	180	934	57.90
TMW-4	09/23/2019							
	12/26/2019							
	( <sup>3</sup> ) 09/30/2020		0.00314	<0.00200	<0.00200	-	2,040	57.39
	( <sup>3</sup> ) 12/07/2020		<0.00200	<0.00200	<0.00200		2,300	57.45
	( <sup>3</sup> ) 03/11/2021		<0.00200	<0.00200	<0.00400		1,960	57.40
	( <sup>3</sup> ) 06/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	745	1,190	57.60

#### Table 2 1RP-5636

# Groundwater Sample Analytical Data Summary Apache Corporation, EBDU 37, Lea County, New Mexico

DUP-1 (Windmill)	( <sup>3</sup> ) 09/30/2020	<0.00200	<0.00200	<0.00200	<0.00200	276	794	
DUP-1 (Windmill)	( <sup>3</sup> ) 12/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	278	908	
DUP-1 (Windmill)	( <sup>3</sup> ) 03/11/2021	<0.00200	<0.00200	<0.00200	<0.00400	259	798	
DUP-1 (Windmill)	( <sup>3</sup> ) 06/10/2021	<0.00200	<0.00200	<0.00200	<0.00400	256	781	

#### Notes:

('): analysis performed by Cardinal Laboratories, Hobbs, New Mexico, by EPA SW-846 Method 8021B (BTEX) and titration methods (chloride and TDS).

(²): analysis performed by DHL Analytical, Round Rock, Texas, by EPA SW-846 Method 8021B (BTEX) and Method 300 (chloride).

(3): analysis performed by Xenco Laboratories, Midland, Texas, by EPA SW-846 Method 8021B (BTEX) and Method 300 (chloride).

(4): anaylis performed by Eurofins-Xenco, Midland, Texas, by EPA SW-846 Method 8021B (BTEX) and Method 300 (chloride). Units reported as ug/L in report, converted to mg/L.

< values: concentration is less than method reporting limit (RL).

- \*: NMWQCC Human Health Standard
- \*\*: NMWQCC Domestic Water Quality Standard
- --: no data available

TOC: top of casing

All values reported in milligrams per liter (mg/L) equivalent to parts per million (ppm)

Bold and highlighted denotes analyte concentration exceeds NMWQCC domestic water quality standard



# **Environment Testing America**

# **ANALYTICAL REPORT**

Eurofins Xenco, Midland 1211 W. Florida Ave Midland, TX 79701 Tel: (432)704-5440

Laboratory Job ID: 880-3001-1

Laboratory Sample Delivery Group: 19-0112-49

Client Project/Site: Apache - EBDU #37

For:

Larson & Associates, Inc. 507 N Marienfeld Suite 202 Midland, Texas 79701

Attn: Mr. Mark J Larson

Holly Taylor

Authorized for release by: 6/21/2021 7:31:18 AM

Holly Taylor, Project Manager (806)794-1296

holly.taylor@eurofinset.com

LINKS .....

Review your project results through

Total Access

**Have a Question?** 



Visit us at:

www.eurofinsus.com/Env

Released to Imaging: 8/27/2021 10:20:40 AM

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

6

0

10

12

13

Н

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 Laboratory Job ID: 880-3001-1 SDG: 19-0112-49

# **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	13
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Chacklists	19

# **Definitions/Glossary**

Job ID: 880-3001-1 Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 SDG: 19-0112-49

#### **Qualifiers**

**GC VOA** 

Qualifier **Qualifier Description** 

Indicates the analyte was analyzed for but not detected.

**HPLC/IC** 

Qualifier Qualifier Description

Indicates the analyte was analyzed for but not detected.

**General Chemistry** 

Qualifier **Qualifier Description** 

U Indicates the analyte was analyzed for but not detected.

**Glossary** 

Abbreviation These commonly used abbreviations may or may not be present in this report.

¤ Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery CFL Contains Free Liquid Colony Forming Unit CFU **CNF** Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) Limit of Quantitation (DoD/DOE) LOQ

MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number Method Quantitation Limit MQL

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

**PQL Practical Quantitation Limit** 

**PRES** Presumptive QC **Quality Control** 

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

**RPD** Relative Percent Difference, a measure of the relative difference between two points

Toxicity Equivalent Factor (Dioxin) TFF Toxicity Equivalent Quotient (Dioxin) **TEQ** 

**TNTC** Too Numerous To Count

#### **Case Narrative**

Client: Larson & Associates, Inc.

Project/Site: Apache - EBDU #37

Job ID: 880-3001-1

SDG: 19-0112-49

Job ID: 880-3001-1

Laboratory: Eurofins Xenco, Midland

Narrative

Job Narrative 880-3001-1

#### Receipt

The samples were received on 6/14/2021~8:37~AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was  $6.0^{\circ}C$ 

#### **GC VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

A

2

3

4

7

8

1 N

11

13

14

Client: Larson & Associates, Inc. Job ID: 880-3001-1 Project/Site: Apache - EBDU #37 SDG: 19-0112-49

**Client Sample ID: TMW-1** 

Date Collected: 06/10/21 10:23 Date Received: 06/14/21 08:37

Lab Sample ID: 880-3001-1

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/L			06/14/21 15:31	1
Toluene	<0.00200	U	0.00200	mg/L			06/14/21 15:31	1
Ethylbenzene	<0.00200	U	0.00200	mg/L			06/14/21 15:31	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/L			06/14/21 15:31	1
o-Xylene	<0.00200	U	0.00200	mg/L			06/14/21 15:31	1
Xylenes, Total	<0.00400	U	0.00400	mg/L			06/14/21 15:31	1
Total BTEX	<0.00400	U	0.00400	mg/L			06/14/21 15:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130		-		06/14/21 15:31	1
1,4-Difluorobenzene (Surr)	103		70 - 130				06/14/21 15:31	1
Method: 300.0 - Anions, Ion C	hromatography							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14.5		0.500	mg/L			06/15/21 15:43	1
General Chemistry								
	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Analyte								

Lab Sample ID: 880-3001-2 Client Sample ID: TMW-2 Date Collected: 06/10/21 12:00

Date Received: 06/14/21 08:37

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/L			06/14/21 15:57	1
Toluene	<0.00200	U	0.00200	mg/L			06/14/21 15:57	1
Ethylbenzene	<0.00200	U	0.00200	mg/L			06/14/21 15:57	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/L			06/14/21 15:57	1
o-Xylene	<0.00200	U	0.00200	mg/L			06/14/21 15:57	1
Xylenes, Total	<0.00400	U	0.00400	mg/L			06/14/21 15:57	1
Total BTEX	<0.00400	U	0.00400	mg/L			06/14/21 15:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130		-		06/14/21 15:57	1
1,4-Difluorobenzene (Surr)	102		70 - 130				06/14/21 15:57	1
Method: 300.0 - Anions, Ion C	hromatography							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	267		2.50	mg/L			06/15/21 15:49	5
General Chemistry								
Analyte	<b>.</b>	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac

50.0

1050

mg/L

Eurofins Xenco, Midland

06/16/21 18:56

**Total Dissolved Solids** 

Date Received: 06/14/21 08:37

Client: Larson & Associates, Inc. Job ID: 880-3001-1 Project/Site: Apache - EBDU #37 SDG: 19-0112-49

**Client Sample ID: TMW-3** Lab Sample ID: 880-3001-3 Date Collected: 06/10/21 11:05

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/L			06/14/21 16:22	1
Toluene	<0.00200	U	0.00200	mg/L			06/14/21 16:22	1
Ethylbenzene	<0.00200	U	0.00200	mg/L			06/14/21 16:22	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/L			06/14/21 16:22	1
o-Xylene	<0.00200	U	0.00200	mg/L			06/14/21 16:22	1
Xylenes, Total	<0.00400	U	0.00400	mg/L			06/14/21 16:22	1
Total BTEX	<0.00400	U	0.00400	mg/L			06/14/21 16:22	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130		-		06/14/21 16:22	1
1,4-Difluorobenzene (Surr)	107		70 - 130				06/14/21 16:22	1
- Method: 300.0 - Anions, Ion C	hromatography							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	180		2.50	mg/L			06/15/21 15:56	5
General Chemistry								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
, j to								

Client Sample ID: TMW-4 Lab Sample ID: 880-3001-4 **Matrix: Water** 

Date Collected: 06/11/21 10:50 Date Received: 06/14/21 08:37

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/L			06/14/21 16:48	1
Toluene	<0.00200	U	0.00200	mg/L			06/14/21 16:48	1
Ethylbenzene	<0.00200	U	0.00200	mg/L			06/14/21 16:48	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/L			06/14/21 16:48	1
o-Xylene	<0.00200	U	0.00200	mg/L			06/14/21 16:48	1
Xylenes, Total	<0.00400	U	0.00400	mg/L			06/14/21 16:48	1
Total BTEX	<0.00400	U	0.00400	mg/L			06/14/21 16:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130		-		06/14/21 16:48	1
1,4-Difluorobenzene (Surr)	105		70 - 130				06/14/21 16:48	1
Method: 300.0 - Anions, Ion C	hromatography							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	745		10.0	mg/L			06/15/21 16:18	20
General Chemistry								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1990		100	mg/L			06/16/21 18:56	1

Job ID: 880-3001-1

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 SDG: 19-0112-49

**Client Sample ID: Windmill** 

Date Collected: 06/10/21 12:26 Date Received: 06/14/21 08:37

Lab Sample ID: 880-3001-5 Matrix: Water

mg/L

mg/L

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/L			06/14/21 17:13	1
Toluene	<0.00200	U	0.00200	mg/L			06/14/21 17:13	1
Ethylbenzene	<0.00200	U	0.00200	mg/L			06/14/21 17:13	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/L			06/14/21 17:13	1
o-Xylene	<0.00200	U	0.00200	mg/L			06/14/21 17:13	1
Xylenes, Total	<0.00400	U	0.00400	mg/L			06/14/21 17:13	1
Total BTEX	<0.00400	U	0.00400	mg/L			06/14/21 17:13	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130		-		06/14/21 17:13	1
1,4-Difluorobenzene (Surr)	102		70 - 130				06/14/21 17:13	1
- Method: 300.0 - Anions, Ion C	hromatography							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	255		2.50	mg/L			06/15/21 16:25	5
General Chemistry								
Analyte	D#	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac

**Client Sample ID: Dup-1** Lab Sample ID: 880-3001-6 Date Collected: 06/10/21 00:00 **Matrix: Water** 

50.0

794

**781** 

Date Received: 06/14/21 08:37

Total Dissolved Solids

**Total Dissolved Solids** 

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/L			06/14/21 18:57	1
Toluene	<0.00200	U	0.00200	mg/L			06/14/21 18:57	1
Ethylbenzene	<0.00200	U	0.00200	mg/L			06/14/21 18:57	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/L			06/14/21 18:57	1
o-Xylene	<0.00200	U	0.00200	mg/L			06/14/21 18:57	1
Xylenes, Total	<0.00400	U	0.00400	mg/L			06/14/21 18:57	1
Total BTEX	<0.00400	U	0.00400	mg/L			06/14/21 18:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130		-		06/14/21 18:57	1
1,4-Difluorobenzene (Surr)	88		70 - 130				06/14/21 18:57	1
- Method: 300.0 - Anions, Ion C	hromatography							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	256		2.50	mg/L			06/15/21 16:32	5
General Chemistry								
Analyte	Pocult	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac

50.0

Eurofins Xenco, Midland

06/16/21 18:56

06/16/21 18:56

# **Surrogate Summary**

Client: Larson & Associates, Inc. Job ID: 880-3001-1 Project/Site: Apache - EBDU #37 SDG: 19-0112-49

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Water Prep Type: Total/NA

		BFB1	DFBZ1	Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
380-2930-A-1 MS	Matrix Spike	99	104	
880-2930-A-1 MSD	Matrix Spike Duplicate	100	101	
380-3001-1	TMW-1	108	103	
380-3001-2	TMW-2	105	102	
880-3001-3	TMW-3	112	107	
380-3001-4	TMW-4	110	105	
880-3001-5	Windmill	107	102	
880-3001-6	Dup-1	116	88	
CS 880-4074/3	Lab Control Sample	104	104	
CSD 880-4074/4	Lab Control Sample Dup	99	107	
	Method Blank	71	84	

DFBZ = 1,4-Difluorobenzene (Surr)

Job ID: 880-3001-1 Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 SDG: 19-0112-49

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-4074/8

**Matrix: Water Analysis Batch: 4074**  Client Sample ID: Method Blank

Prep Type: Total/NA

MB MB Dil Fac Analyte Result Qualifier RL Unit D Prepared Analyzed Benzene <0.00200 U 0.00200 mg/L 06/14/21 12:59 Toluene <0.00200 U 0.00200 mg/L 06/14/21 12:59 Ethylbenzene <0.00200 U 0.00200 06/14/21 12:59 mg/L m-Xylene & p-Xylene <0.00400 U 0.00400 mg/L 06/14/21 12:59 o-Xylene <0.00200 U 0.00200 06/14/21 12:59 mg/L Xylenes, Total <0.00400 U 0.00400 06/14/21 12:59 mg/L Total BTEX <0.00400 U 0.00400 06/14/21 12:59 mg/L

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 70 - 130 4-Bromofluorobenzene (Surr) 71 06/14/21 12:59 70 - 130 1,4-Difluorobenzene (Surr) 84 06/14/21 12:59

Lab Sample ID: LCS 880-4074/3

**Matrix: Water** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

**Analysis Batch: 4074** 

	<b>Spike</b>	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.09419		mg/L		94	70 - 130	
Toluene	0.100	0.1038		mg/L		104	70 - 130	
Ethylbenzene	0.100	0.1078		mg/L		108	70 - 130	
m-Xylene & p-Xylene	0.200	0.1914		mg/L		96	70 - 130	
o-Xylene	0.100	0.09672		mg/L		97	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	104	70 - 130
1.4-Difluorobenzene (Surr)	104	70 - 130

Lab Sample ID: LCSD 880-4074/4

**Matrix: Water** 

**Analysis Batch: 4074** 

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

	Spike	LCSD	LCSD				%Rec.		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.09313		mg/L		93	70 - 130	1	20	
Toluene	0.100	0.1006		mg/L		101	70 - 130	3	20	
Ethylbenzene	0.100	0.1055		mg/L		106	70 - 130	2	20	
m-Xylene & p-Xylene	0.200	0.1875		mg/L		94	70 - 130	2	20	
o-Xylene	0.100	0.09438		mg/L		94	70 - 130	2	20	
	Benzene Toluene Ethylbenzene m-Xylene & p-Xylene	Analyte         Added           Benzene         0.100           Toluene         0.100           Ethylbenzene         0.100           m-Xylene & p-Xylene         0.200	Analyte         Added         Result           Benzene         0.100         0.09313           Toluene         0.100         0.1006           Ethylbenzene         0.100         0.1055           m-Xylene & p-Xylene         0.200         0.1875	Analyte         Added         Result         Qualifier           Benzene         0.100         0.09313           Toluene         0.100         0.1006           Ethylbenzene         0.100         0.1055           m-Xylene & p-Xylene         0.200         0.1875	Analyte         Added         Result Qualifier         Unit           Benzene         0.100         0.09313         mg/L           Toluene         0.100         0.1006         mg/L           Ethylbenzene         0.100         0.1055         mg/L           m-Xylene & p-Xylene         0.200         0.1875         mg/L	Analyte         Added         Result         Qualifier         Unit         D           Benzene         0.100         0.09313         mg/L           Toluene         0.100         0.1006         mg/L           Ethylbenzene         0.100         0.1055         mg/L           m-Xylene & p-Xylene         0.200         0.1875         mg/L	Analyte         Added         Result Qualifier         Unit Unit         D %Rec           Benzene         0.100         0.09313         mg/L         93           Toluene         0.100         0.1006         mg/L         101           Ethylbenzene         0.100         0.1055         mg/L         106           m-Xylene & p-Xylene         0.200         0.1875         mg/L         94	Analyte         Added         Result Qualifier         Unit         D         %Rec Limits           Benzene         0.100         0.09313         mg/L         93         70 - 130           Toluene         0.100         0.1006         mg/L         101         70 - 130           Ethylbenzene         0.100         0.1055         mg/L         106         70 - 130           m-Xylene & p-Xylene         0.200         0.1875         mg/L         94         70 - 130	Analyte         Added         Result Qualifier         Unit         D         %Rec         Limits         RPD           Benzene         0.100         0.09313         mg/L         93         70 - 130         1           Toluene         0.100         0.1006         mg/L         101         70 - 130         3           Ethylbenzene         0.100         0.1055         mg/L         106         70 - 130         2           m-Xylene & p-Xylene         0.200         0.1875         mg/L         94         70 - 130         2	Analyte         Added         Result Qualifier         Unit         D         %Rec         Limits         RPD         Limits           Benzene         0.100         0.09313         mg/L         93         70 - 130         1         20           Toluene         0.100         0.1006         mg/L         101         70 - 130         3         20           Ethylbenzene         0.100         0.1055         mg/L         106         70 - 130         2         20           m-Xylene & p-Xylene         0.200         0.1875         mg/L         94         70 - 130         2         20

	LUSD	LUSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	107		70 - 130

Lab Sample ID: 880-2930-A-1 MS

**Matrix: Water** 

**Analysis Batch: 4074** 

•	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.00880		0.100	0.1055		mg/L		97	70 - 130	

Eurofins Xenco, Midland

Prep Type: Total/NA

Client Sample ID: Matrix Spike

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 Job ID: 880-3001-1 SDG: 19-0112-49

# Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-2930-A-1 MS

**Matrix: Water** 

**Analysis Batch: 4074** 

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Toluene	0.0123		0.100	0.1165		mg/L		104	70 - 130	
Ethylbenzene	<0.00200	U	0.100	0.1064		mg/L		106	70 - 130	
m-Xylene & p-Xylene	0.00594		0.200	0.1952		mg/L		95	70 - 130	
o-Xylene	<0.00200	U	0.100	0.09681		mg/L		96	70 - 130	

MS MS

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

**Matrix: Water** 

**Analysis Batch: 4074** 

Lab Sample ID: 880-2930-A-1 MSD

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.00880		0.100	0.09846		mg/L		90	70 - 130	7	25
Toluene	0.0123		0.100	0.1114		mg/L		99	70 - 130	4	25
Ethylbenzene	<0.00200	U	0.100	0.1028		mg/L		103	70 - 130	3	25
m-Xylene & p-Xylene	0.00594		0.200	0.1878		mg/L		91	70 - 130	4	25
o-Xylene	<0.00200	U	0.100	0.09330		mg/L		92	70 - 130	4	25

MSD MSD

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	100	70 - 130
1,4-Difluorobenzene (Surr)	101	70 - 130

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-4120/3

**Matrix: Water** 

Analyte

Chloride

**Analysis Batch: 4120** 

Client Sample ID: Method Blank Prep Type: Total/NA

D

Prepared

Unit

mg/L

Dil Fac

Analyzed

06/15/21 14:49

**Analysis Batch: 4120** 

Lab Sample ID: LCS 880-4120/4	Client Sample ID: Lab Control Sample
Matrix: Water	Prep Type: Total/NA

RL

0.500

LCS LCS Spike %Rec. Analyte Added Result Qualifier Unit Limits Chloride 25.0 23.77 mg/L 95 90 - 110

Lab Sample ID: LCSD 880-4120/5

мв мв

<0.500 U

Result Qualifier

**Client Sample ID: Lab Control Sample Dup** 

Prep Type: Total/NA

**Analysis Batch: 4120** 

**Matrix: Water** 

	Spike	LCSD LCSD				%Rec.		RPD	
Analyte	Added	Result Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	25.0	23.31	mg/L		93	90 - 110	2	20	

Job ID: 880-3001-1

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37

SDG: 19-0112-49

# Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-3041-A-1 MS

Lab Sample ID: 880-3041-A-1 MSD

Client Sample ID: Matrix Spike Prep Type: Total/NA

**Analysis Batch: 4120** 

**Matrix: Water** 

Sample Sample Spike MS MS %Rec. Result Qualifier Added Analyte Result Qualifier Unit %Rec Limits Chloride 16.4 25.0 40.52 mg/L 96 90 - 110

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

**Matrix: Water** 

**Analysis Batch: 4120** 

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	16.4		25.0	41.69		mg/L		101	90 - 110	3	20

# Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 880-4150/1 Client Sample ID: Method Blank

**Matrix: Water** Prep Type: Total/NA

**Analysis Batch: 4150** 

MD MD

	111.0	11.10						
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<25.0	U	25.0	mg/L			06/16/21 18:56	1

Lab Sample ID: LCS 880-4150/2 **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

**Matrix: Water** 

**Analysis Batch: 4150** 

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Total Dissolved Solids	 1000	989.0		mg/L		99	80 - 120	

Lab Sample ID: LCSD 880-4150/3 Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

**Matrix: Water** 

**Analysis Batch: 4150** 

	Spike	LCSD	LCSD			%Rec.		RPD	
Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	RPD	Limit	
Total Dissolved Solids	1000	997.0	ma/L		100	80 - 120		10	

Lab Sample ID: 880-3001-1 DU Client Sample ID: TMW-1 **Matrix: Water** Prep Type: Total/NA

**Analysis Batch: 4150** 

	Sample	Sample	DU	DU					RPD	
Analyte	Result	Qualifier	Result	Qualifier	Unit	D		RPD	Limit	
Total Dissolved Solids	360		363.0		mg/L	_		0.8	10	

# **QC Association Summary**

Client: Larson & Associates, Inc.

Project/Site: Apache - EBDU #37

Job ID: 880-3001-1

SDG: 19-0112-49

#### **GC VOA**

#### **Analysis Batch: 4074**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-3001-1	TMW-1	Total/NA	Water	8021B	
880-3001-2	TMW-2	Total/NA	Water	8021B	
880-3001-3	TMW-3	Total/NA	Water	8021B	
880-3001-4	TMW-4	Total/NA	Water	8021B	
880-3001-5	Windmill	Total/NA	Water	8021B	
880-3001-6	Dup-1	Total/NA	Water	8021B	
MB 880-4074/8	Method Blank	Total/NA	Water	8021B	
LCS 880-4074/3	Lab Control Sample	Total/NA	Water	8021B	
LCSD 880-4074/4	Lab Control Sample Dup	Total/NA	Water	8021B	
880-2930-A-1 MS	Matrix Spike	Total/NA	Water	8021B	
880-2930-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8021B	

#### **HPLC/IC**

## **Analysis Batch: 4120**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-3001-1	TMW-1	Total/NA	Water	300.0	
880-3001-2	TMW-2	Total/NA	Water	300.0	
880-3001-3	TMW-3	Total/NA	Water	300.0	
880-3001-4	TMW-4	Total/NA	Water	300.0	
880-3001-5	Windmill	Total/NA	Water	300.0	
880-3001-6	Dup-1	Total/NA	Water	300.0	
MB 880-4120/3	Method Blank	Total/NA	Water	300.0	
LCS 880-4120/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 880-4120/5	Lab Control Sample Dup	Total/NA	Water	300.0	
880-3041-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
880-3041-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

# **General Chemistry**

# Analysis Batch: 4150

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-3001-1	TMW-1	Total/NA	Water	SM 2540C	_
880-3001-2	TMW-2	Total/NA	Water	SM 2540C	
880-3001-3	TMW-3	Total/NA	Water	SM 2540C	
880-3001-4	TMW-4	Total/NA	Water	SM 2540C	
880-3001-5	Windmill	Total/NA	Water	SM 2540C	
880-3001-6	Dup-1	Total/NA	Water	SM 2540C	
MB 880-4150/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 880-4150/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 880-4150/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	
880-3001-1 DU	TMW-1	Total/NA	Water	SM 2540C	

Eurofins Xenco, Midland

9

5

8

9

44

12

14

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37

Lab Sample ID: 880-3001-1

**Matrix: Water** 

Date	Collected:	06/10/21	10:23
Date	Received:	06/14/21	08:37

**Client Sample ID: TMW-1** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	4074	06/14/21 15:31	MR	XEN MID
Total/NA	Analysis	300.0		1			4120	06/15/21 15:43	CH	XEN MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	4150	06/16/21 18:56	SC	XEN MID

Lab Sample ID: 880-3001-2

**Matrix: Water** 

**Client Sample ID: TMW-2** Date Collected: 06/10/21 12:00 Date Received: 06/14/21 08:37

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	4074	06/14/21 15:57	MR	XEN MID
Total/NA	Analysis	300.0		5			4120	06/15/21 15:49	CH	XEN MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	4150	06/16/21 18:56	SC	XEN MID

**Client Sample ID: TMW-3** Lab Sample ID: 880-3001-3

**Matrix: Water** 

Date Collected: 06/10/21 11:05 Date Received: 06/14/21 08:37

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	4074	06/14/21 16:22	MR	XEN MID
Total/NA	Analysis	300.0		5			4120	06/15/21 15:56	CH	XEN MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	4150	06/16/21 18:56	SC	XEN MID

Client Sample ID: TMW-4 Lab Sample ID: 880-3001-4

Date Collected: 06/11/21 10:50 **Matrix: Water** Date Received: 06/14/21 08:37

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	4074	06/14/21 16:48	MR	XEN MID
Total/NA	Analysis	300.0		20			4120	06/15/21 16:18	CH	XEN MID
Total/NA	Analysis	SM 2540C		1	50 mL	200 mL	4150	06/16/21 18:56	SC	XEN MID

Lab Sample ID: 880-3001-5 **Client Sample ID: Windmill** 

Date Collected: 06/10/21 12:26 **Matrix: Water** Date Received: 06/14/21 08:37

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B	· <u></u> -	1	5 mL	5 mL	4074	06/14/21 17:13	MR	XEN MID
Total/NA	Analysis	300.0		5			4120	06/15/21 16:25	CH	XEN MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	4150	06/16/21 18:56	SC	XEN MID

## **Lab Chronicle**

Client: Larson & Associates, Inc. Job ID: 880-3001-1 Project/Site: Apache - EBDU #37 SDG: 19-0112-49

**Client Sample ID: Dup-1** 

Lab Sample ID: 880-3001-6 Date Collected: 06/10/21 00:00

Matrix: Water

Date Received: 06/14/21 08:37

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	4074	06/14/21 18:57	MR	XEN MID
Total/NA	Analysis	300.0		5			4120	06/15/21 16:32	CH	XEN MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	4150	06/16/21 18:56	SC	XEN MID

#### Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

# **Accreditation/Certification Summary**

Client: Larson & Associates, Inc.

Project/Site: Apache - EBDU #37

Job ID: 880-3001-1

SDG: 19-0112-49

#### **Laboratory: Eurofins Xenco, Midland**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Pr	ogram	Identification Number	Expiration Date 06-30-21	
Texas	NE	ELAP	T104704400-20-21		
The falls for a selection	and the dead to distance and the	1 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
i ne following analytes	are included in this report, bu	it the laboratory is not certific	ed by the governing authority. This list ma	ay include analytes to	
	•			ly include analytee le	
the agency does not of	fer certification.			ly molado analytoo lo	
• ,	fer certification.  Prep Method	Matrix	Analyte	y moidde dhalytee ie	

1

5

7

9

10

12

14

# **Method Summary**

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 Job ID: 880-3001-1

SDG: 19-0112-49

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
SM 2540C	Solids, Total Dissolved (TDS)	SM	XEN MID
5030B	Purge and Trap	SW846	XEN MID

#### Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions. SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

# **Sample Summary**

Client: Larson & Associates, Inc. Project/Site: Apache - EBDU #37 Job ID: 880-3001-1

SDG: 19-0112-49

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
880-3001-1	TMW-1	Water	06/10/21 10:23	06/14/21 08:37	
880-3001-2	TMW-2	Water	06/10/21 12:00	06/14/21 08:37	
880-3001-3	TMW-3	Water	06/10/21 11:05	06/14/21 08:37	
880-3001-4	TMW-4	Water	06/11/21 10:50	06/14/21 08:37	
880-3001-5	Windmill	Water	06/10/21 12:26	06/14/21 08:37	
880-3001-6	Dup-1	Water	06/10/21 00:00	06/14/21 08:37	

- 7 8 4 5 9 7 8 6 7 7 <del>6</del> 4

		980-300   №1578  CHAIN-OF-CUSTODY  DATE: 6-11-2021 PAGE L OF L
Agrson & ssociates, Inc. Environmental Consultants  Data Reported to.		PO#: LAB WORK ORDER#:  PROJECT LOCATION OR NAME: FDDU#37  LAI PROJECT#: 19-012-49 COLLECTOR: MB, TJ, TP
TRRP report?  Yes No S=SOIL P=PAINT W=WATER SL=SLUDGE A=AIR OT=OTHER  TIME ZONE Time zone/State	PRESERVATION	
Field Sample I D Lab # Date Time	# of Containers  HCI LLS HNO <sub>3</sub> HNO <sub>4</sub> ICE L L UNPRESSERVED	FIELD NOTES
TMW-1 6/10/21/10/3  TMW-2 6/10/21/10/00  TMW-3 6/10/21/10/00  TMW-4 6/10/21/10/00  Sindmill 6/10/21/10/20  DUP-1 6/10/21/10/20		Direct Bill to aprile
TOTAL 6		
RELINQUISHED BY (Signature)  RELINQUISHED BY (Signature)  DATE/TI  RELINQUISHED BY (Signature)  DATE/TI  LABORATORY	IME RECEIVED BY (Signature)	TURN AROUND TIME NORMAL A RECEIVING TEMP 5.5 60 THERM# 128  1 DAY 1 CUSTODY SEALS - BROKEN INTACT NOT USED  OTHER 1 CARRIER BILL #

# **Login Sample Receipt Checklist**

Client: Larson & Associates, Inc.

Job Number: 880-3001-1

SDG Number: 19-0112-49

Login Number: 3001 List Source: Eurofins Xenco, Midland

List Number: 1

Creator: Phillips, Kerianna

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

Page 19 of 19

6/21/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 17562

#### **COMMENTS**

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	17562
	Action Type:
	[C-141] Release Corrective Action (C-141)

#### COMMENTS

Created By	Comment	Comment Date
chensley	Waiting on 1&2 quarter reports	8/5/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 17562

#### **CONDITIONS**

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	17562
	Action Type:
	[C-141] Release Corrective Action (C-141)

#### CONDITIONS

Created By	Condition	Condition Date
chensley	None	8/27/2021