



Certificate of Analysis

Number: 6030-21110115-001A

Artesia Laboratory

200 E Main St.

Artesia, NM 88210

Phone 575-746-3481

Steward Energy
Steward Energy
2600 Dallas Pkwy Suite 400
Frisco, TX 75034

Nov. 18, 2021

Station Name: Dog Bar Battery Flare

Station Number: 57270064

Station Location: Steward

Sample Point: Meter run

Instrument: 6030_GC6 (Inficon GC-3000 Micro)

Last Inst. Cal.: 11/15/2021 0:00 AM

Analyzed: 11/18/2021 08:43:18 by EJH

Sampled By: Javier Lazo

Sample Of: Gas Spot

Sample Date: 11/04/2021 12:59

Sample Conditions: 16.7 psig, @ 74 °F Ambient: 57 °F

Effective Date: 11/04/2021 12:59

Method: GPA-2261M

Cylinder No: 1111-005551

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.696 psia	
Hydrogen Sulfide	0.000	1.25120	1.735		GPM TOTAL C2+ 6.801
Nitrogen	4.890	4.91143	5.599		GPM TOTAL C3+ 3.521
Methane	65.155	65.44169	42.721		GPM TOTAL iC5+ 1.137
Carbon Dioxide	5.083	5.10538	9.143		
Ethane	12.189	12.24277	14.980	3.280	
Propane	5.661	5.68603	10.203	1.569	
Iso-butane	0.756	0.75973	1.797	0.249	
n-Butane	1.783	1.79105	4.236	0.566	
Iso-pentane	0.599	0.60114	1.765	0.220	
n-Pentane	0.648	0.65105	1.911	0.236	
Hexanes Plus	1.552	1.55853	5.910	0.681	
	98.316	100.00000	100.000	6.801	

Calculated Physical Properties

Relative Density Real Gas

Total

0.8519

C6+

3.2176

Calculated Molecular Weight

24.57

93.19

Compressibility Factor

0.9956

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.696 psia & 60°F

Real Gas Dry BTU

1247

5129

Water Sat. Gas Base BTU

1226

5040

Ideal, Gross HV - Dry at 14.696 psia

1241.9

5129.2

Ideal, Gross HV - Wet

1220.1

5039.7

Comments: H2S Field Content 12,512.00 ppm
Mcf/day 26.331

Data reviewed by: Eric Ramirez, Analyst

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

<u>Date</u>	<u>Gas Flare</u>	<u>Gas Prod</u>	<u>Approx Hrs</u>	<u>Midstream (Stakeholder) Plant/Gathering Upset Documentation</u>
11/30/2021	206	206.4648438	24.00	Quarterly compressor PM's and HMO heater down
11/29/2021	228	228.3867187	24.00	Quarterly compressor PM's and HMO heater down
11/28/2021	203	203.3671875	24.00	Quarterly compressor PM's and HMO heater down
11/27/2021	163	162.9765625	24.00	Quarterly compressor PM's and HMO heater down
11/26/2021	215	215.1640625	24.00	Quarterly compressor PM's and HMO heater down
11/25/2021	116	172.8164062	16.08	Quarterly compressor PM's and HMO heater down
11/24/2021	57	129.9257813	10.52	Quarterly compressor PM's and HMO heater down
11/23/2021	42	116.4570313	8.75	Quarterly compressor PM's and HMO heater down
11/22/2021	108	183.5703124	14.06	Quarterly compressor PM's and HMO heater down
11/21/2021	113	180.2773438	15.08	Quarterly compressor PM's and HMO heater down
11/20/2021	131	155.7929688	20.15	Quarterly compressor PM's and HMO heater down
11/19/2021	191	190.5976562	24.00	Quarterly compressor PM's and HMO heater down
11/18/2021	69	68.7265625	24.00	Quarterly compressor PM's and HMO heater down
11/17/2021	15	14.5664063	24.00	Quarterly compressor PM's and HMO heater down
11/16/2021	72	72.4687499	24.00	KM meter issue causing meter to close twice
11/15/2021	23	61	9.05	KM meter issue causing meter to close twice
11/14/2021	66	66	24.00	KM meter issue causing meter to close twice
11/13/2021	127	127	24.00	KM meter issue causing meter to close twice
11/12/2021	129	130	23.82	KM meter issue causing meter to close twice
11/11/2021	125	125	24.00	KM meter issue causing meter to close twice
11/10/2021	128	128	24.00	KM meter issue causing meter to close twice
11/9/2021	132	132	24.00	KM meter issue causing meter to close twice
11/8/2021	136	136	24.00	KM meter issue causing meter to close twice
11/7/2021	121	121.293	24.00	KM meter issue causing meter to close twice
11/6/2021	119	119.4726562	24.00	KM meter issue causing meter to close twice
11/5/2021	129	128.90625	24.00	KM meter issue causing meter to close twice
11/4/2021	70	105.2578125	16.02	KM meter issue causing meter to close twice
11/3/2021	72	113.953125	15.15	KM meter issue causing meter to close twice
11/2/2021	75	118.5234375	15.09	KM meter issue causing meter to close twice
11/1/2021	84	107.4453125		KM meter issue causing meter to close twice
	3466	4021	595.77	

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 69634

DEFINITIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 69634
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 69634

QUESTIONS

Operator: STEWART ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 69634
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Well	[30-025-42873] DOG BAR 11 FEE #001H
Incident Facility	Not answered.

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, major venting and/or flaring of natural gas.

An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.

Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved

Primary Equipment Involved	Separator
Additional details for Equipment Involved. Please specify	All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is from gas off the separator and sent to flare and is due to an upset at their plant or within their gathering system.

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	65
Nitrogen (N2) percentage, if greater than one percent	5
Hydrogen Sulfide (H2S) PPM, rounded up	1
Carbon Dioxide (CO2) percentage, if greater than one percent	5
Oxygen (O2) percentage, if greater than one percent	0

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 69634

QUESTIONS (continued)

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 69634
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	11/01/2021
Time vent or flare was discovered or commenced	07:00 AM
Time vent or flare was terminated	07:00 AM
Cumulative hours during this event	596

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Cause: Midstream Emergency Maintenance Separator Natural Gas Vented Released: 3,466 Mcf Recovered: 0 Mcf Lost: 3,466 Mcf]
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	Yes
Downstream OGRID that should have notified this operator	[329800] Stakeholder Gas Utility, LLC
Date notified of downstream activity requiring this vent or flare	11/01/2021
Time notified of downstream activity requiring this vent or flare	07:00 AM

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is due to an upset at their plant or within their gathering system.
Steps taken to limit the duration and magnitude of vent or flare	This is out of our control. Stakeholder attempts to rectify every situation as quickly as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Stakeholder is proceeding with the expansion of the Campo Viejo Gas Processing Plant. Steward Energy II has agreed to certain producer commitments in order to support this expansion expected to be completed April 2022.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 69634

ACKNOWLEDGMENTS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 69634
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 69634

CONDITIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 69634
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
nwhite	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/30/2021