

SITE INFORMATION

Closure Report Mercury CTB (02.10.22) Incident #: NAPP2205928781 Eddy County, New Mexico Unit N Sec 18 T26S R28E 32.036947°, -104.12051°

Crude Oil Release Point of Release: Failed Connection Release Date: 02/10/2022 Volume Released: 94 barrel of Crude Oil Volume Recovered: 94 barrels of Crude Oil

CARMONA RESOURCES

Prepared for: Concho Operating, LLC 15 West London Road Loving, New Mexico 88256

Prepared by: Carmona Resources, LLC 310 West Wall Street Suite 415 Midland, Texas 79701





TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 LINER INSPECTION ACTIVITIES

5.0 CONCLUSIONS

FIGURES

FIGURE 1	OVERVIEW	FIGURE 2	TOPOGRAPHIC
FIGURE 3	SECONDARY CON	TAINMENT MAP	
	<u>AP</u>	PENDICES	
APPENDIX A	РНОТОЅ		
APPENDIX B	INITIAL C-141 AN	D FINAL/NMOCD C	ORRESPONDENCE
APPENDIX C	SITE CHARACTEI	RIZATION AND GR	OUNDWATER

.



March 15, 2022

Mike Bratcher District Supervisor Oil Conservation Division, District 2 811 S. First Street Artesia, New Mexico 88210

Re: Closure Report Mercury CTB (02.10.22) Concho Operating, LLC Incident ID NAPP22005928781 Site Location: Unit N, S18, T26S, R28E (Lat 32.036947°, Long -104.128051°) Eddy County, New Mexico

To whom it may concern:

On behalf of Concho Operating, LLC (COG), Carmona Resources, LLC has prepared this letter to document site activities for Mercury CTB (02.10.2022). The site is located at 32.036947°, -104.128051° within Unit N, S18, T26S, R28E, in Eddy County, New Mexico (Figures 1 and 2).

1.0 Site information and Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on February 10, 2022, due to a failed connection point in the steel line. It resulted in approximately ninety-four (94) barrels of crude oil. Ninety-four (94) barrels were recovered. See figure 3. The initial C-141 form is attached in Appendix B.

2.0 Site Characterization and Groundwater

The site is located within a medium karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, no known water sources are within a 0.50-mile radius of the location. The closest well is located approximately 1.56 miles East of the site in S18, T26S, R28E and was drilled in 1998. The well has a reported depth to groundwater of 16.35' feet below ground surface (ft bgs). A copy of the associated *USGS – National Water Information System* report is attached in Appendix C.

3.0 NMAC Regulatory Criteria

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg



4.0 Liner Inspection Activities

On March 8, 2022, Carmona Resources, LLC conducted liner inspection activities to assess the liner's integrity within the facility. Carmona Resources, LLC personnel proceeded to inspect the liner visually. The liner was found to be intact with no integrity issues. Refer to the Photolog.

5.0 Conclusions

Based on the liner inspection throughout the facility, no further actions are required at the site. The final C-141 is attached, and COG formally requests closure of the spill. If you have any questions regarding this report or need additional information, don't hesitate to contact us at 432-813-1992.

Sincerely, Carmona Resources, LLC


Mike Carmona Environmental Manager

Clinton Merritt Environmental Manager


310 West Wall Street, Suite 415 Midland TX, 79701 432.813.1992








Released to Imaging: 6/27/2022 2:22:57 PM



Released to Imaging: 6/27/2022 2:22:57 PM




APPENDIX A

CARMONA RESOURCES


PHOTOGRAPHIC LOG

Concho Operating, LLC




PHOTOGRAPHIC LOG

Concho Operating, LLC



PHOTOGRAPHIC LOG

Concho Operating, LLC



APPENDIX B

CARMONA RESOURCES

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural **Resources Department**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude	Longitude
	(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
Yes No	
If YES, was immediate n	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

The source of the release has been stopped.

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name	Title:
Signature: _ Battane Jopange	Date:
email:	Telephone:
OCD Only	
Received by:	Date:

Page 2

L48 Spill Volume Estimate Form

Page 16 of 33 Received by OCD: 5/16/2022 11:23:22 AM Asset Area: DBWN Release Discovery Date & Time: 2.10.22 Release Type: Oil Provide any known details about the event: Spill Calculation - On Pad Surface Pool Spill Deepest point in Estimated Convert Irregular shape No. of boundaries Estimated Pool Estimated volume Penetration Total Estimated Length Width each of the Average of "shore" in each into a series of Area of each pool area allowance Volume of Spill (ft.) (ft.) Depth areas rectangles (sq. ft.) (ft.) area (bbl.) (bbl.) (in.) (ft.) Rectangle A 21.5 85.6 1.00 3 1840,400 0.028 9,100 0.001 9.112 Rectangle B 53.8 52.8 1.00 2 2840.640 0.042 21.068 0.002 21.112 19.1 80.0 0.20 2.267 2.267 Rectangle C 2 1528.000 0.008 0.000 Rectangle D 70.0 118.0 1.50 3 8260.000 0.042 61.262 0.002 61.389 Rectangle E 0.000 #DIV/0! #DIV/0! #DIV/0! #DIV/0! Rectangle F 0.000 #DIV/0! #DIV/0! #DIV/0! #DIV/0! Rectangle G 0.000 #DIV/0! #DIV/0! #DIV/0! #DIV/0! Rectangle H 0.000 #DIV/0! #DIV/0! #DIV/0! #DIV/0! 0.000 #DIV/0! #DIV/0! #DIV/0! #DIV/0! Rectangle I 0.000 #DIV/0! #DIV/0! #DIV/0! #DIV/0! Refeased to Imaging: 6/27/2022 2:22:57 PM

Total Volume Release: 93.881

Received by OCD: 5/16/2022 11:23:22 AM Form C-141 State of New Mexico

Oil Conservation Division

	Page 17 of 33
Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)
Did this release impact groundwater or surface water?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	🗌 Yes 🗌 No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	🗌 Yes 🗌 No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	🗌 Yes 🗌 No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	🗌 Yes 🗌 No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of a wetland?	🗌 Yes 🗌 No
Are the lateral extents of the release overlying a subsurface mine?	🗌 Yes 🗌 No
Are the lateral extents of the release overlying an unstable area such as karst geology?	🗌 Yes 🗌 No
Are the lateral extents of the release within a 100-year floodplain?	🗌 Yes 🗌 No
Did the release impact areas not on an exploration, development, production, or storage site?	🗌 Yes 🗌 No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
Field data
Data table of soil contaminant concentration data
Depth to water determination
Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
Boring or excavation logs
Photographs including date and GIS information
Topographic/Aerial maps

Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 5/16/202	22 11:23:22 AM State of New Mexico		Page 18 of 33
		Incident ID	
Page 4	Oil Conservation Division	District RP	
		Facility ID	
		Application ID	
regulations all operators are a public health or the environm failed to adequately investiga addition, OCD acceptance of and/or regulations. Printed Name: Signature:	Da	ions and perform corrective actions for release does not relieve the operator of liability shoul groundwater, surface water, human health or onsibility for compliance with any other feder le:	es which may endanger ld their operations have the environment. In al, state, or local laws
OCD Only			
Received by:		Date:	

Received by OCD: 5/16/2022 11:23:22 AM Form C-141 State of New Mexico

Page 6

Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<u>Closure Report Attachment Checklist</u>: Each of the following it	tems must be included in the closure report.
A scaled site and sampling diagram as described in 19.15.29.1	1 NMAC
Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)
Description of remediation activities	
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rer human health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regula restore, reclaim, and re-vegetate the impacted surface area to the co- accordance with 19.15.29.13 NMAC including notification to the O	nediate contamination that pose a threat to groundwater, surface water, a C-141 report does not relieve the operator of responsibility for itions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in CD when reclamation and re-vegetation are complete.
OCD Only	
Received by:	Date:
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.
Closure Approved by:	Date:
Printed Name:	Title:

Received by OCD: 5/16/2022 11:23:22 AM COG - Mercury CTB 48 Hr Sampling Notification

CM

Conner Moehring <Cmoehring@carmonaresources.com> To OCD.Enviro@state.nm.us Cc OMike Carmona; OJacqui.Harris@conocophillips.com

Good afternoon,

Page 20 of 33

On behalf of COG, Carmona Resources will be conducting a liner inspection at the below-referenced site on 03/08/2022 at 1:05 p.m. Mountain Time. Please let me know if you have any questions.

Mercury CTB (02.10.22) Eddy County, New Mexico Unit N Sec 18 T26S R28E Incident #: NAPP2205928781 32.0366°, -104.1274°

Conner R. Moehring 310 West Wall Street, Suite 415 Midland Texas, 79701 M: 432-813-6823 Cmoehring@carmonaresources.com

CARMONA RESOURCES

APPENDIX C

CARMONA RESOURCES

Mercury CTB (02.10.22)

27.55' - Drilled 2003

775.

ABAS - MARK

199 39 99

Legend

Page 22 of 33

- locitie Radius
- 🅹 1.56 Miles
- 🍰 1.97 Miles
- ab 2.22 Miles
- USGS Water Wells
- Mercury CTB (02.10.22)
- NMSEO Water Well

1 mi

16.35' - Drilled 1998

33' - Drilled 2020

Received by OCD: 5/16/2022 11:23:22 AM MEDIUM KARSI

COG Operating

775

Mercury CTB (02.10.22)

GReleased to Imaging: 6/27/2022 2:22:57 PM



Legend



/ MEDIUM

• Mercury CTB (02.10.22)



2 mi

New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a	(R=POD has been replaced O=orphaned, C=the file is		rter	s ai	re 1	1=N\	V 2=N	IE 3=SW	' 4=SE)				
water right file.)	closed)	(qua	rter	s a	re s	smal	lest to	largest)	(NAD83	BUTM in meters)		(In feet	:)
	POD Sub-		0	Q	0						Donth	Donth	Water
POD Number	Code basin (County	-		-	Sec	Tws	Rng	х	Y			Column
<u>C 01668</u>	CUB	ED		3	3	12	26S	28E	589957	3546554* 🌍	250	100	150
<u>C 02160</u>	CUB	ED	4	1	2	14	26S	28E	589243	3546044* 🌍	300	120	180
<u>C 02160 S</u>	CUB	ED	1	1	2	14	26S	28E	589043	3546244* 🌍	300	120	180
C 02160 S2	CUB	ED	1	1	2	14	26S	28E	589043	3546244* 🌍	300	120	180
C 02160 S3	CUB	ED	2	2	1	14	26S	28E	588834	3546241* 🌍	300	120	180
<u>C 02160 S4</u>	CUB	ED	2	2	1	14	26S	28E	588834	3546241* 🌍	300	120	180
C 02160 S5	CUB	ED	1	1	1	14	26S	28E	588225	3546237* 🌍	300	120	180
C 02160 S6	CUB	ED	3	3	1	14	26S	28E	588232	3545635* 🌍	300	120	180
C 02160 S7	CUB	ED	3	3	1	22	26S	28E	586638	3543998* 🌍	300	120	180
C 02160 S8	CUB	ED	2	3	3	12	26S	28E	590056	3546653* 🌍	200	120	80
<u>C 02160 S9</u>	CUB	ED	3	3	2	02	26S	28E	589020	3548868* 🌍	300	120	180
<u>C 02477</u>	CUB	ED		1	1	03	26S	28E	586687	3549347* 🌍	150		
<u>C 02478</u>	CUB	ED		2	1	05	26S	28E	583848	3549325* 🌍	100		
<u>C 02479</u>	CUB	ED		4	4	10	26S	28E	587909	3546534* 🌍	200		
<u>C 02480</u>	CUB	ED		4	4	10	26S	28E	587909	3546534* 🌍	150		
<u>C 02481</u>	CUB	ED		1	1	14	26S	28E	588326	3546138* 🌍	200		
<u>C 02894</u>	С	ED	2	2	3	12	26S	28E	590458	3547061* 🌍	240		
<u>C 02924</u>	С	ED	1	3	2	11	26S	28E	589032	3547451* 🌍			
C 04022 POD1	CUB	ED	4	4	2	15	26S	28E	588082	3545647 🌍	220	175	45
C 04022 POD2	CUB	ED	2	2	2	27	26S	28E	588106	3543082 🌍	250	145	105
C 04466 POD1	CUB	ED	3	3	2	29	26S	28E	584327	3542357 🌍	96	33	63

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Page 24 of 33

ived by OCD: 5/16/2022 11:23:22 AM		Page 25 of
	Average Depth to Water:	118 feet
	Minimum Depth:	33 feet
	Maximum Depth:	175 feet

PLSS Search:

Township: 26S R

Range: 28E



USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:		Geographic Area:		
Groundwater	~	New Mexico	~	GO

Click to hideNews Bulletins

- Explore the NEW USGS National Water Dashboard interactive map to access real-time water data from over 13,500 stations nationwide.
- Full News 🔊

Groundwater levels for New Mexico

Click to hide state-specific text

Important: <u>Next Generation Monitoring Location Page</u>

Search Results -- 1 sites found

Agency code = usgs

Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 320230104060601 26S.28E.18.33111

Eddy County, New Mexico Latitude 32°02'30", Longitude 104°06'06" NAD27 Land-surface elevation 3,070 feet above NAVD88 This well is completed in the Other aquifers (N9999OTHER) national aquifer. This well is completed in the Castile Formation (312CSTL) local aquifer.

Output formats

<u>Table of data</u>

Tab-separated data

Graph of data

Reselect period

Date	Time	? Water- level date- time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1981-05-01		D	62610		3050.88	NGVD29	1	Z		
1981-05-01		D	62611		3052.48	NAVD88	1	Z		
1981-05-01		D	72019	17.52			1	Z		
1983-01-25		D	62610		3052.15	NGVD29	1	Z		
1983-01-25		D	62611		3053.75	NAVD88	1	Z		
1983-01-25		D	72019	16.25			1	Z		
1987-10-13		D	62610		3053.27	NGVD29	1	Z		
1987-10-13		D	62611		3054.87	NAVD88	1	Z		
1987-10-13		D	72019	15.13			1	Z		
1992-11-03		D	62610		3050.77	NGVD29	1	S		
1992-11-03		D	62611		3052.37	NAVD88	1	S		
1992-11-03		D	72019	17.63			1	S		
1998-01-22		D	62610		3052.05	NGVD29	1	S		
1998-01-22		D	62611		3053.65	NAVD88	1	S		
1998-01-22		D	72019	16.35			1	S		

Rottins: University water tata uses applying mining wind wind wind a second sec

	Explanation										
Section	Code	Description									
Water-level date-time accuracy	D	Date is accurate to the Day									
Parameter code	62610	Groundwater level above NGVD 1929, feet									
Parameter code	62611	Groundwater level above NAVD 1988, feet									
Parameter code	72019	Depth to water level, feet below land surface									
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988									
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929									
Status	1	Static									
Method of measurement	S	Steel-tape measurement.									
Method of measurement	Z	Other.									
Measuring agency		Not determined									
Source of measurement		Not determined									
Water-level approval status	А	Approved for publication Processing and review completed.									

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: Groundwater for New Mexico: Water Levels URL: https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?

Page Contact Information: <u>New Mexico Water Data Maintainer</u> Page Last Modified: 2022-03-06 15:47:58 EST 0.29 0.25 nadww02 USA.gov

.



New Mexico Office of the State Engineer Point of Diversion Summary

	(quarters are 1=1 (quarters are sn				(NAD83 U	TM in meters)		
Well Tag POD Number	Q64 Q16 Q4		0	/	X	Y		
NA C 04466 POD1	3 3 2	29	26S	28E	584327	3542357 🧲		
Driller License: 1456	Driller Compa	nny:	WI	HITE DR	ILLING CO	OMPANY		
Driller Name: JOHN W WHITE	_							
Drill Start Date: 09/01/2020	Drill Finish D	ate:	0	9/02/202	0 Ph	ug Date:	10/16/2020	
Log File Date: 11/12/2020	PCW Rcv Dat	e:			So	urce:	Shallow	
Ритр Туре:	Pipe Discharg	e Size	e:		Estimated Yield		0 GPM	
Casing Size:	Depth Well:		96 feet		De	pth Water:	33 feet	
Water Bearing Stratifica	tions: T	op E	Botton	Descri	iption			
		33	35	Sandst	tone/Gravel	/Conglomerate		
		35	37	Other/	Unknown	-		
		37	42	Other/	Unknown			
		42	54	Sandst	Sandstone/Gravel/Conglomerate			
		54	65	Other/	Unknown			
		65	67	Sandst	tone/Gravel	/Conglomerate		
		67	74	Sandst	tone/Gravel	/Conglomerate		

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/6/22 1:52 PM

POINT OF DIVERSION SUMMARY

USGS Home Contact USGS Search USGS

Science for a changing world

National Water Information System: Web Interface

USGS Water Resources

Data Category:		Geographic Area:		
Groundwater	~	New Mexico	~	GO

Click to hideNews Bulletins

- Explore the NEW <u>USGS National Water Dashboard</u> interactive map to access real-time water data from over 13,500 stations nationwide.
- Full News 🔊

Groundwater levels for New Mexico

Click to hide state-specific text

Important: <u>Next Generation Monitoring Location Page</u>

Search Results -- 1 sites found

Agency code = usgs

Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 320134104094801 26S.27E.23.321431

Eddy County, New Mexico Latitude 32°01'34", Longitude 104°09'48" NAD27 Land-surface elevation 3,065 feet above NGVD29 This well is completed in the Other aquifers (N9999OTHER) national aquifer. This well is completed in the Bell Canyon Formation (313BLCN) local aquifer.

Output formats

Table of data

Tab-separated data

Graph of data

Reselect period

Date	Time	? Water- level date- time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1992-11-04		D	62610		3045.35	NGVD29	1	S		
1992-11-04		D	62611		3046.97	NAVD88	1	S		
1992-11-04		D	72019	19.65			1	S		
1998-01-13		D	62610		3039.38	NGVD29	1	S		
1998-01-13		D	62611		3041.00	NAVD88	1	S		
1998-01-13		D	72019	25.62			1	S		
2003-01-29		D	62610		3037.45	NGVD29	1	S	USGS	5
2003-01-29		D	62611		3039.07	NAVD88	1	S	USGS	5
2003-01-29		D	72019	27.55			1	S	USGS	5

Explanation				
Section	Code	Description		
Water-level date-time accuracy	D	Date is accurate to the Day		

Resejved_by QGD: 5/16/2022 11:23:22 AM

USGS Groundwater for New Mexico: Water Levels -- 1 sites

Page 30 of 33

Section	Code	Description
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Measuring agency		Not determined
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	А	Approved for publication Processing and review completed.

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News


Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: Groundwater for New Mexico: Water Levels URL: https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?


Page Contact Information: <u>New Mexico Water Data Maintainer</u> Page Last Modified: 2022-03-06 15:49:22 EST 0.34 0.3 nadww01 USA.gov

.

New Mexico NFHL Data







FEMA, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey,

Received by OCD: 5/16/2022 11:23:22 AM Form C-141 State of New Mexico

Page 6

Oil Conservation Division

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<u>Closure Report Attachment Checklist</u>: Each of the following a	items must be included in the closure report.				
A scaled site and sampling diagram as described in 19.15.29.11 NMAC					
Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	s of the liner integrity if applicable (Note: appropriate OCD District office				
Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)					
Description of remediation activities					
and regulations all operators are required to report and/or file certaid may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and re- human health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regular restore, reclaim, and re-vegetate the impacted surface area to the co- accordance with 19.15.29.13 NMAC including notification to the O	ations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in DCD when reclamation and re-vegetation are complete.				
Printed Name:					
	Date:				
email:	Telephone:				
OCD Only					
Received by: <u>Robert Hamlet</u>	Date:6/27/2022				
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible /or regulations.				
Closure Approved by: Robert Hamlet	Date: <u>6/27/2022</u>				
Printed Name: Robert Hamlet	Title: Environmental Specialist - Advanced				

Released to Imaging: 6/27/2022 2:22:57 PM

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	107027
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By Condition

We have received your closure report and final C-141 for Incident #NAPP2205928781 MERCURY CTB, thank you. This closure is approved. 6/27/2022 rhamlet

CONDITIONS

Action 107027

Condition Date