of New Mexico

Incident ID	nAPP2212227380
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following is	items must be included in the closure report.
MA scaled site and sampling diagram as described in 19.15.29.	11 NMAC
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
Laboratory analyses of final sampling (Note: appropriate ODG	C District office must be notified 2 days prior to final sampling)
Description of remediation activities	
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and replacement human health or the environment. In addition, OCD acceptance of	ations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in
Printed Name: James Raley	Title: Environmental Specialist
Signature:	Date:6/16/2022
email:jim.raley@dvn.com	Telephone:575-689-7597
OCD Only	
Received by: Robert Hamlet	Date: 7/13/2022
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.
Closure Approved by: Robert Hamlet	Date: 7/13/2022
Printed Name: Robert Hamlet	Title: Environmental Specialist - Advanced



June 8, 2022 Vertex Project #: 22E-01520

Spill Closure Report: RDX Federal 17 #035H

Section 17, Township 26 South, Range 30 East

API: 30-015-43884 County: Eddy

Incident Report: nAPP2212227380

Prepared For: WPX Energy Permian, LLC

5315 Buena Vista Drive Carlsbad, New Mexico 88220

New Mexico Oil Conservation Division - District 2 - Artesia

811 South 1st Street Artesia, New Mexico 88210

WPX Energy Permian, LLC (WPX) retained Vertex Resource Services Inc. (Vertex) to conduct a Spill Assessment for a release of produced water caused by a mechanical seal failure on the water transfer pump at RDX Federal 17 #035H, API 30-015-43884, Incident nAPP2212227380 (hereafter referred to as "RDX"). WPX provided spill notification to the New Mexico Oil Conservation District (NMOCD) District 2, via submission of an initial C-141 Release Notification (Attachment 1). This letter provides a description of the spill assessment and includes a request for spill closure. The spill area is located at N 32.0492796, W -103.909725.

Background

The site is located approximately 14.96 miles southeast of Malaga, New Mexico (Google Inc., 2022). The legal location for the site is Section 17, Township 26 South and Range 30 East in Eddy County, New Mexico. The spill area is located on Bureau of Land Management (BLM) property.

The Geological Map of New Mexico (New Mexico Bureau of Geology and Mineral Resources, 2022) indicates the site's surface geology is comprised primarily of Qoa - Older alluvial deposits of upland plains and piedmont areas and is characterized as calcic soils and eolian cover sediments of High Plains region (middle to lower Pleistocene). The Natural Resources Conservation Service Web Soil Survey characterizes the predominant soil texture on the site as Potter-Simona complex. It tends to be well drained with high runoff and very low available moisture levels in the soil profile (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

The surrounding landscape is associated with ridges, hills, plains, and alluvial fans at elevations of 2,750 to 5,000 feet above sea level. The climate is semi-arid, with an annual precipitation ranging between 8 to 16 inches. Historically, the plant community has a grassland aspect, dominated by grasses with shrubs. Black grama is dominant with a mixture of creosotebush, mesquite and catclaw mimosa shrubs. Overgrazing and extended drought can reduce grass cover.

vertex.ca

WPX Energy Permian, LLC RDX Federal 17 #035H, nAPP2212227380 2022 Spill Assessment and Closure May 2022

There is no surface water located on-site. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 New Mexico Administrative Code (NMAC), is the Pecos River located approximately 4.9 miles southwest of the site (United States Fish and Wildlife Service, 2022). There are no continuously flowing watercourses or significant watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC (New Mexico Oil Conservation Division, 2018).

Incident Description

The spill occurred on May 1, 2022, due to mechanical seal failure on the water transfer pump. The spill was reported on May 2, 2022, and involved the release of approximately 5 barrels (bbl.) of produced water into the lined containment of the tank battery. Approximately 5 bbl. of free fluid was removed during initial spill clean-up. The NMOCD C-141 Report: nAPP2212227380 is included in Attachment 1. The Daily Field Report (DFRs) and site photographs are included in Attachment 2.

Closure Criteria Determination

The depth to groundwater was determined using information from the Office of the State Engineers Water Rights Database. A 0.5-mile search radius was used to determine groundwater depth. The closest recorded depth to groundwater was determined to be 200 feet below ground surface (bgs) and 1.42 miles from the site (New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System, 2022). Documentation used in Closure Criteria Determination research is included in Attachment 3.

pill Coc	ordinates:	X: 32.0492796	Y: -103.909725 Unit	
ite Spe	cific Conditions	Value		
1	Depth to Groundwater	125	feet	
1	Within 300 feet of any continuously flowing	25.000	foot	
2	watercourse or any other significant watercourse	25,860	feet	
	Within 200 feet of any lakebed, sinkhole or playa			
3	lake (measured from the ordinary high-water	5,537	feet	
	mark)			
4	Within 300 feet from an occupied residence,	56,660	feet	
4	school, hospital, institution or church	30,000	leet	
	i) Within 500 feet of a spring or a private, domestic			
	fresh water well used by less than five households	7,500	feet	
5	for domestic or stock watering purposes, or			
	ii) Within 1000 feet of any fresh water well or	4,986	feet	
	spring	4,560	Teet	
	Within incorporated municipal boundaries or			
	within a defined municipal fresh water field		(Y/N)	
6	covered under a municipal ordinance adopted	No		
U	pursuant to Section 3-27-3 NMSA 1978 as	No		
	amended, unless the municipality specifically			
	approves			
7	Within 300 feet of a wetland	484	feet	
8	Within the area overlying a subsurface mine	No	(Y/N)	
			Critical	
0	Mithin on unstable over (Kovet Mon)	Medium	High	
9	Within an unstable area (Karst Map)	Medium	Medium	
			Low	
10	Within a 100-year Floodplain	500	year	
		Upton-Simona		
11	Soil Type	complex		
12	Ecological Classification	Shallow, Shallow		
		Sandy		
13	Geology	Qoa		
			<50'	
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	<50'	51-100'	
vertex.ca			>100'	

3101 Boyd Drive, Carlsbad, New Mexico 88220, USA | P 575.725.5001

WPX Energy Permian, LLC RDX Federal 17 #035H, nAPP2212227380 2022 Spill Assessment and Closure May 2022

Based on data included in the closure criteria determination worksheet, the release at RDX would not be subject to the requirements of Paragraph (4) of Subsection C of 19.15.29.12 NMAC and the closure criteria for the site would be determined to be associated with the following constituent concentration limits based on depth to groundwater. The closure criteria determined for the site are associated with the following constituent concentration limits as presented in Table 1.

Table 1. Closure Criteria for Soils Impacted by a Release				
Minimum depth below any point within the horizontal boundary of the release to groundwater				
less than 10,000 mg/l TDS	Constituent	Limit		
	Chloride	600 mg/kg		
< 50 feet	TPH (GRO+DRO+MRO)	100 mg/kg		
< 50 feet	BTEX	50 mg/kg		
	Benzene	10 mg/kg		

¹Total Dissolved Solids (TDS)

Liner Inspection

On May 11, 2022, Vertex provided 48-hour notification of the liner inspection to NMOCD District 2 and the BLM, as required by Subparagraph (a) of Paragraph (5) of Subsection A 19.15.29.11 NMAC (Attachment 4). On May 14, 2022, Vertex was on-site to identify the area of the spill specified in the initial C-141 Report, conduct an inspection of the lined containment and verify that the liner was intact and had the ability to contain the release. Visual observation of the liner was completed on all sides and the base of the containment, around equipment and of all seams in the liner. As evidenced in the DFR, liner integrity was confirmed. The DFR and associated photographs of the liner inspection are included in Attachment 2.

Closure Request

Vertex recommends no remediation action to address the release at RDX Federal 17 #035H. The secondary containment liner appeared to be intact and had the ability to contain the release, as shown in the inspection photographs included with the DFR (Attachment 2). There are no anticipated risks to human, ecological or hydrological receptors associated with the release site.

Vertex requests that incident nAPP2212227380 be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. WPX certifies that all information in this report and the attachments is correct, and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD requirements to obtain closure on the open release at RDX Federal 17 #035H.

vertex.ca

²Total petroleum hydrocarbons (TPH) = gasoline range organics (GRO) + diesel range organics (DRO) + motor oil range organics (MRO)

³Benzene, toluene, ethylbenzene, and xylenes (BTEX)

WPX Energy Permian, LLC RDX Federal 17 #035H, nAPP2212227380 2022 Spill Assessment and Closure May 2022

Should you have any questions or concerns, please do not hesitate to contact the undersigned at 575.361.9880 or mpeppin@vertex.ca.

Date

June 8, 2022

Monica Peppin

PROJECT MANAGER, REPORTING

Attachments

Attachment 1. NMOCD C-141 Release Notification
Attachment 2. Daily Field Report(s) with Photographs

Attachment 3. Closure Criteria for Soils Impacted by a Release Research Determination Documentation

Attachment 4. Required 48-hr Notification of Liner Inspection to Regulatory Agencies

References

- Google Inc. (2022). *Google Earth Pro (Version 7.3.4) [Software].* Retrieved from http://www.google.com/earth on March 1, 2022.
- New Mexico Bureau of Geology and Mineral Resources. (2022). *Interactive Geologic Map.* Retrieved from http://geoinfo.nmt.edu.
- New Mexico Energy, Minerals and Natural Resources Department. (2022). *Coal Mine Resources in New Mexico*. Retrieved from http://www.emnrd.state.nm.us/MMD/gismapminedata.html
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022a). Water Column/Average Depth to Water Report. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html.
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022b). *Point of Diversion Location Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html.
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022c). *Well Log/Meter Information Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html
- New Mexico Oil Conservation Division. (2018). New Mexico Administrative Code Natural Resources and Wildlife Oil and Gas Releases. Santa Fe, New Mexico.
- United States Department of Agriculture, Natural Resources Conservation Service. (2022). *Web Soil Survey*. Retrieved from https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.
- United States Department of Homeland Security, FEMA Flood Map Service Center. (2020). *Flood Map Number* 35015C1875D. Retrieved from https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20 mexico#searchresultsanchor.
- United States Department of the Interior, Bureau of Land Management. (2018). *CFO Karst Public*. https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html.
- United States Fish and Wildlife Service. (2022). *National Wetlands Inventory*. Retrieved from https://www.fws.gov/wetlands/data/Mapper.html.

vertex.ca

WPX Energy Permian, LLC RDX Federal 17 #035H, nAPP2212227380 2022 Spill Assessment and Closure May 2022

Limitations

This report has been prepared for the sole benefit of WPX Energy Permian, LLC. This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division and Bureau of Land Management, without the express written consent of Vertex Resource Services Inc. (Vertex) and WPX Energy Permian, LLC. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

ATTACHMENT 1

Responsible Party: WPX Energy Permian, LLC

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Contact Name: Jim Raley

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	NAPP2212227380
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

OGRID: 246289

Contact Telephone: 575-689-7597

Contact email: jim.raley@dvn.com			Incident #	(assigned by OCD) NAPP2212227380		
Contact mail 88220	ing address:	5315 Buena Vista	a Dr., Carlsbad 1	NM			
			Locatio	n of R	elease S	ource	
Latitude 32.0)492796 <u> </u>		(NAD 83 in	decimal de	Longitude grees to 5 deci	-103.909725	
G: N B	DIV EEDED	A. 15 1102511	(IVAD 65 ut	aecimai ae			a.
		AL 17 #035H			• • •	Oil Production	
Date Release	Discovered	: May 1 st , 2022			API# (if ap)	plicable) 30-015-43	884
Unit Letter	Section	Township	Range		Cou	nty]
D	17	26S	30E	Eddy	7		1
Crude Oi	1	l(s) Released (Select a		ach calculat	ions or specific	Volume Reco	e volumes provided below) overed (bbls) 0
Produced	water	Volume Release	<u> </u>				overed (bbls) 5
	Is the concentration of dissolved chlorid produced water >10,000 mg/l?		d chloride	e in the	⊠ Yes □ N	lo	
Condensa	nte	Volume Release				Volume Recovered (bbls)	
Natural G	as	Volume Released (Mcf)			Volume Recovered (Mcf)		
Othor (do	r (describe) Volume/Weight Released (provide units))	Volume/Weig	ght Recovered (provide units)	
Cause of Rel	ease: Mecha	nical seal on wate			lowing for t	he release of ap	prox 5 bbls produced water to lined
Cause of Rel	ease: Mecha			cted.			prox 5 bbls produced water to lined
Cause of Rel	ease: Mecha		iner to be inspec	cted.			prox 5 bbls produced water to lined
Cause of Rel	ease: Mecha		iner to be inspec	cted.			prox 5 bbls produced water to lined

			-46		-	_	-	^
· D	ağ	a.	d.	4	A.	fr.	EI.	L
	uz	1 2.	20	11 .	A)	<i>.</i>	"	u

Incident ID NAPP2212227380

District RP
Facility ID
Application ID

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
☐ Yes ⊠ No	
If YES, was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)
	Initial Response
The responsible p	party must undertake the following actions immediately unless they could create a safety hazard that would result in injury
The source of the rele	ease has been stopped.
	s been secured to protect human health and the environment.
Released materials ha	we been contained via the use of berms or dikes, absorbent pads, or other containment devices.
All free liquids and re	ecoverable materials have been removed and managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NM	AC the responsible party may commence remediation immediately after discovery of a release. If remediation
has begun, please attach	a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred at area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
	rmation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and required to report and/or file certain release notifications and perform corrective actions for releases which may endanger
public health or the environr	ment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have
addition, OCD acceptance of	ate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In f a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws
and/or regulations.	
Printed Name:James	s Raley Title: Environmental Specialist
1.	Ph.
Signature:	Date:5/02/2022
email:jim.raley@dvn	.com Telephone:575-689-7597
	• — —
OCD Only	
Received by: Jocelyr	n Harimon Date: <u>05/02/2022</u>

State of New Mexico

Incident ID	nAPP2212227380
District RP	
Facility ID	
Application ID	

Page 12 of 90

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)			
Did this release impact groundwater or surface water?	Yes X No			
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No			
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No			
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No			
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No			
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No			
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No			
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes 🗓 No			
Are the lateral extents of the release overlying a subsurface mine?				
Are the lateral extents of the release overlying an unstable area such as karst geology?				
Are the lateral extents of the release within a 100-year floodplain?				
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No			
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.				
Characterization Report Checklist: Each of the following items must be included in the report.				
Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wel	ls.			
Data table of soil contaminant concentration data				
 ∑ Depth to water determination ∑ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release 				
Boring or excavation logs				
Note that the second se				
Topographic/Aerial maps Laboratory data including chain of custody				
Bassiatory and merading sham or substary				

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 6/16/2022 11:55:54 AM Form C-141 State of New Mexico
Page 4 Oil Conservation Division

Received by:

OCD Only

	Page 13 of 90
Incident ID	nAPP2212227380
District RP	
Facility ID	

Application ID

Date:

Page 14 of 90

Incident ID	nAPP2212227380
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following	items must be included in the closure report.											
A scaled site and sampling diagram as described in 19.15.29.11 NMAC												
X Photographs of the remediated site prior to backfill or photo must be notified 2 days prior to liner inspection)	s of the liner integrity if applicable (Note: appropriate OCD District office											
Laboratory analyses of final sampling (Note: appropriate OD	OC District office must be notified 2 days prior to final sampling)											
Description of remediation activities												
and regulations all operators are required to report and/or file certa may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and re- human health or the environment. In addition, OCD acceptance of	lations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in											
Printed Name: James Raley	Title: Environmental Specialist											
Signature:	Date: 6/16/2022											
email:jim.raley@dvn.com	Telephone:575-689-7597											
OCD Only												
Received by:	Date:											
	y of liability should their operations have failed to adequately investigate and e water, human health, or the environment nor does not relieve the responsible l/or regulations.											
Closure Approved by:	Date:											
Printed Name:	Title:											

ATTACHMENT 2



Client:	Devon Energy Corporation	Inspection Date:	5/14/2022				
Site Location Name:	RDX Federal 17 #035H	Report Run Date:	5/14/2022 10:56 PM				
Client Contact Name:	Jim Raley	API #:					
Client Contact Phone #:	(575) 748-0176						
Unique Project ID		Project Owner:					
Project Reference #		Project Manager:					
		Summary of	Times				
Arrived at Site	5/14/2022 12:05 PM						
Departed Site	5/14/2022 1:28 PM						
		Field Net					

Field Notes

- 12:10 Completed safety paperwork at office. On site for Liner Inspection.
- 12:37 Inspected outside of containment wall and found significant no damage or breaches. No unexpected staining on outside edge of containment wall.
- **12:37** Inspected outside of containment wall and found significant no damage or breaches.
- 13:09 Inspected liner within containment between and around tanks and equipment. Did not find significant damage, breaches, or areas of concern. Patches are present but sound.

Next Steps & Recommendations

1 Send report to client.



Site Photos

Viewing Direction: South



Northeast corner outside containment facing south. East end of containment.

Viewing Direction: West



Northeast corner inside containment facing west. North side containment inside.

Viewing Direction: East



Northwest corner inside containment facing east. North side containment inside.

Viewing Direction: North



Southeast corner inside containment facing north. East end of containment containment inside.





Southeast corner inside containment facing west. South side containment inside.



East end of tanks facing west between tanks.




West end of tanks facing east between tanks.



North side of tanks facing south between tanks. Far west space.






North side of tanks facing south between tanks. Next space west of middle space.



North side of tanks facing south between tanks. Middle space.



North side of tanks facing south between tanks. Next space east of middle space.



Northeast corner outside containment facing west. North side of containment.





North side of tanks facing south between tanks. Far east space.

Viewing Direction: East

Northwest corner outside containment facing east. North side of containment.



Northwest corner outside containment facing south. West end of containment.



Southwest corner outside containment facing east. South side of containment.







Southeast corner outside containment facing west. South side of containment.

Viewing Direction: North



Southwest corner inside containment facing north. West end of containment inside, and point of release.

Viewing Direction: East



Southwest corner inside containment facing east. South side containment inside.

Viewing Direction: South



Northwest corner inside containment facing south. West end of containment inside, and point of release.



Daily Site Visit Signature

Inspector: Lakin Pullman

Signature:

ATTACHMENT 3

RDX Federal 17 #035H



5/18/2022, 2:15:04 PM
GIS WATERS PODs OSE District Boundary
Active New Mexico State Trust Lands
Pending Both Estates

1:18,056 0 0.17 0.35 0.7 mi 0 0.3 0.6 1.2 km

Esri, HERE, Garmin, (c) OpenStreetMap contributors, Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community, U.S. Department of Energy Office of Legacy Management





2007 107 107 101 1: SQ

	OSE BOD NI	IMOED (WEI	L NUMBER)					OSE FILE NUI	MRER(S)				
Z	C-4068 PC	,	LE NUMBER)		C-4068								
OIL	WELL OWN							PHONE (OPT)	ONAL)				
GENERAL AND WELL LOCATION	1		Production, LLC		, ,								
רַגַּ	WELL OWN	ER MAILINC	ADDRESS					CITY		STATE		ZIP	
/EL	3500 One	Williams (Center MD 35,					Tulsa					
NA A			DE	GREES	MINUTES	SECON	/DS	L					
V	WELL LOCATIO	NI		32	* ACCURACY REQUIRED: ONE TENTH OF A SECOND								
RAI	(FROM GP	LA	NITUDE	102	52	20.	93 N 93 W	* DATUM REG	QUIRED: WGS 84				
NE		LO	NGITUDE	103	53	39.:							
5			IG WELL LOCATION TO				ARKS – PLS	S (SECTION, TO	WNSHJIP, RANGE) WH	ERE AVAILA	BLE		
_	NW/4SW/4	4NW/4 Se	ection 16, Township	26S, Range 3	0 E, N.M.P.N	1.							
	LICENSE NU	MBER	NAME OF LICENSED	DRILLER					NAME OF WELL DR	ILLING COMF	PANY		
	124	19		Ja		Atkins Eng	ineering Ass	sociates, Ir	nc.				
DRILLING STARTED DRILLING ENDED DEPTH OF COMPLETED WELL (FT) BORE HOLE DEPTH (FT) DEPTH WATER FIRST ENCOUNTED													
	5/11/2	2017	5/12/2017		125	nor	ne encounte	ered					
	STATIC WATER LEVEL IN COMPLETED WELL (
Z	COMPLETED WELL IS: ARTESIAN / DRY HOLE SHALLOW (UNCONFINED)												
DRILLING FLUID:												100 mg/d 100	
[MA	DRILLING M		ROTARY	HAMMER	CABLE			R – SPECIFY:	hollow stem	auger with	n nir rotai	v	
S.			; ROTAR1) Office	K-31 ECH 1.	<u> </u>	T		<u> </u>	
	l	(feet bgl)	BORE HOLE		ATERIAL AN GRADE	D/OR		ASING	CASING		CASING WALL THICKNESS		
Ž	FROM	TO	DIAM (inches)		ch casing string			NECTION YPE	INSIDE DIAM. (inches)		es)	SIZE (inches)	
CAS				note se	ctions of screen	1)			`	1.05		Em. 1877	
් ජ	0	125	±6.625		n/a			n/a	n/a	n/a f		n/a	
Ž											- 3	2 - 40 - 10 - 3	
2. DRILLING							• • • •						
A													
``													
									<u> </u>				
					·····								
		-											
	DEPTH	(feet hal)	POPELIOLE	1 107	Γ ANNÚLAR S	EAL MA	TEDIAI A	ND	AMOUNT		METHOL	NOE.	
-1			BORE HOLE DIAM. (inches)		EL PACK SIZE				(cubic feet)		METHOI PLACEM		
ANNULAR MATERIAL	FROM	TO		1									
\TE	n/a	n/a	n/a			n/a			n/a		n/a		
W.													
LAF												····	
N.													
3. AD													
m		***************************************									<u></u>		
			L	1									
r	OSE INTER	NAL USE	2-101		POD M	UMBER	1		WELL RECORD A NUMBER	~/ ~	Sion 10/29	7/15) 7	
	NUMBER	<u> </u>	7 000		, ' ¬ 1	UNDEK		LKN	TV A	<u>, 00 i</u>	LACE	, OF 2	
LOC	ATION	$\sim 10^{\circ}$	<u>い。さいと</u>	i_{n} $l(o_{n})$	<u>にろり</u>				$-\epsilon \chi \rho$	<u> </u>	PAGE	OF Z	

	DEPTH (I	ES	WA BEAR (YES	ING?	ESTIM YIELI WAT BEAI ZONES	FOR ER- RING						
	0	5	5	white caliche small gravel		Y	✓ N		(87)			
	5	20	15	light brown fine sand with small gravel		Y	√ N					
	20	40	20	tan sand, medium gravel, sandstone	Y	✓ N						
	40	50	10	white tannish sand/sandstone	Y	✓ N						
	50	90	40	tannish very fine sandstone	Y	✓ N		· · · · · · · · · · · · · · · · · · ·				
-	90	110	20	fine reddish tan sandstone		Y	✓ N					
4. HYDROGEOLOGIC LOG OF WELL	110	125	T.	Y	√ N							
OF V						Y	N					
500						Y	N	·····				
IC I	<u></u>					Y	N					
907						Y	N					
CEC						Y	N					
ROC						Y	N					
нур						Y	N	51 A B 51 D B				
4.						Y	N	3	(10) 100 mg/s			
						Y	N	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	#12 A			
		_				Y	N	· · · · · · · · · · · · · · · · · · ·				
						Y	N					
						Y	N	100 60,4 23,4				
						Y	N	, 1971-07 + 5	garanta da santa da s Santa da santa da			
						Y	N		North			
	METHOD U	SED TO ES	TIMATE YIELD	OF WATER-BEARING STRATA:	1	L ESTIM						
	PUMF	P □Ai	IR LIFT	BAILER OTHER - SPECIFY:	WELL	. YIELD	(gpm):	0.0	0			
TEST; RIG SUPERVISION	WELL TEST TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD MISCELLA MISCALE DURING											
ï.												
TE	PRINT NAM	E(S) OF DR	RILL RIG SUPER	VISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CO	NSTRUC	TON OT	HER TH	IAN LICE	NSEE:			
vń	Guadalupe "	Lupe" Ley	ba, Shane Eldrid	ge								
6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND											
				R / PRINT SIGNEE NAME			DATE					
	OSE INTERN	IAL USE	1100 5	WR-20 WI		ORD & 1	7	sion 10/29	/2015)			
	E NUMBER CATION	<u> 71</u>	- 4007	POD NUMBER TRN NUM	EK (0()	0/	PAGE 2	OF 2			
	ATION	\sim	こころした	-110.1 0 " I	$-\sim$	-1		rage 2	or z			

Tom Blaine, P.E. State Engineer



Roswell Office 1900 WEST SECOND STREET ROSWELL, NM 88201

STATE OF NEW MEXICO OFFICE OF THE STATE ENGINEER

Trn Mbr:

606777

File Nbr:

C 04068

Well File Nbr: C 04068 POD1

Jun. 12, 2017

JUSTIN BARMORE
RKI EXPLORATION AND PRODUCTION LLC
3500 ONE WILLIAMS CENTER MD 35
TULSA, OK 74172

Greetings:

The above numbered permit was issued in your name on 05/08/2017.

The Well Record was received in this office on 05/17/2017, stating that it had been completed on 05/12/2017, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 05/15/2018.

If you have any questions, please feel free to contact us.

Sincerely,

Deborah Dunaway (575)622-6521

drywell

RDX Federal 17 #035H



5/18/2022, 2:30:39 PM

Override 1 Pending
GIS WATERS PODs OSE District Boundary
Active

New Mexico State Trust Lands

Both Estates

SiteBoundaries

1:9,028 0 0.07 0.15 0.3 mi 0 0.15 0.3 0.6 km

Esri, HERE, Garmin, (c) OpenStreetMap contributors, Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community, U.S. Department of Energy Office of Legacy Management



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag **POD Number** Q64 Q16 Q4 Sec Tws Rng

X

Y

C 03483

4 05 26S 30E

604296

3548251

Driller License:

1509

Driller Company:

BMS DRILLING COMPANY

Driller Name:

BEAUREGARD, RICHARD

Drill Start Date:

06/03/2011

Drill Finish Date:

06/08/2011

Plug Date:

Log File Date:

07/14/2011

PCW Rcv Date:

Source: Shallow

Pump Type:

SUBMER

Pipe Discharge Size:

Estimated Yield: 35 GPM

Casing Size:

8.00

Depth Well:

700 feet

Depth Water:

200 feet

Water Bearing Stratifications:

Top Bottom Description 200

255 Sandstone/Gravel/Conglomerate

285

Sandstone/Gravel/Conglomerate Sandstone/Gravel/Conglomerate

320 510

650 Shale/Mudstone/Siltstone

Casing Perforations:

Top Bottom

180 260 280 360

500 680

Meter Make:

MASTERMETER

Meter Serial Number:

32530329

Meter Multiplier:

100.0000

Number of Dials:

Meter Type:

Diversion

Unit of Measure:

Meter Number:

Gallons

14452

Return Flow Percent:

Usage Multiplier:

Reading Frequency:

Meter Readings (in Acre-Feet)

Read Date	Year	Mtr Reading	Flag	Rdr Comment	Mtr Amount Online
07/11/2011	2011	10	A	bd WELL TO BE SET UP FOR COM SALE	0
04/01/2014	2014	188668	A	RPT	0
04/02/2014	2014	44195	A	RPT	0
07/01/2014	2014	62284	A	RPT	5.551
10/01/2014	2014	91448	A	RPT	8.950
12/31/2014	2014	126199	A	RPT	10.665
02/01/2015	2015	138888	A	RPT	3.894
03/02/2015	2015	150578	A	RPT	3.588
04/01/2015	2015	157715	A	RPT	2.190
04/30/2015	2015	170037	A	RPT	3.781
05/31/2015	2015	182144	A	RPT	3.716
07/01/2015	2015	188338	A	RPT	1.901

Released to Imaging: 7/13/2022 3:25:51 PM

ceived by OCD 08/3	46/2022	1125554 AM	209416	A	RPT	6.4	69
01/0	01/2016	2015	244328	A	mb	10.7	14
02/0	01/2016	2016	245605	A	mb	0.3	92
03/0	02/2016	2016	246331	A	mb	0.2	23
04/0	01/2016	2016	246331	A	mb		0
05/0	01/2016	2016	248057	A	mb	0.5	30
06/0	01/2016	2016	262631	A	mb	4.4	73
07/0	01/2016	2016	271192	A	mb	2.6	27
08/0	01/2016	2016	273040	A	mb	0.5	67
09/0	01/2016	2016	283123	A	mb	3.0	94
10/0	01/2016	2016	290786	A	mb	2.3	52
×*Y	TD Met	ter Amounts:	Year		Amount		
			2011		0		
			2014		25.166		
			2015		36.253		
			2016		14.258		

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/4/22 2:37 PM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.) (R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

		POD													
		Sub-		Q	Q	Q								•	Water
POD Number	Code	basin	County	64	16	4	Sec	Tws	Rng	X	Y	DistanceDep	thWellDep	thWater C	olumn
C 04068 POD1		CUB	ED	1	3	1	16	26S	30E	604397	3546018	1520			
<u>C 01360</u>		CUB	ED	4	3	3	05	26S	30E	602997	3548152	1735	770	173	597
<u>C 01361</u>		CUB	ED	3	4	3	05	26S	30E	603240	3548157	1766	775	184	591
<u>C 03483</u>		C	ED	4	4	4	05	26S	30E	604296	3548251	2286	700	200	500
C 03581 POD1		CUB	ED	4	4	4	05	26S	30E	604298	3548291	2320	800	320	480
C 04561 POD1		CUB	ED	4	3	3	24	26S	29E	599924	3543208	4397			

Average Depth to Water:

219 feet

Minimum Depth:

173 feet

Maximum Depth:

320 feet

Record Count: 6


UTMNAD83 Radius Search (in meters):

Easting (X): 602930 **Northing (Y):** 3546418 **Radius:** 5000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.


5/4/22 2:37 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER





RDX Federal 17 #035H Watercourse



May 11, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake

Other

Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Pond 5537 feet



May 4, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond


Lake

Other

Riverine



This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.





New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag POD Number

Q64 Q16 Q4 Sec Tws Rng

X

C 04068 POD1

3 1 16 26S 30E

604397 3546018

3 🌑

Y

Driller License: 1249

Driller Company:

ATKINS ENGINEERING ASSOC. INC.

Driller Name:

JACKIE D ATKINS

Drill Start Date: 05/11/2017

Drill Finish Date:

05/12/2017

Plug Date:

Log File Date:

05/17/2017

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size:

Depth Well:


Depth Water:

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/4/22 2:53 PM

POINT OF DIVERSION SUMMARY

OSE POD Locations 0.5 miles



5/4/2022, 2:50:56 PM

GIS WATERS PODs

Active

Plugged


OSE District Boundary

Pending

New Mexico State Trust Lands

Both Estates

SiteBoundaries



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, Esri, HERE, Garmin, (c) OpenStreetMap contributors, Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, U.S. Department of Energy Office of Legacy



New Mexico Office of the State Engineer

Water Right Summary



WR File Number: C 03483 Subbasin: C Cross Reference: -

Primary Purpose: STK 72-12-1 LIVESTOCK WATERING

Primary Status: PMT PERMIT

Total Acres: Subfile: - Header: -

Total Diversion: 3 Cause/Case: -

Owner: DBA PASCHAL RANCH LLC
Contact: JANEY LOREE PASCHAL

Documents on File

				Sta	itus		From/		
	Trn#	Doc	File/Act	1	2	Transaction Desc.	To	Acres	Diversion Consumptive
	<u>721910</u>	COWNF	2022-03-17	CHG	PRC	C 03483 POD1	T		0
get images		72121 2	2016-05-31	PMT	APR	C 03483 POD1	T		3
get images	543409	COWNF	2014-03-17	CHG	PRC	C 03483	T	0	0
get images		EXPL 2	2011-04-15	PMT	LOG	C 03483	T	0	0

Current Points of Diversion

(NAD83 UTM in meters)

C 03483 Shallow 4 4 4 05 26S 30E 604296 3548251 5 MI E. OF C-1361;PIPELINE RD C 03483 POD2 3 3 04 26S 30E 604566 3548253 C 03483 POD3 4 3 3 04 26S 30E 604558 3548291	POD Number	Well Tag	Source	64	Q16	Q4	Sec	Tws	Rng	X		Other Location Desc
<u>C 03483 POD2</u> 3 3 04 26S 30E 604566 3548253	<u>C 03483</u>		Shallow	4	4	4	05	26S	30E	604296	3548251	
C 03483 POD3 4 3 3 04 26S 30E 604558 3548291	<u>C 03483 POD2</u>				3	3	04	26S	30E	604566	3548253	,
	<u>C 03483 POD3</u>			4	3	3	04	26S	30E	604558	3548291)

Source

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/4/22 2:44 PM WATER RIGHT SUMMARY



New Mexico Office of the State Engineer

Water Right Summary



WR File Number: C 04068 Subbasin: CUB Cross Reference: -

Primary Purpose: EXP EXPLORATION

Primary Status: PMT PERMIT

Total Acres: Subfile: - Header: -

Total Diversion: 0 Cause/Case: -

User: RKI EXPLORATION & PROD., LLC

Contact: JUSTIN BARMORE

Documents on File

Status From/

Trn# Doc File/Act 1 2 Transaction Desc. To Acres Diversion Consumptive

get 606777 EXPL 2017-05-08 PMT APR C 04068 POD1 T 0 0

Current Points of Diversion

(NAD83 UTM in meters)

POD Number Well Tag Source 64Q16Q4Sec Tws Rng X Y Other Location Desc

<u>C 04068 POD1</u> 1 3 1 16 26S 30E 604397 3546018 SB-

Q

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the data.

5/4/22 2:53 PM WATER RIGHT SUMMARY



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

							(R=POD has been replaced and no longer serves this file,	(quarter	s are 1=1	NW 2=	=NE 3=	SW 4=SE)			
		(acre ft per annu	um)				C=the file is closed)	(quarter	s are sm	allest t	to large	est)	(NAD	83 UTM in meters)
	Sub					Well			qqq						
WR File Nbr C 01360	basin CUB	Use Diversio IND	n Owner 0 EL PASO NATURAL GAS		POD Number <u>C 01360</u>	Tag	Code Grant	Source Shallow			Tws 26S		X 602996	Y 3548152	Distance 1735
<u>C 01361</u>	CUB	IND	0 EL PASO NATURAL GAS	ED	<u>C 01361</u>			Shallow	3 4 3	05	26S	30E	603240	3548157	1766
C 03448	C	PRO	0 DEVON ENERGY CORP.	ED	<u>C 01360</u>			Shallow	4 3 3	05	26S	30E	602996	3548152	1735
<u>C 03449</u>	C	PRO	0 OGX RESOURCES	ED	<u>C 01360</u>			Shallow	4 3 3	05	26S	30E	602996	3548152	1735
<u>C 03483</u>	C	STK	3 DBA PASCHAL RANCH LLC	ED	<u>C 03483</u>			Shallow	4 4 4	05	26S	30E	604296	3548251	2286
				ED	<u>C 03483 POD2</u>				3 3	04	26S	30E	604565	3548253	2458
				ED	<u>C 03483 POD3</u>				4 3 3	04	26S	30E	604557	3548291	2481
<u>C 03501</u>	C	PRO	0 DEVON ENERGY CO.	ED	<u>C 03483</u>			Shallow	4 4 4	05	26S	30E	604296	3548251	2286
<u>C 03502</u>	C	PRO	0 DEVON ENERGY CO	ED	<u>C 03483</u>			Shallow	4 4 4	05	26S	30E	604296	3548251	2286
<u>C 03503</u>	C	PRO	0 DEVON ENERGY CO.	ED	<u>C 03483</u>			Shallow	4 4 4	05	26S	30E	604296	3548251	2286
<u>C 03581</u>	CUB	EXP	0 BUREAU OF LAND MANAGEMENT	ED	<u>C 03581 POD1</u>			Shallow	4 4 4	05	26S	30E	604298	3548291	2320
C 03608	C	PRO	0 DEVON ENERGY CORP.	ED	<u>C 03581 POD1</u>			Shallow	4 4 4	05	26S	30E	604298	3548291	2320
C 03686	CUB	CPS	0 C P MASTERS INC	ED	<u>C 03686 POD1</u>				1 1 4	16	26S	30E	605257	3545585	2471
<u>C 03792</u>	C	STK	3 BECKHAM RANCH INC	ED	<u>C 03792 POD1</u>				1 1 1	29	26S	30E	602879	3543094	3324
<u>C 03793</u>	C	STK	3 BECKHAM RANCH INC	ED	<u>C 03793 POD1</u>				1 4 2	30	26S	30E	602348	3542716	3747
<u>C 04068</u>	CUB	EXP	0 RKI EXPLORATION & PROD., LLC	ED	<u>C 04068 POD1</u>				1 3 1	16	26S	30E	604397	3546018	1520
<u>C 04561</u>	CUB	MON	0 WSP GLOBAL INC	ED	<u>C 04561 POD1</u>	NA			4 3 3	24	26S	29E	599923	3543208	4397
<u>C 04612</u>	C	STK	3 BUREAU OF LAND MANAGEMENT	ED	<u>C 04612 C-3581</u>	NA			4 4 4	05	26S	30E	604298	3548291	2320
<u>LWD 01190</u>	CUB	PLS 8	3.1 BUCK & LARUE JACKSON TRUST	ED	<u>LWD 01190 POD1</u>				1 4 3	09	26S	30E	604838	3546802*	1946

Record Count: 19

UTMNAD83 Radius Search (in meters):


Easting (X): 602930 **Northing (Y):** 3546418 **Radius:** 5000

Sorted by: File Number

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/4/22 2:28 PM ACTIVE & INACTIVE POINTS OF DIVERSION

UTM location was derived from PLSS - see Help





Riparian Zone 484 feet





Wetlands

Estuarine and Marine Deepwater

1:7,523

0.2

0.2 mi

0.4 km

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake

O41- - -


Riverine

Other

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.


Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Active Mines in New Mexico






State Land



U.S. Bureau of Land Management - New Mexico State Office, Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

Department of Agriculture

Aggregate, Stone etc.




OReleas 250 Im 5 9 Ang: 7/13/2022 9.925:51 PM

Received by OCD: 6/16/2022 11:55:54 AM National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT




This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 5/4/2022 at 6:11 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2.000



VRCS

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Eddy Area, New Mexico



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2 053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	
Soil Map	
Soil Map	
Legend	
Map Unit Legend	
Map Unit Descriptions	11
Eddy Area, New Mexico	13
PS—Potter-Simona complex, 5 to 25 percent slopes	13
US—Upton-Simona complex, 1 to 15 percent slopes, eroded	15
References	18

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons

Soil Map Unit Lines

Soil Map Unit Points

Special Point Features

ဖ

Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

Gravelly Spot

Landfill

Lava Flow Marsh or swamp

Mine or Quarry

Miscellaneous Water Perennial Water

Rock Outcrop

Saline Spot

Sandy Spot

Severely Eroded Spot

Sinkhole

Sodic Spot

Slide or Slip

å

Spoil Area Stony Spot



Very Stony Spot



Wet Spot Other

Δ

Special Line Features

Water Features

Streams and Canals

Transportation

Rails

Interstate Highways

US Routes

Major Roads

00

Local Roads

Background

Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 17, Sep 12, 2021

Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12. 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI					
PS	Potter-Simona complex, 5 to 25 percent slopes	0.0	0.2%					
US	Upton-Simona complex, 1 to 15 percent slopes, eroded	14.2	99.8%					
Totals for Area of Interest		14.3	100.0%					

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however,

onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Eddy Area, New Mexico

PS—Potter-Simona complex, 5 to 25 percent slopes

Map Unit Setting

National map unit symbol: 1w57 Elevation: 2,750 to 5,000 feet

Mean annual precipitation: 8 to 16 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 230 days

Farmland classification: Not prime farmland

Map Unit Composition

Potter and similar soils: 80 percent Simona and similar soils: 15 percent

Minor components: 5 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Potter

Setting

Landform: Ridges, hills

Landform position (two-dimensional): Shoulder, backslope, footslope, toeslope Landform position (three-dimensional): Side slope, crest, nose slope, head slope

Down-slope shape: Convex Across-slope shape: Linear Parent material: Alluvium

Typical profile

H1 - 0 to 10 inches: gravelly loam H2 - 10 to 60 inches: cemented material

Properties and qualities

Slope: 5 to 25 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 60 percent

Maximum salinity: Nonsaline to slightly saline (0.0 to 4.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R042XC025NM - Shallow

Hydric soil rating: No

Description of Simona

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 11 inches: gravelly fine sandy loam H2 - 11 to 19 inches: gravelly fine sandy loam H3 - 19 to 60 inches: cemented material

Properties and qualities

Slope: 5 to 10 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 2.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R042XC002NM - Shallow Sandy

Hydric soil rating: No

Minor Components

Simona

Percent of map unit: 3 percent

Ecological site: R042XC002NM - Shallow Sandy

Hydric soil rating: No

Rock outcrop

Percent of map unit: 2 percent

Hydric soil rating: No

US—Upton-Simona complex, 1 to 15 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1w66 Elevation: 2,000 to 5,700 feet

Mean annual precipitation: 6 to 14 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 260 days

Farmland classification: Not prime farmland

Map Unit Composition

Upton and similar soils: 40 percent Simona and similar soils: 35 percent Minor components: 25 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Upton

Setting

Landform: Ridges, fans

Landform position (three-dimensional): Side slope, rise

Down-slope shape: Convex Across-slope shape: Convex

Parent material: Residuum weathered from limestone

Typical profile

H1 - 0 to 9 inches: gravelly loam
H2 - 9 to 13 inches: gravelly loam
H3 - 13 to 21 inches: cemented
H4 - 21 to 60 inches: very gravelly loam

Properties and qualities

Slope: 1 to 15 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Low to moderately high

(0.01 to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 75 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R042XC025NM - Shallow

Hydric soil rating: No

Description of Simona

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 6 inches: gravelly fine sandy loam H2 - 6 to 20 inches: gravelly fine sandy loam

H3 - 20 to 24 inches: indurated

Properties and qualities

Slope: 1 to 5 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 2.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R042XC002NM - Shallow Sandy

Hydric soil rating: No

Minor Components

Rock outcrop

Percent of map unit: 9 percent

Hydric soil rating: No

Dune land

Percent of map unit: 8 percent

Hydric soil rating: No

Pajarito

Percent of map unit: 8 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2 053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf



Ecological site R042XC002NM Shallow Sandy

Accessed: 05/04/2022

General information



Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Associated sites

R042XC004NM	Sandy
	Sandy sites often occur in association or in a complex with Shallow Sandy Sites.

Similar sites

R042XC004NM	Sandy
	Sandy ecological sites are similar to Shallow Sandy sites in species composition and Transition pathways.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

Physiographic features

This site occures on plains, alluvial fans, uplands, or fan piedmonts. The parent material consists of mixed loamy alluvium or eolian material derived from igneous and sedimentory bedrock. The petrocalcic layer is at a depth of 10 to 25 inches and undulating.

Slopes are nearly level to undulating, usually less than 9 percent. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain(2) Fan piedmont(3) Alluvial fan
Elevation	2,842-4,500 ft
Slope	1–9%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common. Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is from 207 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of the site. The vegetation of this site can take advantage of the moisture and the time it falls. Because of the soil profile, little moisture can be stored in the soil for any length of time. Moisture is readily available to the plants from the time it falls. Strong winds from the southwest blow from January through June which rapidly dries out the soil profile during a critical period for plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are very shallow to shallow, less than 20 inches in depth. Surface and subsurface textures are gravelly loamy sand, gravelly fine sandy loam or fine sandy loam.

An indurated calache layer occurs at depths of 6 to 25 inches and is at an average of 15 inches from the surface. Underlying material textures are very gravelly fine sandy loam, very gravelly sandy loam, gravelly fine sandy loam. Gravels are calcium carbonate concretions, calcium carbonate content ranges from 30 to 65 percent.

The indurated caliche layer typically holds water up in the profile for short periods within the root zone of plants. These soils will blow if left unprotected by vegetation.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are: Simona Jerag

Table 4. Representative soil features

Surface texture	(1) Fine sandy loam(2) Loamy fine sand(3) Gravelly fine sandy loam
Family particle size	(1) Loamy
Drainage class	Well drained to moderately well drained
Permeability class	Moderately slow to moderate
Soil depth	7–24 in
Surface fragment cover <=3"	5–25%
Surface fragment cover >3"	0%
Available water capacity (0-40in)	1–2 in
Calcium carbonate equivalent (0-40in)	5–15%
Electrical conductivity (0-40in)	0–4 mmhos/cm
Sodium adsorption ratio (0-40in)	0
Soil reaction (1:1 water) (0-40in)	7.4–8
Subsurface fragment volume <=3" (Depth not specified)	5–25%
Subsurface fragment volume >3" (Depth not specified)	0%


Ecological dynamics

Overview

The Shallow Sandy site occurs on upland plains, and tops of low ridges and mesas, associated with Sandy, Loamy Sand, and Shallow sites. Coarse to moderately coarse soil surface textures, shallow depth (<20 inches) to an indurated caliche layer (petrocalcic horizon), and an overwhelming dominance by black grama help to distinguish this site. The historic plant community of the Shallow Sandy site is a black grama dominated grassland sparsely dotted with shrubs. Shrubs, especially mesquite and creosotebush can increase or colonize due to the dispersal of shrub seeds by livestock or wildlife. This increase in mesquite and colonization of creosotebush may be enhanced by proximity to areas with existing high shrub densities. Fire suppression, and the loss of grass cover due to overgrazing or drought may facilitate the increase and encroachment of shrubs. Persistent loss of grass cover, competition for resources by shrubs, and periods of climate with increased winter precipitation and dry summers, may initiate the transition to a shrub-dominated state.

State and transition model

Plant Communities and Transitional Pathways (diagram)



- Seed dispersal, drought, overgrazing, fire suppression.
- 1b. Prescribed fire, brush control, prescribed grazing.
- 2. Persistent loss of grass cover, resource competition, increased winter precipitation.
- Brush control, range seeding, prescribed grazing.

Figure 4.

State 1 Historic Climax Plant Community

Community 1.1 Historic Climax Plant Community

Grassland: This site responds well to management and is resistant to state change, due to the shallow depth to petrocalcic horizon and sandy surface textures. The sandy surface textures allow rapid water infiltration and the petrocalcic horizon helps to keep water perched and available to shallow rooted grasses. Black grama is the dominant species in the historic plant community, averaging 50 to 60 percent of the total production for this site. Bush muhly, blue grama, and dropseeds are present as sub-dominants. Typically, yucca, javalinabush, range

ratany, prickly pear, and mesquite are sparsely dotted across the landscape. Leatherweed croton, cutleaf happlopappus, wooly groundsel, and threadleaf groundsel are common forbs. Continuous heavy grazing or extended periods of drought will cause a loss of grass cover characterized by a decrease in black grama, bush muhly, blue and sideoats grama, plains bristlegrass, and Arizona cottontop. Dropseeds and or threeawns may increase and become sub-dominant to black grama. Continued loss of grass cover in conjunction with dispersal of shrub seeds and fire suppression is believed to cause the transition to a state with increased amounts of shrubs (Grass/Shrub state).

Diagnosis: Black grama is the dominant grass species. Grass cover uniformly distributed. Shrubs are a minor component averaging only two to five percent canopy cover. Litter cover is high (40-50 percent of area), and litter movement is limited to smaller size class litter and short distances (<. 5m).

Other grasses that could appear on this site would include: six-weeks grama, fluffgrass, false-buffalograss, hairy grama, little bluestem, bristle panicum, cane bluestem, Indian ricegrass, tridens spp., and red lovegrass.

Other woody plants include: pricklypear, cholla, fourwing saltbush, catclaw mimosa, winterfat, American tarbush and mesquite.

Other forbs include: globemallow, verbena, desert holly, senna, plains blackfoot, trailing fleabane, fiddleneck, deerstongue, wooly Indianwheat, and locoweed.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	High (Lb/Acre)
Grass/Grasslike	474	652	830
Forb	78	107	136
Shrub/Vine	48	66	84
Total	600	825	1050

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	30-35%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	40-50%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	15-25%

Figure 6. Plant community growth curve (percent production by month). NM2802, R042XC002NM-Shallow Sandy-HCPC. SD-3 Shallow Sandy - Warm season plant community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

Grass/Shrub

Community 2.1 Grass/Shrub

Grass/Shrub: This state is characterized by the notable presence of shrubs, especially mesquite, broom snakeweed, and/or creosotebush, however grasses remain as the dominant species. Black grama is the dominant grass species. Threeawns and or dropseeds are sub-dominant. The susceptibility of the Shallow Sandy site to shrub encroachment may be higher when located adjacent to other sites with high densities of mesquite or creosotebush. Retrogression within this site is characterized by decreases in grass cover and increasing densities of shrubs.

Diagnosis: Black grama remains as the dominant grass species. Grass cover varies in response to the amount of shrub increase, ranging from uniform to patchy. Shrubs are found at increased densities relative to the grassland state, especially mesquite, creosotebush, or broom snakeweed.

Transition to Grass/Shrub (1a) Historically fire may have kept mesquite and other shrubs in check by completely killing some species and disrupting seed production cycles and suppressing the establishment of shrub seedlings in others. Fire suppression combined with seed dispersal by livestock and wildlife is believed to be the factors responsible for the establishment and increase in shrubs.1, 3 Loss of grass cover due to overgrazing, prolonged periods of drought, or their combination, reduces fire fuel loads and increases the susceptibility of the site to shrub establishment.

Key indicators of approach to transition:
Increase in the relative abundance of dropseeds and threeawns
Presence of shrub seedlings
Loss of organic matter—evidenced by an increase in physical soil crusts 8

Transition back to Grassland (1b) Brush control is necessary to initiate the transition back to the grassland state. If adequate fuel loads remain, possibly the reintroduction of fire as a management tool will assist in the transition back, however, mixed results have been observed concerning the effects of fire on black grama grasslands.6 Prescribed grazing will help ensure adequate rest following brush control and will assist in the establishment and maintenance of grass cover capable of sustaining fire.

State 3 Shrub Dominated

Community 3.1 Shrub Dominated

Shrub-Dominated: Across the range of soil types included in the Shallow Sandy site, mesquite is typically the dominant shrub, but it does occur as a co-dominant or sub-dominant species with creosotebush or broom snakeweed. Mesquite tends to dominate when the Shallow Sandy site occurs as part of a complex or in association with Sandy or Loamy Sand sites. Creosotebush tends to dominate on Shallow Sandy sites that occur as part of, or adjacent to Shallow Sites. Broom snakeweed increases in response to heavy grazing, but tends to cycle in and out depending on timing of rainfall. However, once the site is dominated by shrubs and snakeweed becomes well established, it tends to remain as a major component in the shrub dominated state.

Diagnosis: Mesquite, creosotebush, or snakeweed cover is high, exceeding that of grasses. Grass cover is patchy with large connected bare areas present. Black grama, threeawns, or dropseeds may be the dominant grass. Evidence of accelerated wind erosion in the form of pedestalling of plants, and soil deposition around shrub bases may be common.

Transition to Shrub-Dominated (2) Persistent loss of grass cover and the resulting increased competition between shrubs and remaining grasses for dwindling resources (especially soil moisture) may drive this transition.5 Additionally periods of increased winter precipitation may facilitate periodic episodes of shrub expansion and establishment. 4

Key indicators of approach to transition:

Increase in size and frequency of bare patches.

Loss of grass cover in shrub interspaces.

Increased signs of erosion, evidenced by pedestalling of plants, and soil and litter deposition on leeward side of plants. 7

Transition back to Grassland (3) Brush control is necessary to reduce competition from shrubs and reestablish grasses. Range seeding may be necessary if insufficient grasses remain, The benefits, and costs, will vary depending upon the degree of site degradation, and adequate precipitation following seeding.

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliai Cover (%)
Grass	s/Grasslike	•	•		
1	Warm Season	413–495			
	black grama	BOER4	Bouteloua eriopoda	413–495	_
2	Warm Season	41–83			
	bush muhly	MUPO2	Muhlenbergia porteri	41–83	_
3	Warm Season	41–83			
	blue grama	BOGR2	Bouteloua gracilis	41–83	_
4	Warm Season	25–41			
	sideoats grama	BOCU	Bouteloua curtipendula	25–41	_
5	Warm Season	41–83			
	spike dropseed	SPCO4	Sporobolus contractus	41–83	_
	sand dropseed	SPCR	Sporobolus cryptandrus	41–83	_
	mesa dropseed	SPFL2	Sporobolus flexuosus	41–83	_
6	Warm Season	17–41			
	threeawn	ARIST	Aristida	17–41	_
7	Warm Season	41–83			
	Arizona cottontop	DICA8	Digitaria californica	41–83	_
	plains bristlegrass	SEVU2	Setaria vulpiseta	41–83	_
8	Warm Season	41–83			
	mat sandbur	CELO3	Cenchrus longispinus	41–83	_
	hooded windmill grass	CHCU2	Chloris cucullata	41–83	_
9	Other Perennial Grasses	25–41			
	Grass, perennial	2GP	Grass, perennial	25–41	_
Shrub	/Vine	.	1		
10	Shrub			8–25	
	javelina bush	COER5	Condalia ericoides	8–25	_
11	Shrub	8–25			
	yucca	YUCCA	Yucca	8–25	_
12	Shrub	8–25			
	jointfir	EPHED	Ephedra	8–25	-
	littleleaf ratany	KRER	Krameria erecta	8–25	_

٥	Olliub	0-20			
	featherplume	DAFO	Dalea formosa	8–25	_
14	Shrub			8–25	
	broom snakeweed	GUSA2	Gutierrezia sarothrae	8–25	_
15	Other Shrubs	25–41			
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	25–41	_
Forb		•			
16	Forb 17–41				
	leatherweed	CRPOP	Croton pottsii var. pottsii	17–41	_
	Goodding's tansyaster	MAPIG2	Machaeranthera pinnatifida ssp. gooddingii var. gooddingii	17–41	-
17	Forb	17–41			
	woolly groundsel	PACA15	Packera cana	17–41	_
	threadleaf ragwort	SEFLF	Senecio flaccidus var. flaccidus	17–41	_
18	Forb			8–25	
	whitest evening primrose	OEAL	Oenothera albicaulis	8–25	_
19	Other Forbs	8–25			
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass- like)	8–25	_

Animal community

This site provides habitats which support a resident animal community that is characterized by pronghorn antelope, swift fox, black-tailed jackrabbit, spotted ground squirrel, Ord's kangaroo rat, northern grasshopper mouse, coyote, horned lark, meadowlark, lark bunting, scaled quail, morning dove, side-blotched lizard, round-tailed horned lizard, marbled whiptail, prairie rattlesnake and ornate box turtle.

Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations Soil Series Hydrologic Group Jarag D Simona D

Recreational uses

This site offers recreation for hiking, horseback riding, nature observation and photography, and quail and dove hunting. During years of abundant spring moisture, this site displays a riot of color from wildflowers during May and June. A few summer and fall flowers also occur.

Wood products

The natural potential plant community of this site affords little or no wood products. Where the site has been invaded by mesquite or cholla cactus the roots and stems of these plants provide attractive material for a variety of curiosities, such as lamps and small furniture.

Other products

This site is suitable for grazing by all kinds and classes of livestock during all seasons of the year. Because of the sandy textures and shallow profile, this site will respond rapidly to management. As this site deteriorates, plants such as black grama, bush muhly, blue and sideoats grama, plains bristlegrass and Arizona cottontop, will decrease and be replaced by plants such as threeawns, mesquite, creosote bush, and broom snakeweed. This also causes a decrease in ground cover, leaving the soil to blow. This site responds best to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index Ac/AUM $100 - 76 \ 2.5 - 3.5$ $75 - 51 \ 3.2 - 4.6$ $50 - 26 \ 4.5 - 7.5$ $25 - 0 \ 7.6 +$

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature References:

- 1. Brooks, M.L. and D.A. Pyke. 2001. Invasive plants and fire in the deserts of North America. Pages 1–14 in K.E.M. Galley and T.P. Wilson (eds.). Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species.
- 2. Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas. 1983. Water properties of caliche. J. Range Manage. 36: 723-726.
- 3. Humphrey, R.R. 1974. Fire in the deserts and desert grassland of North America. In: Kozlowski, T. T.; Ahlgren, C. E., eds. Fire and ecosystems. New York: Academic Press: 365-400.
- 4. Moir, W.H., and J. A. Ludwig. 1991. Plant succession and changing land features in desert grasslands. P. 15-18. In P.F. Ffolliott and W.T. Swank (eds.) People and the temperate region: a summary of research from the United States Man and the Biosphere Program 1991. U.S. Dept. State, Publ No. 9839, Nat. Tech. Info. Serv., U.S. Dept. Commerce, Springfield, Illinois. 63 p.
- 5. Tiedemann, A. R. and J. O. Klemmedson. 1977. Effect of mesquite trees on vegetation and soils in the desert grassland. J. Range Manage. 30: 361-367.
- 6. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, September). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/[accessed 2/10/03].
- 7. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Wind Erosion. Rangeland Sheet 10 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html
- 8. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Physical and Biological Soil Crusts. Rangeland Sheet 7 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html

Contributors

David Trujillo Don Sylvester

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Inc	licators
1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:
7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):

Released to Imaging: 7/13/2022 3:25:51 PM

9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:
13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:
17.	Perennial plant reproductive capability:



Ecological site R042XC025NM Shallow

Accessed: 05/04/2022

General information



Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

Physiographic features

This site occurs on knolls, ridges, hillslopes alluvial fans and escarpments. Slopes range fro 0 to 25 percent and average about 7 percent. Direction of slope varies and is usually not significant. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Hill (2) Ridge (3) Fan piedmont
Flooding frequency	None
Ponding frequency	None
Elevation	2,842–4,500 ft
Slope	0–25%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common. Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is 180 to 220 days. The last killing frost is late March or early April, and the first killing frost is in late October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of this site. Because of the shallow soil depth, the vegetation on this site can take advantage of moisture almost anytime it falls. Strong winds that blow from the west and southwest blow from January through June, which accelerates soil drying at a critical time for cool season plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	220 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

The soils of this site are shallow to very shallow. Soils are derived from mixed calcareous eolian deposits derived from sedimentary rock. Surface layers are very cobbly loam, very gravelly loam, gravelly loam, cobbly loam, gravelly fine sandy loam or gravelly sandy loam.

There is an indurated caliche layer or limestone bedrock that occurs within 20 inches and averages less than 10 inches. Limestone or caliche layer may be the restrictive layer.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils:

Lozier

Potter

Tencee

Upton

Ector

Kimbrough

Table 4. Representative soil features

Surface texture	(1) Gravelly loam(2) Extremely gravelly loam(3) Extremely cobbly loam
Family particle size	(1) Loamy
Drainage class	Well drained
Permeability class	Very slow to moderately slow
Soil depth	4–20 in
Surface fragment cover <=3"	15–40%
Available water capacity (0-40in)	1 in
Calcium carbonate equivalent (0-40in)	15–60%
Electrical conductivity (0-40in)	0–2 mmhos/cm
Sodium adsorption ratio (0-40in)	0–1
Soil reaction (1:1 water) (0-40in)	7.4–8.4
Subsurface fragment volume <=3" (Depth not specified)	13–42%
Subsurface fragment volume >3" (Depth not specified)	0–1%

Ecological dynamics


Overview:

The Shallow site is associated with and Limestone Hills, Loamy, and Shallow Sandy sites. When associated with Limestone Hills, the Shallow site occurs on the summits, foot slopes and toeslopes of hills. Loamy sites often occur as areas between low elongated hills with rounded crests (Shallow site). When the Shallow Sandy site and Shallow site occur in association, the Shallow Sandy soils occupy the tops of low ridges and the Shallow site soils occur on the steeper sideslopes of the ridge. The historic plant community of the Shallow site has the aspect of a grassland/shrub mix, dominated by grasses, but with shrubs common throughout the site. Black grama is the dominant grass species; creosotebush, mesquite, and catclaw mimosa are common shrubs. Overgrazing and or extended drought can reduce grass cover, effect a change in grass species dominance, and may result in a shrubdominated state. 1

State and transition model

Plant Communities and Transitional Pathways (diagram)

MLRA-42, SD-3, Shallow



Extended drought, overgrazing, no fire

1b. Brush control, Prescribed grazing

Figure 4.

State 1 Grass/Shrub Mix

Community 1.1 Grass/Shrub Mix

Grassland/Shrub Mix: The historic plant community is dominated by black grama with sideoats grama as the sub-dominant. Blue grama, hairy grama, bush muhly, and sand dropseed also occur in significant amounts. Sideoats grama can occur as the dominant grass with black grama as sub-dominant on the western side of the Land Resource Unit SD-3. This may be due to higher average elevation on the west side. Retrogression within this state due to extended drought or overgrazing will cause a decrease in species such as black grama, sideoats grama, blue grama, and bush muhly. Threeawns may become the dominant grass species due to a decline in more palatable grasses or because of its ability to quickly recover following drought. Continued loss of grass cover and associated increase in amount of bare ground may result in a shrub-dominated state. Decreased fire frequencies may also be

an important component in the cause of this transition.

Diagnosis: Grass cover is fairly uniform, however, surface gravel, cobble, and bare ground make up a large percent of total ground cover, and grass production during unfavorable years may only average 150-175 pounds per acre. Shrubs are common with canopy cover averaging five to ten percent. Evidence of erosion such as rills and gullies are rare, but may occur on slopes greater than eight percent.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	
Grass/Grasslike	168	352	536
Shrub/Vine	63	131	200
Forb	20	42	64
Total	251	525	800

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	5-10%
Grass/grasslike foliar cover	10-15%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	5-8%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	40-60%

Figure 6. Plant community growth curve (percent production by month). NM2825, R042XC025NM Shallow HCPC. R042XC025NM Shallow HCPC Warm Season Plant Community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2 Shrub-Dominated

Community 2.1 Shrub-Dominated

Shrub-Dominated: This state is characterized by an increase in shrubs and a decrease in grass cover relative to grassland/shrub mix. As grass cover decreases shrubs increase, especially creosotebush, catclaw mimosa, whitethorn acacia, and mesquite. Each of these shrub species may become dominant in localized areas or across the site, depending on the spatial variability in soil characteristics and landscape position. Black grama, threeawns, hairy grama, or hairy tridens may be the dominant grass species. Fluffgrass, burrograss and broom snakeweed increase in representation. The Shallow site is resistant to state change, due to the natural rock armor of the soil and a shallow impermeable layer. The amount of rock fragments on the soil surface assist in retarding erosion. On Shallow sites with low slope, the shallow depth to either a petrocalcic layer or limestone bedrock helps to keep water perched and available to shallow rooted grasses for extended periods. 2

Diagnosis: Shrubs are the dominant species, especially creosotebush, catclaw mimosa, whitethorn acacia, or mesquite. Grass cover is variable ranging from patchy with large connected bare areas present to sparse with only a limited amount in shrub inter-spaces.

Transition to Shrub-Dominated (1a) Overgrazing and or extended periods of drought, and suppression of natural fire regimes are thought to cause this transition. As grass cover is lost, soil fertility and available soil moisture decline, due to the reduction of organic matter and decreased infiltration.3 Shrubs have the ability to extract nutrients and water from a greater area of soil than grasses and are better able to utilize limited water. Competition by shrubs for water and nutrients limits grass recruitment and establishment. Fire historically may have played a part in suppressing shrub expansion; fire suppression may therefore facilitate shrub expansion.

Key indicators of approach to transition:

Transition back to Grassland/Shrub Mix (1b) Brush control is necessary to re-establish grasses. Prescribed grazing will help to ensure proper forage utilization and sustain grass cover. Once the transition is reversed and grass cover is re-established, periodic use of prescribed fire may assist in maintaining the Grassland/Shrub state.

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
Grass	/Grasslike		•	•	•
1				105–158	
	black grama	BOER4	Bouteloua eriopoda	105–158	_
2		•	•	79–105	
	sideoats grama	BOCU	Bouteloua curtipendula	79–105	-
3		-	•	79–105	
	blue grama	BOGR2	Bouteloua gracilis	79–105	-
	hairy grama	BOHI2	Bouteloua hirsuta	79–105	_
4		•	•	26–53	
	bush muhly	MUPO2	Muhlenbergia porteri	26–53	_
5		•	•	16–26	
	cane bluestem	BOBA3	Bothriochloa barbinodis	16–26	_
6				26–53	
	sand dropseed	SPCR	Sporobolus cryptandrus	26–53	_
7				16–26	
	hairy woollygrass	ERPI5	Erioneuron pilosum	16–26	_
8				5–16	
	ear muhly	MUAR	Muhlenbergia arenacea	5–16	_
9			•	5–16	
	New Mexico feathergrass	HENE5	Hesperostipa neomexicana	5–16	_
10			•	5–16	
	low woollygrass	DAPU7	Dasyochloa pulchella	5–16	_
11		•		16–26	
	Grass, perennial	2GP	Grass, perennial	16–26	_

^{*}Decrease or change in composition or distribution of grass cover.

^{*}Increase in size and frequency of bare patches.

^{*}Increase in amount of shrub seedlings.

Forb					
12				11–26	
	stemless four-nerve daisy	TEACE	Tetraneuris acaulis var. epunctata	11–26	-
13			<u>, </u>	5–16	
	woolly groundsel	PACA15	Packera cana	5–16	_
14	, ,			5–16	
	globemallow	SPHAE	Sphaeralcea	5–16	_
15			<u> </u>	5–16	
	bladderpod	LESQU	Lesquerella	5–16	_
16		I	!	5–16	
	cassia	CASSI	Cassia	5–16	_
17			-	11–26	
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	11–26	-
Shru	b/Vine				
18				5–16	
	littleleaf sumac	RHMI3	Rhus microphylla	5–16	
19				5–16	
	creosote bush	LATR2	Larrea tridentata	5–16	_
20				5–16	
	littleleaf ratany	KRER	Krameria erecta	5–16	_
21		•		5–16	
	javelina bush	COER5	Condalia ericoides	5–16	_
22				5–16	
	American tarwort	FLCE	Flourensia cernua	5–16	_
23				5–16	
	crown of thorns	KOSP	Koeberlinia spinosa	5–16	_
24		•		11–26	
	honey mesquite	PRGL2	Prosopis glandulosa	11–26	_
	honey mesquite	PRGL2	Prosopis glandulosa	11–26	_
25				5–16	
	catclaw mimosa	MIACB	Mimosa aculeaticarpa var. biuncifera	5–16	_
26				5–16	
	pricklypear	OPUNT	Opuntia	5–16	-
27		•		11–26	
	mariola	PAIN2	Parthenium incanum	11–26	-
	mariola	PAIN2	Parthenium incanum	11–26	_
28		•		5–16	
	broom snakeweed	GUSA2	Gutierrezia sarothrae	5–16	_
29		•	•	16–26	
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	16–26	_

Animal community

This site provides habitats which support a resident animal community that is characterized by desert cottontail, spotted ground squirrel, Merriam's kangaroo rat, cactus mouse, white-throated woodrat, gray fox, spotted skunk, roadrunner, Swainson's hawk, white-necked raven, cactus wren, pyrrhuloxia, lark sparrow, mourning dove, scaled quail, leopard lizard, round-tailed horned lizard, prairie rattlesnake, marbled whiptail, and greater earless lizard. Where associated with limestone hills, mule deer utilize this site.

Where large woody shrubs occur, most resident birds and scissor-tailed flycatcher, morning dove, lark sparrow and Swainson's hawk nest.

Hydrological functions

I broken be also bake an actual attentions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Recreational uses

This site offers recreation potential for hiking, horseback riding, rock hunting, nature photography and bird hunting and birding. During years of abundant spring moisture, a colorful array of wild flowers is displayed during May and June. A few summer and fall flowers also occur.

Wood products

This site has no potential for wood production.

Other products

This site is suited for grazing by all kinds and classes of livestock during all seasons of the year. Missmanagement will cause a decrease in black grama, sideoats grama, and blue grama, bush muhly and New Mexico feathergrass. A corresponding increase in bare ground will occur. There will also be an increase in muhlys, fluffgrass, creosotebush, javalinabush, catclaw, and mesquite. This site will respond best to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index----- Ac/AUM 100 - 76------ 3.7 - 4.5 75 - 51------ 4.3 - 5.5 50 - 26----- 5.3 - 10.0 25 - 0----- 10.1 +

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico (SD-3). This site has been mapped and

correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature Cited:

- 1. Humphrey, R.R. 1974. Fire in the deserts and desert grassland of North America. In: Kozlowski, T. T.; Ahlgren, C. E., eds. Fire and ecosystems. New York: Academic Press: 365-400.
- 2. Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas. 1983. Water properties of caliche. J. Range Manage. 36: 723-726.
- 3. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Infiltration, Organic Matter, Rangeland Sheets 5,6. [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html

Contributors

David Trujillo Don Sylvester

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators

	idicators		
1.	Number and extent of rills:		
2.	Presence of water flow patterns:		
3.	Number and height of erosional pedestals or terracettes:		

4. Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):

Released to Imaging: 7/13/2022 3:25:51 PM


5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:
7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:
13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize

degraded states and have the potential to become a dominant or co-dominant species on the ecological site if

Released to Imaging: 7/13/2022 3:25:51 PM

their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:

17. Perennial plant reproductive capability:



ATTACHMENT 4



Dhugal Hanton <vertexresourcegroupusa@gmail.com>

RDX Federal 17-35 48 HR Notification Liner Inspection nAPP2212227380

1 message

Wed, May 11, 2022 at 9:05 AM Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" <OCD.Enviro@state.nm.us>, "CFO_Spill, BLM_NM" <blm_nm_cfo_spill@blm.gov> Cc: mpeppin@vertex.ca, "Raley, Jim" <jim.raley@dvn.com>

All.

Please accept this email as 48-hr notification that Vertex Resource Services has scheduled a liner inspection to be conducted for the following release:

nAPP2212227380 DOR: 5/1/2022 Site Name: RDX Federal 17 #035H

This work will be completed on behalf of WPX Energy Permian, LLC

On Saturday, May 14, 2022 at approximately 10:00 a.m., Lakin Pullman will be on site to conduct a liner inspection. He can be reached at 701-495-1722. If you need directions to the site, please do not hesitate to contact him. If you have any questions or concerns regarding this notification, please give me a call at 575-361-9880.

Thank you,

Monica Peppin

Project Manager

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

P 575,725,5001 Ext. 711 C 575.361.9880

www.vertex.ca

Confidentiality Notice: This message and any attachments are solely for the intended recipient and may contain confidential or privileged information. If you are not the intended recipient, any disclosure, copying, use, or distribution of the information included in this message and any attachment is prohibited. If you have received this communication in error, please notify us by reply email and immediately and permanently delete this message and any attachments. Thank you.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 118022

CONDITIONS

Operator:	OGRID:
WPX Energy Permian, LLC	246289
Devon Energy - Regulatory	Action Number:
Oklahoma City, OK 73102	118022
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your closure report and final C-141 for Incident #NAPP2212227380 RDX FEDERAL 17 #035H, thank you. This closure is approved.	7/13/2022