

SITE INFORMATION

Report Type: Work Plan NRM2003450092

General Site Information:

Site:	MCA Unit 108 Flowline Release					
Company:	ConocoPhillips					
Section, Township and Range	Unit Letter A	Sec. 30	T 17S	R 32E		
Lease Number:	N/A					
County:	Lea					
GPS:	32.809362°			-103.800769°		
Surface Owner:	State of New Mexico					
Mineral Owner:	N/A					
Directions:	Depart from Maljamar (US-82/Maljamar Rd): Head south on Maljamar Rd for 2.75 miles. Turn right onto dirt road. Head west for 2.08 miles. Turn left onto dirt road. Head south for 0.47 miles. Destination is on the right, 500 feet west of the road in the pasture.					

Release Data:

Date Released:	1/18/2017	
Type Release:	Crude Oil and Produced Water	
Source of Contamination:	Flowline Release	
Fluid Released:	2 bbls crude oil, 6.4 bbls produced water	
Fluids Recovered:	0 bbls crude oil, 0 bbls produced water	

Official Communication:

Name:	Marvin Soriwei		Christian M. Llull
Company:	Conoco Phillips - RMR		Tetra Tech
Address:	935 N. Eldridge Pkwy.		8911 North Capital of Texas Highway
	832-486-2730		Building 2, Suite 2310
City:	Houston, Texas 77079		Austin, Texas
Phone number:	(832) 486-2730		(512) 338-2861
Fax:			
Email:	Marvin.Soriwei@conocophillips.com		christian.llull@tetrattech.com

Site Characterization

Shallowest Depth to Groundwater:	82' below surface
Impact to groundwater or surface water:	No
Extents within 300 feet of a watercourse:	No
Extents within 200 feet of lakebed, sinkhole, or playa lake:	No
Extents within 300 feet of an occupied structure:	No
Extents within 500 horizontal feet of a private water well:	No
Extents within 1000 feet of any water well or spring:	No
Extents within incorporated municipal well field:	No
Extents within 300 feet of a wetland:	No
Extents overlying a subsurface mine:	No
Karst Potential:	Low
Extents within a 100-year floodplain:	No
Impact to areas not on a production site:	No

Recommended Remedial Action Levels (RRALs)

Benzene	Total BTEX	TPH (GRO+DRO)	TPH (GRO+DRO+MRO)	Chlorides
10 mg/kg	50 mg/kg	1,000 mg/kg	2,500 mg/kg	10,000 mg/kg



September 28, 2020

District Supervisor
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

**Re: Release Characterization and Remediation Work Plan
ConocoPhillips
MCA Unit 108 Flowline Release
Unit Letter A, Section 30, Township 17 South, Range 32 East
Lea County, New Mexico
Incident ID NRM2003450092**

Dear Sir or Madam:

Tetra Tech, Inc. (Tetra Tech) was contacted by ConocoPhillips (COP) to assess a release that occurred from the Maljamar Cooperative Agreement (MCA) Unit 108 well flowline, located in the Public Land Survey System (PLSS) Unit Letter N, Section 22, Township 17 South, Range 35 East, in Lea County, New Mexico (Site). The Site is located at coordinates 32.809362°, -103.800769°, as shown on Figures 1 and 2.

BACKGROUND

According to the State of New Mexico C-141 Initial Report (Appendix A), on January 18, 2017, a release occurred on a flowline from the MCA Unit 108 well. The release consisted of 2 barrels (bbls) of crude oil and 6.4 bbls of produced water. No liquids were recovered at the time of the release. According to COP records, the release was reported in 2017, but no proof of approval or remediation permit number was assigned to the release. Assessment work had begun at the release footprint for characterization purposes, however, the record of documentation of the release from 2017 was incomplete.

The C-141 was initially submitted to the New Mexico Oil Conservation District (NMOCD) on December 19, 2019 and rejected because the Unit Letter/Section/Township/Range (ULSTR) did not match the reported latitude and longitude of the release source. The C-141 was revised, resubmitted, approved by OCD on March 4, 2020, and then subsequently assigned the Incident ID NRM2003450092.

SITE CHARACTERIZATION

The Site is located in the dune fields of the Maljamar Cooperative Agreement (MCA) unit of the Maljamar Field in western Lea County. No watercourses, lakebeds, sinkholes, playa lakes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the distances specified in 19.15.29.11 NMAC. The site is in an area with low karst potential.

There are no water wells listed in the New Mexico Office of the State Engineer (NMOSE) database located within ½ mile of the site (approximately 800 m). There are no water wells listed in the NMOSE database within 1.5 miles (2414 m) of the Site. There are twelve water wells listed in the NMOSE database within 2 miles (3219 m) of the Site. The average depth to groundwater is 82 feet (ft) below ground surface (bgs). Site characterization data are included in Appendix B.

Tetra Tech

901 West Wall St., Suite 100, Midland, TX 79701

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com

REGULATORY FRAMEWORK

Based upon the release footprint and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the site characterization data was used to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total petroleum hydrocarbons (TPH), and chlorides in soil. Based on the depth the groundwater at the Site (82 ft bgs), the RRALs for the Site are as follows:

- Benzene: 10 milligrams per kilogram (mg/kg);
- Total BTEX (sum of benzene, toluene, ethylbenzene, and xylene): 50 mg/kg;
- TPH (GRO + DRO): 1,000 mg/kg;
- TPH (GRO + DRO + ORO): 2,500 mg/kg;
- Chloride: 600 mg/kg (0 – 4 ft bgs)
- Chloride: 10,000 mg/kg (>4 ft bgs)

INITIAL SITE ASSESSMENT

On March 27, 2018, Tetra Tech personnel were onsite to evaluate and sample the release area footprint. A total of six (6) bore holes (AH-1 through AH-6) were installed using a hand auger to define the vertical extent of the impacted soils within the release extent. The borings were terminated when the auger met refusal, which occurred at depths between 5 and 10 ft bgs. Collected soil samples were field screened for volatiles with a photoionization detector (PID) and for chlorides with an Extech EC400 ExStik. The sample locations are depicted on Figure 3.

A total of thirty-eight (38) samples were sent to Pace Analytical Services, LLC in Allen, Texas to be analyzed for a combination of TPH by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Samples were analyzed in an iterative fashion, based upon the analytical results from stratigraphically higher intervals. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C.

ADDITIONAL SITE ASSESSMENT

Upon review, the initial site assessment was found to be inadequate for full characterization of the release footprint. The release extent was not vertically nor horizontally delineated for TPH, BTEX and chloride.

In order to adequately characterize the release and achieve horizontal and vertical delineation of the release extent, Tetra Tech, Inc. personnel conducted additional soil sampling in May of 2020 on behalf of COP. Access was severely limited due to the presence of multiple buried, pressurized flow lines running throughout the release extent. Additionally, the unconsolidated dune sand made access using a truck-mounted drilling rig impractical. Thus, soil assessment activities were conducted by both trenching using a mini-excavator and by using a hand auger. A total of eight (8) borings (AH-1 through AH-8) were installed to 5 ft bgs along the perimeter of the release. One trench (Trench 1, or T-1) was installed within the release extent to 20 feet bgs, which is the maximum depth that the mini-excavator was physically able to reach given the circumstances. Sample locations are shown in Figure 3 with the initial sampling locations, designated with (2020).

A total of thirty-three (33) samples were collected from the sample locations and submitted to Pace Analytical National Center for Testing & Innovation in Nashville, Tennessee to be analyzed for chlorides via EPA Method 300.0, TPH via EPA Method 8015M, and BTEX via EPA Method 8021B. A copy of the laboratory analytical report and chain-of-custody documentation is included in Appendix C. Photographic documentation of the additional site assessment is included in Appendix D.

Tetra Tech

901 West Wall St., Suite 100, Midland, TX 79701

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com

SUMMARY OF SAMPLING RESULTS

Results from the March 2018 site assessment are summarized in Table 1. Analytical results associated with all six locations exceeded the 0 – 4 ft RRAL (100 mg/kg) in surface soils for TPH. Analytical results associated with boring location AH-6 exceeded the RRAL for soils deeper than 4 feet bgs (2,500 mg/kg) at the terminal depth of 6 feet bgs for TPH. Vertical delineation to Site RRALs was achieved at boring location BH-5 at 10 feet bgs, but chlorides exhibited anomalous results at depth. Analytical results associated with boring locations AH-1, AH-3 and AH-4 achieved vertical delineation for chloride at 4 ft bgs (AH-1 and AH-3) and 5 ft bgs (AH-4). There were no exceedances of the RRAL for chlorides in soils deeper than 4 feet bgs (10,000 mg/kg).

Results from the May 2020 soil sampling event are summarized in Table 2. Analytical results associated with the T-1 (trench) vertical location exceeded the 0 – 4 ft reclamation RRAL (100 mg/kg) for TPH in surface soils. At T-1, TPH was delineated vertically within the release extent at a depth of 9-10 feet bgs. Chloride concentrations were elevated above the delineation concentration of 600 mg/kg in subsurface soils (>4 ft bgs) at T-1. However, although analytical results associated with location T-1 exhibited variability at depth for chloride, all analytical results remained below the RRAL for soils deeper than 4 ft bgs of 10,000 mg/kg.

Analytical results associated with the perimeter borings (AH-1 through AH-8) were below Site RRALs in all sampled intervals. Therefore, horizontal delineation was achieved in the May 2020 sampling event. An acceptable vertical definition of contamination for chloride (driven by depth to groundwater and Table I in rule) was achieved to the maximum extent practicable given the circumstances.

REMEDIATION WORK PLAN

Based on the analytical results, COP proposes to remove the impacted material as shown in Tables 1 and 2 and as depicted in Figure 4. Impacted soils around the initial sampling locations AH-5 and AH-6 (2018) will be excavated to a depth of 8 ft bgs. The areas around the initial sampling locations AH-2, AH-3 and AH-4 (2018) and the additional sampling location T-1 (2020) will be excavated to a depth of 3 ft bgs. Finally, the areas around the initial sampling location AH-1 (2018) will be excavated to a depth of 4 ft bgs. Impacted soils within the vicinity of the surface and subsurface lines which intersect the release footprint will be dug by hand to the maximum extent practicable.

Excavated soils will be transported offsite and disposed of an NMOCD approved or permitted facility. Confirmation bottom and sidewall samples will be collected for verification of remedial activities, and analyzed for TPH, BTEX, and chlorides. Once results are received, NMOCD will be notified and the excavation will then be backfilled with clean material to surface grade. The estimated volume of material to be remediated is 800 cubic yards.

VARIANCE REQUEST

The release area poses significant remediation challenges based on the surface and subsurface conditions at the site. The MCA Unit 108 Flowline Release extent is located in the immediate vicinity of multiple buried, pressurized lines. Remediation of the full release footprint at the Site would require decommissioning these lines and cause a major disruption in production activities for multiple companies and operators in addition to COP.

Therefore, in accordance with 19.15.29.14(A) NMAC, COP requests a variance for the remediation of the release area within 3 feet of both the surface and buried flowlines. These areas will be hand dug to the maximum extent practicable. Given the average depth to groundwater at the Site (82 ft bgs) and the lack of sensitive receptors in the Site vicinity, impacted soils left in place within 3 ft of surface and subsurface flowlines do not pose an imminent risk to human health, the environment, or groundwater.

ALTERNATIVE CONFIRMATION SAMPLING PLAN

In accordance with 19.15.29.12(D)(1)(b) NMAC, COP proposes the following alternative confirmation sampling plan to adhere with NMOCD requirements. The proposed confirmation sample locations are depicted in Figure 5. Approximately ten (10) confirmation floor samples and thirty-three (33) confirmation sidewall samples are proposed for verification of remedial activities. The proposed excavation encompasses an area of approximately 4,575 square feet.

These confirmation sidewall and floor samples will be representative of no more than approximately 500 square feet of excavated area. Confirmation samples will be sent to Pace Laboratories for analysis of TPH (Method 8015 modified), BTEX (Method 8260B), and chlorides (USEPA Method 300.0). Once results are received, NMOCD will be notified and the excavation will then be backfilled with clean material to surface grade.

SITE RECLAMATION AND RESTORATION PLAN

The backfilled areas will be seeded in Spring 2021 (first favorable growing season) to aid in revegetation. Based on the soils at the site, the New Mexico State Land Office (NMSLO) Sandy Loam (SL) Seed Mixture will be used for seeding and will be planted in the amount specified in the pounds pure live seed (PLS) per acre (Appendix F). The seed mixture will be spread by a drill equipped with a depth regulator or a hand-held broadcaster and raked. If a hand-held broadcaster is used for dispersal, the pounds pure live seed per acre will be doubled.

Site inspections will be performed to assess the revegetation progress and evaluate the site for the presence of primary or secondary noxious weeds. If noxious weeds are identified, the NMSLO will be contacted to determine an effective method for eradication. If the site does not show revegetation after one growing season, the area will be reseeded as appropriate. The NMSLO seed mixture details and corresponding pounds pure live seed per acre are included in Appendix E.

CONCLUSION

The release extent was delineated vertically and horizontally through assessment activities, as discussed in the "Summary of Sampling Results" section and as shown on Figure 3. The deepest impacted interval encountered was 8 ft bgs at initial sample location AH-5. Based on these results, COP proposes to excavate the impacted areas to 8 ft bgs, 4 ft bgs, and 3 ft bgs as shown on Figure 4. Areas within 3 feet of pressurized flowlines will be hand dug to the maximum extent practicable. Confirmation floor and sidewall samples will be collected and analyzed for Site constituents as discussed in the "Alternative Confirmation Sampling Plan" section, and excavation areas will be expanded if analytical results exceed Site RRALs.

COP proposes to complete remediation activities at the Site within 90 days of NMOCD approval of this submittal. Upon completion of the proposed work, a final closure report detailing the remediation activities and the results of the confirmation sampling will be submitted to NMOCD. If you have any questions concerning the soil assessment or the proposed remediation activities for the Site, please call me at (512) 338-2861 or Greg at (432) 682-4559.

Sincerely,
Tetra Tech, Inc.



Christian M. Llull, P.G.
Project Manager



Greg W. Pope, P.G.
Program Manager

cc:
Mr. Marvin Soriwei, RMR – ConocoPhillips
Mr. Charles Beauvais, GPBU - ConocoPhillips

LIST OF ATTACHMENTS

Figures:

- Figure 1 – Overview Map
- Figure 2 – Site Location/Topographic Map
- Figure 3 – Release Assessment Map
- Figure 4 – Proposed Remediation Extents
- Figure 5 – Proposed Alternative Confirmation Sampling Plan


Tables:

- Table 1 – Summary of Analytical Results – Initial Soil Assessment (March 2018)
- Table 2 – Summary of Analytical Results – Additional Soil Assessment (May 2020)


Appendices:

- Appendix A – C-141 Forms
- Appendix B – Site Characterization Data
- Appendix C – Laboratory Analytical Data
- Appendix D – Photographic Documentation
- Appendix E – NMSLO Seed Mixture

FIGURES



DOCUMENT PATH: D:\CONOCOPHILLIPS\MXD\MCA108\Figure 1 SITE LOCATION MCA108.MXD



DOCUMENT PATH: D:\CONOCOPHILLIPS\MXD\MCA108\FIGURE 2 TOPO MAP MCA108.MXD


TETRA TECH
www.tetrattech.com

 901 West Wall Street, Suite 100
 Midland, Texas 79701
 Phone: (432) 682-4559
 Fax: (432) 682-3946

CONOCOPHILLIPS

 INCIDENT ID NRM2003450092
 (32.809362°, -103.800769°)
 LEA COUNTY, NEW MEXICO

**MCA 108 FLOWLINE RELEASE
TOPOGRAPHIC MAP**


PROJECT NO.: 212C-MD-02175


DATE: SEPTEMBER 15, 2020

DESIGNED BY: AAM

Figure No.

2






TETRA TECH

www.tetrattech.com

901 West Wall Street, Suite 100
Midland, Texas 79701
Phone: (432) 682-4559
Fax: (432) 682-3946

**MCA 108 FLOWLINE RELEASE
PROPOSED REMEDIATION EXTENTS**



DOCUMENT PATH: D:\CONOCOPHILLIPS\MXD\MCA108\FIGURE 5 CONFIRMATION MCA108.MXD

**TETRA TECH**

www.tetrattech.com

901 West Wall Street, Suite 100
Midland, Texas 79701
Phone: (432) 682-4559
Fax: (432) 682-3946

CONOCOPHILLIPS

INCIDENT ID NRM2003450092
(32.809362°, -103.800769°)
LEA COUNTY, NEW MEXICO

**MCA 108 FLOWLINE RELEASE
PROPOSED ALTERNATIVE CONFIRMATION SAMPLING PLAN**

PROJECT NO.: 212C-MD-02175

DATE: SEPTEMBER 15, 2020

DESIGNED BY: AAM

Figure No.

5

TABLES

TABLE 1
SUMMARY OF ANALYTICAL RESULTS
2018 SOIL ASSESSMENT - NRM2003450092
CONOCOPHILLIPS
MCA 108 FLOWLINE RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth Interval	Field Screening Results		Chloride ¹		BTEX ²										TPH ³						
			Chloride	PID			Benzene		Toluene		Ethylbenzene		Xylene (Total)		Total BTEX	GRO		DRO		ORO ⁴		Total TPH (GRO+DRO+ORO)	
							mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q		mg/kg	Q	C ₉ - C ₁₀	Q	C ₁₀ - C ₂₈	Q		C ₂₈ - C ₄₀
AH-1	3/29/2018	ft. bgs		ppm	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	
		0-1	1020	458.6	1720		< 0.012		0.16		3.3		19.7		23	502	M1, R1	13400		10700	N2	24602	
		1-2	1600	394.3	962		NA		NA		NA		NA		-	40.9	M1	1260		1320	N2	2621	
		2-3	1750	85.8	2760		NA		NA		NA		NA		-	< 12.6		164		281	3t, N2	445	
		3-4	1670	51.1	1470		NA		NA		NA		NA		-	NA		NA		NA		-	
		4-5	540	31.8	365		NA		NA		NA		NA		-	NA		NA		NA		-	
AH-2	3/29/2018	0-1	63.3	380.7	22.3		< 0.012		< 0.012		< 0.012		0.061		0.061	161		5940		4640	N2	10741	
		1-2	123	387.7	71.3		NA		NA		NA		NA		-	242		5480		4610	N2	10332	
		2-3	383	102.6	198		NA		NA		NA		NA		-	< 11.5		227	R1	200	3t, N2	4837	
		3-4	568	505.6	369		NA		NA		NA		NA		-	NA		NA		NA		-	
		4-5	930	362.1	849		NA		NA		NA		NA		-	NA		NA		NA		-	
		5-6	NM	119.0	688		NA		NA		NA		NA		-	NA		NA		NA		-	
AH-3	3/29/2018	0-1	822	551.3	621	M1	< 0.010		< 0.010		0.14		1.4		1.5	106		6950		5940	N2	12996	
		1-2	675	591.0	581		NA		NA		NA		NA		-	294		5160		4250	N2	9704	
		2-3	634	237.0	366		NA		NA		NA		NA		-	116		1750		1490	3t, N2	3356	
		3-4	465	138.0	192		NA		NA		NA		NA		-	< 12.2		145		143	M1, N2, R1	288	
		4-5	294	91.5	102		NA		NA		NA		NA		-	< 12.2		NA		NA		-	
AH-4	3/29/2018	0-1	340	143.0	294		< 0.012		< 0.012		< 0.012		< 0.037		-	66.6		6870		6630	N2	13567	
		1-2	396	145.1	332		NA		NA		NA		NA		-	253		6620		5500	N2	12373	
		2-3	427	411.1	303		NA		NA		NA		NA		-	130		5110		4200	3t, N2	9440	
		3-4	124	264.3	67.4		NA		NA		NA		NA		-	15.3		594		546	N2	1155	
		4-5	201	102.8	90.1		NA		NA		NA		NA		-	< 11.7		236		224	N2	460	
		5-6	239	10.9	123		NA		NA		NA		NA		-	< 11.6		NA		NA		-	
AH-5	3/29/2018	0-1	268	109.0	176		< 0.011		< 0.011		< 0.011		< 0.034		-	23.4		11900		12400	N2	24323	
		1-2	568	373.3	373		NA		NA		NA		NA		-	93.8		8510		7580	N2	16184	
		2-3	769	635.6	725		NA		NA		NA		NA		-	480		9550		7620	3t, N2	17650	
		3-4	1190	1155	1070		NA		NA		NA		NA		-	1100		12200		9390	N2	22690	
		4-5	1030	653.6	1400		NA		NA		NA		NA		-	885		6200		5150	N2	12235	
		5-6	905	923.4	1830		NA		NA		NA		NA		-	791		7740		6220	N2	14751	
		6-7	779	472.9	908		NA		NA		NA		NA		-	676		6700		5390	N2	12766	
		7-8	757	549.8	790		NA		NA		NA		NA		-	497		3680		3180	N2	7357	
		8-9	843	522.7	1040		NA		NA		NA		NA		-	125		1000		871	N2	1996	
		9-10	1300	73.3	1020	M1	NA		NA		NA		NA		-	56.4		593		518	N2	1167	
AH-6	3/29/2018	0-1	262	143.1	238		< 0.010		< 0.010		0.011		0.032		0.043	493		18000		20200	N2	38693	
		1-2	284	399.0	182		NA		NA		NA		NA		-	204		7690		6570	N2	14464	
		2-3	153	590.6	90.0		NA		NA		NA		NA		-	674		5110		4470	3t, N2	10254	
		3-4	143	189.9	76.7		NA		NA		NA		NA		-	120		1380		1140	N2	2640	
		4-5	177	246.7	103		NA		NA		NA		NA		-	135		4960		4510	N2	9605	
		5-6	225	182.2	61.3		NA		NA		NA		NA		-	440		7170		5730	N2	13340	

NOTES:

ft. Feet

bgs Below ground surface

ppm Parts per million

mg/kg Milligrams per kilogram

NA Not analyzed

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

ORO Oil range organics

Bold and italicized values indicate exceedance of proposed RRLs

Shaded rows indicate sample intervals proposed for excavation and remediation

1 EPA Method 300.0

2 EPA Method 8260

3 EPA Method 80158

4 EPA Method 80158 Modified

QUALIFIERS:

3t The LCS was not spiked due to laboratory error. See case narrative for details.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

N2 The lab does not hold NELAC/TNI accreditation for this parameter.

R1 RPD value was outside control limits.

TABLE 2
SUMMARY OF ANALYTICAL RESULTS
2020 SOIL ASSESSMENT - NRM2003450092
CONOCOPHILLIPS
MCA UNIT 108 FLOWLINE RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth Interval	Field Screening Results		Chloride ¹		BTEX ²										TPH ³						
			Chloride	PID			Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX	GRO ⁴		DRO		ORO		Total TPH (GRO+DRO+ORO)	
					ppm	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	C ₃ - C ₁₀	Q	C ₁₀ - C ₂₈	Q	C ₂₈ - C ₄₀		Q
T-1	5/8/2020	0-1	-	> 900	356		< 0.00101		0.00430	J	0.00472		0.183		0.192		8.55		11000		11700		22709
		2-3	-	> 900	144		< 0.00973		< 0.0487		< 0.0243		0.444		0.444		46.6		3040		1950		5037
		4-5	-	695	679		< 0.00109		< 0.00546		< 0.00273		< 0.00710		-		0.449		724		569		1293
		6-7	-	169	1590		< 0.00112		< 0.00558		< 0.00279		< 0.00726		-		0.0357	J	77.7		121		199
		9-10	1350	64.1	1020		< 0.00114		< 0.00568		< 0.00284		< 0.00738		-		< 0.114		3.73	J	4.37	B J	8.10
		12-13	901	221	644		< 0.00111		< 0.00557		< 0.00279		< 0.00724		-		0.0246	J	164		189		353
		14-15	-	145	793		< 0.00111		< 0.00556		< 0.00278		< 0.00723		-		< 0.111		35.5		49.8		85.3
		17-18	-	27.1	764		< 0.00107		< 0.00535		< 0.00267		< 0.00695		-		< 0.107		112		114		226
		19-20	-	12.0	858		< 0.00107		< 0.00535		< 0.00267		< 0.00695		-		0.0253	J	32.0		42.6		74.6
AH-1	5/7/2020	0-1	22.4	4.3	< 20.1		< 0.00101		< 0.00503		< 0.00252		< 0.00654		-		< 0.101		4.66		8.34		13.0
		2-3	97.1	4.5	33.0		< 0.00107		< 0.00534		< 0.00267		< 0.00694		-		< 0.107		4.24	J	5.87		10.1
		4-5	72.4	4.7	< 20.7		< 0.00104		< 0.00519		< 0.00259		< 0.00674		-		< 0.104		< 4.15		0.559	J	0.559
AH-2	5/7/2020	0-1	37.3	4.1	< 20.7		< 0.00104		< 0.00518		< 0.00259		< 0.00673		-		< 0.104		3.78	J	11.7		15.5
		2-3	71.5	4.6	< 19.5		< 0.00104		< 0.00521		< 0.00261		< 0.00678		-		< 0.104		< 4.17		5.03		5.03
		4-5	313	5.8	141		< 0.00107		< 0.00533		< 0.00267		< 0.00693		-		< 0.107		2.83	J	17.9		20.7
AH-3	5/7/2020	0-1	37.1	4.1	< 20.1		< 0.00101		< 0.00503		< 0.00251		< 0.00654		-		< 0.101		5.90		16.0		21.9
		2-3	534	4.6	121		< 0.00104		< 0.00521		< 0.00261		< 0.00677		-		< 0.104		2.29	J	6.13		8.42
		4-5	517	4.5	167		< 0.00105		< 0.00527		< 0.00263		< 0.00685		-		< 0.105		1.96	J	8.10		10.1
AH-4	5/7/2020	0-1	21.4	3.6	< 20.1		< 0.00101		< 0.00504		< 0.00252		< 0.00655		-		< 0.101		< 4.03		3.78	J	3.78
		2-3	91.9	3.4	< 112		< 0.00112		< 0.00560		< 0.00280		< 0.00729		-		< 0.112		6.58		2.63	B J	9.21
		4-5	41.2	3.6	< 21.2		< 0.00106		< 0.00530		< 0.00265		< 0.00689		-		< 0.106		2.06	J	3.39	J	5.45
AH-5	5/7/2020	0-1	38.1	4.4	< 20.1		< 0.00101		< 0.00504		< 0.00252		< 0.00655		-		< 0.101		13.7		25.6		39.3
		2-3	24.4	3.8	< 20.4		< 0.00102		< 0.00509		< 0.00254		< 0.00662		-		< 0.102		2.03	J	3.35	J	5.38
		4-5	45.2	4.1	< 20.4		< 0.00102		< 0.00510		< 0.00255		< 0.00663		-		< 0.102		11.1		19.0		30.1
AH-6	5/7/2020	0-1	19.4	5.3	< 20.2		< 0.00101		< 0.00505		< 0.00252		< 0.00656		-		0.0240	J	21.6		58.1		79.7
		2-3	31.4	2.9	< 24.1		< 0.00121		< 0.00604		< 0.00302		< 0.00785		-		0.0280	J	< 4.83		2.84	B J	2.87
		4-5	147	2.0	< 106		< 0.00106		< 0.00530		< 0.00265		< 0.00689		-		< 0.106		6.30		17.3		23.6
AH-7	5/8/2020	0-1	32.6	2.6	< 24.2		< 0.00121		< 0.00605		< 0.00302		< 0.00786		-		< 0.121		< 4.84		1.52	B J	1.52
		2-3	41.8	2.0	< 22.5		< 0.00113		< 0.00563		< 0.00282		< 0.00732		-		< 0.113		< 4.51		2.20	B J	2.20
		4-5	88.4	0.7	< 20.5		< 0.00102		< 0.00512		< 0.00256		< 0.00666		-		< 0.102		< 4.10		1.65	B J	1.65
AH-8	5/8/2020	0-1	36.1	0.7	< 20.3		< 0.00101		< 0.00506		< 0.00253		< 0.00658		-		< 0.101		1.85	J	4.73		6.58
		2-3	42.0	1.4	< 20.1		< 0.00100		< 0.00502		< 0.00251		< 0.00653		-		< 0.100		1.78	J	5.43		7.21
		4-5	86.9	0.9	< 20.7		< 0.00103		< 0.00516		< 0.00258		< 0.00671		-		< 0.103		< 4.13		3.72	B J	3.72

NOTES:

ft. Feet

bgs Below ground surface

ppm Parts per million

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

ORO Oil range organics

Shaded rows indicate sample intervals proposed for excavation and remediation

Bold and italicized values indicate exceedance of proposed RRALs

1 EPA Method 300.0

2 EPA Method 8260B

3 EPA Method 8015

4 EPA Method 8015D/GRO

QUALIFIERS:

B The same analyte is found in the associated blank.

J The identification of the analyte is acceptable; the reported value is an estimate.

APPENDIX A C-141 Forms

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NRM2003450092
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party ConocoPhillips Company	OGRID 217817
Contact Name Gustavo Fejervary	Contact Telephone 432/210-7037
Contact email g.fejervary@cop.com	Incident # (assigned by OCD)
Contact mailing address 5735 SW 7000 Andrews, TX 79714	

Location of Release Source

Latitude ~~32.8110619~~ **32.809362° cml** Longitude ~~-103.8080673~~ **-103.800769° cml**
(NAD 83 in decimal degrees to 5 decimal places)

Site Name MCA UNIT 108	Site Type flowline
Date Release Discovered 1/18/17	API# (if applicable)

Unit Letter	Section	Township	Range	County
A	30	17S	32E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) 2	Volume Recovered (bbls) 0
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 6.4	Volume Recovered (bbls) 0
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release **flow line leak.**

According to our records, we reported this back in 2017, however, we don't have proof of approval, or RP# assigned. due to the old date, we don't have records on how this spill volume was estimated.

Form C-141

State of New Mexico
Oil Conservation Division


Page 2

Incident ID	NRM2003450092
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Gustavo Fejervary</u>	Title: <u>Environmental Coordinator</u>
Signature: 	Date: <u>12/19/19</u>
email: <u>g.fejervary@cop.com</u>	Telephone: <u>432/210-7037</u>
C-141 application PO: JGPH3-191219-C-1410 REJECTED 2/3/2020. Resubmitted with Corrections 3/4/2020. cml.	
<u>OCD Only</u>	
Received by: _____	Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.


State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Remediation Plan


Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____
Signature:  _____ Date: _____
email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____ Date: _____

Processing a previously approved workplan. Workplan approved by Bradford Billings on 02/15/2021. See incident files for signed copy.

APPENDIX B

Site Characterization Data



New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

UTMNAD83 Radius Search (in meters):

Easting (X): 612271.743

Northing (Y): 3630789.223

Radius: 800

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/21/20 10:23 PM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
RA 12721 POD1	RA	LE		3	2	3	28	17S	32E	614645	3630141	2459	125		
RA 10175	RA	LE			2	1	28	17S	32E	614814	3631005*	2551	158		
RA 12020 POD1	RA	LE		2	2	1	28	17S	32E	614828	3630954	2561	120	81	39
RA 12042 POD1	RA	LE		2	2	1	28	17S	32E	614891	3631181	2648	400		
RA 12522 POD1	RA	LE		3	3	4	21	17S	32E	614941	3631122	2689	100		
RA 12522 POD2	RA	LE		2	2	1	28	17S	32E	614949	3631098	2695	100		
RA 12522 POD3	RA	LE		4	4	3	28	17S	32E	614980	3631093	2725	100		
RA 12721 POD2	RA	LE		1	1	4	28	17S	32E	615055	3630407	2809	124	75	49
RA 12020 POD3	RA	LE		2	1	2	28	17S	32E	615152	3631019	2889	112	83	29
RA 12521 POD1	RA	LE		3	3	4	21	17S	32E	615127	3631271	2895	105	92	13
RA 12721 POD4	RA	LE		1	1	2	33	17S	32E	615055	3629589	3030	140		
RA 12721 POD7	RA	LE		1	3	2	33	17S	32E	615064	3629198	3213	130		

Average Depth to Water: **82 feet**

Minimum Depth: **75 feet**

Maximum Depth: **92 feet**

Record Count: 12

UTM NAD83 Radius Search (in meters):

Easting (X): 612271.743

Northing (Y): 3630789.223

Radius: 3219

*UTM location was derived from PLSS - see Help


The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/21/20 10:25 PM

Page 1 of 1


WATER COLUMN/ AVERAGE
DEPTH TO WATER

MCA 108 Water Bodies



1/15/2020, 6:54:48 PM

- | | | |
|----------------------|----------------------|----------------------|
| OCD Districts | PLSS Second Division | PLJV Probable Playas |
| OCD District Offices | PLSS Townships | OSE Streams |
| PLSS First Division | OSE Water-bodies | |



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS,


New Mexico Oil Conservation Division
 NM OCD Oil and Gas Map. <http://nm-ennrd.maps.arcgis.com/apps/webappviewer/>: New Mexico Oil Conservation Division

Karst Potential

MCA Unit 108 Release

Legend

- High
- Low
- Medium
- Release location



40 mi

APPENDIX C

Laboratory Analytical Data

April 24, 2018

Greg Pope
TetraTech
4000 N. Big Spring St.
Ste 401
Midland, TX 79705


RE: Project: MCA-108
Pace Project No.: 7584780

Dear Greg Pope:

Enclosed are the analytical results for sample(s) received by the laboratory on March 31, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Melissa McCullough
melissa.mccullough@pacelabs.com
(972)727-1123
Project Manager

Enclosures

cc: Kayla LovelyTaylor, TetraTech
Todd Wells, TetraTech



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: MCA-108

Pace Project No.: 7584780

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 17-016-0

Illinois Certification #: 200030

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212018-1

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

Kansas Field Laboratory Accreditation: # E-92587

Missouri Certification: 10070

Dallas Certification IDs:

400 West Bethany Dr Suite 190, Allen, TX 75013

EPA# TX00074

Florida Certification #: E871118

Texas Certification #: T104704232

Kansas Certification #: E-10388

Arkansas Certification #: 88-0647

Oklahoma Certification #: 8727

Louisiana Certification #: 30686

Iowa Certification #: 408

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Matrix	Date Collected	Date Received
7584780001	AH-1 (0-1)	Solid	03/29/18 11:15	03/31/18 08:55
7584780002	AH-1 (1-2)	Solid	03/29/18 11:15	03/31/18 08:55
7584780003	AH-1 (2-3)	Solid	03/29/18 11:15	03/31/18 08:55
7584780004	AH-1 (3-4)	Solid	03/29/18 11:15	03/31/18 08:55
7584780005	AH-1 (4-5)	Solid	03/29/18 11:15	03/31/18 08:55
7584780006	AH-2 (0-1)	Solid	03/29/18 11:30	03/31/18 08:55
7584780007	AH-2 (1-2)	Solid	03/29/18 11:30	03/31/18 08:55
7584780008	AH-2 (2-3)	Solid	03/29/18 11:30	03/31/18 08:55
7584780009	AH-2 (3-4)	Solid	03/29/18 11:30	03/31/18 08:55
7584780010	AH-2 (4-5)	Solid	03/29/18 11:30	03/31/18 08:55
7584780011	AH-2 (5-6)	Solid	03/29/18 11:30	03/31/18 08:55
7584780012	AH-3 (0-1)	Solid	03/29/18 12:15	03/31/18 08:55
7584780013	AH-3 (1-2)	Solid	03/29/18 11:30	03/31/18 08:55
7584780014	AH-3 (2-3)	Solid	03/29/18 11:30	03/31/18 08:55
7584780015	AH-3 (3-4)	Solid	03/29/18 11:30	03/31/18 08:55
7584780016	AH-3 (4-5)	Solid	03/29/18 11:30	03/31/18 08:55
7584780017	AH-4 (0-1)	Solid	03/29/18 13:05	03/31/18 08:55
7584780018	AH-4 (1-2)	Solid	03/29/18 13:05	03/31/18 08:55
7584780019	AH-4 (2-3)	Solid	03/29/18 13:05	03/31/18 08:55
7584780020	AH-4 (3-4)	Solid	03/29/18 13:05	03/31/18 08:55
7584780021	AH-4 (4-5)	Solid	03/29/18 13:05	03/31/18 08:55
7584780022	AH-4 (5-6)	Solid	03/29/18 13:05	03/31/18 08:55
7584780023	AH-5 (0-1)	Solid	03/29/18 13:30	03/31/18 08:55
7584780024	AH-5 (1-2)	Solid	03/29/18 13:30	03/31/18 08:55
7584780025	AH-5 (2-3)	Solid	03/29/18 13:30	03/31/18 08:55
7584780026	AH-5 (3-4)	Solid	03/29/18 13:30	03/31/18 08:55
7584780027	AH-5 (4-5)	Solid	03/29/18 13:30	03/31/18 08:55
7584780028	AH-5 (5-6)	Solid	03/29/18 13:30	03/31/18 08:55
7584780029	AH-5 (6-7)	Solid	03/29/18 13:30	03/31/18 08:55
7584780030	AH-5 (7-8)	Solid	03/29/18 13:30	03/31/18 08:55
7584780031	AH-5 (8-9)	Solid	03/29/18 13:30	03/31/18 08:55
7584780032	AH-5 (9-10)	Solid	03/29/18 13:30	03/31/18 08:55
7584780033	AH-6 (0-1)	Solid	03/29/18 14:20	03/31/18 08:55
7584780034	AH-6 (1-2)	Solid	03/29/18 14:20	03/31/18 08:55
7584780035	AH-6 (2-3)	Solid	03/29/18 14:20	03/31/18 08:55
7584780036	AH-6 (3-4)	Solid	03/29/18 14:20	03/31/18 08:55
7584780037	AH-6 (4-5)	Solid	03/29/18 14:20	03/31/18 08:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Matrix	Date Collected	Date Received
7584780038	AH-6 (5-6)	Solid	03/29/18 14:20	03/31/18 08:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7584780001	AH-1 (0-1)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		EPA 8260	ZST	7	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780002	AH-1 (1-2)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780003	AH-1 (2-3)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780004	AH-1 (3-4)	ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780005	AH-1 (4-5)	ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780006	AH-2 (0-1)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		EPA 8260	ZST	7	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780007	AH-2 (1-2)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780008	AH-2 (2-3)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780009	AH-2 (3-4)	ASTM D2974-07	TMS	1	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7584780010	AH-2 (4-5)	EPA 300.0	TMS	1	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
7584780011	AH-2 (5-6)	EPA 300.0	TMS	1	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
7584780012	AH-3 (0-1)	EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		EPA 8260	ZST	7	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
7584780013	AH-3 (1-2)	EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780014	AH-3 (2-3)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
7584780015	AH-3 (3-4)	EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780016	AH-3 (4-5)	EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
7584780017	AH-4 (0-1)	EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		EPA 8260	ZST	7	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
7584780018	AH-4 (1-2)	EPA 8015B Modified	JS	2	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7584780019	AH-4 (2-3)	EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
7584780020	AH-4 (3-4)	EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
7584780021	AH-4 (4-5)	EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
7584780022	AH-4 (5-6)	ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
7584780023	AH-5 (0-1)	EPA 8015B	JTK	2	PASI-K
		EPA 8260	ZST	7	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
7584780024	AH-5 (1-2)	ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780025	AH-5 (2-3)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7584780026	AH-5 (3-4)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780027	AH-5 (4-5)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780028	AH-5 (5-6)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780029	AH-5 (6-7)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780030	AH-5 (7-8)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780031	AH-5 (8-9)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780032	AH-5 (9-10)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780033	AH-6 (0-1)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7584780034	AH-6 (1-2)	EPA 8015B	JTK	2	PASI-K
		EPA 8260	ZST	7	PASI-D
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
7584780035	AH-6 (2-3)	EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
7584780036	AH-6 (3-4)	EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
7584780037	AH-6 (4-5)	EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	LNF	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
7584780038	AH-6 (5-6)	ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D
		EPA 8015B Modified	JS	2	PASI-D
		EPA 8015B	JTK	2	PASI-K
		ASTM D2974-07	TMS	1	PASI-D
		EPA 300.0	TMS	1	PASI-D
		EPA 8015B	JS	2	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-1 (0-1) Lab ID: 7584780001 Collected: 03/29/18 11:15 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	13400	mg/kg	3470	200	04/02/18 17:30	04/04/18 14:10		
Surrogates								
a-Pinene (S)	112	%	10-87	200	04/02/18 17:30	04/04/18 14:10		S2
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	10700	mg/kg	3470	200	04/02/18 17:30	04/04/18 14:10		N2
Surrogates								
a-Pinene (S)	212	%	10-107	200	04/02/18 17:30	04/04/18 14:10		S2
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	502	mg/kg	58.3	5	04/04/18 00:00	04/04/18 15:27		M1,R1
Surrogates								
4-Bromofluorobenzene (S)	126	%	72-117	5	04/04/18 00:00	04/04/18 15:27	460-00-4	S2
8260 MSV UST Soil Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5030 Low								
Benzene	ND	mg/kg	0.012	5	04/02/18 13:00	04/03/18 10:46	71-43-2	
Ethylbenzene	3.3	mg/kg	0.12	50	04/02/18 13:00	04/03/18 12:20	100-41-4	
Toluene	0.16	mg/kg	0.012	5	04/02/18 13:00	04/03/18 10:46	108-88-3	
Xylene (Total)	19.7	mg/kg	0.35	50	04/02/18 13:00	04/03/18 12:20	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	97	%	70-130	5	04/02/18 13:00	04/03/18 10:46	17060-07-0	1t
4-Bromofluorobenzene (S)	81	%	70-130	50	04/02/18 13:00	04/03/18 12:20	460-00-4	
Toluene-d8 (S)	81	%	70-130	5	04/02/18 13:00	04/03/18 10:46	2037-26-5	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	13.8	%		1		04/02/18 20:11		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1720	mg/kg	119	10	04/04/18 11:54	04/05/18 07:53	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 10 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-1 (1-2) Lab ID: 7584780002 Collected: 03/29/18 11:15 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	1260	mg/kg	925	50	04/05/18 15:30	04/07/18 07:42		
Surrogates								
a-Pinene (S)	76	%	10-87	50	04/05/18 15:30	04/07/18 07:42		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	1320	mg/kg	925	50	04/05/18 15:30	04/07/18 07:42		N2
Surrogates								
a-Pinene (S)	87	%	10-107	50	04/05/18 15:30	04/07/18 07:42		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	40.9	mg/kg	12.5	1	04/05/18 00:00	04/06/18 18:48		M1
Surrogates								
4-Bromofluorobenzene (S)	110	%	72-117	1	04/05/18 00:00	04/06/18 18:48	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	19.4	%		1		04/02/18 20:11		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	962	mg/kg	127	10	04/04/18 11:54	04/05/18 08:11	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 11 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-1 (2-3) Lab ID: 7584780003 Collected: 03/29/18 11:15 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	164	mg/kg	94.6	5	04/09/18 16:45	04/10/18 14:29		
Surrogates								
a-Pinene (S)	29	%	10-87	5	04/09/18 16:45	04/10/18 14:29		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	281	mg/kg	94.6	5	04/09/18 16:45	04/10/18 14:29		3t,N2
Surrogates								
a-Pinene (S)	55	%	10-107	5	04/09/18 16:45	04/10/18 14:29		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	ND	mg/kg	12.6	1	04/09/18 00:00	04/10/18 14:07		
Surrogates								
4-Bromofluorobenzene (S)	106	%	72-117	1	04/09/18 00:00	04/10/18 14:07	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	20.8	%		1		04/02/18 20:11		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	2760	mg/kg	1260	100	04/04/18 11:54	04/05/18 15:47	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 12 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-1 (3-4) **Lab ID: 7584780004** Collected: 03/29/18 11:15 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	30.4	%		1		04/02/18 20:12		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1470	mg/kg	146	10	04/04/18 11:54	04/05/18 08:46	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 13 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-1 (4-5) **Lab ID: 7584780005** Collected: 03/29/18 11:15 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	22.3	%		1		04/02/18 20:12		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	365	mg/kg	125	10	04/04/18 11:54	04/05/18 09:04	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 14 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-2 (0-1) Lab ID: 7584780006 Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	5940	mg/kg	3620	200	04/02/18 17:30	04/04/18 13:43		
Surrogates								
a-Pinene (S)	69	%	10-87	200	04/02/18 17:30	04/04/18 13:43		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	4640	mg/kg	3620	200	04/02/18 17:30	04/04/18 13:43		N2
Surrogates								
a-Pinene (S)	75	%	10-107	200	04/02/18 17:30	04/04/18 13:43		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	161	mg/kg	12.1	1	04/04/18 00:00	04/04/18 16:14		
Surrogates								
4-Bromofluorobenzene (S)	115	%	72-117	1	04/04/18 00:00	04/04/18 16:14	460-00-4	
8260 MSV UST Soil Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5030 Low								
Benzene	ND	mg/kg	0.012	5	04/02/18 13:00	04/02/18 21:02	71-43-2	
Ethylbenzene	ND	mg/kg	0.012	5	04/02/18 13:00	04/02/18 21:02	100-41-4	
Toluene	ND	mg/kg	0.012	5	04/02/18 13:00	04/02/18 21:02	108-88-3	
Xylene (Total)	0.061	mg/kg	0.036	5	04/02/18 13:00	04/02/18 21:02	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	95	%	70-130	5	04/02/18 13:00	04/02/18 21:02	17060-07-0	1t,D3
4-Bromofluorobenzene (S)	64	%	70-130	5	04/02/18 13:00	04/02/18 21:02	460-00-4	S5
Toluene-d8 (S)	82	%	70-130	5	04/02/18 13:00	04/02/18 21:02	2037-26-5	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	17.2	%		1		04/02/18 20:12		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	22.3	mg/kg	12.2	1	04/04/18 11:54	04/05/18 16:05	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 15 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-2 (1-2) Lab ID: 7584780007 Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	5480	mg/kg	894	50	04/05/18 15:30	04/07/18 08:08		
Surrogates								
a-Pinene (S)	42	%	10-87	50	04/05/18 15:30	04/07/18 08:08		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	4610	mg/kg	894	50	04/05/18 15:30	04/07/18 08:08		N2
Surrogates								
a-Pinene (S)	89	%	10-107	50	04/05/18 15:30	04/07/18 08:08		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	242	mg/kg	60.7	5	04/05/18 00:00	04/06/18 19:35		
Surrogates								
4-Bromofluorobenzene (S)	117	%	72-117	5	04/05/18 00:00	04/06/18 19:35	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	17.5	%		1		04/02/18 20:12		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	71.3	mg/kg	12.3	1	04/04/18 11:54	04/05/18 16:58	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 16 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-2 (2-3) **Lab ID:** 7584780008 **Collected:** 03/29/18 11:30 **Received:** 03/31/18 08:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	227	mg/kg	85.5	5	04/09/18 16:45	04/10/18 11:48		R1
Surrogates								
a-Pinene (S)	27	%	10-87	5	04/09/18 16:45	04/10/18 11:48		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	200	mg/kg	85.5	5	04/09/18 16:45	04/10/18 11:48		3t,N2
Surrogates								
a-Pinene (S)	52	%	10-107	5	04/09/18 16:45	04/10/18 11:48		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	ND	mg/kg	11.5	1	04/09/18 00:00	04/10/18 14:22		
Surrogates								
4-Bromofluorobenzene (S)	112	%	72-117	1	04/09/18 00:00	04/10/18 14:22	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	12.9	%		1		04/02/18 20:13		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	198	mg/kg	117	10	04/04/18 11:54	04/05/18 10:33	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 17 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-2 (3-4) **Lab ID: 7584780009** Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	15.4	%		1		04/02/18 20:13		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	369	mg/kg	114	10	04/04/18 11:54	04/05/18 10:51	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 18 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-2 (4-5) **Lab ID: 7584780010** Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	24.0	%		1		04/02/18 20:13		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	849	mg/kg	127	10	04/04/18 11:54	04/05/18 11:09	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 19 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-2 (5-6) **Lab ID: 7584780011** Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	10.4	%		1		04/02/18 20:13		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	688	mg/kg	112	10	04/04/18 11:54	04/05/18 11:26	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 20 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-3 (0-1) Lab ID: 7584780012 Collected: 03/29/18 12:15 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	6950	mg/kg	3020	200	04/02/18 17:30	04/04/18 17:13		
Surrogates								
a-Pinene (S)	34	%	10-87	200	04/02/18 17:30	04/04/18 17:13		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	5940	mg/kg	3020	200	04/02/18 17:30	04/04/18 15:02		N2
Surrogates								
a-Pinene (S)	66	%	10-107	200	04/02/18 17:30	04/04/18 15:02		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	106	mg/kg	10.1	1	04/04/18 00:00	04/04/18 16:30		
Surrogates								
4-Bromofluorobenzene (S)	126	%	72-117	1	04/04/18 00:00	04/04/18 16:30	460-00-4	S2
8260 MSV UST Soil Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5030 Low								
Benzene	ND	mg/kg	0.010	5	04/02/18 13:00	04/02/18 21:26	71-43-2	
Ethylbenzene	0.14	mg/kg	0.010	5	04/02/18 13:00	04/02/18 21:26	100-41-4	
Toluene	ND	mg/kg	0.010	5	04/02/18 13:00	04/02/18 21:26	108-88-3	
Xylene (Total)	1.4	mg/kg	0.030	5	04/02/18 13:00	04/02/18 21:26	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100	%	70-130	5	04/02/18 13:00	04/02/18 21:26	17060-07-0	1t,D3
4-Bromofluorobenzene (S)	85	%	70-130	5	04/02/18 13:00	04/02/18 21:26	460-00-4	
Toluene-d8 (S)	84	%	70-130	5	04/02/18 13:00	04/02/18 21:26	2037-26-5	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	1.2	%		1		04/02/18 20:14		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	621	mg/kg	99.1	10	04/04/18 11:54	04/04/18 22:45	16887-00-6	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 21 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-3 (1-2) **Lab ID:** 7584780013 Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	5160	mg/kg	782	50	04/05/18 15:30	04/07/18 08:35		
Surrogates								
a-Pinene (S)	45	%.	10-87	50	04/05/18 15:30	04/07/18 08:35		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	4250	mg/kg	782	50	04/05/18 15:30	04/07/18 08:35		N2
Surrogates								
a-Pinene (S)	88	%.	10-107	50	04/05/18 15:30	04/07/18 08:35		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	294	mg/kg	53.3	5	04/05/18 00:00	04/06/18 19:50		
Surrogates								
4-Bromofluorobenzene (S)	127	%	72-117	5	04/05/18 00:00	04/06/18 19:50	460-00-4	S2
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	6.0	%		1		04/02/18 20:14		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	581	mg/kg	108	10	04/04/18 11:54	04/04/18 23:39	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 22 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-3 (2-3) Lab ID: 7584780014 Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	1750	mg/kg	182	10	04/09/18 16:45	04/10/18 12:14		
Surrogates								
a-Pinene (S)	36	%	10-87	10	04/09/18 16:45	04/10/18 12:14		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	1490	mg/kg	182	10	04/09/18 16:45	04/10/18 12:14		3t,N2
Surrogates								
a-Pinene (S)	64	%	10-107	10	04/09/18 16:45	04/10/18 12:14		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	116	mg/kg	60.6	5	04/09/18 00:00	04/10/18 14:37		
Surrogates								
4-Bromofluorobenzene (S)	124	%	72-117	5	04/09/18 00:00	04/10/18 14:37	460-00-4	D3,S2
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	17.5	%		1		04/02/18 20:14		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	366	mg/kg	120	10	04/04/18 11:54	04/05/18 00:32	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 23 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-3 (3-4) Lab ID: 7584780015 Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	145	mg/kg	35.8	2	04/12/18 13:33	04/13/18 03:30		
Surrogates								
a-Pinene (S)	17	%	10-87	2	04/12/18 13:33	04/13/18 03:30		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	143	mg/kg	35.8	2	04/12/18 13:33	04/13/18 03:30		M1,N2, R1
Surrogates								
a-Pinene (S)	32	%	10-107	2	04/12/18 13:33	04/13/18 03:30		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	ND	mg/kg	12.2	1	04/12/18 00:00	04/12/18 13:14		
Surrogates								
4-Bromofluorobenzene (S)	103	%	72-117	1	04/12/18 00:00	04/12/18 13:14	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	17.6	%		1		04/02/18 20:15		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	192	mg/kg	127	10	04/04/18 11:54	04/05/18 00:50	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 24 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-3 (4-5) **Lab ID: 7584780016** Collected: 03/29/18 11:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Gasoline Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	ND	mg/kg	12.2	1	04/12/18 00:00	04/12/18 14:00		
Surrogates								
4-Bromofluorobenzene (S)	103	%	72-117	1	04/12/18 00:00	04/12/18 14:00	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	18.1	%		1		04/03/18 18:33		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	102	mg/kg	12.2	1	04/04/18 11:54	04/05/18 13:35	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 25 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-4 (0-1) Lab ID: 7584780017 Collected: 03/29/18 13:05 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	6870	mg/kg	3620	200	04/02/18 17:30	04/04/18 14:36		
Surrogates								
a-Pinene (S)	27	%.	10-87	200	04/02/18 17:30	04/04/18 14:36		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	6630	mg/kg	3620	200	04/02/18 17:30	04/04/18 14:36		N2
Surrogates								
a-Pinene (S)	45	%.	10-107	200	04/02/18 17:30	04/04/18 14:36		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	66.6	mg/kg	12.2	1	04/04/18 00:00	04/04/18 13:23		
Surrogates								
4-Bromofluorobenzene (S)	110	%	72-117	1	04/04/18 00:00	04/04/18 13:23	460-00-4	
8260 MSV UST Soil Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5030 Low								
Benzene	ND	mg/kg	0.012	5	04/02/18 13:00	04/03/18 09:36	71-43-2	
Ethylbenzene	ND	mg/kg	0.012	5	04/02/18 13:00	04/03/18 09:36	100-41-4	
Toluene	ND	mg/kg	0.012	5	04/02/18 13:00	04/03/18 09:36	108-88-3	
Xylene (Total)	ND	mg/kg	0.037	5	04/02/18 13:00	04/03/18 09:36	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	105	%.	70-130	5	04/02/18 13:00	04/03/18 09:36	17060-07-0	2t,D3
4-Bromofluorobenzene (S)	111	%.	70-130	5	04/02/18 13:00	04/03/18 09:36	460-00-4	
Toluene-d8 (S)	86	%.	70-130	5	04/02/18 13:00	04/03/18 09:36	2037-26-5	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	18.2	%		1		04/02/18 20:15		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	294	mg/kg	127	10	04/04/18 11:54	04/05/18 02:01	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 26 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-4 (1-2) Lab ID: 7584780018 Collected: 03/29/18 13:05 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	6620	mg/kg	792	50	04/05/18 15:30	04/07/18 09:01		
Surrogates								
a-Pinene (S)	51	%	10-87	50	04/05/18 15:30	04/07/18 09:01		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	5500	mg/kg	792	50	04/05/18 15:30	04/07/18 09:01		N2
Surrogates								
a-Pinene (S)	93	%	10-107	50	04/05/18 15:30	04/07/18 09:01		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	253	mg/kg	52.9	5	04/05/18 00:00	04/06/18 20:06		
Surrogates								
4-Bromofluorobenzene (S)	125	%	72-117	5	04/05/18 00:00	04/06/18 20:06	460-00-4	S2
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	5.5	%		1		04/03/18 18:34		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	332	mg/kg	108	10	04/04/18 11:54	04/05/18 02:19	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 27 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-4 (2-3) Lab ID: 7584780019 Collected: 03/29/18 13:05 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	5110	mg/kg	784	50	04/09/18 16:45	04/10/18 13:07		
Surrogates								
a-Pinene (S)	48	%	10-87	50	04/09/18 16:45	04/10/18 13:07		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	4200	mg/kg	784	50	04/09/18 16:45	04/10/18 13:07		3t,N2
Surrogates								
a-Pinene (S)	91	%	10-107	50	04/09/18 16:45	04/10/18 13:07		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	130	mg/kg	52.8	5	04/09/18 00:00	04/10/18 01:00		
Surrogates								
4-Bromofluorobenzene (S)	114	%	72-117	5	04/09/18 00:00	04/10/18 01:00	460-00-4	D3
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	4.5	%		1		04/03/18 18:34		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	303	mg/kg	107	10	04/04/18 11:54	04/05/18 02:37	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 28 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-4 (3-4) **Lab ID:** 7584780020 **Collected:** 03/29/18 13:05 **Received:** 03/31/18 08:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	594	mg/kg	84.0	5	04/12/18 13:33	04/13/18 05:16		
Surrogates								
a-Pinene (S)	27	%.	10-87	5	04/12/18 13:33	04/13/18 05:16		
8015M Oil Range Organics								
Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	546	mg/kg	84.0	5	04/12/18 13:33	04/13/18 05:16		N2
Surrogates								
a-Pinene (S)	51	%.	10-107	5	04/12/18 13:33	04/13/18 05:16		
Gasoline Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	15.3	mg/kg	11.3	1	04/12/18 00:00	04/12/18 14:15		
Surrogates								
4-Bromofluorobenzene (S)	113	%	72-117	1	04/12/18 00:00	04/12/18 14:15	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	11.3	%		1		04/03/18 18:34		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	67.4	mg/kg	10.9	1	04/04/18 11:54	04/05/18 14:11	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 29 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-4 (4-5) Lab ID: 7584780021 Collected: 03/29/18 13:05 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	236	mg/kg	34.6	2	04/12/18 13:33	04/14/18 10:22		
Surrogates								
a-Pinene (S)	23	%	10-87	2	04/12/18 13:33	04/14/18 10:22		
8015M Oil Range Organics								
Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	224	mg/kg	34.6	2	04/12/18 13:33	04/14/18 10:22		N2
Surrogates								
a-Pinene (S)	44	%	10-107	2	04/12/18 13:33	04/14/18 10:22		
Gasoline Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	ND	mg/kg	11.7	1	04/12/18 00:00	04/12/18 18:07		
Surrogates								
4-Bromofluorobenzene (S)	106	%	72-117	1	04/12/18 00:00	04/12/18 18:07	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	13.8	%		1		04/03/18 18:34		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	90.1	mg/kg	11.4	1	04/04/18 11:54	04/05/18 14:46	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 30 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-4 (5-6) **Lab ID: 7584780022** Collected: 03/29/18 13:05 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Gasoline Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	ND	mg/kg	11.6	1	04/12/18 00:00	04/12/18 14:46		
Surrogates								
4-Bromofluorobenzene (S)	106	%	72-117	1	04/12/18 00:00	04/12/18 14:46	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	13.6	%		1		04/03/18 18:35		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	123	mg/kg	113	10	04/04/18 11:54	04/05/18 03:31	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 31 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (0-1) Lab ID: 7584780023 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	11900	mg/kg	3390	200	04/02/18 17:30	04/04/18 15:54		
Surrogates								
a-Pinene (S)	24	%.	10-87	200	04/02/18 17:30	04/04/18 15:54		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	12400	mg/kg	3390	200	04/02/18 17:30	04/04/18 15:54		N2
Surrogates								
a-Pinene (S)	53	%.	10-107	200	04/02/18 17:30	04/04/18 15:54		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	23.4	mg/kg	11.4	1	04/04/18 00:00	04/04/18 16:46		
Surrogates								
4-Bromofluorobenzene (S)	123	%	72-117	1	04/04/18 00:00	04/04/18 16:46	460-00-4	S2
8260 MSV UST Soil Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5030 Low								
Benzene	ND	mg/kg	0.011	5	04/02/18 13:00	04/03/18 10:00	71-43-2	
Ethylbenzene	ND	mg/kg	0.011	5	04/02/18 13:00	04/03/18 10:00	100-41-4	
Toluene	ND	mg/kg	0.011	5	04/02/18 13:00	04/03/18 10:00	108-88-3	
Xylene (Total)	ND	mg/kg	0.034	5	04/02/18 13:00	04/03/18 10:00	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	104	%.	70-130	5	04/02/18 13:00	04/03/18 10:00	17060-07-0	2t,D3
4-Bromofluorobenzene (S)	111	%.	70-130	5	04/02/18 13:00	04/03/18 10:00	460-00-4	
Toluene-d8 (S)	88	%.	70-130	5	04/02/18 13:00	04/03/18 10:00	2037-26-5	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	12.3	%		1		04/02/18 20:16		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	176	mg/kg	117	10	04/04/18 11:54	04/05/18 03:49	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 32 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (1-2) Lab ID: 7584780024 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	8510	mg/kg	792	50	04/05/18 15:30	04/07/18 09:54		
Surrogates								
a-Pinene (S)	61	%	10-87	50	04/05/18 15:30	04/07/18 09:54		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	7580	mg/kg	792	50	04/05/18 15:30	04/07/18 09:54		N2
Surrogates								
a-Pinene (S)	80	%	10-107	50	04/05/18 15:30	04/07/18 09:54		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	93.8	mg/kg	10.6	1	04/05/18 00:00	04/06/18 20:22		
Surrogates								
4-Bromofluorobenzene (S)	104	%	72-117	1	04/05/18 00:00	04/06/18 20:22	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	5.9	%		1		04/03/18 18:35		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	373	mg/kg	108	10	04/04/18 11:54	04/05/18 04:06	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 33 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (2-3) Lab ID: 7584780025 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	9550	mg/kg	794	50	04/09/18 16:45	04/10/18 13:36		
Surrogates								
a-Pinene (S)	46	%	10-87	50	04/09/18 16:45	04/10/18 13:36		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	7620	mg/kg	794	50	04/09/18 16:45	04/10/18 13:36		3t,N2
Surrogates								
a-Pinene (S)	93	%	10-107	50	04/09/18 16:45	04/10/18 13:36		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	480	mg/kg	53.7	5	04/09/18 00:00	04/10/18 14:53		
Surrogates								
4-Bromofluorobenzene (S)	131	%	72-117	5	04/09/18 00:00	04/10/18 14:53	460-00-4	S2
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	6.9	%		1		04/03/18 18:35		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	725	mg/kg	110	10	04/04/18 11:54	04/05/18 04:24	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 34 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (3-4) Lab ID: 7584780026 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	12200	mg/kg	830	50	04/12/18 13:33	04/14/18 12:07		
Surrogates								
a-Pinene (S)	159	%	10-87	50	04/12/18 13:33	04/14/18 12:07		S2
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	9390	mg/kg	830	50	04/12/18 13:33	04/14/18 12:07		N2
Surrogates								
a-Pinene (S)	299	%	10-107	50	04/12/18 13:33	04/14/18 12:07		S2
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	1100	mg/kg	55.9	5	04/12/18 00:00	04/12/18 15:02		
Surrogates								
4-Bromofluorobenzene (S)	144	%	72-117	5	04/12/18 00:00	04/12/18 15:02	460-00-4	S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	10	%		1		04/03/18 18:35		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1070	mg/kg	109	10	04/04/18 11:54	04/05/18 05:18	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 35 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (4-5) Lab ID: 7584780027 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	6200	mg/kg	837	50	04/12/18 13:33	04/14/18 12:34		
Surrogates								
a-Pinene (S)	99	%.	10-87	50	04/12/18 13:33	04/14/18 12:34		S2
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	5150	mg/kg	837	50	04/12/18 13:33	04/14/18 12:34		N2
Surrogates								
a-Pinene (S)	183	%.	10-107	50	04/12/18 13:33	04/14/18 12:34		S2
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	885	mg/kg	56.4	5	04/12/18 00:00	04/12/18 15:48		
Surrogates								
4-Bromofluorobenzene (S)	136	%	72-117	5	04/12/18 00:00	04/12/18 15:48	460-00-4	S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	10.9	%		1		04/03/18 18:35		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1400	mg/kg	113	10	04/04/18 11:54	04/05/18 05:36	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 36 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (5-6) Lab ID: 7584780028 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	7740	mg/kg	832	50	04/12/18 15:50	04/14/18 13:00		
Surrogates								
a-Pinene (S)	115	%.	10-87	50	04/12/18 15:50	04/14/18 13:00		S2
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	6220	mg/kg	832	50	04/12/18 15:50	04/14/18 13:00		N2
Surrogates								
a-Pinene (S)	236	%.	10-107	50	04/12/18 15:50	04/14/18 13:00		S2
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	791	mg/kg	55.4	5	04/12/18 00:00	04/12/18 16:04		
Surrogates								
4-Bromofluorobenzene (S)	134	%	72-117	5	04/12/18 00:00	04/12/18 16:04	460-00-4	S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	10.2	%		1		04/03/18 18:36		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1830	mg/kg	1090	100	04/04/18 11:54	04/05/18 15:22	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 37 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (6-7) Lab ID: 7584780029 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	6700	mg/kg	803	50	04/12/18 15:50	04/14/18 13:27		
Surrogates								
a-Pinene (S)	112	%	10-87	50	04/12/18 15:50	04/14/18 13:27		S2
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	5390	mg/kg	803	50	04/12/18 15:50	04/14/18 13:27		N2
Surrogates								
a-Pinene (S)	221	%	10-107	50	04/12/18 15:50	04/14/18 13:27		S2
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	676	mg/kg	53.3	5	04/12/18 00:00	04/12/18 16:19		
Surrogates								
4-Bromofluorobenzene (S)	135	%	72-117	5	04/12/18 00:00	04/12/18 16:19	460-00-4	S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	6.7	%		1		04/03/18 18:36		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	908	mg/kg	105	10	04/04/18 11:54	04/05/18 06:11	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 38 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (7-8) Lab ID: 7584780030 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	3680	mg/kg	800	50	04/12/18 15:50	04/14/18 13:53		
Surrogates								
a-Pinene (S)	35	%	10-87	50	04/12/18 15:50	04/14/18 13:53		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	3180	mg/kg	800	50	04/12/18 15:50	04/14/18 13:53		N2
Surrogates								
a-Pinene (S)	68	%	10-107	50	04/12/18 15:50	04/14/18 13:53		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	497	mg/kg	53.4	5	04/12/18 00:00	04/12/18 16:34		
Surrogates								
4-Bromofluorobenzene (S)	130	%	72-117	5	04/12/18 00:00	04/12/18 16:34	460-00-4	S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	6.5	%		1		04/03/18 18:36		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	790	mg/kg	103	10	04/04/18 11:54	04/05/18 06:29	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 39 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (8-9) **Lab ID:** 7584780031 **Collected:** 03/29/18 13:30 **Received:** 03/31/18 08:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	1000	mg/kg	162	10	04/12/18 15:50	04/14/18 15:12		
Surrogates								
a-Pinene (S)	33	%.	10-87	10	04/12/18 15:50	04/14/18 15:12		
8015M Oil Range Organics								
Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	871	mg/kg	162	10	04/12/18 15:50	04/14/18 15:12		N2
Surrogates								
a-Pinene (S)	62	%.	10-107	10	04/12/18 15:50	04/14/18 15:12		
Gasoline Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	125	mg/kg	54.3	5	04/12/18 00:00	04/12/18 16:50		
Surrogates								
4-Bromofluorobenzene (S)	128	%	72-117	5	04/12/18 00:00	04/12/18 16:50	460-00-4	D3,S5
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	7.7	%		1		04/03/18 18:37		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1040	mg/kg	108	10	04/04/18 11:54	04/05/18 06:47	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 40 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-5 (9-10) Lab ID: 7584780032 Collected: 03/29/18 13:30 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	593	mg/kg	161	10	04/12/18 15:50	04/14/18 16:04		
Surrogates								
a-Pinene (S)	28	%	10-87	10	04/12/18 15:50	04/14/18 16:04		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	518	mg/kg	161	10	04/12/18 15:50	04/14/18 16:04		N2
Surrogates								
a-Pinene (S)	52	%	10-107	10	04/12/18 15:50	04/14/18 16:04		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	56.4	mg/kg	53.8	5	04/12/18 00:00	04/12/18 17:05		
Surrogates								
4-Bromofluorobenzene (S)	111	%	72-117	5	04/12/18 00:00	04/12/18 17:05	460-00-4	D3
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	7.2	%		1		04/03/18 18:37		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	1020	mg/kg	105	10	04/04/18 11:54	04/05/18 08:34	16887-00-6	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 41 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-6 (0-1) Lab ID: 7584780033 Collected: 03/29/18 14:20 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	18000	mg/kg	15500	100	04/02/18 17:30	04/04/18 17:39		
Surrogates								
a-Pinene (S)	56	%	10-87	100	04/02/18 17:30	04/04/18 17:39		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	20200	mg/kg	15500	100	04/02/18 17:30	04/04/18 17:39		N2
Surrogates								
a-Pinene (S)	94	%	10-107	100	04/02/18 17:30	04/04/18 17:39		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	49.3	mg/kg	10.4	1	04/04/18 00:00	04/04/18 13:54		
Surrogates								
4-Bromofluorobenzene (S)	101	%	72-117	1	04/04/18 00:00	04/04/18 13:54	460-00-4	
8260 MSV UST Soil Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5030 Low								
Benzene	ND	mg/kg	0.010	5	04/02/18 13:00	04/03/18 10:23	71-43-2	
Ethylbenzene	0.011	mg/kg	0.010	5	04/02/18 13:00	04/03/18 10:23	100-41-4	
Toluene	ND	mg/kg	0.010	5	04/02/18 13:00	04/03/18 10:23	108-88-3	
Xylene (Total)	0.032	mg/kg	0.031	5	04/02/18 13:00	04/03/18 10:23	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	102	%	70-130	5	04/02/18 13:00	04/03/18 10:23	17060-07-0	2t,D3
4-Bromofluorobenzene (S)	107	%	70-130	5	04/02/18 13:00	04/03/18 10:23	460-00-4	
Toluene-d8 (S)	88	%	70-130	5	04/02/18 13:00	04/03/18 10:23	2037-26-5	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	3.5	%		1		04/02/18 20:15		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	238	mg/kg	108	10	04/04/18 11:54	04/05/18 09:28	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 42 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-6 (1-2) Lab ID: 7584780034 Collected: 03/29/18 14:20 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	7690	mg/kg	787	50	04/05/18 15:30	04/07/18 10:46		
Surrogates								
a-Pinene (S)	45	%	10-87	50	04/05/18 15:30	04/07/18 10:46		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	6570	mg/kg	787	50	04/05/18 15:30	04/07/18 10:46		N2
Surrogates								
a-Pinene (S)	83	%	10-107	50	04/05/18 15:30	04/07/18 10:46		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	204	mg/kg	52.8	5	04/05/18 00:00	04/06/18 20:38		
Surrogates								
4-Bromofluorobenzene (S)	114	%	72-117	5	04/05/18 00:00	04/06/18 20:38	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	5.0	%		1		04/03/18 18:37		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	182	mg/kg	108	10	04/04/18 11:54	04/05/18 09:46	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 43 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-6 (2-3) Lab ID: 7584780035 Collected: 03/29/18 14:20 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	5110	mg/kg	822	50	04/09/18 16:45	04/10/18 14:02		
Surrogates								
a-Pinene (S)	51	%	10-87	50	04/09/18 16:45	04/10/18 14:02		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	4470	mg/kg	822	50	04/09/18 16:45	04/10/18 14:02		3t,N2
Surrogates								
a-Pinene (S)	100	%	10-107	50	04/09/18 16:45	04/10/18 14:02		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	674	mg/kg	55.1	5	04/09/18 00:00	04/10/18 15:09		
Surrogates								
4-Bromofluorobenzene (S)	133	%	72-117	5	04/09/18 00:00	04/10/18 15:09	460-00-4	S2
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	9.1	%		1		04/03/18 18:37		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	90.0	mg/kg	11.1	1	04/04/18 11:54	04/05/18 16:34	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 44 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-6 (3-4) Lab ID: 7584780036 Collected: 03/29/18 14:20 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	1380	mg/kg	169	10	04/12/18 15:50	04/14/18 16:57		
Surrogates								
a-Pinene (S)	24	%	10-87	10	04/12/18 15:50	04/14/18 16:57		
8015M Oil Range Organics								
Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	1140	mg/kg	169	10	04/12/18 15:50	04/14/18 16:57		N2
Surrogates								
a-Pinene (S)	47	%	10-107	10	04/12/18 15:50	04/14/18 16:57		
Gasoline Range Organics								
Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	120	mg/kg	11.3	1	04/12/18 00:00	04/12/18 17:21		
Surrogates								
4-Bromofluorobenzene (S)	131	%	72-117	1	04/12/18 00:00	04/12/18 17:21	460-00-4	S5
Percent Moisture								
Analytical Method: ASTM D2974-07								
Percent Moisture	11.6	%		1		04/03/18 18:37		
300.0 IC Anions 28 Days								
Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	76.7	mg/kg	11.5	1	04/04/18 11:54	04/05/18 17:45	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 45 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-6 (4-5) Lab ID: 7584780037 Collected: 03/29/18 14:20 Received: 03/31/18 08:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	4960	mg/kg	833	50	04/12/18 15:50	04/14/18 14:19		
Surrogates								
a-Pinene (S)	46	%.	10-87	50	04/12/18 15:50	04/14/18 14:19		
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	4510	mg/kg	833	50	04/12/18 15:50	04/14/18 14:19		N2
Surrogates								
a-Pinene (S)	88	%.	10-107	50	04/12/18 15:50	04/14/18 14:19		
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	135	mg/kg	56.0	5	04/12/18 00:00	04/12/18 17:36		
Surrogates								
4-Bromofluorobenzene (S)	129	%	72-117	5	04/12/18 00:00	04/12/18 17:36	460-00-4	D3,S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	11.1	%		1		04/03/18 18:38		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	103	mg/kg	11.3	1	04/04/18 11:54	04/05/18 18:21	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 46 of 80

ANALYTICAL RESULTS

Project: MCA-108

Pace Project No.: 7584780

Sample: AH-6 (5-6) **Lab ID:** 7584780038 **Collected:** 03/29/18 14:20 **Received:** 03/31/18 08:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 3546								
Diesel Range Organics	7170	mg/kg	838	50	04/12/18 15:50	04/14/18 14:45		
Surrogates								
a-Pinene (S)	118	%	10-87	50	04/12/18 15:50	04/14/18 14:45		S2
8015M Oil Range Organics Analytical Method: EPA 8015B Modified Preparation Method: EPA 3546								
Oil Range Organics	5730	mg/kg	838	50	04/12/18 15:50	04/14/18 14:45		N2
Surrogates								
a-Pinene (S)	213	%	10-107	50	04/12/18 15:50	04/14/18 14:45		S2
Gasoline Range Organics Analytical Method: EPA 8015B Preparation Method: EPA 5035A/5030B								
TPH-GRO	440	mg/kg	55.8	5	04/12/18 00:00	04/12/18 17:52		
Surrogates								
4-Bromofluorobenzene (S)	128	%	72-117	5	04/12/18 00:00	04/12/18 17:52	460-00-4	S5
Percent Moisture Analytical Method: ASTM D2974-07								
Percent Moisture	11.1	%		1		04/03/18 18:31		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Preparation Method: EPA 300.0								
Chloride	61.3	mg/kg	11.6	1	04/04/18 11:54	04/05/18 13:17	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 47 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 520439 Analysis Method: EPA 8015B
QC Batch Method: EPA 5035A/5030B Analysis Description: Gasoline Range Organics
Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

METHOD BLANK: 2130117 Matrix: Solid
Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	ND	10.0	04/04/18 11:17	
4-Bromofluorobenzene (S)	%	105	72-117	04/04/18 11:17	

LABORATORY CONTROL SAMPLE: 2130118

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	50	54.8	110	85-129	
4-Bromofluorobenzene (S)	%			161	72-117	S0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2130119 2130120

Parameter	Units	7584780001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-GRO	mg/kg	502	291	58.3	814	175	107	-561	81-127	129	10	M1,R1
4-Bromofluorobenzene (S)	%						118	139	72-117			S0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 48 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 520693 Analysis Method: EPA 8015B
QC Batch Method: EPA 5035A/5030B Analysis Description: Gasoline Range Organics
Associated Lab Samples: 7584780002, 7584780007, 7584780013, 7584780018, 7584780024, 7584780034

METHOD BLANK: 2131167 Matrix: Solid
Associated Lab Samples: 7584780002, 7584780007, 7584780013, 7584780018, 7584780024, 7584780034

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	ND	10.0	04/06/18 18:32	
4-Bromofluorobenzene (S)	%	95	72-117	04/06/18 18:32	

LABORATORY CONTROL SAMPLE: 2131168

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	50	54.7	109	85-129	
4-Bromofluorobenzene (S)	%			103	72-117	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2131169 2131170

Parameter	Units	7584780002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-GRO	mg/kg	40.9	62.3	62.3	120	124	127	134	81-127	3	10	M1
4-Bromofluorobenzene (S)	%						107	104	72-117			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 49 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 521089

Analysis Method: EPA 8015B

QC Batch Method: EPA 5035A/5030B

Analysis Description: Gasoline Range Organics

Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780019, 7584780025, 7584780035

METHOD BLANK: 2133039

Matrix: Solid

Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780019, 7584780025, 7584780035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	ND	10.0	04/09/18 16:20	
4-Bromofluorobenzene (S)	%	101	72-117	04/09/18 16:20	

METHOD BLANK: 2133634

Matrix: Solid

Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780025, 7584780035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	ND	10.0	04/10/18 13:24	
4-Bromofluorobenzene (S)	%	102	72-117	04/10/18 13:24	

LABORATORY CONTROL SAMPLE: 2133040

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	50	54.7	109	85-129	
4-Bromofluorobenzene (S)	%			110	72-117	

LABORATORY CONTROL SAMPLE: 2133635

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	50	54.5	109	85-129	
4-Bromofluorobenzene (S)	%			107	72-117	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2133041

2133042

Parameter	Units	7584752003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
TPH-GRO	mg/kg	ND	50	50	58.9	55.5	116	110	81-127	6	10
4-Bromofluorobenzene (S)	%						116	112	72-117		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 50 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 521514 Analysis Method: EPA 8015B
QC Batch Method: EPA 5035A/5030B Analysis Description: Gasoline Range Organics
Associated Lab Samples: 7584780015, 7584780016, 7584780020, 7584780021, 7584780022, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780036, 7584780037, 7584780038

METHOD BLANK: 2134770 Matrix: Solid
Associated Lab Samples: 7584780015, 7584780016, 7584780020, 7584780021, 7584780022, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780036, 7584780037, 7584780038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	ND	10.0	04/12/18 12:49	
4-Bromofluorobenzene (S)	%	93	72-117	04/12/18 12:49	

LABORATORY CONTROL SAMPLE: 2134771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	50	51.2	102	85-129	
4-Bromofluorobenzene (S)	%			102	72-117	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2134772 2134773

Parameter	Units	7584780015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-GRO	mg/kg	ND	61	61	67.9	66.0	107	104	81-127	3	10	
4-Bromofluorobenzene (S)	%						107	117	72-117			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 51 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95193

Analysis Method: EPA 8260

QC Batch Method: EPA 5030 Low

Analysis Description: 8260 MSV Soil Low Level

Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

METHOD BLANK: 423451

Matrix: Solid

Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/kg	ND	0.0020	04/02/18 14:03	
Ethylbenzene	mg/kg	ND	0.0020	04/02/18 14:03	
Toluene	mg/kg	ND	0.0020	04/02/18 14:03	
Xylene (Total)	mg/kg	ND	0.0060	04/02/18 14:03	
1,2-Dichloroethane-d4 (S)	%	114	70-130	04/02/18 14:03	
4-Bromofluorobenzene (S)	%	90	70-130	04/02/18 14:03	
Toluene-d8 (S)	%	89	70-130	04/02/18 14:03	

LABORATORY CONTROL SAMPLE: 423452

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/kg	.02	0.022	111	74-130	
Ethylbenzene	mg/kg	.02	0.020	101	77-127	
Toluene	mg/kg	.02	0.019	95	74-127	
Xylene (Total)	mg/kg	.06	0.060	100	74-128	
1,2-Dichloroethane-d4 (S)	%			110	70-130	
4-Bromofluorobenzene (S)	%			92	70-130	
Toluene-d8 (S)	%			90	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423453

423454

Parameter	Units	7584752001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	mg/kg	ND	1.1	1.1	1.3	1.3	122	121	32-152	1	20	
Ethylbenzene	mg/kg	ND	1.1	1.1	1.3	1.2	119	113	18-166	6	20	
Toluene	mg/kg	ND	1.1	1.1	1.2	1.1	108	105	18-166	3	20	
Xylene (Total)	mg/kg	0.021	3.3	3.3	4.3	4.0	130	120	10-172	8	20	
1,2-Dichloroethane-d4 (S)	%						99	101	70-130			
4-Bromofluorobenzene (S)	%						97	100	70-130			
Toluene-d8 (S)	%						91	91	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 52 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95252 Analysis Method: EPA 8015B
QC Batch Method: EPA 3546 Analysis Description: EPA 8015B
Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

METHOD BLANK: 423609 Matrix: Solid
Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	ND	10	04/04/18 07:20	
a-Pinene (S)	%.	19	10-87	04/04/18 07:20	

LABORATORY CONTROL SAMPLE: 423610

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Range Organics	mg/kg	33.2	23.1	70	42-124	
a-Pinene (S)	%.			21	10-87	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423611 423612

Parameter	Units	7584752001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Diesel Range Organics	mg/kg	3930	10900	11000	3620	3920	-3	0	10-172	8	20	M3
a-Pinene (S)	%.						28	23	10-87			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 53 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95438 Analysis Method: EPA 8015B
QC Batch Method: EPA 3546 Analysis Description: EPA 8015B
Associated Lab Samples: 7584780002, 7584780007, 7584780013, 7584780018, 7584780024, 7584780034

METHOD BLANK: 424534 Matrix: Solid
Associated Lab Samples: 7584780002, 7584780007, 7584780013, 7584780018, 7584780024, 7584780034

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	ND	10	04/07/18 01:33	
a-Pinene (S)	%.	24	10-87	04/07/18 01:33	

LABORATORY CONTROL SAMPLE: 424535

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Range Organics	mg/kg	33.3	22.9	69	42-124	
a-Pinene (S)	%.			15	10-87	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 424536 424537

Parameter	Units	7584752007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Diesel Range Organics	mg/kg	1310	51.3	51.4	1460	1430	279	226	10-172	2	20	M3
a-Pinene (S)	%.						43	51	10-87			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 54 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95587 Analysis Method: EPA 8015B
QC Batch Method: EPA 3546 Analysis Description: EPA 8015B
Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780019, 7584780025, 7584780035

METHOD BLANK: 425324 Matrix: Solid
Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780019, 7584780025, 7584780035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	ND	9.9	04/10/18 16:14	
a-Pinene (S)	%.	23	10-87	04/10/18 16:14	

LABORATORY CONTROL SAMPLE: 425325

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Range Organics	mg/kg	33.2	23.5	71	42-124	
a-Pinene (S)	%.			25	10-87	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 425326 425327

Parameter	Units	7584780008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Diesel Range Organics	mg/kg	227	380	379	537	380	81	40	10-172	34	20	R1
a-Pinene (S)	%.						27	29	10-87			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 55 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95887 Analysis Method: EPA 8015B
QC Batch Method: EPA 3546 Analysis Description: EPA 8015B
Associated Lab Samples: 7584780015, 7584780016, 7584780020, 7584780021, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780036, 7584780037, 7584780038

METHOD BLANK: 426760 Matrix: Solid
Associated Lab Samples: 7584780015, 7584780016, 7584780020, 7584780021, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780036, 7584780037, 7584780038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics	mg/kg	ND	10	04/13/18 01:19	
a-Pinene (S)	%.	23	10-87	04/13/18 01:19	

LABORATORY CONTROL SAMPLE: 426761

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Range Organics	mg/kg	33.3	28.1	84	42-124	
a-Pinene (S)	%.			24	10-87	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 426762 426763

Parameter	Units	7584780016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Diesel Range Organics	mg/kg	102	121	119	211	249	91	124	10-172	17	20	
a-Pinene (S)	%.						3	3	10-87			S0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 56 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95253 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 3546 Analysis Description: EPA 8015 ORO
Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

METHOD BLANK: 423614 Matrix: Solid
Associated Lab Samples: 7584780001, 7584780006, 7584780012, 7584780017, 7584780023, 7584780033

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil Range Organics	mg/kg	ND	10	04/04/18 06:54	4t,N2
a-Pinene (S)	%.	39	10-107	04/04/18 06:54	

LABORATORY CONTROL SAMPLE: 423615

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Oil Range Organics	mg/kg	33.2	24.4	74	56-130	N2
a-Pinene (S)	%.			42	10-107	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423616 423617

Parameter	Units	7584752006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Oil Range Organics	mg/kg	40600	10100	10100	32300	33200	-82	-73	10-159	3	40	4t,M3,N2
a-Pinene (S)	%.						891	864	10-107			S2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 57 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95439 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 3546 Analysis Description: EPA 8015 ORO
Associated Lab Samples: 7584780002, 7584780007, 7584780013, 7584780018, 7584780024, 7584780034

METHOD BLANK: 424538 Matrix: Solid
Associated Lab Samples: 7584780002, 7584780007, 7584780013, 7584780018, 7584780024, 7584780034

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil Range Organics	mg/kg	ND	10	04/07/18 01:33	N2
a-Pinene (S)	%.	45	10-107	04/07/18 01:33	

LABORATORY CONTROL SAMPLE: 424539

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Oil Range Organics	mg/kg	33.3	25.8	77	56-130	N2
a-Pinene (S)	%.			45	10-107	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 424540 424541

Parameter	Units	7584752002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Oil Range Organics	mg/kg	1270	51.6	51.5	1290	1340	54	147	10-159	4	40	N2
a-Pinene (S)	%.						101	83	10-107			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 58 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95588 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 3546 Analysis Description: EPA 8015 ORO
Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780019, 7584780025, 7584780035

METHOD BLANK: 425328 Matrix: Solid
Associated Lab Samples: 7584780003, 7584780008, 7584780014, 7584780019, 7584780025, 7584780035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil Range Organics	mg/kg	ND	9.9	04/10/18 16:14	N2
a-Pinene (S)	%.	43	10-107	04/10/18 16:14	

LABORATORY CONTROL SAMPLE: 425329

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Oil Range Organics	mg/kg	33.1	11.5	35	56-130	3t,N2
a-Pinene (S)	%.			87	10-107	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 425330 425331

Parameter	Units	7584780035 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Oil Range Organics	mg/kg	4470	5490	5470	5180	5410	13	17	10-159	4	40	3t,N2
a-Pinene (S)	%.						154	148	10-107			S2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 59 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95888 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 3546 Analysis Description: EPA 8015 ORO
Associated Lab Samples: 7584780015, 7584780020, 7584780021, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780036, 7584780037, 7584780038

METHOD BLANK: 426765 Matrix: Solid
Associated Lab Samples: 7584780015, 7584780020, 7584780021, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780036, 7584780037, 7584780038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil Range Organics	mg/kg	ND	10	04/13/18 01:19	N2
a-Pinene (S)	%.	44	10-107	04/13/18 01:19	

LABORATORY CONTROL SAMPLE: 426766

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Oil Range Organics	mg/kg	33.3	25.5	77	56-130	N2
a-Pinene (S)	%.			32	10-107	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 426767 426768

Parameter	Units	7584780015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Oil Range Organics	mg/kg	143	80.6	108	200	374	71	215	10-159	61	40	M1, N2, R1
a-Pinene (S)	%.						42	47	10-107			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 60 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95201

Analysis Method: ASTM D2974-07

QC Batch Method: ASTM D2974-07

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 7584780001, 7584780002, 7584780003, 7584780004, 7584780005, 7584780006, 7584780007, 7584780008, 7584780009, 7584780010, 7584780011, 7584780012, 7584780013, 7584780014, 7584780015, 7584780017, 7584780023, 7584780033

SAMPLE DUPLICATE: 423468

Parameter	Units	7584752017 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.1	3.2	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 61 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95222

Analysis Method: ASTM D2974-07

QC Batch Method: ASTM D2974-07

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 7584780016, 7584780018, 7584780019, 7584780020, 7584780021, 7584780022, 7584780024, 7584780025, 7584780026, 7584780027, 7584780028, 7584780029, 7584780030, 7584780031, 7584780032, 7584780034, 7584780035, 7584780036, 7584780037

SAMPLE DUPLICATE: 423542

Parameter	Units	758478001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	52.1	53.8	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 62 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95288

Analysis Method: ASTM D2974-07

QC Batch Method: ASTM D2974-07

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 7584780038

SAMPLE DUPLICATE: 423769

Parameter	Units	7584747002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	11.8	12.2	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 63 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95310 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Associated Lab Samples: 7584780001, 7584780002, 7584780003, 7584780004, 7584780005, 7584780006, 7584780007, 7584780008, 7584780009, 7584780010, 7584780011

METHOD BLANK: 423885 Matrix: Solid
Associated Lab Samples: 7584780001, 7584780002, 7584780003, 7584780004, 7584780005, 7584780006, 7584780007, 7584780008, 7584780009, 7584780010, 7584780011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/kg	ND	10.0	04/05/18 02:49	

LABORATORY CONTROL SAMPLE: 423886

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/kg	50	46.7	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423887 423888

Parameter	Units	7584752001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/kg	140	567	567	661	664	92	92	90-110	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423889 423890

Parameter	Units	7584752002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/kg	74.8	51.8	51.8	122	121	92	89	90-110	1	20 M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 64 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95311 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Associated Lab Samples: 7584780012, 7584780013, 7584780014, 7584780015, 7584780016, 7584780017, 7584780018, 7584780019,
 7584780020, 7584780021, 7584780022, 7584780023, 7584780024, 7584780025, 7584780026, 7584780027,
 7584780028, 7584780029, 7584780030, 7584780031

METHOD BLANK: 423891

Matrix: Solid

Associated Lab Samples: 7584780012, 7584780013, 7584780014, 7584780015, 7584780016, 7584780017, 7584780018, 7584780019,
 7584780020, 7584780021, 7584780022, 7584780023, 7584780024, 7584780025, 7584780026, 7584780027,
 7584780028, 7584780029, 7584780030, 7584780031

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/kg	ND	10.0	04/04/18 22:09	

LABORATORY CONTROL SAMPLE: 423892

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/kg	50	51.0	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423893 423894

Parameter	Units	7584780012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/kg	621	496	496	1040	1190	85	116	90-110	14	20	M1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423895 423896

Parameter	Units	7584780013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/kg	581	541	541	1110	1170	97	109	90-110	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 65 of 80

QUALITY CONTROL DATA

Project: MCA-108

Pace Project No.: 7584780

QC Batch: 95314

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Associated Lab Samples: 7584780032, 7584780033, 7584780034, 7584780035, 7584780036, 7584780037, 7584780038

METHOD BLANK: 423905

Matrix: Solid

Associated Lab Samples: 7584780032, 7584780033, 7584780034, 7584780035, 7584780036, 7584780037, 7584780038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/kg	ND	10.0	04/05/18 07:59	

LABORATORY CONTROL SAMPLE: 423906

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/kg	50	49.8	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 423907

423908

Parameter	Units	7584780032 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/kg	1020	524	524	1610	1590	113	110	90-110	1	20	E,M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 66 of 80

QUALIFIERS

Project: MCA-108

Pace Project No.: 7584780

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The Nelac Institute

LABORATORIES

PASI-D Pace Analytical Services - Dallas

PASI-K Pace Analytical Services - Kansas City

BATCH QUALIFIERS

Batch: 521274

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1t	Sample not collected according to EPA Method 5035A low level specifications. Results may be biased low.
2t	Sample not collected according to EPA Method 5035A low level specifications. Results may be biased low.
3t	The LCS was not spiked due to laboratory error. See case narrative for details.
4t	The ending continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
N2	The lab does not hold NELAC/TNI accreditation for this parameter.
R1	RPD value was outside control limits.
S0	Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 67 of 80



QUALIFIERS

Project: MCA-108

Pace Project No.: 7584780

ANALYTE QUALIFIERS

- | | |
|----|--|
| S2 | Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis). |
| S5 | Surrogate recovery outside control limits due to matrix interferences (not confirmed by re-analysis). |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 68 of 80

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7584780001	AH-1 (0-1)	EPA 3546	95252	EPA 8015B	95294
7584780002	AH-1 (1-2)	EPA 3546	95438	EPA 8015B	95560
7584780003	AH-1 (2-3)	EPA 3546	95587	EPA 8015B	95649
7584780006	AH-2 (0-1)	EPA 3546	95252	EPA 8015B	95294
7584780007	AH-2 (1-2)	EPA 3546	95438	EPA 8015B	95560
7584780008	AH-2 (2-3)	EPA 3546	95587	EPA 8015B	95649
7584780012	AH-3 (0-1)	EPA 3546	95252	EPA 8015B	95294
7584780013	AH-3 (1-2)	EPA 3546	95438	EPA 8015B	95560
7584780014	AH-3 (2-3)	EPA 3546	95587	EPA 8015B	95649
7584780015	AH-3 (3-4)	EPA 3546	95887	EPA 8015B	95909
7584780016	AH-3 (4-5)	EPA 3546	95887	EPA 8015B	95909
7584780017	AH-4 (0-1)	EPA 3546	95252	EPA 8015B	95294
7584780018	AH-4 (1-2)	EPA 3546	95438	EPA 8015B	95560
7584780019	AH-4 (2-3)	EPA 3546	95587	EPA 8015B	95649
7584780020	AH-4 (3-4)	EPA 3546	95887	EPA 8015B	95909
7584780021	AH-4 (4-5)	EPA 3546	95887	EPA 8015B	95909
7584780023	AH-5 (0-1)	EPA 3546	95252	EPA 8015B	95294
7584780024	AH-5 (1-2)	EPA 3546	95438	EPA 8015B	95560
7584780025	AH-5 (2-3)	EPA 3546	95587	EPA 8015B	95649
7584780026	AH-5 (3-4)	EPA 3546	95887	EPA 8015B	95909
7584780027	AH-5 (4-5)	EPA 3546	95887	EPA 8015B	95909
7584780028	AH-5 (5-6)	EPA 3546	95887	EPA 8015B	95909
7584780029	AH-5 (6-7)	EPA 3546	95887	EPA 8015B	95909
7584780030	AH-5 (7-8)	EPA 3546	95887	EPA 8015B	95909
7584780031	AH-5 (8-9)	EPA 3546	95887	EPA 8015B	95909
7584780032	AH-5 (9-10)	EPA 3546	95887	EPA 8015B	95909
7584780033	AH-6 (0-1)	EPA 3546	95252	EPA 8015B	95294
7584780034	AH-6 (1-2)	EPA 3546	95438	EPA 8015B	95560
7584780035	AH-6 (2-3)	EPA 3546	95587	EPA 8015B	95649
7584780036	AH-6 (3-4)	EPA 3546	95887	EPA 8015B	95909
7584780037	AH-6 (4-5)	EPA 3546	95887	EPA 8015B	95909
7584780038	AH-6 (5-6)	EPA 3546	95887	EPA 8015B	95909
7584780001	AH-1 (0-1)	EPA 3546	95253	EPA 8015B Modified	95295
7584780002	AH-1 (1-2)	EPA 3546	95439	EPA 8015B Modified	95561
7584780003	AH-1 (2-3)	EPA 3546	95588	EPA 8015B Modified	95650
7584780006	AH-2 (0-1)	EPA 3546	95253	EPA 8015B Modified	95295

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 69 of 80

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7584780007	AH-2 (1-2)	EPA 3546	95439	EPA 8015B Modified	95561
7584780008	AH-2 (2-3)	EPA 3546	95588	EPA 8015B Modified	95650
7584780012	AH-3 (0-1)	EPA 3546	95253	EPA 8015B Modified	95295
7584780013	AH-3 (1-2)	EPA 3546	95439	EPA 8015B Modified	95561
7584780014	AH-3 (2-3)	EPA 3546	95588	EPA 8015B Modified	95650
7584780015	AH-3 (3-4)	EPA 3546	95888	EPA 8015B Modified	95910
7584780017	AH-4 (0-1)	EPA 3546	95253	EPA 8015B Modified	95295
7584780018	AH-4 (1-2)	EPA 3546	95439	EPA 8015B Modified	95561
7584780019	AH-4 (2-3)	EPA 3546	95588	EPA 8015B Modified	95650
7584780020	AH-4 (3-4)	EPA 3546	95888	EPA 8015B Modified	95910
7584780021	AH-4 (4-5)	EPA 3546	95888	EPA 8015B Modified	95910
7584780023	AH-5 (0-1)	EPA 3546	95253	EPA 8015B Modified	95295
7584780024	AH-5 (1-2)	EPA 3546	95439	EPA 8015B Modified	95561
7584780025	AH-5 (2-3)	EPA 3546	95588	EPA 8015B Modified	95650
7584780026	AH-5 (3-4)	EPA 3546	95888	EPA 8015B Modified	95910
7584780027	AH-5 (4-5)	EPA 3546	95888	EPA 8015B Modified	95910
7584780028	AH-5 (5-6)	EPA 3546	95888	EPA 8015B Modified	95910
7584780029	AH-5 (6-7)	EPA 3546	95888	EPA 8015B Modified	95910
7584780030	AH-5 (7-8)	EPA 3546	95888	EPA 8015B Modified	95910
7584780031	AH-5 (8-9)	EPA 3546	95888	EPA 8015B Modified	95910
7584780032	AH-5 (9-10)	EPA 3546	95888	EPA 8015B Modified	95910
7584780033	AH-6 (0-1)	EPA 3546	95253	EPA 8015B Modified	95295
7584780034	AH-6 (1-2)	EPA 3546	95439	EPA 8015B Modified	95561
7584780035	AH-6 (2-3)	EPA 3546	95588	EPA 8015B Modified	95650
7584780036	AH-6 (3-4)	EPA 3546	95888	EPA 8015B Modified	95910
7584780037	AH-6 (4-5)	EPA 3546	95888	EPA 8015B Modified	95910
7584780038	AH-6 (5-6)	EPA 3546	95888	EPA 8015B Modified	95910
7584780001	AH-1 (0-1)	EPA 5035A/5030B	520439	EPA 8015B	520527
7584780002	AH-1 (1-2)	EPA 5035A/5030B	520693	EPA 8015B	521036
7584780003	AH-1 (2-3)	EPA 5035A/5030B	521089	EPA 8015B	521274
7584780006	AH-2 (0-1)	EPA 5035A/5030B	520439	EPA 8015B	520527
7584780007	AH-2 (1-2)	EPA 5035A/5030B	520693	EPA 8015B	521036
7584780008	AH-2 (2-3)	EPA 5035A/5030B	521089	EPA 8015B	521274
7584780012	AH-3 (0-1)	EPA 5035A/5030B	520439	EPA 8015B	520527
7584780013	AH-3 (1-2)	EPA 5035A/5030B	520693	EPA 8015B	521036
7584780014	AH-3 (2-3)	EPA 5035A/5030B	521089	EPA 8015B	521274

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 70 of 80

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7584780015	AH-3 (3-4)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780016	AH-3 (4-5)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780017	AH-4 (0-1)	EPA 5035A/5030B	520439	EPA 8015B	520527
7584780018	AH-4 (1-2)	EPA 5035A/5030B	520693	EPA 8015B	521036
7584780019	AH-4 (2-3)	EPA 5035A/5030B	521089	EPA 8015B	521233
7584780020	AH-4 (3-4)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780021	AH-4 (4-5)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780022	AH-4 (5-6)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780023	AH-5 (0-1)	EPA 5035A/5030B	520439	EPA 8015B	520527
7584780024	AH-5 (1-2)	EPA 5035A/5030B	520693	EPA 8015B	521036
7584780025	AH-5 (2-3)	EPA 5035A/5030B	521089	EPA 8015B	521274
7584780026	AH-5 (3-4)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780027	AH-5 (4-5)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780028	AH-5 (5-6)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780029	AH-5 (6-7)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780030	AH-5 (7-8)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780031	AH-5 (8-9)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780032	AH-5 (9-10)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780033	AH-6 (0-1)	EPA 5035A/5030B	520439	EPA 8015B	520527
7584780034	AH-6 (1-2)	EPA 5035A/5030B	520693	EPA 8015B	521036
7584780035	AH-6 (2-3)	EPA 5035A/5030B	521089	EPA 8015B	521274
7584780036	AH-6 (3-4)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780037	AH-6 (4-5)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780038	AH-6 (5-6)	EPA 5035A/5030B	521514	EPA 8015B	521659
7584780001	AH-1 (0-1)	EPA 5030 Low	95193	EPA 8260	95195
7584780006	AH-2 (0-1)	EPA 5030 Low	95193	EPA 8260	95195
7584780012	AH-3 (0-1)	EPA 5030 Low	95193	EPA 8260	95195
7584780017	AH-4 (0-1)	EPA 5030 Low	95193	EPA 8260	95195
7584780023	AH-5 (0-1)	EPA 5030 Low	95193	EPA 8260	95195
7584780033	AH-6 (0-1)	EPA 5030 Low	95193	EPA 8260	95195
7584780001	AH-1 (0-1)	ASTM D2974-07	95201		
7584780002	AH-1 (1-2)	ASTM D2974-07	95201		
7584780003	AH-1 (2-3)	ASTM D2974-07	95201		
7584780004	AH-1 (3-4)	ASTM D2974-07	95201		
7584780005	AH-1 (4-5)	ASTM D2974-07	95201		
7584780006	AH-2 (0-1)	ASTM D2974-07	95201		
7584780007	AH-2 (1-2)	ASTM D2974-07	95201		
7584780008	AH-2 (2-3)	ASTM D2974-07	95201		
7584780009	AH-2 (3-4)	ASTM D2974-07	95201		
7584780010	AH-2 (4-5)	ASTM D2974-07	95201		
7584780011	AH-2 (5-6)	ASTM D2974-07	95201		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 71 of 80

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCA-108

Pace Project No.: 7584780

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7584780012	AH-3 (0-1)	ASTM D2974-07	95201		
7584780013	AH-3 (1-2)	ASTM D2974-07	95201		
7584780014	AH-3 (2-3)	ASTM D2974-07	95201		
7584780015	AH-3 (3-4)	ASTM D2974-07	95201		
7584780016	AH-3 (4-5)	ASTM D2974-07	95222		
7584780017	AH-4 (0-1)	ASTM D2974-07	95201		
7584780018	AH-4 (1-2)	ASTM D2974-07	95222		
7584780019	AH-4 (2-3)	ASTM D2974-07	95222		
7584780020	AH-4 (3-4)	ASTM D2974-07	95222		
7584780021	AH-4 (4-5)	ASTM D2974-07	95222		
7584780022	AH-4 (5-6)	ASTM D2974-07	95222		
7584780023	AH-5 (0-1)	ASTM D2974-07	95201		
7584780024	AH-5 (1-2)	ASTM D2974-07	95222		
7584780025	AH-5 (2-3)	ASTM D2974-07	95222		
7584780026	AH-5 (3-4)	ASTM D2974-07	95222		
7584780027	AH-5 (4-5)	ASTM D2974-07	95222		
7584780028	AH-5 (5-6)	ASTM D2974-07	95222		
7584780029	AH-5 (6-7)	ASTM D2974-07	95222		
7584780030	AH-5 (7-8)	ASTM D2974-07	95222		
7584780031	AH-5 (8-9)	ASTM D2974-07	95222		
7584780032	AH-5 (9-10)	ASTM D2974-07	95222		
7584780033	AH-6 (0-1)	ASTM D2974-07	95201		
7584780034	AH-6 (1-2)	ASTM D2974-07	95222		
7584780035	AH-6 (2-3)	ASTM D2974-07	95222		
7584780036	AH-6 (3-4)	ASTM D2974-07	95222		
7584780037	AH-6 (4-5)	ASTM D2974-07	95222		
7584780038	AH-6 (5-6)	ASTM D2974-07	95288		
7584780001	AH-1 (0-1)	EPA 300.0	95310	EPA 300.0	95380
7584780002	AH-1 (1-2)	EPA 300.0	95310	EPA 300.0	95380
7584780003	AH-1 (2-3)	EPA 300.0	95310	EPA 300.0	95380
7584780004	AH-1 (3-4)	EPA 300.0	95310	EPA 300.0	95380
7584780005	AH-1 (4-5)	EPA 300.0	95310	EPA 300.0	95380
7584780006	AH-2 (0-1)	EPA 300.0	95310	EPA 300.0	95380
7584780007	AH-2 (1-2)	EPA 300.0	95310	EPA 300.0	95380
7584780008	AH-2 (2-3)	EPA 300.0	95310	EPA 300.0	95380
7584780009	AH-2 (3-4)	EPA 300.0	95310	EPA 300.0	95380
7584780010	AH-2 (4-5)	EPA 300.0	95310	EPA 300.0	95380
7584780011	AH-2 (5-6)	EPA 300.0	95310	EPA 300.0	95380
7584780012	AH-3 (0-1)	EPA 300.0	95311	EPA 300.0	95381
7584780013	AH-3 (1-2)	EPA 300.0	95311	EPA 300.0	95381
7584780014	AH-3 (2-3)	EPA 300.0	95311	EPA 300.0	95381
7584780015	AH-3 (3-4)	EPA 300.0	95311	EPA 300.0	95381
7584780016	AH-3 (4-5)	EPA 300.0	95311	EPA 300.0	95381
7584780017	AH-4 (0-1)	EPA 300.0	95311	EPA 300.0	95381

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 72 of 80

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCA-108

Pace Project No.: 7584780


Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7584780018	AH-4 (1-2)	EPA 300.0	95311	EPA 300.0	95381
7584780019	AH-4 (2-3)	EPA 300.0	95311	EPA 300.0	95381
7584780020	AH-4 (3-4)	EPA 300.0	95311	EPA 300.0	95381
7584780021	AH-4 (4-5)	EPA 300.0	95311	EPA 300.0	95381
7584780022	AH-4 (5-6)	EPA 300.0	95311	EPA 300.0	95381
7584780023	AH-5 (0-1)	EPA 300.0	95311	EPA 300.0	95381
7584780024	AH-5 (1-2)	EPA 300.0	95311	EPA 300.0	95381
7584780025	AH-5 (2-3)	EPA 300.0	95311	EPA 300.0	95381
7584780026	AH-5 (3-4)	EPA 300.0	95311	EPA 300.0	95381
7584780027	AH-5 (4-5)	EPA 300.0	95311	EPA 300.0	95381
7584780028	AH-5 (5-6)	EPA 300.0	95311	EPA 300.0	95381
7584780029	AH-5 (6-7)	EPA 300.0	95311	EPA 300.0	95381
7584780030	AH-5 (7-8)	EPA 300.0	95311	EPA 300.0	95381
7584780031	AH-5 (8-9)	EPA 300.0	95311	EPA 300.0	95381
7584780032	AH-5 (9-10)	EPA 300.0	95314	EPA 300.0	95382
7584780033	AH-6 (0-1)	EPA 300.0	95314	EPA 300.0	95382
7584780034	AH-6 (1-2)	EPA 300.0	95314	EPA 300.0	95382
7584780035	AH-6 (2-3)	EPA 300.0	95314	EPA 300.0	95382
7584780036	AH-6 (3-4)	EPA 300.0	95314	EPA 300.0	95382
7584780037	AH-6 (4-5)	EPA 300.0	95314	EPA 300.0	95382
7584780038	AH-6 (5-6)	EPA 300.0	95314	EPA 300.0	95382

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/24/2018 03:21 PM

Page 73 of 80

	Document Name: Sample Condition Upon Receipt	Document Revised: 2/28/18 Page 1 of 1
	Document No.: F-DAL-C-001-rev.08	Issuing Authority: Pace Dallas Quality Office

Sample Condition Upon Receipt

☒ Dallas ☐ Ft Worth

WO#: 7584780



Client Name: Tetra Tech Project Work order: _____

Courier: FedEX ☒ UPS ☐ USPS ☐ Client ☐ LSO ☐ PACE ☐ Other: _____

Tracking #: 42567010 8321

Custody Seal on Cooler/Box: Yes ☒ No ☐ Seals Intact: Yes ☒ No ☐ NA ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☒ None ☐ Other ☐

Thermometer Used: 104 Type of Ice: Wet ☒ Blue ☐ None ☐ Sample Received on ice, cooling process has begun ☒

Cooler Temp °C: 2.4 (Recorded) 0 (Correction Factor) 2.4 (Actual) ☐ (Thermal preservation not required)

Temp should be above freezing to 6°C

Chain of Custody Present	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	1
Chain of Custody filled out	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	2
Chain of Custody relinquished	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	3 <u>2 coc's not relinquished</u>
Sampler name & signature on COC	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	4
Sample received within HT	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	5
Short HT analyses (<72 hrs)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	6
Rush TAT requested	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	7
Sufficient Volume received	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	8
Correct Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	9
Pace Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Container Intact	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	10
Unpreserved 5035A soil frozen within 48 hrs	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	11
Filtered volume received for Dissolved tests	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	12
Sample labels match COC	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	13
Include date/time/ID/analyses Matrix: <u>Solid</u>		
All containers needing preservation have been checked	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14a. pH Strip Lot #: _____
All found to be in Compliance with EPA recommendation (includes residual chlorine checks)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	Original pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12 <input type="checkbox"/> Neutral <input type="checkbox"/>
Exception: VOA, coliform, O&G	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Lot# of Iodine strip: _____
Do containers require preservation at the lab	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Lot# of Lead Acetate strip: _____
Are soil samples (volatiles) received in Bulk <input checked="" type="checkbox"/> Terracore <input type="checkbox"/> EnCore <input type="checkbox"/> NA <input type="checkbox"/>		14b. Preservation: Lot# and adjusted pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12 <input type="checkbox"/>
Trip Blank present	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input checked="" type="checkbox"/>	15. <u>4-2-18</u>
Trip Blank Custody Seals Intact	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	16. <u>mm</u>
Pace Trip Blank Lot# (if purchased):		
Headspace in VOA (>6mm)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	17. <u>mm</u>
Project sampled in USDA Regulated Area:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	18. List State <u>NM</u>


Triage Person: DUP Date: 3/31/18 Login Person: mm Date: 3/31/18 Labeling Person: mm Date: 4-2-18

Client Notification/Resolution/Comments:

Person Contacted: _____ Date: _____

Comments/Resolution: _____

Project Manager Review: mm



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A			Section B			Section C							
Required Client Information:			Required Project Information:			Invoice Information:							
Company:	Tetra Tech	Report To:	Greg Pope	Attention:		Page:	1	Of	4				
Address:	4000 N. Big Spring St.	Copy To:		Company Name:		Regulatory Agency:							
Midland, TX 79705		Purchase Order #:		Address:		State / Location:							
Email: greg.pope@tetratech.com		Project Name:	MCA's 10th	Pace Quote:									
Phone: 432-682-4559	Fax:	Requested Due Date:		Pace Project Manager:	melissa.mccullough@pacelabs.com								
				Pace Profile #:	6442								
ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -,) Sample IDs must be unique	MATRIX Drinking Water DW Water WT Waste Water WW Product P Soil/Solid SL Oil OL Wipe WP Air AR Other OT Tissue TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE TIME END DATE TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives Unpreserved H2SO4 HNO3 HCl NaOH Na2S2O3 Methanol Other	Analyses Test Y/N	TPH DR/O/RO, Cl BTX/GRO Chloride	Requested Analysis Filtered (Y/N)	TEMP in C	Received on Ice (Y/N) Sealed Cooler (Y/N) Custody (Y/N) Samples Inflat (Y/N)
1	AH-1 (0-1)				3/24 11:15		1			X			
2	AH-1 (0-1) (1-2)						1			X			
3	AH-1 (0-1) (2-3)						1			X			
4	AH-1 (0-1) (3-4)						1			X			
5	AH-1 (0-1) (4-5)						1			X			
6	AH-2 (0-1)				11:30		1			X			
7	AH-2 (1-2)						1			X			
8	AH-2 (2-3)						1			X			
9	AH-2 (3-4)						1			X			
10	AH-2 (4-5)						1			X			
11	AH-2 (5-6)						1			X			
12							1			X			
ADDITIONAL COMMENTS: Run deeper samples if TPH exceeds benzene/kg total BTX exceeds 10mg/kg Relinquished to Druging: 9/16/2022 2:04:55 PM mg/kg													
SAMPLE NAME AND SIGNATURE: Daniel Palmer Pace PRINT Name of SAMPLER: Daniel Palmer Pace SIGNATURE of SAMPLER: [Signature] DATE Signed: 3/20/18													

Run deeper samples if TPH exceeds benzene/kg total BTX exceeds 10mg/kg
 Relinquished to Druging: 9/16/2022 2:04:55 PM mg/kg

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A			Section B			Section C		
Required Client Information:			Required Project Information:			Invoice Information:		
Company	Address	City	Report To:	Copy To:	Company Name	Attention	Company Name	Company Name
TetraTech	4000 N. Big Spring St.	Midland, TX 79705	Greg Pope					
Phone	432-682-4559	Request Due Date	Purchase Order #					
Email	greg.pope@tetratech.com		Project Name	MCAP-108				
			Project #					
			Requester					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					
			Requester Zip					
			Requester Country					
			Requester Email					
			Requester Phone					
			Requester Address					
			Requester City					
			Requester State					



Sample Condition Upon Receipt

WO#: 60267244

Client Name: PAK - DallasCourier: FedEx ☒ UPS ☐ VIA ☐ Clay ☐ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐Tracking #: _____ Pace Shipping Label Used? Yes ☐ No ☐Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐Thermometer Used: 266 Type of Ice: Wet Blue ☐ None ☐Cooler Temperature (°C): As-read 0.3 Corr. Factor +0.2 Corrected 0.5Date and initials of person examining contents: 4/3/18

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>'ASAP'</u>
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>received samples col - 038</u>
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>SL</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples from USDA Regulated Area: State: <u>NM</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: HWKDate: 4/3/2018

Chain of Custody

☐ Samples were sent directly to the Subcontracting Laboratory.

Workorder: 7584780

Workorder Name: MCA-108

Owner Received Date: 3/31/2018

Results Requested By: 4/9/2018

Report To

Subcontract To

Melissa McCullough
Pace Analytical Dallas
400 West Bethany Drive
Suite 190
Allen, TX 75013
Phone (972)727-1123

Pace Analytical Kansas
9608 Loiret Blvd.
Lenexa, KS 66219
Phone (913)599-5665

Preserved Containers

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Unpreserved	LAB USE ONLY
1	AH-1 (0-1)	PS	3/29/2018 11:15	7584780001	Solid	1	
2	AH-2 (0-1)	PS	3/29/2018 11:30	7584780006	Solid	1	
3	AH-3 (0-1)	PS	3/29/2018 12:15	7584780012	Solid	1	
4	AH-4 (0-1)	PS	3/29/2018 13:05	7584780017	Solid	1	
5	AH-5 (0-1)	PS	3/29/2018 13:30	7584780023	Solid	1	
6	AH-6 (0-1)	PS	3/29/2018 14:20	7584780033	Solid	1	

8015 TPH GRO

60267244

LAB USE ONLY

W62J

Comments

Transfers	Released By	Date/Time	Received By	Date/Time
1	Melissa McCullough	4/2/18 17:00	PAE	4/2/18 08:50
2				
3				

Cooler Temperature on Receipt 6.5 °C Custody Seal (Y) or N Received on Ice (Y) or N Samples Intact (Y) or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.



ANALYTICAL REPORT

May 22, 2020

ConocoPhillips - Tetra Tech

Sample Delivery Group: L1218741
Samples Received: 05/14/2020
Project Number: 212C-MD-02175
Description: COP MCA 108

Report To: Christian Llull
901 West Wall
Suite 100
Midland, TX 79701

Entire Report Reviewed By:

Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	4
Cn: Case Narrative	11
Sr: Sample Results	12
AH-1 (0-1') L1218741-01	12
AH-1 (2-3') L1218741-02	13
AH-1 (4-5') L1218741-03	14
AH-2 (0-1') L1218741-04	15
AH-2 (2-3') L1218741-05	16
AH-2 (4-5') L1218741-06	17
AH-3 (0-1') L1218741-07	18
AH-3 (2-3') L1218741-08	19
AH-3 (4-5') L1218741-09	20
AH-4 (0-1') L1218741-10	21
AH-4 (2-3') L1218741-11	22
AH-4 (4-5') L1218741-12	23
AH-5 (0-1') L1218741-13	24
AH-5 (2-3') L1218741-14	25
AH-5 (4-5') L1218741-15	26
AH-6 (0-1') L1218741-16	27
AH-6 (2-3') L1218741-17	28
AH-6 (4-5') L1218741-18	29
AH-7 (0-1') L1218741-19	30
AH-7 (2-3') L1218741-20	31
AH-7 (4-5') L1218741-21	32
AH-8 (0-1') L1218741-22	33
AH-8 (2-3') L1218741-23	34
AH-8 (4-5') L1218741-24	35
T-1 (0-1') L1218741-25	36
T-1 (2-3') L1218741-26	37
T-1 (4-5') L1218741-27	38
T-1 (6-7') L1218741-28	39
T-1 (9-10') L1218741-29	40
T-1 (12-13') L1218741-30	41
T-1 (14-15') L1218741-31	42
T-1 (17-18') L1218741-32	43
T-1 (19-20') L1218741-33	44
Qc: Quality Control Summary	45
Total Solids by Method 2540 G-2011	45

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Wet Chemistry by Method 300.0	49
Volatile Organic Compounds (GC) by Method 8015D/GRO	51
Volatile Organic Compounds (GC/MS) by Method 8260B	55
Semi-Volatile Organic Compounds (GC) by Method 8015	58
GI: Glossary of Terms	61
AI: Accreditations & Locations	62
Sc: Sample Chain of Custody	63

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

AH-1 (0-1') L1218741-01 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 10:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 03:26	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/19/20 21:04	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 21:16	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478084	1	05/19/20 06:41	05/19/20 19:36	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

AH-1 (2-3') L1218741-02 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 10:10
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 03:45	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/19/20 21:25	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 21:35	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478084	1	05/19/20 06:41	05/19/20 18:48	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

AH-1 (4-5') L1218741-03 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 10:20
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 03:54	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/19/20 21:45	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 21:54	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478084	1	05/19/20 06:41	05/19/20 19:04	KME	Mt. Juliet, TN

⁹ Sc

AH-2 (0-1') L1218741-04 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 10:30
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 04:04	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1479724	1	05/19/20 08:52	05/21/20 00:34	DWR	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 22:14	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478084	1	05/19/20 06:41	05/19/20 20:20	KME	Mt. Juliet, TN

AH-2 (2-3') L1218741-05 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 10:40
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	.9328358	05/18/20 23:34	05/19/20 04:13	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/19/20 22:27	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 22:33	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478084	1	05/19/20 06:41	05/19/20 19:20	KME	Mt. Juliet, TN

AH-2 (4-5') L1218741-06 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 10:50
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 04:23	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/19/20 22:47	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 22:52	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478084	1	05/19/20 06:41	05/19/20 20:36	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

AH-3 (0-1') L1218741-07 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 11:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 04:32	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 08:01	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 23:11	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 23:09	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

AH-3 (2-3') L1218741-08 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 11:10
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 05:01	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 08:21	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 23:30	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 21:50	KME	Mt. Juliet, TN

⁹ Sc

AH-3 (4-5') L1218741-09 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 11:20
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 05:11	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 08:42	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/19/20 23:49	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 21:37	KME	Mt. Juliet, TN

AH-4 (0-1') L1218741-10 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 11:30
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479815	1	05/20/20 22:52	05/20/20 22:59	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 05:20	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 09:03	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 00:08	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 22:56	KME	Mt. Juliet, TN

AH-4 (2-3') L1218741-11 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 11:40
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	5	05/18/20 23:34	05/19/20 05:30	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1479724	1	05/19/20 08:52	05/21/20 02:02	DWR	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 00:27	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 22:17	KME	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

AH-4 (4-5') L1218741-12 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 11:50
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 05:39	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 09:54	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 00:46	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 22:43	KME	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

AH-5 (0-1') L1218741-13 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 12:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 05:49	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 10:14	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 01:05	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 23:36	KME	Mt. Juliet, TN

9 Sc

AH-5 (2-3') L1218741-14 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 12:10
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 06:17	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 10:35	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 01:24	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 22:03	KME	Mt. Juliet, TN

AH-5 (4-5') L1218741-15 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 12:20
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 06:27	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478772	1	05/19/20 08:52	05/20/20 10:56	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 01:43	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 23:23	KME	Mt. Juliet, TN

AH-6 (0-1') L1218741-16 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 13:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 06:55	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 08:52	05/19/20 21:49	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 02:02	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/20/20 00:29	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

AH-6 (2-3') L1218741-17 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 13:10
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 07:14	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 08:52	05/19/20 22:09	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 08:52	05/20/20 02:21	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 22:30	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

AH-6 (4-5') L1218741-18 Solid

Collected by Joe Tyler
Collected date/time 05/07/20 13:30
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	5	05/18/20 23:34	05/19/20 07:24	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/19/20 22:30	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 09:03	05/20/20 02:40	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 23:49	KME	Mt. Juliet, TN

⁹ Sc

AH-7 (0-1') L1218741-19 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 10:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 07:33	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/19/20 22:51	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 09:03	05/20/20 03:00	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 20:57	KME	Mt. Juliet, TN

AH-7 (2-3') L1218741-20 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 10:10
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479816	1	05/20/20 23:00	05/20/20 23:05	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478254	1	05/18/20 23:34	05/19/20 07:43	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/19/20 23:11	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1478879	1	05/19/20 09:03	05/20/20 03:58	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 21:24	KME	Mt. Juliet, TN

AH-7 (4-5') L1218741-21 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 10:20
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 06:21	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/19/20 23:32	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 08:39	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478603	1	05/19/20 11:15	05/19/20 21:11	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

AH-8 (0-1') L1218741-22 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 10:30
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 06:39	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/19/20 23:52	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 08:58	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 10:35	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

AH-8 (2-3') L1218741-23 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 10:40
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 06:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 00:13	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 09:17	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 10:48	KME	Mt. Juliet, TN

⁹ Sc

AH-8 (4-5') L1218741-24 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 10:50
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 07:15	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 00:33	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 09:36	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 11:01	KME	Mt. Juliet, TN

T-1 (0-1') L1218741-25 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 12:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 07:33	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1479659	25	05/19/20 09:03	05/21/20 02:22	DWR	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479555	1	05/19/20 09:03	05/20/20 18:47	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	100	05/20/20 11:58	05/21/20 13:00	KME	Mt. Juliet, TN

T-1 (2-3') L1218741-26 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 12:10
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 07:51	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	100	05/19/20 09:03	05/20/20 03:38	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	8	05/19/20 09:03	05/20/20 11:09	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	20	05/20/20 11:58	05/21/20 12:07	KME	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

T-1 (4-5') L1218741-27 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 12:20
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 08:08	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 00:54	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 11:28	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	5	05/20/20 11:58	05/21/20 12:47	KME	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

T-1 (6-7') L1218741-28 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 12:30
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	5	05/18/20 23:00	05/19/20 08:26	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 01:14	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 11:47	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 12:34	KME	Mt. Juliet, TN

9 Sc

T-1 (9-10') L1218741-29 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 12:40
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 09:20	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 01:35	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 12:06	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 11:14	KME	Mt. Juliet, TN

T-1 (12-13') L1218741-30 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 12:50
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479817	1	05/20/20 23:09	05/20/20 23:13	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	1	05/18/20 23:00	05/19/20 09:38	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 01:55	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 12:25	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	2	05/20/20 11:58	05/21/20 12:21	KME	Mt. Juliet, TN

T-1 (14-15') L1218741-31 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 13:20
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479819	1	05/20/20 23:17	05/20/20 23:22	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	5	05/18/20 23:00	05/19/20 09:56	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 02:16	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 12:44	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 11:41	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

T-1 (17-18') L1218741-32 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 14:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479819	1	05/20/20 23:17	05/20/20 23:22	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	5	05/18/20 23:00	05/19/20 10:14	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 02:36	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 13:22	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	2	05/20/20 11:58	05/21/20 11:54	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

T-1 (19-20') L1218741-33 Solid

Collected by Joe Tyler
Collected date/time 05/08/20 15:00
Received date/time 05/14/20 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1479819	1	05/20/20 23:17	05/20/20 23:22	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1478252	5	05/18/20 23:00	05/19/20 10:32	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1478903	1	05/19/20 09:03	05/20/20 02:57	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1479044	1	05/19/20 09:03	05/20/20 13:41	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1478788	1	05/20/20 11:58	05/21/20 11:27	KME	Mt. Juliet, TN

⁹ Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris McCord
Project Manager

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Collected date/time: 05/07/20 10:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.3		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.26	20.1	1	05/19/2020 03:26	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0218	0.101	1	05/19/2020 21:04	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	102			77.0-120		05/19/2020 21:04	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000470	0.00101	1	05/19/2020 21:16	WG1478879
Toluene	U		0.00131	0.00503	1	05/19/2020 21:16	WG1478879
Ethylbenzene	U		0.000742	0.00252	1	05/19/2020 21:16	WG1478879
Total Xylenes	U		0.000886	0.00654	1	05/19/2020 21:16	WG1478879
(S) Toluene-d8	96.9			75.0-131		05/19/2020 21:16	WG1478879
(S) 4-Bromofluorobenzene	96.1			67.0-138		05/19/2020 21:16	WG1478879
(S) 1,2-Dichloroethane-d4	113			70.0-130		05/19/2020 21:16	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4.66		1.62	4.03	1	05/19/2020 19:36	WG1478084
C28-C40 Oil Range	8.34		0.276	4.03	1	05/19/2020 19:36	WG1478084
(S) o-Terphenyl	102			18.0-148		05/19/2020 19:36	WG1478084

Collected date/time: 05/07/20 10:10

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.7		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	33.0		9.82	21.3	1	05/19/2020 03:45	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0232	0.107	1	05/19/2020 21:25	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	103			77.0-120		05/19/2020 21:25	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000498	0.00107	1	05/19/2020 21:35	WG1478879
Toluene	U		0.00139	0.00534	1	05/19/2020 21:35	WG1478879
Ethylbenzene	U		0.000787	0.00267	1	05/19/2020 21:35	WG1478879
Total Xylenes	U		0.000939	0.00694	1	05/19/2020 21:35	WG1478879
(S) Toluene-d8	102			75.0-131		05/19/2020 21:35	WG1478879
(S) 4-Bromofluorobenzene	97.1			67.0-138		05/19/2020 21:35	WG1478879
(S) 1,2-Dichloroethane-d4	115			70.0-130		05/19/2020 21:35	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	4.24	J	1.72	4.27	1	05/19/2020 18:48	WG1478084
C28-C40 Oil Range	5.87		0.292	4.27	1	05/19/2020 18:48	WG1478084
(S) o-Terphenyl	71.9			18.0-148		05/19/2020 18:48	WG1478084

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 10:20

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.4		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		9.54	20.7	1	05/19/2020 03:54	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	05/19/2020 21:45	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	104			77.0-120		05/19/2020 21:45	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000484	0.00104	1	05/19/2020 21:54	WG1478879
Toluene	U		0.00135	0.00519	1	05/19/2020 21:54	WG1478879
Ethylbenzene	U		0.000765	0.00259	1	05/19/2020 21:54	WG1478879
Total Xylenes	U		0.000913	0.00674	1	05/19/2020 21:54	WG1478879
(S) Toluene-d8	100			75.0-131		05/19/2020 21:54	WG1478879
(S) 4-Bromofluorobenzene	97.6			67.0-138		05/19/2020 21:54	WG1478879
(S) 1,2-Dichloroethane-d4	112			70.0-130		05/19/2020 21:54	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.67	4.15	1	05/19/2020 19:04	WG1478084
C28-C40 Oil Range	0.559	J	0.284	4.15	1	05/19/2020 19:04	WG1478084
(S) o-Terphenyl	64.3			18.0-148		05/19/2020 19:04	WG1478084

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 10:30

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.5		1	05/20/2020 22:59	WG1479815

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		9.53	20.7	1	05/19/2020 04:04	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	05/21/2020 00:34	WG1479724
(S) a,a,a-Trifluorotoluene(FID)	88.5			77.0-120		05/21/2020 00:34	WG1479724

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000484	0.00104	1	05/19/2020 22:14	WG1478879
Toluene	U		0.00135	0.00518	1	05/19/2020 22:14	WG1478879
Ethylbenzene	U		0.000764	0.00259	1	05/19/2020 22:14	WG1478879
Total Xylenes	U		0.000912	0.00673	1	05/19/2020 22:14	WG1478879
(S) Toluene-d8	98.7			75.0-131		05/19/2020 22:14	WG1478879
(S) 4-Bromofluorobenzene	97.9			67.0-138		05/19/2020 22:14	WG1478879
(S) 1,2-Dichloroethane-d4	112			70.0-130		05/19/2020 22:14	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.78	J	1.67	4.14	1	05/19/2020 20:20	WG1478084
C28-C40 Oil Range	11.7		0.284	4.14	1	05/19/2020 20:20	WG1478084
(S) o-Terphenyl	83.3			18.0-148		05/19/2020 20:20	WG1478084

Collected date/time: 05/07/20 10:40

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.9		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		8.95	19.5	.932835 8	05/19/2020 04:13	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0226	0.104	1	05/19/2020 22:27	WG1478772
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	99.7			77.0-120		05/19/2020 22:27	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000487	0.00104	1	05/19/2020 22:33	WG1478879
Toluene	U		0.00136	0.00521	1	05/19/2020 22:33	WG1478879
Ethylbenzene	U		0.000769	0.00261	1	05/19/2020 22:33	WG1478879
Total Xylenes	U		0.000918	0.00678	1	05/19/2020 22:33	WG1478879
(S) Toluene-d8	99.9			75.0-131		05/19/2020 22:33	WG1478879
(S) 4-Bromofluorobenzene	97.5			67.0-138		05/19/2020 22:33	WG1478879
(S) 1,2-Dichloroethane-d4	111			70.0-130		05/19/2020 22:33	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.68	4.17	1	05/19/2020 19:20	WG1478084
C28-C40 Oil Range	5.03		0.286	4.17	1	05/19/2020 19:20	WG1478084
(S) o-Terphenyl	81.4			18.0-148		05/19/2020 19:20	WG1478084

Collected date/time: 05/07/20 10:50

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.7		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	141		9.81	21.3	1	05/19/2020 04:23	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0231	0.107	1	05/19/2020 22:47	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	104			77.0-120		05/19/2020 22:47	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000498	0.00107	1	05/19/2020 22:52	WG1478879
Toluene	U		0.00139	0.00533	1	05/19/2020 22:52	WG1478879
Ethylbenzene	U		0.000786	0.00267	1	05/19/2020 22:52	WG1478879
Total Xylenes	U		0.000939	0.00693	1	05/19/2020 22:52	WG1478879
(S) Toluene-d8	97.9			75.0-131		05/19/2020 22:52	WG1478879
(S) 4-Bromofluorobenzene	99.5			67.0-138		05/19/2020 22:52	WG1478879
(S) 1,2-Dichloroethane-d4	112			70.0-130		05/19/2020 22:52	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.83	J	1.72	4.27	1	05/19/2020 20:36	WG1478084
C28-C40 Oil Range	17.9		0.292	4.27	1	05/19/2020 20:36	WG1478084
(S) o-Terphenyl	68.0			18.0-148		05/19/2020 20:36	WG1478084

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 11:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.4		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.25	20.1	1	05/19/2020 04:32	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0218	0.101	1	05/20/2020 08:01	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	102			77.0-120		05/20/2020 08:01	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000470	0.00101	1	05/19/2020 23:11	WG1478879
Toluene	U		0.00131	0.00503	1	05/19/2020 23:11	WG1478879
Ethylbenzene	U		0.000741	0.00251	1	05/19/2020 23:11	WG1478879
Total Xylenes	U		0.000885	0.00654	1	05/19/2020 23:11	WG1478879
(S) Toluene-d8	102			75.0-131		05/19/2020 23:11	WG1478879
(S) 4-Bromofluorobenzene	97.8			67.0-138		05/19/2020 23:11	WG1478879
(S) 1,2-Dichloroethane-d4	114			70.0-130		05/19/2020 23:11	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	5.90		1.62	4.02	1	05/19/2020 23:09	WG1478603
C28-C40 Oil Range	16.0		0.276	4.02	1	05/19/2020 23:09	WG1478603
(S) o-Terphenyl	89.2			18.0-148		05/19/2020 23:09	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 11:10

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.0		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	121		9.59	20.8	1	05/19/2020 05:01	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0226	0.104	1	05/20/2020 08:21	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	103			77.0-120		05/20/2020 08:21	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000487	0.00104	1	05/19/2020 23:30	WG1478879
Toluene	U		0.00135	0.00521	1	05/19/2020 23:30	WG1478879
Ethylbenzene	U		0.000768	0.00261	1	05/19/2020 23:30	WG1478879
Total Xylenes	U		0.000917	0.00677	1	05/19/2020 23:30	WG1478879
(S) Toluene-d8	100			75.0-131		05/19/2020 23:30	WG1478879
(S) 4-Bromofluorobenzene	97.9			67.0-138		05/19/2020 23:30	WG1478879
(S) 1,2-Dichloroethane-d4	111			70.0-130		05/19/2020 23:30	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.29	J	1.68	4.17	1	05/19/2020 21:50	WG1478603
C28-C40 Oil Range	6.13		0.286	4.17	1	05/19/2020 21:50	WG1478603
(S) o-Terphenyl	68.4			18.0-148		05/19/2020 21:50	WG1478603



Collected date/time: 05/07/20 11:20

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.9		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	167		9.69	21.1	1	05/19/2020 05:11	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0229	0.105	1	05/20/2020 08:42	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	103			77.0-120		05/20/2020 08:42	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000492	0.00105	1	05/19/2020 23:49	WG1478879
Toluene	U		0.00137	0.00527	1	05/19/2020 23:49	WG1478879
Ethylbenzene	U		0.000776	0.00263	1	05/19/2020 23:49	WG1478879
Total Xylenes	U		0.000927	0.00685	1	05/19/2020 23:49	WG1478879
(S) Toluene-d8	102			75.0-131		05/19/2020 23:49	WG1478879
(S) 4-Bromofluorobenzene	101			67.0-138		05/19/2020 23:49	WG1478879
(S) 1,2-Dichloroethane-d4	112			70.0-130		05/19/2020 23:49	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1.96	J	1.70	4.21	1	05/19/2020 21:37	WG1478603
C28-C40 Oil Range	8.10		0.289	4.21	1	05/19/2020 21:37	WG1478603
(S) o-Terphenyl	65.4			18.0-148		05/19/2020 21:37	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 11:30

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.3		1	05/20/2020 22:59	WG1479815

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.27	20.1	1	05/19/2020 05:20	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0219	0.101	1	05/20/2020 09:03	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	103			77.0-120		05/20/2020 09:03	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000471	0.00101	1	05/20/2020 00:08	WG1478879
Toluene	U		0.00131	0.00504	1	05/20/2020 00:08	WG1478879
Ethylbenzene	U		0.000743	0.00252	1	05/20/2020 00:08	WG1478879
Total Xylenes	U		0.000887	0.00655	1	05/20/2020 00:08	WG1478879
(S) Toluene-d8	102			75.0-131		05/20/2020 00:08	WG1478879
(S) 4-Bromofluorobenzene	99.6			67.0-138		05/20/2020 00:08	WG1478879
(S) 1,2-Dichloroethane-d4	114			70.0-130		05/20/2020 00:08	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.62	4.03	1	05/19/2020 22:56	WG1478603
C28-C40 Oil Range	3.78	J	0.276	4.03	1	05/19/2020 22:56	WG1478603
(S) o-Terphenyl	87.8			18.0-148		05/19/2020 22:56	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 11:40

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	89.2		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		51.6	112	5	05/19/2020 05:30	WG1478254

Sample Narrative:

L1218741-11 WG1478254: Diluted due to matrix

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0243	0.112	1	05/21/2020 02:02	WG1479724
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	88.8			77.0-120		05/21/2020 02:02	WG1479724

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000523	0.00112	1	05/20/2020 00:27	WG1478879
Toluene	U		0.00146	0.00560	1	05/20/2020 00:27	WG1478879
Ethylbenzene	U		0.000826	0.00280	1	05/20/2020 00:27	WG1478879
Total Xylenes	U		0.000986	0.00729	1	05/20/2020 00:27	WG1478879
(S) Toluene-d8	99.5			75.0-131		05/20/2020 00:27	WG1478879
(S) 4-Bromofluorobenzene	96.9			67.0-138		05/20/2020 00:27	WG1478879
(S) 1,2-Dichloroethane-d4	108			70.0-130		05/20/2020 00:27	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	6.58		1.80	4.48	1	05/19/2020 22:17	WG1478603
C28-C40 Oil Range	2.63	B J	0.307	4.48	1	05/19/2020 22:17	WG1478603
(S) o-Terphenyl	75.3			18.0-148		05/19/2020 22:17	WG1478603

Collected date/time: 05/07/20 11:50

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.3		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.76	21.2	1	05/19/2020 05:39	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0230	0.106	1	05/20/2020 09:54	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	105			77.0-120		05/20/2020 09:54	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000495	0.00106	1	05/20/2020 00:46	WG1478879
Toluene	U		0.00138	0.00530	1	05/20/2020 00:46	WG1478879
Ethylbenzene	U		0.000782	0.00265	1	05/20/2020 00:46	WG1478879
Total Xylenes	U		0.000933	0.00689	1	05/20/2020 00:46	WG1478879
(S) Toluene-d8	101			75.0-131		05/20/2020 00:46	WG1478879
(S) 4-Bromofluorobenzene	101			67.0-138		05/20/2020 00:46	WG1478879
(S) 1,2-Dichloroethane-d4	115			70.0-130		05/20/2020 00:46	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.06	J	1.71	4.24	1	05/19/2020 22:43	WG1478603
C28-C40 Oil Range	3.39	J	0.291	4.24	1	05/19/2020 22:43	WG1478603
(S) o-Terphenyl	78.6			18.0-148		05/19/2020 22:43	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 12:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.3		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.27	20.1	1	05/19/2020 05:49	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0219	0.101	1	05/20/2020 10:14	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	102			77.0-120		05/20/2020 10:14	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000470	0.00101	1	05/20/2020 01:05	WG1478879
Toluene	U		0.00131	0.00504	1	05/20/2020 01:05	WG1478879
Ethylbenzene	U		0.000742	0.00252	1	05/20/2020 01:05	WG1478879
Total Xylenes	U		0.000887	0.00655	1	05/20/2020 01:05	WG1478879
(S) Toluene-d8	102			75.0-131		05/20/2020 01:05	WG1478879
(S) 4-Bromofluorobenzene	98.3			67.0-138		05/20/2020 01:05	WG1478879
(S) 1,2-Dichloroethane-d4	113			70.0-130		05/20/2020 01:05	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	13.7		1.62	4.03	1	05/19/2020 23:36	WG1478603
C28-C40 Oil Range	25.6		0.276	4.03	1	05/19/2020 23:36	WG1478603
(S) o-Terphenyl	86.3			18.0-148		05/19/2020 23:36	WG1478603



Collected date/time: 05/07/20 12:10

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	98.3		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		9.36	20.4	1	05/19/2020 06:17	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	05/20/2020 10:35	WG1478772
(S) a,a,a-Trifluorotoluene(FID)	103			77.0-120		05/20/2020 10:35	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000475	0.00102	1	05/20/2020 01:24	WG1478879
Toluene	U		0.00132	0.00509	1	05/20/2020 01:24	WG1478879
Ethylbenzene	U		0.000750	0.00254	1	05/20/2020 01:24	WG1478879
Total Xylenes	U		0.000896	0.00662	1	05/20/2020 01:24	WG1478879
(S) Toluene-d8	102			75.0-131		05/20/2020 01:24	WG1478879
(S) 4-Bromofluorobenzene	102			67.0-138		05/20/2020 01:24	WG1478879
(S) 1,2-Dichloroethane-d4	112			70.0-130		05/20/2020 01:24	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.03	J	1.64	4.07	1	05/19/2020 22:03	WG1478603
C28-C40 Oil Range	3.35	J	0.279	4.07	1	05/19/2020 22:03	WG1478603
(S) o-Terphenyl	70.3			18.0-148		05/19/2020 22:03	WG1478603

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Collected date/time: 05/07/20 12:20

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.1		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.38	20.4	1	05/19/2020 06:27	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	05/20/2020 10:56	WG1478772
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	104			77.0-120		05/20/2020 10:56	WG1478772

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000476	0.00102	1	05/20/2020 01:43	WG1478879
Toluene	U		0.00133	0.00510	1	05/20/2020 01:43	WG1478879
Ethylbenzene	U		0.000751	0.00255	1	05/20/2020 01:43	WG1478879
Total Xylenes	U		0.000897	0.00663	1	05/20/2020 01:43	WG1478879
(S) <i>Toluene-d8</i>	98.6			75.0-131		05/20/2020 01:43	WG1478879
(S) <i>4-Bromofluorobenzene</i>	99.2			67.0-138		05/20/2020 01:43	WG1478879
(S) <i>1,2-Dichloroethane-d4</i>	117			70.0-130		05/20/2020 01:43	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	11.1		1.64	4.08	1	05/19/2020 23:23	WG1478603
C28-C40 Oil Range	19.0		0.279	4.08	1	05/19/2020 23:23	WG1478603
(S) <i>o</i> -Terphenyl	83.2			18.0-148		05/19/2020 23:23	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 13:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.0		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.29	20.2	1	05/19/2020 06:55	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0240	J	0.0219	0.101	1	05/19/2020 21:49	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.3			77.0-120		05/19/2020 21:49	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000472	0.00101	1	05/20/2020 02:02	WG1478879
Toluene	U		0.00131	0.00505	1	05/20/2020 02:02	WG1478879
Ethylbenzene	U		0.000744	0.00252	1	05/20/2020 02:02	WG1478879
Total Xylenes	U		0.000889	0.00656	1	05/20/2020 02:02	WG1478879
(S) Toluene-d8	99.4			75.0-131		05/20/2020 02:02	WG1478879
(S) 4-Bromofluorobenzene	97.9			67.0-138		05/20/2020 02:02	WG1478879
(S) 1,2-Dichloroethane-d4	116			70.0-130		05/20/2020 02:02	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	21.6		1.63	4.04	1	05/20/2020 00:29	WG1478603
C28-C40 Oil Range	58.1		0.277	4.04	1	05/20/2020 00:29	WG1478603
(S) o-Terphenyl	94.3			18.0-148		05/20/2020 00:29	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 13:10

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	82.8		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		11.1	24.1	1	05/19/2020 07:14	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0280	J	0.0262	0.121	1	05/19/2020 22:09	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.8			77.0-120		05/19/2020 22:09	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000564	0.00121	1	05/20/2020 02:21	WG1478879
Toluene	U		0.00157	0.00604	1	05/20/2020 02:21	WG1478879
Ethylbenzene	U		0.000890	0.00302	1	05/20/2020 02:21	WG1478879
Total Xylenes	U		0.00106	0.00785	1	05/20/2020 02:21	WG1478879
(S) Toluene-d8	102			75.0-131		05/20/2020 02:21	WG1478879
(S) 4-Bromofluorobenzene	100			67.0-138		05/20/2020 02:21	WG1478879
(S) 1,2-Dichloroethane-d4	113			70.0-130		05/20/2020 02:21	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.94	4.83	1	05/19/2020 22:30	WG1478603
C28-C40 Oil Range	2.84	B J	0.331	4.83	1	05/19/2020 22:30	WG1478603
(S) o-Terphenyl	32.1			18.0-148		05/19/2020 22:30	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/07/20 13:30

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.3		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		48.8	106	5	05/19/2020 07:24	WG1478254

Sample Narrative:

L1218741-18 WG1478254: Diluted due to matrix

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0230	0.106	1	05/19/2020 22:30	WG1478903
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	88.4			77.0-120		05/19/2020 22:30	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000495	0.00106	1	05/20/2020 02:40	WG1478879
Toluene	U		0.00138	0.00530	1	05/20/2020 02:40	WG1478879
Ethylbenzene	U		0.000781	0.00265	1	05/20/2020 02:40	WG1478879
Total Xylenes	U		0.000933	0.00689	1	05/20/2020 02:40	WG1478879
(S) Toluene-d8	102			75.0-131		05/20/2020 02:40	WG1478879
(S) 4-Bromofluorobenzene	98.9			67.0-138		05/20/2020 02:40	WG1478879
(S) 1,2-Dichloroethane-d4	114			70.0-130		05/20/2020 02:40	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	6.30		1.71	4.24	1	05/19/2020 23:49	WG1478603
C28-C40 Oil Range	17.3		0.290	4.24	1	05/19/2020 23:49	WG1478603
(S) o-Terphenyl	84.2			18.0-148		05/19/2020 23:49	WG1478603

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 05/08/20 10:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	82.7		1	05/20/2020 23:05	WG1479816

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		11.1	24.2	1	05/19/2020 07:33	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0262	0.121	1	05/19/2020 22:51	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	89.2			77.0-120		05/19/2020 22:51	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000565	0.00121	1	05/20/2020 03:00	WG1478879
Toluene	U		0.00157	0.00605	1	05/20/2020 03:00	WG1478879
Ethylbenzene	U		0.000891	0.00302	1	05/20/2020 03:00	WG1478879
Total Xylenes	U		0.00106	0.00786	1	05/20/2020 03:00	WG1478879
(S) Toluene-d8	100			75.0-131		05/20/2020 03:00	WG1478879
(S) 4-Bromofluorobenzene	96.6			67.0-138		05/20/2020 03:00	WG1478879
(S) 1,2-Dichloroethane-d4	114			70.0-130		05/20/2020 03:00	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.95	4.84	1	05/19/2020 20:57	WG1478603
C28-C40 Oil Range	1.52	B J	0.331	4.84	1	05/19/2020 20:57	WG1478603
(S) o-Terphenyl	49.7			18.0-148		05/19/2020 20:57	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 10:10

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	88.7		1	05/20/2020 23:05	WG1479816

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		10.4	22.5	1	05/19/2020 07:43	WG1478254

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0245	0.113	1	05/19/2020 23:11	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.5			77.0-120		05/19/2020 23:11	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000526	0.00113	1	05/20/2020 03:58	WG1478879
Toluene	U		0.00146	0.00563	1	05/20/2020 03:58	WG1478879
Ethylbenzene	U		0.000830	0.00282	1	05/20/2020 03:58	WG1478879
Total Xylenes	U		0.000992	0.00732	1	05/20/2020 03:58	WG1478879
(S) Toluene-d8	97.7			75.0-131		05/20/2020 03:58	WG1478879
(S) 4-Bromofluorobenzene	99.6			67.0-138		05/20/2020 03:58	WG1478879
(S) 1,2-Dichloroethane-d4	123			70.0-130		05/20/2020 03:58	WG1478879

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.81	4.51	1	05/19/2020 21:24	WG1478603
C28-C40 Oil Range	2.20	B J	0.309	4.51	1	05/19/2020 21:24	WG1478603
(S) o-Terphenyl	65.8			18.0-148		05/19/2020 21:24	WG1478603

Collected date/time: 05/08/20 10:20

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.6		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.42	20.5	1	05/19/2020 06:21	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0222	0.102	1	05/19/2020 23:32	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.3			77.0-120		05/19/2020 23:32	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000478	0.00102	1	05/20/2020 08:39	WG1479044
Toluene	U		0.00133	0.00512	1	05/20/2020 08:39	WG1479044
Ethylbenzene	U		0.000755	0.00256	1	05/20/2020 08:39	WG1479044
Total Xylenes	U		0.000901	0.00666	1	05/20/2020 08:39	WG1479044
(S) Toluene-d8	100			75.0-131		05/20/2020 08:39	WG1479044
(S) 4-Bromofluorobenzene	101			67.0-138		05/20/2020 08:39	WG1479044
(S) 1,2-Dichloroethane-d4	127			70.0-130		05/20/2020 08:39	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.65	4.10	1	05/19/2020 21:11	WG1478603
C28-C40 Oil Range	1.65	B J	0.281	4.10	1	05/19/2020 21:11	WG1478603
(S) o-Terphenyl	83.6			18.0-148		05/19/2020 21:11	WG1478603

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 10:30

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.7		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.32	20.3	1	05/19/2020 06:39	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0220	0.101	1	05/19/2020 23:52	WG1478903
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	88.2			77.0-120		05/19/2020 23:52	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000473	0.00101	1	05/20/2020 08:58	WG1479044
Toluene	U		0.00132	0.00506	1	05/20/2020 08:58	WG1479044
Ethylbenzene	U		0.000746	0.00253	1	05/20/2020 08:58	WG1479044
Total Xylenes	U		0.000891	0.00658	1	05/20/2020 08:58	WG1479044
(S) <i>Toluene-d8</i>	102			75.0-131		05/20/2020 08:58	WG1479044
(S) <i>4-Bromofluorobenzene</i>	101			67.0-138		05/20/2020 08:58	WG1479044
(S) <i>1,2-Dichloroethane-d4</i>	118			70.0-130		05/20/2020 08:58	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1.85	J	1.63	4.05	1	05/21/2020 10:35	WG1478788
C28-C40 Oil Range	4.73		0.278	4.05	1	05/21/2020 10:35	WG1478788
(S) <i>o</i> -Terphenyl	87.3			18.0-148		05/21/2020 10:35	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 10:40

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.5		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.24	20.1	1	05/19/2020 06:57	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0218	0.100	1	05/20/2020 00:13	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.8			77.0-120		05/20/2020 00:13	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000469	0.00100	1	05/20/2020 09:17	WG1479044
Toluene	U		0.00131	0.00502	1	05/20/2020 09:17	WG1479044
Ethylbenzene	U		0.000741	0.00251	1	05/20/2020 09:17	WG1479044
Total Xylenes	U		0.000884	0.00653	1	05/20/2020 09:17	WG1479044
(S) Toluene-d8	98.2			75.0-131		05/20/2020 09:17	WG1479044
(S) 4-Bromofluorobenzene	95.9			67.0-138		05/20/2020 09:17	WG1479044
(S) 1,2-Dichloroethane-d4	121			70.0-130		05/20/2020 09:17	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1.78	J	1.62	4.02	1	05/21/2020 10:48	WG1478788
C28-C40 Oil Range	5.43		0.275	4.02	1	05/21/2020 10:48	WG1478788
(S) o-Terphenyl	90.0			18.0-148		05/21/2020 10:48	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 10:50

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.8		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.50	20.7	1	05/19/2020 07:15	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	05/20/2020 00:33	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.2			77.0-120		05/20/2020 00:33	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000482	0.00103	1	05/20/2020 09:36	WG1479044
Toluene	U		0.00134	0.00516	1	05/20/2020 09:36	WG1479044
Ethylbenzene	U		0.000761	0.00258	1	05/20/2020 09:36	WG1479044
Total Xylenes	U		0.000909	0.00671	1	05/20/2020 09:36	WG1479044
(S) Toluene-d8	100			75.0-131		05/20/2020 09:36	WG1479044
(S) 4-Bromofluorobenzene	97.1			67.0-138		05/20/2020 09:36	WG1479044
(S) 1,2-Dichloroethane-d4	113			70.0-130		05/20/2020 09:36	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.66	4.13	1	05/21/2020 11:01	WG1478788
C28-C40 Oil Range	3.72	B J	0.283	4.13	1	05/21/2020 11:01	WG1478788
(S) o-Terphenyl	82.8			18.0-148		05/21/2020 11:01	WG1478788

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Collected date/time: 05/08/20 12:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.1		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	356		9.28	20.2	1	05/19/2020 07:33	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	8.55		0.548	2.52	25	05/21/2020 02:22	WG1479659
(S) a,a,a-Trifluorotoluene(FID)	91.8			77.0-120		05/21/2020 02:22	WG1479659

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000471	0.00101	1	05/20/2020 18:47	WG1479555
Toluene	0.00430	J	0.00131	0.00504	1	05/20/2020 18:47	WG1479555
Ethylbenzene	0.00472		0.000743	0.00252	1	05/20/2020 18:47	WG1479555
Total Xylenes	0.183		0.000888	0.00656	1	05/20/2020 18:47	WG1479555
(S) Toluene-d8	114			75.0-131		05/20/2020 18:47	WG1479555
(S) 4-Bromofluorobenzene	134			67.0-138		05/20/2020 18:47	WG1479555
(S) 1,2-Dichloroethane-d4	114			70.0-130		05/20/2020 18:47	WG1479555

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	11000		162	403	100	05/21/2020 13:00	WG1478788
C28-C40 Oil Range	11700		27.6	403	100	05/21/2020 13:00	WG1478788
(S) o-Terphenyl	0.000	J7		18.0-148		05/21/2020 13:00	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 12:10

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	82.2		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	144		11.2	24.3	1	05/19/2020 07:51	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	46.6		2.64	12.2	100	05/20/2020 03:38	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	90.7			77.0-120		05/20/2020 03:38	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.00455	0.00973	8	05/20/2020 11:09	WG1479044
Toluene	U		0.0126	0.0487	8	05/20/2020 11:09	WG1479044
Ethylbenzene	U		0.00718	0.0243	8	05/20/2020 11:09	WG1479044
Total Xylenes	0.444		0.00856	0.0632	8	05/20/2020 11:09	WG1479044
(S) Toluene-d8	96.4			75.0-131		05/20/2020 11:09	WG1479044
(S) 4-Bromofluorobenzene	106			67.0-138		05/20/2020 11:09	WG1479044
(S) 1,2-Dichloroethane-d4	131	J1		70.0-130		05/20/2020 11:09	WG1479044

Sample Narrative:

L1218741-26 WG1479044: Non-target compounds too high to run at a lower dilution.

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3040		39.2	97.3	20	05/21/2020 12:07	WG1478788
C28-C40 Oil Range	1950		6.67	97.3	20	05/21/2020 12:07	WG1478788
(S) o-Terphenyl	439	J7		18.0-148		05/21/2020 12:07	WG1478788

Collected date/time: 05/08/20 12:20

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.6		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	679		10.0	21.8	1	05/19/2020 08:08	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.449		0.0237	0.109	1	05/20/2020 00:54	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	87.9			77.0-120		05/20/2020 00:54	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000510	0.00109	1	05/20/2020 11:28	WG1479044
Toluene	U		0.00142	0.00546	1	05/20/2020 11:28	WG1479044
Ethylbenzene	U		0.000805	0.00273	1	05/20/2020 11:28	WG1479044
Total Xylenes	U		0.000961	0.00710	1	05/20/2020 11:28	WG1479044
(S) Toluene-d8	98.9			75.0-131		05/20/2020 11:28	WG1479044
(S) 4-Bromofluorobenzene	102			67.0-138		05/20/2020 11:28	WG1479044
(S) 1,2-Dichloroethane-d4	122			70.0-130		05/20/2020 11:28	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	724		8.79	21.8	5	05/21/2020 12:47	WG1478788
C28-C40 Oil Range	569		1.50	21.8	5	05/21/2020 12:47	WG1478788
(S) o-Terphenyl	139			18.0-148		05/21/2020 12:47	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 12:30

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	89.6		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	1590		51.4	112	5	05/19/2020 08:26	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0357	J	0.0242	0.112	1	05/20/2020 01:14	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.7			77.0-120		05/20/2020 01:14	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000521	0.00112	1	05/20/2020 11:47	WG1479044
Toluene	U		0.00145	0.00558	1	05/20/2020 11:47	WG1479044
Ethylbenzene	U		0.000823	0.00279	1	05/20/2020 11:47	WG1479044
Total Xylenes	U		0.000983	0.00726	1	05/20/2020 11:47	WG1479044
(S) Toluene-d8	99.2			75.0-131		05/20/2020 11:47	WG1479044
(S) 4-Bromofluorobenzene	98.9			67.0-138		05/20/2020 11:47	WG1479044
(S) 1,2-Dichloroethane-d4	119			70.0-130		05/20/2020 11:47	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	77.7		1.80	4.47	1	05/21/2020 12:34	WG1478788
C28-C40 Oil Range	121		0.306	4.47	1	05/21/2020 12:34	WG1478788
(S) o-Terphenyl	65.9			18.0-148		05/21/2020 12:34	WG1478788



Collected date/time: 05/08/20 12:40

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	88.0		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	1020		10.5	22.7	1	05/19/2020 09:20	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0247	0.114	1	05/20/2020 01:35	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.3			77.0-120		05/20/2020 01:35	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000531	0.00114	1	05/20/2020 12:06	WG1479044
Toluene	U		0.00148	0.00568	1	05/20/2020 12:06	WG1479044
Ethylbenzene	U		0.000837	0.00284	1	05/20/2020 12:06	WG1479044
Total Xylenes	U		0.00100	0.00738	1	05/20/2020 12:06	WG1479044
(S) Toluene-d8	99.7			75.0-131		05/20/2020 12:06	WG1479044
(S) 4-Bromofluorobenzene	98.1			67.0-138		05/20/2020 12:06	WG1479044
(S) 1,2-Dichloroethane-d4	120			70.0-130		05/20/2020 12:06	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.73	J	1.83	4.54	1	05/21/2020 11:14	WG1478788
C28-C40 Oil Range	4.37	B J	0.311	4.54	1	05/21/2020 11:14	WG1478788
(S) o-Terphenyl	79.8			18.0-148		05/21/2020 11:14	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 12:50

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	89.7		1	05/20/2020 23:13	WG1479817

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	644		10.3	22.3	1	05/19/2020 09:38	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0246	J	0.0242	0.111	1	05/20/2020 01:55	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.6			77.0-120		05/20/2020 01:55	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000520	0.00111	1	05/20/2020 12:25	WG1479044
Toluene	U		0.00145	0.00557	1	05/20/2020 12:25	WG1479044
Ethylbenzene	U		0.000821	0.00279	1	05/20/2020 12:25	WG1479044
Total Xylenes	U		0.000981	0.00724	1	05/20/2020 12:25	WG1479044
(S) Toluene-d8	97.9			75.0-131		05/20/2020 12:25	WG1479044
(S) 4-Bromofluorobenzene	97.2			67.0-138		05/20/2020 12:25	WG1479044
(S) 1,2-Dichloroethane-d4	118			70.0-130		05/20/2020 12:25	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	164		3.59	8.91	2	05/21/2020 12:21	WG1478788
C28-C40 Oil Range	189		0.611	8.91	2	05/21/2020 12:21	WG1478788
(S) o-Terphenyl	65.2			18.0-148		05/21/2020 12:21	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 13:20

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	89.9		1	05/20/2020 23:22	WG1479819

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	793		51.2	111	5	05/19/2020 09:56	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0241	0.111	1	05/20/2020 02:16	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	88.4			77.0-120		05/20/2020 02:16	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000519	0.00111	1	05/20/2020 12:44	WG1479044
Toluene	U		0.00145	0.00556	1	05/20/2020 12:44	WG1479044
Ethylbenzene	U		0.000820	0.00278	1	05/20/2020 12:44	WG1479044
Total Xylenes	U		0.000979	0.00723	1	05/20/2020 12:44	WG1479044
(S) Toluene-d8	96.2			75.0-131		05/20/2020 12:44	WG1479044
(S) 4-Bromofluorobenzene	96.1			67.0-138		05/20/2020 12:44	WG1479044
(S) 1,2-Dichloroethane-d4	118			70.0-130		05/20/2020 12:44	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	35.5		1.79	4.45	1	05/21/2020 11:41	WG1478788
C28-C40 Oil Range	49.8		0.305	4.45	1	05/21/2020 11:41	WG1478788
(S) o-Terphenyl	67.2			18.0-148		05/21/2020 11:41	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 14:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.5		1	05/20/2020 23:22	WG1479819

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	764		49.2	107	5	05/19/2020 10:14	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0232	0.107	1	05/20/2020 02:36	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	89.0			77.0-120		05/20/2020 02:36	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000499	0.00107	1	05/20/2020 13:22	WG1479044
Toluene	U		0.00139	0.00535	1	05/20/2020 13:22	WG1479044
Ethylbenzene	U		0.000788	0.00267	1	05/20/2020 13:22	WG1479044
Total Xylenes	U		0.000941	0.00695	1	05/20/2020 13:22	WG1479044
(S) Toluene-d8	101			75.0-131		05/20/2020 13:22	WG1479044
(S) 4-Bromofluorobenzene	97.3			67.0-138		05/20/2020 13:22	WG1479044
(S) 1,2-Dichloroethane-d4	117			70.0-130		05/20/2020 13:22	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	112		3.44	8.56	2	05/21/2020 11:54	WG1478788
C28-C40 Oil Range	144		0.586	8.56	2	05/21/2020 11:54	WG1478788
(S) o-Terphenyl	73.6			18.0-148		05/21/2020 11:54	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/08/20 15:00

L1218741

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.5		1	05/20/2020 23:22	WG1479819

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	858		49.2	107	5	05/19/2020 10:32	WG1478252

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0253	J	0.0232	0.107	1	05/20/2020 02:57	WG1478903
(S) a,a,a-Trifluorotoluene(FID)	87.9			77.0-120		05/20/2020 02:57	WG1478903

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000499	0.00107	1	05/20/2020 13:41	WG1479044
Toluene	U		0.00139	0.00535	1	05/20/2020 13:41	WG1479044
Ethylbenzene	U		0.000788	0.00267	1	05/20/2020 13:41	WG1479044
Total Xylenes	U		0.000941	0.00695	1	05/20/2020 13:41	WG1479044
(S) Toluene-d8	98.8			75.0-131		05/20/2020 13:41	WG1479044
(S) 4-Bromofluorobenzene	96.2			67.0-138		05/20/2020 13:41	WG1479044
(S) 1,2-Dichloroethane-d4	113			70.0-130		05/20/2020 13:41	WG1479044

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	32.0		1.72	4.28	1	05/21/2020 11:27	WG1478788
C28-C40 Oil Range	42.6		0.293	4.28	1	05/21/2020 11:27	WG1478788
(S) o-Terphenyl	64.9			18.0-148		05/21/2020 11:27	WG1478788

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Total Solids by Method 2540 G-2011 L1218741-01,02,03,04,05,06,07,08,09,10

Method Blank (MB)

(MB) R3530356-1 05/20/20 22:59

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	%		%	%
Total Solids	0.00100			

L1218741-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1218741-02 05/20/20 22:59 • (DUP) R3530356-3 05/20/20 22:59

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	%	%		%		%
Total Solids	93.7	93.4	1	0.280		10

Laboratory Control Sample (LCS)

(LCS) R3530356-2 05/20/20 22:59

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	%	%	%	%	
Total Solids	50.0	50.1	100	85.0-115	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Total Solids by Method 2540 G-2011

[L1218741-11,12,13,14,15,16,17,18,19,20](#)

Method Blank (MB)

(MB) R3530359-1 05/20/20 23:05

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.000			

L1218741-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1218741-12 05/20/20 23:05 • (DUP) R3530359-3 05/20/20 23:05

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	94.3	93.1	1	1.20		10

Laboratory Control Sample (LCS)

(LCS) R3530359-2 05/20/20 23:05

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	%	%	%	%	
Total Solids	50.0	49.9	99.9	85.0-115	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Total Solids by Method 2540 G-2011

[L1218741-21,22,23,24,25,26,27,28,29,30](#)

Method Blank (MB)

(MB) R3530360-1 05/20/20 23:13

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.000			

L1218741-24 Original Sample (OS) • Duplicate (DUP)

(OS) L1218741-24 05/20/20 23:13 • (DUP) R3530360-3 05/20/20 23:13

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	96.8	96.6	1	0.270		10

Laboratory Control Sample (LCS)

(LCS) R3530360-2 05/20/20 23:13

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Total Solids by Method 2540 G-2011

L1218741-31,32,33

Method Blank (MB)

(MB) R3530365-1 05/20/20 23:22

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	%		%	%
Total Solids	0.00100			

Laboratory Control Sample (LCS)

(LCS) R3530365-2 05/20/20 23:22

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	%	%	%	%	
Total Solids	50.0	50.1	100	85.0-115	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

[L1218741-21,22,23,24,25,26,27,28,29,30,31,32,33](#)

Method Blank (MB)

(MB) R3529462-1 05/19/20 01:39

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Chloride	U		9.20	20.0

L1218741-33 Original Sample (OS) • Duplicate (DUP)

(OS) L1218741-33 05/19/20 10:32 • (DUP) R3529462-6 05/19/20 10:50

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	858	757	5	12.4		20

Laboratory Control Sample (LCS)

(LCS) R3529462-2 05/19/20 01:56

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Chloride	200	204	102	90.0-110	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Wet Chemistry by Method 300.0

[L1218741-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20](#)

Method Blank (MB)

(MB) R3529379-1 05/19/20 02:52

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Chloride	U		9.20	20.0

L1218741-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1218741-01 05/19/20 03:26 • (DUP) R3529379-3 05/19/20 03:35

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	U	U	1	0.000		20

L1218741-16 Original Sample (OS) • Duplicate (DUP)

(OS) L1218741-16 05/19/20 06:55 • (DUP) R3529379-6 05/19/20 07:05

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	U	U	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3529379-2 05/19/20 03:01

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Chloride	200	195	97.5	90.0-110	

L1218741-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1218741-13 05/19/20 05:49 • (MS) R3529379-4 05/19/20 05:58 • (MSD) R3529379-5 05/19/20 06:08

	Spike Amount (dry)	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Chloride	504	U	478	474	94.9	94.1	1	80.0-120			0.872	20

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO

L1218741-01,02,03,05,06,07,08,09,10,12,13,14,15

Method Blank (MB)

(MB) R3529780-3 05/19/20 18:39

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	107			77.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3529780-1 05/19/20 17:37 • (LCSD) R3529780-2 05/19/20 17:58

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	5.67	5.44	103	98.9	72.0-127			4.14	20
(S) a,a,a-Trifluorotoluene(FID)				94.4	92.8	77.0-120				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO

L1218741-16,17,18,19,20,21,22,23,24,26,27,28,29,30,31,32,33

Method Blank (MB)

(MB) R3530054-3 05/19/20 20:40

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	92.6			77.0-120

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3530054-1 05/19/20 19:38 • (LCSD) R3530054-2 05/19/20 19:59

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	4.84	5.01	88.0	91.1	72.0-127			3.45	20
(S) a,a,a-Trifluorotoluene(FID)				105	106	77.0-120				

L1218741-26 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1218741-26 05/20/20 03:38 • (MS) R3530054-4 05/20/20 03:59 • (MSD) R3530054-5 05/20/20 04:19

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	656	46.6	618	626	87.1	88.4	100	10.0-151			1.37	28
(S) a,a,a-Trifluorotoluene(FID)					106	106		77.0-120				

Volatile Organic Compounds (GC) by Method 8015D/GRO L1218741-25

Method Blank (MB)

(MB) R3530331-3 05/20/20 23:33

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	0.0220	⬇	0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	92.9			77.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3530331-1 05/20/20 21:57 • (LCSD) R3530331-2 05/20/20 22:51

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	5.38	5.49	97.8	99.8	72.0-127			2.02	20
(S) a,a,a-Trifluorotoluene(FID)				105	105	77.0-120				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO L1218741-04.11

Method Blank (MB)

(MB) R3530332-3 05/20/20 23:33

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	0.0220	⬇	0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	92.9			77.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3530332-1 05/20/20 21:57 • (LCSD) R3530332-2 05/20/20 22:51

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	5.38	5.49	97.8	99.8	72.0-127			2.02	20
(S) a,a,a-Trifluorotoluene(FID)				105	105	77.0-120				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1218741-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20

Method Blank (MB)

(MB) R3530065-2 05/19/20 20:56

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	99.8			75.0-131
(S) 4-Bromofluorobenzene	99.6			67.0-138
(S) 1,2-Dichloroethane-d4	113			70.0-130

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS)

(LCS) R3530065-1 05/19/20 18:27

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.128	102	70.0-123	
Ethylbenzene	0.125	0.115	92.0	74.0-126	
Toluene	0.125	0.110	88.0	75.0-121	
Xylenes, Total	0.375	0.349	93.1	72.0-127	
(S) Toluene-d8			96.1	75.0-131	
(S) 4-Bromofluorobenzene			98.9	67.0-138	
(S) 1,2-Dichloroethane-d4			124	70.0-130	

L1218741-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1218741-01 05/19/20 21:16 • (MS) R3530065-3 05/20/20 04:17 • (MSD) R3530065-4 05/20/20 04:36

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.126	U	0.108	0.108	85.6	85.6	1	10.0-149			0.000	37
Ethylbenzene	0.126	U	0.106	0.105	84.0	83.2	1	10.0-160			0.957	38
Toluene	0.126	U	0.0963	0.0939	76.6	74.6	1	10.0-156			2.54	38
Xylenes, Total	0.377	U	0.319	0.306	84.5	81.1	1	10.0-160			4.19	38
(S) Toluene-d8					99.9	97.8		75.0-131				
(S) 4-Bromofluorobenzene					99.2	98.3		67.0-138				
(S) 1,2-Dichloroethane-d4					117	116		70.0-130				

Volatile Organic Compounds (GC/MS) by Method 8260B

L1218741-21,22,23,24,26,27,28,29,30,31,32,33

Method Blank (MB)

(MB) R3529960-3 05/20/20 07:56

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	99.0			75.0-131
(S) 4-Bromofluorobenzene	99.2			67.0-138
(S) 1,2-Dichloroethane-d4	116			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3529960-1 05/20/20 06:40 • (LCSD) R3529960-2 05/20/20 06:59

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.132	0.129	106	103	70.0-123			2.30	20
Ethylbenzene	0.125	0.122	0.127	97.6	102	74.0-126			4.02	20
Toluene	0.125	0.112	0.112	89.6	89.6	75.0-121			0.000	20
Xylenes, Total	0.375	0.370	0.379	98.7	101	72.0-127			2.40	20
(S) Toluene-d8				98.1	98.4	75.0-131				
(S) 4-Bromofluorobenzene				99.1	102	67.0-138				
(S) 1,2-Dichloroethane-d4				127	127	70.0-130				

Volatile Organic Compounds (GC/MS) by Method 8260B

L1218741-25

Method Blank (MB)

(MB) R3530285-2 05/20/20 18:28

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	102			75.0-131
(S) 4-Bromofluorobenzene	98.9			67.0-138
(S) 1,2-Dichloroethane-d4	118			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3530285-1 05/20/20 17:31

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.130	104	70.0-123	
Ethylbenzene	0.125	0.123	98.4	74.0-126	
Toluene	0.125	0.113	90.4	75.0-121	
Xylenes, Total	0.375	0.378	101	72.0-127	
(S) Toluene-d8			96.4	75.0-131	
(S) 4-Bromofluorobenzene			96.8	67.0-138	
(S) 1,2-Dichloroethane-d4			126	70.0-130	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Semi-Volatile Organic Compounds (GC) by Method 8015 L1218741-01,02,03,04,05,06

Method Blank (MB)

(MB) R3529788-1 05/19/20 16:24

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	83.8			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3529788-2 05/19/20 16:40

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	42.8	85.6	50.0-150	
(S) o-Terphenyl			89.6	18.0-148	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

L1218741-07,08,09,10,11,12,13,14,15,16,17,18,19,20,21

Method Blank (MB)

(MB) R3529602-1 05/19/20 13:35

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	0.318	⌵	0.274	4.00
(S) o-Terphenyl	71.8			18.0-148

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3529602-2 05/19/20 13:48

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	38.4	76.8	50.0-150	
(S) o-Terphenyl			105	18.0-148	

L1218741-18 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1218741-18 05/19/20 23:49 • (MS) R3529602-3 05/20/20 00:02 • (MSD) R3529602-4 05/20/20 00:15

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	51.1	6.30	43.1	42.7	72.1	71.9	1	50.0-150			0.988	20
(S) o-Terphenyl					97.2	100		18.0-148				

Semi-Volatile Organic Compounds (GC) by Method 8015

L1218741-22,23,24,25,26,27,28,29,30,31,32,33

Method Blank (MB)

(MB) R3530060-1 05/20/20 16:07

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	0.433	J	0.274	4.00
(S) o-Terphenyl	74.5			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3530060-2 05/20/20 16:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	41.0	82.0	50.0-150	
(S) o-Terphenyl			118	18.0-148	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J7	Surrogate recovery cannot be used for control limit evaluation due to dilution.

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gi
8	Al
9	Sc

Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana ¹	LA180010	Texas	T104704245-18-15
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



Released to Imaging: 9/16/2022 2:04:51 PM

FEOLEX-4430 3423 7288

(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____



Tetra Tech, Inc.

901 West Wall Street, Suite 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:	Conoco Phillips	Site Manager:	Christian Llull
Project Name:	COP MCA 108	Contact Info:	Email: christian.llull@tetratech.com Phone: (512) 338-1667
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02175
Invoice to:	Accounts Payable 901 West Wall Street, Suite 100 Midland, Texas 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Joe Tyler
Comments:	COPTETRA Acctnum		

ANALYSIS REQUEST
(Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX			PRESERVATIVE METHOD				# CONTAINERS FILTERED (Y/N)		BTEX 8021B	BTEX 8260B / 624	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MRO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C / 625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride 300.0	Chloride Sulfate TDS	General Water Chemistry (see attached list)	Anion/Cation Balance	TPH 8015R	HOLD	
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	NONE																									
		DATE	TIME																															
21	AH-7 (4'-5')	05/08/20	1020		X			X			1	N	X	X														X						
22	AH-8 (0'-1')	05/08/20	1030		X			X			1	N	X	X														X						
23	AH-8 (2'-3')	05/08/20	1040		X			X			1	N	X	X														X						
24	AH-8 (4'-5')	05/08/20	1050		X			X			1	N	X	X														X						
25	T-1 (0'-1')	05/08/20	1200		X			X			1	N	X	X														X						
26	T-1 (2'-3')	05/08/20	1210		X			X			1	N	X	X														X						
27	T-1 (4'-5')	05/08/20	1220		X			X			1	N	X	X														X						
28	T-1 (6'-7')	05/08/20	1230		X			X			1	N	X	X														X						
29	T-1 (9'-10')	05/08/20	1240		X			X			1	N	X	X														X						
30	T-1 (12'-13')	05/08/20	1250		X			X			1	N	X	X														X						

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	5-13-20	15:00	<i>[Signature]</i>	5-13-20	15:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	5-13-20	17:45	<i>[Signature]</i>	5-13-20	17:45
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>			<i>[Signature]</i>	5-14-20	0845

LAB USE ONLY	REMARKS:
	<input checked="" type="checkbox"/> Standard
	<input type="checkbox"/> RUSH: Same Day - 24 hr. 48 hr. 72 hr.
	<input type="checkbox"/> Rush Charges Authorized
	<input type="checkbox"/> Special Report Limits or TRRP Report

ORIGINAL COPY


(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____

7-3-4 WY
AT

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

$$7-3=4 \text{ u✓}$$

Pace Analytical National Center for Testing & Innovation			
Cooler Receipt Form			
Client:	COP TETRA		21210741
Cooler Received/Opened On:	5 / 14 / 20	Temperature:	0.4
Received By:	Monte Smith		
Signature:			
Receipt Check List	NP	Yes	No
COC Seal Present / Intact?	/		
COC Signed / Accurate?		/	
Bottles arrive intact?		/	
Correct bottles used?		/	
Sufficient volume sent?		/	
If Applicable			
VOA Zero headspace?			
Preservation Correct / Checked?			

APPENDIX D


Photographic Documentation



TETRA TECH, INC. PROJECT NO. 212C-MD-02175	DESCRIPTION	View east of release extent. Site Coordinates: 32.809362°, -103.800769°	1
	SITE NAME	MCA 108 Flowline Release	5/8/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02175	DESCRIPTION	View west over release extent. Flowlines and mini-excavator visible.	2
	SITE NAME	MCA 108 Flowline Release	5/8/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02175	DESCRIPTION	View west over release extent. Flowlines and underground utility markings visible.	3
	SITE NAME	MCA 108 Flowline Release	5/8/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02175	DESCRIPTION	View of trench installed near the release point (T-1).	4
	SITE NAME	MCA 108 Flowline Release	5/8/2020

APPENDIX E

NMSLO Seed Mixture



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Lea County, New Mexico**

MCA 108 Flowline Release



August 21, 2020

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Lea County, New Mexico..... 13

 PY—Pyote soils and Dune land..... 13

References..... 15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report Soil Map




Custom Soil Resource Report


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)


Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit


 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water

 Perennial Water

 Rock Outcrop

 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole


 Slide or Slip


 Sodic Spot


 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals


Transportation

 Rails


 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 17, Jun 8, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PY	Pyote soils and Dune land	2.1	100.0%
Totals for Area of Interest		2.1	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

PY—Pyote soils and Dune land

Map Unit Setting

National map unit symbol: dmqr
Elevation: 3,000 to 4,400 feet
Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 64 degrees F
Frost-free period: 190 to 220 days
Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent
Dune land: 44 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote

Setting

Landform: Depressions
Landform position (two-dimensional): Footslope
Landform position (three-dimensional): Base slope
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water capacity: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R042XC003NM - Loamy Sand
Hydric soil rating: No

Custom Soil Resource Report

Description of Dune Land

Setting

Landform: Dunes

Landform position (two-dimensional): Backslope, shoulder

Landform position (three-dimensional): Side slope

Down-slope shape: Linear, convex

Across-slope shape: Convex

Typical profile

A - 0 to 6 inches: fine sand

C - 6 to 60 inches: fine sand

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 8e

Hydrologic Soil Group: A

Hydric soil rating: No

Minor Components

Kermi

Percent of map unit: 5 percent

Ecological site: R042XC022NM - Sandhills

Hydric soil rating: No

Maljamar, fine sand

Percent of map unit: 3 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

Wink

Percent of map unit: 2 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

NMSLO Seed Mix**Sandy Loam (SL)****SANDY LOAM (SL) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
<u>Grasses:</u>			
Galleta grass	Viva, VNS, So.	2.5	F
Little bluestem	Cimmaron, Pastura	2.5	F
Blue grama	Hachita, Lovington	2.0	D
Sideoats grama	Vaughn, El Reno	2.0	F
Sand dropseed	VNS, Southern	1.0	S
<u>Forbs:</u>			
Indian blanketflower	VNS, Southern	1.0	D
Parry penstemon	VNS, Southern	1.0	D
Blue flax	Appar	1.0	D
Desert globemallow	VNS, Southern	1.0	D
<u>Shrubs:</u>			
Fourwing saltbush	VNS, Southern	2.0	D
Common winterfat	VNS, Southern	1.0	F
Apache plume	VNS, Southern	0.75	F
Total PLS/acre		17.75	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

- VNS, Southern – No Variety Stated, seed should be from a southern latitude collection of this species.
- Double above seed rates for broadcast or hydroseeding.
- If Parry penstemon is not available, substitute firecracker penstemon.
- If desert globemallow is not available, substitute scarlet globemallow or Nelson globemallow.
- If a species is not available, provide a suggested substitute to the New Mexico Land Office for approval. Increasing all other species proportionately may be acceptable.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 10387

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 10387
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
bhall	Processing a previously approved workplan. Workplan approved by Bradford Billings on 02/15/2021.	9/16/2022