



April 26, 2021

Mr. Cory Smith
New Mexico Oil Conservation Division
1000 Rio Brazos Road
Aztec, NM 87410

**Subject: Quarter 1 2021 - Quarterly SVE System Update
Hilcorp Energy Company
OH Randel #5
San Juan County, New Mexico
API # 30-045-05964
Incident # NVF1602039091**

Dear Mr. Smith:

WSP USA Inc. (WSP, formerly LT Environmental, Inc.), on behalf of Hilcorp Energy Company (Hilcorp), presents the following first quarter 2021 summary report discussing the soil vapor extraction (SVE) system performance at the OH Randel #5 natural gas production well (Site). This report is being submitted as part of the proposed timeline of remediation events in the Pilot Test Results submitted to the New Mexico Oil Conservation Division (NMOCD) on August 6, 2019.

An SVE system was originally installed by XTO Energy in 2016. Based on prior delineation events and the pilot test, an additional five SVE wells were installed on August 23, 2019 by Hilcorp. SVE well configuration and screen intervals are presented in Figure 1. In total, the SVE system consists of a two-horsepower Atlantic AB-301 regenerative blower capable of producing 110 cubic feet per minute (cfm) at 72 inches of water column vacuum. The blower is connected to an adjustable manifold that allows control over which SVE wells are currently active.

The first quarter 2021 sample was subsequently collected on February 10, 2021. The air samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX) by United States Environmental Protection Agency (EPA) Method 8021, and total volatile petroleum hydrocarbons (TVPH) via EPA Method 8015. Laboratory analytical results are summarized in Table 1. Laboratory analytical reports for the November 2020 and February 2021 sampling events are attached in Enclosure A.

Once the system was operational, site visits by Hilcorp personnel resumed on a bi-weekly basis to ensure the system was operating, maximize runtime efficiency, and conduct any required system maintenance. The air sample data collected to date and measured stack flow rate were utilized to calculate total emissions for the system up to February 10, 2021 (Table 2). As of February 2021, the total operational time of the system was 23,100 hours with an estimated mass source removal via the SVE system of 618,363 pounds of TVPH.

CONCLUSIONS AND RECOMMENDATIONS

Mechanical issues have greatly reduced the operational runtime of the current SVE system since it was updated in 2019. Because of the low runtime, it is unlikely that the site can meet the original estimated remediation timeline set forth in the *Remediation Work Plan* prepared by LT Environmental Inc. (dated April 1, 2019). Additionally, due to the mechanical issues of the current system, WSP and Hilcorp plan to remove the current SVE system and install a larger system in the summer of 2021 (assuming equipment is available at that time) that is capable of meeting the vacuum requirements of the site and achieve NMOCD Table 1 Closure Criteria in a timely manner. At this time, the replacement system is anticipated to be able to induce the necessary vacuum on all SVE wells at the Site without the need to rotate the SVE system on a bi-weekly basis. The planned system will consist of a 20-horsepower blower cable of producing a maximum flow of 1,100 cfm at 90 inches of water column vacuum.

WSP USA
848 EAST 2ND AVENUE
DURANGO CO 81301

Tel.: 970-385-1096
wsp.com



Hilcorp will continue to maintain, monitor, and sample the current SVE system until the new system is installed. After installation, a report will be prepared that outlines the specifications of the system and proposes a new remediation timeline for the site.

WSP appreciates the opportunity to provide this report to the NMOCD. If you have any questions or comments regarding this work plan, do not hesitate to contact me at (970) 385-1096 or via email at stuart.hyde@wsp.com or Clara Cardoza at (505) 793-2784 or at ccardoza@hilcorp.com.

Kind regards,

A handwritten signature in black ink, appearing to read 'Stuart'.

Stuart Hyde, L.G.
Environmental Geologist

A handwritten signature in black ink, appearing to read 'Ashley L. Ager'.

Ashley Ager, M.S., P.G.
Senior Geologist

Enclosures:

Figure 1 – Site Location Map

Table 1 – Air Sample Results Summary

Table 2 – Soil Vapor Extraction System Recovery & Emissions Summary

Enclosure A – Analytical Laboratory Reports

FIGURES




IMAGE COURTESY OF GOOGLE EARTH 2019

LEGEND

RELEASE LOCATION



SOIL VAPOR EXTRACTION (SVE) WELL

INFERRED BTEX ISOCONCENTRATION (PARTS PER MILLION)

50.00 - 200.00	50.00 - 100.00
200.01 - 400.00	100.01 - 200.00
400.01 - 600.00	200.01 - 300.00
> 600.00	




FIGURE 1
SVE SYSTEM LAYOUT
OH RANDEL #5
NWNW SEC 10 T26N R11W
SAN JUAN COUNTY, NEW MEXICO
HILCORP ENERGY COMPANY



P:\Hilcorp\GIS\MXD\17818016_OH RANDEL #5\17818016_OH RANDEL #5_FIG01_SVE_LAYOUT_2020.mxd

TABLES

TABLE 1
SOIL VAPOR EXTRACTION SYSTEM ANALYTICAL RESULTS

OH RANDEL #5
SAN JUAN COUNTY, NEW MEXICO
HILCORP ENERGY COMPANY

Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	TVPH (µg/L)	PID (ppm)
8/11/2016	160	1,700	61	500	46,000	4,072
8/17/2018	130	230	10	110	8,900	719
6/28/2019	7,200	15,000	360	3,000	460,000	1,257
12/16/2019	1,800	4,400	83	660	170,000	1,685
3/10/2020	1,700	3,300	89	700	130,000	897
4/30/2020 (1)	2,440	4,737	128	1,005	186,592	1,853
6/24/2020 (1)	NT	NT	NT	NT	NT	NT
11/10/2020	320	1,100	43	380	43,000	1,385
2/10/2021	360	950	35	250	32,000	865

Notes:

(1) - blower not operational for sampling from May to October 2020

µg/L - micrograms per Liter

PID - photoionization detector

ppm - parts per million

TVPH - total volatile petroleum hydrocarbons

NT - not tested

TABLE 2
SOIL VAPOR EXTRACTION SYSTEM RECOVERY & EMISSIONS SUMMARY

OH RANDEL #5
SAN JUAN COUNTY, NEW MEXICO
HILCORP ENERGY COMPANY

Sample Information and Lab Analysis

Date	Total Flow (cf)	Delta Flow (cf)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	TVPH (µg/L)	PID (ppm)
8/11/2016	31,185	31,185	160	1,700	61	500	46,000	4,072
8/17/2018	59,647,485	59,616,300	130	230	10	110	8,900	719
12/16/2019	109,635,885	49,988,400	1,800	4,400	83	660	170,000	1,902
3/10/2020	121,707,285	12,071,400	1,700	3,300	89	700	130,000	897
4/30/2020 (1)	130,917,885	9,210,600	2,440	4,737	128	1,005	186,592	1,853
6/24/2020	Blower Not Operational (2)							
11/10/2021	130,917,885	0	320	1,100	43	380	43,000	1,385
2/10/2021	145,370,085	14,452,200	360	950	35	250	32,000	865
Average			987	2,345	64	515	88,070	1,889

Vapor Extraction Calculations

Date	Flow Rate (cfm)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Xylenes (lb/hr)	TVPH (lb/hr)
8/11/2016	105	0.1	0.7	0.02	0.2	18.1
8/17/2018	100	0.1	0.4	0.01	0.1	10.3
12/16/2019	110	0.4	1.0	0.02	0.2	36.8
3/10/2020	110	0.7	1.6	0.04	0.3	61.7
4/30/2020 (1)	105	0.8	1.6	0.04	0.3	62.2
6/24/2020	Blower Not Operational (2)					
11/10/2021	105	0.0	0.0	0.00	0.0	0.0
2/10/2021	105	0.1	0.4	0.02	0.1	14.7
Average	106	0.4	0.9	0.02	0.2	34.0

Pounds Extracted Over Operating Time

Date	Total Operational Hours	Delta Hours	Benzene (lbs)	Toluene (lbs)	Ethylbenzene (lbs)	Xylenes (lbs)	TVPH (lbs)	TVPH (tons)
8/11/2016	Startup							
8/11/2016	5.0	5.0	0.3	3.3	0.1	1.0	89.4	0.0
8/17/2018	9,941	9,936	539	3,586	132	1,133	102,009	51
12/16/2019	17,515	7,574	3,007	7,214	145	1,200	278,728	139
3/10/2020	19,344	1,829	1,317	2,897	65	512	112,870	56
4/30/2020 (1)	20,806	1,462	1,188	2,307	62	489	90,884	45
6/24/2020	Blower Not Operational (2)							
11/10/2021	20,806	0	0	0	0	0	0	0
2/10/2021	23,100	2,294	306	923	35	284	33,783	17
Total Extracted to Date			6,358	16,930	439	3,619	618,363	309

NOTES:

(1) - data extrapolated from PID measurements

(2) - blower not operational for sampling in May and June 2020

cf - cubic feet

cfm - cubic feet per minute

µg/l - micrograms per liter

lbs - pounds

lb/hr - pounds per hour

PID - photo-ionization detector

ppm - part per million

TVPH - total volatile petroleum hydrocarbons

ENCLOSURE A –ANALYTICAL LABORATORY REPORTS



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

December 08, 2020

Clara Cardoza

Hilcorp Energy

PO Box 61529

Houston, TX 77208-1529

TEL: (337) 276-7676

FAX:

RE: OH Randel 5

OrderNo.: 2011573

Dear Clara Cardoza:

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/11/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a light blue horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 2011573

Date Reported: 12/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Hilcorp Energy

Client Sample ID: Influent 11-10-20

Project: OH Randel 5

Collection Date: 11/10/2020 1:30:00 PM

Lab ID: 2011573-001

Matrix: AIR

Received Date: 11/11/2020 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	43000	500		µg/L	100	11/16/2020 12:40:11 PM	R73408
Surr: BFB	95.9	70-130		%Rec	100	11/16/2020 12:40:11 PM	R73408
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: DJF
Benzene	320	5.0		µg/L	50	11/15/2020 3:03:52 PM	SL73373
Toluene	1100	10	E	µg/L	100	11/16/2020 12:40:11 PM	A73408
Ethylbenzene	43	5.0		µg/L	50	11/15/2020 3:03:52 PM	SL73373
Xylenes, Total	380	7.5		µg/L	50	11/15/2020 3:03:52 PM	SL73373
Surr: 1,2-Dichloroethane-d4	64.3	70-130	S	%Rec	50	11/15/2020 3:03:52 PM	SL73373
Surr: 4-Bromofluorobenzene	104	70-130		%Rec	50	11/15/2020 3:03:52 PM	SL73373
Surr: Dibromofluoromethane	71.9	70-130		%Rec	50	11/15/2020 3:03:52 PM	SL73373
Surr: Toluene-d8	106	70-130		%Rec	50	11/15/2020 3:03:52 PM	SL73373

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.051
Gillette, WY 866.686.7175 • Helena, MT 877.472.071

ANALYTICAL SUMMARY REPORT

November 18, 2020

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: G20110267
Project Name: Not Indicated

Energy Laboratories Inc. Gillette WY received the following 1 sample for Hall Environmental on 11/12/2020 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
G20110267-001	2011573-001B; Influent 11-10-20	11/10/20 13:30	11/12/20	Gas	Natural Gas Analysis - BTU Natural Gas Analysis - Compressibility Factor Natural Gas Analysis - GPM Natural Gas Analysis - Molecular Weight Natural Gas Analysis - Routine Natural Gas Analysis - Pressure Base Natural Gas Analysis - Psuedo- Critical Pressure Natural Gas Analysis - Psuedo- Critical Temperature Natural Gas Analysis - Specific Gravity Natural Gas Analysis - Temperature Base

The analyses presented in this report were performed by Energy Laboratories, Inc., 400 W. Boxelder Rd., Gillette, WY 82718, unless otherwise noted. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these tests results, please contact your Project Manager.

Report Approved By:



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Hall Environmental
Project: Not Indicated
Client Sample ID: 2011573-001B; Influent 11-10-20
Location:
Lab ID: G20110267-001

Report Date: 11/18/20
Collection Date: 11/10/20 13:30
Date Received: 11/12/20
Sampled By: Not Provided

Analyses	Result	Units	Qualifier	Method	Analysis Date / By
----------	--------	-------	-----------	--------	--------------------

NATURAL GAS CHROMATOGRAPHIC ANALYSIS REPORT

Oxygen	21.447	Mol %		GPA 2261	11/18/20 09:12 / djb
Nitrogen	77.542	Mol %		GPA 2261	11/18/20 09:12 / djb
Carbon Dioxide	0.353	Mol %		GPA 2261	11/18/20 09:12 / djb
Hydrogen Sulfide	< 0.001	Mol %		GPA 2261	11/18/20 09:12 / djb
Methane	< 0.001	Mol %		GPA 2261	11/18/20 09:12 / djb
Ethane	0.001	Mol %		GPA 2261	11/18/20 09:12 / djb
Propane	0.012	Mol %		GPA 2261	11/18/20 09:12 / djb
Isobutane	0.021	Mol %		GPA 2261	11/18/20 09:12 / djb
n-Butane	0.068	Mol %		GPA 2261	11/18/20 09:12 / djb
Isopentane	0.085	Mol %		GPA 2261	11/18/20 09:12 / djb
n-Pentane	0.083	Mol %		GPA 2261	11/18/20 09:12 / djb
Hexanes plus	0.388	Mol %		GPA 2261	11/18/20 09:12 / djb

GPM @ STD COND/1000 CU.FT., MOISTURE FREE GAS

GPM Ethane	< 0.0003	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM Propane	0.0030	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM Isobutane	0.0070	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM n-Butane	0.0210	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM Isopentane	0.0310	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM n-Pentane	0.0300	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM Hexanes plus	0.1690	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM Pentanes plus	0.2290	gal/MCF		GPA 2261	11/18/20 09:12 / djb
GPM Total	0.2610	gal/MCF		GPA 2261	11/18/20 09:12 / djb

CALCULATED PROPERTIES

Calculation Pressure Base	14.730	psia		GPA 2261	11/18/20 09:12 / djb
Calculation Temperature Base	60	°F		GPA 2261	11/18/20 09:12 / djb
Compressibility Factor, Z	1.0000	unitless		GPA 2261	11/18/20 09:12 / djb
Molecular Weight	29.27	unitless		GPA 2261	11/18/20 09:12 / djb
Pseudo-critical Pressure, psia	547	psia		GPA 2261	11/18/20 09:12 / djb
Pseudo-critical Temperature, deg R	244	deg R		GPA 2261	11/18/20 09:12 / djb
Specific Gravity (air=1.000)	1.014	unitless		GPA 2261	11/18/20 09:12 / djb
Gross BTU per cu ft @ std cond, dry	29.87	BTU/cu ft		GPA 2261	11/18/20 09:12 / djb
Gross BTU per cu ft @ std cond, wet	29.35	BTU/cu ft		GPA 2261	11/18/20 09:12 / djb

Report RL - Analyte Reporting Limit

Definitions: QCL - Quality Control Limit

MCL - Maximum Contaminant Level

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Gillette, WY Branch

Client: Hall Environmental

Work Order: G20110267

Report Date: 11/18/20

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261								Analytical Run: R261245		
Lab ID: ICV-2011180843	12 Initial Calibration Verification Standard								11/18/20 08:44	
Oxygen		0.394	Mol %	0.001	98	75	110			
Nitrogen		5.149	Mol %	0.001	103	90	110			
Carbon Dioxide		4.905	Mol %	0.001	99	90	110			
Hydrogen Sulfide		0.128	Mol %	0.001	129	100	136			
Methane		73.169	Mol %	0.001	100	90	110			
Ethane		5.002	Mol %	0.001	101	90	110			
Propane		5.009	Mol %	0.001	100	90	110			
Isobutane		1.987	Mol %	0.001	99	90	110			
n-Butane		1.969	Mol %	0.001	98	90	110			
Isopentane		0.985	Mol %	0.001	99	90	110			
n-Pentane		0.996	Mol %	0.001	100	90	110			
Hexanes plus		0.307	Mol %	0.001	102	90	110			
Lab ID: CCV-2011180848	12 Continuing Calibration Verification Standard								11/18/20 08:49	
Oxygen		0.616	Mol %	0.001	103	90	110			
Nitrogen		1.317	Mol %	0.001	94	85	110			
Carbon Dioxide		0.958	Mol %	0.001	96	90	110			
Hydrogen Sulfide		0.031	Mol %	0.001	124	70	130			
Methane		93.502	Mol %	0.001	100	90	110			
Ethane		1.017	Mol %	0.001	102	90	110			
Propane		1.014	Mol %	0.001	101	90	110			
Isobutane		0.494	Mol %	0.001	99	90	110			
n-Butane		0.495	Mol %	0.001	99	90	110			
Isopentane		0.200	Mol %	0.001	100	90	110			
n-Pentane		0.201	Mol %	0.001	100	90	110			
Hexanes plus		0.155	Mol %	0.001	103	90	110			
Lab ID: CCV-2011180925	12 Continuing Calibration Verification Standard								11/18/20 09:25	
Oxygen		0.640	Mol %	0.001	107	90	110			
Nitrogen		1.397	Mol %	0.001	100	85	110			
Carbon Dioxide		0.956	Mol %	0.001	96	90	110			
Hydrogen Sulfide		0.032	Mol %	0.001	128	70	130			
Methane		93.410	Mol %	0.001	100	90	110			
Ethane		1.015	Mol %	0.001	101	90	110			
Propane		1.012	Mol %	0.001	101	90	110			
Isobutane		0.493	Mol %	0.001	98	90	110			
n-Butane		0.493	Mol %	0.001	98	90	110			
Isopentane		0.199	Mol %	0.001	100	90	110			
n-Pentane		0.199	Mol %	0.001	100	90	110			
Hexanes plus		0.154	Mol %	0.001	103	90	110			
Method: GPA 2261								Batch: R261245		
Lab ID: G20110267-001ADUP	12 Sample Duplicate							Run: Varian GC_201118A		
Oxygen		21.445	Mol %	0.001				0.0	20	11/18/20 09:16
Nitrogen		77.540	Mol %	0.001				0.0	10	
Carbon Dioxide		0.353	Mol %	0.001				0.0	10	

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Gillette, WY Branch

Client: Hall Environmental

Work Order: G20110267

Report Date: 11/18/20

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261									Batch: R261245	
Lab ID: G20110267-001ADUP 12 Sample Duplicate									Run: Varian GC_201118A	
									11/18/20 09:16	
Hydrogen Sulfide		< 0.001	Mol %	0.001					10	
Methane		< 0.001	Mol %	0.001					10	
Ethane		0.001	Mol %	0.001				0.0	10	
Propane		0.013	Mol %	0.001				8.0	10	
Isobutane		0.021	Mol %	0.001				0.0	10	
n-Butane		0.068	Mol %	0.001				0.0	10	
Isopentane		0.085	Mol %	0.001				0.0	10	
n-Pentane		0.083	Mol %	0.001				0.0	10	
Hexanes plus		0.391	Mol %	0.001				0.8	10	

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

Work Order Receipt Checklist

Hall Environmental

G20110267

Login completed by: Chantel S. Johnson

Date Received: 11/12/2020

Reviewed by: Misty Stephens

Received by: csj

Reviewed Date: 11/13/2020

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>
Container/Temp Blank temperature:	°C		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:


Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

Contact and Corrective Action Comments:

None



CHAIN OF CUSTODY RECORD

1 1 1

Hall Environmental Analysis Laboratory

4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975

FAX: 505-345-4107

Website: clients.hallenvironmental.com

SUB CONTRACTOR: Energy Labs-Gillette		COMPANY: Energy Laboratories		PHONE: (866) 686-7175		FAX:	
ADDRESS: 400 W Boxelder Rd				ACCOUNT #:		EMAIL:	
CITY, STATE, ZIP: Gillette, WY 82718							
ITEM	SAMPLE	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	COLLECTION DATE	# CONTAINERS	ANALYTICAL COMMENTS
1	2011573-001B	Influent 11-10-20	TEDLAR	Air	11/10/2020 1:30:00 PM	1 Fixed gases	

SPECIAL INSTRUCTIONS/COMMENTS:

Please include the LAB ID and the CLIENT SAMPLE ID on all final reports. Please e-mail results to lab@hallenvironmental.com. Please return all coolers and blue ice. Thank you.

Relinquished By: <i>EW</i>	Date: 11/11/2020	Time: 8:29 AM	Received By:	Date:	Time:	REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARD COPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE FOR LAB USE ONLY Temp of samples: _____ °C Attempt to Cool? _____ Comments: <i>2011020107</i>
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: <input checked="" type="radio"/> Standard <input type="radio"/> RUSH	Next BD <input type="checkbox"/>	2nd BD <input type="checkbox"/>	3rd BD <input type="checkbox"/>			



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: Hilcorp Energy

Work Order Number: 2011573

RcptNo: 1

Received By: Desiree Dominguez 11/11/2020 8:00:00 AM

Completed By: Emily Mocho 11/11/2020 8:23:46 AM

Reviewed By: ENM 11/11/20

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☐ No ☐ NA ☒
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☒ No ☐ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted? _____

Checked by: JR 11/11/20

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

February 18, 2021

Stuart Hyde

HILCORP ENERGY

PO Box 4700

Farmington, NM 87499

TEL: (505) 564-0733

FAX:

RE: OH Randel 5

OrderNo.: 2102664

Dear Stuart Hyde:

Hall Environmental Analysis Laboratory received 1 sample(s) on 2/12/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 2102664

Date Reported: 2/18/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: Influent 2/10

Project: OH Randel 5

Collection Date: 2/10/2021 12:15:00 PM

Lab ID: 2102664-001

Matrix: AIR


Received Date: 2/12/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	32000	500		µg/L	100	2/16/2021 11:41:07 AM
Surr: BFB	122	28.9-257		%Rec	100	2/16/2021 11:41:07 AM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Methyl tert-butyl ether (MTBE)	ND	25		µg/L	100	2/16/2021 11:41:07 AM
Benzene	360	10		µg/L	100	2/16/2021 11:41:07 AM
Toluene	950	10		µg/L	100	2/16/2021 11:41:07 AM
Ethylbenzene	35	10		µg/L	100	2/16/2021 11:41:07 AM
Xylenes, Total	250	20		µg/L	100	2/16/2021 11:41:07 AM
Surr: 4-Bromofluorobenzene	98.2	79.9-124		%Rec	100	2/16/2021 11:41:07 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 1 of 1



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2102664

RcptNo: 1

Received By: Desiree Dominguez 2/12/2021 7:30:00 AM

Completed By: Sean Livingston 2/12/2021 9:24:37 AM

Reviewed By: *an* 2/12/21

DD
Sean Livingston

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:
(<2 or >12 unless noted)

Adjusted? _____

Checked by: *SPA 2.12.21*Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	NA	Good	Yes			

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27943

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 27943
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Accepted for the record. See App ID 125248 for most updated status.	9/22/2022