Page 1 of 289

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

## **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<50 (ft bgs)	
Did this release impact groundwater or surface water?	Yes X No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	Yes X No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Yes X No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	Yes X No	
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No	
Are the lateral extents of the release overlying a subsurface mine?	Yes X No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	Yes X No	
Are the lateral extents of the release within a 100-year floodplain?	Yes X No	
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		

### Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 10/10/2022 8:22:51 AM
Form C-141 State of New Mexico
Page 4 Oil Conservation Division

Page 2 of 289

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: EHS Professional	
Signature: Dals Woodall	Date: _10/10/2022	
email:dale.woodall@dvn.com	Telephone:575-748-1838	
OCD Only		
Received by:	Date:	

Page 3 of 289 Incident ID nKJ1602628821 District RP 1RP-4116 Facility ID Application ID

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be included in the plan.				
Detailed description of proposed remediation technique  Scaled sitemap with GPS coordinates showing delineation points  Estimated volume of material to be remediated  Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC  Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)				
Deferral Requests Only: Each of the following items must be con	firmed as part of any request for deferral of remediation.			
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.				
Extents of contamination must be fully delineated.				
Contamination does not cause an imminent risk to human health.	the environment, or groundwater.			
I hereby certify that the information given above is true and complete rules and regulations all operators are required to report and/or file complicitly should their operations have failed to adequately investigate surface water, human health or the environment. In addition, OCD a responsibility for compliance with any other federal, state, or local laterals.	ertain release notifications and perform corrective actions for releases ace of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, cceptance of a C-141 report does not relieve the operator of			
Printed Name: Dale Woodall	Title: EHS Professional			
Signature: Dale Woodall Date: 10/10/2022				
email: <u>dale.woodall@dvn.com</u> Telephone: <u>575-748-1838</u>				
OCD Only				
Received by:	Date:			
Approved Approved with Attached Conditions of A	Approval			
Signature:	Date:			

Page 4 of 289

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following i	tems must be included in the closure report.		
X A scaled site and sampling diagram as described in 19.15.29.11 NMAC			
New Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)			
X Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)			
X Description of remediation activities			
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rephuman health or the environment. In addition, OCD acceptance of	ations. The responsible party acknowledges they must substantially anditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete.  Title: EHS Professional		
email: dale.woodall@dvn.com	Telephone: 575-748-1838		
OCD Only			
Received by:	Date:		
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.		
Closure Approved by:	Date: _ 10/26/2022		
Printed Name: Jennifer Nobui	Title: Environmental Specialist A		



July 19, 2022 Vertex Project #: 22E-01101

Spill Closure Report: Gaucho Unit 6H CTB

Section 17, Township 22 South, Range 34 East

API: N/A County: Lea

Incident Reports: nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

Prepared For: Devon Energy Production Company

6488 Seven Rivers Highway Artesia, New Mexico 88210

New Mexico Oil Conservation Division - District 1 - Hobbs

1625 North French Drive Hobbs, New Mexico 88210

Devon Energy Production Company (Devon) retained Vertex Resource Services Inc. (Vertex) to conduct a Spill Assessment for multiple releases that occurred at Gaucho Unit 6H CTB, incidents nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579 (hereafter referred to as "Gaucho"). Devon provided spill notifications to the New Mexico Oil Conservation District (NMOCD) District 1, via submission of initial C-141 Release Notifications (Attachment 1). This letter provides a description of the spill assessment and includes a request for spill closure. The spill area is located at N 32.386493, W -103.486060.

### **Background**

The site is located approximately 15 miles southwest of Oil Center, New Mexico (Google Inc., 2022). The legal location for the site is Section 17, Township 22 South and Range 34 East in Lea County, New Mexico. The spill area is located on Bureau of Land Management (BLM) property. An aerial photograph and site schematic are included in Figures 1 and 2 (Attachment 2).

The Geological Map of New Mexico indicates the surface geology at Gaucho is comprised of Qep – eolian and piedmont deposits that include eolian sands interlaid with piedmont-slope deposits (New Mexico Bureau of Geology and Mineral Resources, 2022). The Natural Resources Conservation Service Web Soil Survey characterizes the soil at the site as Kermit soils and Dune land, characterized by fine sand. It tends to be excessively drained with low to very low runoff and low available moisture levels in the soil profile (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

The surrounding landscape is associated with plains, hills, and dunes typical of elevations of 2,842 to 4,500 feet above sea level. The climate is semi-arid, with average annual precipitation ranging between 8 and 13 inches. Historically, the plant community was dominated by a mixture of grasses, shrubs and forbs. Sand bluestem and giant dropseed are the dominant grasses; sand shinnery oak and soapweed yucca are the dominant shrubs (United States Department of Agriculture, Natural Resources Conservation Service, 2022). Limited to no vegetation is allowed to grow on the vertex.ca

2022 Spill Assessment and Closure

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

compacted facility pad.

There is no surface water located on-site. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 of the New Mexico Administrative Code (NMAC), is an intermittent stream, located 1 mile southeast of the site (United States Fish and Wildlife Service; National Wetlands Inventory, 2021). There are no continuously flowing watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features at Gaucho as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

### **Incident Descriptions**

#### nKJ1602628821

The first release occurred on January 22, 2016, due to a separator clamp being turned on while a leak was being repaired. The spill was reported on January 25, 2016, and involved the release of approximately 30 barrels (bbl.) of produced water on the pad site near the heater treater. Approximately 20 bbl. of free fluid was removed during initial spill clean-up.

#### nOY1727243107

The second release occurred on September 14, 2017, due to an oil tank running over. The spill was reported on September 14, 2017, and involved the release of approximately 30 bbl. of oil into the secondary lined containment. Approximately 30 bbl. of free fluid was removed during initial spill clean-up.

#### nAPP2201348579

The third release occurred on December 28, 2021, due to fluid running out of the tube from the heater. The spill was reported on January 12, 2022, and involved the release of approximately 7 bbl. into the secondary lined containment and outside of containment onto the engineered pad. Approximately 5 bbl. of free fluid was removed during initial spill clean-up.

#### nAPP2208733407

The fourth release occurred on March 25, 2022, due to high line pressure causing the oil dump to hang open sending gas to the oil tank. The spill was reported on March 28, 2022, involved the release of approximately 8 bbl. into the secondary lined containment and onto the engineered pad. Approximately 7 bbls. Of free fluid was removed during initial spill clean-up.

All releases were assessed through remediation efforts at the same time. The NMOCD C-141 Reports nKJ1602628821, nOY1727243107, nAPP2201348579, and nAPP2208733407 are included in Attachment 1. The characterization schematic is presented on Figure 1 (Attachment 2). Field screening and laboratory analysis from the initial site visit are presented in Table 2 (Attachment 3). The Daily Field Report (DFRs), site photographs and Daily Soil Sampling Reports (DSSs) are included in Attachment 4.

#### **Closure Criteria Determination**

The depth to groundwater was determined using information from the United States Geological Survey National Water Information Mapping System and Office of the State Engineers Water Rights Database. A 0.5-mile search radius was

**2022 Spill Assessment and Closure** 

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

used to determine groundwater depth. The closest recorded depth to groundwater was determined to be 605 feet below ground surface (bgs) and 0.8 miles from Gaucho (New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System, 2022). Documentation used in Closure Criteria Determination research is included in Attachment 5.

Clos	sure Criteria Worksheet		
Site	Name: Gaucho Unit 6H CTB		
Spil	l Coordinates:	X: 32.3862648	Y: -103.4856415
Site	Specific Conditions	Value	Unit
1	Depth to Groundwater	605	feet
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	5,309	feet
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	15,378	feet
4	Within 300 feet from an occupied residence, school, hospital, institution or church	18,491	feet
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, <b>or</b>	4,225	feet
	ii) Within 1000 feet of any fresh water well or spring	4,225	feet
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)
7	Within 300 feet of a wetland	8,106	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
9	Within an unstable area (Karst Map)	Low	Critical High Medium Low
10	Within a 100-year Floodplain	Undetermined	year
11	Soil Type	Fine sand	
12	Ecological Classification	Sandhills	
13	Geology	Eolian and piedmont deposits	
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	<50'	<50' 51-100' >100'

**2022 Spill Assessment and Closure** 

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

Based on data included in the closure criteria determination worksheet, the release at Gaucho is not subject to the requirements of Paragraph (4) of Subsection C of 19.15.29.12 of the New Mexico Administrative Code (NMAC; New Mexico Oil Conservation Division, 2018). The nearest depth to groundwater reference is more than 0.5 miles from the site; therefore, the closure criteria for the incident assume the most stringent conditions (depth to groundwater <50 feet bgs) and are determined to be associated with the following constituent concentration limits as presented in Table 1.

Table 1. Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within the horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Limit	
less than 10,000 mg/1 1D3		-	
	Chloride	600 mg/kg	
< 50 feet	TPH (GRO+DRO+MRO)	100 mg/kg	
< 50 feet	ВТЕХ	50 mg/kg	
	Benzene	10 mg/kg	

<sup>&</sup>lt;sup>1</sup>Total dissolved solids (TDS)

### **Remedial Actions Taken**

An initial site inspection of the spill area was completed on May 18, 2022, which identified the areas of the spill specified in the initial C-141 Reports and estimated the approximate impacted area. The impacted area near the tank battery containment was determined to be approximately 18 feet long and 8 feet wide, and approximately 73 feet long and 70 feet wide near the heater treater; the total affected area for the release area was determined to be 82 square feet for the area near the tank battery containment and 1,953 square feet for the release area near the heater treater. Laboratory results from initial characterization are provided in Table 2 and Table 3 (Attachment 3). The DFRs and DSSs associated with the site inspections are included in Attachment 4. Aerial site schematics are included on Figures 1 and 2 (Attachment 2).

Remediation efforts began on June 16, 2022, and were completed on July 8, 2022. Vertex personnel supervised the excavation of impacted soils. Field screening was completed for the guidance of excavation and consisted of analysis using a Photo Ionization Detector (volatile hydrocarbons), Dexsil Petroflag using EPA SW-846 Method 9074 (extractable hydrocarbons) and EC Meter (chlorides). Field screening results were used to identify areas requiring further remediation from those areas showing concentrations below determined closure criteria levels. Soils were removed to a depth of 0.5 feet bgs, 4 feet bgs, 5 feet bgs, and 6 feet bgs in the excavation area near the heater treater and a depth of 4 feet bgs in the excavation near the tank battery containment. Impacted soil was transported by a licensed waste hauler and disposed of at an approved waste management facility. Field screening results are presented in Attachment 3, as well as in the DFRs in Attachment 4.

Notification that a liner inspection and confirmation sampling was scheduled to be completed was provided to the NMOCD on June 17, 2022 (Attachment 6). Visual observation of the liner was completed on all sides and the base of the containment, around equipment, and of all seams in the liner. Confirmatory composite samples were collected from

<sup>&</sup>lt;sup>2</sup>Total petroleum hydrocarbons (TPH) = gasoline range organics (GRO) + diesel range organics (DRO) + motor oil range organics (MRO)

<sup>&</sup>lt;sup>3</sup>Benzene, toluene, ethylbenzene, and xylenes (BTEX)

2022 Spill Assessment and Closure

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

the base and walls of the excavation in 200 square foot increments. A total of 16 samples were collected for laboratory analysis following NMOCD soil sampling procedures. Samples were submitted to Hall Environmental Analysis Laboratory under chain-of-custody protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Laboratory results are presented in Tables 4 and 5 (Attachment 3) and the laboratory data report is included in Attachment 7. All confirmatory samples collected and analyzed were below closure criteria for the site. As evidenced in the DFR (Attachment 3) liner integrity was confirmed.

Notification that additional confirmation sampling was scheduled to be completed was provided to the NMOCD on July 5, 2022 (Attachment 6). Additional confirmatory samples were collected from the base and walls of the excavation in 200 square foot increments. A total of 13 additional samples were collected for laboratory analysis following NMOCD soil sampling procedures. Samples were submitted to Hall Environmental Analysis Laboratory under chain-of-custody protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Laboratory results are presented in Tables 4 and 5 (Attachment 3) and the laboratory data report is included in Attachment 7. All confirmatory samples collected and analyzed were below closure criteria for the site. An aerial view of excavation and confirmatory sample locations are presented in Figures 3 and 4 (Attachment 2).

### **Closure Request**

The spill area was fully delineated, remediated and backfilled with local soils by July 8, 2022. Confirmatory Sample and Liner Inspection Notification emails are included in Attachment 6. Confirmatory samples were analyzed by the laboratory and found to be below allowable concentrations as per the NMAC Closure Criteria for Soils Impacted by a Release locations "under 50 feet to groundwater". Based on these findings, Devon Energy Production Company requests that this spill be closed.

Should you have any questions or concerns, please do not hesitate to contact the undersigned at 575.361.9880 or mpeppin@vertex.ca.

Monica Peppin

PROJECT MANAGER, REPORTING

July 19, 2022

Date

**2022 Spill Assessment and Closure** 

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

### **Attachments**

Attachment 1. NMOCD C-141 Release Notifications

Attachment 2. Figures Attachment 3. Tables

Attachment 4. Daily Field Report(s) with Photographs and Daily Soil Sampling Report(s)

Attachment 5. Closure Criteria for Soils Impacted by a Release Research Determination Documentation

Attachment 6. Confirmatory Samples and Liner Inspection Notification
Attachment 7. Laboratory Data Reports and Chain of Custody Forms

2022 Spill Assessment and Closure

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

### References

- Google Inc. (2022). *Google Earth Pro (Version 7.3.4)* [Software]. Retrieved from http://www.google.com/earth on March 1, 2022.
- New Mexico Bureau of Geology and Mineral Resources. (2022). *Interactive Geologic Map*. Retrieved from http://geoinfo.nmt.edu.
- New Mexico Energy, Minerals and Natural Resources Department. (2022). *Coal Mine Resources in New Mexico*. Retrieved from http://www.emnrd.state.nm.us/MMD/gismapminedata.html
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022a). *Water Column/Average Depth to Water Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html.
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022b). *Point of Diversion Location Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html.
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022c). Well Log/Meter Information Report. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- United States Department of Agriculture, Natural Resources Conservation Service. (2022). *Web Soil Survey*. Retrieved from https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.
- United States Department of Homeland Security, FEMA Flood Map Service Center. (2020). *Flood Map Number* 35025C1625D. Retrieved from https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20 mexico#searchresultsanchor.
- United States Department of the Interior, Bureau of Land Management. (2018). *CFO Karst Public*. https://www.nm.blm.gov/shapeFiles/cfo/carlsbad\_spatial\_data.html.
- United States Fish and Wildlife Service. (2022). *National Wetlands Inventory*. Retrieved from https://www.fws.gov/wetlands/data/Mapper.html.

**2022 Spill Assessment and Closure** 

Gaucho Unit 6H CTB, nOY1727243107, nAPP2208733407, nKJ1602628821, nAPP2201348579

July 2022

### Limitations

This report has been prepared for the sole benefit of Devon Energy Production Company. This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division and Bureau of Land Management, without the express written consent of Vertex Resource Services Inc. (Vertex) and Devon Energy Production Company. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

## **ATTACHMENT 1**

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

# **Release Notification**

## **Responsible Party**

Responsible Party Devon Energy Production Company				OGRID (	5137
Contact Name Dale Woodall				Contact Te	elephone 575-748-1838
Contact email dale.woodall@dvn.com				Incident #	(assigned by OCD) nKJ1602628821
Contact mail	ing address	6488 Seven Rive	ers Hwy Artesia, N	IM 88210	
			Location	of Release So	ource
Latitude 32.3862562 (NAD 83 in decimal de			(NAD 83 in dec	Longitude _cimal degrees to 5 decim	-103.4856777 nal places)
Site Name	Gaucho Unit	t 6H		Site Type	Gas Well
Date Release	Discovered	01/22/2016		API# (if app	
Unit Letter	Section	Township	Range	Coun	ty
P	17	22S	34E	Lea	a
Surface Owne		X Federal Tı	Nature and	l Volume of I	Release justification for the volumes provided below)
Crude Oil		Volume Release		•	Volume Recovered (bbls)
X Produced	Water	Volume Release	d (bbls) 30 bbls		Volume Recovered (bbls) 20 bbls
Is the concentration of dissolved chlorid produced water >10,000 mg/l?		hloride in the	☐ Yes ☐ No		
Condensate Volume Released (bbls)			Volume Recovered (bbls)		
Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)		
Other (describe) Volume/Weight Released (provide units		e units)	Volume/Weight Recovered (provide units)		
position to	iring leak or prevent furt		lamp and vertical	position resulting	in produced water release. Clamp was turned to closed talled.
Approxima	ne size of al.	iecieu aiea 00A80	•		

Received by OCD: 10/10/2022 8:22:51 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

Page 15 of 289

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the respon	sible party consider this a major release?
19.13.29.7(A) NWIAC:	× 25 0015	
X Yes No		
If YES, was immediate no	otice given to the OCD? By whom? To who	om? When and by what means (phone, email, etc)?
Kelly Miller via email	to BLM 1/25/16 7:45 AM and OCD 1/25/16	5 11:25 AM
	Initial Re	esponse
The responsible p	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury
X The source of the rele	ease has been stopped.	
X The impacted area ha	s been secured to protect human health and	the environment.
$\overline{X}$ Released materials ha	ave been contained via the use of berms or di	ikes, absorbent pads, or other containment devices.
	ecoverable materials have been removed and	-
<u>-</u>	d above have <u>not</u> been undertaken, explain w	•
D 10 15 20 9 D (4) NIM	[AC4]	
has begun, please attach	a narrative of actions to date. If remedial e	emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred lease attach all information needed for closure evaluation.
I hereby certify that the infor	rmation given above is true and complete to the b	est of my knowledge and understand that pursuant to OCD rules and
		ications and perform corrective actions for releases which may endanger CD does not relieve the operator of liability should their operations have
		tt to groundwater, surface water, human health or the environment. In
addition, OCD acceptance of		esponsibility for compliance with any other federal, state, or local laws
and/or regulations.		
Printed Name: <u>Dale</u>	Woodall	Title: EHS Professional
Signature:		Date:
	dvn.com	Date: Telephone:575-748-1838
email: <u>dale.woodall@</u>	dvn.com	Telephone: <u>575-748-1838</u>
email: <u>dale.woodall@</u>	dvn.com	

	Page 16 of 289
Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

## **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<50 (ft bgs)				
Did this release impact groundwater or surface water?	Yes X No				
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No				
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No				
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No				
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No				
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No				
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No				
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No				
Are the lateral extents of the release overlying a subsurface mine?	Yes X No				
Are the lateral extents of the release overlying an unstable area such as karst geology?	Yes X No				
Are the lateral extents of the release within a 100-year floodplain?	Yes X No				
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	Yes X No				
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil					

contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 10/10/2022 8:22:51 AM Form C-141 State of New Mexico Page 4 Oil Conservation Division

Page 17 of 289

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: Dale Woodall	Title: EHS Professional			
Signature: Dals Woodall	Date: 10/10/2022			
email:dale.woodall@dvn.com	Telephone:575-748-1838			
OCD Only				
Received by:	Date:			

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be	included in the plan.				
<ul> <li>☑ Detailed description of proposed remediation technique</li> <li>☑ Scaled sitemap with GPS coordinates showing delineation points</li> <li>☑ Estimated volume of material to be remediated</li> <li>☑ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>☑ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>					
Deferral Requests Only: Each of the following items must be conj	firmed as part of any request for deferral of remediation.				
Contamination must be in areas immediately under or around prodeconstruction.	oduction equipment where remediation could cause a major facility				
Extents of contamination must be fully delineated.					
Contamination does not cause an imminent risk to human health,	the environment, or groundwater.				
I hereby certify that the information given above is true and complete rules and regulations all operators are required to report and/or file complicitly should their operations have failed to adequately investigate surface water, human health or the environment. In addition, OCD a responsibility for compliance with any other federal, state, or local lateral contents and the state of the stat	ertain release notifications and perform corrective actions for releases ace of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, cceptance of a C-141 report does not relieve the operator of				
Printed Name: <u>Dale Woodall</u>	Title: EHS Professional				
Signature: Dale Woodall	Date:10/10/2022				
email:dale.woodall@dvn.com	Telephone: 575-748-1838				
OCD Only					
Received by:	Date:				
Approved	Approval				
Signature:	Date:				

Mexico Page 19 of 289

Incident ID	nKJ1602628821
District RP	1RP-4116
Facility ID	
Application ID	

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following it	tems must be included in the closure report.			
Note That Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office			
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)			
$\overline{X}$ Description of remediation activities				
may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rer numan health or the environment. In addition, OCD acceptance of	ntions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete.  Title: EHS Professional			
email: dale.woodall@dvn.com	Telephone: 575-748-1838			
OCD Only				
Received by:	Date:			
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.			
Closure Approved by:	Date:			
Printed Name:	Title:			

Name of Company Devon Energy Production Company

Form C-141

Final Report

Revised August 8, 2011

4441District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

☐ Initial Report

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

### **Release Notification and Corrective Action**

**OPERATOR** 

Contact Hubert Perry, Production Foreman

Address 6488 Seven Rivers Hwy Artesia, NM 88210  Facility Name Gaucho Unit 6H				Telephone No.575-513-9637 Facility Type Oil						
·					V V X					
Surface Owner Federal Mineral Owner			Federal		A	API No	30-025-34789			
				LOCA	TIOI	N OF REI	LEASE			
Unit Letter P	Section 17	Township 22S	Range 34E	Feet from the 660		South Line	Feet from the 660	East/West East		County Lea
<b>Latitude:</b> 32.3862648 <b>Longitude:</b> -103.4856415										
Type of Relea	nso Oil			NAT	UKE	OF RELI		S Ve	olumo D	acayorad 30RRI C
Type of Kele	ase On					Volume of Release 30BBLS Volume Recovered 30BBLS			ecovered 30DDLS	
Source of Re	lease					Date and Hour of Occurrence  Old 4/2017 @ 5:00 AM				
Oil Tank Was Immedi	ate Notice	Given?				9/14/2017 @ 5:00 AM 9/14/2017 @ 5:00 AM If YES, To Whom?			@ 5:00 AM	
			Yes	No Not Re	quired	OCD-Olivi	a Yu			
By Whom?	Mike Shoe	maker EHS I	Professions	<u> </u>		BLM-Shell  Date and I				
by whom.	WIRC SHOC	maker, Erro i	10103310118				lly 9/14/2017 @ 1	1:05 PM		
Was a Water		l d0					ia Yu 9/14/2017 ( Dlume Impacting			
was a water	course Ke	acheu:	Yes 🗵	No			• •	the water	course	
If a Waterco	urse was I	mnacted. Des	cribe Full	lv.*		$\vdash$ REC	CEIVED			
N/A		_				By C	Olivia Yu at	11:56	am. S	Sep 29, 2017
Describe Cau					ık runni					alarms. The operator
										d containment. A vacuum
truck was disp	patched to 1	recover the flu	ids.							
Describe Are					1	··	:	DI C -£ -:1		
										vered via the dispatched ected by Devon field staff
	vacuum truck. All fluid stayed inside the lined SPCC containment. Once fluids were removed the liner was visually inspected by Devon field staff for any pinholes or punctures and none were found. Based on this inspection there is no evidence that the spill fluids left containment.									
	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and									
										ases which may endanger
										eve the operator of liability surface water, human health
or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other										
federal, state,	or local lav	ws and/or regu	ilations.				OIL CONS	SEDWAT	rion i	DIVISION
Signature: Da	na DeLaZ	Rosa					OIL CON	<u>JLIK V A I</u>	. 1	DI VISION
									D	
Printed Name	: Dana Del	_aRosa				Approved by	Environmental Sp 9/29/2017			
Title: Field A	dmin Supp	ort				Approval Dat		Expi	iration D	Pate:
E-mail Addre	ss. dana de	larosa@dvr.c	om			Conditions of	Annroval.			_
L-man / tuure	ss. dana.dc	iarosa e avii.c	OIII		_					Attached
Date: 09/27/1			ne: 575.74	6.5594		-	ect liner in que			
Attach Addit	ional Shee	ets If Necess	ary				th a concise re	•		-01/4707040407
eleased to Im	iagino. 1	0/26/2022 2	.05.57 D	M		•	with affirmation tinue to contain			nOY1727243107
cieuseu io Im	iuging. 10	91 4 UI 4 U 4 4 4 4 .	.vs.3/ <b>F</b> 1	7.1	Ľ	aria vviii coi		ani nquius	J.	_

Received by OCD: 10/10/2022 8:22:51 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

Page 21 of 289

Incident ID	nOY1727243107
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the respon	sible party consider this a major release?
release as defined by 19.15.29.7(A) NMAC?	>25 bbls	
19.13.29.7(11)1111111111111		
X Yes No		
If YES, was immediate n	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?
Mike Shoemaker via e	mail to Shelly 9/14/17 @ 11:05 PM and Ol	via 11:08 PM
L		
	Initial Ro	esponse
The responsible	party must undertake the following actions immediatel	y unless they could create a safety hazard that would result in injury
$\overline{X}$ The source of the rele	ease has been stopped.	
	as been secured to protect human health and	the environment
I ·	1	ikes, absorbent pads, or other containment devices.
-	ecoverable materials have been removed and	
If all the actions describe	d above have <u>not</u> been undertaken, explain	why:
		emediation immediately after discovery of a release. If remediation
		efforts have been successfully completed or if the release occurred
within a lined containmen	nt area (see 19.15.29.11(A)(5)(a) NMAC), p	lease attach all information needed for closure evaluation.
		pest of my knowledge and understand that pursuant to OCD rules and
		fications and perform corrective actions for releases which may endanger ICD does not relieve the operator of liability should their operations have
failed to adequately investig	gate and remediate contamination that pose a thre	at to groundwater, surface water, human health or the environment. In
addition, OCD acceptance o and/or regulations.	of a C-141 report does not relieve the operator of	responsibility for compliance with any other federal, state, or local laws
and/of regulations.		
Printed Name: <u>Dale</u>	Woodall	Title: EHS Professional
Signature:		Date:
email: <u>dale.woodall@</u>	dvn.com	Telephone: 575-748-1838
OCD Only		
Received by:		Date:
110001.00.03.		

	Page 22 of 28
Incident ID	nOY1727243107
District RP	
Facility ID	
Application ID	

## **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<50 (ft bgs)
Did this release impact groundwater or surface water?	Yes X No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes 🗓 No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No
Are the lateral extents of the release overlying a subsurface mine?	Yes X No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes X No
Are the lateral extents of the release within a 100-year floodplain?	Yes X No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	Yes X No
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and ver contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.	tical extents of soil

### Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 10/10/2022 8:22:51 AM
State of New Mexico
Page 4
Oil Conservation Division

Page 23 of 289

Incident ID	nOY1727243107
District RP	
Facility ID	
Application ID	

Mate of New Mexico

Incident ID POY 1727242107

Incident ID	nOY1727243107
District RP	
Facility ID	
Application ID	

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be	included in the plan.	
<ul> <li>☑ Detailed description of proposed remediation technique</li> <li>☑ Scaled sitemap with GPS coordinates showing delineation points</li> <li>☑ Estimated volume of material to be remediated</li> <li>☑ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>☑ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>		
Deferral Requests Only: Each of the following items must be conj	firmed as part of any request for deferral of remediation.	
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.		
Extents of contamination must be fully delineated.		
Contamination does not cause an imminent risk to human health,	the environment, or groundwater.	
I hereby certify that the information given above is true and complete rules and regulations all operators are required to report and/or file complicitly should their operations have failed to adequately investigate surface water, human health or the environment. In addition, OCD a responsibility for compliance with any other federal, state, or local laterals.	ertain release notifications and perform corrective actions for releases ace of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, cceptance of a C-141 report does not relieve the operator of	
Printed Name: Dale Woodall	Title: EHS Professional	
Signature: Dals Woodall	Date: 10/10/2022	
email: dale.woodall@dvn.com	Telephone:575-748-1838	
OCD Only		
Received by:	Date:	
Approved	Approval	
Signature: 1	Date:	

Page 25 of 289

Incident ID	nOY1727243107
District RP	
Facility ID	
Application ID	

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following it	tems must be included in the closure report.	
X A scaled site and sampling diagram as described in 19.15.29.11 NMAC		
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office	
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)	
$\overline{X}$ Description of remediation activities		
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and remuman health or the environment. In addition, OCD acceptance of a compliance with any other federal, state, or local laws and/or regular restore, reclaim, and re-vegetate the impacted surface area to the confidence with 19.15.29.13 NMAC including notification to the O	nediate contamination that pose a threat to groundwater, surface water, a C-141 report does not relieve the operator of responsibility for tions. The responsible party acknowledges they must substantially neditions that existed prior to the release or their final land use in CD when reclamation and re-vegetation are complete.	
	Title: EHS Professional	
Signature: Dals Woodall	Date:	
email: dale.woodall@dvn.com	Telephone: 575-748-1838	
OCD Only		
Received by:	Date:	
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.	
Closure Approved by:	Date:	
Printed Name:	Title:	

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

# **Release Notification**

## **Responsible Party**

1			OGRID			
Contact Name Contact			Геlерhonе			
Contact email Incide			Incident	# (assigned by OCD)	)	
Contact maili	ing address					
			Location	of Release S	Source	
Latitude			(NAD 83 in de	Longitude cimal degrees to 5 dec	imal places)	
Site Name				Site Type		
Date Release	Discovered			API# (if a	oplicable)	
Unit Letter	Section	Township	Range	Сот	ınty	
Surface Owner		Federal Tr	Nature and	d Volume of		
Crude Oil	Material(s) Released (Select all that apply and attach calculations or spec  Crude Oil Volume Released (bbls)		calculations or specif		Volume Recovered (bbls)	
Produced	Water	` '			Volume Recovered (bbls)	
Is the concentration of total dissolved solids in the produced water >10,000 mg/l?			☐ Yes ☐ No			
Condensate Volume Released (bbls)			Volume Reco	Volume Recovered (bbls)		
Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)			
Other (describe) Volume/Weight Released (provide units)		Volume/Weight Recovered (provide units)				
Cause of Rele	ease	1				

Received by OCD: 10/10/2022 8:22:51PAM State of New Mexico
Page 2 Oil Conservation Division

Page	<b>2</b> 7e0	f 2	89
------	--------------	-----	----

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the respon	nsible party consider this a major release?
☐ Yes ☐ No		
If YES, was immediate no	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?
	Initial Ro	esponse
The responsible	party must undertake the following actions immediatel	y unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
☐ The impacted area ha	s been secured to protect human health and	the environment.
Released materials ha	ave been contained via the use of berms or d	ikes, absorbent pads, or other containment devices.
<u> </u>	ecoverable materials have been removed and dabove have not been undertaken, explain v	
has begun, please attach	a narrative of actions to date. If remedial	emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred lease attach all information needed for closure evaluation.
regulations all operators are public health or the environr failed to adequately investig	required to report and/or file certain release noti ment. The acceptance of a C-141 report by the C ate and remediate contamination that pose a thre	posest of my knowledge and understand that pursuant to OCD rules and fications and perform corrective actions for releases which may endanger ICD does not relieve the operator of liability should their operations have at to groundwater, surface water, human health or the environment. In responsibility for compliance with any other federal, state, or local laws
Printed Name:		Title:
Signature: Kendra	De Hoyos	Date:
email:		Telephone:
OCD Only		
Received by: Ramona M	farcus	Date:

	I uge no of no
Incident ID	nAPP2201348579
District RP	
Facility ID	
Application ID	

Page 28 of 289

## **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<50 (ft bgs)			
Did this release impact groundwater or surface water?	Yes X No			
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No			
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No			
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No			
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No			
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No			
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	Yes X No			
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No			
Are the lateral extents of the release overlying a subsurface mine?	Yes X No			
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes 🗓 No			
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes X No			
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	Yes X No			
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.				

### Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 10/10/2022 8:22:51 AM Form C-141 State of New Mexico Page 4 Oil Conservation Division

Page 29 of 289

Incident ID	nAPP2201348579
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the regulations all operators are required to report and/or file certain release not public health or the environment. The acceptance of a C-141 report by the 6 failed to adequately investigate and remediate contamination that pose a thruaddition, OCD acceptance of a C-141 report does not relieve the operator of and/or regulations.	ifications and perform corrective actions for releases which may endanger DCD does not relieve the operator of liability should their operations have eat to groundwater, surface water, human health or the environment. In
Printed Name: <u>Dale Woodall</u>	Title: EHS Professional
Signature: Dals Woodall	Date: 10/10/2022
email: <u>dale.woodall@dvn.com</u>	Telephone: <u>575-748-1838</u>
OCD Only	
Received by:	Date:

	Page 30 of 28	39
Incident ID	nAPP2201348579	
District RP		
Facility ID		
Application ID		

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be	included in the plan.			
<ul> <li>☑ Detailed description of proposed remediation technique</li> <li>☑ Scaled sitemap with GPS coordinates showing delineation points</li> <li>☑ Estimated volume of material to be remediated</li> <li>☑ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>☑ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>				
Deferral Requests Only: Each of the following items must be con-	firmed as part of any request for deferral of remediation.			
Contamination must be in areas immediately under or around predeconstruction.	oduction equipment where remediation could cause a major facility			
Extents of contamination must be fully delineated.				
Contamination does not cause an imminent risk to human health	the environment, or groundwater.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: <u>Dale Woodall</u>	Title: EHS Professional			
Signature: Dale Woodall	Date:10/10/2022			
email: <u>dale.woodall@dvn.com</u>	Telephone:575-748-1838			
OCD Only				
Received by:	Date:			
Approved	Approval			
Signature:	Date:			

Page 31 of 289

Incident ID	nAPP2201348579
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following is	tems must be included in the closure report.
X A scaled site and sampling diagram as described in 19.15.29.1	1 NMAC
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)
X Description of remediation activities	
may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and remains human health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regular restore, reclaim, and re-vegetate the impacted surface area to the conformation with 19.15.29.13 NMAC including notification to the Conformation of the	ntions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in DCD when reclamation and re-vegetation are complete.  Title: EHS Professional
email: dale.woodall@dvn.com	Telephone: 575-748-1838
OCD Only	
Received by:	Date:
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.
Closure Approved by:	Date:
Printed Name:	Title:

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nAPP2208733407
District RP	
Facility ID	
Application ID	

# **Release Notification**

### **Responsible Party**

			•		v	
Responsible	Party Deve	on Energy Product	ion Company	OGRID	6137	
Contact Nan	ne	Voodall	•	Contact '	Telephone 575-7	748-1838
Contact ema	il dale.wo	odall@dvn.com		Incident	# (assigned by OCD	nAPP2208733407
Contact mail		<del>-</del>	ers Hwy Artesia, I	VM 88210		
		0.000 20.000 10.	-	of Release S	Source	
	22 28/25/	2				
Latitude	32.386256	2	(NAD 83 in dec	Longitude cimal degrees to 5 dec		66777
Cita Nama			,			
	Gaucho Uni	t 6		Site Type		
Date Release	Discovered	03/25/2022		API# (if a	oplicable) 30-025	-34789
Unit Letter	Section	Township	Range	Cor	ınty	7
P	17	22S	34E	Lea		
Surface Owne	or: State	X Federal Tr	ibal  Private (A			_
Surface Owne	i State	Z rederar 11	ioai 🔲 i iivate (i	vame		,
			Nature and	l Volume of	Release	
	Materia	l(s) Released (Select al	l that apply and attach	calculations or specif	ic justification for the	e volumes provided below)
Crude Oi	1	Volume Release	d (bbls)		Volume Reco	overed (bbls)
X Produced	Water	Volume Release	d (bbls) 8 bbls		Volume Reco	overed (bbls) 7 bbls
		Is the concentrat	ion of dissolved c	hloride in the	X Yes N	No
Condensa	ate	Volume Release			Volume Reco	overed (bbls)
Natural C	Gas	Volume Release	d (Mcf)		Volume Reco	overed (Mcf)
Other (de	escribe)	Volume/Weight	Released (provide	e units)	Volume/Wei	ght Recovered (provide units)
C CD 1	ı					
Cause of Rel	lease					
				-		g gas to oil tank. Produced water was
		containment and to up spill. Estimate				dumps started working properly and then

Received by OCD: 10/10/2022 8:22:51 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

Page 33 of 289

Incident ID	nAPP2208733407
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the respon	sible party consider this a major release?
☐ Yes 🗓 No		
If YES, was immediate no	tice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?
,		<b>,</b>
	Initial Re	esponse
The responsible	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury
X The source of the rele	ease has been stopped.	
X The impacted area ha	s been secured to protect human health and	the environment.
X Released materials ha	ive been contained via the use of berms or d	ikes, absorbent pads, or other containment devices.
	ecoverable materials have been removed and d above have <u>not</u> been undertaken, explain v	
has begun, please attach	a narrative of actions to date. If remedial	emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred lease attach all information needed for closure evaluation.
regulations all operators are public health or the environr failed to adequately investig	required to report and/or file certain release notified. The acceptance of a C-141 report by the Oate and remediate contamination that pose a threa	best of my knowledge and understand that pursuant to OCD rules and fications and perform corrective actions for releases which may endanger CD does not relieve the operator of liability should their operations have at to groundwater, surface water, human health or the environment. In responsibility for compliance with any other federal, state, or local laws
Printed Name: Dale V		
Signature: Dale U	Poodall	Date:
email:dale.woodall@	dvn.com	Telephone:575-748-1838
OCD Only		
Received by:		Date:

	Page 34 of 28	89
Incident ID	nAPP2208733407	
District RP		
Facility ID		
Application ID		

## **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<50 (ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No	
Are the lateral extents of the release overlying a subsurface mine?	Yes X No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes X No	
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No	
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	☐ Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		

### Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- X Boring or excavation logs
- X Photographs including date and GIS information
- Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 10/10/2022 8:22:51 AM Form C-141 State of New Mexico Page 4 Oil Conservation Division

Page 35 of 289

	1 1180 00 0 1
Incident ID	nAPP2208733407
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: EHS Professional	
Signature: Dals Woodall	Date: 10/10/2022	
email:dale.woodall@dvn.com	Telephone: 575-748-1838	
OCD Only		
Received by:	Date:	

	Page 36 of 28	39
Incident ID	nAPP2208733407	
District RP		
Facility ID		
Application ID		

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be included in the plan.				
<ul> <li>✓ Detailed description of proposed remediation technique</li> <li>✓ Scaled sitemap with GPS coordinates showing delineation points</li> <li>✓ Estimated volume of material to be remediated</li> <li>✓ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>✓ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>				
<u>Deferral Requests Only</u> : Each of the following items must be confirmed as part of any request for deferral of remediation.				
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.				
Extents of contamination must be fully delineated.				
Contamination does not cause an imminent risk to human health, the environment, or groundwater.				
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name:Dale Woodall	Title: EHS Professional			
Signature: Dale Woodall	Date: _10/10/2022			
email:dale.woodall@dvn.com	Telephone:575-748-1838			
OCD Only				
Received by:	Date:			
Approved	Approval			
Signature:	Date:			

Page 37 of 289

Incident ID	nAPP2208733407
District RP	
Facility ID	
Application ID	


### Closure


The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

	-
X A scaled site and sampling diagram as described in 19.15.29	2.11 NMAC
Note That Photographs of the remediated site prior to backfill or photomust be notified 2 days prior to liner inspection)	os of the liner integrity if applicable (Note: appropriate OCD District office
X Laboratory analyses of final sampling (Note: appropriate Of	OC District office must be notified 2 days prior to final sampling)
▼ Description of remediation activities	
and regulations all operators are required to report and/or file certa may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regulatestore, reclaim, and re-vegetate the impacted surface area to the caccordance with 19.15.29.13 NMAC including notification to the Printed Name:  Dale Woodall  Signature:  Dale Woodall	Title: EHS Professional
OCD Only	
Received by:	Date:
	ty of liability should their operations have failed to adequately investigate and e water, human health, or the environment nor does not relieve the responsible d/or regulations.
Closure Approved by:	Date:
Printed Name:	Title:


### **ATTACHMENT 2**






NAD 1983 UTM Zone 13N Date: May 05/22

Long:-103.486038





### **ATTACHMENT 3**

**Client Name: Devon Energy Production Company** 

Site Name: Gaucho Unit 6 CTB NMOCD Tracking #: nAPP2208733407

Project #: 22E-01101 Lab Report: 2205058

	Table	2. Initial Characte	erization S	ample Fie	ld Screen	and Labor	atory Res	ults - Dept	h to Grou	ndwater <	50 feet bg	s	
	Sample Descrip	otion	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
			S			Vol	atile			Extractable			Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride Concentration
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BH22-01	0	4/29/2022	0	16	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-01	2	4/29/2022	0	8	0	-	-	-	-	-	-	-	-
BH22-02	0	4/29/2022	0	20	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-02	2	4/29/2022	0	9	0	-	-	-	-	-	-	-	•
BH22-03	0	4/29/2022	0	42	178	ND	ND	ND	ND	ND	ND	ND	ND
BH22-03	2	4/29/2022	0	21	0	-	-	-	-	,	-	-	-
BH22-04	0	4/29/2022	0	627	1,187	ND	53.6	1300	18000	5400	19300	24700	ND
BH22-04	2	4/29/2022	0	74	1,101	-	-	-	-	-	-	-	-
BH22-04	4	4/29/2022	0	329	168	ND	ND	ND	110	ND	110	110	ND
BH22-04	6	4/29/2022	0	257	0	-	-	-	-	-	-	-	-
BH22-04	8	4/29/2022	0	40	0	ND	ND	ND	ND	ND	ND	ND	ND

<sup>&</sup>quot;ND" Not Detected at the Reporting Limit

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)



<sup>&</sup>quot;-" indicates not analyzed/assessed

**Client Name: Devon Energy Production Company** 

Site Name: Gaucho Unit 6

NMOCD Tracking #: nAPP2201348579/NKJ1602628821

Project #: 22E-01101

Lab Reports: 2204C83, 2204D50

	Table	3. Initial Characte	erization S	ample Fie	ld Screen	and Labor	atory Res	ults - Dept	h to Grou	ndwater <	50 feet bg	gs	
:	Sample Descrip	otion	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
			s			Vol	atile			Extractable	9		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic  Compounds (PetroFlag)	Chloride Concentration	Benzene (mg/kg)	BTEX (Total)	ন্ত্ৰ Gasoline Range Organics স্থি (GRO)	Diesel Range Organics	Motor Oil Range Organics (MRO)	(gRO + DRO)	Total Petroleum	공 주 Chloride Concentration
BH22-01	0	4/27/2022	0	407	96	(IIIg/ Ng/	(IIIg/ kg)	(IIIg/Ng)	(IIIg/ Ng)	(IIIg/ Kg)	(IIIg/Ng)	(1118/18)	(IIIg/ Ng/
BH22-01	2	4/27/2022	0	34	0	ND	ND	ND	ND	ND ND	ND ND	ND	ND
BH22-02	0	4/27/2022	0		1,007		-	-	-	- 110	- 110	- 115	-
BH22-02	2	4/27/2022	0	32	70	-	-	-	-	-	-	_	-
BH22-03	0	4/27/2022	0	127	282	ND	ND	ND	12	ND	12	12	96
BH22-03	2	4/27/2022	0	38	0	-	-	-	-	-	-	-	-
BH22-04	0	4/27/2022	0	_	2,427	_	_	_	_	_	_	_	_
BH22-04	2	4/27/2022	0	37	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-05	0	4/27/2022	0	1,040	0	-	-	-	-	-	-	-	-
BH22-05	2	4/27/2022	0	6	0	-	-	-	-	-	-	-	-
BH22-06	0	4/27/2022	0	1,520	4	-	-	-	-	-	-	-	-
BH22-06	2	4/27/2022	0	25	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-07	0	4/27/2022	0	137	0	ND	ND	ND	15	ND	15	15	63
BH22-08	0	4/27/2022	0	-	842	-	-	-	-	-	-	-	-
BH22-08	2	4/28/2022	0	58	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-09	0	4/27/2022	0	1,260	0	-	-	-	-	-	-	-	-
BH22-09	2	4/28/2022	0	70	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-10	0	4/27/2022	0	1,340	264	-	-	-	-	-	-	-	-
BH22-10	2	4/28/2022	0	48	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-11	0	4/27/2022	0	106	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-12	0	4/28/2022	0	27	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-13	0	4/28/2022	0	87	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-14	0	4/28/2022	0	69	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-15	0	4/28/2022	0	1,248	0	ND	0.36	120	1100	390	1220	1610	ND
BH22-15	3	4/28/2022	0	490	0	0.16	16.86	980	3600	950	4580	5530	120
BH22-15	6	4/28/2022	0	97	105	ND	ND	ND	ND	ND	ND	ND	ND
BH22-16	0	4/28/2022	0	-	1,122	ND	ND	ND	390	210	390	600	370
BH22-16	2	4/28/2022	0	627	0	-	-	-	-	-		-	-
BH22-16	4	4/28/2022	0	524	0	-	-	-	-	-	-	-	-
BH22-16	6	4/28/2022	0	60	0	ND	ND	ND	ND	ND	ND	ND	ND
BH22-17	0	4/28/2022	0	-	2,169	ND	1.42	24	5900	3400	5924	9324	3500
BH22-17	3	4/28/2022	0	-	584	ND	ND	ND	380	210	380	590	440
BH22-17	6	4/28/2022	0	50	0	ND	ND	ND	ND	ND	ND	ND	ND

<sup>&</sup>quot;ND" Not Detected at the Reporting Limit

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)



<sup>&</sup>quot;-" indicates not analyzed/assessed

**Client Name: Devon Energy Production Company** 

Site Name: Gaucho Unit 6H CTB

NMOCD Tracking #: nOY1727243107, nAPP2201348579

Project #: 22E-01101

Lab Reports:2206D53, 2207428

	T	able 4. Confirma	tory Samp	le Field Sc	reen and	Laborator	y Results -	Depth to	Groundwa	ater <50 fe	et bgs		
:	Sample Descrip	otion	Fi	eld Screeni	ng	Petroleum Hydrocarbons							
			s			Vol	atile		Extractable				
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics   (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride Concentration
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BES22-01	4	6/23/2022	0	85	376	ND	ND	ND	ND	ND	ND	ND	ND
WES22-01	0-4	6/23/2022	0	84	258	ND	ND	ND	ND	ND	ND	ND	ND
WES22-02	0-4	6/23/2022	0	28	209	ND	ND	ND	ND	ND	ND	ND	ND
WES22-03	0-4	6/23/2022	0	59	314	ND	ND	ND	ND	ND	ND	ND	ND
WES22-04	0-4	7/7/2022	0	37	ND	ND	ND	ND	ND	ND	ND	ND	180

<sup>&</sup>quot;ND" Not Detected at the Reporting Limit

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Criteria (off-pad)



<sup>&</sup>quot;-" indicates not analyzed/assessed

**Client Name: Devon Energy Corporation** 

Site Name: Gaucho Unit 6

NMOCD Tracking #: nKJ1602628821/nAPP2201348579

Project #: 22E-01101

Lab Reports: 2206D57, 2204C83, 2207345, 2204D50

	-	Table 5. Confirma	tory Samp	ole Field So	reen and	Laborator	y Results -	Depth to	Groundwa	ater <50 fe	et bgs		
;	Sample Descri	otion	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
			s			Vol	atile			Extractable	)		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride Concentration
		- / /	(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BES22-01	5'	6/21/2022	0	79	36	ND	ND	ND	ND	ND	ND	ND	170
BES22-02	6'	6/21/2022	0	45	30	ND	ND	ND	ND	ND	ND	ND	220
BES22-03	4'	6/21/2022	0	39	ND	ND	ND	ND	ND	ND	ND	ND	230
BES22-04	0.5'	6/22/2022	0	110	409	ND	ND	ND	ND	ND	ND	ND	ND
BES22-05	4'	7/7/2022	0	-	108	ND	ND	ND	ND	ND	ND	ND	ND
BES22-06	4'	7/7/2022	1	-	7	ND	ND	ND	ND	ND	ND	ND	ND
BES22-07	6'	7/7/2022	1	-	278	ND	ND	ND	ND	ND	ND	ND	64
BES22-08	0.5'	7/7/2022	0	23	207	ND	ND	ND	ND	ND	ND	ND	230
BES22-09	0.5'	7/7/2022	0	30	295	ND	ND	ND	ND	ND	ND	ND	190
BES22-10	4'	7/7/2022	0	37	ND	ND	ND	ND	ND	ND	ND	ND	ND
WES22-01	0-5'	6/21/2022	0	162	ND	ND	ND	ND	ND	ND	ND	ND	ND
WES22-02	0-4'	6/21/2022	0	81	ND	ND	ND	ND	ND	ND	ND	ND	ND
WES22-03	0-4'	6/21/2022	0	42	ND	ND	ND	ND	ND	ND	ND	ND	75
WES22-04	0-6'	6/21/2022	0	120	ND	ND	ND	ND	24	ND	24	24	ND
WES22-05	0-6'	6/21/2022	0	65	186	ND	ND	ND	ND	ND	ND	ND	330
WES22-06	0-3'	6/21/2022	0	48	151	ND	ND	ND	ND	ND	ND	ND	220
WES22-07	0-3'	6/21/2022	0	20	41	ND	ND	ND	ND	ND	ND	ND	100
WES22-08	0-0.5'	6/22/2022	0	94	266	ND	ND	ND	ND	ND	ND	ND	ND
WES22-09	0.5-4'	7/7/2022	0	39	51	ND	ND	ND	ND	ND	ND	ND	200
WES22-10	0.5-6'	7/7/2022	0	46	438	ND	ND	ND	ND	ND	ND	ND	190
WES22-11	5-6'	7/7/2022	0	-	427	ND	ND	ND	ND	ND	ND	ND	190
WES22-12	0-4'	7/7/2022	0	23	ND	ND	ND	ND	ND	ND	ND	ND	67
WES22-13	0-0.5'	7/7/2022	0	32	ND	ND	ND	ND	ND	ND	ND	ND	230
WES22-14	0-0.5'	7/7/2022	0	42	60	ND	ND	ND	ND	ND	ND	ND	210

<sup>&</sup>quot;ND" Not Detected at the Reporting Limit

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)

VERTEX

<sup>&</sup>quot;-" indicates not analyzed/assessed

### **ATTACHMENT 4**



Client: Devon Energy Inspection Date: 4/22/2022

Corporation

Site Location Name: Gaucho Unit 006 Report Run Date: 4/22/2022 7:01 PM

Client Contact Name: Wes Matthews API #: 30-025-34789

Client Contact Phone #: (575) 748-0176

Unique Project ID Project Owner:

Project Reference # Project Manager:

**Summary of Times** 

Arrived at Site 4/22/2022 9:30 AM

Departed Site 4/22/2022 11:30 AM

**Field Notes** 

9:37 One Call Flagging

#### **Next Steps & Recommendations**

1 Continue with Delineation



#### **Site Photos**

Viewing Direction: West



Site Upon Arrival

Viewing Direction: Northwest



Release At Heater Treater

Viewing Direction: South




Site Upon Arrival

#### Viewing Direction: Northwest




Release At Heater Treater at Fencing





Release At Primary Tank Containment



Inside Primary Containment At Tank release.





Site at departure with white one-call flagging in place.



#### **Daily Site Visit Signature**

Inspector: Jarod Florez
Signature:

Project Reference #

### **Daily Site Visit Report**



Client:	Devon Energy Corporation	Inspection Date:	4/27/2022
Site Location Name:	Gaucho Unit 006	Report Run Date:	5/2/2022 1:49 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176		
Unique Proiect ID		Proiect Owner:	

		Summary of Times
Arrived at Site	4/27/2022 9:30 AM	
Departed Site	4/27/2022 3:15 PM	

Project Manager:

#### **Field Notes**

- 11:33 Arrived on site to begin delineation for the heater treater release
- 11:32 Collected BH22-01 through BH22-06 at surface and 2'
- 14:39 BH22-01 was hot on PetroFlag at the surface. Stepped out to BH22-07.
  - BH22-02 was hot on EC at the surface. Stepped out to BH22-08.
  - BH22-03 was slightly high on PetroFlag at the surface. Being sent to lab for analysis.
  - BH22-04 was hot on PetroFlag at the surface. Stepped out to BH22-09.
  - BH22-05 was hot on PetroFlag at the surface. Stepped out to BH22-10.
  - BH22-06 was hot on PetrFlag at the surface. Stepped out to BH22-11.
  - BH22-07 was slightly hot on PetroFlag at the surface. Sent to lab for analysis.
  - BH22-08 was hot on EC. Will be stepped out tomorrow.
  - BH22-09 was hot on PetroFlag. Will be stepped out tomorrow.
  - BH22-10 was hot on PetroFlag. Stepped out tomorrow.
  - BH22-11 was slightly hot on PetroFlag. Sent to lab for analysis.

#### **Next Steps & Recommendations**

1 Continue delineation tomorrow.





#### **Site Photos**

Viewing Direction: Northwest



Release area for heater treater

Viewing Direction: Northwest



Sample area for BH22-01

Viewing Direction: Southwest



Release area

#### Viewing Direction: Northwest



Sample area for BH22-02






Sample area for BH22-03



Sample area for BH22-04



Sample area for BH22-05



Run on 5/2/2022 1:49 PM UTC Powered by www.krinkleldar.com Page 4 of 5



#### **Daily Site Visit Signature**

**Inspector:** Chance Dixon

Signature:

# **Daily Soil Sampling**



Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 4/27/22)

						Sampling					
				Field	Screenii				Data Co	ollection	
		Hydro	carbon			hloride		1			
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BH22-01	0.0	0	407	0.21	23.5	96				<b>✓</b>	
BH22-01	2.0	0	34	0.08	22.9	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>✓</b>	
BH22-02	0.0	0		0.82	22.8	1007				<b>✓</b>	
BH22-02	2.0	0	32	0.18	23.1	70				<b>✓</b>	
BH22-03	0.0	0	127	0.33	23.2	282		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>✓</b>	
BH22-03	2.0	0	38	0.08	23.5	0				<b>~</b>	
BH22-04	0.0	0		1.84	24	2427				<b>✓</b>	
BH22-04	2.0	0	37	0.12	23.8	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-05	0.0	0	1040	0.08	23.5	0				<b>~</b>	
BH22-05	2.0	0	6	0.04	24.2	0				<b>✓</b>	
BH22-06	0.0	0	1520	0.17	24.3	4				<b>✓</b>	
BH22-06	2.0	0	25	0.08	24.5	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		$\checkmark$	
BH22-07	0.0	0	137	0.26	27.4	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-08	0.0	0		0.82	26.6	842				<b>✓</b>	
BH22-09	0.0	0	1260	0.18	28	0				<b>✓</b>	
BH22-10	0.0	0	1340	0.44	27.3	264				<b>✓</b>	

# **Daily Soil Sampling**



							BTEX (EPA SW-846			
							Method 8021B/8260B),		. /	
BH22-11	0.0	0	106	0.03	28.1	0	Chloride (EPA 300.0), TPH		\/	
							(EPA SW-846 Method		Y	
					1		8015M)	- 1	'	



Client:	Devon Energy Corporation	Inspection Date:	4/28/2022
Site Location Name:	Gaucho Unit 006	Report Run Date:	5/2/2022 1:49 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

	Summary of Times									
Arrived at Site	4/28/2022 9:05 AM									
Departed Site	4/28/2022 3:15 PM									

#### **Field Notes**

9:05 Arrived on site to continue delineation for heater treater release.

12:46 Collected BH22-08 through BH22-10 at 2'. All clean on all field screening.

Collected BH22-12 through BH22-14 at the surface. All clean on all field screening.

Collected BH22-15 through BH22-17 for vertical delineation. BH22-15 and BH22-17 were clean on all field screening at 6'

BH22-16 is hot on PetroFlag at 2'. Digging it down.

#### **Next Steps & Recommendations**

1 Send samples to lab



#### **Site Photos**

Viewing Direction: West



Sample area for BH22-15

Viewing Direction: Northwest



Sample area for BH22-17

Viewing Direction: Northwest



Sample area for BH22-16

Viewing Direction: Southwest



Sample area for BH22-14









Sample area for BH22-12



#### **Daily Site Visit Signature**

**Inspector:** Chance Dixon

Signature:

# **Daily Soil Sampling**

VERTEX

Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 4/29/22)

						Sampling					
				Field	Screeni	ng			Data Co	ollection	
		Hydro	carbon		C	Chloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BH22-08	2.0	0	58	0.10	22.6	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>/</b>	
ВН22-09	2.0	0	70	0.07	22.5	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>/</b>	
BH22-10	2.0	0	48	0.07	22.8	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>\</b>	
BH22-12	0.0	0	27	0.06	22.5	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>\</b>	
BH22-13	0.0	0	87	0.05	22.4	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>\</b>	
BH22-14	0.0	0	69	0.03	22.4	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>\</b>	
BH22-15	0.0	0	1248	0.07	22.1	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>/</b>	
BH22-15	3.0	0	490	0.08	22.1	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>/</b>	
BH22-15	6.0	0	97	0.18	22.3	105		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	

# **Daily Soil Sampling**



							total from the part of the state of the stat
BH22-16	0.0	0		0.90	22.8	1122	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)
BH22-16	2.0	0	627	0.10	22.2	0	
BH22-16	4.0	0	524	0.07	22.9	0	
BH22-16	6.0	0	60	0.06	24	0	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)
BH22-17	0.0	0		1.61	22.3	2169	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)
BH22-17	3.0	0		0.53	22.9	584	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)
BH22-17	6.0	0	50	0.07	22.1	0	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)



Client:	Devon Energy	Inspection Date:	4/29/2022
	Corporation	<u></u>	
Site Location Name:	Gaucho Unit 006	Report Run Date:	5/2/2022 1:50 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

	Summary of Times
Arrived at Site	4/29/2022 9:10 AM
Departed Site	4/29/2022 11:30 AM

#### **Field Notes**

9:56 Arrived on site to delineate the release outside of the battery

10:17 Collecting BH22-01 through BH22-03 for sides and BH22-04 in the middle for vertical delineation.

11:03 BH22-01 through BH22-03 at 0' and 2' are clean on all field screening.

11:03 BH22-04 was vertically delineated down to 8'.

### **Next Steps & Recommendations**

1 Send samples to lab



#### **Site Photos**







Run on 5/2/2022 1:50 PM UTC Powered by www.krinkleldar.com Page 2 of 3



#### **Daily Site Visit Signature**

**Inspector:** Chance Dixon

Signature:

# **Daily Soil Sampling**

VERTEX

Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 4/29/22)

					:	Sampling					
				Field	Screeni	ng			Data Co	ollection	
		Hydro	carbon		C	hloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BH22-01	0.0	0	16	0.07	22.1	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-01	2.0	0	8	0.07	22.1	0				<b>/</b>	
BH22-02	0.0	0	20	0.10	22.4	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-02	2.0	0	9	0.07	21.8	0				<b>/</b>	
BH22-03	0.0	0	42	0.21	21.6	178		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-03	2.0	0	21	0.06	21.6	0				<b>✓</b>	
BH22-04	0.0	0	627	0.90	21.3	1187		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-04	2.0	0	740	0.84	21.3	1101				<b>/</b>	
BH22-04	4.0	0	329	0.20	21.5	168		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
BH22-04	6.0	0	257	0.04	21.7	0				<b>✓</b>	
BH22-04	8.0	0	40	0.03	21.3	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	



Client:	Devon Energy Corporation	Inspection Date:	5/18/2022
Site Location Name:	Gaucho Unit 006	Report Run Date:	5/18/2022 7:51 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176		
Unique Project ID		Project Owner:	
Project Reference #		—— Project Manager:	

|--|

Arrived at Site 5/18/2022 11:00 AM

Departed Site 5/18/2022 11:45 AM

#### **Field Notes**

11:04 On location. Completed safety paperwork, scouting for staining

### **Next Steps & Recommendations**

1 Continue with sampling



#### **Site Photos**



Discoloration in battery area



Viewing Direction: North

Descriptive Photo - 2
Viewing Direction: North

Lat:22.385103, Long:-103.48280

Discoloration by heater treater



More staining around heater treater





Disturbed ground around marked buried gas line



Small stain at coordinates




Pad behind containment



Pad east of battery







### **Daily Site Visit Signature**

**Inspector:** Sally Carttar

Signature:



Client:	Devon Energy Corporation	Inspection Date:	6/16/2022
Site Location Name:	Gaucho Unit 006	Report Run Date:	6/16/2022 11:13 PM
Client Contact Name:	Wes Matthews	 API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		– Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Times
Arrived at Site	6/16/2022 7:25 AM		
Departed Site	6/16/2022 3:15 PM		

### **Field Notes**

- 12:55 Completed safety paperwork on arrival. Met Stan Mobley, Bryce Blaylock, and Jerry from Devon and discussed excavation hazards and equipment that cannot move. Bryce Blaylock designated PIC for Devon. Fences will be removed as needed for work and must be replaced at the end of the day. Contractor arrived and we conducted a safety meeting about the work. We all did another walk around the work areas together and confirmed the excavation plan. I swept the work area with the magnetic locator and the contractor did a separate sweep. Material in immediate proximity to equipment will be removed by hand to avoid the risk of line strikes. Equipment that protrudes close to dig area (ground rods, valves) will be marked with T posts to further improve visibility for equipment and personnel.
- **11:37** Release at tank battery will have ground wire exposed by hand. Exposed wire will be the south boundary of excavation. Excavation sidewalls up to 4 feet bgs can be vertical. Excavations beyond 4 feet bgs will require sloped sidewalls.
- **13:08** Devon requested staining around pump jack be covered with chipped rock. A couple inches of chipped rock over the treater area once remediation is completed will blend to the surrounding area.
- **13:32** Hand dig crew arriving the following day. Started excavation at southeast corner of treater release, outside of fence. Base sample and south excavation wall sample field screening results were below NMOCD strictest criteria for chloride and TPH.
- 13:43 Checked containment walls and liner for damage. Walls and liner appear sound. Patches on liner appear sealed.



- **15:05** Uncovered underground cable at west end of excavation. Operator stopped excavation as soon as marking tape above cable was spotted. Spotter dug sand away from cable enough to identify. Some insulation may have been scuffed from outside of cable by backhoe, but it was difficult to determine. Operator did not feel resistance through backhoe.
- **15:12** Upon identifying the cable, the PIC Bryce Blaylock was contacted and informed of the cable. Work was stopped while he contacted people. Bryce called back and asked us to terminate operations for the day. A locator was scheduled be on site first thing the following morning to determine the status of the underground cable.
- **15:11** The excavation was fenced off prior to departing the site.

### **Next Steps & Recommendations**

1 Meet with PIC and line locators tomorrow morning and determine status of underground cable.




### **Site Photos**

### Viewing Direction: Northeast



East edge of pad facing northeast.
Containment berm and liner set up on northeast corner of pad for contaminated material.

### Viewing Direction: East



West of release point facing east. Will hand-dig close to equipment.







South of release point facing north. Will hand-dig close to equipment.

# Viewing Direction: West Descriptive Proto -12 Never p Direction: 4 Proto -12 Descriptive Proto -12 Descriptive

East of treater release facing west. Base and sidewall of initial excavation outside fence field screened clean.



East of treaters facing west into excavation. Exposed unmarked buried cable.



East of treaters facing west in excavation. Exposed unmarked buried cable.





East of treaters facing north into excavation. Exposed unmarked buried cable.



East of treaters facing south into excavation. Exposed unmarked buried cable.



East of treaters facing east into excavation. Exposed unmarked buried cable with marker tape.



East of treaters facing east. Excavation stopped for the day.





East of treaters facing west. Excavation stopped for the day.



East of treater release facing west. Starting excavation outside of fence.



Southeast of treaters facing northeast. Fenced excavation for the night.



North of treater release facing southwest. Starting excavation outside of fence.







West corner of containment facing southeast. Condition of liner adequate.

Viewing Direction: Northwest

South corner of containment facing northwest. Liner condition adequate.

### Viewing Direction: West



East corner of containment facing west-southwest. Liner in adequate condition.

Viewing Direction: Northwest



East of battery release facing northwest. Will hand-dig ground wire prior to mechanical excavation.





West of battery release facing southeast. Will hand-dig ground wire prior to mechanical excavation.



West edge of pad facing southeast. Will handdig under and around lines.



### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman

Signature:

# **Daily Soil Sampling**



Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 6/16/22)

Sampling											
				Field	Screenir	ng			Data Co	llection	
		Hydro	carbon		C	hloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BES22-01	4.0		63	0.31	34.7	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)	<b>\</b>	<b>V</b>	
WES22-01	4.0		68	0.40	34.7	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)	<b>\</b>	<b>V</b>	



Client:	Devon Energy Corporation	Inspection Date:	6/17/2022
Site Location Name:	Gaucho Unit 006	Report Run Date:	6/18/2022 1:07 AM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		– Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Times
Arrived at Site	6/17/2022 7:27 AM		
Departed Site	6/17/2022 5:09 PM		

### **Field Notes**

- 9:45 Completed safety paperwork on arrival. Met with Stan Mobley, Brice Blaylock, and Jerry Smith with Devon, and Lupe with MMX to discuss buried cable. Cable was confirmed to be abandoned and NOT energized. Plan is to excavate on either side and expose the line by hand.
- 9:48 PIC, Brice Blaylock, attempted to schedule hydrovac but none were available. Proceeded with original hand-dig plan. Work area was swept with magnetic locator again for confirmation.
- 9:47 Confirmed with Devon personnel that chip rock will only be used to cover staining around wellhead at end of project.
- 14:14 One truck available to haul material to Northern Delaware Basin for disposal. Hauled approximately 60 yards of material away due to slow turnaround at disposal. Additional liner and containment was installed northeast corner to stockpile material over the weekend.
- 11:09 Found break in abandoned cable while clearing soil. Excavator was at least 2 feet from the cable, so break was determined to be historical.
- 16:31 Excavator removed material on either side of buried cable and spotter uncovered cable with shovel. Excavation outside the fence halted when volume of contaminated material was close to exceeding storage space.
- 16:33 Area under pipes on west edge of release initially hand-excavated to 1 foot bgs. Base excavation sample BH22-02 field screening results exceeded strictest threshold for TPH. Continued to 2 feet bgs. Field screening results at 2 feet bgs met NMOCD strictest criteria for TPH and chloride.



- **16:40** Hand excavation under pipes at west edge of pad will need to continue south and southeast to connect to the area of mechanical excavation between the treaters. The stained area around the equipment at the release point will be hand-excavated to at least 6 inches bgs and reevaluated. Excavation around treater and anchors just leave several feet of stable soils horizontally to maintain stability and minimize slumping.
- **16:41** At the tank battery release. The ground wire next to the containment wall needs to be exposed via hand-excavation prior to any mechanical work. The ground wire will be the southwest boundary of the excavation.
- 17:07 Placed contaminated material on liner for the weekend. Fenced excavations prior to leaving.

### **Next Steps & Recommendations**

1 Continue treater release excavation. Start battery excavation.



### **Site Photos**

### Viewing Direction: Northeast



East edge of pad facing east-northeast. Loading contaminated material stockpiled from previous day.

### Viewing Direction: South



West edge of pad facing south. Hand excavated to 1 foot bgs and continued to 2 feet bgs.







West edge of pad facing northeast. Handexcavated under lines to clean soil at 2 feet bgs.

Viewing Direction: South



West edge of pad facing southeast. Excavation will continue southeast to encompass stained area around treater.

Viewing Direction: Southwest



West edge of pad facing southwest. Handexcavated under lines to clean soil at 2 feet bgs.

Viewing Direction: Northeast



South of treater facing northeast. Will need to hand-excavate stained material around equipment.







Northeast of treater facing west. Excavation between treaters and equipment can be completed mechanically.

Changesian Photo - 16
Usering Direction: Northeast
Usering East, of treasers feeling portheast, Excarbation outside tenes will continue in
Created to 17,0000 4000000 PM
Lasting East, Store (100,0000 PM)

East of treaters facing northeast. Excavation outside fence will continue northeast.





East of treater facing south. Excavation outside fence will continue northeast.

Viewing Direction: East




Northeast corner of pad facing northeast. Stored contaminated on liner in containment for the weekend.








East of treaters facing southwest. Fenced 4-foot excavation prior to leaving.



West of treater facing northeast. Hand removed material from around pipes on west edge.





West of release point facing northeast. Fenced 2-foot excavation.

Viewing Direction: Northeast



Inside excavation facing northeast. Underground cable severed prior to uncovering.







Inside excavation facing southwest. Underground cable severed prior to uncovering.



Inside excavation facing east. Underground cable severed prior to uncovering.

### Viewing Direction: Northeast



East of treaters facing northeast. Mechanical excavation west of buried cable, with exposure by hand.

### Viewing Direction: Northwest



East of treaters facing northwest. Expanded excavation east of fence.







West of release point facing northeast. Hand excavation underneath pipes on west edge.



East edge of pad facing northeast. Installed additional liner and containment.



### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman

Signature:

# **Daily Soil Sampling**



Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 6/17/22)

Sampling											
				Field	Screenii	ng			Data Co	ollection	
		Hydro	carbon		C	hloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BES22-02	1.0			0.06	30	0			<b>~</b>	<b>/</b>	
BES22-02	4.0		82	0.07	27.7	0			<b>✓</b>	<b>V</b>	
BES22-03	4.0		54	0.44	34.5	0			<b>✓</b>	<b>V</b>	
BES22-04	4.0		57	0.61	37.5	67			<b>✓</b>	<b>V</b>	
WES22-02	1.0		1200	0.24	33	0			<b>✓</b>	<b>V</b>	
WES22-03	4.0		45	0.25	35.1	0			<b>✓</b>	<b>V</b>	
WES22-04	1.0		41	0.06	37	0			<b>✓</b>	<b>✓</b>	



Client:	Devon Energy Corporation	Inspection Date:	
Site Location Name:	Gaucho CTB	Report Run Date:	6/21/2022 2:26 AM
Client Contact Name:	Wes Matthews	API #:	
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		– Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Fimes
Arrived at Site			
Departed Site	6/20/2022 5:30 PM		
		Field Not	es

14:31 Continue excavation

14:43 Sampling wall areas to finish horizontal extents

## **Next Steps & Recommendations**

1 Finishing hauling out contamination

2 Confirmation sampling



### **Site Photos**



Area between separator and heater



Viewing Direction: Southeast

Descriptive in local 
Viewing Directions describes and 
Creation of the Control o

Pad area



Excavation near containment







### **Daily Site Visit Signature**

**Inspector:** Monica Peppin

Signature:

**Departed Site** 

# **Daily Site Visit Report**



Client:	Devon Energy Corporation	Inspection Date:	6/21/2022
Site Location Name:	Gaucho Unit 006	- Report Run Date:	6/22/2022 9:04 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Times
Arrived at Site	6/21/2022 9:00 AM		

### **Field Notes**

- 11:15 Arrived on site to continue remediation for heater treater and battery releases.
- 11:16 Collected BH22-02 through BH22-08 for the heater treater. All are clean on all field screening and will be sent to lab for confirmation.
- **11:16** Collected BH22-10 through BH22-13 on the walls of the battery excavation. All are clean on all field screening and will be sent to lab for confirmation.
- 11:34 Having dirty crew hand excavate around the heater treater 6"

6/21/2022 3:20 PM

- 12:28 Collected BH22-14 and BH22-15 on the north and south walls of the east side of the excavation. Clean on all field screening
- **13:45** 180 yards of contaminants hauled out

### **Next Steps & Recommendations**

1 Complete hand excavation and confirmation sampling tomorrow



### **Site Photos**

Viewing Direction: Southwest



Current excavation for battery

Viewing Direction: Northwest



Sample area for BH22-14

Viewing Direction: Northwest



Current excavation for heater treater

### **Viewing Direction**: Southwest



Sample area for BH22-15





Hand excavation around heater treater



6" hand excavation around heater treater



### **Daily Site Visit Signature**

**Inspector:** Chance Dixon

Signature:

# **Daily Soil Sampling**



Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 6/23/22)

Sampling											
Field Screening Data Collection											
Hydrocarbo			carbon		C	hloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BES22-01	2.0	0	312	0.13	26.8	0				<b>/</b>	
WES22-01	2.0	0	55	0.35	26.7	160				<b>/</b>	
WES22-02	2.0	0	36	0.31	26.5	111				<b>V</b>	
WES22-03	2.0	0	41	0.12	26.9	0				<b>/</b>	



Client:	Devon Energy Corporation	Inspection Date:	6/22/2022
Site Location Name:	Gaucho Unit 006	Report Run Date:	6/22/2022 8:57 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Times
Arrived at Site	6/22/2022 11:00 AM		
Departed Site			

### **Field Notes**

- **10:51** On site to complete a liner inspection.
- 10:55 There does not appear to be any damage on the outside of the wall for the containment.
- 10:56 Inside of walls do not appear to have any significant damage
- **11:02** Floor of the liner does not appear to have any significant damages through the battery. It is just heavily stained. There does not appear to be any evidence of a breach around the walls.

### **Next Steps & Recommendations**

1 Write closure report for liner inspection.



### **Site Photos**

Viewing Direction: West



Outside wall dyke on north side.

Viewing Direction: Northwest



Inside wall north side

Viewing Direction: Southeast




Inside wall east side

Viewing Direction: West




Floor of liner south side






Floor of liner west side



Floor of liner between water tank 1 and oil tank 3 on west side




Floor of liner between oil tanks 2 and 3



Floor of liner between oil tanks 2 and 4





Floor of liner between oil tank 4 and water tank on east side



Outside wall dyke north side



Outside wall dyke west side



Outside wall dyke south side







Outside wall dyke south side



Outside wall dyke east side



Floor of the liner south side



Floor of the liner east side





Floor of liner north side



### **Daily Site Visit Signature**

**Inspector:** Chance Dixon

Signature:



## **Daily Soil Sampling**



Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 6/23/22)

						Sampling					
				Field	Screenii	ng			Data Co	llection	
		Hydro	carbon		C	Chloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BES22-01	4.0	0	85	0.38	22.7	376		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
WES22-01	2.0	0	84	0.31	23.1	258		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	
WES22-02	2.0	0	28	0.27	22.9	209		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>✓</b>	
WES22-03	2.0	0	59	0.34	22.8	314		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (EPA 300.0), TPH (EPA SW-846 Method 8015M)		<b>V</b>	



Client:	Devon Energy Corporation	Inspection Date:	7/7/2022
Site Location Name:	Gaucho Unit 006	— Report Run Date:	7/7/2022 11:25 PM
Client Contact Name:	Wes Matthews	API #:	30-025-34789
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		— Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Times
Arrived at Site	7/7/2022 7:59 AM		
Departed Site	7/7/2022 2:41 PM		

#### **Field Notes**

- 10:38 Completed safety paperwork on arrival, and attended tailgate meeting when contractor arrived.
- **14:13** Swept excavations with magnetic locator prior to collecting soil samples.
- **14:18** Collected additional confirmation soil samples from base and sidewalls of excavations around treater release point. Confirmation samples were field screened for chloride and TPH. Samples were packaged for laboratory analysis. MMX proceeded to backfill the excavation outside the fence once field screening results passed NMOCD strictest criteria.
- **14:24** MMX used water truck to wet soil prior to backfill, and packed material with roller after placement to maximize compaction. Multiple lifts of backfill were placed and compacted.

### **Next Steps & Recommendations**

1 Check on progress of backfill.



#### **Site Photos**





Northeast of battery facing west. Excavations completed prior to arrival.

Viewing Direction: West



South of wellhead facing west. MMX backfilled outside fence.

Viewing Direction: Northwest



Northeast of battery facing northwest. Excavations completed prior to arrival.

Viewing Direction: Southwest



West of wellhead facing southwest. MMX backfilled outside fence.







West of wellhead facing southwest. Water truck used to wet soil.

Viewing Direction: Southeast



Northeast of release point facing southeast. Roller used to compact soil.

### Viewing Direction: Northeast



South of release point facing northeast. Roller used to compact soil.

Viewing Direction: Northwest



Northeast of tanks facing west. Prior to leaving site.



### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman

Signature:

## **Daily Soil Sampling**

VERTEX

Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 7/7/22)

						Sampling					
				Field	Screeni	ng			Data Co	ollection	
		Hydro	carbon		C	Chloride					
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (mS/cm)	Temp (°C)	EC Chloride (ppm)	Chloride Titration (ppm)	Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)
BES22-05	4.0	0		0.35	27.9	108		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>&gt;</b>	<b>V</b>	
BES22-06	4.0	1		0.28	27.9	7		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	>	<b>V</b>	
BES22-07	6.0	1		0.48	28.3	278		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	>	<b>V</b>	
BES22-08	0.5	0	23	0.56	32.6	207		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	>	<b>V</b>	
BES22-09	0.5	0	30	0.57	30.9	295		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	>	<b>V</b>	
BES22-10	4.0	0	37	0.27	30.4	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>&gt;</b>	<b>V</b>	
WES22-09	4.0	0	39	0.41	31.2	51		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	>	<b>V</b>	
WES22-10	6.0	0	46	0.57	27.6	438		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>V</b>	<b>V</b>	
WES22-11	6.0	0		0.58	28.2	427		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>V</b>	<b>V</b>	

## **Daily Soil Sampling**



WES22-12	4.0	0	23	0.37	32.3	0	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>V</b>	<b>V</b>	
WES22-13	0.5	0	32	0.39	32.1	0	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 CI), TPH (EPA SW-846 Method 8015M)	<b>V</b>	<b>V</b>	
WES22-14	0.5	0	42	0.44	32	60	BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>V</b>	<b>V</b>	



Client:	Devon Energy Corporation	Inspection Date:	7/8/2022
Site Location Name:	Gaucho CTB	Report Run Date:	7/8/2022 1:40 AM
Client Contact Name:	Wes Matthews	API #:	
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	
		Summary of	Times
Arrived at Site	7/8/2022 12:33 PM		
Departed Site	7/8/2022 1:42 PM		
		=1.11	

#### **Field Notes**

- 13:04 Completed safety paperwork on arrival. Had safety meeting with crew working on site.
- 13:05 Collected remaining wall excavation confirmation sample from excavation next to battery.
- **13:07** MMX completed backfill of excavation outside fence and moved on to backfill excavation next to tank battery. MMX proceeded to backfill within fence around treater and under pipes.

### **Next Steps & Recommendations**

1 Complete backfill.



#### **Site Photos**






North of tanks facing southeast. Backfilled excavation next to containment, needs final compaction.

#### Viewing Direction: East



South of treater facing east. Completed backfill and compaction outside fence.







North of tanks facing northwest. Backfilled excavation next to containment, needs final compaction.



Northwest of treater facing southeast. Backfill in progress.

### Viewing Direction: Northeast




Northwest of treater facing northeast.. Backfill in progress.

### Viewing Direction: South



North of treater facing south. Backfill in progress.





Northwest of treater facing east. Backfill in progress.



Northeast of treater facing southwest. Backfill in progress.



East of wellhead facing west. Completed backfill and compaction outside fence.



South of treaters facing north. Completed backfill and compaction outside fence.



### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman

Signature:

## **Daily Soil Sampling**



Client: Client: Devon Energy Corporation

Location: Site: Gaucho Unit 006

**Date:** (SD: 7/8/22)

					;	Sampling					
				Field	Screenii	ng			Data Co	llection	
Hydrocarbon				Chloride							
Sample ID	Depth (ft)	VOC (PID)	TPH (ppm)	EC Reading (°C) EC Chloride (ppm) Chloride Titration (ppm)		Lab Analysis	Photo Taken	Marked on Sketch	Refusal Depth (ft)		
WES22-04	4.0	0	37	0.38	36.5	0		BTEX (EPA SW-846 Method 8021B/8260B), Chloride (SW-4500 Cl), TPH (EPA SW-846 Method 8015M)	<b>/</b>	<b>/</b>	

### **ATTACHMENT 5**



## New Mexico Office of the State Engineer

# **Point of Diversion Summary**

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag **POD Number**  Q64 Q16 Q4 Sec Tws Rng

X Y

CP 00865 POD1

20 22S 34E 3

641845 3583118

**Driller License:** 421

**Driller Company:** 

GLENN'S WATER WELL SERVICE

**Driller Name:** 

GLENN, CLARK A."CORKY" (LD)

**Drill Start Date:** 

08/22/1997

**Drill Finish Date:** 

08/29/1997

Plug Date:

Source:

Shallow

Log File Date: **Pump Type:** 

09/04/1997

**PCW Rcv Date:** 

10/18/2013

**Casing Size:** 

**SUBMER** 

6.63

Pipe Discharge Size:

**Depth Well:** 

2.875 885 feet

**Depth Water:** 

Estimated Yield: 50 GPM

Water Bearing Stratifications:

Top Bottom Description

605 feet

738

870 Sandstone/Gravel/Conglomerate

**Casing Perforations:** 

Top Bottom

734

885

Meter Make:

**SEAMETRICS** 

**Meter Serial Number:** 

062018004760 Meter Multiplier: 1.0000

**Number of Dials:** 

**Meter Type:** 

Diversion

**Unit of Measure:** 

**Meter Number:** 

Barrels 42 gal.

800

**Return Flow Percent:** 

**Usage Multiplier:** 

**Reading Frequency:** Quarterly

#### **Meter Readings (in Acre-Feet)**

Read	d Date	Year 1	Mtr Reading	Flag	Rdr	Comment	Mtr Amount (	Online
08/27	7/1999	1999	12170	A	fm		0	
09/27	7/1999	1999	18665	A	fm		1.993	
07/10	0/2000	2000	23573	A	mb	Initial reading Trn# 184947	0	
09/01	1/2000	2000	792	A	mb	Initial reading Trn# 189706	0	
10/09	9/2000	2000	3703	A	mb	Final reading Trn# 189706	0.893	
11/02	2/2000	2000	33323	A	mb	Final reading Trn# 184947	2.992	
07/23	3/2001	2001	35004	A	jw		9.606	
08/14	4/2001	2001	35550	A	jw		0.168	
09/16	6/2003	2004	44365	A	RPT		0	
02/13	3/2004	2004	54105	A	RPT		2.989	
05/28	8/2013	2013	301812	A	RPT	Initial reading	0	
10/07	7/2013	2013	494174	A	RPT		24.794	
11/11	1/2013	2013	627789	A	RPT		17.222	
01/01	1/2014	2014	775387	A	ap		1902.439	
04/01	1/2014	2014	1150295	A	ap		4832.312	
10/01	1/2014	2014	1395310	A	ap		3158.078	
01/01	1/2015	2015	2252908	A	ap		11053.861	
Released to Imaging:	1/2015 10/26/202	2015 22 2:05:5	7 PM 2496573	A	ap		3140.678	

06/01/2015	8:22:51 AM 2015	2602349	A	ap
06/30/2015	2015	2632913	A	ap
07/28/2015	2015	2657713	A	ap
08/31/2015	2015	2675935	A	ap
09/30/2015	2015	2685784	A	ap
10/30/2015	2015	2777793	A	ap
11/30/2015	2015	2813732	A	ap
04/30/2016	2015	2902402	A	ap
06/01/2016	2016	2949111	A	ap
07/30/2016	2016	3039470	A	ap
09/01/2016	2016	3112223	A	ap
09/30/2016	2016	3233850	A	ap
10/31/2016	2016	3310726	A	ap
12/01/2016	2016	3400370	A	ap
12/31/2016	2016	3504124	A	ap
02/01/2017	2017	3505049	A	ap
03/02/2017	2017	3549664	A	ap
03/31/2017	2017	3670149	A	ap
05/01/2017	2017	3799022	A	ap
05/31/2017	2017	3857500	A	ap
07/31/2017	2017	3902575	A	ap
10/31/2017	2017	4063882	A	ap
11/30/2017	2017	4191565	A	ap
12/30/2017	2017	4326964	A	ap
01/30/2018	2018	4423832	A	ap
02/28/2018	2018	4511456	A	ap
03/30/2018	2018	4547266	A	ap
04/30/2018	2018	4658071	A	ap
06/01/2018	2018	4766177	A	ap
06/29/2018	2018	4790998	A	ap
07/31/2018	2018	4790998	A	ap
08/13/2018	2018	4791140	A	ap
08/13/2018	2018	0	A	ap
08/30/2018	2018	73947	A	ap
09/30/2018	2018	201617	A	ap
11/30/2018	2018	443361	A	ap
×*VTD M.4.	4 4	Vacan	_	<b>A</b>

393.949
319.655
234.869
126.947
1185.934
463.230
1142.897
602.048
1164.667
937.737
1567.690
990.880
1155.451
1337.319
11.923
575.057
1552.971
1661.086
753.742
580.986
2079.139
1645.748
1745.202
1248.563
1129.414
461.567
1428.202
1393.414
319.926
0
1.830
0
953.127
1645.580
3115.917

**YTD Meter Amounts:	Year	Amount
	1999	1.993
	2000	3.885
	2001	9.774
	2004	2.989
	2013	42.016
	2014	9892.829
	2015	19425.401
	2016	7755.792
	2017	10605.854

2018

11697.540

2020

0 0

806 **Meter Make:** MASTER 100.0000 Meter Serial Number: 1746627 **Meter Multiplier:** 

**Number of Dials:** 

**Meter Type:** 

Diversion

**Unit of Measure:** 

**Meter Number:** 

Gallons **Return Flow Percent:** 

**Usage Multiplier: Reading Frequency:** 

#### **Meter Readings (in Acre-Feet)**

Mtr Reading Flag **Rdr Comment Mtr Amount Online Read Date** Year

0 01/01/1999 1999 12165 Α fm 01/15/1999 1999 21665 A fm 2.915

\*\*YTD Meter Amounts: Year Amount 1999 2.915

> **Meter Number:** 807 Meter Make: **SEAMETRICS**

032019000837 1.0000 **Meter Serial Number: Meter Multiplier:** 

**Number of Dials: Meter Type:** Diversion

**Unit of Measure:** Barrels 42 gal. **Return Flow Percent:** 

**Usage Multiplier: Reading Frequency:** Monthly

#### **Meter Readings (in Acre-Feet)**

Read Date	Year	Mtr Reading	Flag	Rdr Comment	Mtr Amount Online
11/14/1999	1999	19858	A	fm	0
12/14/1999	1999	21411	A	fm	0.477
01/02/2019	2018	556195	A	RPT	0
02/01/2019	2019	604855	A	RPT	6.272
08/01/2019	2019	949138	A	RPT	44.376
09/01/2019	2019	1061141	A	RPT	14.436
09/30/2019	2019	1161966	A	RPT	12.996
10/31/2019	2019	1259879	A	RPT	12.620
11/30/2019	2019	1325382	A	RPT	8.443
12/31/2019	2019	1325382	A	RPT	0
02/01/2020	2020	1369756	A	RPT	5.720
03/01/2020	2020	1488098	A	RPT	15.253
04/01/2020	2020	1488098	A	RPT	0
05/01/2020	2020	1488098	A	RPT	0
06/01/2020	2020	1488098	A	RPT	0
08/01/2020	2020	1488098	A	RPT	0
08/01/2020	2020	0	A	RPT	0
09/01/2020	2020	154	A	RPT	0.020
10/01/2020	2020	154	A	RPT	0
11/01/2020	2020	26213	A	WEB	3.359 X
12/01/2020	2020	144137	A	WEB	15.200 X
01/01/2021	2020	168842	A	WEB	3.184 X
07/31/2021	2021	390794	A	ad	28.608
aging: 1/2021 <sub>2</sub>	02202105	5:57 PM 465926	A	ad	9.684

eived by OCL	0: 10/10/2022 09/30/2021 10/31/2021	28:22:51 AM 2021 2021	584055 664994	ad ad	15.226 10.432
	**YTD Met	er Amounts:	Year	Amount	
			1999	0.477	
			2018	0	
			2019	99.143	
			2020	42.736	
			2021	63.950	

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/5/22 8:39 AM

POINT OF DIVERSION SUMMARY



## New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

		POD		•		^						,	·		
POD Number	Code	Sub- basin	County		Q 16		Sec	Tws	Rng	X	Y	DistanceDe	pthWellDer	W othWater Co	/ater lumn
CP 00865 POD1		CP	LE		2		20	22S	34E	641845	3583118	1288	885	605	280
<u>CP 01722 POD1</u>		CP	LE	4	4	2	18	22S	34E	640964	3584949	1632	1122	785	337
<u>CP 01362 POD1</u>		CP	LE	3	4	4	18	22S	34E	640809	3584182	1636	1032	613	419
CP 01455 POD1		CP	LE	4	1	4	18	22S	34E	640574	3584515	1886	1033	615	418
<u>CP 01723 POD1</u>		CP	LE	4	4	1	18	22S	34E	640117	3584905	2413	1140	785	355
<u>CP 01721 POD1</u>		CP	LE	4	2	1	18	22S	34E	640181	3585244	2467	1108	820	288
<u>CP 01720 POD1</u>		CP	LE	1	3	2	08	22S	34E	642003	3586723	2502	1190	824	366
<u>CP 00597 POD1</u>		CP	LE		2	2	08	22S	34E	642410	3587074*	2814	35		
<u>CP 01725 POD1</u>		CP	LE	1	2	1	18	22S	34E	639914	3585521	2826	1137	800	337
<u>CP 00744</u>		CP	LE		1	2	09	22S	34E	643618	3587091*	3065	460		
<u>CP 01724 POD1</u>		CP	LE	3	1	1	18	22S	34E	639475	3585260	3131	1172	800	372
<u>CP 00704</u>		CP	LE		2	4	22	22S	34E	645681	3583097*	3440	600		
CP 00592 POD1		CP	ED		3	2	13	22S	33E	638834	3585015*	3687	427		
<u>CP 01803 POD1</u>		CP	LE	1	1	1	34	22S	34E	644357	3580786	3966	240	180	60
<u>CP 01826 POD1</u>		CP	LE	1	1	1	34	22S	34E	644379	3580778	3983	698	180	518
<u>CP 01740 POD1</u>		CP	LE	1	1	1	34	22S	34E	644402	3580765	4006	600	560	40
<u>CP 01706 POD1</u>		CP	LE	4	4	2	32	22S	34E	642603	3580185	4077	340	282	58
<u>CP 01705 POD1</u>		CP	LE	4	4	2	32	22S	34E	642588	3580179	4083	700	305	395
CP 01829 POD1		CP	LE	4	4	2	32	22S	34E	642559	3580172	4089	1410	1150	260
<u>CP 00598 POD1</u>		CP	LE		4	1	23	22S	34E	646480	3583511*	4105	70		
<u>CP 01683 POD1</u>		CP	LE	2	3	2	23	22S	34E	646949	3583562	4560	300		
<u>CP 00944 POD1</u>		CP	LE		3	1	03	22S	34E	644531	3588351	4592	109	70	39
<u>CP 01684 POD1</u>		CP	LE	2	1	4	23	22S	34E	646932	3583129	4629	300		
<u>CP 01682 POD1</u>		CP	LE	1	2	2	23	22S	34E	647164	3583992	4728	294	42	252
<u>CP 00622</u>		CP	LE	3	4	2	14	22S	34E	647164	3585030*	4783			

Average Depth to Water:

553 feet

Minimum Depth:

42 feet

Maximum Depth:

1150 feet

Record Count: 25

UTMNAD83 Radius Search (in meters):

Easting (X): 642443 Northing (Y): 3584260 Released to Imaging: 10/26/2022 2:05:57 PM


**Radius:** 5000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/5/22 8:23 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER





## Intermittent 5,309 feet



April 5, 2022

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake

Other

Riverine

Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

This map is for general reference only. The US Fish and Wildlife



## Pond 15,378 feet



April 5, 2022

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland


Freshwater Pond

Lake


Riverine

Other

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



## OSE POD 0.5 mile





1:18,056 0 0.17 0.35 0.7 mi 0 0.3 0.6 1.2 km

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, Esri, HERE, Garmin, (c) OpenStreetMap contributors, Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, U.S. Department of Energy Office of Legacy



## New Mexico Office of the State Engineer

# **Water Right Summary**



WR File Number: CP 00865 Subbasin: CP

**Cross Reference:** 

**Primary Purpose:** 

COM COMMERCIAL

**Primary Status:** 

**PMT PERMIT** 

**Total Acres:** 

0

**Subfile:** 

Header: -

**Total Diversion:** 

100

Cause/Case: -

Owner:

MERCHANT LIVESTOCK CO

**Contact:** 

CORKY GLENNS WATER WELL SERVICE

### **Documents on File**

				Sta	atus		From/			
	Trn #	Doc	File/Act	1	2	Transaction Desc.	To	Acres	Diversion	Consumptive
get images	<u>540290</u>	APPRO	2013-05-08	PMT	MTR	CP-865	T	0	100	100
get images	476449	72121	2007-01-26	EXP	EXP	CP 00865	T		1	
get images	476438	COWNE	F 2005-06-16	CHG	PRC	CP 00865	T		0	
get images	476397	72121	2005-04-19	EXP	EXP	CP 00865	T		3	
get images	476395	72121	2004-04-27	EXP	EXP	CP 00865	T		3	
get images	476393	72121	2003-09-18	EXP	EXP	CP 00865	T		3	
get images	476392	72121	2001-07-25	EXP	EXP	CP 00865	T		3	
get images	476388	72121	2000-09-01	EXP	EXP	CP 00865	T		3	
get images	476387	72121	2000-07-10	EXP	EXP	CP 00865	T		3	
get images	476386	72121	1999-12-15	EXP	EXP	CP 00865	T		3	
get images	476369	72121	1999-09-27	EXP	EXP	CP 00865	T		3	
g <u>et</u> images	476368	72121	1999-01-15	EXP	EXP	CP 00865	T		3	
get images	476360	72121	1998-11-05	EXP	EXP	CP 00865	T		3	
get images	476357	72121	1998-10-09	EXP	EXP	CP 00865	T		3	
get images	476356	72121	1998-08-07	EXP	EXP	CP 00865	T		3	
get images	476354	72121	1998-07-13	EXP	EXP	CP 00865	T		3	
get images	476353	72121	1997-08-11	PMT	LOG	CP 00865	T		3	

#### **Current Points of Diversion**

(NAD83 UTM in meters)

**POD Number** 

Well Tag Source 64Q16Q4Sec Tws Rng

CP 00865 POD1

Shallow 2 2 3 20 22S 34E

641845

**Other Location Desc** 

**Priority Summary** 

**Priority** 08/28/2012 Status **PMT** 

Acres Diversion Pod Number 100 CP 00865 POD1

Shallow

Released to Imaging: 10/26/2022 2:05:57 PM

Received by QCD: 10/10/2022 P: 22:51 AM Acres Diversion CU Use Priority Status Other Location Desc Page 137 of 289

0 100 COM PMT NO PLACE OF USE GIVEN

Source

**Source Description** 

0 100 100 COM GW

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/5/22 8:40 AM WATER RIGHT SUMMARY

Use Priority

 $\mathbf{C}\mathbf{U}$ 

Acres Diversion



## New Mexico Office of the State Engineer

## **Active & Inactive Points of Diversion**

(with Ownership Information)

-	Eub	(acre	ft per annum)	Well	(R=POD has been replaced and no longer serves this file, C=the file is closed)	(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest) (NAD83 UTM in meters)										
WR File Nbr	Sub		Diversion Owner		POD Number	Tag	Code Grant	Source	64					х	Y	Distance
CP 00865	CP	COM	100 MERCHANT LIVESTOCK CO	LE	<u>CP 00865 POD1</u>			Shallow						641845	3583118	1288
<u>CP 01046</u>	CP	PRO	0 YATES PETROLEUM	LE	<u>CP 00865 POD1</u> CP 00865 POD1			Shallow						641845	3583118	1288
<u>CP 01047</u>	CP	PRO	0 NOVA MUD	LE				Shallow						641845	3583118	1288
<u>CP 01048</u>	CP	PRO	0 GLENN'S WATER WELL SERVICE	LE	<u>CP 00865 POD1</u>			Shallow						641845	3583118	1288
CP 01085	CP	PRO	0 GLENN'S WATER WELL SRVC., INC.	LE	<u>CP 00865 POD1</u>			Shallow					34E	641845	3583118	1288
<u>CP 01086</u>	CP	PRO	0 TO WATER SERVICES	LE	<u>CP 00865 POD1</u>			Shallow					34E	641845	3583118	1288
<u>CP 01087</u>	CP	PRO	0 TONYA'S PERMIT SERVICE	LE	<u>CP 00865 POD1</u>			Shallow						641845	3583118	1288
<u>CP 01291</u>	CP	COM	100 ATKINS ENGR ASSOC INC	LE	<u>CP 00865 POD1</u>	20004		Shallow						641845	3583118	1288
<u>CP 01731</u>	CP	COM	450 ROY TAYLOR	LE	<u>CP 01731 POD2</u>	20C94							34E	642053	3582883	1430
CP 01722	CP	COM	100 ATKINS ENGR ASSOC INC	LE	<u>CP 01722 POD1</u>	NA		Artesian						640963	3584949	1632
<u>CP 01362</u>	CP	EXP	0 MERCHANT LIVESTOCK CO	LE	<u>CP 01362 POD1</u>			Artesian						640808	3584182	1636
<u>CP 01363</u>	CP	COM	100 ATKINS ENGR ASSOC INC	LE	CP 01362 POD1			Artesian						640808	3584182	1636
<u>CP 01453</u>	CP	COM	100 ATKINS ENGR ASSOC INC	LE	<u>CP 01362 POD1</u>			Artesian						640808	3584182	1636
<u>CP 01456</u>	CP	PRO	0 COG OPERATING	LE	CP 01362 POD1			Artesian						640808	3584182	1636
<u>CP 01457</u>	CP	PRO	0 COG OPERATING	LE	CP 01362 POD1			Artesian						640808	3584182	1636
CP 01458	CP	PRO	0 COG OPERATING	LE	CP 01362 POD1			Artesian						640808	3584182	1636
<u>CP 01731</u>	CP	COM	450 ROY TAYLOR	LE	<u>CP 01731 POD3</u>	20C93							34E	642631	3582544	1725
				LE	<u>CP 01731 POD1</u>	20C95							34E	641803	3582573	1803
<u>CP 01454</u>	CP	COM	200 MERCHANT LIVESTOCK CO	LE	<u>CP 01455 POD1</u>			Artesian	4	1 4	18	228	34E	640574	3584515	1886
<u>CP 01455</u>	CP	EXP	0 ATKINS ENGR ASSOC INC	LE	<u>CP 01455 POD1</u>			Artesian	4	1 4	18	228	34E	640574	3584515	1886
<u>CP 01494</u>	CP	PRO	0 COG OPERATING	LE	<u>CP 01455 POD1</u>			Artesian	4	1 4	18	228	34E	640574	3584515	1886
CP 01495	CP	PRO	0 COG OPERATING	LE	<u>CP 01455 POD1</u>			Artesian	4	1 4	18	228	34E	640574	3584515	1886
CP 01496	CP	PRO	0 COG OPERATING	LE	<u>CP 01455 POD1</u>			Artesian	4	1 4	18	228	34E	640574	3584515	1886
CP 01630	CP	EXP	0 S2W CONTRACTING, LLC	LE	CP 01630 POD2				3	4 3	21	228	34E	643130	3582496	1892
				LE	<u>CP 01631 POD1</u>				4	4 4	19	228	34E	640970	3582491	2301
CP 01631	CP	COM	13.5 S2W WATER NM LLC	LE	<u>CP 01631 POD1</u>				4	4 4	19	228	34E	640970	3582491	2301
<u>CP 01723</u>	CP	COM	80 MERCHANT LIVESTOCK CO/GWWS INC	LE	<u>CP 01723 POD1</u>	NA		Artesian	4	4 1	18	228	34E	640117	3584905	2413
<u>CP 01711</u>	CP	COM	100 S2W WATER NM LLC	LE	<u>CP 01711 POD2</u>	NA			3	3 3	10	228	34E	644432	3585700	2456
<u>CP 01721</u>	CP	COM	40 MERCHANT LIVESTOCK CO/GWWS INC	LE	<u>CP 01721 POD1</u>	NA		Artesian	4	2 1	18	228	34E	640181	3585244	2467
<u>CP 01720</u>	CP	COM	55 MERCHANT LIVESTOCK CO	LE	<u>CP 01720 POD1</u>	NA		Artesian	1	3 2	08	228	34E	642003	3586723	2502
<u>CP 00597</u>	CP	PLS	3 THE MERCHANT LIVESTOCK COMPANY	LE	<u>CP 00597 POD1</u>			Shallow		2 2	08	228	34E	642410	3587074*	2814
<u>CP 01725</u>	CP	COM	110 MERCHANT LIVESTOCK CO/GWWS INC	LE	<u>CP 01725 POD1</u>	NA		Artesian	1	2 1	18	228	34E	639914	3585521	2826
CP 00864	CP	PRO	0 SANTA FE ENERGY RESOURCES	LE	CP 00864					2 3	29	228	34E	641676	3581433*	2929
<u>CP 00744</u>	CP	PRO	0 ORYX ENERGY	LE	<u>CP 00744</u>			Shallow		1 2	09	228	34E	643618	3587091*	3065
<u>CP 01724</u>	CP	COM	40 ATKINS ENGR ASSOC INC	LE	<u>CP 01724 POD1</u>	NA		Artesian	3	1 1	18	228	34E	639475	3585260	3131
CP 01711	CP	COM	100 S2W WATER NM LLC	LE	<u>CP 01711 POD1</u>	NA			2	3 1	10	228	34E	644445	3586812	3244
CP 00704	CP	PRO	0 APACHE CORPORATION	LE	<u>CP 00704</u>					2 4	22	228	34E	645681	3583097*	3440
CP 00591	CP	PLS	3 THE MERCHANT LIVESTOCK COMPANY	LE	CP 00591 POD1					3 2	13	228	33E	638834	3585015*	3687
CP 00592	CP	PLS	3 THE MERCHANT LIVESTOCK COMPANY	ED	CP 00592 POD1			Shallow		3 2	13	228	33E	638834	3585015*	3687
CP 01624	CP	EXP	0 ATKINS ENGR ASSOC INC	LE	<u>CP 01624 POD1</u>				4	2 2	32	228	34E	642669	3580494	3772
CP 01686	CP	COM	100 LIMESTONE BASIN PROPERTIES	LE	<u>CP 01686 POD1</u>	NA			4	2 2	32	228	34E	642669	3580494	3772
CP 01803	CP	STK	3 LIMESTONE BASIN PROPERTIES	LE	CP 01803 POD1	22473		Shallow	1	1 1	34	228	34E	644356	3580786	3966
CP 01740	CP	COM	303 LIMESTONE BASIN PROPERTIES	LE	CP 01826 POD1	NA		Artesian	1	1 1	34	228	34E	644379	3580778	3983
CP 01826	CP	EXP	0 LIMESTONE BASIN PROPERTIES	LE	CP 01826 POD1	NA		Artesian	1	1 1	34	228	34E	644379	3580778	3983
CP 01740	CP	COM	303 LIMESTONE BASIN PROPERTIES	LE	CP 01740 POD1	NA		Artesian	1	1 1	34	228	34E	644401	3580765	4006
CP 01706	CP	EXP	0 LIMESTONE BASIN PROP RANCH LLC	LE	CP 01706 POD1	NA		Shallow	4	4 2	32	228	34E	642603	3580185	4077
CP 01686	CP	COM	100 LIMESTONE BASIN PROPERTIES	LE	CP 01705 POD1	20D10		Shallow						642587	3580179	4083
CP 01705	CP	STK	3 LIMESTONE BASIN PROPERTIES	LE	CP 01705 POD1	20D10		Shallow						642587	3580179	4083
					CP 01829 POD1	NA		Artesian						642559	3580172	4089
Keleased 1	to In	iagii	ng: 10/26/2022 2:05:57 PM												_	•

Received	by O	CD:	10/10/2022 8:22:51 AM 3 THE MERCHANT LIVESTOCK COMPANY	LE	<u>CP 00598 POD1</u>		Shallov	w	4 1	23	22S	34E	646480	Page 139	of 289
CP 01683	CP	COM	128 ATKINS ENGR ASSOC INC	LE	CP 01683 POD1	20D30		2	3 2	2 23	22S	34E	646949	3583562	4560
CP 00944	CP	EXP	0 ENSTOR GRAMA RIDGE STORAGE	LE	<u>CP 00944 POD1</u>		Shallov	w	3 1	03	22S	34E	644530	3588351	4592
CP 00964	CP	SAN	1 ENSTOR GRAMA RIDGE TRANSPORATION AND STORAGE LLC	LE	<u>CP 00944 POD1</u>		Shallov	w	3 1	03	22S	34E	644530	3588351	4592
CP 01684	CP	COM	128 MERCHANT LIVESTOCK CO	LE	CP 01684 POD1	2062C		2	1 4	23	22S	34E	646932	3583129	4629
CP 01682	CP	COM	128 MERCHANT LIVESTOCK CO	LE	CP 01682 POD1	2062A	Shallov	w 1	2 2	23	22S	34E	647163	3583992	4728
CP 01685	CP	COM	128 MERCHANT LIVESTOCK CO	LE	CP 01685 POD1	20D2F		1	2 2	2 23	22S	34E	647172	3584092	4732
CP 00622	CP	PRO	0 POGO PRODUCING CO.	LE	<u>CP 00622</u>			3	4 2	14	22S	34E	647164	3585030*	4783
CP 01073	CP	COM	85 LIMESTONE BASIN PROPERTIES	LE	CP 01073 POD1		Shallov	w	3	33	22S	34E	643327	3579453	4887

Record Count: 58

UTMNAD83 Radius Search (in meters):


**Easting (X):** 642443 **Northing (Y):** 3584260 **Radius:** 5000

Sorted by: Distance

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/5/22 8:23 AM ACTIVE & INACTIVE POINTS OF DIVERSION





### Wetland 8106 feet

April 5, 2022

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Pond

Lak


Lake Other

Freshwater Forested/Shrub Wetland

Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

## **Active Mines in New Mexico**





Released to Imaging: 10/26/2022 2:05:57 PM

# Received by OCD: 10/10/2022 8:22:51 AM National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X OTHER AREAS OF Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D - - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLILL Levee, Dike, or Floodwall 20.2 Cross Sections with 1% Annual Chance 17.5 Water Surface Elevation **Coastal Transect** ----- Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary -- Coastal Transect Baseline OTHER **Profile Baseline FEATURES** Hydrographic Feature Digital Data Available No Digital Data Available

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

Unmapped

an authoritative property location.

The pin displayed on the map is an approximate point selected by the user and does not represent

MAP PANELS

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/5/2022 at 12:03 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2.000

1:6.000

Basemap: USGS National Map: Orthoimagery: Data refreshed October, 2020



United States Department of Agriculture

**VRCS** 

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

# Custom Soil Resource Report for Lea County, New Mexico



## **Preface**

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2 053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# **Contents**

Preface	2
How Soil Surveys Are Made	
Soil Map	
Soil Map	
Legend	10
Map Unit Legend	11
Map Unit Descriptions	11
Lea County, New Mexico	
KM—Kermit soils and Dune land, 0 to 12 percent slopes	13
References	15

# **How Soil Surveys Are Made**

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.


Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

# Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



#### MAP LEGEND

#### Area of Interest (AOI)

Area of Interest (AOI)

#### Soils

Soil Map Unit Polygons

-

Soil Map Unit Lines

Soil Map Unit Points

#### Special Point Features

(2)

Blowout

 $\boxtimes$ 

Borrow Pit

Ж

Clay Spot

**\rightarrow** 

Closed Depression

×

**Gravel Pit** 

00

**Gravelly Spot** 

0

Landfill Lava Flow

٨

Marsh or swamp

尕

Mine or Quarry

0

Miscellaneous Water
Perennial Water

0

Rock Outcrop

+

Saline Spot

• • •

Sandy Spot

0 0

Severely Eroded Spot

\_

Sinkhole

Ø.

Sodic Spot

Slide or Slip

#### \_\_\_\_\_

8

Spoil Area Stony Spot

m

Very Stony Spot

Ø

Wet Spot Other

Δ

Special Line Features

#### Water Features

~

Streams and Canals

#### Transportation

ransp

Rails

~

Interstate Highways

~

US Routes

 $\sim$ 

Major Roads

~

Local Roads

#### Background

The same

Aerial Photography

#### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico Survey Area Data: Version 18, Sep 10, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## **Map Unit Legend**

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI				
КМ	Kermit soils and Dune land, 0 to 12 percent slopes	5.2	100.0%				
Totals for Area of Interest		5.2	100.0%				

## **Map Unit Descriptions**

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

## Lea County, New Mexico

#### KM—Kermit soils and Dune land, 0 to 12 percent slopes

#### **Map Unit Setting**

National map unit symbol: dmpx Elevation: 3,000 to 4,400 feet

Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

#### **Map Unit Composition**

Kermit and similar soils: 46 percent

Dune land: 44 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Kermit**

#### Setting

Landform: Dunes

Landform position (two-dimensional): Shoulder, backslope, footslope

Landform position (three-dimensional): Side slope Down-slope shape: Concave, convex, linear

Across-slope shape: Convex

Parent material: Calcareous sandy eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 8 inches: fine sand C - 8 to 60 inches: fine sand

#### **Properties and qualities**

Slope: 5 to 12 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Excessively drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 3 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 3.1 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: A

Ecological site: R042XC022NM - Sandhills

Hydric soil rating: No

#### **Description of Dune Land**

#### Setting

Landform: Dunes

Landform position (two-dimensional): Shoulder, backslope, footslope

Landform position (three-dimensional): Side slope Down-slope shape: Concave, convex, linear

Across-slope shape: Convex

Parent material: Sandy eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 6 inches: fine sand C - 6 to 60 inches: fine sand

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 8

Hydrologic Soil Group: A Hydric soil rating: No

#### **Minor Components**

#### **Pyote**

Percent of map unit: 3 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### **Palomas**

Percent of map unit: 3 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### Wink

Percent of map unit: 2 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### Maljamar

Percent of map unit: 2 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

## References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2 053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2\_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE\_DOCUMENTS/nrcs142p2\_052290.pdf



# Ecological site R042XC022NM Sandhills

Accessed: 04/05/2022

#### **General information**



Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

#### Physiographic features

This site occurs on plains. The soils are calcareous sandy eolian deposits derived from sedimentary rock. Land form of sand dunes or hillslopes. Slopes average 5 to 35 percent. Slopes are complex as the steeper slopes are shorter in length while the more gentle slopes are longer in length. Direction of slopes vary and is usually not significant. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain (2) Hill (3) Dune
Flooding frequency	None
Ponding frequency	None
Elevation	2,842-4,500 ft
Slope	5–35%

Aspect is not a significant factor

#### **Climatic features**

The climate of the area is "semi-arid continental". The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common. Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms. Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer. The average frost-free season is 180 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November. Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of this site. Because of the texture of this soil, most rainfall is effective. Strong winds blow from the west and southwest from January through June which accelerates soil drying at a time for cool season plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	220 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

#### Influencing water features

This site is not influenced by wetlands or streams.

#### Soil features

The soils of this site are deep and very deep. Surface textures are fine sand or loamy fine sand. Subsoilis a fine sand or loamy fine sand to a depth of 60 inches or more. These soils have less than 10 percent clay content. These soils are subject to severe wind erosion if vegetative cover is not adequate.

Minimum and maximum values listed below represent the characterist soils for this site.

Characteristic Soils Are:

Kermit

Aguena

Table 4. Representative soil features

Surface texture	(1) Fine sand (2) Loamy fine sand (3) Loamy sand
Family particle size	(1) Sandy
Drainage class	Well drained to excessively drained
Permeability class	Rapid to very rapid
Soil depth	60–72 in
Surface fragment cover <=3"	0–5%
Surface fragment cover >3"	0%

Available water capacity (0-40in)	3–9 in
Calcium carbonate equivalent (0-40in)	0–7%
Electrical conductivity (0-40in)	0–2 mmhos/cm
Sodium adsorption ratio (0-40in)	0–1
Soil reaction (1:1 water) (0-40in)	7.4–8.4
Subsurface fragment volume <=3" (Depth not specified)	0–5%
Subsurface fragment volume >3" (Depth not specified)	0%

#### **Ecological dynamics**


#### Overview:

The Sandhills site occurs adjacent to or intergrades with the Deep Sand site. The Sandhills site is differentiated from deep sand sites by a steeper average slope, and an increased depth to a soil texture change. Sandhills slopes are usually greater than eight percent, and the soil profile is a fine sand or loamy fine sand to a depth greater than 60 inches. Deep Sand sites have slopes less than eight percent and a textural change can occur at less than 60 inches. The historic plant community of the Sandhills site is a mixture of grasses, shrubs and forbs, with tall grasses dominating in aspect. During years of abundant spring moisture, tall growing forbs occasionally reach aspect dominance. Sand bluestem and giant dropseed are the dominant grasses, with Havard panicum and dropseeds as sub-dominants. Sand shinnery oak and soapweed yucca are the dominant shrubs. Drought favors shinnery by impacting grasses more severly. Shinnery oak's ability to store water and carbohydrates, and its strong negetive leaf water potential enable it to out compete grasses during drought conditions. Changes in historical fire regimes, competition by shrubs, and overgrazing may contribute to this site becoming dominated by sand shinnery oak.

#### State and transition model

## Plant Communities and Transitional Pathways (diagram)

## MLRA-42, SD-3, Sandhills



 Above average summer rainfall, fire suppression, competition, over grazing, crought

1b. Brush control, Prescribed grazing




Figure 4.

#### State 1 Grass/Shrub Mix

# Community 1.1 Grass/Shrub Mix

Grass/Shrub Mix: The historic plant community in the northern part of the resource area (SD-3) is dominated by sand bluestem and giant dropseed, with Havard panicum as a sub-dominant. Primary grass dominance may gradually shift moving south across the resource area to a community dominated by giant dropseed and spike dropseed, with mesa dropseed as the sub-dominant grass species. Throughout the resource area sand shinnery oak and soapweed yucca are the dominant shrubs with sand sagebrush as the sub-dominant. As retrogression within this state occurs, plants such as sand bluestem, giant dropseed, Havard panicum, plains bristlegrass, sand paspalum, and fourwing saltbush decrease. This results in an increase in spike dropseed, sand dropseed, mesa dropseed, threeawns sand shinnery oak, and sand sagebrush. Continued loss of grass cover may result in a transition to a sand shinnery oak dominated state.

Diagnosis: Sand bluestem or giant dropseed are dominant or present in substantial amounts. Spike dropseed, sand dropseed or mesa dropseed may be dominant in some instances. Grass cover is variable, shifting sands and large irregular dunes produce considerable variation in the spatial distribution and composition of the plant community. Grass cover is not continuous, but is fairly uniform across the more stable areas. Large natural bare areas or blowouts are a common feature on the less stable portions of the Sandhills site.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	
Grass/Grasslike	360	585	810
Shrub/Vine	120	195	270
Forb	120	195	270
Total	600	975	1350

#### Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	10-15%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	20-25%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	45-60%

Figure 6. Plant community growth curve (percent production by month). NM2822, R042XC022NM Sandhills HCPC. R042XC022NM Sandhills HCPC warm season plant community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	1	3	4	10	10	25	30	12	5	0	0

# State 2 Sand Shinnery Oak-Dominated

# Community 2.1 Sand Shinnery Oak-Dominated

#### Additional States:

Sand Shinnery Oak -Dominated: Sand shinnery oak is the dominant species and in dense stands may reduce forage production by as much as 90 percent.1 It often forms a mosaic of dense thickets interspersed with occasional motts of taller oaks, large areas of bare ground, and concentrations of sand sagebrush. Sand shinnery oak is well suited to deep sandy soils. The height and cover of oak decreases as sand depth decreases or clay content increases. The aggressive nature of fall witchgrass and continued loss of more palatable grasses and threeawn species may result in a sand shinnery oak-fall witchgrass community. Burning may result in a community with very little grass or sand shinnery oak (bare). Sand shinnery oak usually recovers due to its ability to sprout aggressively following fire.

Diagnosis: Sand shinnery oak is the dominant species. Grass cover is sparse and patchy. Shrub cover is high. Blowouts and bare areas are common, however, high shrub cover mediates erosion.

Transition to Sand Shinnery Oak Dominated (1a): Climate may play a role in facilitating the spread sand shinnery oak. It is best adapted to those areas that receive and average of 16 inches of annual rainfall; it may therefore gain a competitive advantage during cycles of above average precipitation. Sand shinnery oak spreads mainly by elongation of rhizomes, but in some instances will reproduce by seed. The establishment and survival of seedlings is limited to those years with abundant rainfall during the months of July and August. If fire historically played a part in suppressing the density and distribution of shrubs in desert grasslands, then fire suppression may facilitate a shift to shrub dominance.2 Competition for resources between grasses and shrubs may be a factor in increased densities of sand shinnery oak. 1 Sand shinnery oak has an extensive system of underground roots and stems that can uptake and store water for growth during drier periods, allowing it to increase, at times when grasses decrease. Evidence of competitive suppression of grasses is indicated by increases in herbaceous vegetation following chemical control of sand shinnery oak.1 However, this increase may in part be due to a flush of nutrients made available from the decomposing biomass of woody roots and stems. Loss of grass cover due to overgrazing or drought may give a competitive advantage to sand shinnery oak.

Key indicators of approach to transition:

- \* A decrease in the tall grass species and the associated increase in threeawns may be indicative of the initial stage of transition to a shrub-dominated state.
- \* Increased cover of sand shinnery oak.

Transition back to Grass/Shrub Mix (1b) Chemical brush control is an effective means of controlling sand shinnery oak and sand sagebrush. Where large areas of chemical control are planned, increased erosion and the effect on loss of wildlife habitat should be considered. Prescribed grazing will help ensure an adequate deferment period to allow grass recovery and subsequent proper forage utilization. There have been studies that suggest long term browsing by goats can reduce sand shinnery oak, altering production in favor of grasses.3

#### Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover
Grass	/Grasslike	•	<del>,</del>	<b>_</b>	
1				195–293	
	sand bluestem	ANHA	Andropogon hallii	195–293	_
	Havard's panicgrass	PAHA2	Panicum havardii	195–293	_
	giant dropseed	SPGI	Sporobolus giganteus	195–293	_
2		•	-	146–195	
	spike dropseed	SPCO4	Sporobolus contractus	146–195	_
	sand dropseed	SPCR	Sporobolus cryptandrus	146–195	_
	mesa dropseed	SPFL2	Sporobolus flexuosus	146–195	_
3		•		49–98	
	thin paspalum	PASE5	Paspalum setaceum	49–98	_
	plains bristlegrass	SEVU2	Setaria vulpiseta	49–98	_
4			•	29–49	
	threeawn	ARIST	Aristida	29–49	_
	mat sandbur	CELO3	Cenchrus longispinus	29–49	_
	flatsedge	CYPER	Cyperus	29–49	_
5		•		29–49	
	Grass, perennial	2GP	Grass, perennial	29–49	_

6	1			49–98	
ь	Have and a selection		O		
	Havard oak	QUHA3	Quercus havardii	49–98	
7		T	[., ,	49–98	
_	soapweed yucca	YUGL	Yucca glauca	49–98	
8			Г	29–49	
	sand sagebrush	ARFI2	Artemisia filifolia	29–49	
9			T	20–49	
	fourwing saltbush	ATCA2	Atriplex canescens	20–49	_
10				20–49	
	rabbitbrush	CHRYS9	Chrysothamnus	20–49	_
11				20–49	
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	20–49	_
Forb		•			
12				20–49	
	featherplume	DAFO	Dalea formosa	20–49	_
13			-	29–49	
	sundrops	CALYL	Calylophus	29–49	_
	phlox heliotrope	HECO5	Heliotropium convolvulaceum	29–49	_
	sharpleaf penstemon	PEAC	Penstemon acuminatus	29–49	_
14				20–49	
	touristplant	DIWI2	Dimorphocarpa wislizeni	20–49	_
	lemon beebalm	MOCI	Monarda citriodora	20–49	_
16				29–49	
	hymenopappus	HYMEN4	Hymenopappus	29–49	_
	blazingstar		Mentzelia	29–49	
	threadleaf ragwort	SEFLF	Senecio flaccidus var. flaccidus	29–49	_
17				20–49	
	sunflower	HELIA3	Helianthus	20–49	
18		1		20–49	
	buckwheat	ERIOG	Eriogonum	20–49	
19	Sacrifficat	12.4.00		20–49	
10	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	20–49	_

#### **Animal community**

This site provides habitat which support a resident animal community that is characterized by pronghorn antelope, black-tailed jackrabbit, Ord's kangaroo rat, Northern grasshopper mouse, Southern Plains woodrat, swift fox, roadrunner, meadowlark, lark bunting, ferruginous hawk, lesser prairie chicken, mourning dove, scaled quail, sand dune lizard, marbled whiptail, ornate box turtle, bullsnake and Western diamondback rattlesnake. Grasshopper and vesper sparrows utilize the site during migration. The ferruginous hawk sometimes nests on dunes associated with the site. White-tailed deer are also sometimes associated with this site (Mescalero Sands). Where mesquite invades, resident species of birds such as white-necked raven, roadrunner, pyrrhuloxia, mourning dove, and Harris hawk nest. Where sand hummocks form around shrubs, rodent populations and their predators increase. Fourwing saltbush, shinnery oak, sand sagebrush, and mesquite provide protective cover for scaled quail. Seed, green herbage, and fruit from a variety of grasses, forbs, and shrubs provide food for a number of birds and mammals, including mourning dove, scaled quail, lessor prairie chicken and antelope.

#### **Hydrological functions**

The runoff curve numbers are determined by field investigations using hydrolic cover conditions and hydrologic soil groups.

Hydrologic Interpretations
Soil Series----- Hydrologic Group
Kermit----- A
Aguena----- A

#### Recreational uses

This site offers recreation potential for hiking, horseback riding, nature observation and photography. This site also offers opportunities for hunting of such species as quail, dove and antelope.

Mechanical, off-road vehicle use by dune buggies, four wheelers, or motor bikes is site-destructive, resulting in severe soil movement by wind erosion. Off-road vehicle use should be confined to those areas which are already deterioriated and where intensive management for soil protection can be practiced.

During years of abundant spring moisture, this site desplays a colorful array of wildflowers during May and June. A few showy summer and fall flowers also occur.

#### **Wood products**

The plant community associated with this site affords little or no wood products.

#### Other products

This site is suitable for grazing during all seasons of the year by all kinds and classes of livestock. Where shinnery oak has increased considerably above the amount in the potential plant community cattle loss can occur if grazed during the late bud and early leaf stage. This site responds well to an integrated brush management and grazing management. Brush management is inappropriate in occupied or potential habitat for sand dune lizard. Mismannagement of this site will cause a decrease in Harvard panicum, sand bluestem, giant dropseed, plains bristlegrass, sand paspalum and fourwing saltbush. There will be a corresponding increase in dropseeds, sand sagebrush and shinnery oak. When shinnery oak is not a problem, this site responds best to a system of mangement that rotates the season of use. Grazing management plans should be design to leave adequate residual cover for lesser prairie chicken nesting.

#### Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month

Similarity Index---- Ac/AUM 100 - 76----- 2.0 - 4.0 75 - 51---- 3.0 - 6.5 50 - 26---- 5.0 - 12.0 25 - 0----- 12.0 - +

#### Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains (SD-3) Major Land Resource Area of New Mexico. This site has been mapped and correlated with soils in the following soil surveys: South Chaves, Eddy, Lea and Otero Counties.

#### Other references

Literature Cited:

- 1. Sears, W.E., C.M. Britton, D.B. Wester, and R.D. Pettit. 1986. Herbicide conversion of a sand shinnery oak (Quercus havardii) community: effects on biomass. J. Range. Manage. 39: 399-403.
- 2. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, September). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/[accessed 1/07/02].
- 3. Villena, F. and J.A. Pfister. 1990. Sand shinnery oak as forage for Angora and Spanish goats. J. Range. Manage. 43: 116-122.

#### **Contributors**

David Trujillo Don Sylvester

#### Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

#### **Indicators**

1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:


Released to Imaging: 10/26/2022 2:05:57 PM


6. Extent of wind scoured, blowouts and/or depositional areas:

7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:
13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth ( in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:

17. Perennial plant reproductive capability:

# ArcGIS Web Map





USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS

Qpl—Lacustrine and playa deposits (Holocene) — Includes associated alluvial and eolian deposits of major lake basins

Qp—Piedmont alluvial deposits (Holocene to lower Pleistocene)

Qe—Eolian deposits (Holocene to middle Pleistocene)

## **ATTACHMENT 6**

#### **Monica Peppin**

From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

**Sent:** Friday, June 17, 2022 10:10 AM

**To:** Enviro, OCD, EMNRD; CFO\_Spill, BLM\_NM; dale.woodall@dvn.com

**Cc:** Monica Peppin

**Subject:** Gaucho Unit 6 48-HR Notification Multiple Releases

All,

Please accept this email as 48-hr notification that Vertex Resource Services has scheduled confirmatory sampling to be conducted for the following releases:

nAPP2201348579 DOR: 12/28/2021 Site Name: Gaucho Unit 6H CTB

nKJ1602628821 DOR: 01/22/2015 nAPP2208733407 DOR: 03/25/2022 nOY1727243107 DOR: 09/14/2017

This work will be completed on behalf of Devon Energy Production Company.

On Tuesday, June 21, 2022 at approximately 10:00 a.m., Monica Peppin will be on site to conduct confirmatory sampling and a liner inspection. Sampling may go into June 22, 2022. She can be reached at 575-361-9880. If you need directions to the site, please do not hesitate to contact her.

Thank you,

#### **Monica Peppin**

Project Manager

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

P 575.725.5001 Ext. 711 C 575.361.9880 F

#### www.vertex.ca

Confidentiality Notice: This message and any attachments are solely for the intended recipient and may contain confidential or privileged information. If you are not the intended recipient, any disclosure, copying, use, or distribution of the information included in this message and any attachment is prohibited. If you have received this communication in error, please notify us by reply email and immediately and permanently delete this message and any attachments. Thank you.

#### **Monica Peppin**

From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

**Sent:** Tuesday, July 5, 2022 12:11 PM

To: Enviro, OCD, EMNRD; CFO\_Spill, BLM\_NM

**Cc:** Monica Peppin

**Subject:** Gaucho Unit 6 48-HR Notification Multiple Releases

All,

Please accept this email as 48-hr notification that Vertex Resource Services has scheduled confirmatory sampling to be conducted for the following releases:

nAPP2201348579 DOR: 12/28/2021 Site Name: Gaucho Unit 6H CTB

nKJ1602628821 DOR: 01/22/2015 nAPP2208733407 DOR: 03/25/2022

This work will be completed on behalf of Devon Energy Production Company.

On Thursday, July 7, 2022 at approximately 12:00 p.m., McKitrick Wier will be on site to conduct additional confirmatory sampling. Sampling may go into July 8, 2022. He can be reached at 575-361-9639. If you need directions to the site, please do not hesitate to contact her.

Thank you,

#### **Monica Peppin**

Project Manager

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

P 575.725.5001 Ext. 711 C 575.361.9880 F

#### www.vertex.ca

Confidentiality Notice: This message and any attachments are solely for the intended recipient and may contain confidential or privileged information. If you are not the intended recipient, any disclosure, copying, use, or distribution of the information included in this message and any attachment is prohibited. If you have received this communication in error, please notify us by reply email and immediately and permanently delete this message and any attachments. Thank you.

## **ATTACHMENT 7**



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

May 13, 2022

Monica Peppin Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210

TEL: (505) 350-1336

FAX:

RE: Gaucho 6 Battery OrderNo.: 2205058

#### Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 6 sample(s) on 5/3/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

# Analytical Report Lab Order 2205058

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-01 0'

 Project:
 Gaucho 6 Battery
 Collection Date: 4/29/2022 10:00:00 AM

 Lab ID:
 2205058-001
 Matrix: SOIL
 Received Date: 5/3/2022 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.3	mg/Kg	1	5/6/2022 2:06:20 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	5/6/2022 2:06:20 PM
Surr: DNOP	98.4	51.1-141	%Rec	1	5/6/2022 2:06:20 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/7/2022 12:32:06 AM
EPA METHOD 8260B: VOLATILES SHORT I	LIST				Analyst: JR
Benzene	ND	0.025	mg/Kg	1	5/5/2022 1:35:14 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 1:35:14 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 1:35:14 PM
Xylenes, Total	ND	0.099	mg/Kg	1	5/5/2022 1:35:14 PM
Surr: 1,2-Dichloroethane-d4	94.1	70-130	%Rec	1	5/5/2022 1:35:14 PM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	5/5/2022 1:35:14 PM
Surr: Dibromofluoromethane	119	70-130	%Rec	1	5/5/2022 1:35:14 PM
Surr: Toluene-d8	91.7	70-130	%Rec	1	5/5/2022 1:35:14 PM
EPA METHOD 8015D MOD: GASOLINE RAM	NGE				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/5/2022 1:35:14 PM
Surr: BFB	111	70-130	%Rec	1	5/5/2022 1:35:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 12

# Analytical Report Lab Order 2205058

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-02 0'

 Project:
 Gaucho 6 Battery
 Collection Date: 4/29/2022 10:10:00 AM

 Lab ID:
 2205058-002
 Matrix: SOIL
 Received Date: 5/3/2022 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	5/6/2022 2:30:02 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	5/6/2022 2:30:02 PM
Surr: DNOP	101	51.1-141	%Rec	1	5/6/2022 2:30:02 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/7/2022 12:44:27 AM
EPA METHOD 8260B: VOLATILES SHORT LI	ST				Analyst: JR
Benzene	ND	0.023	mg/Kg	1	5/5/2022 3:01:03 PM
Toluene	ND	0.047	mg/Kg	1	5/5/2022 3:01:03 PM
Ethylbenzene	ND	0.047	mg/Kg	1	5/5/2022 3:01:03 PM
Xylenes, Total	ND	0.094	mg/Kg	1	5/5/2022 3:01:03 PM
Surr: 1,2-Dichloroethane-d4	96.0	70-130	%Rec	1	5/5/2022 3:01:03 PM
Surr: 4-Bromofluorobenzene	93.4	70-130	%Rec	1	5/5/2022 3:01:03 PM
Surr: Dibromofluoromethane	122	70-130	%Rec	1	5/5/2022 3:01:03 PM
Surr: Toluene-d8	92.0	70-130	%Rec	1	5/5/2022 3:01:03 PM
EPA METHOD 8015D MOD: GASOLINE RAN	GE				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	5/5/2022 3:01:03 PM
Surr: BFB	107	70-130	%Rec	1	5/5/2022 3:01:03 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 12

# Analytical Report Lab Order 2205058

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-03 0'

 Project:
 Gaucho 6 Battery
 Collection Date: 4/29/2022 10:20:00 AM

 Lab ID:
 2205058-003
 Matrix: SOIL
 Received Date: 5/3/2022 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	5/6/2022 2:53:45 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	5/6/2022 2:53:45 PM
Surr: DNOP	101	51.1-141	%Rec	1	5/6/2022 2:53:45 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/7/2022 12:56:48 AM
<b>EPA METHOD 8260B: VOLATILES SHORT</b>	LIST				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	5/5/2022 4:26:29 PM
Toluene	ND	0.049	mg/Kg	1	5/5/2022 4:26:29 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/5/2022 4:26:29 PM
Xylenes, Total	ND	0.098	mg/Kg	1	5/5/2022 4:26:29 PM
Surr: 1,2-Dichloroethane-d4	96.0	70-130	%Rec	1	5/5/2022 4:26:29 PM
Surr: 4-Bromofluorobenzene	96.1	70-130	%Rec	1	5/5/2022 4:26:29 PM
Surr: Dibromofluoromethane	117	70-130	%Rec	1	5/5/2022 4:26:29 PM
Surr: Toluene-d8	92.7	70-130	%Rec	1	5/5/2022 4:26:29 PM
EPA METHOD 8015D MOD: GASOLINE RA	NGE				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/5/2022 4:26:29 PM
Surr: BFB	110	70-130	%Rec	1	5/5/2022 4:26:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 12

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-04 0'

 Project:
 Gaucho 6 Battery
 Collection Date: 4/29/2022 10:30:00 AM

 Lab ID:
 2205058-004
 Matrix: SOIL
 Received Date: 5/3/2022 7:00:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS					Analyst: SB
Diesel Range Organics (DRO)	18000	380		mg/Kg	40	5/9/2022 1:19:19 PM
Motor Oil Range Organics (MRO)	5400	1900		mg/Kg	40	5/9/2022 1:19:19 PM
Surr: DNOP	0	51.1-141	S	%Rec	40	5/9/2022 1:19:19 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	5/7/2022 1:09:08 AM
EPA METHOD 8260B: VOLATILES SHORT	LIST					Analyst: JR
Benzene	ND	0.12		mg/Kg	5	5/5/2022 4:54:59 PM
Toluene	3.2	0.24		mg/Kg	5	5/5/2022 4:54:59 PM
Ethylbenzene	7.4	0.24		mg/Kg	5	5/5/2022 4:54:59 PM
Xylenes, Total	43	4.8		mg/Kg	50	5/6/2022 11:50:12 AM
Surr: 1,2-Dichloroethane-d4	96.2	70-130		%Rec	5	5/5/2022 4:54:59 PM
Surr: 4-Bromofluorobenzene	91.3	70-130		%Rec	5	5/5/2022 4:54:59 PM
Surr: Dibromofluoromethane	114	70-130		%Rec	5	5/5/2022 4:54:59 PM
Surr: Toluene-d8	87.6	70-130		%Rec	5	5/5/2022 4:54:59 PM
EPA METHOD 8015D MOD: GASOLINE RAI	NGE					Analyst: JR
Gasoline Range Organics (GRO)	1300	24		mg/Kg	5	5/5/2022 4:54:59 PM
Surr: BFB	100	70-130		%Rec	5	5/5/2022 4:54:59 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 12

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-04 4'

 Project:
 Gaucho 6 Battery
 Collection Date: 4/29/2022 10:40:00 AM

 Lab ID:
 2205058-005
 Matrix: SOIL
 Received Date: 5/3/2022 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	110	9.7	mg/Kg	1	5/6/2022 3:17:25 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	5/6/2022 3:17:25 PM
Surr: DNOP	109	51.1-141	%Rec	1	5/6/2022 3:17:25 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/7/2022 1:21:29 AM
<b>EPA METHOD 8260B: VOLATILES SHORT</b>	LIST				Analyst: <b>JR</b>
Benzene	ND	0.025	mg/Kg	1	5/5/2022 5:23:26 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 5:23:26 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 5:23:26 PM
Xylenes, Total	ND	0.099	mg/Kg	1	5/5/2022 5:23:26 PM
Surr: 1,2-Dichloroethane-d4	94.0	70-130	%Rec	1	5/5/2022 5:23:26 PM
Surr: 4-Bromofluorobenzene	96.3	70-130	%Rec	1	5/5/2022 5:23:26 PM
Surr: Dibromofluoromethane	122	70-130	%Rec	1	5/5/2022 5:23:26 PM
Surr: Toluene-d8	89.6	70-130	%Rec	1	5/5/2022 5:23:26 PM
EPA METHOD 8015D MOD: GASOLINE RA	NGE				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/6/2022 11:15:34 PM
Surr: BFB	109	70-130	%Rec	1	5/6/2022 11:15:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 12

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-04 8'

 Project:
 Gaucho 6 Battery
 Collection Date: 4/29/2022 10:50:00 AM

 Lab ID:
 2205058-006
 Matrix: SOIL
 Received Date: 5/3/2022 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	5/5/2022 10:50:32 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/5/2022 10:50:32 PM
Surr: DNOP	95.8	51.1-141	%Rec	1	5/5/2022 10:50:32 PM
<b>EPA METHOD 300.0: ANIONS</b>					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/7/2022 1:58:31 AM
EPA METHOD 8260B: VOLATILES SHOR	T LIST				Analyst: <b>JR</b>
Benzene	ND	0.024	mg/Kg	1	5/5/2022 5:51:51 PM
Toluene	ND	0.048	mg/Kg	1	5/5/2022 5:51:51 PM
Ethylbenzene	ND	0.048	mg/Kg	1	5/5/2022 5:51:51 PM
Xylenes, Total	ND	0.097	mg/Kg	1	5/5/2022 5:51:51 PM
Surr: 1,2-Dichloroethane-d4	97.5	70-130	%Rec	1	5/5/2022 5:51:51 PM
Surr: 4-Bromofluorobenzene	97.8	70-130	%Rec	1	5/5/2022 5:51:51 PM
Surr: Dibromofluoromethane	120	70-130	%Rec	1	5/5/2022 5:51:51 PM
Surr: Toluene-d8	90.1	70-130	%Rec	1	5/5/2022 5:51:51 PM
EPA METHOD 8015D MOD: GASOLINE R	ANGE				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	5/5/2022 5:51:51 PM
Surr: BFB	112	70-130	%Rec	1	5/5/2022 5:51:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 12

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2205058** *13-May-22* 

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: MB-67318 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 67318 RunNo: 87798

Prep Date: 5/6/2022 Analysis Date: 5/6/2022 SeqNo: 3111702 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-67318 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 67318 RunNo: 87798

Prep Date: 5/6/2022 Analysis Date: 5/6/2022 SeqNo: 3111703 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.1 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 12

#### Hall Environmental Analysis Laboratory, Inc.

WO#: 2205058 13-May-22

**Client:** Devon Energy

Gaucho 6 Battery **Project:** 

Sample ID: MB-67279 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 67279 RunNo: 87770

5/5/2022 Analysis Date: 5/5/2022 SeqNo: 3108790 Prep Date: Units: %Rec

SPK Ref Val %RPD **RPDLimit** Analyte Result SPK value %REC LowLimit HighLimit Qual

Surr: DNOP 9.6 10.00 96.5 51 1 141

Sample ID: LCS-67279 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: LCS Client ID: LCSS Batch ID: 67279 RunNo: 87770 Prep Date: 5/5/2022 Analysis Date: 5/5/2022 SeqNo: 3108791 Units: %Rec Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Surr: DNOP 4.7 5.000 94 1 51.1 141

Sample ID: LCS-67248 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: LCS Client ID: LCSS Batch ID: 67248 RunNo: 87762 Prep Date: Analysis Date: 5/5/2022 SeqNo: 3109549 5/4/2022 Units: mq/Kq Result SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte POI I owl imit Qual Diesel Range Organics (DRO) 53 10 50.00 n 106 68.9 Surr: DNOP 3.8 5.000 76.6 51.1 141

Sample ID: LCS-67260 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 67260 RunNo: 87762 Prep Date: Analysis Date: 5/5/2022 SeqNo: 3109550 5/4/2022 Units: %Rec %RPD Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit **RPDLimit** Qual Surr: DNOP 3.7 5.000 73.5 51.1 141

Sample ID: MB-67248 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: **PBS** Batch ID: 67248 RunNo: 87762 Prep Date: Analysis Date: 5/5/2022 SeqNo: 3109553 5/4/2022 Units: mg/Kg PQL SPK value SPK Ref Val %REC %RPD **RPDLimit** Qual Analyte Result LowLimit HighLimit Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 8.3 10.00 83.4 51.1 141

Sample ID: MB-67260 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 67260 RunNo: 87762 Prep Date: Analysis Date: 5/5/2022 SeqNo: 3109554 Units: %Rec 5/4/2022 Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Surr: DNOP 8.4 10.00 84.4 51.1 141

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 8 of 12

## Hall Environmental Analysis Laboratory, Inc.

9.8

WO#: **2205058** *13-May-22* 

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: LCS-67261	SampT	ype: <b>LC</b>	s	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch	n ID: <b>672</b>	261	F	RunNo: 87	7770				
Prep Date: 5/4/2022	Analysis D	ate: <b>5/</b>	5/2022	9	SeqNo: 31	110540	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	41	10	50.00	0	81.4	68.9	135			
Surr: DNOP	4.7		5.000		93.5	51.1	141			

Sample ID: MB-67261	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch	ID: 672	261	F	RunNo: 87	7770				
Prep Date: 5/4/2022	Analysis D	ate: <b>5/</b>	5/2022	9	SeqNo: 3	110541	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								

98.3

51.1

141

10.00

#### Qualifiers:

Surr: DNOP

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 12

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2205058** 

13-May-22

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: 2205058-002ams	Samp <sup>-</sup>	Гуре: МЅ	4	Tes	tCode: EF	PA Method	8260B: Volati	iles Short I	_ist	
Client ID: <b>BH22-02 0'</b>	Batc	h ID: <b>672</b>	237	F	RunNo: 87	7785				
Prep Date: 5/3/2022	Analysis [	Date: <b>5/5</b>	5/2022	5	SeqNo: 31	109313	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	0.9911	0	98.3	63.5	137			
Toluene	0.82	0.050	0.9911	0.01335	81.3	77.6	127			
Ethylbenzene	0.92	0.050	0.9911	0	92.8	77.9	129			
Xylenes, Total	2.6	0.099	2.973	0	88.4	76.8	127			
Surr: 1,2-Dichloroethane-d4	0.45		0.4955		90.3	70	130			
Surr: 4-Bromofluorobenzene	0.46		0.4955		93.7	70	130			
Surr: Dibromofluoromethane	0.58		0.4955		117	70	130			
Surr: Toluene-d8	0.43		0.4955		87.7	70	130			

Sample ID: 2205058-002amsd	Samp <sup>-</sup>	Гуре: МЅ	D4	Tes	tCode: EF	PA Method	8260B: Volati	les Short I	List	
Client ID: BH22-02 0'	Batc	h ID: 672	237	F	RunNo: 87	7785				
Prep Date: 5/3/2022	Analysis I	Date: <b>5/</b>	5/2022	5	SeqNo: 31	109314	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	0.9940	0	94.6	63.5	137	3.60	20	
Toluene	0.81	0.050	0.9940	0.01335	80.0	77.6	127	1.25	20	
Ethylbenzene	0.85	0.050	0.9940	0	85.3	77.9	129	8.19	20	
Xylenes, Total	2.5	0.099	2.982	0	84.9	76.8	127	3.78	20	
Surr: 1,2-Dichloroethane-d4	0.46		0.4970		92.7	70	130	0	0	
Surr: 4-Bromofluorobenzene	0.46		0.4970		92.5	70	130	0	0	
Surr: Dibromofluoromethane	0.58		0.4970		116	70	130	0	0	
Surr: Toluene-d8	0.45		0.4970		91.4	70	130	0	0	

Sample ID: mb-67237	SampT	ype: MB	LK	Tes	tCode: <b>EF</b>	PA Method	8260B: Volati	les Short I	_ist	
Client ID: PBS	Batch	n ID: <b>672</b>	237	F	RunNo: 87	7785				
Prep Date: 5/3/2022	Analysis D	Date: 5/5	5/2022	5	SeqNo: 31	109334	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		96.3	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.5000		94.1	70	130			
Surr: Dibromofluoromethane	0.62		0.5000		123	70	130			
Surr: Toluene-d8	0.45		0.5000		90.7	70	130			

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 10 of 12

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2205058** *13-May-22* 

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: LCS-67237 Client ID: BatchQC Prep Date: 5/3/2022		Гуре: <b>LC</b> : h ID: <b>672</b> Date: <b>5/6</b>		F	stCode: <b>EF</b> RunNo: <b>87</b> SegNo: <b>3</b>	7830	8260B: Volati		List	
Analyte	Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	1.000	0	96.2	80	120			
Toluene	0.84	0.050	1.000	0	84.2	80	120			
Ethylbenzene	0.88	0.050	1.000	0	88.0	80	120			
Xylenes, Total	2.6	0.10	3.000	0	86.6	80	120			
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		93.3	70	130			
Surr: 4-Bromofluorobenzene	0.48		0.5000		95.7	70	130			
Surr: Dibromofluoromethane	0.58		0.5000		116	70	130			
Surr: Toluene-d8	0.45		0.5000		90.7	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 12

## Hall Environmental Analysis Laboratory, Inc.

24

550

5.0

25.00

500.0

2205058

WO#:

13-May-22

**Client:** Devon Energy **Project:** Gaucho 6 Battery

Sample ID:	2205058-001ams	SampT	уре: МЅ	;	Tes	tCode: EF	A Method	8015D Mod: (	Gasoline R	lange	
Client ID:	BH22-01 0'	Batch	ID: <b>672</b>	237	F	RunNo: 87	7785				
Prep Date:	5/3/2022	Analysis Da	ate: <b>5/</b> 5	5/2022	5	SeqNo: 31	109349	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range	e Organics (GRO)	23	5.0	24.90	1.715	86.2	61.1	127			
Surr: BFB		530		498.0		106	70	130			
Sample ID:	2205058-001amsd	SampT	ype: MS	 iD	Tes	tCode: <b>EF</b>	A Method	8015D Mod: (	Gasoline R	lange	
Client ID:	BH22-01 0'	Batch	ID: <b>672</b>	237	F	RunNo: 87	7785				
Prep Date:	5/3/2022	Analysis Da	ate: <b>5/</b> 5	5/2022	5	SeqNo: 31	109350	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range	e Organics (GRO)	22	5.0	24.95	1.715	81.9	61.1	127	4.55	20	
Surr: BFB		530		499.0		107	70	130	0	0	
Sample ID:	LCS-67237	SampT	ype: <b>LC</b> :	<u>====</u>	Tes	tCode: <b>EF</b>	PA Method	8015D Mod: (	Gasoline R	lange	
Client ID:	LCSS	Batch	ID: <b>672</b>	237	F	RunNo: 87	7785				
Prep Date:	5/3/2022	Analysis Da	ate: <b>5/</b> 5	5/2022	5	SeqNo: 31	109370	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Sample ID: <b>mb-67237</b>	SampT	ype: <b>MB</b>	BLK	Tes	tCode: <b>EF</b>	PA Method	8015D Mod: 0	Sasoline R	ange	
Client ID: PBS	Batch	n ID: <b>672</b>	237	F	RunNo: 87	7785				
Prep Date: 5/3/2022	Analysis D	ate: <b>5/</b>	5/2022	5	SeqNo: 31	109371	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0		•			•			
Surr: BFB	550		500.0		110	70	130			

0

94.9

110

70

70

130

130

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix

Gasoline Range Organics (GRO)

Surr: BFB

- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 12 of 12



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

### Sample Log-In Check List

Client Name: **Devon Energy** Work Order Number: 2205058 RcptNo: 1 Generally Salzot Received By: Juan Rojas 5/3/2022 7:00:00 AM Completed By: Sean Livingston 5/3/2022 8:33:14 AM Reviewed By: 5.3.22 Chain of Custody 1. Is Chain of Custody complete? Yes 🗸 No 🗌 Not Present 2. How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? Yes 🗸 No 🗌 NA 🗌 4. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Yes V NA 🗌 5. Sample(s) in proper container(s)? Yes 🗸 No 🗌 6. Sufficient sample volume for indicated test(s)? No 🗌 Yes 🗸 7. Are samples (except VOA and ONG) properly preserved? No 🗌 Yes 🗸 8. Was preservative added to bottles? Yes No 🗸 NA  $\square$ 9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes No 🗌 NA V 10. Were any sample containers received broken? Yes No 🗸 # of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No 🗌 for pH: (Note discrepancies on chain of custody) (<2 or >12 unless noted) 12. Are matrices correctly identified on Chain of Custody? Adjusted? Yes 🗸 No 🗌 13. Is it clear what analyses were requested? Yes 🗸 No 🗌 14. Were all holding times able to be met? Yes 🗸 Checked by: No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? Yes No 🗌 NA 🗸 Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By 1.7 Good

Chain-of-Custody Record	Turn-Around Time: 5~	Day						Receive
Client: <i>Daron</i>	Z Standard Rush	٩		ANAL ENVI	HALL ENVIKONMEN ANAI VSTS I ABODAT		SONMENTAL ABOBATOBY	
	Project Name:					ב ב		_
Mailing Address: On File	GOUCHO #6	LB9ttery)	4901 H	www.nalle	www.nailenvironmental.com ns NF - Albilgliergije NM 87109	Ital.com	7100	D: 10
<i>-</i>	Project #:		Tel 50	10	Fav 505	345 410	2 - 6	/10/.
Phone #:	225-01101	= -		An	Analysis Req	Request	7	2022
email or Fax#:	Project Manager:		_			(11		8:2.
QA/QC Package:   □ Standard  □ Level 4 (Full Validation)	Monica	היושטשי	ьсв, <sup>2</sup> О \ мы г (805.		PO⁴, S	ıəsdA\t		2:51 A
	r: CN		AO /	0728				<u> </u>
□ NELAC □ Other	On Ice: P-Yes	□ No	OS	OL				
□ EDD (Type)	# of Coolers: \		(GF	10 tals				
	Cooler Temp(including CF):	(+0.1=1.7 (°C)	ası	8 We	(AO\			
Date Time Matrix Sample Name	Container Preservative Type and #	HEAL No. (720,505%		PAHs EDB (A	7) 09Z8 7) 09Z8			
4/29 10:00 50,7 BHZZ-01 0		)8	>		3			
10:10 , BHZZ-02 0'	1	200						
10:20 BHZZ-03 0'		500						
10:30 BHZZ-04 0'		400						
10:40 BHZZ-04 11,		Soo						
\8 40.52 \\ \8 \\ \10.50\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		200	-					
4 till 8								
Date:, Time: Relinquished by:	Received by: Via:	Share Time	Remarks:	CC. Chance Dixon	nce Dis	cox		Pa
ш.	Received by: Via:	Date Time	Q	Direct Bill	in Devon	an		ge 191 o
San	bcontracted to other accredited laborator	les. This serves as notice of this	possibility. Any sub	o-contracted data wil	l be clearly notat	ted on the an	alytical report.	f 289



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

July 07, 2022

Monica Peppin
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210

TEL: (575) 748-0176

FAX:

RE: Gaucho 6 Battery OrderNo.: 2206D53

#### Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 4 sample(s) on 6/24/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 7/7/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-01

**Project:** Gaucho 6 Battery
 Collection Date: 6/22/2022 9:30:00 AM

 **Lab ID:** 2206D53-001
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 4:43:26 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	6/30/2022 4:43:26 AM
Surr: DNOP	86.3	51.1-141	%Rec	1	6/30/2022 4:43:26 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/28/2022 5:07:56 PM
Surr: BFB	104	37.7-212	%Rec	1	6/28/2022 5:07:56 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/28/2022 5:07:56 PM
Toluene	ND	0.047	mg/Kg	1	6/28/2022 5:07:56 PM
Ethylbenzene	ND	0.047	mg/Kg	1	6/28/2022 5:07:56 PM
Xylenes, Total	ND	0.095	mg/Kg	1	6/28/2022 5:07:56 PM
Surr: 4-Bromofluorobenzene	96.3	70-130	%Rec	1	6/28/2022 5:07:56 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 7:43:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 9

Date Reported: 7/7/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-02

**Project:** Gaucho 6 Battery
 Collection Date: 6/22/2022 9:35:00 AM

 **Lab ID:** 2206D53-002
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (	ORGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 5:07:14 AM
Motor Oil Range Organics (MRO)	ND	51	mg/Kg	1	6/30/2022 5:07:14 AM
Surr: DNOP	105	51.1-141	%Rec	1	6/30/2022 5:07:14 AM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	6/29/2022 12:11:18 AM
Surr: BFB	94.2	37.7-212	%Rec	1	6/29/2022 12:11:18 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 12:11:18 AM
Toluene	ND	0.048	mg/Kg	1	6/29/2022 12:11:18 AM
Ethylbenzene	ND	0.048	mg/Kg	1	6/29/2022 12:11:18 AM
Xylenes, Total	ND	0.096	mg/Kg	1	6/29/2022 12:11:18 AM
Surr: 4-Bromofluorobenzene	90.9	70-130	%Rec	1	6/29/2022 12:11:18 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 8:20:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 9

Date Reported: 7/7/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-03

 Project:
 Gaucho 6 Battery
 Collection Date: 6/22/2022 9:40:00 AM

 Lab ID:
 2206D53-003
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 5:31:03 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	6/30/2022 5:31:03 AM
Surr: DNOP	92.6	51.1-141	%Rec	1	6/30/2022 5:31:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	6/29/2022 12:34:42 AM
Surr: BFB	95.9	37.7-212	%Rec	1	6/29/2022 12:34:42 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	6/29/2022 12:34:42 AM
Toluene	ND	0.046	mg/Kg	1	6/29/2022 12:34:42 AM
Ethylbenzene	ND	0.046	mg/Kg	1	6/29/2022 12:34:42 AM
Xylenes, Total	ND	0.093	mg/Kg	1	6/29/2022 12:34:42 AM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	6/29/2022 12:34:42 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 9:22:42 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 9

Date Reported: 7/7/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-01

**Project:** Gaucho 6 Battery
 Collection Date: 6/22/2022 9:45:00 AM

 **Lab ID:** 2206D53-004
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	RGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 5:54:54 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	6/30/2022 5:54:54 AM
Surr: DNOP	92.1	51.1-141	%Rec	1	6/30/2022 5:54:54 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/29/2022 12:58:10 AM
Surr: BFB	100	37.7-212	%Rec	1	6/29/2022 12:58:10 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 12:58:10 AM
Toluene	ND	0.047	mg/Kg	1	6/29/2022 12:58:10 AM
Ethylbenzene	ND	0.047	mg/Kg	1	6/29/2022 12:58:10 AM
Xylenes, Total	ND	0.095	mg/Kg	1	6/29/2022 12:58:10 AM
Surr: 4-Bromofluorobenzene	94.6	70-130	%Rec	1	6/29/2022 12:58:10 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 9:35:07 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 9

### Hall Environmental Analysis Laboratory, Inc.

2206D53 07-Jul-22

WO#:

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: MB-68444 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 68444 RunNo: 89143

Prep Date: 6/29/2022 Analysis Date: 6/29/2022 SeqNo: 3167724 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-68444 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 68444 RunNo: 89143

Prep Date: 6/29/2022 Analysis Date: 6/29/2022 SeqNo: 3167725 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 9

#### Hall Environmental Analysis Laboratory, Inc.

2206D53 07-Jul-22

WO#:

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: MB-68386 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics PBS Client ID: Batch ID: 68386 RunNo: 89114 Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3168753 Units: %Rec SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual

Surr: DNOP 9.6 10.00 96.1 51.1 141

Sample ID: LCS-68386 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 68386 RunNo: 89114 Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3168754 Units: %Rec %REC %RPD **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val LowLimit HighLimit Qual Surr: DNOP 5.1 5.000 102 51.1 141

Sample ID: MB-68415 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: **PBS** Batch ID: 68415 RunNo: 89114 Prep Date: Analysis Date: 6/30/2022 SeqNo: 3170264 Units: mg/Kg 6/28/2022 Analyte Result POI SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit Diesel Range Organics (DRO) ND 15 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 9.5 10.00 94.5 51.1 141

Sample ID: LCS-68415 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: LCS Client ID: LCSS Batch ID: 68415 RunNo: 89114 Analysis Date: 6/30/2022 Prep Date: SeqNo: 3170265 6/28/2022 Units: mg/Kg SPK value Analyte Result POI SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 49 15 50.00 0 98.8 64.4 Surr: DNOP 5.1 5.000 103 51.1 141

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 9

#### Hall Environmental Analysis Laboratory, Inc.

2206D53 07-Jul-22

WO#:

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: Ics-68381 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: **LCSS** Batch ID: **68381** RunNo: **89080** 

Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3164760 Units: %Rec

SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result SPK value LowLimit Qual Surr: BFB 2000 1000 196 37.7 212

Sample ID: mb-68381 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 68381 RunNo: 89080 Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3164761 Units: %Rec **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Surr: BFB 870 1000 87.5 37.7 212

Sample ID: mb-68382 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: **PBS** Batch ID: 68382 RunNo: 89090 Prep Date: Analysis Date: 6/28/2022 SeqNo: 3165011 Units: mg/Kg 6/27/2022 Analyte Result PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit Gasoline Range Organics (GRO) ND 5.0 Surr: BFB 1000 1000 102 37.7 212

Sample ID: Ics-68382 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 68382 RunNo: 89090 Units: mg/Kg Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3165012 %REC %RPD **RPDLimit** Analyte Result PQL SPK value SPK Ref Val LowLimit HighLimit Qual Gasoline Range Organics (GRO) 29 5.0 25.00 0 114 72.3 137 Surr: BFB 2200 1000 218 37.7 212 S

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 9

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2206D53** 

07-Jul-22

Client:	Devon Energy
Project:	Gaucho 6 Battery

Sample ID: Ics-68381	SampType: <b>L</b>	.cs	Tes	tCode: <b>EF</b>	A Method	8021B: Volati	les		
Client ID: LCSS	Batch ID: 6	8381	F	RunNo: 89	080				
Prep Date: 6/27/2022	Analysis Date:	6/28/2022	5	SeqNo: 31	64770	Units: %Rec			
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.86	1.000		85.6	70	130	•	•	

Sample ID: mb-68381	Samply	ре: <b>МЕ</b>	BLK	I es	tCode: El	PA Method	8021B: Volatil	es			
Client ID: PBS	Batch	ID: <b>68</b> 3	381	F	RunNo: 8	9080					
Prep Date: 6/27/2022	Analysis Da	ite: <b>6/</b> 2	28/2022	5	SeqNo: 3	164771	Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Surr: 4-Bromofluorobenzene	0.85		1.000		85.2	70	130				

Sample ID: mb-68382	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batch	n ID: <b>683</b>	382	F	RunNo: 89	9090				
Prep Date: 6/27/2022	Analysis D	Date: 6/2	28/2022	SeqNo: <b>3165039</b>			Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025		_						
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000	94.7 70			130			

Sample ID: LCS-68382	Samp	Гуре: <b>LC</b>	S	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batcl	h ID: 683	382	F	RunNo: 89							
Prep Date: 6/27/2022	Analysis [	Date: <b>6/</b> 2	28/2022	5	SeqNo: 31	165040	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.85	0.025	1.000	0	84.9	80	120					
Toluene	0.90	0.050	1.000	0	89.6	80	120					
Ethylbenzene	0.91	0.050	1.000	0	90.8	80	120					
Xylenes, Total	2.7	0.10	3.000	0	91.1	80	120					
Surr: 4-Bromofluorobenzene	0.98		1.000		98.0	70	130					

Sample ID: 2206d53-001ams	ample ID: 2206d53-001ams SampType: MS TestCode: EPA Method 8021B: Volatiles											
Client ID: WES22-01	Batcl	h ID: <b>683</b>	382	F	RunNo: 89							
Prep Date: 6/27/2022	Analysis D	Date: 6/2	28/2022	5	SeqNo: 31	165043	Units: mg/K	g				
Analyte	Result PQL SPK value SPK Ref Val %REC LowLimit							%RPD	RPDLimit	Qual		
Benzene	0.85	0.024	0.9515	0	89.2	68.8	120					
Toluene	0.90	0.048	0.9515	0	94.4	73.6	124					
Ethylbenzene	0.91	0.048	0.9515	0	95.2	72.7	129					
Xylenes, Total	2.8	0.095	2.854	0	75.7	126						

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 9

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2206D53** *07-Jul-22* 

Client: Devon Energy
Project: Gaucho 6 Battery

Sample ID: 2206d53-001ams SampType: MS TestCode: EPA Method 8021B: Volatiles

Client ID: **WES22-01** Batch ID: **68382** RunNo: **89090** 

Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3165043 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Surr: 4-Bromofluorobenzene
 0.89
 0.9515
 93.4
 70
 130

Sample ID: 2206d53-001amsd SampType: MSD TestCode: EPA Method 8021B: Volatiles Client ID: WES22-01 Batch ID: 68382 RunNo: 89090 Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3165044 Units: mg/Kg SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result PQL SPK value LowLimit Qual Benzene 0.83 0.024 0.9434 0 87.9 68.8 120 2.31 20 Toluene 0.87 0.047 0.9434 0 92.7 73.6 124 2.67 20 0 Ethylbenzene 0.88 0.047 0.9434 93.3 72.7 129 2.82 20 Xylenes, Total 2.7 0.094 2.830 0 95.0 75.7 126 2.37 20 0 Surr: 4-Bromofluorobenzene 0.94 0.9434 100 70 130 0

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 9



ABORATORY

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

## Sample Log-In Check List

Client Name: **Devon Energy** Work Order Number: 2206D53 RcptNo: 1 Received By: 6/24/2022 8:16:00 AM Kasandra Payan Completed By: Cheyenne Cason 6/24/2022 9:16:37 AM Reviewed By: DAD 6/24/22 Chain of Custody No 🗌 1. Is Chain of Custody complete? Yes 🗸 Not Present 2. How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? Yes 🗸 No 🗌 NA 🗌 No 4. Were all samples received at a temperature of >0° C to 6.0°C NA 🗌 Yes 🗸 5. Sample(s) in proper container(s)? Yes 🗸 No Yes 🗸 No 6. Sufficient sample volume for indicated test(s)? Yes 🗸 No 7. Are samples (except VOA and ONG) properly preserved? 8. Was preservative added to bottles? No 🗸 NA  $\square$ Yes 9. Received at least 1 vial with headspace <1/4" for AQ VOA? NA 🗸 No Yes \_ Yes 🗌 No 🗸 10. Were any sample containers received broken? # of preserved bottles checked for pH: 11. Does paperwork match bottle labels? Yes 🗸 No (Note discrepancies on chain of custody) (<2 or >12 unless noted) djusted? Yes 🗸 No 🗌 12. Are matrices correctly identified on Chain of Custody? 13. Is it clear what analyses were requested? Yes 🗸 No 🗌 Checked by Me GHOUT Yes 🗸 14. Were all holding times able to be met? No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? Yes No 🗌 NA 🗸 Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By 2.0 Good Not Present 2 0.8 Good Not Present

	00	22 Am 1	Time: Relinquished by:	Neinquisited by:	Timo:	//202	8:2	22:51	AM		AH BE	9:45 BESSZ-01	9:110 4.5522-03	9.35 LESZZ-0Z	6/229.30 SOIL NESZZ-01	Time		□ EDD (Type) /		Accreditation: Az Compliance	QA/QC Package:  ☐ Standard  ☐ Level 4 (Full Validation)	email or Fax#:	Phone #:		Mailing Address: Op Fバル	Page	208 Devon	Chain-of-Custody Record
ontracted to other accredited laboratories. This serves as notice of this	Mr counter 6-24-22 8:16	Dale	10×101	≓	_							HOS	/ 603	1 002	402 Ice Col	Container Preservative HEAL No.  Type and # Type 2206053	(including CF):	olers: 2 72-0=2.0		Sampler: C/	Monica Pappin	Project Manager:	225-01101-007	Project #:	Gaucho & Battery		☑ Standard ☑ Rush	Turn-Around Time: 5-29
ir necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.	W/0#:W/	1/1/	Direct 8/11 Devan Energy	Remarks: CC: Chance Dixon												BTEX N TPH:801 8081 Pe EDB (Me PAHs by RCRA 8	MTE 15D( estici etho / 83 <sup>-1</sup> Met Met Non, N	GR des d 5 10 c als O <sub>3</sub> ,	O / 6/80 04. 2 Or 8: NO	DR 82 1) 270 D <sub>2</sub> ,	PCB's PSIMS PO <sub>4</sub> , SO	D)	Analysis Request	л }	4901 Hawkins NE - Albuquerque NM 87100		ANALYSTS I ABODATO	•



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

July 14, 2022

Monica Peppin Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210

TEL: (505) 350-1336

FAX:

RE: Gaucho Unit 6 Containment Area OrderNo.: 2207428

#### Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 1 sample(s) on 7/9/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 7/14/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-04

Project: Gaucho Unit 6 Containment Area Collection Date: 7/7/2022 12:00:00 PM

Lab ID: 2207428-001 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 4:14:50 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/13/2022 4:14:50 AM
Surr: DNOP	79.1	51.1-141	%Rec	1	7/13/2022 4:14:50 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 9:40:18 PM
Surr: BFB	94.1	37.7-212	%Rec	1	7/12/2022 9:40:18 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 9:40:18 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 9:40:18 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 9:40:18 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 9:40:18 PM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	7/12/2022 9:40:18 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	180	60	mg/Kg	20	7/12/2022 6:03:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2207428** 

14-Jul-22

**Client:** Devon Energy

**Project:** Gaucho Unit 6 Containment Area

Sample ID: MB-68734 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **68734** RunNo: **89440** 

Prep Date: 7/12/2022 Analysis Date: 7/12/2022 SeqNo: 3181959 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-68734 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 68734 RunNo: 89440

Prep Date: 7/12/2022 Analysis Date: 7/12/2022 SeqNo: 3181960 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 91.8 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 5

### Hall Environmental Analysis Laboratory, Inc.

4.8

2207428 14-Jul-22

WO#:

**Client:** Devon Energy

**Project:** Gaucho Unit 6 Containment Area

Sample ID: MB-68675	SampT	уре: МВ	LK	Tes	tCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch	ID: <b>686</b>	<b>675</b>	F	RunNo: 89	9401				
Prep Date: 7/11/2022	Analysis D	ate: <b>7/</b>	12/2022	5	SeqNo: 31	180414	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	15								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.6		10.00		96.2	51.1	141			

Sample ID: LCS-68675 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 68675 RunNo: 89401 Prep Date: 7/11/2022 Analysis Date: 7/12/2022 SeqNo: 3180415 Units: mg/Kg SPK value SPK Ref Val %REC HighLimit %RPD Analyte PQL LowLimit **RPDLimit** Qual 96.9 Diesel Range Organics (DRO) 15 0 48 50.00 64.4 127

96.3

51.1

141

5.000

Qualifiers:

Surr: DNOP

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 5

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2207428** 

14-Jul-22

**Client:** Devon Energy

**Project:** Gaucho Unit 6 Containment Area

Sample ID: mb-68666 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 68666 RunNo: 89410

Prep Date: 7/10/2022 Analysis Date: 7/12/2022 SeqNo: 3180627 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 960 1000 96.1 37.7 212

Sample ID: Ics-68666 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

1000

Client ID: LCSS Batch ID: 68666 RunNo: 89410

2000

Prep Date: 7/10/2022 Analysis Date: 7/12/2022 SeqNo: 3180628 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 26 5.0 25.00 0 102 72.3 137

196

37.7

212

#### Qualifiers:

Surr: BFB

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 5

## Hall Environmental Analysis Laboratory, Inc.

WO#: 2207428

14-Jul-22

**Client:** Devon Energy

Gaucho Unit 6 Containment Area **Project:** 

Sample ID: mb-68666	SampT	Гуре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batcl	h ID: 686	666	F	RunNo: 89	9410				
Prep Date: <b>7/10/2022</b>	Analysis D	Date: <b>7/</b>	12/2022	SeqNo: 3180658			Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		102	70	130			

Sample ID: LCS-68666	SampType: LCS			TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batc	h ID: <b>686</b>	666	F	RunNo: 8	9410					
Prep Date: 7/10/2022	Analysis [	Date: <b>7/</b>	12/2022	SeqNo: 3180659			SeqNo: 3180659 Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.94	0.025	1.000	0	93.6	80	120				
Toluene	0.99	0.050	1.000	0	99.1	80	120				
Ethylbenzene	1.0	0.050	1.000	0	99.8	80	120				
Xylenes, Total	3.0	0.10	3.000	0	100	80	120				
Surr: 4-Bromofluorobenzene	1.0		1.000		105	70	130				

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name:	Devon Ene	rgy	Work	Order Num	ber: 220	7428			RcptNo:	1
Received By:	Sean Livir	ngston	7/9/202	2 9:30:00 A	.M		5,	_L,	not-	
Completed By:	Sean Livir	ngston	7/12/20	22 9:36:48	AM		<	/	not	
Reviewed By:	5ce -	7/9/21					رر		701-	
Chain of Cus						_				
1. Is Chain of Cu	ustody comp	lete?			Yes	<b>✓</b>	No		Not Present	
2. How was the	sample deliv	ered?			Cou	<u>rier</u>				
<u>Log In</u> 3. Was an attem	pt made to c	ool the sampl	es?		Yes	<b>✓</b>	No		na 🗆	
4. Were all samp	les received	at a temperat	ture of >0° C	to 6.0°C	Yes	<b>✓</b>	No		NA 🗆	
5. Sample(s) in p	oroper contai	ner(s)?			Yes	<b>V</b>	No			
6. Sufficient sam	ple volume fo	or indicated te	st(s)?		Yes	<b>V</b>	No			
7. Are samples (	except VOA	and ONG) pro	perly preserve	ed?	Yes	<b>v</b>	No			
8. Was preservat	ive added to	bottles?			Yes		No	<b>V</b>	NA 🗆	
9. Received at lea				OA?	Yes		No		NA 🗹	
10. Were any sam	nple containe	ers received br	roken?		Yes		No	<b>V</b>	# of preserved	
11. Does paperwo (Note discrepa			ì		Yes	<b>✓</b>	No		bottles checked for pH:	>12 unless noted)
12. Are matrices c	orrectly iden	tified on Chair	of Custody?		Yes	<b>✓</b>	No		Adjusted?	
13. Is it clear what	analyses we	ere requested	?		Yes	✓	No			-1.1-
<ol> <li>Were all holding (If no, notify cure)</li> </ol>	10.700 miles				Yes	<b>V</b>	No		Checked by:	ar 7/4/22
Special Handli	ing (if app	olicable)								
15. Was client no			vith this order?		Yes		No		NA 🗹	
Person	Notified:			Date	: [			one of the same of		
By Who	m:			Via:	eM	ail [	] Phone [	] Fax	☐ In Person	
Regardi	ng:		A CO-LORANGE MARINE SALVEY AND THE S			CONTROL NO.		**************		
Client In	structions:	***************************************								
16. Additional rer	marks:									
17. Cooler Inform	mation									
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal D	ate	Signed	Ву		
1	2.1	Good								
2	3.6	Good								
3	3.9	Good	N. Control of the Con							

Received by OCD: 10/10/2022	8:22:51 AM			Page 211 of 289
AL RY				Report.
HALL ENVIRONMENTAL ANALYSIS LABORATOR' www.hallenvironmental.com kins NE - Albuquerque, NM 87109 345-3975 Fax 505-345-4107 Analysis Request				Poort.
CONMEN ABORAT al.com e, NM 87109 345-4107	2			Witical re
ENVIRONME YSIS LABOR/ environmental.com Albuquerque, NM 87109 Fax 505-345-4107				C.M.F.F.nel
TIRONNS LABOI F LABOI mental.com erque, NM 87- 505-345-4107	Coliform (Present/Absent)	Total		
YIRO F LAE mental.cc erque, NI 8505-345-	(AOV-im92)	0728		/ notate
HALL ENVIRON ANALYSIS LABC www.hallenvironmental.com kins NE - Albuquerque, NM 8 45-3975 Fax 505-345-41 Analysis Request	(AOV)			
LY LY allen - All	Bt, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub>			S I S
<b>AA</b> I ww.h: . NE	A 8 Metals			90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
HALL ANAL www.ha Hawkins NE -	(Method 504.1) by 8310 or 8270SIMS			
	Pesticides/8082 PCB's			
4901 Tel.	8015D(GRO / DRO / MRO)	35 5-22552255		temarks: 少っ井:2109313 りによっい   DWW
	(1208) a'BMT \∃BTM <b>1</b> €			Remarks:  South : 2109313  Dicat bill DWW possibility. Any sub-contracted data will be o
ازوه	(0.)	100	2/12	of this p
#	06	No. 25	241/2/25	Time Time Time 4:30
48 hr	& S.	HEAL NO. 225 4128		ves as
8 ja	No   No   C= (-0.1%)   2.1°.2°.1°.5	128		Date Date This servee
7 9 9				
ORush Ot#to	(g)   (g)   (i)	eservative pe		<b>Y</b> aboratc
	rger:  Poppin  Yes  (including CF):  City	Preservat Type		Via:
Turn-Around Time: 48 hr  Standard ORush Project Name: Containment Area Project #:				
urn-Around  Standard roject Name roject #:	Project Manag	ontainer ype and i		Seived by: Seived by:
Turn-Arol  Stanc  Project N  Project #:	Project Mana  TWOON CG Sampler: On Ice: # of Coolers: Cooler Temp	Container Type and #	1	Received by: Received by:
				- H
	□ Level 4 (Full Validation)	3		may be
<b>ပို့</b>   ၂	II Val	al L		mental
V Record	4 (Fu	Sample Name WESQQ-OH		inviron
Stody	evel	SS See		) Hall E
		Sar		d by:
이 일	☐ Level☐ Az Compliance☐ Other☐	.ĕl —		Relinquished by Relinquished by:
Chain-of-Custody Record  France Mathews 10. Wodall  g Address:		Matrix Śυ; Ι		Time: Relinquished by:  Received by: Via:  Received by:  Received by: Via:  Received by: Via:  Received by:  Received by: Via:  Received by: Via:  Received by:  Received by:
ain-of	ax#: :kage on: ype)	Time D:00		e: B: B: C: Se: Se: Se:
	or F C Pac andai ditati	S		Time: Time: Time:
Client: Only Mailing Address:	email or Fax#:  QA/QC Package:  ☐ Standard  Accreditation:  ☐ NELAC  ☐ EDD (Type)	Date 7-7-3		Date: Time: 7-8-200 00-30 Date: Time:
Palagad to Imagina 10/26/20	-1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	-11		



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2204C83

May 09, 2022

Monica Peppin Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210 TEL: (505) 350-1336

FAX

RE: Gaucho 6 Heater Treater

Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 6 sample(s) on 4/29/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 5/9/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-01 2'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/27/2022 10:00:00 AM

 Lab ID:
 2204C83-001
 Matrix: SOIL
 Received Date: 4/29/2022 7:10:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG				Analyst: SB	
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	5/3/2022 5:40:37 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/3/2022 5:40:37 PM
Surr: DNOP	94.1	51.1-141	%Rec	1	5/3/2022 5:40:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/3/2022 4:06:00 AM
Surr: BFB	103	37.7-212	%Rec	1	5/3/2022 4:06:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/3/2022 4:06:00 AM
Toluene	ND	0.050	mg/Kg	1	5/3/2022 4:06:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	5/3/2022 4:06:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	5/3/2022 4:06:00 AM
Surr: 4-Bromofluorobenzene	83.2	70-130	%Rec	1	5/3/2022 4:06:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	ND	59	mg/Kg	20	5/4/2022 9:33:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 11

Date Reported: 5/9/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-03 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/27/2022 10:15:00 AM

 Lab ID:
 2204C83-002
 Matrix: SOIL
 Received Date: 4/29/2022 7:10:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	12	9.7	mg/Kg	1	5/3/2022 6:02:23 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	5/3/2022 6:02:23 PM
Surr: DNOP	121	51.1-141	%Rec	1	5/3/2022 6:02:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/3/2022 4:26:00 AM
Surr: BFB	103	37.7-212	%Rec	1	5/3/2022 4:26:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/3/2022 4:26:00 AM
Toluene	ND	0.049	mg/Kg	1	5/3/2022 4:26:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	5/3/2022 4:26:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	5/3/2022 4:26:00 AM
Surr: 4-Bromofluorobenzene	84.6	70-130	%Rec	1	5/3/2022 4:26:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	96	60	mg/Kg	20	5/4/2022 10:10:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 11

Date Reported: 5/9/2022

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: BH22-04 2'

**Project:** Gaucho 6 Heater Treater Collection Date: 4/27/2022 10:30:00 AM 2204C83-003 Lab ID: Matrix: SOIL Received Date: 4/29/2022 7:10:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.1	mg/Kg	1	5/3/2022 6:13:18 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/3/2022 6:13:18 PM
Surr: DNOP	109	51.1-141	%Rec	1	5/3/2022 6:13:18 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/3/2022 4:46:00 AM
Surr: BFB	102	37.7-212	%Rec	1	5/3/2022 4:46:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/3/2022 4:46:00 AM
Toluene	ND	0.049	mg/Kg	1	5/3/2022 4:46:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	5/3/2022 4:46:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	5/3/2022 4:46:00 AM
Surr: 4-Bromofluorobenzene	83.7	70-130	%Rec	1	5/3/2022 4:46:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	ND	60	mg/Kg	20	5/4/2022 10:23:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix interference

Analyte detected in the associated Method Blank

Е Estimated value

J Analyte detected below quantitation limits

Sample pH Not In Range

Page 3 of 11 RL Reporting Limit

Date Reported: 5/9/2022

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: BH22-06 2'

**Project:** Gaucho 6 Heater Treater Collection Date: 4/27/2022 10:50:00 AM 2204C83-004 Lab ID: Matrix: SOIL Received Date: 4/29/2022 7:10:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	5/3/2022 6:24:16 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	5/3/2022 6:24:16 PM
Surr: DNOP	121	51.1-141	%Rec	1	5/3/2022 6:24:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/3/2022 5:06:00 AM
Surr: BFB	98.8	37.7-212	%Rec	1	5/3/2022 5:06:00 AM
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/3/2022 5:06:00 AM
Toluene	ND	0.050	mg/Kg	1	5/3/2022 5:06:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	5/3/2022 5:06:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	5/3/2022 5:06:00 AM
Surr: 4-Bromofluorobenzene	82.0	70-130	%Rec	1	5/3/2022 5:06:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	ND	60	mg/Kg	20	5/4/2022 10:35:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix interference

Analyte detected in the associated Method Blank

Е Estimated value

J Analyte detected below quantitation limits

Sample pH Not In Range

Page 4 of 11 RL Reporting Limit

Date Reported: 5/9/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-07 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/27/2022 1:00:00 PM

 Lab ID:
 2204C83-005
 Matrix: SOIL
 Received Date: 4/29/2022 7:10:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	15	9.3	mg/Kg	1	5/3/2022 6:35:14 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/3/2022 6:35:14 PM
Surr: DNOP	82.3	51.1-141	%Rec	1	5/3/2022 6:35:14 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/3/2022 5:25:00 AM
Surr: BFB	100	37.7-212	%Rec	1	5/3/2022 5:25:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	5/3/2022 5:25:00 AM
Toluene	ND	0.049	mg/Kg	1	5/3/2022 5:25:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	5/3/2022 5:25:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	5/3/2022 5:25:00 AM
Surr: 4-Bromofluorobenzene	80.6	70-130	%Rec	1	5/3/2022 5:25:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	63	60	mg/Kg	20	5/4/2022 10:47:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 11

Date Reported: 5/9/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-11 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/27/2022 1:20:00 PM

 Lab ID:
 2204C83-006
 Matrix: SOIL
 Received Date: 4/29/2022 7:10:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	5/3/2022 6:46:09 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/3/2022 6:46:09 PM
Surr: DNOP	95.2	51.1-141	%Rec	1	5/3/2022 6:46:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/2/2022 11:12:02 PM
Surr: BFB	109	37.7-212	%Rec	1	5/2/2022 11:12:02 PM
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	5/2/2022 11:12:02 PM
Toluene	ND	0.049	mg/Kg	1	5/2/2022 11:12:02 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/2/2022 11:12:02 PM
Xylenes, Total	ND	0.098	mg/Kg	1	5/2/2022 11:12:02 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	5/2/2022 11:12:02 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	ND	60	mg/Kg	20	5/4/2022 11:25:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 11

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2204C83** *09-May-22* 

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: MB-67267 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 67267 RunNo: 87756

Prep Date: 5/4/2022 Analysis Date: 5/4/2022 SeqNo: 3108183 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-67267 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 67267 RunNo: 87756

Prep Date: 5/4/2022 Analysis Date: 5/4/2022 SeqNo: 3108184 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.2 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 11

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2204C83** *09-May-22* 

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: LCS-67196 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 67196 RunNo: 87693

Prep Date: 5/2/2022 Analysis Date: 5/3/2022 SeqNo: 3105199 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO) 56 10 50.00 0 112 68.9 135

 Diesel Range Organics (DRO)
 56
 10
 50.00
 0
 112
 68.9
 135

 Surr: DNOP
 4.9
 5.000
 98.1
 51.1
 141

Sample ID: MB-67196 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 67196 RunNo: 87693

Prep Date: 5/2/2022 Analysis Date: 5/3/2022 SeqNo: 3105200 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10
Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 16 10.00 159 51.1 141 S

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 11

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2204C83** 

09-May-22

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: mb-67169 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS** Batch ID: **67169** RunNo: **87658** 

Prep Date: 4/29/2022 Analysis Date: 5/3/2022 SeqNo: 3103540 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1100 1000 111 37.7 212

Sample ID: Ics-67169 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 67169 RunNo: 87658

Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103541 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 26 5.0 25.00 O 103 72.3 137 Surr: BFB 2100 S 1000 214 37.7 212

Sample ID: 2204c83-006ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range

Client ID: BH22-11 0' Batch ID: 67169 RunNo: 87658

Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103543 Units: mg/Kg

SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result PQL LowLimit HighLimit Qual Gasoline Range Organics (GRO) 28 4.9 24.61 0 114 70 130 Surr: BFB S 2300 984.3 229 37.7 212

Sample ID: 2204c83-006amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: BH22-11 0' Batch ID: 67169 RunNo: 87658

Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103544 Units: mg/Kg

SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Result PQL LowLimit Qual Gasoline Range Organics (GRO) 26 5.0 0 103 70 8.50 24.88 130 20 Surr: BFB 2200 995.0 221 37.7 212 0 S 0

Sample ID: Ics-67167 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 67167 RunNo: 87661

Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103657 Units: mg/Kg

Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 28 5.0 0 111 72.3 25.00 137 Surr: BFB 2300 1000 226 37.7 212 S

Sample ID: mb-67167 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS** Batch ID: **67167** RunNo: **87661** 

Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103658 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

#### Qualifiers:

- \* Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 11

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2204C83** *09-May-22* 

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: mb-67167 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 67167 RunNo: 87661

Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103658 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1000 1000 104 37.7 212

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 10 of 11

#### Hall Environmental Analysis Laboratory, Inc.

WO#: 2204C83

09-May-22

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: mb-67169 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Client ID: PBS Batch ID: 67169 RunNo: 87658

4/29/2022 Analysis Date: 5/3/2022 SeqNo: 3103587 Prep Date: Units: mq/Kq

SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte PQL LowLimit HighLimit Qual Benzene ND 0.025

Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10

Surr: 4-Bromofluorobenzene 1.1 1.000 112 70 130

Sample ID: LCS-67169 SampType: LCS TestCode: EPA Method 8021B: Volatiles

1.000

Batch ID: 67169

0.82

Analysis Date: 5/2/2022 SeqNo: 3103588 Prep Date: 4/29/2022 Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 1.000 0.90 0.025 n 89.6 80 120 Benzene Toluene 0.93 0.050 1.000 0 93.4 80 120 0 95.1 80 0.95 0.050 1.000 120 Ethylbenzene 0 Xylenes, Total 2.8 0.10 3.000 94.6 80 120 Surr: 4-Bromofluorobenzene 1.0 1.000 101 70 130

RunNo: 87658

SampType: LCS TestCode: EPA Method 8021B: Volatiles Sample ID: Ics-67167 Client ID: LCSS Batch ID: 67167 RunNo: 87661 Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103705 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 0.025 91.3 80 0.91 1.000 120 Benzene O 0.93 0.050 1.000 0 93.2 80 120 Toluene 0 94.2 80 120 Ethylbenzene 0.94 0.050 1.000 Xylenes, Total 2.8 0.10 3.000 0 94.6 80 120

TestCode: EPA Method 8021B: Volatiles Sample ID: mb-67167 SampType: MBLK Client ID: PBS Batch ID: 67167 RunNo: 87661 Prep Date: 4/29/2022 Analysis Date: 5/2/2022 SeqNo: 3103706 Units: mg/Kg SPK value SPK Ref Val %REC LowLimit **RPDLimit** Analyte Result PQL HighLimit %RPD Qual

ND 0.025 Benzene Toluene ND 0.050 Ethylbenzene ND 0.050 Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 1.000 84.1 70 130 0.84

#### Qualifiers:

Client ID:

LCSS

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix

Surr: 4-Bromofluorobenzene

- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank

82 4

70

130

- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 11 of 11



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107

## Sample Log-In Check List

Website: www.hallenvironmental.com Client Name: **Devon Energy** Work Order Number: 2204C83 RcptNo: 1 Sulgot Received By: Juan Rojas 4/29/2022 7:10:00 AM Completed By: Sean Livingston 4/29/2022 8:12:45 AM Reviewed By: MPG 4-29-22 Chain of Custody 1. Is Chain of Custody complete? Yes 🗸 No 🗌 Not Present 2. How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? Yes 🗸 No 🗌 NA 🗍 4. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Yes V NA  $\square$ 5. Sample(s) in proper container(s)? Yes 🗸 No 🗌 6. Sufficient sample volume for indicated test(s)? Yes 🗸 No 🗌 7. Are samples (except VOA and ONG) properly preserved? Yes 🗸 No 🗌 8. Was preservative added to bottles? Yes No 🗸 NA 🗌 Received at least 1 vial with headspace <1/4" for AQ VOA?</li> Yes No 🗌 NA 🗸 10. Were any sample containers received broken? Yes  $\square$ No 🗸 # of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No  $\square$ for pH: (Note discrepancies on chain of custody) (<2 or >12 unless noted) 12. Are matrices correctly identified on Chain of Custody? Adjusted? Yes 🗸 No 🗌 13. Is it clear what analyses were requested? Yes 🗸 No 🗌 Checked by: Jn 4 29 14. Were all holding times able to be met? Yes 🗸 No 🔲 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? Yes No 🗌 NA 🗸 Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks:

#### 17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	0.8	Good				eighioù by
2	1.6	Good	-			

Ch	ain-of-C	Chain-of-Custody Record	Turn-Around	Time: 5-09u	90							eceiv
Client:	Deven		_ ☐ Standard				HALL	L EN	<u> </u>	ENVIRONMENT	ENTAL	ed by
			Project Name:	1			Z	ANALYSIS	_	BOR	ABORATORY	0C
Mailing Address:	Idress:	F. 16	600	GOUCHO #6	CHEGEE	7 7004 L	www		onmenta	l.com		<b>D</b> : 10
		1	Project #:		(19252)	1 1064 7 107	Tol FOE 24F 202F		duerque	Albuquerque, NM 87109	0	0/10/
Phone #:			10110-322	200-10116	N	lei. ol	1005-545-590	Analysis		505-345-4107 Reguest		2022
email or Fax#:	/ :#xE		Project Manager:	iger:		_		†(		(:		8:2
QA/QC Package:	:kage: 'd	☐ Level 4 (Full Validation)	on	0	Permin	) \ MBC (8054	SMIS	OS ԠO		tnəsdA		22:51 A
Accreditation:	1000000		Sampler:	Q		DBC		O <sup>s</sup> ' E		лиәѕ		<u>M</u>
□ NELAC	□ Other	er		□-Yes	ºN □	/0	8 JC	_		:91c		
□ EDD (T	ype)		# of Coolers:			SGR	01			4) U		
			Cooler Temp(including CF):	(including CF):	(°C) (°C)	2D(	.83	N '-	-ime	ПОШ		
ote O	;; (V	S S S S S S S S S S S S S S S S S S S		Preservative	0.0		B (Me		∍s) 0∠ ⊃∧) 09	(SI COI		
1	\ \overline{Q}	SHEZ-OI 2 / X	l ype and #	l ype	7	1	/d	19	28	0.1		+
10		B 477-03 0		3 -	3	> .		>				$\perp$
0/	10:30	1			726			+	+			
õ	03.01	1 -1			50			+				4
	00:7	1.			700							4
- 1	04:7	7 / C // C-22/10		+	500			+				
	2	N 0 11-22110	-		200							
							1					
	-											
Date: Time:	e: Relinquished by:	ned by:	Received by:	Via:	Date Time R	Remarks:		Chance	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_ ;		
Date:	Oction Control	4	WALL	3	Mel 22 1030	)	)		roxio	<u>`</u>		Page
100		led by:	Received by:	νία:	Date Time	010	Direct B		0916	400001	111	22:
mh Jahai	0 (47)	Murp	1	Troumpry	1/19/2 41/01/h	X= water	water in Filtrated	atel	3 12 130 M	do.		5 of 2
	ssary, samples sur	inecessary, samples submitted to hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will-berdearly, notated on the analytical report	ontracted to other acc	redited laboratories.	This serves as notice of this po	ssibility. Any sub	contracted da	ta will <del>be cl</del> ea	rly notated	on the analytica	l report.	89



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

May 13, 2022

Monica Peppin Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210

TEL: (575) 748-0176

FAX:

RE: Gaucho 6 Heater Treater OrderNo.: 2204D50

#### Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 14 sample(s) on 4/30/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-08 2'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:00:00 AM

 Lab ID:
 2204D50-001
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	8.6	mg/Kg	1	5/5/2022 5:53:07 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	5/5/2022 5:53:07 PM
Surr: DNOP	96.1	51.1-141	%Rec	1	5/5/2022 5:53:07 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	5/5/2022 11:24:00 AM
Surr: BFB	104	37.7-212	%Rec	1	5/5/2022 11:24:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	5/5/2022 11:24:00 AM
Toluene	ND	0.048	mg/Kg	1	5/5/2022 11:24:00 AM
Ethylbenzene	ND	0.048	mg/Kg	1	5/5/2022 11:24:00 AM
Xylenes, Total	ND	0.097	mg/Kg	1	5/5/2022 11:24:00 AM
Surr: 4-Bromofluorobenzene	83.8	70-130	%Rec	1	5/5/2022 11:24:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 3:16:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 1 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-09 2'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:05:00 AM

 Lab ID:
 2204D50-002
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	5/5/2022 6:06:43 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/5/2022 6:06:43 PM
Surr: DNOP	104	51.1-141	%Rec	1	5/5/2022 6:06:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/5/2022 11:44:00 AM
Surr: BFB	101	37.7-212	%Rec	1	5/5/2022 11:44:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	5/5/2022 11:44:00 AM
Toluene	ND	0.049	mg/Kg	1	5/5/2022 11:44:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	5/5/2022 11:44:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	5/5/2022 11:44:00 AM
Surr: 4-Bromofluorobenzene	83.3	70-130	%Rec	1	5/5/2022 11:44:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 3:28:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-10 2'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:10:00 AM

 Lab ID:
 2204D50-003
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	8.6	mg/Kg	1	5/5/2022 6:20:20 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	5/5/2022 6:20:20 PM
Surr: DNOP	105	51.1-141	%Rec	1	5/5/2022 6:20:20 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/5/2022 12:03:00 PM
Surr: BFB	95.4	37.7-212	%Rec	1	5/5/2022 12:03:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/5/2022 12:03:00 PM
Toluene	ND	0.049	mg/Kg	1	5/5/2022 12:03:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/5/2022 12:03:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	5/5/2022 12:03:00 PM
Surr: 4-Bromofluorobenzene	80.8	70-130	%Rec	1	5/5/2022 12:03:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 4:05:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rring Limit Page 3 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-12 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:15:00 AM

 Lab ID:
 2204D50-004
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	8.7	mg/Kg	1	5/5/2022 6:33:58 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	5/5/2022 6:33:58 PM
Surr: DNOP	102	51.1-141	%Rec	1	5/5/2022 6:33:58 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/5/2022 12:23:00 PM
Surr: BFB	103	37.7-212	%Rec	1	5/5/2022 12:23:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	5/5/2022 12:23:00 PM
Toluene	ND	0.049	mg/Kg	1	5/5/2022 12:23:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/5/2022 12:23:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	5/5/2022 12:23:00 PM
Surr: 4-Bromofluorobenzene	82.5	70-130	%Rec	1	5/5/2022 12:23:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 4:42:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: BH22-13 0'

**Project:** Gaucho 6 Heater Treater **Collection Date:** 4/28/2022 10:20:00 AM 2204D50-005 Lab ID: Matrix: SOIL **Received Date:** 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	9.1	mg/Kg	1	5/5/2022 6:47:30 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	5/5/2022 6:47:30 PM
Surr: DNOP	103	51.1-141	%Rec	1	5/5/2022 6:47:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/5/2022 12:43:00 PM
Surr: BFB	103	37.7-212	%Rec	1	5/5/2022 12:43:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/5/2022 12:43:00 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 12:43:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 12:43:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	5/5/2022 12:43:00 PM
Surr: 4-Bromofluorobenzene	84.0	70-130	%Rec	1	5/5/2022 12:43:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 4:55:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix interference

Analyte detected in the associated Method Blank

Е Estimated value

J Analyte detected below quantitation limits

Sample pH Not In Range

Page 5 of 21 RL Reporting Limit

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-14 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:25:00 AM

 Lab ID:
 2204D50-006
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	5/5/2022 7:01:00 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	5/5/2022 7:01:00 PM
Surr: DNOP	105	51.1-141	%Rec	1	5/5/2022 7:01:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/5/2022 1:02:00 PM
Surr: BFB	104	37.7-212	%Rec	1	5/5/2022 1:02:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/5/2022 1:02:00 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 1:02:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 1:02:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	5/5/2022 1:02:00 PM
Surr: 4-Bromofluorobenzene	83.7	70-130	%Rec	1	5/5/2022 1:02:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 5:07:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-15 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:30:00 AM

 Lab ID:
 2204D50-007
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS					Analyst: <b>ED</b>
Diesel Range Organics (DRO)	1100	44		mg/Kg	5	5/6/2022 4:17:56 PM
Motor Oil Range Organics (MRO)	390	220		mg/Kg	5	5/6/2022 4:17:56 PM
Surr: DNOP	97.3	51.1-141		%Rec	5	5/6/2022 4:17:56 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: BRM
Gasoline Range Organics (GRO)	120	25		mg/Kg	5	5/5/2022 1:22:00 PM
Surr: BFB	185	37.7-212		%Rec	5	5/5/2022 1:22:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: BRM
Benzene	ND	0.12	D	mg/Kg	5	5/5/2022 1:22:00 PM
Toluene	ND	0.25	D	mg/Kg	5	5/5/2022 1:22:00 PM
Ethylbenzene	0.36	0.25	D	mg/Kg	5	5/5/2022 1:22:00 PM
Xylenes, Total	3.0	0.50	D	mg/Kg	5	5/5/2022 1:22:00 PM
Surr: 4-Bromofluorobenzene	111	70-130	D	%Rec	5	5/5/2022 1:22:00 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	5/6/2022 5:44:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 21

Date Reported: 5/13/2022

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: BH22-15 3'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:35:00 AM

 Lab ID:
 2204D50-008
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst: SB
Diesel Range Organics (DRO)	3600	91		mg/Kg	10	5/9/2022 11:44:04 AM
Motor Oil Range Organics (MRO)	950	460		mg/Kg	10	5/9/2022 11:44:04 AM
Surr: DNOP	0	51.1-141	S	%Rec	10	5/9/2022 11:44:04 AM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	120	60		mg/Kg	20	5/6/2022 5:56:59 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIS</b>	Т					Analyst: BRM
Benzene	0.16	0.024		mg/Kg	1	5/5/2022 12:54:55 PM
Toluene	3.4	0.048		mg/Kg	1	5/5/2022 12:54:55 PM
Ethylbenzene	1.3	0.048		mg/Kg	1	5/5/2022 12:54:55 PM
Xylenes, Total	12	0.097		mg/Kg	1	5/5/2022 12:54:55 PM
Surr: 1,2-Dichloroethane-d4	92.1	70-130		%Rec	1	5/5/2022 12:54:55 PM
Surr: 4-Bromofluorobenzene	155	70-130	S	%Rec	1	5/5/2022 12:54:55 PM
Surr: Dibromofluoromethane	97.3	70-130		%Rec	1	5/5/2022 12:54:55 PM
Surr: Toluene-d8	118	70-130		%Rec	1	5/5/2022 12:54:55 PM
EPA METHOD 8015D MOD: GASOLINE RANG	E					Analyst: BRM
Gasoline Range Organics (GRO)	980	48		mg/Kg	10	5/6/2022 2:27:34 PM
Surr: BFB	124	70-130		%Rec	10	5/6/2022 2:27:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-15 6'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:40:00 AM

 Lab ID:
 2204D50-009
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: SB
Diesel Range Organics (DRO)	ND	8.9	mg/Kg	1	5/6/2022 3:41:20 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	5/6/2022 3:41:20 PM
Surr: DNOP	103	51.1-141	%Rec	1	5/6/2022 3:41:20 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 6:34:02 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/5/2022 2:16:15 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 2:16:15 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 2:16:15 PM
Xylenes, Total	ND	0.099	mg/Kg	1	5/5/2022 2:16:15 PM
Surr: 1,2-Dichloroethane-d4	111	70-130	%Rec	1	5/5/2022 2:16:15 PM
Surr: 4-Bromofluorobenzene	88.1	70-130	%Rec	1	5/5/2022 2:16:15 PM
Surr: Dibromofluoromethane	111	70-130	%Rec	1	5/5/2022 2:16:15 PM
Surr: Toluene-d8	110	70-130	%Rec	1	5/5/2022 2:16:15 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	9.0	5.0	mg/Kg	1	5/5/2022 2:16:15 PM
Surr: BFB	108	70-130	%Rec	1	5/5/2022 2:16:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 21

Date Reported: 5/13/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-16 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:45:00 AM

 Lab ID:
 2204D50-010
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	390	9.2	mg/Kg	1	5/6/2022 4:05:08 PM
Motor Oil Range Organics (MRO)	210	46	mg/Kg	1	5/6/2022 4:05:08 PM
Surr: DNOP	114	51.1-141	%Rec	1	5/6/2022 4:05:08 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	370	60	mg/Kg	20	5/6/2022 6:46:22 PM
EPA METHOD 8260B: VOLATILES SHORT L	IST				Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/5/2022 3:37:24 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 3:37:24 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 3:37:24 PM
Xylenes, Total	ND	0.099	mg/Kg	1	5/5/2022 3:37:24 PM
Surr: 1,2-Dichloroethane-d4	102	70-130	%Rec	1	5/5/2022 3:37:24 PM
Surr: 4-Bromofluorobenzene	92.0	70-130	%Rec	1	5/5/2022 3:37:24 PM
Surr: Dibromofluoromethane	107	70-130	%Rec	1	5/5/2022 3:37:24 PM
Surr: Toluene-d8	103	70-130	%Rec	1	5/5/2022 3:37:24 PM
EPA METHOD 8015D MOD: GASOLINE RAN	GE				Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/5/2022 3:37:24 PM
Surr: BFB	98.4	70-130	%Rec	1	5/5/2022 3:37:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-17 0'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 10:55:00 AM

 Lab ID:
 2204D50-011
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS					Analyst: SB
Diesel Range Organics (DRO)	5900	97		mg/Kg	10	5/7/2022 2:23:25 AM
Motor Oil Range Organics (MRO)	3400	480		mg/Kg	10	5/7/2022 2:23:25 AM
Surr: DNOP	0	51.1-141	S	%Rec	10	5/7/2022 2:23:25 AM
EPA METHOD 300.0: ANIONS						Analyst: <b>JMT</b>
Chloride	4000	150		mg/Kg	50	5/10/2022 2:22:20 AM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г					Analyst: BRM
Benzene	ND	0.025		mg/Kg	1	5/5/2022 4:04:26 PM
Toluene	0.14	0.050		mg/Kg	1	5/5/2022 4:04:26 PM
Ethylbenzene	0.18	0.050		mg/Kg	1	5/5/2022 4:04:26 PM
Xylenes, Total	1.1	0.099		mg/Kg	1	5/5/2022 4:04:26 PM
Surr: 1,2-Dichloroethane-d4	107	70-130		%Rec	1	5/5/2022 4:04:26 PM
Surr: 4-Bromofluorobenzene	93.8	70-130		%Rec	1	5/5/2022 4:04:26 PM
Surr: Dibromofluoromethane	109	70-130		%Rec	1	5/5/2022 4:04:26 PM
Surr: Toluene-d8	107	70-130		%Rec	1	5/5/2022 4:04:26 PM
EPA METHOD 8015D MOD: GASOLINE RANGE	<b>≣</b>					Analyst: BRM
Gasoline Range Organics (GRO)	24	5.0		mg/Kg	1	5/5/2022 4:04:26 PM
Surr: BFB	107	70-130		%Rec	1	5/5/2022 4:04:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: BH22-17 3'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 11:00:00 AM

 Lab ID:
 2204D50-012
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	380	9.8	mg/Kg	1	5/6/2022 4:28:56 PM
Motor Oil Range Organics (MRO)	210	49	mg/Kg	1	5/6/2022 4:28:56 PM
Surr: DNOP	116	51.1-141	%Rec	1	5/6/2022 4:28:56 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	440	60	mg/Kg	20	5/6/2022 7:11:03 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIS</b>	Т				Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	5/5/2022 4:31:28 PM
Toluene	ND	0.050	mg/Kg	1	5/5/2022 4:31:28 PM
Ethylbenzene	ND	0.050	mg/Kg	1	5/5/2022 4:31:28 PM
Xylenes, Total	ND	0.099	mg/Kg	1	5/5/2022 4:31:28 PM
Surr: 1,2-Dichloroethane-d4	117	70-130	%Rec	1	5/5/2022 4:31:28 PM
Surr: 4-Bromofluorobenzene	88.0	70-130	%Rec	1	5/5/2022 4:31:28 PM
Surr: Dibromofluoromethane	112	70-130	%Rec	1	5/5/2022 4:31:28 PM
Surr: Toluene-d8	106	70-130	%Rec	1	5/5/2022 4:31:28 PM
EPA METHOD 8015D MOD: GASOLINE RANG	E				Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	5/5/2022 4:31:28 PM
Surr: BFB	100	70-130	%Rec	1	5/5/2022 4:31:28 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 21

Date Reported: 5/13/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-17 6'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 11:05:00 AM

 Lab ID:
 2204D50-013
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	5/6/2022 4:52:43 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	5/6/2022 4:52:43 PM
Surr: DNOP	103	51.1-141	%Rec	1	5/6/2022 4:52:43 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 7:23:24 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	5/5/2022 4:58:31 PM
Toluene	ND	0.049	mg/Kg	1	5/5/2022 4:58:31 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/5/2022 4:58:31 PM
Xylenes, Total	ND	0.098	mg/Kg	1	5/5/2022 4:58:31 PM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	5/5/2022 4:58:31 PM
Surr: 4-Bromofluorobenzene	92.3	70-130	%Rec	1	5/5/2022 4:58:31 PM
Surr: Dibromofluoromethane	106	70-130	%Rec	1	5/5/2022 4:58:31 PM
Surr: Toluene-d8	102	70-130	%Rec	1	5/5/2022 4:58:31 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>BRM</b>
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/5/2022 4:58:31 PM
Surr: BFB	97.2	70-130	%Rec	1	5/5/2022 4:58:31 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 21

Date Reported: 5/13/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH22-16 6'

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 4/28/2022 1:30:00 PM

 Lab ID:
 2204D50-014
 Matrix: SOIL
 Received Date: 4/30/2022 8:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	5/6/2022 5:16:33 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	5/6/2022 5:16:33 PM
Surr: DNOP	102	51.1-141	%Rec	1	5/6/2022 5:16:33 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	5/6/2022 7:35:44 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	5/5/2022 5:25:30 PM
Toluene	ND	0.049	mg/Kg	1	5/5/2022 5:25:30 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/5/2022 5:25:30 PM
Xylenes, Total	ND	0.097	mg/Kg	1	5/5/2022 5:25:30 PM
Surr: 1,2-Dichloroethane-d4	105	70-130	%Rec	1	5/5/2022 5:25:30 PM
Surr: 4-Bromofluorobenzene	93.8	70-130	%Rec	1	5/5/2022 5:25:30 PM
Surr: Dibromofluoromethane	107	70-130	%Rec	1	5/5/2022 5:25:30 PM
Surr: Toluene-d8	109	70-130	%Rec	1	5/5/2022 5:25:30 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>BRM</b>
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/5/2022 5:25:30 PM
Surr: BFB	99.3	70-130	%Rec	1	5/5/2022 5:25:30 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 14 of 21

#### Hall Environmental Analysis Laboratory, Inc.

2204D50

WO#:

13-May-22

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: MB-67316 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 67316 RunNo: 87798

Prep Date: 5/6/2022 Analysis Date: 5/6/2022 SeqNo: 3111668 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-67316 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 67316 RunNo: 87798

Prep Date: 5/6/2022 Analysis Date: 5/6/2022 SeqNo: 3111669 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.8 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 15 of 21

#### Hall Environmental Analysis Laboratory, Inc.

2204D50 13-May-22

WO#:

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: LCS-67260	SampType: <b>LCS</b>	TestCode: EPA Method 8	3015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 67260	RunNo: 87762	
Prep Date: 5/4/2022	Analysis Date: 5/5/2022	SeqNo: <b>3109550</b>	Units: mg/Kg
Analyte	Result PQL SPK va	ue SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	45 10 50.	00 0 90.1 68.9	135
Surr: DNOP	3.7 5.0	00 73.5 51.1	141
Sample ID: MB-67260	SampType: MBLK	TestCode: EPA Method 8	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 67260	RunNo: 87762	
Prep Date: 5/4/2022	Analysis Date: 5/5/2022	SeqNo: <b>3109554</b>	Units: mg/Kg
Analyte	Result PQL SPK val	ue SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	8.4 10.	00 84.4 51.1	141
Sample ID: MB-67249	SampType: MBLK	TestCode: EPA Method 8	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 67249	RunNo: <b>87770</b>	
Prep Date: 5/4/2022	Analysis Date: 5/5/2022	SeqNo: 3110446	Units: mg/Kg
Analyte	Result PQL SPK val	ue SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	9.7 10.	00 97.1 51.1	141
Sample ID: LCS-67249	SampType: <b>LCS</b>	TestCode: EPA Method 8	8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 67249	RunNo: 87770	

#### Qualifiers:

Prep Date:

Surr: DNOP

5/4/2022

Diesel Range Organics (DRO)

Analysis Date: 5/5/2022

PQL

10

SPK value SPK Ref Val

0

50.00

5.000

Result

46

5.0

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank

SeqNo: 3110447

LowLimit

68.9

51.1

%REC

92.9

99.0

Units: mg/Kg

135

141

%RPD

**RPDLimit** 

Qual

HighLimit

- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 21

## Hall Environmental Analysis Laboratory, Inc.

2200

2204D50 13-May-22

S

WO#:

**Client:** Devon Energy

Surr: BFB

**Project:** Gaucho 6 Heater Treater

Sample ID: Ics-67229	SampT	ype: LC	S	Tes	TestCode: EPA Method 8015D: Gasoline Range					
Client ID: LCSS	Batch	n ID: <b>672</b>	29	F	RunNo: 87721					
Prep Date: 5/3/2022	Analysis D	ate: <b>5/</b>	5/2022	SeqNo: <b>3107557</b>			Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	105	72.3	137			

224

37.7

212

Sample ID: <b>mb-67229</b>	SampT	ype: <b>MB</b>	BLK	Tes	tCode: <b>EF</b>	PA Method	d 8015D: Gasoline Range					
Client ID: PBS	Batch	ID: <b>672</b>	229	F	RunNo: 87	7721						
Prep Date: 5/3/2022	Analysis D	ate: <b>5/</b>	5/2022	5	SeqNo: 31	107558	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	ND	5.0		•	-		•		_			
Surr: BFB	1000		1000		102	37.7	212					

1000

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 21

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2204D50** *13-May-22* 

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: Ics-67229	Samp	Гуре: <b>LC</b>	s	Tes	TestCode: EPA Method 8021B: Volatiles					
Client ID: LCSS	Batch ID: 67229			F	RunNo: 87721					
Prep Date: 5/3/2022	Analysis [	Date: 5/5	5/2022	9	SeqNo: 31	107604	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.025	1.000	0	89.7	80	120			
Toluene	0.91	0.050	1.000	0	90.7	80	120			
Ethylbenzene	0.91	0.050	1.000	0	90.8	80	120			
Xylenes, Total	2.7	0.10	3.000	0	90.5	80	120			
Surr: 4-Bromofluorobenzene	0.83		1.000		82.8	70	130			

Sample ID: <b>mb-67229</b>	Samp1	уре: <b>МЕ</b>	BLK	PA Method	8021B: Volati	les				
Client ID: PBS	Batcl	n ID: <b>67</b> 2	229	29 RunNo: <b>87721</b>						
Prep Date: 5/3/2022	Analysis D	Date: <b>5/</b> 9	5/2022	9	SeqNo: 31	107605	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.84		1.000		83.7	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 21

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2204D50** *13-May-22* 

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: 2204d50-009ams	Samp	Гуре: МЅ	4	Tes	tCode: EF	PA Method	8260B: Volati	les Short I	_ist	
Client ID: BH22-15 6'	Batcl	h ID: 672	232	F	RunNo: 87	7782				
Prep Date: 5/3/2022	Analysis [	is Date: 5/5/2022			SeqNo: 31	109237	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.024	0.9681	0	99.2	63.5	137			
Toluene	0.93	0.048	0.9681	0.01398	95.0	77.6	127			
Ethylbenzene	0.97	0.048	0.9681	0	100	77.9	129			
Xylenes, Total	2.9	0.097	2.904	0.04579	100	76.8	127			
Surr: 1,2-Dichloroethane-d4	0.51		0.4840		105	70	130			
Surr: 4-Bromofluorobenzene	0.45		0.4840		94.0	70	130			
Surr: Dibromofluoromethane	0.50		0.4840		104	70	130			
Surr: Toluene-d8	0.51		0.4840		105	70	130			

Sample ID: 2204d50-009amsd	Samp <sup>-</sup>	Гуре: <b>м</b> S	SD4	TestCode: EPA Method 8260B: Volatiles Short List									
Client ID: BH22-15 6'	Batc	h ID: 672	232	RunNo: 87782									
Prep Date: 5/3/2022	Analysis [	Date: <b>5/</b>	5/2022	5	SeqNo: 31	109238	Units: mg/K						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	0.94	0.025	0.9852	0	95.6	63.5	137	1.97	20				
Toluene	0.97	0.049	0.9852	0.01398	97.4	77.6	127	4.15	20				
Ethylbenzene	0.95	0.049	0.9852	0	96.8	77.9	129	1.66	20				
Xylenes, Total	3.0	0.099	2.956	0.04579	101	76.8	127	2.56	20				
Surr: 1,2-Dichloroethane-d4	0.53		0.4926		107	70	130	0	0				
Surr: 4-Bromofluorobenzene	0.44		0.4926		89.6	70	130	0	0				
Surr: Dibromofluoromethane	0.52		0.4926		105	70	130	0	0				
Surr: Toluene-d8	0.51		0.4926		104	70	130	0	0				

Sample ID: Ics-67232	Samp1	Гуре: <b>LC</b>	S4	TestCode: EPA Method 8260B: Volatiles Short List										
Client ID: BatchQC	RunNo: 87782													
Prep Date: 5/3/2022	Analysis Date: 5/5/2022			5	SeqNo: 31	109258	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	1.1	0.025	1.000	0	112	80	120							
Toluene	0.99	0.050	1.000	0	98.8	80	120							
Ethylbenzene	1.0	0.050	1.000	0	103	80	120							
Xylenes, Total	2.9	0.10	3.000	0	97.0	80	120							
Surr: 1,2-Dichloroethane-d4	0.60		0.5000		120	70	130							
Surr: 4-Bromofluorobenzene	0.48		0.5000		95.6	70	130							
Surr: Dibromofluoromethane	0.57		0.5000		113 70 130									
Surr: Toluene-d8	0.51		0.5000		103	70	130							

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 19 of 21

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2204D50** *13-May-22* 

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: mb-67232	67232 SampType: MBLK TestCode: EPA Method 8260B: Volatiles Short List									
Client ID: PBS	Batc	h ID: <b>672</b>	232	F						
Prep Date: 5/3/2022	Analysis [	Date: <b>5/</b>	5/2022	5	SeqNo: 3	109259	Units: mg/K	(g		
Analyte	Result	Result PQL SPK value SPK Ref Val %REC LowLir		LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.55		0.5000		110	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.5000		94.3	70	130			
Surr: Dibromofluoromethane	0.55		0.5000		110	70	130			
Surr: Toluene-d8	0.52		0.5000		104	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 21

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2204D50** 

13-May-22

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: Ics-67232 SampType: LCS TestCode: EPA Method 8015D Mod: Gasoline Range Client ID: LCSS Batch ID: 67232 RunNo: 87782 Units: mg/Kg Prep Date: 5/3/2022 Analysis Date: 5/5/2022 SeqNo: 3109233 **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Gasoline Range Organics (GRO) 27 5.0 25.00 0 107 70 130

 Gasoline Range Organics (GRO)
 27
 5.0
 25.00
 0
 107
 70
 130

 Surr: BFB
 540
 500.0
 108
 70
 130

Sample ID: mb-67232 SampType: MBLK TestCode: EPA Method 8015D Mod: Gasoline Range

Client ID: PBS Batch ID: 67232 RunNo: 87782

Prep Date: 5/3/2022 Analysis Date: 5/5/2022 SeqNo: 3109234 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 510 500.0 102 70 130

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 21



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

## Sample Log-In Check List

Client Name: Devon Energy	Work Order Number	er: 2204D50		RcptNo: 1	
Received By: Juan Rojas	4/30/2022 8:30:00 Al	М	(Juansay)		
Completed By: Juan Rojas	4/30/2022 10:04:11 A	AM	Guaran &		
Reviewed By: WG 5 · 2 · 2	2				
Chain of Custody			_	_	
1. Is Chain of Custody complete?		Yes 🗸	No 🗌	Not Present	
2. How was the sample delivered?		Courier			
<u>Log In</u>					
3. Was an attempt made to cool the samples?		Yes 🗸	No 🗌	NA L	
4. Were all samples received at a temperature	of >0° C to 6.0°C	Yes 🗸	No 🗆	NA $\square$	
5. Sample(s) in proper container(s)?		Yes 🗸	No 🗌		
6. Sufficient sample volume for indicated test(s	)?	Yes 🗸	No $\square$		
7. Are samples (except VOA and ONG) properl	y preserved?	Yes 🗸	No 🗌		
8. Was preservative added to bottles?		Yes	No 🔽	NA $\square$	
9. Received at least 1 vial with headspace <1/4	" for AQ VOA?	Yes	No $\square$	NA 🗹	
10. Were any sample containers received broke	n?	Yes	No 🗸	# of preserved	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗸	No 🗆	bottles checked for pH: (<2 or >12	2 unless noted)
2. Are matrices correctly identified on Chain of	Custody?	Yes 🗸	No 🗆	Adjusted?	
3. Is it clear what analyses were requested?		Yes 🗸	No 🗆		· · la ala
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗸	No 🗆	Checked by: Jv	41301 2
Special Handling (if applicable)			2		
15. Was client notified of all discrepancies with	this order?	Yes	No 🗌	NA 🗹	
Person Notified:	Date				
By Whom:	Via:	_ eMail _	Phone  Fax	☐ In Person	
Regarding:					
Client Instructions:					
16. Additional remarks: Sample 00°	1 Has clearly	water i	n the so	11. KPG 4-5	.7.22
		The State of			
17. Cooler Information  Cooler No Temp °C Condition Se	eal Intact   Seal No	Seal Date	Signed By		
1 0.1 Good					

	AL	<b>&gt;</b>					2:51 4								1								dical report.
		ANALYSIS LABORATOR	•	nbnale -	Tel: 505-545-5975 Fax 505-545-4107 Analysis Request	†O	BTEX\ MTBE \ TMB's (8021) TPH:8015D(GRO \ DRO \ MRO) 8081 Pesticides/8082 PCB's PAHs by 8310 or 8270SIMS RCRA 8 Metals RCRA 8 Metals A260 (VOA) 8270 (Semi-VOA) Total Coliform (Present/Absent)												Chance	011802 0111 08 1011	oossibility. Any sub-contracted data will be clearly notated on the analyti		
Turn-Around Time: 5 ~ 0 € 4	0	;;	GOUCHO #6 (Heater	Project #:	CZE-01101	Project Manager:	G PEPPIN	Sampler: $CD$	∃-Yes □ No	olers: i	(including CF): 6-7-6 c (-6-) (°C)	Container Preservative HEAL No.	700 -013	402 xae 11 -014	4	15 /5 dad	6.000	75 S			Received by: Via: Under Time R	Via: Date	Many Many And Many Contracted to give a subcontracted to give a notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
Chain-of-Custody Record	Client:	Im	Mailing Address:	-	226/2 Phone #:	email or Fax#:	QA/QC Package:  C Standard  C Level 4 (Full Validation)	Accreditation:     Az Compliance	□ NELAC □ Other	□ EDD (Type)		Date Time Matrix Sample Name	17:05 50:71	4/28 1:30 50il BHZZ-16 6							Date: I'me: Kelinquished by:		PRE   WALLALAND   I   I   I   I   I   I   I   I   I



TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Hall Environmental Analysis Laboratory

4901 Hawkins NE

Albuquerque, NM 87109

July 11, 2022

Monica Peppin Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210

TEL: (505) 350-1336

FAX:

RE: Gaucho 6 Heater Treater OrderNo.: 2206D57

#### Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 12 sample(s) on 6/24/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andy

4901 Hawkins NE

Albuquerque, NM 87109

## **Analytical Report**

Lab Order **2206D57**Date Reported: **7/11/2022** 

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-01

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 8:55:00 AM

 Lab ID:
 2206D57-001
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 6:18:48 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	6/30/2022 6:18:48 AM
Surr: DNOP	93.1	51.1-141	%Rec	1	6/30/2022 6:18:48 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/29/2022 1:21:47 AM
Surr: BFB	97.0	37.7-212	%Rec	1	6/29/2022 1:21:47 AM
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	6/29/2022 1:21:47 AM
Toluene	ND	0.049	mg/Kg	1	6/29/2022 1:21:47 AM
Ethylbenzene	ND	0.049	mg/Kg	1	6/29/2022 1:21:47 AM
Xylenes, Total	ND	0.099	mg/Kg	1	6/29/2022 1:21:47 AM
Surr: 4-Bromofluorobenzene	91.9	70-130	%Rec	1	6/29/2022 1:21:47 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 9:47:31 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 16

# Analytical Report Lab Order 2206D57

Date Reported: 7/11/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-02

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:00:00 AM

 Lab ID:
 2206D57-002
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 6:42:41 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	6/30/2022 6:42:41 AM
Surr: DNOP	102	51.1-141	%Rec	1	6/30/2022 6:42:41 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	6/29/2022 1:45:14 AM
Surr: BFB	93.3	37.7-212	%Rec	1	6/29/2022 1:45:14 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 1:45:14 AM
Toluene	ND	0.048	mg/Kg	1	6/29/2022 1:45:14 AM
Ethylbenzene	ND	0.048	mg/Kg	1	6/29/2022 1:45:14 AM
Xylenes, Total	ND	0.096	mg/Kg	1	6/29/2022 1:45:14 AM
Surr: 4-Bromofluorobenzene	89.7	70-130	%Rec	1	6/29/2022 1:45:14 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 9:59:55 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 16

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-03

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:05:00 AM

 Lab ID:
 2206D57-003
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 7:06:31 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	6/30/2022 7:06:31 AM
Surr: DNOP	96.6	51.1-141	%Rec	1	6/30/2022 7:06:31 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/29/2022 2:08:36 AM
Surr: BFB	99.1	37.7-212	%Rec	1	6/29/2022 2:08:36 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	6/29/2022 2:08:36 AM
Toluene	ND	0.047	mg/Kg	1	6/29/2022 2:08:36 AM
Ethylbenzene	ND	0.047	mg/Kg	1	6/29/2022 2:08:36 AM
Xylenes, Total	ND	0.093	mg/Kg	1	6/29/2022 2:08:36 AM
Surr: 4-Bromofluorobenzene	93.5	70-130	%Rec	1	6/29/2022 2:08:36 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	75	59	mg/Kg	20	6/29/2022 10:12:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 16

Lab Order **2206D57** 

Date Reported: 7/11/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-04

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:10:00 AM

 Lab ID:
 2206D57-004
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>ED</b>
Diesel Range Organics (DRO)	24	15	mg/Kg	1	6/30/2022 7:30:23 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/30/2022 7:30:23 AM
Surr: DNOP	111	51.1-141	%Rec	1	6/30/2022 7:30:23 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/29/2022 2:31:57 AM
Surr: BFB	97.6	37.7-212	%Rec	1	6/29/2022 2:31:57 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 2:31:57 AM
Toluene	ND	0.049	mg/Kg	1	6/29/2022 2:31:57 AM
Ethylbenzene	ND	0.049	mg/Kg	1	6/29/2022 2:31:57 AM
Xylenes, Total	ND	0.097	mg/Kg	1	6/29/2022 2:31:57 AM
Surr: 4-Bromofluorobenzene	93.2	70-130	%Rec	1	6/29/2022 2:31:57 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	6/29/2022 10:24:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 16

**CLIENT:** Devon Energy

#### **Analytical Report**

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BES22-01

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:15:00 AM

 Lab ID:
 2206D57-005
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 7:54:22 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	6/30/2022 7:54:22 AM
Surr: DNOP	93.2	51.1-141	%Rec	1	6/30/2022 7:54:22 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	6/29/2022 2:55:21 AM
Surr: BFB	97.9	37.7-212	%Rec	1	6/29/2022 2:55:21 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	6/29/2022 2:55:21 AM
Toluene	ND	0.050	mg/Kg	1	6/29/2022 2:55:21 AM
Ethylbenzene	ND	0.050	mg/Kg	1	6/29/2022 2:55:21 AM
Xylenes, Total	ND	0.099	mg/Kg	1	6/29/2022 2:55:21 AM
Surr: 4-Bromofluorobenzene	94.8	70-130	%Rec	1	6/29/2022 2:55:21 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	170	60	mg/Kg	20	6/29/2022 10:37:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 16

# Analytical Report Lab Order 2206D57

Date Reported: 7/11/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-02

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:20:00 AM

 Lab ID:
 2206D57-006
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 8:18:17 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	6/30/2022 8:18:17 AM
Surr: DNOP	94.6	51.1-141	%Rec	1	6/30/2022 8:18:17 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/29/2022 3:18:46 AM
Surr: BFB	95.4	37.7-212	%Rec	1	6/29/2022 3:18:46 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 3:18:46 AM
Toluene	ND	0.049	mg/Kg	1	6/29/2022 3:18:46 AM
Ethylbenzene	ND	0.049	mg/Kg	1	6/29/2022 3:18:46 AM
Xylenes, Total	ND	0.098	mg/Kg	1	6/29/2022 3:18:46 AM
Surr: 4-Bromofluorobenzene	90.5	70-130	%Rec	1	6/29/2022 3:18:46 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	220	60	mg/Kg	20	6/29/2022 10:49:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 16

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-05

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:30:00 AM

 Lab ID:
 2206D57-007
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 8:42:14 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	6/30/2022 8:42:14 AM
Surr: DNOP	91.8	51.1-141	%Rec	1	6/30/2022 8:42:14 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/29/2022 3:42:13 AM
Surr: BFB	97.8	37.7-212	%Rec	1	6/29/2022 3:42:13 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 3:42:13 AM
Toluene	ND	0.049	mg/Kg	1	6/29/2022 3:42:13 AM
Ethylbenzene	ND	0.049	mg/Kg	1	6/29/2022 3:42:13 AM
Xylenes, Total	ND	0.098	mg/Kg	1	6/29/2022 3:42:13 AM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	6/29/2022 3:42:13 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	330	61	mg/Kg	20	6/30/2022 9:27:08 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 16

**CLIENT:** Devon Energy

### **Analytical Report**

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BES22-03

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:35:00 AM

 Lab ID:
 2206D57-008
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 9:06:08 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	6/30/2022 9:06:08 AM
Surr: DNOP	96.3	51.1-141	%Rec	1	6/30/2022 9:06:08 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/29/2022 4:29:03 AM
Surr: BFB	100	37.7-212	%Rec	1	6/29/2022 4:29:03 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	6/29/2022 4:29:03 AM
Toluene	ND	0.049	mg/Kg	1	6/29/2022 4:29:03 AM
Ethylbenzene	ND	0.049	mg/Kg	1	6/29/2022 4:29:03 AM
Xylenes, Total	ND	0.098	mg/Kg	1	6/29/2022 4:29:03 AM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	6/29/2022 4:29:03 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	230	60	mg/Kg	20	6/30/2022 9:39:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 16

# Analytical Report Lab Order 2206D57

Date Reported: 7/11/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-06

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:40:00 AM

 Lab ID:
 2206D57-009
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 9:30:03 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	6/30/2022 9:30:03 AM
Surr: DNOP	91.1	51.1-141	%Rec	1	6/30/2022 9:30:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	6/29/2022 4:52:32 AM
Surr: BFB	96.8	37.7-212	%Rec	1	6/29/2022 4:52:32 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	6/29/2022 4:52:32 AM
Toluene	ND	0.046	mg/Kg	1	6/29/2022 4:52:32 AM
Ethylbenzene	ND	0.046	mg/Kg	1	6/29/2022 4:52:32 AM
Xylenes, Total	ND	0.093	mg/Kg	1	6/29/2022 4:52:32 AM
Surr: 4-Bromofluorobenzene	91.1	70-130	%Rec	1	6/29/2022 4:52:32 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	220	60	mg/Kg	20	6/30/2022 10:16:48 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 16

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-07

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/21/2022 9:45:00 AM

 Lab ID:
 2206D57-010
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 9:53:57 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/30/2022 9:53:57 AM
Surr: DNOP	97.0	51.1-141	%Rec	1	6/30/2022 9:53:57 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/29/2022 4:41:00 AM
Surr: BFB	89.7	37.7-212	%Rec	1	6/29/2022 4:41:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	6/29/2022 4:41:00 AM
Toluene	ND	0.047	mg/Kg	1	6/29/2022 4:41:00 AM
Ethylbenzene	ND	0.047	mg/Kg	1	6/29/2022 4:41:00 AM
Xylenes, Total	ND	0.094	mg/Kg	1	6/29/2022 4:41:00 AM
Surr: 4-Bromofluorobenzene	85.7	70-130	%Rec	1	6/29/2022 4:41:00 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	100	60	mg/Kg	20	6/30/2022 10:29:12 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 16

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-04

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/22/2022 11:00:00 AM

 Lab ID:
 2206D57-011
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>ED</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	6/30/2022 10:17:50 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	6/30/2022 10:17:50 AM
Surr: DNOP	97.9	51.1-141	%Rec	1	6/30/2022 10:17:50 AM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	6/29/2022 5:00:00 AM
Surr: BFB	87.4	37.7-212	%Rec	1	6/29/2022 5:00:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: BRM
Benzene	ND	0.023	mg/Kg	1	6/29/2022 5:00:00 AM
Toluene	ND	0.046	mg/Kg	1	6/29/2022 5:00:00 AM
Ethylbenzene	ND	0.046	mg/Kg	1	6/29/2022 5:00:00 AM
Xylenes, Total	ND	0.092	mg/Kg	1	6/29/2022 5:00:00 AM
Surr: 4-Bromofluorobenzene	82.6	70-130	%Rec	1	6/29/2022 5:00:00 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	6/30/2022 11:06:27 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 16

Lab Order **2206D57**Date Reported: **7/11/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-08

 Project:
 Gaucho 6 Heater Treater
 Collection Date: 6/22/2022 11:05:00 AM

 Lab ID:
 2206D57-012
 Matrix: SOIL
 Received Date: 6/24/2022 8:16:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF				Analyst: <b>ED</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	6/30/2022 11:29:33 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/30/2022 11:29:33 AM
Surr: DNOP	105	51.1-141	%Rec	1	6/30/2022 11:29:33 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	6/29/2022 5:20:00 AM
Surr: BFB	87.0	37.7-212	%Rec	1	6/29/2022 5:20:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: <b>BRM</b>
Benzene	ND	0.025	mg/Kg	1	6/29/2022 5:20:00 AM
Toluene	ND	0.050	mg/Kg	1	6/29/2022 5:20:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	6/29/2022 5:20:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	6/29/2022 5:20:00 AM
Surr: 4-Bromofluorobenzene	83.1	70-130	%Rec	1	6/29/2022 5:20:00 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	6/30/2022 11:18:51 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 16

#### Hall Environmental Analysis Laboratory, Inc.

2206D57

WO#:

11-Jul-22

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: MB-68444 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **68444** RunNo: **89143** 

Prep Date: 6/29/2022 Analysis Date: 6/29/2022 SeqNo: 3167724 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-68444 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 68444 RunNo: 89143

Prep Date: 6/29/2022 Analysis Date: 6/29/2022 SeqNo: 3167725 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Sample ID: MB-68460 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **68460** RunNo: **89182** 

Prep Date: 6/29/2022 Analysis Date: 6/30/2022 SeqNo: 3170091 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-68460 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 68460 RunNo: 89182

Prep Date: 6/29/2022 Analysis Date: 6/30/2022 SeqNo: 3170092 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 91.8 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 16

#### Hall Environmental Analysis Laboratory, Inc.

2206D57 11-Jul-22

WO#:

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: MB-68415 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **PBS** Batch ID: **68415** RunNo: **89114** 

Prep Date: 6/28/2022 Analysis Date: 6/30/2022 SeqNo: 3170264 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 15
Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 9.5 10.00 94.5 51.1 141

Sample ID: LCS-68415 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 68415 RunNo: 89114

Prep Date: 6/28/2022 Analysis Date: 6/30/2022 SeqNo: 3170265 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) 49 15 50.00 0 98.8 64.4 127 Surr: DNOP 5.1 5.000 103 51.1 141

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 16

#### Hall Environmental Analysis Laboratory, Inc.

2206D57 11-Jul-22

WO#:

**Client:** Devon Energy

**Project:** Gaucho 6 Heater Treater

Sample ID: mb-68382 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 68382 RunNo: 89090

Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3165011 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1000 1000 102 37.7 212

Sample ID: Ics-68382 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 68382 RunNo: 89090

Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3165012 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 72.3 Gasoline Range Organics (GRO) 29 5.0 25.00 0 114 137 Surr: BFB 2200 1000 218 37.7 S 212

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 16

#### Hall Environmental Analysis Laboratory, Inc.

WO#: 2206D57

11-Jul-22

**Client: Devon Energy** 

**Project:** Gaucho 6 Heater Treater

Sample ID: mb-68382 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 68382 RunNo: 89090

Prep Date: 6/27/2022 Analysis Date: 6/28/2022 SeqNo: 3165039 Units: mg/Kg

PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result

Benzene ND 0.025 Toluene ND 0.050 ND 0.050 Ethylbenzene Xylenes, Total ND 0.10

Surr: 4-Bromofluorobenzene 0.95 1.000 94.7 70 130

Sample ID: LCS-68382 SampType: LCS TestCode: EPA Method 8021B: Volatiles Client ID: LCSS Batch ID: 68382

Prep Date: 6/27/2022	Analysis D	Date: <b>6/</b>	28/2022	\$	SeqNo: 3165040 Units: mg/Kg			(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.025	1.000	0	84.9	80	120			
Toluene	0.90	0.050	1.000	0	89.6	80	120			
Ethylbenzene	0.91	0.050	1.000	0	90.8	80	120			
Xylenes, Total	2.7	0.10	3.000	0	91.1	80	120			
Surr: 4-Bromofluorobenzene	0.98		1.000		98.0	70	130			

RunNo: 89090

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 16 of 16



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Website: www.hallenvironmental.com

Sample Log-In Check List Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Cli	ent Name:	Devon Ene	ergy	Work	Order Numb	er: 220	6D57			RcptNo	1
Por	ceived By:	Kasandus	Davies	6/24/20	22 0.40.00 4			14	1		
		Kasandra	378		22 8:16:00 A			770	<b>5</b> 77-1	, and	
Cor	npleted By:	Sean Livi	ngston	6/24/20:	22 9:24:03 A	M		S	_6	yot	
Rev	viewed By:	DAD 6	124/22								
<u>Cha</u>	ain of Cus	<u>tody</u>									
1. 1	s Chain of C	ustody comp	lete?			Yes	<b>V</b>	No		Not Present	
2. H	low was the	sample deliv	vered?			Cou	rier				
Lo	g In										
3. v	Vas an attem	pt made to	cool the sampl	es?		Yes	✓	No		NA 🗆	
4. v	Vere all samp	oles received	l at a temperat	ure of >0° C t	to 6.0°C	Yes	<b>V</b>	No		NA 🗆	
5. s	Sample(s) in p	proper conta	iner(s)?			Yes	<b>V</b>	No			
6. s	ufficient sam	ple volume f	or indicated te	st(s)?		Yes	<b>V</b>	No			
7. A	re samples (	except VOA	and ONG) pro	perly preserve	ed?	Yes	<b>~</b>	No			
8. W	/as preserva	tive added to	bottles?			Yes		No	<b>V</b>	NA 🗌	
9. R	eceived at le	ast 1 vial wit	h headspace <	<1/4" for AQ V	OA?	Yes		No		NA 🗹	
10. V	Vere any san	nple containe	ers received br	oken?		Yes		No	<b>V</b>		
									-	# of preserved bottles checked	
	oes paperwo Note discrepa		ttle labels? ain of custody)			Yes	<b>V</b>	No		for pH:	>12 unless noted)
			tified on Chair			Yes	<b>✓</b>	No		Adjusted?	
13. Is	it clear what	analyses w	ere requested?	)		Yes	<b>✓</b>	No			24.
	ere all holdi		e to be met? authorization.)			Yes	<b>V</b>	No		Checked by	nc 6/20/20
	cial Handl										6124122
			iscrepancies w	ith this order?	•	Voc		No		NA 🗹	
[		Notified:		iti tilis order:		6/24	107.000			NA 🖭	7
	By Who		Em	Curca	Via:		5		l Eav	☐ In Person	
	Regardi	na:	OH Coul	- 1/22	via.	ew	all [C	riione [	] rax	☐ III Person	
		structions:	Cheyeme 011 Sumph GO Wil	n Coo	S.	eer			-		
16.	Additional rer		8- 111								
17	Cooler Infor	mation									
17. 3	Cooler No	1	Condition	Seal Intact	Seal No	Seal D	ate	Signed	By	1	
	1	2.0	Good	Jou, intuot	Journe	CCGI D	ato	Gigited	J,	-	
	2	0.8	Good								

Remarks: CC: Chance Dixon Direct 8:11 Devan Grang	005 005 007 007 007 009 009 009 010 010 010 010 010 010 010	yy: Via:  COULLY  Coul	Received by:	9:15  8:5522-01  9:15  8:5522-02  003  9:15  8:5522-05  003  9:35  4:5522-05  003  003  004  005  007  005  007  006  007  007  007	Relinquished by:		eceived by OCD: 19/10/2022 8:22:51 AM
	002		-	7 7		20:00	+1
TPH:8015D( 8081 Pestici EDB (Methor PAHs by 83 RCRA 8 Me CI, F, Br, N 8260 (VOA) 8270 (Semi-	10-0.7 °C) 10-0.7 °C) HEAL NO. 2206057	Preservativ Type  T-CC	Cooler Terr Container Type and #	Sample Name	Matrix	Time	Date 6/2
(GRO / DRO / ides/8082 PC od 504.1) 10 or 8270SI itals	□ No Suc Clay  TMB'S	D Yes	Sample On Ice:	☐ Level 4 (Full Validation) Az Compliance Other		Standard Accreditation:  NELAC DEDD (Type)	Accredit
MRO) CB's MS O <sub>4</sub> , SO <sub>4</sub>	アクアルガ	Project Manager:	Project			email or Fax#:  QA/QC Package:	email QA/Q
≥ 01	200	5-01101-	Project #:			e #:	Phone
ci e	Heater	2000	Project Name:	Eil6	S S	Mailing Address:	<i>Pag</i> Mailir
HALL ENVIRONMENT	- D49	ime: 5	Turn-Around  Z Standard	Chain-of-Custody Record	1-of-C	Chain-c	269 of 289

HALL ENVIRONMENTAL ANALYSIS LABORATORY

Released to Imaging: 10/26/2022 2:05:57 PM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

July 14, 2022

Monica Peppin Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210

TEL: (575) 748-0176

FAX:

RE: Gaucho Unit 6 Heater Treater OrderNo.: 2207345

#### Dear Monica Peppin:

Hall Environmental Analysis Laboratory received 12 sample(s) on 7/9/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-05 5'

 Project:
 Gaucho Unit 6 Heater Treater
 Collection Date: 7/7/2022 12:05:00 PM

 Lab ID:
 2207345-001
 Matrix: SOIL
 Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/12/2022 11:21:23 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	7/12/2022 11:21:23 PM
Surr: DNOP	102	51.1-141	%Rec	1	7/12/2022 11:21:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/12/2022 11:45:28 AM
Surr: BFB	98.5	37.7-212	%Rec	1	7/12/2022 11:45:28 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 11:45:28 AM
Toluene	ND	0.049	mg/Kg	1	7/12/2022 11:45:28 AM
Ethylbenzene	ND	0.049	mg/Kg	1	7/12/2022 11:45:28 AM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 11:45:28 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	7/12/2022 11:45:28 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	7/12/2022 4:23:12 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-06 5'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:05:00 PM

Lab ID: 2207345-002 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/12/2022 11:45:51 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	7/12/2022 11:45:51 PM
Surr: DNOP	102	51.1-141	%Rec	1	7/12/2022 11:45:51 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/12/2022 12:56:33 PM
Surr: BFB	98.1	37.7-212	%Rec	1	7/12/2022 12:56:33 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	7/12/2022 12:56:33 PM
Toluene	ND	0.049	mg/Kg	1	7/12/2022 12:56:33 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/12/2022 12:56:33 PM
Xylenes, Total	ND	0.098	mg/Kg	1	7/12/2022 12:56:33 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	7/12/2022 12:56:33 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	7/12/2022 4:35:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

of In Range Page 2 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-07 6'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:10:00 PM

Lab ID: 2207345-003 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 12:10:19 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/13/2022 12:10:19 AM
Surr: DNOP	108	51.1-141	%Rec	1	7/13/2022 12:10:19 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 2:07:57 PM
Surr: BFB	101	37.7-212	%Rec	1	7/12/2022 2:07:57 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 2:07:57 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 2:07:57 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 2:07:57 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 2:07:57 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	7/12/2022 2:07:57 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	64	60	mg/Kg	20	7/12/2022 5:12:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: BES22-08 0.5'

**Project:** Gaucho Unit 6 Heater Treater **Collection Date:** 7/7/2022 12:20:00 PM 2207345-004 Lab ID: Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	7/13/2022 12:34:48 AM
Motor Oil Range Organics (MRO)	ND	42	mg/Kg	1	7/13/2022 12:34:48 AM
Surr: DNOP	76.3	51.1-141	%Rec	1	7/13/2022 12:34:48 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 2:31:48 PM
Surr: BFB	102	37.7-212	%Rec	1	7/12/2022 2:31:48 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 2:31:48 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 2:31:48 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 2:31:48 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 2:31:48 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	7/12/2022 2:31:48 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	230	59	mg/Kg	20	7/12/2022 5:25:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix interference

Analyte detected in the associated Method Blank

Е Estimated value

J Analyte detected below quantitation limits

Sample pH Not In Range

Page 4 of 16 RL Reporting Limit

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-09 0.5'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:20:00 PM

Lab ID: 2207345-005 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	7/13/2022 12:59:11 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	7/13/2022 12:59:11 AM
Surr: DNOP	73.8	51.1-141	%Rec	1	7/13/2022 12:59:11 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 2:55:39 PM
Surr: BFB	104	37.7-212	%Rec	1	7/12/2022 2:55:39 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 2:55:39 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 2:55:39 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 2:55:39 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 2:55:39 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	7/12/2022 2:55:39 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	190	60	mg/Kg	20	7/12/2022 5:37:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BES22-10 4'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:35:00 PM

Lab ID: 2207345-006 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 1:23:39 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/13/2022 1:23:39 AM
Surr: DNOP	76.3	51.1-141	%Rec	1	7/13/2022 1:23:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 3:19:30 PM
Surr: BFB	101	37.7-212	%Rec	1	7/12/2022 3:19:30 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 3:19:30 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 3:19:30 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 3:19:30 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 3:19:30 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	7/12/2022 3:19:30 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	7/12/2022 5:50:03 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-09 0.5-4'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:30:00 PM

Lab ID: 2207345-007 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 1:48:10 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/13/2022 1:48:10 AM
Surr: DNOP	77.3	51.1-141	%Rec	1	7/13/2022 1:48:10 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 3:43:28 PM
Surr: BFB	101	37.7-212	%Rec	1	7/12/2022 3:43:28 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 3:43:28 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 3:43:28 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 3:43:28 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/12/2022 3:43:28 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	7/12/2022 3:43:28 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	200	60	mg/Kg	20	7/12/2022 6:02:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy

Client Sample ID: WES22-10 0.5-6'

Project: Gaucho Unit 6 Heater Treater

Collection Date: 7/7/2022 12:10:00 PM

**Lab ID:** 2207345-008 **Matrix:** SOIL **Received Date:** 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 2:12:43 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/13/2022 2:12:43 AM
Surr: DNOP	78.9	51.1-141	%Rec	1	7/13/2022 2:12:43 AM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/12/2022 4:07:26 PM
Surr: BFB	102	37.7-212	%Rec	1	7/12/2022 4:07:26 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 4:07:26 PM
Toluene	ND	0.049	mg/Kg	1	7/12/2022 4:07:26 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/12/2022 4:07:26 PM
Xylenes, Total	ND	0.098	mg/Kg	1	7/12/2022 4:07:26 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	7/12/2022 4:07:26 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	190	60	mg/Kg	20	7/12/2022 6:14:52 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 16

Surr: BFB

Benzene

**EPA METHOD 8021B: VOLATILES** 

# Analytical Report Lab Order 2207345

Date Reported: 7/14/2022

7/12/2022 4:31:22 PM

7/12/2022 4:31:22 PM

Analyst: NSB

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-11 5-6'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:10:00 PM

Lab ID: 2207345-009 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

**Analyses** Result **RL Qual Units** DF **Date Analyzed EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: SB Diesel Range Organics (DRO) ND 12 mg/Kg 1 7/13/2022 2:37:18 AM Motor Oil Range Organics (MRO) ND 39 mg/Kg 1 7/13/2022 2:37:18 AM Surr: DNOP 75.9 51.1-141 %Rec 1 7/13/2022 2:37:18 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: NSB Gasoline Range Organics (GRO) ND 7/12/2022 4:31:22 PM 4.9 mg/Kg 1

100

ND

37.7-212

0.024

%Rec

mg/Kg

1

Toluene	ND	0.049	mg/Kg	1	7/12/2022 4:31:22 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/12/2022 4:31:22 PM
Xylenes, Total	ND	0.098	mg/Kg	1	7/12/2022 4:31:22 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	7/12/2022 4:31:22 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	190	60	mg/Kg	20	7/12/2022 6:52:06 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WES22-12 0-4'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:30:00 PM

Lab ID: 2207345-010 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 3:01:45 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	7/13/2022 3:01:45 AM
Surr: DNOP	76.5	51.1-141	%Rec	1	7/13/2022 3:01:45 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/12/2022 4:55:13 PM
Surr: BFB	100	37.7-212	%Rec	1	7/12/2022 4:55:13 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	7/12/2022 4:55:13 PM
Toluene	ND	0.048	mg/Kg	1	7/12/2022 4:55:13 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/12/2022 4:55:13 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/12/2022 4:55:13 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	7/12/2022 4:55:13 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	67	60	mg/Kg	20	7/12/2022 7:04:31 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Devon Energy Client Sample ID: WES22-13 0-0.5'

Project: Gaucho Unit 6 Heater Treater Collection Date: 7/7/2022 12:25:00 PM

Lab ID: 2207345-011 Matrix: SOIL Received Date: 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	11	mg/Kg	1	7/13/2022 3:26:13 AM
Motor Oil Range Organics (MRO)	ND	35	mg/Kg	1	7/13/2022 3:26:13 AM
Surr: DNOP	73.1	51.1-141	%Rec	1	7/13/2022 3:26:13 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 8:52:57 PM
Surr: BFB	95.5	37.7-212	%Rec	1	7/12/2022 8:52:57 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 8:52:57 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 8:52:57 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 8:52:57 PM
Xylenes, Total	ND	0.10	mg/Kg	1	7/12/2022 8:52:57 PM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	7/12/2022 8:52:57 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	230	60	mg/Kg	20	7/12/2022 8:06:33 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 16

Date Reported: 7/14/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy
Client Sample ID: WES22-14 0-0.5'
Project: Gaucho Unit 6 Heater Treater
Collection Date: 7/7/2022 12:25:00 PM

**Lab ID:** 2207345-012 **Matrix:** SOIL **Received Date:** 7/9/2022 9:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	7/13/2022 3:50:38 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	7/13/2022 3:50:38 AM
Surr: DNOP	70.4	51.1-141	%Rec	1	7/13/2022 3:50:38 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/12/2022 9:16:36 PM
Surr: BFB	95.8	37.7-212	%Rec	1	7/12/2022 9:16:36 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	7/12/2022 9:16:36 PM
Toluene	ND	0.050	mg/Kg	1	7/12/2022 9:16:36 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/12/2022 9:16:36 PM
Xylenes, Total	ND	0.10	mg/Kg	1	7/12/2022 9:16:36 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	7/12/2022 9:16:36 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	210	60	mg/Kg	20	7/12/2022 8:18:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 16

#### Hall Environmental Analysis Laboratory, Inc.

2207345 14-Jul-22

WO#:

**Client:** Devon Energy

**Project:** Gaucho Unit 6 Heater Treater

Sample ID: MB-68714 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 68714 RunNo: 89439

Prep Date: 7/12/2022 Analysis Date: 7/12/2022 SegNo: 3181846 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-68714 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 68714 RunNo: 89439

Prep Date: 7/12/2022 Analysis Date: 7/12/2022 SeqNo: 3181847 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.5 90 110

Sample ID: MB-68724 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 68724 RunNo: 89439

Prep Date: 7/12/2022 Analysis Date: 7/12/2022 SeqNo: 3181876 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-68724 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 68724 RunNo: 89439

Prep Date: 7/12/2022 Analysis Date: 7/12/2022 SeqNo: 3181877 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.8 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 16

#### Hall Environmental Analysis Laboratory, Inc.

2207345 14-Jul-22

WO#:

**Client:** Devon Energy

**Project:** Gaucho Unit 6 Heater Treater

Sample ID: MB-68675 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 68675 RunNo: 89401 Prep Date: 7/11/2022 Analysis Date: 7/12/2022 SeqNo: 3180414 Units: mg/Kg Analyte PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Result LowLimit Diesel Range Organics (DRO) ND 15 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 9.6 10.00 96.2 51.1 141

Sample ID: LCS-68675 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 68675 RunNo: 89401 Prep Date: 7/11/2022 Analysis Date: 7/12/2022 SeqNo: 3180415 Units: mg/Kg %REC Analyte **PQL** SPK value SPK Ref Val LowLimit HighLimit %RPD **RPDLimit** Qual

Diesel Range Organics (DRO) 48 15 50.00 0 96.9 64.4 127 Surr: DNOP 4.8 5.000 96.3 51.1 141

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 14 of 16

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2207345** 

14-Jul-22

**Client:** Devon Energy

**Project:** Gaucho Unit 6 Heater Treater

Sample ID: mb SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: G89410 RunNo: 89410

Prep Date: Analysis Date: 7/12/2022 SeqNo: 3180613 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 1000 1000 101 37.7 212

Sample ID: 2.5ug gro Ics SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: G89410 RunNo: 89410

Prep Date: Analysis Date: 7/12/2022 SeqNo: 3180614 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 1900 1000 194 37.7 212

Sample ID: mb-68666 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 68666 RunNo: 89410

Prep Date: 7/10/2022 Analysis Date: 7/12/2022 SeqNo: 3180627 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 ND
 5.0

 Surr: BFB
 960
 1000
 96.1
 37.7
 212

Sample ID: Ics-68666 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 68666 RunNo: 89410

Prep Date: 7/10/2022 Analysis Date: 7/12/2022 SeqNo: 3180628 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 26 5.0 25.00 0 102 72.3 137

Surr: BFB 2000 1000 196 37.7 212

Sample ID: 2207345-001ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BES22-05 5'** Batch ID: **68666** RunNo: **89410** 

Prep Date: 7/10/2022 Analysis Date: 7/12/2022 SeqNo: 3180631 Units: mg/Kg

**PQL** SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result SPK value LowLimit Qual 24.61 70 Gasoline Range Organics (GRO) 24 4.9 0 96.0 130

Surr: BFB 1900 984.3 191 37.7 212

Sample ID: 2207345-001amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BES22-05 5'** Batch ID: **68666** RunNo: **89410** 

Prep Date: 7/10/2022 Analysis Date: 7/12/2022 SeqNo: 3180632 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 25 5.0 24.98 0 102 70 130 7.20 20

Surr: BFB 2000 999.0 198 37.7 212 0 0

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 15 of 16

#### Hall Environmental Analysis Laboratory, Inc.

2207345 14-Jul-22

WO#:

Client: Devon Energy

**Project:** Gaucho Unit 6 Heater Treater

Sample ID: mb-68666	SampT	ype: <b>ME</b>	BLK	Tes						
Client ID: PBS	Batch	n ID: <b>686</b>	666	F	RunNo: 89					
Prep Date: 7/10/2022	Analysis D	oate: <b>7/</b>	12/2022	5	SeqNo: 31	180658	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								

 Toluene
 ND
 0.050

 Ethylbenzene
 ND
 0.050

 Xylenes, Total
 ND
 0.10

 Surr: 4-Bromofluorobenzene
 1.0
 1.000
 102
 70
 130

Sample ID: LCS-68666	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8021B: Volati	les				
Client ID: LCSS	Batcl	n ID: <b>686</b>	666	F	RunNo: 89							
Prep Date: 7/10/2022	Analysis D	Date: 7/	12/2022	5	SeqNo: 31	180659	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.94	0.025	1.000	0	93.6	80	120					
Toluene	0.99	0.050	1.000	0	99.1	80	120					
Ethylbenzene	1.0	0.050	1.000	0	99.8	80	120					
Xylenes, Total	3.0	0.10	3.000	0	100	80	120					
Surr: 4-Bromofluorobenzene	1.0		1.000		105	70	130					

Sample ID: 2207345-002ams	Samp <sup>*</sup>	Type: MS	3	Tes	tCode: El	PA Method	8021B: Volati	iles					
Client ID: BES22-06 5'	Bato	h ID: 686	666	F	RunNo: 8	9410							
Prep Date: <b>7/10/2022</b>	Analysis I	Date: <b>7/</b>	12/2022	9	SeqNo: 3	180662	Units: mg/K	nits: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	0.96	0.025	1.000	0	96.3	68.8	120						
Toluene	1.0	0.050	1.000	0	101	73.6	124						
Ethylbenzene	1.0	0.050	1.000	0	103	72.7	129						
Xylenes, Total	3.1	0.10	3.000	0	103	75.7	126						
Surr: 4-Bromofluorobenzene	1.0		1.000		103	70	130						

Sample ID: 2207345-002amsd	SampT	Гуре: <b>МЅ</b>	D	Tes	tCode: EF	8021B: Volati	iles			
Client ID: BES22-06 5'	Batcl	h ID: 686	666	F	RunNo: 89	9410				
Prep Date: 7/10/2022	Analysis D	Date: <b>7/</b> 1	12/2022	SeqNo: 3180663 Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	0.9970	0	96.8	68.8	120	0.270	20	
Toluene	1.0	0.050	0.9970	0	102	73.6	124	1.31	20	
Ethylbenzene	1.0	0.050	0.9970	0	104	72.7	129	0.398	20	
Xylenes, Total	3.1	0.10	2.991	0	104	75.7	126	1.08	20	
Surr: 4-Bromofluorobenzene	1.1		0.9970		106	70	130	0	0	

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 16 of 16



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

## Sample Log-In Check List

Client Name:	Devon En	ergy	Work	Order Num	ber: 2207345		RcptNo:	1
Received By:	Sean Liv	vingston	7/9/202	2 9:30:00 A	M	5/	en seta	
Completed By	: Sean Liv	vingston	7/9/202	2 9:45:27 A	M	S-L	,	
Reviewed By:		7/9/20				JL.	you	
Chain of Cu	ıstody							
1. Is Chain of	Custody com	plete?			Yes 🗸	No 🗌	Not Present	
2. How was th	ne sample del	ivered?			Courier			
Log In								
3. Was an atte	empt made to	cool the samp	les?		Yes 🗸	No 🗌	NA 🗌	
4. Were all sar	mples receive	d at a tempera	ture of >0° C	to 6.0°C	Yes 🗸	No 🗌	NA 🗆	
5. Sample(s) i	n proper cont	ainer(s)?			Yes 🗸	No 🗌		
6. Sufficient sa	imple volume	for indicated to	est(s)?		Yes 🗸	No 🗌		
7. Are samples	(except VOA	and ONG) pro	operly preserve	ed?	Yes 🗸	No 🗌		
8. Was presen	vative added t	to bottles?			Yes	No 🗸	NA 🗆	
9. Received at	least 1 vial w	ith headspace	<1/4" for AQ \	OA?	Yes	No 🗌	NA 🗸	
10. Were any sa	ample contair	ners received b	roken?		Yes	No 🗸	# of preserved	
11. Does papen		ottle labels? nain of custody	)		Yes 🗸	No 🗆	bottles checked for pH:	>12 unless noted)
12. Are matrices					Yes 🗸	No 🗌	Adjusted?	12 dilloco fictory
13. Is it clear wh			(5.7)		Yes 🗸	No 🗌		9
14. Were all hold (If no, notify		le to be met? authorization.)			Yes 🗸	No 🗆	Checked by: S	a 7/8/12
Special Hand								Ja 7/4/7
15. Was client r			with this order?	,	Yes 🗌	No 🗌	NA 🗸	
Perso	n Notified:			Date:	-	A STATE OF THE STA		
By Wi	nom:		AND THE RESERVE TO THE PARTY OF	Via:	eMail	Phone   Fax	☐ In Person	
Regar	ding:			CO ACCIONO DE SENTENCIA DE LA CONTRACTICA DEL CONTRACTICA DE LA CO	NAME OF A PARTY OF THE PARTY OF			
Client	Instructions:							
16. Additional r	emarks:							
17. Cooler Info	ormation							
Cooler N		Condition	Seal Intact	Seal No	Seal Date	Signed By		
1	2.1	Good				•		
2	3.6	Good						
13	3 9	Good						

Received by OCD: 10/10/2022	8:22:51 AM			T	П							Pag	ge 288	of 2	89
AL RY												_'	tie	<b>-</b>	
ONMENTAL ABORATOR al.com b, NM 87109 845-4107				-		-							30	2	eport.
HALL ENVIRONMENT, ANALYSIS LABORATO www.hallenvironmental.com kins NE - Albuquerque, NM 87109 345-3975 Fax 505-345-4107 Analysis Request		7		+								(	CC. M. P.	3	lytical r
ENVIRONME YSIS LABOR/ environmental.com Albuquerque, NM 87109 Fax 505-345-4107													2,6	+	the ana
TIRO FILAE mental.cc erque, Ni 805-345	ALCO TO THE STATE OF THE STATE	9) modiloO latoT				21						6	- 3		ted on
VIII S II Inmer uerqu	('	AOV-imə2) 0728											-	ے	rly nota
LYSIS LYSIS LYSIS allenviron - Albuqu i Fax Analysis	†00 '†0 1 'ZON	8260 (VOA)										7		8	be clea
HALL ENVIRON ANALYSIS LABC www.hallenvironmental.com kins NE - Albuquerque, NM 8 45-3975 Fax 505-345-41 Analysis Request	05 0d 10N	RCRA 8 Metals	) 3									0		3	ata will
IAI IN N INS NI 5-39	SMIS0728	10 01£8 yd sHA9			$\vdash$		$\vdash$					6	y J		acted d
HALL ANAL www.ha Hawkins NE 505-345-3975	(1.4	EDB (Method 50										-	•	اق	b-contr
######################################		\sebicides/										.s:	≠ O	47	Any su
4 -		TPH:8015D(GRC	>									Remarks:	0 + 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Direct bill Dwa	sibility.
	(1008) 2'BMT	BTEX/ MTBE/	)>									<u>R</u>	$\overline{+}$	<u> </u>	his pos
ر بر		(C)	20(	200	200	300	400	200	010		210	Time	ime	9.30	tice of t
2 to a		(1) (3.4,3.4) HEAL No.		3 3	8	3 2	8	ં ગ	0	0(	9	<u> </u>	귀투 	2	s as no
48 hr Heat to Treat		No0.1) HEAL No. 220 2345										7/8/17	Date	7/4/22	is serve
7 p	ا ح			,								2	-	4	ies. Th
Time: 48 hr  M Rush  Motor  Motor  Motor  Motor	Popin	÷ :	J.			i.									aborator
ime: No.†	₽ CZ	3 (including CF):  Preserve Type									_	Via:	Via:	County	edited la
Turn-Around Time:  Project Name: Caucho Uc	<b>•</b> 1 11	# of Coolers: \$  Cooler Temp(including cF):  Container Preserva Type and # Type			$\vdash$						-	7	3	9	er accre
Turn-Around We Standard Project Name Chouch Project #:	Project Manag	On Ice: # of Coolers Cooler Tem Container Type and #	407		_			_			_	ed by:	ed by:		d to oth
Turn-Around Tin	Project N	On Ice: # of Coolers: Cooler Temp Container Type and #	$\mathcal{F}$									Received by:	Received by:	Sel	ntracte
1 171 1 1			-  -		1 2	4,7	5-	9-4	-	0-0.5	$\overline{}$		1	$\neg$	e subco
Sord	☐ Level 4 (Full Validation)		3	ور	Ö	O	17-50	5-6	14-0	6	0-0.5				may be
<b>3</b>   -7		ll el	ري ا	م ر	\ <u>\times_0</u>	50			Q	$\tilde{\omega}$	7			$\rightarrow$	ر mental
Der Gran	4 (F	Na Na	6	2-6	7	7-0		149 4 4 4 4	19	6	60	-		3	Enviro
9 9	☐ Level☐ Az Compliance☐	Sample Name	8ES22-05	<u> </u>	BES33-08	15533-09 15533-10	JES 23 - 17	NESJO-	JES23-	WES22-13	NES03-	V	\$	2	to Hall
Custo	ompli		3 6	SE SE	8	以配	3 3	3 3	3	3	3	D S	ed by:	allen	omitted
<b>2</b>	□ Az Co	Matrix		+-	$\dashv$							Relinquished by	Relinquished by	3	ples sul
Chain-of-Custody Record  F. Owlan Energy  Address:	1000000		3						1	2	_		<u> </u>	)	f necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
	Fax# ackag lard stion:	(Type	2005	12:16 12:10	क्ट्राटा	0000 38:E1	08.0	01:10	1330	D:33	Still	Lime:	Time:	1900	ecessa
Client: Owl	email or Fax#:  QA/QC Package:  Standard  Accreditation:		6		1-7-22 1		- 3		شسر						Η̈́
	Acc   C	Date	7	MI	I						<b>№</b>	1-7-2007	Date:	22/01	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 149736

#### **CONDITIONS**

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	149736
	Action Type:
	[C-141] Release Corrective Action (C-141)

#### CONDITIONS

Created By	Condition	Condition Date
jnobui	Closure Report Approved.	10/26/2022