

SITE INFORMATION

Closure Report Honey Graham State Com 002H Incident #: NAPP212389552 Eddy County, New Mexico Unit C Sec 29 T26S R28E 32.020690°, -104.112098°

Produced Water Release Point of Release: Hole in flowline Release Date: 08.08.21 Volume Released: 7 barrels of Produced Water Volume Recovered: 7 barrels of Produced Water

CARMONA RESOURCES

Prepared for: Concho Operating, LLC 15 West London Road Loving, New Mexico 88256

Prepared by: Carmona Resources, LLC 310 West Wall Street Suite 415 Midland, Texas 79701 S

310 West Wall Street, Suite 415 Midland TX, 79701 432.813.1992



TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 LINER INSPECTION ACTIVITIES

5.0 CONCLUSIONS

FIGURES

FIGURE 1	OVERVIEW	FIGURE 2	TOPOGRAPHIC
FIGURE 3	SECONDARY CON	TAINMENT MAP	
	<u>AP</u>	PENDICES	
APPENDIX A	РНОТОЅ		
APPENDIX B	INITIAL C-141 AN	D FINAL/NMOCD C	ORRESPONDENCE
APPENDIX C	SITE CHARACTE	RIZATION AND GR	OUNDWATER

.



October 17, 2022

Mike Bratcher District Supervisor Oil Conservation Division, District 2 811 S. First Street Artesia, New Mexico 88210

Re: Closure Report Honey Graham State Com 002H Concho Operating, LLC Incident ID NAPP213839552 Site Location: Unit C, S29, T26S, R28E (Lat 32.020690°, Long -104.112098°) Eddy County, New Mexico

Mr. Bratcher:

On behalf of Concho Operating, LLC (COG), Carmona Resources, LLC has prepared this letter to document site activities for the Honey Graham State Com 002H. The site is located at 32.020690°, -104.112098 ° within Unit C, S29, T26S, R28E, in Eddy County, New Mexico (Figures 1 and 2).

1.0 Site information and Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on August 8, 2021, due to a hole developing on a flowline. It resulted in approximately 7 barrels of produced water and 7 barrels of produced water recovered. See figure 3. The initial C-141 form is attached in Appendix B.

2.0 Site Characterization and Groundwater

The site is located within a high karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, no known water source within a 0.50-mile radius of the location. The closest well is located approximately 0.53 miles Southeast of the site in S29, T26S, R28E and was drilled in 2020. The well has a reported depth to groundwater of 33' feet below ground surface (ft bgs). A copy of the associated point of diversion is attached in Appendix C.

3.0 Site Characterization and Groundwater

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg.



4.0 Liner Inspection Activities

Before performing the liner inspection, the NMOCD division office was notified via email on October 11, 2022, per Subsection D of 19.15.29.12 NMAC. See Appendix B. On October 13, 2022, Carmona Resources, LLC conducted liner inspection activities to assess the liner's integrity within the facility and determined the liner was intact with no integrity issues. Refer to the Photolog.

5.0 Conclusions

Based on the liner inspection throughout the facility, no further actions are required at the site. The final C-141 is attached, and COG formally requests closure of the spill. If you have any questions regarding this report or need additional information, don't hesitate to contact us at 432-813-1992.

Sincerely,

Carmona Resources, LLC

Mike Carmona Environmental Manager


onner Mocan

Conner Moehring Sr. Project Manager


310 West Wall Street, Suite 415 Midland TX, 79701 432.813.1992








Released to Imaging: 12/15/2022 2:00:52 PM



Released to Imaging: 12/15/2022 2:00:52 PM



Released to Imaging: 12/15/2022 2:00:52 PM

APPENDIX A

CARMONA RESOURCES

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Page 10 of 30

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude	Longitude
	(NAD 83 in decimal degrees to 5 decimal places)
Sita Nama	Site Type

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

Page	2
1 uge	~

Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate n	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.
 The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name	Title:
Signature:	Date:
email:	Telephone:
OCD Only	
Received by: Ramona Marcus	Date: <u>8/26/2021</u>

Oil Conservation Division

	Page 12 of 30
Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)
Did this release impact groundwater or surface water?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	🗌 Yes 🗌 No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	🗌 Yes 🗌 No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	🗌 Yes 🗌 No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	🗌 Yes 🗌 No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of a wetland?	🗌 Yes 🗌 No
Are the lateral extents of the release overlying a subsurface mine?	🗌 Yes 🗌 No
Are the lateral extents of the release overlying an unstable area such as karst geology?	🗌 Yes 🗌 No
Are the lateral extents of the release within a 100-year floodplain?	🗌 Yes 🗌 No
Did the release impact areas not on an exploration, development, production, or storage site?	🗌 Yes 🗌 No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
Field data
Data table of soil contaminant concentration data
Depth to water determination
Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
Boring or excavation logs
Photographs including date and GIS information
Topographic/Aerial maps

Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

	tate of New Mexico Conservation Division	Incident IDDistrict RPFacility IDApplication ID	<u>Page 13 of 30</u>
regulations all operators are required to repor public health or the environment. The accept failed to adequately investigate and remediate addition, OCD acceptance of a C-141 report and/or regulations.	bove is true and complete to the best of my know rt and/or file certain release notifications and per tance of a C-141 report by the OCD does not re- e contamination that pose a threat to groundwat does not relieve the operator of responsibility for	rform corrective actions for releases whi lieve the operator of liability should their er, surface water, human health or the er	ch may endanger r operations have avironment. In
Printed Name:	Title:		
Signature: Jacque Arvis			
email:	Telephone:		

Page 6

Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Page 14 of 30

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<u>Closure Report Attachment Checklist</u> : Each of the following it	tems must be included in the closure report.
A scaled site and sampling diagram as described in 19.15.29.1	1 NMAC
Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)
Description of remediation activities	
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of	tions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in
Printed Name:	
Signature: Acque Atorio	Date:
email:	Telephone:
OCD Only	
Received by: Jocelyn Harimon	Date: 10/17/2022
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.
Closure Approved by:	Date:
Printed Name:	Title:
—	

Received by OCD.	10/17/2	022 2.0	3.18 PM	6 10 7		L48 Spill Vo	lume Estimate	Form NAPP21	23839552 Page 15 of 30
- Received by OCD:	r acim	y Name & Number:	Honey Graham St Co	m 2				1 uge 15 0j 50	
5			Asset Area:	Delaware Basin Wes	t				
	Relea	ase Disc	overy Date & Time:	8/8/2021 at 10:00 AN	1				
			Release Type:						
Provid	de any kn	own deta	ails about the event:	3" PW line pinhole					
	9		1	Ó	Spi	II Calculation	- On Pad Surface	Pool Spill	
Convert Irregular shape into a series of rectangles	Length (ft.)	Width (ft.)	Deepest point in each of the areas (in.)	No. of boundaries of "shore" in each area	Estimated <u>Pool</u> Area (sq. ft.)	Estimated Average Depth (ft.)	Estimated volume of each pool area (bbl.)	Penetration allowance (ft.)	Total Estimated Volume of Spill (bbl.)
Rectangle A	4.0	24.0	6.00	4	96.000	0.125	2.136	0.006	2.149
Rectangle B	12.0	24.0	4.00	4	288.000	0.083	4.272	0.004	4.290
Rectangle C	3.0	30.0	2.00	4	90.000	0.042	0.668	0.002	0.669
Rectangle D					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle E					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle F					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle G					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle H					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle I					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Released to Imagin	g: 12/1	5/2022	2:00:52 PM		0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
	0				* 			Total Volume Release:	7.108

From: Mike Carmona
Sent: Tuesday, October 11, 2022 11:49 AM
To: OCD.Enviro@emnrd.nm.gov <OCD.Enviro@emnrd.nm.gov>
Cc: Harris, Jacqui; Conner Moehring
Subject: COG Honey Graham State Com 002H (09.08.21)-Incident #: NAPP2123839552 -Notification

Good Morning,

On behalf of COG, Carmona Resources will conduct a liner inspection at the below-referenced site on <u>10/13/2022</u>. Please let me know if you have any questions.

Honey Graham State Com 002H Eddy County, New Mexico Incident #: NAPP2123839552 32.020690°, -104.112098°

Mike J. Carmona 310 West Wall Street, Suite 415 Midland TX, 79701 M: <u>432-813-1992</u> Mcarmona@carmonaresources.com

CARMONA RESOURCES



APPENDIX B

CARMONA RESOURCES

PHOTOGRAPHIC LOG

Concho Operating, LLC

Photograph No. 1

 Facility:
 Honey Graham State Com 002

County: Eddy County, New Mexico

Description: View of the secondary containment.



Photograph No. 2

Facility:Honey Graham State Com 002

County: Eddy County, New Mexico

Description:

View of the secondary containment.



APPENDIX C

CARMONA RESOURCES


THE PARTY NEW YORK, MICH. N.

(16.35' - Drilled 1998

Choney Graham State Com #2 (09.08.21)


33' - Drilled 2020 💿

-



120' - Drilled 1961 • 22,35' - Drilled 1998

1 mi



Honey Graham State Com #2 (09.08.21)

and the second second

and the second second



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced, O=orphaned, C=the file is closed)							2=NE 3 st to lar	B=SW 4=SE) gest) (NA) AD83 UTM in I	meters)	(In feet)	
POD Number	POD Sub- Code basin Co		Q 64		_	Sec	Tws	Rng	х	Y	Distance	-	Depth Water	Water Column
C 04466 POD1	CUB	ED	3	3	2	29	26S	28E	584327	3542357 🍯	864	96	33	63
<u>C 02160 S7</u>	CUB	ED	3	3	1	22	26S	28E	586638	3543998* 🍯	2931	300	120	180
<u>C 02475</u>	CUB	ED		2	4	13	26S	27E	581450	3545252*	3239	100		
<u>C 02476</u>	CUB	ED		4	1	24	26S	27E	580653	3544032* 🍯	3339	150		
										Ave	erage Depth to	Water:	76	feet
											Minimum	Depth:	33	feet
											Maximum	Depth:	120	feet
Record Count: 4 UTMNAD83 Radius	Search (in meters	5):												
		<u> </u>												

Easting (X): 583853.92

Northing (Y): 3543080.77

Radius: 4000

Page 22 of 30

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.




New Mexico Office of the State Engineer Point of Diversion Summary

			(quart	ers are	e 1=N	W 2=1	NE 3=S	W 4=S	E)			
			(qua	rters ai	re sm	allest t	o larges	t)	(NAD8	3 UTI	M in meters)	
Well Tag	POD	Number	Q64	Q16	Q4	Sec	Tws	Rng		X	Y	
NA	C 0	4466 POD1	3	3	2	29	26S	28E	58432	27	3542357 🌍	
x Driller Lice	ense:	1456	Drille	r Cor	npa	ny:	WI	HITE	DRILLING	CO	MPANY	
Driller Nan	ne:	JOHN W WHITE										
Drill Start	Date:	09/01/2020	Drill F	Finisł	1 Da	te:	0	9/02/2	2020	Plug	g Date:	10/16/2020
Log File Da	ate:	11/12/2020	PCW	Rcv]	Date	:				Sou	rce:	Shallow
Ритр Туре	e:		Pipe D	lisch	arge	Size	:			Esti	mated Yield:	0 GPM
Casing Size	e:		Depth	Well	l:		9	6 feet		Dep	th Water:	33 feet
X	Wate	er Bearing Stratifica	tions:		То	р B	otton	De	scription			
					3	3	35	Sar	ndstone/Gra	vel/0	Conglomerate	
					3	5	37	' Otł	ner/Unknow	'n		
					3	57	42	Oth	ner/Unknow	'n		
					2	2	54	Sar	ndstone/Gra	vel/(Conglomerate	
					5	54	65	Oth	ner/Unknow	'n		
					e	5	67	Sar	ndstone/Gra	vel/0	Conglomerate	
					e	57	74	Sar	ndstone/Gra	vel/0	Conglomerate	
x												

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/29/22 8:57 PM

POINT OF DIVERSION SUMMARY



*UTM location was derived from PLSS - see Help

Casing Size:

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

300 feet

Depth Well:

9/29/22 8:58 PM

POINT OF DIVERSION SUMMARY

120 feet

Depth Water:



USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:		Geographic Area:		
Groundwater	~	New Mexico	~	GO

Click to hideNews Bulletins

- Explore the NEW USGS National Water Dashboard interactive map to access real-time water data from over 13,500 stations nationwide.
- Full News 🔊

Groundwater levels for New Mexico

Click to hide state-specific text

Important: <u>Next Generation Monitoring Location Page</u>

Search Results -- 1 sites found

Agency code = usgs

Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 320230104060601 26S.28E.18.33111

Eddy County, New Mexico Latitude 32°02'30", Longitude 104°06'06" NAD27 Land-surface elevation 3,070 feet above NAVD88 This well is completed in the Other aquifers (N99990THER) national aquifer. This well is completed in the Castile Formation (312CSTL) local aquifer.

Output formats

Table of data

Tab-separated data

Graph of data

Reselect period

Date	Time	? Water- level date- time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1981-05-01		D	62610		3050.88	NGVD29	1	Z		
1981-05-01		D	62611		3052.48	NAVD88	1	Z		
1981-05-01		D	72019	17.52			1	Z		
1983-01-25		D	62610		3052.15	NGVD29	1	Z		
1983-01-25		D	62611		3053.75	NAVD88	1	Z		
1983-01-25		D	72019	16.25			1	Z		
1987-10-13		D	62610		3053.27	NGVD29	1	Z		
1987-10-13		D	62611		3054.87	NAVD88	1	Z		
1987-10-13		D	72019	15.13			1	Z		
1992-11-03		D	62610		3050.77	NGVD29	1	S		
1992-11-03		D	62611		3052.37	NAVD88	1	S		
1992-11-03		D	72019	17.63			1	S		
1998-01-22		D	62610		3052.05	NGVD29	1	S		
1998-01-22		D	62611		3053.65	NAVD88	1	S		
1998-01-22		D	72019	16.35			1	S		

	Explanation									
Section	Code	Description								
Water-level date-time accuracy	D	Date is accurate to the Day								
Parameter code	62610	Groundwater level above NGVD 1929, feet								
Parameter code	62611	Groundwater level above NAVD 1988, feet								
Parameter code	72019	Depth to water level, feet below land surface								
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988								
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929								
Status	1	Static								
Method of measurement	S	Steel-tape measurement.								
Method of measurement	Z	Other.								
Measuring agency		Not determined								
Source of measurement		Not determined								
Water-level approval status	А	Approved for publication Processing and review completed.								

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: Groundwater for New Mexico: Water Levels URL: https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?

Page Contact Information: <u>New Mexico Water Data Maintainer</u> Page Last Modified: 2022-09-29 23:01:57 EDT 0.29 0.25 nadww01 USA.gov

.



USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:		Geographic Area:		
Groundwater	~	New Mexico	~	GO

Click to hideNews Bulletins

- Explore the NEW USGS National Water Dashboard interactive map to access real-time water data from over 13,500 stations nationwide.
- Full News 🔊

Groundwater levels for New Mexico

Click to hide state-specific text

Important: <u>Next Generation Monitoring Location Page</u>

Search Results -- 1 sites found

Agency code = usgs site_no list =

• 320145104041701

Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 320145104041701 26S.28E.22.234431

Eddy County, New Mexico Latitude 32°01'45", Longitude 104°04'17" NAD27 Land-surface elevation 2,980 feet above NGVD29 The depth of the well is 23.00 feet below land surface. This well is completed in the Other aquifers (N9999OTHER) national aquifer. This well is completed in the Alluvium, Bolson Deposits and Other Surface Deposits (110AVMB) local aquifer.

output ionnats				
Table of data				
Tab-separated data				
Graph of data				
Reselect period				

Date	Time	? Water- level date- time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1987-12-12		D	62610		2958.98	NGVD29	1	S		
1987-12-12		D	62611		2960.55	NAVD88	1	S		
1987-12-12		D	72019	21.02			1	S		
1998-01-22		D	62610		2957.65	NGVD29	1	S		
1998-01-22		D	62611		2959.22	NAVD88	1	S		
1998-01-22		D	72019	22.35			1	S		

Explanation			
Section	Code	Description	
Water-level date-time accuracy	D	Date is accurate to the Day	
Parameter code	62610	Groundwater level above NGVD 1929, feet	
Parameter code	62611	Groundwater level above NAVD 1988, feet	
Parameter code	72019	Depth to water level, feet below land surface	

Rottins Units Water and units provide the second se

Respined by 03 cp: 10/17/2022 2:03:48 PM

USGS Groundwater for New Mexico: Water Levels -- 1 sites

Page 28 of 30

Section	Code	Description
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	А	Approved for publication Processing and review completed.

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News

Accessibility FOIA Privacy Policies and Notices


U.S. Department of the Interior | U.S. Geological Survey Title: Groundwater for New Mexico: Water Levels URL: https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?


Page Contact Information: <u>New Mexico Water Data Maintainer</u> Page Last Modified: 2022-09-29 23:03:09 EDT 0.31 0.28 nadww02




.

New Mexico NFHL Data







FEMA, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey,

nmflood.org is made possible through a collaboration with NMDHSEM,

This is a non-regulatory product for informational use only. Please consult your local floodplain administrator for further information.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	151353
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Closure Report Approved.	12/15/2022

Page 30 of 30

.