District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Page 1 of 6

| Incident ID    | NAPP2302448038 |
|----------------|----------------|
| District RP    |                |
| Facility ID    |                |
| Application ID |                |

# **Release Notification**

## **Responsible Party**

| Responsible Party: Enterprise Field Services, LLC             | OGRID: 241602                                  |
|---------------------------------------------------------------|------------------------------------------------|
| Contact Name: Thomas Long                                     | Contact Telephone: 505-599-2286                |
| Contact email:tjlong@eprod.com                                | Incident # (assigned by OCD) #) nAPP2302448038 |
| Contact mailing address: 614 Reilly Ave, Farmington, NM 87401 |                                                |

### Location of Release Source

Latitude 36.679161

Longitude -108.101733

NAD 83 in decimal degrees to 5 decimal places)

| Site Name: Trunk 3A                 | Site Type Natural Gas Gathering<br>Pipeline |
|-------------------------------------|---------------------------------------------|
| Date Release Discovered: 01/25/2023 | Serial # (if applicable) <b>N/A</b>         |

| Unit Letter | Section | Township | Range | County   |
|-------------|---------|----------|-------|----------|
| J           | 33      | 29N      | 12W   | San Juan |

Surface Owner: State Sederal Tribal Private (Name: BLM)

# Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

| Crude Oil        | Volume Released (bbls)                                                         | Volume Recovered (bbls)                 |
|------------------|--------------------------------------------------------------------------------|-----------------------------------------|
| Produced Water   | Volume Released (bbls)                                                         | Volume Recovered (bbls)                 |
|                  | Is the concentration of dissolved chloride in the produced water >10,000 mg/l? | Yes No                                  |
| Condensate       | Volume Released (bbls): Estimated 5 BBLS                                       | Volume Recovered (bbls): None           |
| 🛛 Natural Gas    | Volume Released (Mcf): 193.34 MCF                                              | Volume Recovered (Mcf): None            |
| Other (describe) | Volume/Weight Released (provide units)                                         | Volume/Weight Recovered (provide units) |
| Lubrication Oil  |                                                                                |                                         |

**Cause of Release**: On January 18, 2022, Enterprise had a release of natural gas and natural gas liquids from the Trunk 3A pipeline. The pipeline was isolated, depressurized, locked and tagged out. No fire nor injuries occurred. No waterways were affected. Enterprise began repairs and remediation on January 25, 2023 and determine the release reportable per NMOCD regulation. A third party corrective action report will be submitted with the "Final C-141."

NAPP2302448038

| Was this a major<br>release as defined by<br>19.15.29.7(A)<br>NMAC?<br>□ Yes ⊠ No | If YES, for what reason(s) does the responsible party consider | this a major release? |            |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------|------------|
| If YES, was immediate no                                                          | tice given to the OCD? By whom? To whom? When and by wh        | at means (phone, em   | ail, etc)? |
|                                                                                   |                                                                | м ў                   | · ,        |
|                                                                                   |                                                                |                       |            |

#### **Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

 $\boxtimes$  The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have <u>not</u> been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| Printed Name: <u>Thom</u>             | nas J. Long Title: | : Senior Environmental Scientist |  |
|---------------------------------------|--------------------|----------------------------------|--|
| Signature:<br>email: tjlong@eprod.com |                    | : <u>1-26-2023</u>               |  |
|                                       | yn Harimon         | 01/30/2023<br>Date:              |  |

•

| 🖏 GasCal - [Differential / Volume]                   |                                                               | _                            |            |
|------------------------------------------------------|---------------------------------------------------------------|------------------------------|------------|
| 🖏 File                                               |                                                               |                              | _ 8 ×      |
|                                                      | Differential / Vo                                             | olume                        |            |
| Differential for known Volume:                       | Static Pipeline Volume:                                       | Piq Travel Time:             |            |
| Meter Tube Size: 12                                  | Pipe Diameter: 12                                             | Pipe Diameter: 30            | _          |
| Orifice Plate Size: 3.5                              | Length: 11735                                                 | Length: 17                   | _          |
| Pressure: 865                                        | (F)eet or (M)iles: F                                          | (F)eet or (M)iles: M         |            |
| Volume (mcfd): 12300                                 | Pressure: 85                                                  | Volume (mcfd): 200000        |            |
| Temperature: 72                                      | Temperature: 50                                               | Upstream Pressure: 750       |            |
| Gravity: 0.582                                       | Pressure Base: 14.73                                          | Downstream Pressure: 700     |            |
| Mole % CO2: 0                                        | Gravity: 0.644                                                | Temperature: 60              |            |
| Mole % N2: 0                                         | Barometer: 14.73                                              | Pressure Base: 14.73         |            |
| Pressure Base: 14.73                                 |                                                               | Gravity: 0.6                 |            |
| Temperature Base: 60                                 |                                                               | Barometer: 14.73             |            |
| Differential 1 Run: 25.5<br>Differential 2 Runs: 6.4 | Vol. (cu. ft.): 64,18<br>Lbs of Gas: 3,16<br>Tons of Gas: 1.5 |                              | ī          |
|                                                      | Input Length of Pipe                                          |                              |            |
| Main Menu Gas Cal. Plat                              | te Change Weymouth                                            | Analysis Retro/Setpoint Blow | vdown Cal. |

|                                                                                | Differenti                       | ial / Volume | ÷                                  |        |  |  |
|--------------------------------------------------------------------------------|----------------------------------|--------------|------------------------------------|--------|--|--|
| Differential for known Volume: Static Pipeline Volume: Piq Travel Time:        |                                  |              |                                    |        |  |  |
| Meter Tube Size: 12                                                            | 2 Pipe Diameter:                 | 16           | Pipe Diameter:                     | 30     |  |  |
| Orifice Plate Size: 3.                                                         | .5 Length:                       | 11250        | Length:                            | 17     |  |  |
| Pressure: 8                                                                    | 65 (F)eet or (M)iles:            | F (          | F)eet or (M)iles:                  | M      |  |  |
| Volume (mcfd): 12                                                              | 2300 Pressure:                   | 85           | Volume (mcfd):                     | 200000 |  |  |
| Temperature: 72                                                                | 2 Temperature:                   | 50 Ups       | tream Pressure:                    | 750    |  |  |
| Gravity: 0.                                                                    | 582 Pressure Base:               | 14.73 Downs  | tream Pressure:                    | 700    |  |  |
| Mole % CO2: 0                                                                  | Gravity:                         | 0.644        | Temperature:                       | 60     |  |  |
| Mole % N2: 0                                                                   | Barometer:                       | 14.73        | Pressure Base:                     | 14.73  |  |  |
| Pressure Base: 14                                                              | 4.73                             |              | Gravity:                           | 0.6    |  |  |
| Temperature Base: 60                                                           | D                                |              | Barometer:                         | 14.73  |  |  |
| Differential 1 Run:<br>Differential 2 Runs:                                    | 25.5Vol. (cu. ft.)6.4Tons of Gas | 5,389.6      | Hrs: Min:<br>2 48<br>Miles per Hou | 49     |  |  |
|                                                                                | Input Ler                        | igth of Pipe |                                    |        |  |  |
| Main Menu Gas Cal. Plate Change Weymouth Analysis Retro/Setpoint Blowdown Cal. |                                  |              |                                    |        |  |  |

|                                                      | Differential / Ve                  | olnwe                                                    |
|------------------------------------------------------|------------------------------------|----------------------------------------------------------|
| Differential for known Volume:                       | Static Pipeline Volume:            | <u>Piq Travel Time:</u>                                  |
| Meter Tube Size: 12                                  | Pipe Diameter: 20                  | Pipe Diameter: 30                                        |
| Orifice Plate Size: 3.5                              | Length: 1300                       | Length: 17                                               |
| Pressure: 865                                        | (F)eet or (M)iles: F               | (F)eet or (M)iles: M                                     |
| Volume (mcfd): 12300                                 | Pressure: 85                       | Volume (mcfd): 200000                                    |
| Temperature: 72                                      | Temperature: 50                    | Upstream Pressure: 750                                   |
| Gravity: 0.582                                       | Pressure Base: 14.73               | Downstream Pressure: 700                                 |
| Mole % CO2: 0                                        | Gravity: 0.644                     | Temperature: 60                                          |
| Mole % N2: 0                                         | Barometer: 14.73                   | Pressure Base: 14.73                                     |
| Pressure Base: 14.73                                 |                                    | Gravity: 0.6                                             |
| Temperature Base: 60                                 |                                    | Barometer: 14.73                                         |
| Differential 1 Run: 25.5<br>Differential 2 Runs: 6.4 |                                    | Hrs: Min: Sec:   73.1 2 48 49   487 Miles per Hour: 6.04 |
|                                                      | Input Barometric Pressure in Lbs p | per Sqr. Inch                                            |
| Main Menu Gas Cal.                                   | Plate Change Weymouth              | Analysis Retro/Setpoint Blowdown Cal.                    |

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

| Operator:                      | OGRID:                                    |
|--------------------------------|-------------------------------------------|
| Enterprise Field Services, LLC | 241602                                    |
| PO Box 4324                    | Action Number:                            |
| Houston, TX 77210              | 180724                                    |
|                                | Action Type:                              |
|                                | [C-141] Release Corrective Action (C-141) |

#### CONDITIONS

| Created By |      | Condition<br>Date |
|------------|------|-------------------|
| jharimon   | None | 1/31/2023         |

Page 6 of 6

Action 180724