Page 1 of 98

Incident ID	nAB1616231629
District RP	
Facility ID	30-015-24827
Application ID	

### Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11 NMAC									
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)									
☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)									
Description of remediation activities									
and regulations all operators are required to report and/or file certar may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of	lations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in								
Printed Name: Dale Woodall	Title: Environmental Professional								
Signature: Dals Woodall	Date: February 7, 2023								
Email: Dale.Woodall@dvn.com	Telephone: 575.748.1838								
OCD Only									
Received by:	Date:								
Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.									
Closure Approved by: Hall	Date: 2/8/2023								
Printed Name: Brittany Hall	Title: Environmental Specialist								







talonipe.com • 866.742.0742



### **Closure Report**

Cotton Draw Unit #089 Eddy County, New Mexico API# 30-015-24827 Incident #s nMLB1128636288, nAB1522442205, nAB1616231629, and nAB1711551324

### **Prepared For:**

Devon Energy Production Company 6488 Seven Rivers Highway Artesia, NM 88210

### Prepared By:

Talon/LPE 408 W. Texas Avenue Artesia, New Mexico 88210

**February 6, 2023** 



Mr. Mike Bratcher
NMOCD District 2
506 W. Texas Avenue
Artesia, NM 88210

Subject: Closure Report

Cotton Draw Unit #089 Eddy County, New Mexico

API# 30-015-24827

Incident #s nMLB1128636288, nAB1522442205, nAB1616231629, and

nAB1711551324

Dear Mr. Bratcher.

Devon Energy Production Company (Devon) contracted Talon/LPE (Talon) to complete remediation and closure activities at the above referenced location. The results of the remediation and final data for closure are provided herein.

#### Site Information

The Cotton Draw Unit #089 is located approximately 46 miles southeast of Carlsbad, New Mexico. The legal location for this release is Unit Letter O, Section 3, Township 25 South and Range 31 East in Eddy County, New Mexico. The latitude and longitude for the site is 32.1528893 and -103.7636414. Site maps are presented in Appendix I.

According to the soil survey provided by the United States Department of Agriculture National Resources Conservation Services, the soils in the area are made up of Berino comples, with 0 to 3 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology are Holocene to upper Pleistocene in age and comprised of mixed alluvium and/or eolian sands. Drainage courses in this area are typically well drained.

#### **Groundwater and Site Characterization**

Based on New Mexico Office of the State Engineer Database, the nearest reported groundwater depth is 390 feet below ground surface (bgs) but is located greater than 0.5 miles from the subject site. Because the data is over 0.5 miles from the site, a temporary well was drilled to a depth of 55 feet bgs approximately 0.14 miles southeast of the site to conclusively determine the presence of absence of groundwater at that depth. See Appendix II for the submitted well record and log to the New Mexico Office of the State Engineer. Groundwater was not encountered at 55 feet bgs following a six (6) day period after the installation of the temporary well. The FEMA Flood Map Service Center does not locate the site in a 100-year flood plain. Further research of the Bureau of Land

@ www.talonlpe.com

**866.742.0742** 

Management Karst data indicates that the site is not located in a potential karst area. See Appendix II for the site characterization data.

If a release occurs within the following areas, the responsible party must treat the release as if it occurred in an area where the groundwater is less than 50 feet bgs in Table I, New Mexico Oil Conservation Division (NMOCD) Rule 19.15.29 NMAC.

Approx	ximate Depth to	Groundwater	> 55 feet/bgs
∐Yes	⊠No	Within 300 feet of any continuously flowing water any other significant watercourse	ercourse or
∐Yes	⊠No	Within 200 feet of any lakebed, sinkhole or a pla	aya lake
∐Yes	⊠No	Within 300 feet from an occupied permanent reschool, hospital, institution or church	sidence,
∐Yes	⊠No	Within 500 feet of a spring or a private, domest well used by less than five households for dome watering purposes	
∐Yes	⊠No	Within 1000 feet of any freshwater well or sprin	g
∐Yes	⊠No	Within incorporated municipal boundaries or wirmunicipal freshwater well field covered under a ordinance adopted pursuant to Section 3-2703	municipal
∐Yes	⊠No	Within 300 feet of a wetland	
∐Yes	⊠No	Within the area overlying a subsurface mine	
□Yes	⊠No	Within an unstable area	
□Yes	⊠No	Within a 100-year floodplain	

Because the releases occurred in a production area (well pad) and the verified depth to groundwater is greater than 55 feet bgs, the clean-up criteria for this site is as follows.

Table I Closure Criteria for Soils Impacted by a Release								
Depth below horizontal extents of release to ground water less than 10,000 mg/l TDS	Constituent	Method	Limit					
51-100 feet	Total Chlorides TPH	EPA 300.0 or SM4500 CI B EPA SW-846 Method	10,000 mg/kg 2,500 mg/kg					
	(GRO+DRO+MRO)	8015M	, ,					
	TPH (GRO + DRO)	EPA SW-846 Method 8015M	1,000 mg/kg					
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg					
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg					

### **Incident Description**

On September 20, 2011, lightning struck a fiberglass produced water tank and the associated piping. Approximately 28 barrels (bbls) of condensate were released inside the diked area. Approximately six (6) bbls of condensate was recovered. A fire resulted from the lightning strike and the residual fluid was burned in the explosion that followed. Devon personnel shut in the well and all of the burned equipment was later removed. Devon converted this production site to a Salt Water Disposal Facility. The release was reported to the NMOCD and was assigned incident number **nMLB1128636288**.

On August 6, 2015, a transport driver for Black River Trucking was loading produced water when the connecting high pressure 4" hose blew apart, resulting in the release of 35 bbls onto the pad area location. The well was immediately shut in and a hydro-vac service immediately commenced recovering approximately 25 bbls of produced water. An initial C-141 was received by the NMOCD on August 11, 2015 and assigned the incident **nAB1522442205**. Talon assessed the site and submitted a work plan for the remediation of the affected area. The work plan was approved by the NMOCD on February 9, 2016, but was voided based on a later release in the area.

On June 2, 2016, the plug on the strainer traversing to the number three water injection pump had corroded resulting in a release of approximately seven (7) bbls of produced water. The number three water injection pump was immediately shut down in order to prevent further release. Approximately six (6) bbls of fluid were recovered. This impacted an area on the pad that measured approximately 3 ft. wide x 18 ft. long, extending to the southwestern part of the pad. The footprint of this incident overlapped the previous release, nAB1522442205. The release was reported to NMOCD and was assigned the incident number nAB1616231629.

On April 10, 2017, a filter screen plug was missing on the triplex pump, resulting in a release of 16 bbls of produced water outside of the containment. The main water supply valve feeding the pump was closed and the plug was replaced. The C-141 for this incident was submitted to the NMOCD on April 21, 2017. The NMOCD assigned the incident number **nAB1711551324**. Devon contracted Talon to assess the site and submit a work plan to the NMOCD. The work plan to remediate for this incident was approved on June 11, 2018. The referenced NMOCD approved work plan and approval are in Appendix III.

Site maps of the releases are presented in Appendix I. Initial C-141 spill notifications were filed with the NMOCD and are attached in Appendix III.

#### **Site Assessment Activities**

On August 3, 2020, Talon personnel and equipment were mobilized to the location to perform a direction Geoprobe drilling under the south end of the containment to assess release nMLB1128636288. The final sampling depth was approximately 10 feet bgs and the sample results are summarized in Table 1a.

The samples were transported with the chain of custody to Hall Laboratories, for analysis of Total Chlorides (EPA Method 300.0), Total Petroleum Hydrocarbons (TPH, EPA Method 8015M) and Volatile Organics (BTEX, EPA Method 8021B).

Table 1a
Site Assessment Analytical Data
Incident #s nMI B1128636288

Sample ID	Sample Date	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Clorides mg/kg
NMOCD Table 1 Closure Criteria 19.15.29 NMAC			50 mg/kg	10 mg/kg	DRO + 1,000			2,500 mg/kg	10,000 mg/kg
	8/3/2020	0-1'	ND	ND	ND	45	ND	45	1,500
	8/3/2020	2'	ND	ND	ND	ND	ND	-	72
	8/3/2020	3'	ND	ND	ND	ND	ND	-	76
B-1	8/3/2020	4'	ND	ND	ND	ND	ND	-	1,300
	8/3/2020	6'	ND	ND	ND	ND	ND	-	690
	8/3/2020	8'	ND	ND	ND	ND	ND	-	210
	8/3/2020	10'	ND	ND	ND	ND	ND	-	96
BG-1	8/3/2020	0-1'	ND	ND	ND	17	85	102	ND
				<b>2011 Fi</b> ND = Analy	i <b>re Incide</b> i te not det				

On September 16, 2015, Talon collected soil samples from test trench, S-1, from surface to four (4) feet bgs. Following receipt of the laboratory data, Talon returned on January 11, 2016 and collected grab samples for delineation at S-2 through S-4 locations to four (4) feet bgs. The samples were transported to Cardinal Laboratories, for analysis of Total Chlorides (SM4500Cl-B). The summary of the results are presented in the following Table 1b.

Table 1b
Site Assessment Analytical Data
Incident # nAB1522442205

Sample ID	Sample Date	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Clorides mg/kg
	CD Table 1 Clo ia 19.15.29 N		50 mg/kg	10 mg/kg		GRO = mg/kg		2,500 mg/kg	10,000 mg/kg
	9/16/2015	1′	NT	NT	NT	NT	NT	-	2,800
S-1	9/16/2015	2'	NT	NT	NT	NT	NT	-	160
3-1	9/16/2015	3'	NT	NT	NT	NT	NT	-	144
	9/16/2015	4'	NT	NT	NT	NT	NT	-	64
	1/11/2016	1'	NT	NT	NT	NT	NT	-	720
S-2	1/11/2016	2'	NT	NT	NT	NT	NT	-	1,880
3-2	1/11/2016	3'	NT	NT	NT	NT	NT	-	128
	1/11/2016	4'	NT	NT	NT	NT	NT	-	80
	1/11/2016	1'	NT	NT	NT	NT	NT	-	2,600
S-3	1/11/2016	2'	NT	NT	NT	NT	NT	-	2,080
3-3	1/11/2016	3'	NT	NT	NT	NT	NT	-	2,840
	1/11/2016	4' R	NT	NT	NT	NT	NT	-	2,320
	1/11/2016	1'	NT	NT	NT	NT	NT	-	624
S-4	1/11/2016	2'	NT	NT	NT	NT	NT	-	288
3-4	1/11/2016	3'	NT	NT	NT	NT	NT	-	176
	1/11/2016	4'	NT	NT	NT	NT	NT	-	624
	ND = Ar			se from Loa d NT = No			cation sal with Hand A	uger	

On December 6, 2017, Talon mobilized peronnel to the site to complete a site assessment for the incident number nAB1711551324. A work plan was completed and approved by NMOCD on June 11, 2018. The samples were transported to Cardinal Laboratories and analyzed for Total Chlorides (SM4500Cl-B), and the data is summarized in the following Table 1c.

Table 1c
Site Assessment Analytical Data
Incident # nAB1711551324

Sample ID	Sample Date	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Clorides mg/kg
	NMOCD Table 1 Closure Criteria 19.15.29 NMAC		50 mg/kg	10 mg/kg	DRO + GRO = 1,000 mg/kg			2,500 mg/kg	10,000 mg/kg
	12/6/2017	0'	NT	NT	NT	NT	NT	-	6,960
S-1	12/6/2017	1′	NT	NT	NT	NT	NT	-	1,040
	12/6/2017	2′	NT	NT	NT	NT	NT	-	336
S-2	12/6/2017	0'	NT	NT	NT	NT	NT	-	432
	12/6/2017	0′	NT	NT	NT	NT	NT	-	752
	12/6/2017	1'	NT	NT	NT	NT	NT	-	432
S-3	12/6/2017	2′	NT	NT	NT	NT	NT	-	704
	12/6/2017	3'	NT	NT	NT	NT	NT	-	496
	12/6/2017	4'	NT	NT	NT	NT	NT	-	496
S-4	12/6/2017	0'	NT	NT	NT	NT	NT	-	32
		2017 P	roduced	<b>Water Rele</b> NT = No	<b>ase Outsid</b> ot Tested	e of Contai	nment		

Results from the assessment sampling events are presented in the following data tables and the complete laboratory reports can be found in Appendix V. Sample locations are shown on the attached Figure 1a through Figure 1c in Appendix I.

#### **Remediation Activities**

On July 16, 2020, upon client authorization Talon personnel and equipment were mobilized to the location in order to commence remediation activities and to remove impacted soil above NMOCD closure criteria. The impacted area on the pad was excavated to depths of three (3) feet bgs, correlating to incident numbers nAB1522442205 and nAB1616231629. The impacted area associated with incident number nAB1711551324 was hand excavated in accordance with the approved work plan to depths of two (2) feet bgs. Confirmation composite samples were taken from the respective bottom and sidewalls of the excavated areas where indicated on the site plan, and can referenced in Appendix I. All soil samples were properly contained, preserved, and transported to Hall Laboratories for analysis of Total Chlorides (EPA Method 300.0). The complete laboratory report for the remediation efforts are attached in Appendix V and the summarized data is presented in the following Table 2.

**Table 2**Site Closure Analytical Data

Sample ID	Sample Date	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Clorides mg/kg
	ole 1 Closure Ci L5.29 NMAC		50 mg/kg	10 mg/kg	DRO + GR	O = 1,000	G. G	2,500 mg/kg	10,000 mg/kg
Incident # nAB1522442205 and nAB1616231629 (Releases from Loadout onto Pad Location)									
S-1	7/16/2020	1'	NT	NT	NT	NT	NT	-	1,100
S-2	7/16/2020	3'	NT	NT	NT	NT	NT	-	190
S-3	7/16/2020	3'	NT	NT	NT	NT	NT	-	310
S-4	7/16/2020	0.5'	NT	NT	NT	NT	NT	-	120
S-1 NSW 1'	7/16/2020	1'	NT	NT	NT	NT	NT	-	ND
S-1 SSW 1'	7/16/2020	1'	NT	NT	NT	NT	NT	-	720
S-2 NSW 3'	7/16/2020	3'	NT	NT	NT	NT	NT	-	460
S-2 SSW 3'	7/16/2020	3'	NT	NT	NT	NT	NT	-	110
S-3 NSW 3'	7/16/2020	3'	NT	NT	NT	NT	NT	-	290
S-3 SSW 3'	7/16/2020	3'	NT	NT	NT	NT	NT	-	320
S-4 ESW 0.5'	7/16/2020	0.5'	NT	NT	NT	NT	NT	-	340
S-4 WSW 0.5'	7/16/2020	0.5'	NT	NT	NT	NT	NT	-	140
Incident # nAB	1711551324 (2	017 Prod	uced Wate	r Release Out	side of Cont	ainment)			
S-1A	7/16/2020	2'	NT	NT	NT	NT	NT	-	200
S-2A	7/16/2020	2'	NT	NT	NT	NT	NT	-	1,000
S-3A	7/16/2020	2'	NT	NT	NT	NT	NT	-	88
ND = Analyte r	not detected	NT = Not 7		SW = North Sid SW = West Sid		N = East Sid	de Wall	SSW = South	Side Wall

### **Remedial Action Summary**

- All impacted areas on the pad location were excavated to depths of 0.5-3 feet bgs. Field titration of soil samples for Total Chlorides was utilized to guide the excavation process involving incident numbers nAB1522442205 and nAB1616231629.
- The impacted area associated with incident number nAB1711551324 was excavated to a depth of two (2) feet bgs. Field titration of soil samples for Total Chlorides was utilized to guide the excavation process.
- The area under the battery was assessed down to 10 feet bgs for the incident number nMLB1128636288. Based on depth to groundwater, closure criteria was not exceeded based on the laboratory analytical data.

- The excavated areas on the well pad were backfilled with new caliche, machine compacted and contoured to match the surrounding location.
- Approximately 1,032 cubic yards of excavated material was transported to Lea Land, LLC, a NMOCD approved solid waste disposal facility.
- Photographic documentation is provided in Appendix IV.
- Copies of the Final C-141s are presented in Appendix III.

#### Closure

Based upon the completed remedial actions and confirmation sampling results, on behalf of Devon Energy Production Company, we respectfully request that no further actions be required and that closure of these incidents be granted.

Should you have any questions or if further information is required, please do not hesitate to contact our office at 575-746-8768.

Respectfully submitted,

Talon/LPE

Kayla Digitally signed by Kayla Taylor, on Taylor on Taylor

Project Manager

David J
Digitally signed by David J Adkins Div. cm-David J Adkins Di

David J. Adkins Regional Manager

Attachments:

Appendix I Site Maps

Appendix II Groundwater Data, Soil Data, FEMA Flood Map

Appendix III C-141 Forms, NMOCD Correspondence, Approved Work Plan for

Incident Number nAB1711551324

Appendix IV Photographic Documentation Appendix V Laboratory Analytical Data



### **APPENDIX I**

Site Maps





Eddy County, NM Figure 1B - nAB1522442205 and nAB1616231629 Site Assessment Devon Energy Corporation Devon Energy Cotton Draw Unit #089

Drafted: 2/3/2023 1 in = 100 ft

Drafted By: IJR







Devon Energy Corporation
Devon Energy Cotton Draw Unit #089
Eddy County, NM
Figure 2A - nAB1522442205 and nAB161623162 Confirmation Data


MI ON


Drafted: 2/3/2023 1 in = 100 ft

**Drafted By: IJR** 











### **APPENDIX II**

Groundwater and Soil Data FEMA Flood Map



OSE POD NO. (WELL NO.)   WELL TAG ID NO.								OSE FILE NO(S). C-4632  PHONE (OPTIONAL) 575-748-1838  CITY STATE ZIP Artesia NM 88210							
ERAL /	LOCATION								ACCURACY REQUIRED: ONE TENTH OF A SECOND     DATUM REQUIRED: WGS 84						
1. GEN	A CONTRACTOR AND A CONT		IG WELL LOCATION TO T25S R31S NMPM		S AND COMMO	N LANDMAI	RKS – PL	SS (SECTION, TO	WNSHJIP, RAN	IGE) WHERE A	AVAILABLE				
	LICENSE NO. 1249		NAME OF LICENSED		kie D. Atkin	s			Frank Street, and Carlot 1975	ELL DRILLIN	G COMPANY ing Associates, I	nc.			
	DRILLING STA 6/8/202		DRILLING ENDED 6/8/2022	DEPTH OF COMP Temp	LETED WELL (I	FT)		LE DEPTH (FT) ±55	DEPTH WA		COUNTERED (FT) N/A				
N	COMPLETED V	ELL IS:	ARTESIAN	DRY HOLE	SHALL	OW (UNCON	FINED)		WATER LEVE PLETED WELL		DATE STATIC				
ATIO	DRILLING FLU	ID:	☐ AIR	☐ MUD	ADDITI	VES – SPECI	FY:								
DRM.	DRILLING MET	HOD:	ROTARY HAMM	MER CABLE	TOOL OT	HER – SPECI	Y: I	Hollow Stem	Auger	CHECK HERI INSTALLED	E IF PITLESS ADA	PTER IS			
SING INF	DEPTH (fe	ret bgl)	BORE HOLE DIAM (inches)	(include eac	ATERIAL AN GRADE h casing string tions of screen	g, and	CON	ASING NECTION TYPE pling diameter)	CASIN INSIDE D (inche	IAM.	ASING WALL THICKNESS (inches) SIZE				
& C	0	55	±6.5		ring-HSA		(uuu coup				-	-			
2. DRILLING & CASING INFORMATION															
											,				
٦	DEPTH (fe		BORE HOLE DIAM. (inches)		ANNULAR S					OUNT c feet)	METHO PLACEN				
IATERIA	FROM	то	DIAM. (menes)	GRAVE	L FACK SIZI	E-RANGE I	) I II II	ERVAL	(cub)	c reet)	TEACE				
3. ANNULAR MATERIAL									ספֿפֿ טָי	7 JUN 16	Z0Z.Z bm3:)	2			
FOR	OSE INTERN	AL USF						WR-2	0 WELL RE	CORD & LO	G (Version 01/2	8/2022)			
		46	32		POD N	O. \		TRN		262	69	J. EVEL)			
LOC			.31E.10	12	2			WELL TAG I	DNO.	_	PAGE	1 OF 2			



### New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.) (R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

		POD												
		Sub-		Q	Q	Q								Water
POD Number	Code	basin	County	64	16	4	Sec	Tws	Rng	X	Y	DepthWellD	epthWater (	Column
<u>C 02250</u>		CUB	ED	3	1	4	21	25S	31E	614912	3553620*	400	390	10
<u>C 02568</u>		CUB	ED	4	3	1	01	25S	31E	619103	3558892*	1025		
<u>C 02569</u>		CUB	ED	4	4	2	02	25S	31E	618699	3558891*	1016		
<u>C 02570</u>		CUB	ED	4	2	4	02	25S	31E	618704	3558489*	895		
<u>C 02571</u>		CUB	ED	4	1	2	02	25S	31E	618292	3559294*	860		
<u>C 02572</u>		CUB	ED	4	2	2	02	25S	31E	618695	3559294*	852		
<u>C 02573</u>		CUB	ED	1	4	2	02	25S	31E	618499	3559091*			
<u>C 02574</u>		CUB	ED	1	1	2	02	25S	31E	618092	3559494*			
C 03830 POD1		CUB	ED	4	2	4	02	25S	31E	618632	3558432	450		
C 04479 POD1		CUB	ED	2	1	1	04	25S	31E	614182	3559400	0	0	0
C 04500 POD1		CUB	ED	4	4	1	28	25S	31E	614620	3552380			
C 04619 POD1		CUB	ED	2	1	2	27	25S	31E	616750	3552958	55		
C 04624 POD1		CUB	ED	4	4	1	30	25S	31E	611501	3552305	120	0	120
C 04632 POD1		CUB	ED	1	2	2	10	25S	31E	616802	3557964	55		
C 04635 POD1		CUB	ED	4	3	4	01	25S	31E	619958	3558078	55		

Average Depth to Water:

130 feet

Minimum Depth:

0 feet

Maximum Depth:

390 feet

Record Count: 15

PLSS Search:

Township: 25S Range: 31E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

2/1/23 1:24 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER

 $<sup>{}^{*}\</sup>mathrm{UTM}$  location was derived from PLSS - see Help

#### Custom Soil Resource Report

### **Eddy Area, New Mexico**

### BB—Berino complex, 0 to 3 percent slopes, eroded

#### **Map Unit Setting**

National map unit symbol: 1w43 Elevation: 2,000 to 5,700 feet

Mean annual precipitation: 5 to 15 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 260 days

Farmland classification: Not prime farmland

### **Map Unit Composition**

Berino and similar soils: 60 percent Pajarito and similar soils: 25 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Berino**

#### Setting

Landform: Fan piedmonts, plains

Landform position (three-dimensional): Riser

Down-slope shape: Convex Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

#### Typical profile

H1 - 0 to 17 inches: fine sand

H2 - 17 to 58 inches: sandy clay loam H3 - 58 to 60 inches: loamy sand

### Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 40 percent

Maximum salinity: Very slightly saline to slightly saline (2.0 to 4.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water capacity: Moderate (about 8.0 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### Custom Soil Resource Report

#### **Description of Pajarito**

#### Setting

Landform: Interdunes, plains, dunes

Landform position (three-dimensional): Side slope

Down-slope shape: Linear, convex Across-slope shape: Linear, convex

Parent material: Mixed alluvium and/or eolian sands

#### Typical profile

H1 - 0 to 9 inches: loamy fine sand H2 - 9 to 72 inches: fine sandy loam

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00

in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 40 percent Maximum salinity: Nonsaline (0.0 to 1.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water capacity: Moderate (about 8.0 inches)

#### Interpretive groups

Land capability classification (irrigated): 2e Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: A

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### **Minor Components**

#### Cacique

Percent of map unit: 4 percent

Ecological site: R042XC004NM - Sandy

Hydric soil rating: No

#### **Pajarito**

Percent of map unit: 4 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### Wink

Percent of map unit: 4 percent

Ecological site: R042XC003NM - Loamy Sand

Hydric soil rating: No

#### **Kermit**

Percent of map unit: 3 percent

Ecological site: R042XC005NM - Deep Sand

Hydric soil rating: No



National Flood Hazard Layer FIRMette AREA OF MINIMAL FLOOD HAZARD Feet 35015C1650D eff. 6/4/2010 Eddy County 350120 500 250

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) AM 2018 A. V. A999

0.2% Annual Chance Flood Hazard, Arreas Cone A. V. ARS
With BFE or Depth Zone AE, AO, AH, VE, AR, OCD
Regulatory Floodway HAZARD AREAS

SPECIAL FLOOD

of 1% annual chance flood with average depth less than one foot or with drain areas of less than one square mile zorkey

Future Conditions 1% Annual
Chance Flood Hazard Zone X
Area with Reduced Flood Risk due to 7: Levee. See Notes. Zone X Area with Flood Risk due to Leveezon Levee. See Notes. Zone X

OTHER AREAS OF FLOOD HAZARD

NO SCREEN Area of Minimal Flood Hazard **Effective LOMRs** 

Area of Undetermined Flood Hazard Zone D

OTHER AREAS

Channel, Culvert, or Storm Sewer STRUCTURES 1111111 Levee, Dike, or Floodwall

(B) 20.2

Cross Sections with 1% Annual Chance Base Flood Elevation Line (BFE) Water Surface Elevation Coastal Transect name (1) reason

Coastal Transect Baseline

OTHER

**FEATURES** 

Hydrographic Feature

Digital Data Available

No Digital Data Available

Unmapped

MAP PANELS

point selected by the user and does not represent an authoritative property location. The pin displayed on the map is an approximate

This map complies with FEMA's standards for the use of The basemap shown complies with FEMA's basemap digital flood maps if it is not void as described below

authoritative NFHL web services provided by FEMA. This map reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or The flood hazard information is derived directly from the was exported on 2/3/2023 at 11:51 AM and does not become superseded by new data over time.

This map image is void if the one or more of the following map delements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers.

FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

2,000 Basemap: USGS National Map: Orthoimagery: Data refreshed October, 2020 1,500



### **APPENDIX III**

C-141 Forms

NMOCD Correspondence

Approved Work Plan for Incident Number nAB1711551324

Form C-141

Revised March 17, 1999

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Submit 2 Copies to appropriate

District Office in accordance with Rule 116 on back

Attached

2RP-9/2

#### District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 side of form Santa Fe, NM 87505 30-015-31381 **Release Notification and Corrective Action** Initial Report **OPERATOR** Final Report NMLB 1128636288 Name of Company Devon Energy Contact Roger Hernandez 6137 Address P.O. Box 250 Telephone No. 575-748-5238 Artesia, NM 88211 Facility Name Cotton Draw #89 Gas Well Facility Type Mineral Owner Surface Owner Lease No. LOCATION OF RELEASE Feet from the North/South Line Feet from the East/West Line Unit Letter Section Township Range County 25S 31E South 1980 East **Eddy County** NATURE OF RELEASE Type of Release Condensate Volume of Release 28 BBLS Volume Recovered 6 BBLS Source of Release Date and Hour of Occurrence Date and Hour of Discovery 9-20-11 Lightening Struck Produced Water Tank 9-20-11 11:30 PM 11:30 PM Was Immediate Notice Given? If YES, To Whom? Mike Bratcher (OCD) Kent Cassell (BLM) By Whom? Merle Lewis Date and Hour 9-21-11 11:47 AM Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ⊠ No RECEIVED If a Watercourse was Impacted, Describe Fully.\* SEP 28 2011 N/A NMOCD ARTESIA Describe Cause of Problem and Remedial Action Taken.\* Lightening struck the battery destroying the fiberglass produced water tank and associated piping. It resulted in a release of 28 bbls of condensate on location. We were able to recover 6 bbls of condensate. The rest was burned in the explosion. Describe Area Affected and Cleanup Action Taken.\* The well was immediately shut in, the spill was contained in the dike area 20'x 40' the area was stained but nothing standing. Will remove burned equipment and will now convert this location to a SWD well. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Adrienne Verkler Approved by Digned Byer Printed Name: Adrienne Verkler Title: Field Tech II Approval Date: **Expiration Date:**

Date: Sept. 26, 2011 Phone: (575) 748-0174 \* Attach Additional Sheets If Necessary

Remediation per OCD Rules & Guidelines. SUBMIT REMEDIATION

PROPOSAL NOT LATER THAN: 11/13/2011

Conditions of Approval:

Page 28 of 98

Incident ID	nMLB1128636288
District RP	
Facility ID	30-015-31381
Application ID	

### Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the follo	owing items must be included in the closure report.							
A scaled site and sampling diagram as described in 19.	15.29.11 NMAC							
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)								
☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)								
Description of remediation activities								
and regulations all operators are required to report and/or file may endanger public health or the environment. The accepta should their operations have failed to adequately investigate human health or the environment. In addition, OCD acceptate compliance with any other federal, state, or local laws and/or restore, reclaim, and re-vegetate the impacted surface area to accordance with 19.15.29.13 NMAC including notification to Printed Name:  DaleWoodall  Title: Environment	complete to the best of my knowledge and understand that pursuant to OCD rules to certain release notifications and perform corrective actions for releases which ance of a C-141 report by the OCD does not relieve the operator of liability and remediate contamination that pose a threat to groundwater, surface water, since of a C-141 report does not relieve the operator of responsibility for regulations. The responsible party acknowledges they must substantially to the conditions that existed prior to the release or their final land use in to the OCD when reclamation and re-vegetation are complete.  Tonmental Professional  Date:							
emaii: <u>daie.woodaii@dvii.com</u>	Telephone: <u>373-74</u> 0-1838							
OCD Only								
Received by:	Date:							
Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.								
Closure Approved by:	Date:							
Printed Name:	Title:							

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Frencis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Form C-14 | Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 Submit I Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Via Auto	VALUE OF	100		ease Notifi	cation	and Co	rrective A	ction			
		4422		1.		OPERAT			Initia	al Report	
Name of Co	ompany D	evon Energy	Product	The second secon			rry Michael	10¢	-	THE PERSON NAMED IN COLUMN	
		Rivers Hwy Draw Unit		NM 88220		Facility Typ	No. 575-513-48	395			
210000000			07		200		JESTID		-0.5	- United States and the states and t	
Surface Ov	vner Feder	al		Mineral	Owner	Federal		1	API No	30-015-31381	
				LOC	ATION	OF REI	LEASE				
Unit Letter O	Section 3	Township 25S	Range 31E	Feet from the 250'	North	South Line FSL	Feet from the 1980*	A STATE OF THE PARTY OF THE PAR	ast/West Line   County FEL   Eddy		
			Latit	ude: 32.152889		Lon OF RELI	gitude: -103.7	636414			
Type of Rele	ease Spill			T,A	TOKE	Volume of 35bbl			olume i	Recovered	
		gh pressure ho	ose			August 6, 2	Hour of Occurre 2015 5:04 PM			Hour of Discovery 5, 2015 5:04 PM	
Was Immed	late Notice		Yes [	No Not F	Required	If YES, To Jim Amos, Mike Brate	BLM			NM OIL CONSERVATION	
By Whom? Hubert Perry	, Production	Foreman				Date and Hour Jim Amos, August 6, 2015 7:35 PM Mike Bratcher, August 6, 2015 7:37 PM  ARTESIA DISTRICT  AUG 1 1 2015					
Was a Wate	rcourse Re		Yes 🗵	] No		If YES, Volume Impacting the Watercourse N/A RECEIVED					
If a Waterco	ourse was I	mpacted, Des	scribe Ful	ly.*							
On August 6 pressure 4" h	, 2015 5:04 lose blew ap		Draw Uni 35bbls ont	t 89 Truck Drive to location. The						hen the connecting high as Standard Trucking so they	
The affected	area was ap		30' x 120'				bbls produced w	ater recover	red. The	e broken hose will be repaired.	
regulations a public health should their o or the enviro	Il operators or the envir operations h nment. In a	are required to conment. The ave failed to a ddition, NMC	o report and acceptance acceptanc	nd/or file certain ce of a C-141 rep investigate and	release nort by the remediate	otifications a c NMOCD m e contaminati	nd perform corre arked as "Final F on that pose a the	ctive actions Report" does reat to groun	s for rel s not rel nd wate	suant to NMOCD rules and eases which may endanger ieve the operator of liability r. surface water, human health compliance with any other	
federal, state, or local laws and/or regulations.  Signature: Sheila Fisher						OIL CONSERVATION DIVISION					
Printed Name	: Sheila Fi	sher				Approved by Environmental Specialist:					
Title: Field A	Admin Sup	port	-			Approval Da	e: 01115	Exp	piration	Date: A	
E mail Adde	ess: Sheila.l	Fisher@dvn.			Conditions of Approval: Remediation per O.C.D. Rules & Guidelinestached						
E-man Addit				THE R. P.	R	emediatio	MEDIATION	Rules & C	JUICO	ineratached	

	Page 30 of 98
Incident ID	NAB1522442205
District RP	
Facility ID	30-015-31381
Application ID	

### **Closure**

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following	g items must be included in the closure report.
A scaled site and sampling diagram as described in 19.15.29	0.11 NMAC
Photographs of the remediated site prior to backfill or photomust be notified 2 days prior to liner inspection)	os of the liner integrity if applicable (Note: appropriate OCD District office
☐ Laboratory analyses of final sampling (Note: appropriate OI	OC District office must be notified 2 days prior to final sampling)
□ Description of remediation activities	
and regulations all operators are required to report and/or file certamay endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regulatestore, reclaim, and re-vegetate the impacted surface area to the caccordance with 19.15.29.13 NMAC including notification to the Printed Name:  Dale Woodall  Title: Environment	•
OCD Only	
Received by:	Date:
	arty of liability should their operations have failed to adequately investigate s, surface water, human health, or the environment nor does not relieve the ocal laws and/or regulations.
Closure Approved by:	Date:
Printed Name	Title:

# Received by OCD: 2/7/2023 2:41:43 PM District I 1625 N. French Dr., Hobbs, NM 88240

District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

### **NM OIL CONSERVATION**

ARTESIA DISTRICT

Form C-141

Page 31 of 98

JUN 09 2016

Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr.

State of New Mexico

Energy Minerals and Natural Resources

1220 C. St. Empais De. Sonta Co. NIM 97505						n St. Francis Dr. <b>RECEIVED</b> e, NM 87505						
			Rele	ease Notific	ation	and Co	rrective A	ction				
NA	316110	23162	9	413	37	OPERA'	<b>COR</b>	(	✓ Initia	al Report		Final Report
							ke Harrington,	Product				
Address 6488 Seven Rivers Hwy Artesia, NM 88210 Telephone No. 432-214-5175												
Facility Name Cotton Draw Unit #89 Facility Type Salt Water Disposal												
Surface Owner Federal Mineral Owner						Federal			API No	30-015-3	1381	
LOCATIO						OF REI	EASE					
Unit Letter O	Section 3	Township 25S	Range 31E	Feet from the 250		South Line South	Feet from the 1980		est Line ast	County Eddy		
				Latitude: 32.1		Ü		1				
Tune of Dole	ogo Smill D	moduland mate	-	NAT	UKE	OF REL			Values 1	Recovered (	CDDt (	
Source of Re		roduced wate	<u> </u>				Release 7 BBLS			Hour of D		
		on pump numl	per 3			6/2/2016 @				@ 10:40pm		3
Was Immediate Notice Given?  Yes No Not Required  If YES, To Whom?  OCD-Mike Bratcher  BLM-Jim Amos												
By Whom? Matt Nettles, Production Foreman & Brett Fulks, EHS Professional					Date and Hour OCD- 6/8/2016 @ 11:04am BLM- 6/3/2016 @ 9:00am							
Was a Wate	rcourse Re		Yes 🗵	] No		<del>• ·                                     </del>	olume Impacting	the Wat	tercourse	•		
If a Waterco	ourse was I	mpacted, Des	cribe Ful	ly.* N/A		<u> </u>						
The plug on water injection	the strainer on pump wa	s shut down i	number t mmcdiatel	hree water injection in the high to prevent furth							. The r	number 3
7 BBLS of paffected was	roduced wat 3ft wide x-l	8ft long flow	ed from a ing to the	Faken.* corroded plug on south western par ered approximatel	t of the p	pad. All 7 BE	LS of produced w	vater rele	ased rema	ined on loc	ation. I	None of the
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.												
Signature: Sarah Gallegos-Troublefield					OIL CONSERVATION DIVISION Signed By Mily Examine							
Printed Nam	e: Sarah Ga	llegos-Troubl	efield			Approved by	Environmental S		, ~~	1 6- BY E		
Title: Field A	Admin Supp	ort				Approval Da	10: 6110116	E	expiration	Date: N/1	十_	
E-mail Addr	ess: Sarah.C	Gallegos-Trou	blefield@d	dvn.com		Conditions o	Approval:	Rules &	⊾ Guide	lin <b>és</b> tacheo		1
Date: 6/9/2016 Phone: 575.748.1864 Collation per O.C.D. Rules & Guidelines ached SUBMIT REMEDIATION PROPOSAL NO												

LATER THAN:\_

\* Attach Additional Sheets If Necessary

Page 32 of 98

Incident ID	NAB1616231629
District RP	
Facility ID	30-015-31381
Application ID	

### **Closure**

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the follow	wing items must be included in the closure report.
	.5.29.11 NMAC
Photographs of the remediated site prior to backfill or p must be notified 2 days prior to liner inspection)	photos of the liner integrity if applicable (Note: appropriate OCD District office
□ Laboratory analyses of final sampling (Note: appropriate)	te ODC District office must be notified 2 days prior to final sampling)
□ Description of remediation activities	
and regulations all operators are required to report and/or file may endanger public health or the environment. The acceptar should their operations have failed to adequately investigate a human health or the environment. In addition, OCD acceptan compliance with any other federal, state, or local laws and/or	ironmental Professional
OCD Only	
OCD Only	
Received by:	Date:
	ole party of liability should their operations have failed to adequately investigate vater, surface water, human health, or the environment nor does not relieve the or local laws and/or regulations.
Closure Approved by:	Date:
Printed Name:	Title:

### NM OIL CONSERVATION

ARTESIA DISTRICT

Page 33 of 98

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources APR 2 1 2017

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED accordance with 19.15.29 NMAC.

			Rele	ase Notific	cation	and Co	rrective A	ction			
DAB	17115	51324			1 , 200	OPERA'			tial Report		
					A. Per		latt Nettles, Pro-		in .		
							pe Salt Water D				
Surface O				Mineral					No 30-015-31381		
Surface O	wher rede	ai						ALL	10 30-013-31301		
LOCATI					OF REI	County					
Ont Letter	: (application of the Control of th				FSL The	Feet from the 1980	Eddy				
			La	titude: 32.1528			gitude: -103.763	36414			
Type of Rel	0360			NAI	TURE	OF REL		Volume	Recovered		
Produced W	ater					16bbls		5BBLS			
Source of R Water tanks	elease					The second secon	Hour of Occurre @ 10:00 PM		nd Hour of Discovery 17 @ 10:00 PM		
Was Immed	liate Notice		Yes [	No □ Not R	equir <b>ed</b>	If YES, To		14/10/20	17 (@ 15.50 ) 117		
By Whom? David Simm	By Whom? David Simmons, Assistant Production Foreman					Date and Hour BLM-4/10/2017 @ 11:00 PM OCD-4/10/20107 @11:02 PM					
Was a Wate	Was a Watercourse Reached?  ☐ Yes ☒ No					If YES, Volume Impacting the Watercourse N/A					
If a Waterc	ourse was I	mpacted, Des	scribe Ful	ly.*							
A filter scree	en plug was	olem and Ren missing on the osed and the p	e triplex p	ump causing a 16	5BBL pro	oduced water	release outside of	f containment. T	he main water supply valve		
Approximate	ely 16bbls p		was relea				ı truck was dispat	tched and recover	red 5BBLS of produced water. A		
regulations a public health should their or the enviro	all operators h or the envi operations h onment. In a	are required to ronment. The nave failed to	o report as acceptant adequately OCD accep	nd/or file certain ce of a C-141 rep investigate and	release n ort by th remediat	otifications a e NMOCD m e contaminat	nd perform correct arked as "Final R on that pose a thr	ctive actions for r deport" does not r reat to ground wa	eleases which may endanger elieve the operator of liability ter, surface water, human health compliance with any other		
Signature: Z	Dana De	eLaRosa					OIL CON	SERVATIO	N DIVISION 11 2 11 12 11		
Printed Nam	ne: Dana Del	aRosa				Approved by	Environmental S	pecialist:	1000 V		
Title: Field	Admin Sup	port				Approval Da	10:4/25/1°	Expiration	Date: NA		
E-mail Add	ress: Dana.I	Delarosa@dvi	n.com			Conditions o	f Approval:	1	Attached X		
Date: 4 20 2017 Phone: 575 74 5594						cee attached Attached					

Page 34 of 98

Incident ID	NAB1711551324
District RP	
Facility ID	30-015-31381
Application ID	

### **Closure**

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the	e following items must be included in the closure report.
A scaled site and sampling diagram as described in	n 19.15.29.11 NMAC
Photographs of the remediated site prior to backfi must be notified 2 days prior to liner inspection)	ill or photos of the liner integrity if applicable (Note: appropriate OCD District office
□ Laboratory analyses of final sampling (Note: approximately ap	ropriate ODC District office must be notified 2 days prior to final sampling)
Description of remediation activities	
and regulations all operators are required to report and/omay endanger public health or the environment. The action should their operations have failed to adequately investifuant health or the environment. In addition, OCD accompliance with any other federal, state, or local laws a restore, reclaim, and re-vegetate the impacted surface an accordance with 19.15.29.13 NMAC including notificate Printed Name: Dale Woodall Title: Signature: Dale Woodall	Date:2/7/2023
email:Dale.wooda <u>ll@dvn.com</u>	Telephone: <u>575-74</u> 8-1848
OCD Only	
Received by:	Date:
	ponsible party of liability should their operations have failed to adequately investigate oundwater, surface water, human health, or the environment nor does not relieve the state, or local laws and/or regulations.
Closure Approved by:	Date:
Printed Name:	Title:



## Soil Assessment and Remediation Work Plan

Cotton Draw Unit 89 API # 30-015-31381 \* 2RP-4186 Talon Project No. 700794.241.01

### **Prepared For:**

Devon Energy Production 6488 Seven Rivers Hwy Artesia, New Mexico 88210

### Prepared By:

TALON/LPE 408 W. Texas Avenue Artesia, New Mexico 88210

March 16, 2018

Page | 1

Mr. Mike Bratcher **NMOCD District 2** 811 S. 1<sup>st</sup> Street Artesia, NM 88210

Subject: Soil Assessment and Remediation Work Plan

Cotton Draw Unit 89

API # 30-015-31381 \* 2RP-4186

Dear Mr. Bratcher,

Devon Corporation has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced location. The results of our soil assessment and proposed remediation activities consist of the following.

#### Site Information

The Cotton Draw Unit 89 is located approximately forty-four (44) miles southeast of Carlsbad, New Mexico. The legal location for this release is Unit Letter O, Section 3, Township 25 South and Range 31 East in Eddy County, New Mexico. More specifically the latitude and longitude for the release are 32.1528893 North and -103.7636414 West. A site plan is presented in Appendix I.

According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of of Berino complex with 0 to 3 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology is Holocene to Pleistocene in age and is comprised of eolian sands and piedmont deposits which include silty soils under lain with hard caliche.

### Ground Water and Site Ranking

The New Mexico State Engineer web site indicates that there are 7 wells in the vicinity and they all appear to be dry. The Chevron/Texaco Water Trend Map has the ground water in this area to be greater than 450-feet below ground surface. See Appendix III for the referenced groundwater data.

Therefore the ranking for this site is a 0 based on the following:

Depth to ground water >100'
Wellhead Protection Area >1000'
Distance to surface water body >1000'

Based upon the site ranking of **0**, NMOCD Recommended Remedial Action Levels (RRAL) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, 5,000 mg/kg for TPH. The recommended guidelines for total chlorides is 600 mg/kg.

### **Incident Description and Initial Remedial Actions**

On May 10, 2017 a filter screen plug was missing on the triplex pump causing 16 barrels of produced waste to be released outside of the containment. A vac truck was called to the location and recovered 5 barrels of fluid. The main supply valve feeding the pump was closed and the plug was replaced. A site plan is presented in Appendix I which illustrates the impacted area. See initial C-141 in Appendix II.

On December 6, 2017, Talon mobilized personnel to begin the site assessment and soil sampling activities for the construction of a work plan. Grab soil samples were collected from around the impacted area utilizing a hand auger.

See Appendix IV for complete report of laboratory results.

Sample ID	Depth (feet)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH EXT (mg/kg)	BTEX (mg/kg)	Chlorides (mg/kg)
S-1	0,			-		6960
	1'	-	-	-		1040
	2'	-	-	-	-	336
S-2	0,		-	÷	+	432
S-3	0,	-		A-4		752
	1'	-	-	-	-	432
	2'	-	-	-	-	704
	3'	-	-	-	-	496
	4'		-	-		496
S-4	0,	- 1	4	-	+	32

<sup>--</sup> Analyte Not Tested

### **Proposed Remedial Actions of:**

- The impacted soil in the vicinity of S-1 and S-3, as well as the flow paths southward will be excavated to a depth of 2-feet deep.
- All contaminated soil will be transported to Lea Land, LLC, a NMOCD approved disposal facility.
- The excavated area will be backfilled with new caliche. Once the backfilling activities are complete the work area will be contoured to match the surrounding location.
- A final closure report documenting all remedial actions will be provided to the NMOCD Artesia Office along with a Final C-141 Form.

Should you have any questions or if further information is required, please do not hesitate to contact our office at (575)-746-8768

Respectfully submitted,

TALON/LPE

Jacob Laird

**Environmental Scientist** 

Limberly M. Welson

Project Manager

### Attachments:

Appendix I Site Plan


Appendix II Initial C-141

Appendix III Groundwater Data

Appendix IV Laboratory Results

**APPENDIX I** 

**SITE PLAN** 





### **APPENDIX IV**

Photographic Documentation

### **Devon Energy Cotton Draw Unit #89 SWD**

### **Photo Documentation**



Excavation 2RP-3198/2RP-3728



2RP-4186



### Devon Energy Cotton Draw Unit #89 SWD

### Completion



Completion 2RP-4186



2RP-3198/2RP-3728





### **APPENDIX V**

**Analytical Data** 



September 18, 2015

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW NO. 89

Enclosed are the results of analyses for samples received by the laboratory on 09/17/15 15:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab-accred-certif.html">www.tceq.texas.gov/field/ga/lab-accred-certif.html</a>.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4 Regula

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celeg & Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

09/17/2015

Reported:

09/18/2015 COTTON DRAW NO. 89

Project Name: Project Number:

700794.165.01

Project Location:

EDDY CTY.

Sampling Date:

Sampling Type:

Sampling Condition: Sample Received By: 09/16/2015 Soil \*\* (See Notes)

Jodi Henson

Sample ID: S-1 1' (H502452-01)

Chloride, SM4500CI-B

mg/kg

Analyzed By: HM

Analyte

Analyte

Analyte

Analyte

Result Reporting Limit

Analyzed

Method Blank

BS % Recovery

RPD

3.77

Qualifier

Chloride

Chloride

Chloride

Chloride

2800

Result

160

144

Result

64.0

16.0 09/18/2015 ND

432

BS

432

432

108

True Value QC 400

Sample ID: S-1 2' (H502452-02)

Chloride, SM4500CI-B

mg/kg

Reporting Limit

16.0

16.0

Reporting Limit

16.0

Analyzed By: HM

Method Blank

ND

% Recovery

108

108

True Value QC

400

RPD

Qualifier

Sample ID: S-1 3' (H502452-03)

Chloride, SM4500CI-B

mg/kg

Analyzed By: HM

Result

Reporting Limit Analyzed

09/18/2015

Analyzed

09/18/2015

Method Blank

ND

BS % Recovery True Value QC

400

400

RPD 3.77

RPD

3.77

3.77

Qualifier

Sample ID: S-1 4' (H502452-04)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: HM

Analyzed

09/18/2015

Method Blank ND

BS 432 % Recovery

108

True Value QC

Qualifier

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waved unless made in various and received by Cardinal within thirty (30) days after conjection of the applicable service. In no event shall Cardinal be fable for incidental or consequential damages, including, various limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereinder by Cardinal, regardless of whether such claims based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celleg To treens

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 4

ND



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

### **Notes and Definitions**

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Analyte NOT DETECTED at or above the reporting limit

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Uability and Damages. Cardinal's liability and client's exclusive remedy for any claim anxing, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed valved unless made in writing and received by Cardinal within thirty (33) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without initiation, business interruptions, loss of use, or loss of profits incrured by client, its subsidiaries, affiliates or successors aiding out of or related to the performance of the services hereunder by Cardinal, regardless of whether such clients based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keens

Celey D. Keene, Lab Director/Quality Manager

Page 3 of 4

† Cardinal cannot accept verbal changes. Please fax written changes to 505,393-2376



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company wante. Malan/LPE		BILL TO ANALYSIS REQUEST	REQUEST
ana	P.O.#:		
Address: 408 W. Juli	Company:	alon	
2	Zip: \$8:210		
-8768	Address:		
Project #: 700 794 165, 01 Project Owner:	mer: Willow City:		
Project Name: Latton Chaw # 8	89 State:	Zip:	
Project Location: Eddy Otto	Phone #:		
Sampler Name: Ken Sunt	Fax #:	le	
FOR LAB USE ONLY	MATRIX PRESERV.	SAMPLING	
Lab I.D. Sample I.D.	G)RAB OR (C)OMICONTAINERS GROUNDWATER WASTEWATER OIL IL LUDGE THER: CID/BASE: E / COOL THER:	Chlor	
2000		5/19/18	
5-1	015		
45.141	6		
these dnal	For negligence and any other cause whatsoever the bed exempt whence owers in contract or text, shall be limited to the amount paid by the client for the formal paid by the client for the state of the paid by the client for the state of the paid by the completion of the system of th	The amount paid by the client for the him To days after completion of the applicable fits incurred by client, its substitutes; the property of the completion of the applicable fits incurred by client, its substitutes;	
Tinge3	Regeived By:	Phone Result: ☐ Yes ☐ No Add'I Phone #: Fax Result: ☐ Yes ☐ No Add'I Fax #: REMARKS:	
Time:	Received By:	1:#210	
Sampler - UPS - Bus - Other:	Sample Condition CHECKE Cool Intact In the	D 8Y:	

Page 4 of 4



January 13, 2016

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #89

Enclosed are the results of analyses for samples received by the laboratory on 01/11/16 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/qa/lab">www.tceq.texas.gov/field/qa/lab</a> accredited certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552:2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celeg D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

01/11/2016 01/13/2016

Reported: Project Name:

**COTTON DRAW #89** 

Project Number: Project Location: 700794.165.01 EDDY COUNTY, NM Sampling Date:

01/11/2016 Sampling Type: Soil

Sampling Condition: Sample Received By: Cool & Intact

Jodi Henson

Sample ID: S-2 1.0 (H600056-01)

Chloride, SM4500CI-B

Chloride

Chloride

Chloride

Chloride

mg/kg

720

Result

1880

Result

128

Result

80.0

Analyzed By: AP

Analyte

Analyte

Analyte

Analyte

Result Reporting Limit

16.0

Reporting Limit

16.0

16.0

Reporting Limit

16.0

Analyzed 01/13/2016

Analyzed

01/13/2016

01/13/2016

Method Blank ND

BS 400

BS

400

% Recovery 100

% Recovery

100

100

100

True Value QC 400

RPD 0.00

Qualifier

Sample ID: S-2 2.0 (H600056-02)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AP

Method Blank

ND

True Value QC

400

RPD

Qualifier

Sample ID: S-2 3.0 (H600056-03)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AP

Reporting Limit Analyzed

Method Blank ND

BS

400

True Value QC % Recovery

RPD

0.00

0.00

Qualifier

Qualifier

Sample ID: S-2 4.0 (H600056-04)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AP

Analyzed

01/13/2016

Method Blank ND

BS

400

% Recovery

True Value QC 400

400

RPD 0.00

Cardinal Laboratories

\*=Accredited Analyte

Cardinal's lability and client's exclusive remody for any claim anking, whether based in contract or lost, shall be kinked to the amount paid by client for analyses, any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celleg & Keens

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 7



### Analytical Results For:

TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

01/11/2016

Reported:

01/13/2016

Project Name: Project Number: COTTON DRAW #89 700794.165.01

Project Location:

EDDY COUNTY, NM

Sampling Date:

Sampling Type:

Sampling Condition:

Sample Received By:

01/11/2016 Soil

Cool & Intact

Jodi Henson

### Sample ID: S-3 1.0 (H600056-05)

Chloride,	SM4500CI-B

Analyte

mg/kg

Analyzed By: AP

Result 2600 Reporting Limit

Method Blank Analyzed 01/13/2016 ND

% Recovery 100

True Value QC 400

RPD 0.00

RPD

0.00

0.00

Qualifier

Sample ID: S-3 2.0 (H600056-06)

Chloride,	SM4500CI-B

Analyte

Analyte

Analyte

Reporting Limit

Reporting Limit

16.0

Reporting Limit

16.0

16.0

Analyzed By: AP

Method Blank

% Recovery

True Value QC

Qualifier

Chloride

Chloride

Chloride

16.0 01/13/2016 ND

BS 400

BS

400

100

400

Sample ID: S-3 3.0 (H600056-07)

Chloride, SM4500CI-B

mg/kg

mg/kg

Result

2080

Result

2840

Analyzed By: AP

Analyzed

01/13/2016

Analyzed

Method Blank

ND

BS % Recovery

True Value QC

400

RPD

Qualifier

Sample ID: S-3 4.0 (H600056-08)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AP

400

100

Chloride

Result 2320

Result

624

Reporting Limit Analyzed 16.0 01/13/2016 Method Blank ND

BS 400 % Recovery 100

RPD

Qualifier

Chloride

Chloride, SM4500Cl-B

mg/kg

400

True Value QC

400

True Value QC

0.00

RPD

0.00

Sample ID: S-4 1.0 (H600056-09)

Analyzed

01/13/2016

Analyzed By: AP Method Blank

ND

BS

400

% Recovery

100

Qualifier

Cardinal Laboratories

Analyte

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardnal's liability and client is exclusive remedy for any claim analyse, whether based in contract or tent, shall be limited to the amount paid by client for analyses All claims, including those for neobsence and any other cause whatsoever shall be deemed waiving unities made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors ensuing out of oc related to the performance of the services have claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Calley Theene

Celey D. Keene, Lab Director/Quality Manager

Page 3 of 7



### Analytical Results For:

TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905

Received: Reported: 01/11/2016

01/13/2016

Project Name: Project Number: COTTON DRAW #89 700794.165.01

Project Location:

EDDY COUNTY, NM

Sampling Date:

Sampling Type:

Sampling Condition: Sample Received By: Cool & Intact

01/11/2016

Soil

Jodi Henson

Sample ID: S-4 2.0 (H600056-10)

Chloride, SM4500Cl-B

Chloride

Chloride

Chloride

mg/kg

mg/kg

288

Result

176

Result

624

Analyzed By: AP

Analyte

Result Reporting Limit

16.0

Reporting Limit

16.0

Reporting Limit

16.0

Analyzed 01/13/2016 Method Blank ND

BS 400

BS

400

BS

% Recovery 100

True Value QC 400

RPD

0.00

Qualifier

Sample ID: S-4 3.0 (H600056-11)

Chloride, SM4500CI-B

Analyte

Analyte

Analyzed

01/13/2016

Analyzed By: AP

Method Blank

ND

% Recovery

100

True Value QC

400

RPD Qualifier 0.00

Sample ID: S-4 4.0 (H600056-12)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AP

Analyzed 01/13/2016

Method Blank ND

% Recovery 400 100

True Value QC 400

RPD 0.00

Qualifier

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Carcinal's liability and client's exclusive remedy for any claim mining, whether based in contract or tort, shall be limited to the amount paid by client for analyses, any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be All claims, including those for negligence and including, without Emitation, business interruptions, loss of use, or loss of profits incurred by client, its subudiaries, affiliates or successors arising out of or related to the performance of the services hereunder claim is based upon any of the above striked reasons or otherwise. Remitis relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keine

Celey D. Keene, Lab Director/Quality Manager

Page 4 of 7

ND



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

### **Notes and Definitions**

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Analyte NOT DETECTED at or above the reporting limit

Cardinal Laboratories \*=Accredited Analyte

PEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim anising, whether based in contract or text, shall be limited to the amount paid by client for analysiss. All claims, including those for negligence and any other cause whitsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subclaims, affiliates or successors ensising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene

Celey D. Keene, Lab Director/Quality Manager

Page 5 of 7

† Cardinal cannot accept verbal changes, Please fax written changes to (575) 393-2326

### CARDINAL

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Mariand, (575) 393-2326 FA  Company Name: Talon/LPE  Project Manager:  Address: 408 W. Texas Ave City: Artesia Phone #: 575-746-8768  Project #: 700194 (659)	101 East Mariand, North, No. 101 (575) 393-2326 FAX (575) 393-2476 1: Tallon/LPE W. Texas Ave.  State: NM Zip: 88210 1-746-8768 Fax #: 575-746-8905 1-746-8768 Fax #: 575-746-8905		ANALYSIS REQUEST	
me: cation: lame:	EDDY CXY Her Swift	Phone #:  Fax #:  PRESERV SAMPLING	RIDES	
	(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER	SLUDGE OTHER:	X CHIC	
PLEASE NOTE: Lankly and Darrages, Can	which was desired and allowers and the state of the state	PLEASE NOTE: Lability and Damages. Contest's lability and elect's exclusive sensety for any claim anality whether based in curricular for fort, shall be limited to the encount pad by the cloud for the profession of the encount pad by the cloud for the profession of the encount pad by the cloud for the profession of the encount pad by the cloud for the profession of the encount pad by the cloud for the profession of the encount pad by the cloud for the encoun	ter the cities applicable cities applicable.	
analyses. As akins including those for resignment analyses, As akins including those for resignment starkes, in no event shall conclusi as paids for including the control of the control	Relinquished By:  Relinguished By:  Relinguished By:  Time:  Relinguished By:  Time:	Redelived By:  Redelived By:  Redelived By:  Redelived By:  Respectived By:  Redelived By:  Respectived By:  Respectived By:  Respectived By:  Respectived By:  Respectived By:	Result: D Yes D No Add'l Phone #: Sult: D Yes D No Add'l Fax #: 3KS:	
Delivered By: (Circle One)	4.20	Sample Condition CHECKED BY: Cool Intact Cross Cross No No		

2

Page 7 of 7

† Cardinal cannot accept verbal changes, Please fax written changes to (575) 393-4326

### CARDINAL

### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Talon/LPE Project Manager: Phone #: 575-746-8768 Address: 408 W. Texas Ave Project Location: Project Name: Cotton Project #: 700794 /65. city: Artesia Sampler Name: Lab I.D. FOR IMBUSE ONLY Sampler - UPS - Bus - Other: Repriguished By: Relinquished By: Delivered By: (Circle One) 101 East Mariand, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476 5-2 5-2 53 25 53 Sample I.D. 4.0 3,0 200 1,0 418 310 2,0 1,0 いかん Project Owner: Fax #: 575-746-8905 # 99 State: NM Zip: 88210 Time: (G)RAB OR (C)OMP. Devon 4.70 Received By: # CONTAINERS GROUNDWATER WASTEWATER Sample Condition
Cool Intact
Yes I Yes
No No MATRIX made in writing and received by Cordinal within SOIL. OIL. SLUDGE P.O. # City: Company: Talon/LPE State: Attn: Fax #: Phone #: Address: OTHER: PRESERV. ACID/BASE: ICE / COOL 8111110 OTHER: Zip: SAMPLING DATE of by clerk, he clerk for the states completion of the appli of by clerk, he substitution, 1110 11:00 11:03 11:39 11:45 1143 10:53 0 TIME hlorides ☐ Yes N S ANALYSIS REQUEST

Page 6 of 7



December 09, 2017

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #89

Enclosed are the results of analyses for samples received by the laboratory on 12/06/17 16:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accredited certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey & Keena

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: Reported: 12/06/2017 12/09/2017

Project Name: Project Number: Project Location:

Analyte

12/09/2017 COTTON DRAW #89 700794.244.01

EDDY COUNTY, NM

Sampling Date: Sampling Type:

Sampling Type: Sampling Condition: Sample Received By: 12/05/2017 Soil Cool & Intact

Tamara Oldaker

Sample ID: S-1 0' (H703364-01)

Chloride, SM4500CI-B

Chloride

Chloride

Chloride

Chloride

mg/kg

mg/kg

6960

Reporting Limit

Analyzed 12/07/2017

Method Blank

Analyzed By: AC

Analyzed By: AC

Analyzed By: AC

BS 448

% Recovery 112 True Value QC 400 Qualifier

RPD

0.00

Sample ID: S-1 1' (H703364-02)

Chloride, SM4500Cl-B Analyte

Result

Reporting Limit 16.0

imit Analyzed 12/07/2017

Method Blank ND BS 448

% Recovery 112 True Value QC 400 RPD Qualifier
0.00

Sample ID: S-1 2' R (H703364-03)

Chloride, SM4500CI-B

Analyte Result R

Result Reporting Limit 336 16,0

16.0

mit Analyzed 12/07/2017

Method Blank ND BS 448

% Recovery

True Value QC 400 0.00

Qualifier

Qualifier

Sample ID: S-2 0' (H703364-04)

Analyte

Chloride, SM4500CI-B

mg/kg

Result Reporting Limit

432

Analyzed By: AC

Analyzed Method

12/07/2017

Method Blank ND BS 448 % Recovery 112 True Value QC 400 0.00

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Ustalley and Damages. Cardinal's fability and client's exclusive remedy for any claim arising, whisther based in contract or tort, shall be limited to the amount paid by client for analysiss. All claims, including those for negligence and any other rause whatsocray shall be deemed washed unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without initiation, business interruptions, loss of use, or loss of profits incidental or consequential damages, including without any of the above stated reasons or otherwise. Results related in the performance of the services hereunder by Cardinal, regardless of whither such claims is based upon any of the above stated reasons or otherwise. Results related in the control of the services have the performance of the services hereunder by Cardinal Laboratories.

Celeg & Keene

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 7



### Analytical Results For:

TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported: 12/06/2017

Project Name: Project Number: 12/09/2017 COTTON DRAW #89 · 700794.244.01

Project Location:

Analyte

Analyte

Analyte

Analyte

Analyte

EDDY COUNTY, NM

Sampling Date:

Sampling Type:

Sampling Condition: Sample Received By: 12/05/2017 Soil

Cool & Intact

Tamara Oldaker

Sample ID: S-2 0.5' R (H703364-05)

Chloride, SM4500CI-B

mg/kg

mg/kg

Analyzed By: AC

Result 1060 Reporting Limit 16.0

Analyzed 12/07/2017 Method Blank ND

BS 448 % Recovery 112

True Value QC 400

Qualifier

Chloride, SM4500CI-B

Analyzed By: AC

Analyzed Method Blank

% Recovery

True Value QC

RPD Oualifier

Chloride

Chloride

Chloride

752

Result

432

Result

704

Result

496

Result

16.0

Reporting Limit

Reporting Limit

16.0

Reporting Limit

16.0

Reporting Limit

16.0

12/07/2017

ND

448

BS

112

400

0.00

Sample ID: S-3 1' (H703364-07)

Sample ID: S-3 0' (H703364-06)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC Analyzed

12/07/2017

Analyzed

12/08/2017

Method Blank

ND

BS

448

BS

448

BS

448

% Recovery

112

True Value QC

400

True Value QC

400

RPD 0.00

RPD

0.00

Qualifier

Sample ID: S-3 2' (H703364-08)

Sample ID: S-3 3' (H703364-09)

Chloride, SM4500CI-B

Chloride, SM4500CI-B

mg/kg

mg/kg

Analyzed By: AC

Method Blank

ND

% Recovery

112

RPD 0.00 Qualifier

Qualifier

Chloride

Chloride

Analyzed By: AC

Analyzed 12/08/2017

Method Blank ND

% Recovery 112

True Value QC 400

RPD 0.00

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's fability and client's exclusive remedy for any dain arising, whether based in contract or tost, shall be limited to the amount paid by client for analyses. any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal he liable for incidental including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subtidia es, affiliates or successors arising out of or related to the perform claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified allove. This report shall not be reproduced except in full with written approval of Cardinal Laboratories

Celley Theene

Celey D. Keene, Lab Director/Quality Manager

Page 3 of 7



### Analytical Results For:

TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported: 12/06/2017

Project Name: Project Number: 12/09/2017 **COTTON DRAW #89** 700794.244.01

Project Location:

EDDY COUNTY, NM

Sampling Date:

Sampling Type:

Sampling Condition: Sample Received By: 12/05/2017

Soil

Cool & Intact Tamara Oldaker

Sample ID: S-3 4' (H703364-10)

Chloride, SM4500CI-B

Chloride

Chloride

mg/kg

16.0

Reporting Limit

16.0

496

Result

32.0

Analyzed By: AC

Analyte Result Reporting Limit

Analyzed 12/08/2017

Analyzed

12/08/2017

Method Blank ND

% Recovery 448 112

% Recovery

112

True Value QC 400

RPD 0.00 Qualifier

Sample ID: S-4 0' (H703364-11)

Chloride, SM4500CI-B

Analyte

mg/kg

Analyzed By: AC

Method Blank ND

BS 448 True Value QC 400

RPD

0.00

Qualifier

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Usbilly and Damages, Curdinal's liability and clears's exclusive remedy for any claim anising, whether based in contract or text, shall be limited to the amount paid by clear for analyses. any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services have In no event shall Cardinal be fable for incidental or consequ claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories

Celley & treene

Celey D. Keene, Lab Director/Quality Manager

Page 4 of 7

ND



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

### **Notes and Definitions**

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Analyte NOT DETECTED at or above the reporting limit

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and cleant's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved urleas made in verting and received by Cardinal within thirty (80) days after completion of the appticulate service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of in e.e. or loss of profits incurred by client, its action, business interruptions, loss of in e.e. or loss of profits incurred by client, its action, business interruptions, loss of in e.e. or loss of profits incurred by client, its action, and the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keine

Celey D. Keene, Lab Director/Quality Manager

Page 5 of 7

+ Cardinal cannot accent workel channes Dlease fay written channes to IETEI 202-2926



## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

And East Marland Hobbs, NM 88240	real in (a)
(575) 393-2326 FAX (575) 393-2476	ANALYSIS REQUEST
	Company: Talon/LPE
Address: 408 W. Texas Ave.	
Fax #: 575-7	Address:
140-0/00	City:
12. Le . Hal.	State: Zip:
augn man-	Phone #:
Project Location: CARY CAR	1
Sampler Name: Kin' Willow MATRIX	SERV. SAMPLING
R (C)OMP. NERS WATER	OL.
GRAB OF WASTEW, SOIL.	SLUDGE OTHER: ACID/BAS ICE / CO OTHER: TIME
5-10'	
12' 2	
4 S-20, B	
\$ 5.3 O'	
8 5-3 2'	
7 5.3 3'	the limited to the fanount paid by the client for the
PLEASE NOTE: Liabilly and Chamages. Cardinal's liability and clients exclusive tempersylve any claim safety whether seems of the completed of the expension of the completed of the expension of the case of the completed of the completed of the case of the completed of the case of the complete of the completed of the case of the complete of the completed of the case of the completed of the complete of the complet	No.
convice. In no event shall Cardinal be liable for incidental or consequence of services because for Cardinal regardless of whether such affiliates or successors arising out of or related to the performance of services because for successors arising out of or related to the performance of services because of Services By:	Phone Result: Yes UNO Add'll Fax 件
Time: 50	REMARKS:
-00	Colate
Sample Condition Cool Intact	12
- Bus - Other:	No. 130. #10



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive processor. All clients including those for negligence and any other cause whateon analyses. All clients including those for negligence and any other cause whateon accounts of the consequential dama service. In one event shall Cardinal be liable for incidental or consequential dama services to an event shall Cardinal be liable for incidental or consequential dama services. The linguished By:  Relinquished By:  Date:  Relinquished By:  Circle One)  Cardinal's liability and client's exclusive whateon and services in the process of the consequential dama services. The linguished By:  Sampler - UPS - Bus - Other:	Company Name: Talon/LPE Project Manager: Ambar M. M. Texas/Ave. Address: 408 W. Texas/Ave. State: NM Z. City: Artesia Project **: 575-746-8768 Project Name: Lab 1.D.  Lab 1.D.  Sample I.D.  Sample I.D.  Sample I.D.  Sample I.D.  Sample I.D.
PLASE NOTE: Liability and Damages. Cardinally labelity and client's tricluses remosy for any same arising whether based in contract or tort, shall be firstled to the amount paid by the client for the applicable and saving and client included the based or negligence and any other made whatboever that be deemed without furnished. The provided in the applicable is registered to the preference of the provided in the applicable	State: NM Zip: 88210 Attn  Fax #: 575-746-8905  Project Owner: Dead Comp.  # CONTAINERS  GROUNDWATER  WASTEWATER  SOIL  OIL  SLUDGE  OTHER:
Incr., shall be firmled to the amount paid by the client for the cocked by Cardinal within 30 days after composition of the applicable so (use, or loss of profits incurred by Giert, its subcodaires, its of use, or loss of profits incurred by Giert, its subcodaires. It yes to yes, or loss of profits incurred by Giert, its subcodaires. It yes Phone Result: Yes Phone Result: Yes REMARKS:  On CHECKED BY:  (Initials)	P.O. #:  Company: Talon/LPE  Address:  Address:  City:  State: Zip:  Phone #:  PRESERV SAMPLING  OTHER:  DATE TIME  Chlorides
S □ No Add'i Phone #: S □ No Add'i Fax #:	ANALYSIS REQUEST



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

July 20, 2020

Rebecca Pons
Talon Artesia
408 West Texas Ave
Artesia, NM 88210
TEL:
FAX:

RE: Cotton Draw Unit 89 OrderNo.: 2007963

### Dear Rebecca Pons:

Hall Environmental Analysis Laboratory received 15 sample(s) on 7/18/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

anded

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-1'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:03:00 PM

 Lab ID:
 2007963-001
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Analyst: JMT

 Chloride
 1100
 60
 mg/Kg
 20
 7/19/2020 7:54:29 PM
 53808

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 16

Analytical Report
Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-1 N SW 1'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:06:00 PM

 Lab ID:
 2007963-002
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 ND
 60
 mg/Kg
 20
 7/19/2020 5:15:26 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-1 S SW 1'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:10:00 PM

 Lab ID:
 2007963-003
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 720
 60
 mg/Kg
 20
 7/19/2020 5:52:41 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 16

Lab Order 2007963

### Hall Environmental Analysis Laboratory, Inc.

Date Reported: 7/20/2020

CLIENT: Talon Artesia Client Sample ID: S-2 3'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:13:00 PM

 Lab ID:
 2007963-004
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL Qual Units
 DF Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Analyst: JMT

 Chloride
 190
 60
 mg/Kg
 20
 7/19/2020 6:05:05 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-2 N SW 3'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:15:00 PM

 Lab ID:
 2007963-005
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Analyst: JMT

 Chloride
 460
 60
 mg/Kg
 20
 7/19/2020 6:17:30 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 16

**CLIENT:** Talon Artesia

**Analytical Report** 

Lab Order **2007963**Date Reported: **7/20/2020** 

### Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: S-2 S SW 3'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:30:00 PM

 Lab ID:
 2007963-006
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 110
 60
 mg/Kg
 20
 7/19/2020 6:29:54 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-3 3'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:34:00 PM

 Lab ID:
 2007963-007
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 310
 60
 mg/Kg
 20
 7/19/2020 6:42:18 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-3 N SW 3'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:35:00 PM

 Lab ID:
 2007963-008
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 280
 60
 mg/Kg
 20
 7/19/2020 7:19:32 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: S-3 S SW 3'

**CLIENT:** Talon Artesia **Project:** Cotton Draw Unit 89 **Collection Date:** 7/16/2020 12:36:00 PM

2007963-009 Received Date: 7/18/2020 11:05:00 AM Lab ID: Matrix: SOIL

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS Analyst: J					st: <b>JMT</b>	
Chloride	320	60	mg/Kg	20	7/19/2020 7:31:57 PM	<i>l</i> 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank
- Е Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Limit

Page 9 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-4 0.5'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:38:00 PM

 Lab ID:
 2007963-010
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

Analyses	Result	RL Qı	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: <b>JMT</b>
Chloride	120	60	mg/Kg	20	7/19/2020 7:44:21 PM	1 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-4 W SW 0.5'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:41:00 PM

 Lab ID:
 2007963-011
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 \*\* Family St.\*\* JMT

 Chloride
 140
 60
 mg/Kg
 20
 7/19/2020 7:56:45 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 16

Lab Order 2007963

### Hall Environmental Analysis Laboratory, Inc.

Date Reported: 7/20/2020

CLIENT: Talon Artesia Client Sample ID: S-4 E SW 0.5'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:44:00 PM

 Lab ID:
 2007963-012
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 340
 61
 mg/Kg
 20
 7/19/2020 8:09:09 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 16

Lab Order 2007963

### Hall Environmental Analysis Laboratory, Inc. Date Reported: 7/20/2020

CLIENT: Talon Artesia Client Sample ID: S-1 A 2'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:50:00 PM

 Lab ID:
 2007963-013
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 200
 60
 mg/Kg
 20
 7/19/2020 8:21:34 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-2 A 2'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 12:54:00 PM

 Lab ID:
 2007963-014
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Analyst: JMT

 Chloride
 1000
 60
 mg/Kg
 20
 7/19/2020 8:33:59 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 16

Lab Order 2007963

Date Reported: 7/20/2020

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: S-3 A 2'

 Project:
 Cotton Draw Unit 89
 Collection Date: 7/16/2020 1:00:00 PM

 Lab ID:
 2007963-015
 Matrix: SOIL
 Received Date: 7/18/2020 11:05:00 AM

 Analyses
 Result
 RL
 Qual
 Units
 DF
 Date Analyzed
 Batch

 EPA METHOD 300.0: ANIONS
 Chloride
 88
 60
 mg/Kg
 20
 7/19/2020 8:46:24 PM
 53811

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 16

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2007963** 

20-Jul-20

Client: Talon Artesia

**Project:** Cotton Draw Unit 89

Sample ID: MB-53808 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 53808 RunNo: 70454

Prep Date: 7/19/2020 Analysis Date: 7/19/2020 SeqNo: 2449910 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-53808 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 53808 RunNo: 70454

Prep Date: 7/19/2020 Analysis Date: 7/19/2020 SeqNo: 2449911 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.0 90 110

Sample ID: MB-53811 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 53811 RunNo: 70458

Prep Date: 7/19/2020 Analysis Date: 7/19/2020 SeqNo: 2450132 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-53811 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 53811 RunNo: 70458

Prep Date: 7/19/2020 Analysis Date: 7/19/2020 SeqNo: 2450133 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.7 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 16



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

## Sample Log-In Check List

Client Name:	Talon Artes	sia	Work	Order Num	ber: 200	7963			RcptNo: 1
Received By:	Leah Bac	a	7/18/20	20 11:05:00	) AM		Last	Bace	2
Completed By:	Leah Bac	a	7/18/20	20 12:06:39	PM		1.1	Baca  Paca	
Reviewed By:	By 7	05/81/20					Law	June	
Chain of Cus	tody								
1. Is Chain of Cu	ustody comp	lete?			Yes	~	No		Not Present
2. How was the	sample deliv	ered?			Clie	<u>nt</u>			
Log In									
3. Was an attem	pt made to o	cool the sampl	es?		Yes	<b>V</b>	No		NA 🗆
4. Were all samp	les received	at a temperat	ure of >0° C t	to 6.0°C	Yes	<b>V</b>	No		NA 🗆
5. Sample(s) in p	oroper conta	iner(s)?			Yes	<b>V</b>	No		
6. Sufficient sam	ple volume f	or indicated te	st(s)?		Yes	<b>~</b>	No		
7. Are samples (e	except VOA	and ONG) pro	perly preserve	ed?	Yes	~	No		
8. Was preservat	tive added to	bottles?			Yes		No	<b>~</b>	NA 🗆
9. Received at lea	ast 1 vial wit	h headspace <	1/4" for AQ V	OA?	Yes		No		NA 🗹
10. Were any sam					Yes		No	<b>V</b>	
									# of preserved bottles checked
<ol> <li>Does paperwo (Note discrepa</li> </ol>					Yes	<b>V</b>	No		for pH: (<2 or >12 unless noted)
12. Are matrices c	orrectly iden	tified on Chair	of Custody?		Yes	<b>V</b>	No		Adjusted?
13. Is it clear what	analyses we	ere requested?	•		Yes	<b>~</b>	No		10 alvh
14. Were all holdir (If no, notify cu					Yes	<b>~</b>	No		Checked by: 4/18/20
Special Handli	ing (if app	olicable)							
15. Was client no			rith this order?		Yes		No		NA 🗹
Person	Notified:	- THE HOLY ROSE AND	MATERIAL CONTRACTOR	Date	T	12.30		and the same of	
By Who	m:			Via:	eM	ail 🔲	Phone	Fax	☐ In Person
Regardi	ng:	L. X. C. L. C.		ARCHITANTA MICHIGA			-		Carlo Contains and Contains
Client In	structions:		1-		-			-	P For British Commonwealth P produced 54 com
16. Additional rer	marks:								
17. Cooler Inform	mation								
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal D	ate	Signed	Ву	
1	5.0	Good							
2	5.2	Good							

HALL ENVIRONMENTAL ANALYSIS LABORATORY ANALYSIS LABORATORY Www.hallenvironmental.com www.hallenvironmental.com 1901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107	Request	(tr	PO₄, S	NO <sub>2</sub> ,	10 of tals	y 83 3 Me 3r, <i>N</i> (AO)	PAHs b RCRA 8 8260 (V 8270 (S Total Co													Bill directly to Devon Energy	Page 81 of	This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
4901 H			O / MR	AO / C	GB	12D(	\ X3T8 08:H9T 69 1808		-											Remarks:		oossibility. Any s
Rush 2RP-3198	70			Sinclair	V	50 0%	HEAL No.	-001	-000	- 003	h00-	-005	400-	+00-	-00%	-000	010-	-01	7	7 Date Time		
Turn-Around Time:  Standard Project Name:  Cofton Draw Project #:	700794.241.	Project Manager:	Rebecca Pons	Sampler: Branden	# of Coolers: (2)	Cooler Temp(including cF):	Container Preservative Type and # Type		)										-	Received by: Via:	Received by: Via: DC	contracted to other accredited labora
Client: Talon LPE  Mailing Address: 408 W Texas Aye	Phone #: 575-746-8768	email or Fax#:	QA/QC Package:  □ Standard  □ Level 4 (Full Validation)	Accreditation:   Az Compliance	(bed)		Date Time Matrix Sample Name	7-16-2012:03 50; [ 5-1 1	12:06   S-1 N SW 1'	12:10 S-1 S SW 1	12:13 5-2 3	12:(5   S-2 N SW 3	12:30 5-2 S SW 3'	12:34 5-3 3'	12:35 S-3 N SW 3	12:36 S-3 5 5W 3	12:38 5-4 0.5	12:41 5-4 W SW 0.5	14	Date: Time: Relinquished by:	Date: Time: Relinquished by:	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories.

Received by OCD: 2/7/2023	3 2:	1:43 PM										T				TI			Page 8	82 o	f 98
HALL ENVIRONMENTAL ANALYSIS LABORATORY www.hallenvironmental.com kins NE - Albuquerque, NM 87109 345-3975 Fax 505-345-4107																		Fherar	1	130168	analytical report.
IALL ENVIRONMENT INALYSIS LABORATO www.hallenvironmental.com ns NE - Albuquerque, NM 87109 5-3975 Fax 505-345-4107	Analysis Request	(JuesdA)			-imə	V) 0828 2) 0728 50 1810	8											Devon		- L	early notated on the a
E S S S S S S S S S S S S S S S S S S S	Inaly	<sup>†</sup> OS ' <sup>†</sup> Oc	NO <sup>s</sup> ' E	,£O									+					40			ill be cle
MANCE - WAY: NE - 505-345-3975	1					3 AADS															data w
ww kins		SMIS				d sHA												+			itracted
MALE ANA! www.h 4901 Hawkins NE Tel. 505-345-3975		Sao				9081 P. M) 803					_		_					0			op-qns
7el.		(OAM \ C								-		-	+		_			2	,		Any s
		(1208) 8								-	+	-	+	-		$\vdash$		Bill direct			ssibility
3	ALCOHOL:		T								$\dashv$	+	+	+		$\vdash$		2		10	this po
4-day Sume Dui 2RP-4186 W Unit #89			Chil	2	2,00 - 500 - 5	HEAL No.	-013	510-	1 C B								. Date Time	9	U Date Time	118/20 116	is. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
in i	4.241.01	lager:	randon Sin	(2)	D(including CF):	Preservative Type	92		7								Via:	MANIEN	Via: OW	2	ccredited laboratories.
Turn-Around T  Standard  Project Name:  Cofton  Project #:	700794.	Project Manager:	Sampler: Brandon	# of Coolers	Cooler Tem	Container Type and #	402 jar	>									Received by:	grun	Received by:	1 Och	ontracted to other a
n-of-Custo on LPE	Phone #: 575-746-8768	email or Fax#:  QA/QC Package:  ☐ Standard  ☐ Level 4 (Full Validation)	0.00			Date Time Matrix Sample Name		12:54 5-24 2	13:00 5-34 2								Date: Time: Relinquished by:	8		11/10 FIM) WANTUMAS	ii necessary, samples submitted to Hall Environmental may be subcontracted to other accred



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

August 12, 2020

Rebecca Pons
Talon Artesia
408 West Texas Ave
Artesia, NM 88210
TEL:
FAX:

RE: Devon Cotton Draw 89 CDU89 OrderNo.: 2008120

#### Dear Rebecca Pons:

Hall Environmental Analysis Laboratory received 8 sample(s) on 8/5/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Andyl

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 0'-1'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 12:51:00 PM

 Lab ID:
 2008120-001
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	1500	60	mg/Kg	20	8/7/2020 4:36:02 PM	54256
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst	BRM
Diesel Range Organics (DRO)	45	9.8	mg/Kg	1	8/7/2020 6:08:28 PM	54200
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	8/7/2020 6:08:28 PM	54200
Surr: DNOP	110	30.4-154	%Rec	1	8/7/2020 6:08:28 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	8/6/2020 3:31:26 PM	54195
Surr: BFB	100	75.3-105	%Rec	1	8/6/2020 3:31:26 PM	54195
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	8/6/2020 3:31:26 PM	54195
Toluene	ND	0.050	mg/Kg	1	8/6/2020 3:31:26 PM	54195
Ethylbenzene	ND	0.050	mg/Kg	1	8/6/2020 3:31:26 PM	54195
Xylenes, Total	ND	0.099	mg/Kg	1	8/6/2020 3:31:26 PM	54195
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	8/6/2020 3:31:26 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 2'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 12:53:00 PM

 Lab ID:
 2008120-002
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	JMT
Chloride	72	60	mg/Kg	20	8/7/2020 4:48:24 PM	54256
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	8/6/2020 5:48:54 PM	54200
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	8/6/2020 5:48:54 PM	54200
Surr: DNOP	88.9	30.4-154	%Rec	1	8/6/2020 5:48:54 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	8/6/2020 4:42:18 PM	54195
Surr: BFB	104	75.3-105	%Rec	1	8/6/2020 4:42:18 PM	54195
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.024	mg/Kg	1	8/6/2020 4:42:18 PM	54195
Toluene	ND	0.049	mg/Kg	1	8/6/2020 4:42:18 PM	54195
Ethylbenzene	ND	0.049	mg/Kg	1	8/6/2020 4:42:18 PM	54195
Xylenes, Total	ND	0.097	mg/Kg	1	8/6/2020 4:42:18 PM	54195
Surr: 4-Bromofluorobenzene	107	80-120	%Rec	1	8/6/2020 4:42:18 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 3'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 12:56:00 PM

 Lab ID:
 2008120-003
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	76	60	mg/Kg	20	8/7/2020 5:00:44 PM	54256
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	8/6/2020 5:59:04 PM	54200
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	8/6/2020 5:59:04 PM	54200
Surr: DNOP	87.1	30.4-154	%Rec	1	8/6/2020 5:59:04 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	8/6/2020 7:03:39 PM	54195
Surr: BFB	98.4	75.3-105	%Rec	1	8/6/2020 7:03:39 PM	54195
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst	: NSB
Benzene	ND	0.023	mg/Kg	1	8/6/2020 7:03:39 PM	54195
Toluene	ND	0.047	mg/Kg	1	8/6/2020 7:03:39 PM	54195
Ethylbenzene	ND	0.047	mg/Kg	1	8/6/2020 7:03:39 PM	54195
Xylenes, Total	ND	0.094	mg/Kg	1	8/6/2020 7:03:39 PM	54195
Surr: 4-Bromofluorobenzene	103	80-120	%Rec	1	8/6/2020 7:03:39 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 4'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 1:06:00 PM

 Lab ID:
 2008120-004
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	t: <b>JMT</b>
Chloride	1300	60	mg/Kg	20	8/7/2020 5:13:04 PM	54256
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analys	t: BRM
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	8/6/2020 6:09:17 PM	54200
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	8/6/2020 6:09:17 PM	54200
Surr: DNOP	97.6	30.4-154	%Rec	1	8/6/2020 6:09:17 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analys	t: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	8/6/2020 7:27:12 PM	54195
Surr: BFB	98.8	75.3-105	%Rec	1	8/6/2020 7:27:12 PM	54195
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.023	mg/Kg	1	8/6/2020 7:27:12 PM	54195
Toluene	ND	0.046	mg/Kg	1	8/6/2020 7:27:12 PM	54195
Ethylbenzene	ND	0.046	mg/Kg	1	8/6/2020 7:27:12 PM	54195
Xylenes, Total	ND	0.093	mg/Kg	1	8/6/2020 7:27:12 PM	54195
Surr: 4-Bromofluorobenzene	104	80-120	%Rec	1	8/6/2020 7:27:12 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 6'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 1:09:00 PM

 Lab ID:
 2008120-005
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	:: ЈМТ
Chloride	690	60	mg/Kg	20	8/7/2020 5:25:25 PM	54256
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	8/6/2020 6:19:16 PM	54200
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	8/6/2020 6:19:16 PM	54200
Surr: DNOP	101	30.4-154	%Rec	1	8/6/2020 6:19:16 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	8/6/2020 7:50:40 PM	54195
Surr: BFB	99.6	75.3-105	%Rec	1	8/6/2020 7:50:40 PM	54195
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.023	mg/Kg	1	8/6/2020 7:50:40 PM	54195
Toluene	ND	0.046	mg/Kg	1	8/6/2020 7:50:40 PM	54195
Ethylbenzene	ND	0.046	mg/Kg	1	8/6/2020 7:50:40 PM	54195
Xylenes, Total	ND	0.092	mg/Kg	1	8/6/2020 7:50:40 PM	54195
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	8/6/2020 7:50:40 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 8'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 1:08:00 PM

 Lab ID:
 2008120-006
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	210	60	mg/Kg	20	8/8/2020 1:09:37 PM	54277
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	8/6/2020 6:29:22 PM	54200
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	8/6/2020 6:29:22 PM	54200
Surr: DNOP	97.4	30.4-154	%Rec	1	8/6/2020 6:29:22 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	8/6/2020 8:14:13 PM	54195
Surr: BFB	98.8	75.3-105	%Rec	1	8/6/2020 8:14:13 PM	54195
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	8/6/2020 8:14:13 PM	54195
Toluene	ND	0.049	mg/Kg	1	8/6/2020 8:14:13 PM	54195
Ethylbenzene	ND	0.049	mg/Kg	1	8/6/2020 8:14:13 PM	54195
Xylenes, Total	ND	0.098	mg/Kg	1	8/6/2020 8:14:13 PM	54195
Surr: 4-Bromofluorobenzene	107	80-120	%Rec	1	8/6/2020 8:14:13 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: B-1 10'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 1:10:00 PM

 Lab ID:
 2008120-007
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	96	60	mg/Kg	20	8/8/2020 1:46:38 PM	54277
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	8/6/2020 6:39:26 PM	54200
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	8/6/2020 6:39:26 PM	54200
Surr: DNOP	98.1	30.4-154	%Rec	1	8/6/2020 6:39:26 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	8/6/2020 8:37:41 PM	54195
Surr: BFB	100	75.3-105	%Rec	1	8/6/2020 8:37:41 PM	54195
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.025	mg/Kg	1	8/6/2020 8:37:41 PM	54195
Toluene	ND	0.049	mg/Kg	1	8/6/2020 8:37:41 PM	54195
Ethylbenzene	ND	0.049	mg/Kg	1	8/6/2020 8:37:41 PM	54195
Xylenes, Total	ND	0.098	mg/Kg	1	8/6/2020 8:37:41 PM	54195
Surr: 4-Bromofluorobenzene	106	80-120	%Rec	1	8/6/2020 8:37:41 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 12

Date Reported: 8/12/2020

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia Client Sample ID: BG-1 0'-1'

 Project:
 Devon Cotton Draw 89 CDU89
 Collection Date: 8/3/2020 2:37:00 PM

 Lab ID:
 2008120-008
 Matrix: SOIL
 Received Date: 8/5/2020 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	MRA
Chloride	ND	60	mg/Kg	20	8/8/2020 1:58:58 PM	54277
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	17	9.8	mg/Kg	1	8/6/2020 6:49:26 PM	54200
Motor Oil Range Organics (MRO)	85	49	mg/Kg	1	8/6/2020 6:49:26 PM	54200
Surr: DNOP	101	30.4-154	%Rec	1	8/6/2020 6:49:26 PM	54200
EPA METHOD 8015D: GASOLINE RANGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	8/6/2020 9:01:07 PM	54195
Surr: BFB	99.4	75.3-105	%Rec	1	8/6/2020 9:01:07 PM	54195
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.024	mg/Kg	1	8/6/2020 9:01:07 PM	54195
Toluene	ND	0.047	mg/Kg	1	8/6/2020 9:01:07 PM	54195
Ethylbenzene	ND	0.047	mg/Kg	1	8/6/2020 9:01:07 PM	54195
Xylenes, Total	ND	0.095	mg/Kg	1	8/6/2020 9:01:07 PM	54195
Surr: 4-Bromofluorobenzene	106	80-120	%Rec	1	8/6/2020 9:01:07 PM	54195

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 12

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2008120** 

12-Aug-20

Client: Talon Artesia

**Project:** Devon Cotton Draw 89 CDU89

Sample ID: MB-54256 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **54256** RunNo: **70901** 

Prep Date: 8/7/2020 Analysis Date: 8/7/2020 SeqNo: 2470133 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-54256 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 54256 RunNo: 70901

Prep Date: 8/7/2020 Analysis Date: 8/7/2020 SeqNo: 2470135 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 91.9 90 110

Sample ID: MB-54277 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 54277 RunNo: 70937

Prep Date: 8/8/2020 Analysis Date: 8/8/2020 SeqNo: 2470842 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-54277 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 54277 RunNo: 70937

Prep Date: 8/8/2020 Analysis Date: 8/8/2020 SeqNo: 2470843 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 90.4 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 12

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2008120** 

12-Aug-20

Client: Talon Artesia

**Project:** Devon Cotton Draw 89 CDU89

Sample ID: LCS-54200 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 54200 RunNo: 70894

Prep Date: 8/5/2020 Analysis Date: 8/6/2020 SeqNo: 2469095 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 50 10 50.00 n 99.4 70 130 Surr: DNOP 4.5 5.000 90.4 30.4 154

Sample ID: MB-54200 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 54200 RunNo: 70894

Prep Date: **8/5/2020** Analysis Date: **8/6/2020** SeqNo: **2469098** Units: **mg/Kg** 

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 8.6 10.00 86.5 30.4 154

Sample ID: 2008120-001AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **B-1 0'-1'** Batch ID: **54200** RunNo: **70908** 

Prep Date: 8/5/2020 Analysis Date: 8/7/2020 SeqNo: 2472511 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 130 9.8 49.02 45.12 164 47.4 S 136 Surr: DNOP 5.0 4.902 103 30.4 154

Sample ID: 2008120-001AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **B-1 0'-1'** Batch ID: **54200** RunNo: **70908** 

Prep Date: 8/5/2020 Analysis Date: 8/7/2020 SeqNo: 2472512 Units: mg/Kg

Result SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte **PQL** Diesel Range Organics (DRO) 110 9.5 47.71 45.12 139 47.4 136 11.8 43.4 S Surr: DNOP 5.9 4.771 124 30.4 154 0 0

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 10 of 12

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2008120 12-Aug-20** 

Client: Talon Artesia

**Project:** Devon Cotton Draw 89 CDU89

Sample ID: 2008120-001ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: B-1 0'-1' Batch ID: 54195 RunNo: 70872 Units: mg/Kg Prep Date: 8/5/2020 Analysis Date: 8/6/2020 SeqNo: 2469358 Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 4.9 24.56 n 61.3 25 102 114 S Surr: BFB 1100 982.3 111 75.3 105

Sample ID: 2008120-001amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range Client ID: B-1 0'-1' Batch ID: 54195 RunNo: 70872 Prep Date: 8/5/2020 Analysis Date: 8/6/2020 SeqNo: 2469359 Units: mg/Kg HighLimit Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 4.8 24.02 n 108 61.3 114 3.20 20 S Surr: BFB 1100 960.6 113 75.3 105 0

Sample ID: LCS-54195 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 54195 RunNo: 70872 Prep Date: 8/5/2020 Analysis Date: 8/6/2020 SeqNo: 2469384 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result PQL LowLimit HighLimit Qual Gasoline Range Organics (GRO) 24 5.0 25.00 0 95.0 72.5 106 Surr: BFB 1100 1000 114 75.3 105 S

Sample ID: mb-54195 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 54195 RunNo: 70872 Units: mg/Kg Prep Date: 8/5/2020 Analysis Date: 8/6/2020 SeqNo: 2469386 SPK value SPK Ref Val %REC %RPD Analyte Result **PQL** LowLimit HighLimit **RPDLimit** Qual Gasoline Range Organics (GRO) ND 5.0 Surr: BFB 990 1000 98.8 75.3 105

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 12

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2008120** 

12-Aug-20

Client: Talon Artesia

**Project:** Devon Cotton Draw 89 CDU89

Sample ID: 2008120-002ams	SampT	ype: MS	3	TestCode: EPA Method 8021B: Volatiles									
Client ID: B-1 2'	Batch	n ID: <b>54</b> ′	195	F	RunNo: 7								
Prep Date: 8/5/2020	Analysis D	Date: 8/	6/2020	S	SeqNo: 2	469479	Units: mg/K	(g					
Analyte	Result	Result PQL SPK value SPK Ref Val %		%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	0.98	0.025	0.9804	0	100	76.3	120						
Toluene	1.0	0.049	0.9804	0	103	78.5	120						
Ethylbenzene	1.0	0.049	0.9804	0	106	78.1	124						
Xylenes, Total	3.1	0.098	2.941	0	106	79.3	125						
Surr: 4-Bromofluorobenzene	1.1		0.9804		107	80	120						

Sample ID: 2008120-002amsd	Sampl	ype: MS	SD .	l es	tCode: El	A Method	8021B: Volat	iles					
Client ID: B-1 2'	Batch	ID: <b>54</b> ′	195	RunNo: 70872									
Prep Date: 8/5/2020	Analysis D	ate: 8/0	6/2020	S	SeqNo: 24	469480	Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	0.91	0.024	0.9506	0	95.6	76.3	120	7.72	20				
Toluene	0.95	0.048	0.9506	0	99.8	78.5	120	5.76	20				
Ethylbenzene	0.98	0.048	0.9506	0	103	78.1	124	5.44	20				
Xylenes, Total	3.0	0.095	2.852	0	104	79.3	125	5.39	20				
Surr: 4-Bromofluorobenzene	1.0		0.9506		106	80	120	0	0				

Sample ID: LCS-54195	SampT	ype: LC	S	Tes	tCode: <b>E</b>	EPA Method 8021B: Volatiles									
Client ID: LCSS	Batcl	n ID: <b>54</b> 1	195	RunNo: <b>70872</b>											
Prep Date: 8/5/2020	Analysis D	ate: 8/0	6/2020	S	SeqNo: 24	469503	Units: mg/K	nits: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Benzene	0.93	0.025	1.000	0	93.3	80	120								
Toluene	0.94	0.050	1.000	0	94.4	80	120								
Ethylbenzene	0.96	0.050	1.000	0	96.0	80	120								
Xylenes, Total	2.9	0.10	3.000	0	96.2	80	120								
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120								

Sample ID: mb-54195	SampT	уре: <b>МЕ</b>	BLK	Tes	tCode: El	PA Method	8021B: Volat	tiles								
Client ID: PBS	Batcl	h ID: <b>54</b>	195	F	RunNo: 7	0872										
Prep Date: 8/5/2020	Analysis D	Date: 8/	6/2020	S	SeqNo: 2	469505	Units: mg/K	(g								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual						
Benzene	ND	0.025														
Toluene	ND	0.050														
Ethylbenzene	ND	0.050														
Xylenes, Total	ND	0.10														
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120									

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 12



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

## Sample Log-In Check List

Client Name:	Talon Artesia	Work Orde	r Number: 200	8120		RcptNo	: 1
Received By:	Juan Rojas	8/5/2020 8:0	0:00 AM		Hanay		
Completed By:	Juan Rojas	8/5/2020 8:2			Hanay	ym**	
Reviewed By:	40	8/5/20	0.13 AW		7 8		
Chain of Cus	<u>tody</u>						
1. Is Chain of Cu	-		Yes	<b>✓</b>	No 🗌	Not Present	
2. How was the	sample delivered?		Cou	<u>rier</u>			
<u>Log In</u>						_	
3. Was an attem	pt made to cool the s	amples?	Yes	<b>V</b>	No 🔲	NA 🗌	
4. Were all samp	oles received at a tem	perature of >0° C to 6.0	°C Yes	Ý	No 🗆	NA 🗆	
5. Sample(s) in p	proper container(s)?		Yes	<b>✓</b>	No 🗌		
6. Sufficient sam	ple volume for indicat	ed test(s)?	Yes	V	No 🗆		
7. Are samples (e	except VOA and ONG	i) properly preserved?	Yes	<b>✓</b>	No 🗌		
8. Was preservat	tive added to bottles?		Yes		No 🗸	NA 🗆	
9. Received at lea	ast 1 vial with headsp	ace <1/4" for AQ VOA?	Yes		No 🗌	NA 🗹	
10. Were any sam	ple containers receive	ed broken?	Yes		No 🗹	# of preserved	
	rk match bottle labels ncies on chain of cus		Yes	<b>✓</b>	No 🗆	bottles checked for pH:	>12 yaless noted)
	опеctly identified on (		Yes	<b>V</b>	No 🗆	Adjusted?	
	analyses were reque			<b>V</b>	No 🗔	7	
	ig times able to be me stomer for authorizati		Yes	<b>Y</b>	No 🗆	Checked by:	SPA 8.5, 20
Special Handli	ng (if applicable	<u>)</u>					
15. Was client not	ified of all discrepand	ies with this order?	Yes	Q	No 🗌	NA 🗹	
Person I	Notified:	E STATE OF THE STA	Date		2 2-A-A-MANAMANA AMERICAN		
By Whor	m;	www.co.s.co.co.co.co.co.co.co.co.co.co.co.co.co.	Via: eM	ail 🗌	Phone 🗌 Fax	☐ In Person	
Regardir	ng:	A Andrew Account of the Angel Control of the Angel				E TO THE PROPERTY OF THE PROPE	
Client In	structions:						
16. Additional rem	narks:						•
17. Cooler Inform	. 14						
Cooler No	Temp °C Condit	ion   Seal Intact   Seal	No Seal D	ate	Signed By		
2	0 Good 0.1 Good						
	0.1  Good						

			4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975		(O)	O <sup>†</sup> SIMS CBI <sup>‡</sup>	ОЯ 907 9 с.	IMT \ IMT \ 3808\a (1.40\overline{7} (28 10 2) (AC	GR 9bic 0r6 0r6 0r6 0r0 3r0 0r0 3r0 0r0 0r0 0r0 0r0 0r0 0r0	etho Metho Metho T, T	ETEX / BOS1 PER (M. PAHs by RCRA 8 POS70 (S. PAHs by RCRA 8 POS90 (V. PAHs by POS90 (V. PAHs by POS90 (V. PAHs by POS90 (		2001	-003	) hoo-	500-	100-	F00-	-00x // /     /     /   /   /   /			Hate Time Remarks: Please cc the following via email:  HOU   ID   Dadkins@talon[pe.com	Date Time Apons便tationipe.com Bsinclair@talonipe.com
Turn-Around Time: $\mathcal{H}$ - $\mathcal{D}$ a $\gamma$	☐ Standard □ Rush	١ -	Deson Cotton Draw of	Project #:	700 794, 241.01	Project Manager.	Rebecca Pons	<	Sampler: Roy/Se II	#off@olers: 📆	) —   1 • 0 · 10 · 10 · 10 · 10 · 10 · 10 · 1	r Preservative #	Ice/Cool	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						) ] ] ]			Redelived by: Via: Staff	Received by: Office Da
Chain-of-Custody Record	-PE	408 W Texas St	Artesia, NM 88210		575-441-0980	(575) 746-8905		☐ Level 4 (Full Validation)	☐ Az Compliance ☐ Other			Matrix Sample Name	R-1 0'-1'.	8-121	R-1 31	B+ 41'	0/ 2		A-1 10'	196-1 0'-1'			Relinquished by: Find Model	Relinquished by:
Chain	Client Talon LPE	408 W	Mailing Address:		Phone #: 575	email or Fax#:	QA/QC Package:	□ Standard	Accreditation:	□ EDD (Type)		4 6 6	20.51	( 12,53	72.4	90:1	1.09	80:1	0/:/	( 2:37			Date: Time:	Date: Time:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 183766

#### **CONDITIONS**

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	183766
	Action Type:
	[C-141] Release Corrective Action (C-141)

#### CONDITIONS

Created By	Condition	Condition Date
bhall	The site will need to meet the requirements of 19.15.29.13 NMAC at time of plugging and abandonment.	2/8/2023