



ENSOLUM

1. Continue with O & M schedule.
2. Submit next quarterly report by May 1, 2023.

January 13, 2023

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Fourth Quarter 2022 – SVE System Update

Lambe 2C
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NVF1836050592
Ensolum Project No. 07A1988008

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Fourth Quarter 2022 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Lambe 2C natural gas production well (Site), located in Unit H, Section 20, Township 31 North, and Range 10 West in San Juan County (Figure 1). Specifically, this report summarizes Site activities performed in October, November, and December of 2022 to the New Mexico Oil Conservation Division (NMOCD).

SVE SYSTEM SPECIFICATIONS

The current SVE system was installed at the Site in September 2021, with operation beginning on September 24, 2021. The SVE system is configured so vacuum is being applied to well MW01 (shown on Figure 2). SVE well MW01 is screened across the impacted soil interval from approximately 20 feet to 35 feet below ground surface (bgs). The SVE system consists of a 1 horsepower Atlantic Blower model AB-202/1 regenerative blower capable of producing 50 standard cubic feet per minute (scfm) flow and 30 inches of water column (IWC) vacuum. The layout of the SVE system and piping is shown on Figure 2.

FOURTH QUARTER 2022 ACTIVITIES

During the fourth quarter of 2022, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to ensure the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. During the fourth quarter of 2022, SVE well MW01 was operated in order to induce flow in impacted soil zone. Between October 3 and December 10, 2022, the SVE system operated for 1,606.8 hours for a runtime efficiency of 98.5 percent (%). Appendix B presents photographs of the runtime meter for calculating the fourth quarter runtime efficiency. Of note, the runtime meter for the SVE system was replaced on September 28, 2022 due to a failing readout screen on the original digital runtime meter. The new runtime meter was started

at 5:00 PM at zero hours. Table 1 presents the SVE system operational hours and calculated percent runtime.

A fourth quarter 2022 air sample was collected on December 12, 2022 from a sample port located between the SVE piping manifold and the SVE blower using a high vacuum air sampler. Prior to collection, the emission sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The emission sample was collected directly into two 1-Liter Tedlar® bags and submitted to Hall Environmental Analysis Laboratory (Hall) in Albuquerque, New Mexico for analysis of total volatile petroleum hydrocarbons (TVPH – also known as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processors Association (GPA) Method 2261. Table 2 presents a summary of analytical data collected during this sampling event and historical sampling events, with the full laboratory analytical report included in Appendix C.

Air sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, 284 pounds of TVPH have been removed by the system to date.

RECOMMENDATIONS


Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to ensure that the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report.

We appreciate the opportunity to provide this report to the New Mexico Oil Conservation Division. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,
Ensolum, LLC



Stuart Hyde, LG
Senior Geologist
(970) 903-1607
shyde@ensolum.com



Daniel R. Moir, PG
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Attachments:

Figure 1	Site Location
Figure 2	As Built Diagram
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Emissions Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions


Hilcorp Energy Company
Fourth Quarter 2022 – SVE System Update
Lambe 2C



Appendix A Field Notes
Appendix B Project Photographs
Appendix C Laboratory Analytical Reports



FIGURES



ENSOLUM
Environmental & Hydrogeologic Consultants

SITE LOCATION MAP


HILLCORP ENERGY COMPANY
LAMBE 2C

SENE SEC 20 T31N R10W, San Juan County, New Mexico
36.885735° N, 107.899592° W

PROJECT NUMBER: 07A1988008

FIGURE

1



AS BUILT DIAGRAM

HILCORP ENERGY COMPANY
LAMBE 2C

SENE SEC 20 T31N R10W, San Juan County, New Mexico
36.885855° N, 107.899525° W

PROJECT NUMBER: 07A1988008

FIGURE

2



TABLES



TABLE 1
SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS
Hilcorp Energy Company - Lambe 2C
San Juan County, New Mexico

Ensolum Project No. 07A1988008

Date	Total Operational Hours	Delta Hours	Days	Percent Runtime
10/3/2022	117.0	--	--	--
12/10/2022	1,723.8	1,606.8	68.0	98.5%



TABLE 2
SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS
 Hilcorp Energy Company - Lambe 2C
 San Juan County, New Mexico

Ensolum Project No. 07A1988008

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
9/25/2019 (1)	782	6.1	42	<5.0	56	--	--	--
10/14/2019 (1)	431	7.3	26	2.6	36	3,600	--	--
9/17/2021 (2)	78	<0.10	<0.10	<0.10	1.1	660	--	--
9/24/2021	97	<0.20	0.9	<0.20	4.3	880	--	--
12/2/2021	92	<0.20	2.3	0.6	6.5	300	22.1	0.288
3/15/2022	42	<0.1	<0.10	<0.10	0.5	41	22.1	0.249
6/16/2022	25	<0.10	0.51	0.14	1.4	110	21.6	0.28
9/28/2022 (3)	122	<0.10	<0.10	<0.10	<0.15	43	21.5	0.41
12/12/2022 (3)	16.9	0.72	8.2	0.51	6.5	170	21.7	0.30

Notes:

(1): sample collected during a Venturi event

(2): sample collected during pilot testing of the SVE system

(3): PID measurement collected during operation and maintenance visits on 9/21/2022 and 12/10/2022

GRO: gasoline range organics

µg/L: microgram per liter

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

%: percent

--: not sampled

<0.037: gray indicates result less than the stated laboratory reporting limit (PQL)



TABLE 3
SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS
 Hilcorp Energy Company - Lambe 2C
 San Juan County, New Mexico

Ensolum Project No. 07A1988008

Flow and Laboratory Analysis

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
9/24/2021	97	0.20	0.94	0.20	4.3	880
12/2/2021	92	0.20	2.3	0.59	6.5	300
3/15/2022	42	0.10	0.10	0.10	0.48	41
6/16/2022	25	0.10	0.51	0.14	1.4	110
9/28/2022 (1)	122	0.10	0.10	0.10	0.15	43
12/12/2022 (2)	17	0.72	8.20	0.51	6.50	170
Average	66	0.24	2.03	0.27	3.2	257

Vapor Extraction Summary

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
9/24/2021	51	4,590	4,590	0.000038	0.00018	0.000038	0.00082	0.17
12/2/2021	40	3,811,470	3,806,880	0.000030	0.00024	0.000059	0.00081	0.088
3/15/2022	40	9,329,550	5,518,080	0.000022	0.00018	0.000052	0.00052	0.026
6/16/2022	42	14,899,002	5,569,452	0.000016	0.000048	0.000019	0.00015	0.012
9/28/2022 (1)	44	20,888,106	5,989,104	0.000016	0.000050	0.000020	0.00013	0.013
12/10/2022 (2)	44	25,438,938	4,550,832	0.000067	0.00068	0.000050	0.00055	0.018
Average				0.000032	0.00023	0.000040	0.00050	0.054

Flow and Laboratory Analysis

Date	Total Operational Hours (3)	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
9/24/2021	1.5	1.5	0.000057	0.00027	0.000057	0.0012	0.25	0.00013
12/2/2021	1,588	1,586	0.047	0.38	0.094	1.3	140	0.070
3/15/2022	3,887	2,299	0.052	0.41	0.12	1.2	59	0.029
6/16/2022	6,097	2,210	0.035	0.11	0.042	0.33	26	0.013
9/21/2022 (1)	8,366	2,269	0.037	0.11	0.045	0.29	29	0.014
12/10/2022 (2)	10,089	1,724	0.12	1.2	0.087	0.94	30	0.015
Total Mass Recovery to Date			0.29	2.19	0.39	4.0	284	0.14

Notes:

(1): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 9/21/2022

(2): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 12/10/2022

(3): total operational hours are a summation of runtime hours collected from several blower runtime meters

cf: cubic feet

cfm: cubic feet per minute

µg/L: micrograms per liter

lb/hr: pounds per hour

--: not sampled

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

gray: laboratory reporting limit used for calculating emissions



APPENDIX A

Field Notes

LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORMDATE: 10-3
TIME ONSITE: _____O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>117.01</u>	<u>1432</u>
Inlet Vacuum (IWC)	<u>14</u>	
K/O Tank Vacuum (IWC)	<u>13</u>	
Inlet Flow Rotameter (scfm)	<u>43</u>	
Inlet PID	<u>57.8</u>	
Exhaust PID	<u>56.8</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____

SAMPLE TIME: _____

Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01		<u>35.2</u>		

COMMENTS/OTHER MAINTENANCE:

New hour meter



LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 10-19
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M		
SVE ALARMS:		
	KO TANK HIGH LEVEL	
SVE SYSTEM	READING	TIME
Blower Hours (take photo)	500.46	1407
Inlet Vacuum (IWC)	14	
K/O Tank Vacuum (IWC)	13	
Inlet Flow Rotameter (scfm)	44	
Inlet PID	30.6	
Exhaust PID	18.3	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:	
---------------------------	--

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01		18.1		

COMMENTS/OTHER MAINTENANCE:

Drained 4 gallons from KO tank.
Dried & cleaned air filter.



LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 11-5
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL _____

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	888.1	1602
Inlet Vacuum (IWC)	15	
K/O Tank Vacuum (IWC)	5	
Inlet Flow Rotameter (scfm)	43	
Inlet PID	57.82	
Exhaust PID	38.8	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)	2	
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01		35.29		

COMMENTS/OTHER MAINTENANCE:

Change in Well Operation: _____

Drained 199.04 fluid from KO tank

SAUNDERS
www.saunders-usa.com

**LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM**

DATE: 11-17-22
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M		
SVE ALARMS:		
	KO TANK HIGH LEVEL	
SVE SYSTEM	READING	TIME
Blower Hours (take photo)	1171.14	1157
Inlet Vacuum (IWC)	16	
K/O Tank Vacuum (IWC)	15	
Inlet Flow Rotameter (scfm)	46	
Inlet PID	179.5	
Exhaust PID	114.6	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)	19	
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01		163.4		

COMMENTS/OTHER MAINTENANCE:

System was off when I arrived, I had to drain some fluid from the KO tank before I could restart it.

LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 12-10
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	1723.84	1308
Inlet Vacuum (IWC)	15	
K/O Tank Vacuum (IWC)	14	
Inlet Flow Rotameter (scfm)	44	
Inlet PID	16.9	
Exhaust PID	12.53	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)	5	
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes:	TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01		11.86		

COMMENTS/OTHER MAINTENANCE:

SAUNDERS
www.saunders-usa.com

LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 12-21
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	1989.01	1435
Inlet Vacuum (IWC)	15	
K/O Tank Vacuum (IWC)	15	
Inlet Flow Rotameter (scfm)	44	
Inlet PID	19.02	
Exhaust PID	19.3	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)	15	
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:

--

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01		17.57		

COMMENTS/OTHER MAINTENANCE:



--



APPENDIX B

Project Photographs

PROJECT PHOTOGRAPHS
Lambe 2C
San Juan County, New Mexico
Hilcorp Energy Company

<p>Photograph 1</p> <p>Runtime meter taken on October 3, 2022 at 2:32 PM. A new runtime meter was installed on September 28, 2022 at 5:00 PM due to a faulty screen on the original meter. Hours = 117.01</p>	
<p>Photograph 2</p> <p>Runtime meter taken on December 10, 2022 at 1:08 PM Hours = 1723.82</p>	



APPENDIX C

Laboratory Analytical Reports



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

January 03, 2023

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX:

RE: Lambe 2C

OrderNo.: 2212737

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/13/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2212737

Date Reported: 1/3/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: SVE-1

Project: Lambe 2C

Collection Date: 12/12/2022 5:00:00 PM

Lab ID: 2212737-001

Matrix: AIR

Received Date: 12/13/2022 7:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	170	5.0		µg/L	1	12/19/2022 9:12:32 AM
Surr: BFB	290	15-380		%Rec	1	12/19/2022 9:12:32 AM
EPA METHOD 8260B: VOLATILES						Analyst: RAA
Benzene	0.72	0.10		µg/L	1	12/23/2022 5:24:17 PM
Toluene	8.2	0.10		µg/L	1	12/23/2022 5:24:17 PM
Ethylbenzene	0.51	0.10		µg/L	1	12/23/2022 5:24:17 PM
Methyl tert-butyl ether (MTBE)	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2,4-Trimethylbenzene	0.33	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,3,5-Trimethylbenzene	0.40	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2-Dichloroethane (EDC)	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2-Dibromoethane (EDB)	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Naphthalene	ND	0.20		µg/L	1	12/23/2022 5:24:17 PM
1-Methylnaphthalene	ND	0.40		µg/L	1	12/23/2022 5:24:17 PM
2-Methylnaphthalene	ND	0.40		µg/L	1	12/23/2022 5:24:17 PM
Acetone	ND	1.0		µg/L	1	12/23/2022 5:24:17 PM
Bromobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Bromodichloromethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Bromoform	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Bromomethane	ND	0.20		µg/L	1	12/23/2022 5:24:17 PM
2-Butanone	ND	1.0		µg/L	1	12/23/2022 5:24:17 PM
Carbon disulfide	ND	1.0		µg/L	1	12/23/2022 5:24:17 PM
Carbon tetrachloride	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Chlorobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Chloroethane	ND	0.20		µg/L	1	12/23/2022 5:24:17 PM
Chloroform	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Chloromethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
2-Chlorotoluene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
4-Chlorotoluene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
cis-1,2-DCE	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
cis-1,3-Dichloropropene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2-Dibromo-3-chloropropane	ND	0.20		µg/L	1	12/23/2022 5:24:17 PM
Dibromochloromethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Dibromomethane	ND	0.20		µg/L	1	12/23/2022 5:24:17 PM
1,2-Dichlorobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,3-Dichlorobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,4-Dichlorobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Dichlorodifluoromethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1-Dichloroethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1-Dichloroethene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	H	Holding times for preparation or analysis exceeded
	ND	Not Detected at the Reporting Limit
	PQL	Practical Quantitative Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.

B	Analyte detected in the associated Method Blank
E	Above Quantitation Range/Estimated Value
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 1 of 2

Analytical Report

Lab Order 2212737

Date Reported: 1/3/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: SVE-1

Project: Lambe 2C

Collection Date: 12/12/2022 5:00:00 PM

Lab ID: 2212737-001

Matrix: AIR

Received Date: 12/13/2022 7:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: RAA
1,2-Dichloropropane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,3-Dichloropropane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
2,2-Dichloropropane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1-Dichloropropene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Hexachlorobutadiene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
2-Hexanone	ND	1.0		µg/L	1	12/23/2022 5:24:17 PM
Isopropylbenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
4-Isopropyltoluene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
4-Methyl-2-pentanone	ND	1.0		µg/L	1	12/23/2022 5:24:17 PM
Methylene chloride	ND	0.30		µg/L	1	12/23/2022 5:24:17 PM
n-Butylbenzene	ND	0.30		µg/L	1	12/23/2022 5:24:17 PM
n-Propylbenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
sec-Butylbenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Styrene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
tert-Butylbenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1,1,2-Tetrachloroethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1,2,2-Tetrachloroethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Tetrachloroethene (PCE)	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
trans-1,2-DCE	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
trans-1,3-Dichloropropene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2,3-Trichlorobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2,4-Trichlorobenzene	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1,1-Trichloroethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,1,2-Trichloroethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Trichloroethene (TCE)	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Trichlorofluoromethane	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
1,2,3-Trichloropropane	ND	0.20		µg/L	1	12/23/2022 5:24:17 PM
Vinyl chloride	ND	0.10		µg/L	1	12/23/2022 5:24:17 PM
Xylenes, Total	6.5	0.15		µg/L	1	12/23/2022 5:24:17 PM
Surr: Dibromofluoromethane	84.1	70-130		%Rec	1	12/23/2022 5:24:17 PM
Surr: 1,2-Dichloroethane-d4	105	70-130		%Rec	1	12/23/2022 5:24:17 PM
Surr: Toluene-d8	104	70-130		%Rec	1	12/23/2022 5:24:17 PM
Surr: 4-Bromofluorobenzene	118	70-130		%Rec	1	12/23/2022 5:24:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	H	Holding times for preparation or analysis exceeded
	ND	Not Detected at the Reporting Limit
	PQL	Practical Quantitative Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.

B	Analyte detected in the associated Method Blank
E	Above Quantitation Range/Estimated Value
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 2 of 2



ANALYTICAL SUMMARY REPORT

December 30, 2022

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B22121289 Quote ID: B15626

Project Name: Not Indicated

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 12/15/2022 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B22121289-001	2212737-001B, SVE-1	12/12/22 17:00	12/15/22	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Not Indicated
Lab ID: B22121289-001
Client Sample ID: 2212737-001B, SVE-1

Report Date: 12/30/22
Collection Date: 12/12/22 17:00
Date Received: 12/15/22
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.68	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Nitrogen	78.02	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Carbon Dioxide	0.30	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Hexanes plus	<0.01	Mol %		0.01		GPA 2261-95	12/19/22 10:41 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
Hexanes plus	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
GPM Total	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj
GPM Pentanes plus	< 0.001	gpm		0.001		GPA 2261-95	12/19/22 10:41 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND		1		GPA 2261-95	12/19/22 10:41 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND		1		GPA 2261-95	12/19/22 10:41 / jrj
Pseudo-critical Pressure, psia	546		1		GPA 2261-95	12/19/22 10:41 / jrj
Pseudo-critical Temperature, deg R	240		1		GPA 2261-95	12/19/22 10:41 / jrj
Specific Gravity @ 60/60F	0.999		0.001		D3588-81	12/19/22 10:41 / jrj
Air, %	99.04		0.01		GPA 2261-95	12/19/22 10:41 / jrj

- The analysis was not corrected for air.

COMMENTS

-					-	12/19/22 10:41 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis.						

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental

Work Order: B22121289

Report Date: 12/30/22

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-95									Batch: R393977	
Lab ID: B22121289-001ADUP 12 Sample Duplicate									Run: GCNGA-B_221219A 12/19/22 11:12	
Oxygen		21.7	Mol %	0.01				0.0	20	
Nitrogen		78.0	Mol %	0.01				0.0	20	
Carbon Dioxide		0.30	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		<0.01	Mol %	0.01					20	
Lab ID: LCS121922 11 Laboratory Control Sample									Run: GCNGA-B_221219A 12/19/22 14:48	
Oxygen		0.58	Mol %	0.01	116	70	130			
Nitrogen		6.02	Mol %	0.01	100	70	130			
Carbon Dioxide		1.00	Mol %	0.01	101	70	130			
Methane		74.6	Mol %	0.01	100	70	130			
Ethane		6.04	Mol %	0.01	101	70	130			
Propane		5.01	Mol %	0.01	101	70	130			
Isobutane		1.99	Mol %	0.01	99	70	130			
n-Butane		1.99	Mol %	0.01	99	70	130			
Isopentane		1.01	Mol %	0.01	101	70	130			
n-Pentane		1.00	Mol %	0.01	100	70	130			
Hexanes plus		0.81	Mol %	0.01	101	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

Work Order Receipt Checklist

Hall Environmental

B22121289

Login completed by: Yvonna E. Smith

Date Received: 12/15/2022

Reviewed by: tedwards

Received by: Ilt

Reviewed Date: 12/20/2022

Carrier name: UPS

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	11.1°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

Contact and Corrective Action Comments:

None



CHAIN OF CUSTODY RECORD

PAGE: 1 OF: 1

Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975
FAX: 505-345-4107
Website: www.hallenvironmental.com

SUB CONTRACTOR: Energy Labs -Billings		COMPANY: Energy Laboratories		PHONE: (406) 869-6253	FAX: (406) 252-6069
ADDRESS: 1120 South 27th Street		ACCOUNT #:			
CITY, STATE, ZIP: Billings, MT 59107					
ITEM	SAMPLE	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	COLLECTION DATE
1	2212737-001B SVE-1		TEDLAR	Air	12/12/2022 5:00:00 PM
					# CONTAINERS
					1 Fixed Gases CO2, O2
ANALYTICAL COMMENTS					
B22121289					

SPECIAL INSTRUCTIONS / COMMENTS:

Please include the LAB ID and the CLIENT SAMPLE ID on all final reports. Please e-mail results to lab@hallenvironmental.com. Please return all coolers and blue ice. Thank you.

Relinquished By: <i>Iron</i>	Date: 12/13/2022	Time: 9:43 AM	Received By:	Date:	Time:	REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARD COPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By: <i>Anna Taylor</i>	Date: 12/15/22	Time: 8:20	
TAT: <input checked="" type="checkbox"/> Standard <input type="checkbox"/> RUSH			Next BD <input type="checkbox"/>	2nd BD <input type="checkbox"/>	3rd BD <input type="checkbox"/>	FOR LAB USE ONLY
Temp of samples _____ °C Attempt to Cool? _____						Comments: _____



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2212737

RcptNo: 1

Received By: Cheyenne Cason 12/13/2022 7:50:00 AM

Completed By: Isaiah Ortiz 12/13/2022 9:40:29 AM

Reviewed By: *[Signature]* 12-13-22

[Signature]
I-04

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted? _____

Checked by: *KPA 12.13.22*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 175949

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 175949
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	1. Continue with O & M schedule. 2. Submit next quarterly report by May 1, 2023.	2/28/2023