

Incident ID	nAPP2114636364
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>>100</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	nAPP2114636364
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: EHS Professional

Signature: Dale Woodall Date: 2/21/2023

email: dale.woodall@dnv.com Telephone: 405-318-4697

OCD Only

Received by: Jocelyn Harimon Date: 02/21/2023

Incident ID	nAPP2114636364
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: EHS Professional
Signature: Dale Woodall Date: 2/21/2023
email: dale.woodall@dvn.com Telephone: 405-318-4697

OCD Only

Received by: Jocelyn Harimon Date: 02/21/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



Pima Environmental Services
5614 N. Lovington Highway
Hobbs, NM 88240
575-964-7740

February 13, 2023

NMOCD District 2
 811 S. First Street
 Artesia, NM 88210

Re: Site Assessment, Remediation, and Closure Report
Fighting Okra 18 CTB 4
API No. N/A
GPS: Latitude 32.047990 Longitude -103.509606
UL -- C, 18, T26S, R34E
Lea County, NM
NMOCD Ref. No. NAPP2114636364

Pima Environmental Services, LLC. (Pima) has been contracted by Devon Energy Production Company, LP (Devon) to perform a spill assessment, remediation activities, and submit this closure report for a Produced Water release that occurred at the Fighting Okra 18 CTB 4 (Fighting Okra). The initial C-141 was submitted on June 8, 2021 (Appendix C). This incident was assigned Incident ID NAPP2114636364 by the New Mexico Oil Conservation Division (NMOCD).

Site Characterization

The Fighting Okra is located approximately nineteen (19) miles southwest of Jal, NM. This spill site is in Unit C, Section 18, Township 26S, Range 34E, Latitude 32.047990 Longitude -103.509606, Lea County, NM. Figure 1 references a Location Map.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is made up of Interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits. The soil in this area is made up of Pyote and Maljamar fine sands, 0 to 3 percent slopes according to the United States Department of Agriculture Natural Resources Conservation Service soil survey (Appendix B). The drainage class in this area is well drained. There is a low potential for karst geology to be present around the Fighting Okra (Figure 3).

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is 200 feet below grade surface (BGS). According to the United States Geological Survey (USGS), the nearest groundwater is 123 feet BGS. The closest waterway is Red Bluff Reservoir located approximately 24.64 miles to the southwest of this location. See Appendix A for referenced water surveys.

Table 1 NMAC and Closure Criteria 19.15.29

Depth to Groundwater (Appendix A)	Constituent & Limits				
	Chlorides	Total TPH	GRO+DRO	BTEX	Benzene
<50'	600 mg/kg	100 mg/kg		50 mg/kg	10 mg/kg
51-100'	10,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
>100'	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg

Reference Figure 2 for a Topographic Map.

Fighting Okra 18 CTB 4|Devon Energy

Release Information

NAPP2114636364: On May 25, 2021, The Vic clamp on a water heater caused a fluid release. The released fluids were calculated to be approximately 15.7 barrels (bbls) of produced water. No fluids were recovered.

Remediation Activities, Site Assessment, and Soil Sampling Results

On February 6, 2023, Pima mobilized personnel to the site to begin collecting soil samples from spill area. The laboratory results of this sampling event can be found in the following data table. A Site Map can be found in Figure 4.

2-6-23 Soil Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
DEVON ENERGY - FIGHTING OKRA 18 CTB 4								
Date Sampled: 2/6/2023		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	CI mg/kg
S-1	1'	ND	ND	ND	159	92.2	251.2	ND
	3'	ND	ND	ND	ND	ND	0	24.2
	4'	ND	ND	ND	ND	ND	0	ND
S-2	1'	ND	ND	ND	ND	ND	0	21.9
	3'	ND	ND	ND	ND	ND	0	67.3
	4'	ND	ND	ND	ND	ND	0	ND
S-3	1'	ND	ND	ND	29.8	ND	29.8	23.5
	3'	ND	ND	ND	ND	ND	0	123
	4'	ND	ND	ND	ND	ND	0	ND
S-4	1'	ND	ND	ND	56.3	ND	56.3	23.2
	3'	ND	ND	ND	ND	ND	0	41.1
	4'	ND	ND	ND	ND	ND	0	ND
S-5	1'	ND	ND	ND	ND	ND	0	251
	3'	ND	ND	ND	ND	ND	0	52.9
	4'	ND	ND	ND	ND	ND	0	ND
S-6	1'	ND	ND	ND	ND	ND	0	268
	3'	ND	ND	ND	ND	ND	0	151
	4'	ND	ND	ND	ND	ND	0	ND
SW 1	6"	ND	ND	ND	ND	ND	0	ND
SW 2	6"	ND	ND	ND	ND	ND	0	ND
SW 3	6"	ND	ND	ND	ND	ND	0	ND
SW 4	6"	ND	ND	ND	ND	ND	0	ND
BG 1	6"	ND	ND	ND	ND	ND	0	ND

ND- Analyte Not Detected

Complete laboratory reports can be found in Appendix E.

Based on the sample results, the bottoms and sidewalls were below NMOCD Closure Criteria 19.15.29 NMAC. See Appendix D for Photographic Documentation.

Closure Request

After careful review, Pima requests that this incident, NAPP2114636364 be closed. Devon has complied with the applicable closure requirements set forth in rule 19.15.19.12 NMAC.

Should you have any questions or need additional information, please feel free to contact Gio Gomez at 806-782-1151 or gio@pimaoil.com.

Respectfully,



Gio Gomez

Project Manager

Pima Environmental Services, LLC

Attachments

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Site Map

Appendices:

- Appendix A – Referenced Water Surveys
- Appendix B – Soil Survey and Geological Data
- Appendix C – C-141 Form
- Appendix D – Photographic Documentation
- Appendix E – Laboratory Reports



Pima Environmental Services

Figures:

1-Location Map

2-Topographic Map

3-Karst Map


4-Site Map

Fighting Okra 18 CTB 4

Devon Energy
Lea County, NM
Location Map

Legend

- Fighting Okra 18 CTB 4
- Jal




Google Earth

Fighting Okra 18 CTB 4

Devon Energy
Lea County, NM
Topographic Map

Legend

- Fighting Okra 18 CTB 4



Google Earth

Fighting Okra 18 CTB 4

Devon Energy
API: N/A
Lea County, NM
Karst Map


Legend

 Fighting Okra 18 CTB 4

 High Karst

 Low Karst

 Medium Karst




Fighting Okra 18 CTB 4

Devon Energy
Lea County, NM
Site Map

Legend

- BG-1
- ⊙ Samples
- Spill Area



Google Earth



Pima Environmental Services

Appendix A

Water Surveys:

OSE

USGS

Surface Water Map



New Mexico Office of the State Engineer

Water Column/Average Depth to Water



(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has been
replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
C_04626 POD1		CUB	LE	4	2	1	18	26S	34E	640644	3546672		25		
C_02295		CUB	LE	2	2	4	12	26S	33E	639865	3547624		1252	250	200 50
Average Depth to Water:													200 feet		
Minimum Depth:													200 feet		
Maximum Depth:													200 feet		

Record Count: 2

UTMNAD83 Radius Search (in meters):

Easting (X): 640668.52 **Northing (Y):** 3546663.25 **Radius:** 3000



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
 (quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
NA	C 04626 POD1	4	2	1	18	26S	34E	640644	3546672

Driller License: 1249 **Driller Company:** ATKINS ENGINEERING ASSOC. INC.

Driller Name: JACKIE ATKINS

Drill Start Date: 06/09/2022 **Drill Finish Date:** 06/09/2022 **Plug Date:**

Log File Date: 06/16/2022 **PCW Rev Date:** **Source:**

Pump Type: **Pipe Discharge Size:** **Estimated Yield:**

Casing Size: **Depth Well:** **Depth Water:**

Casing Perforations:	Top	Bottom
	0	55

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/10/22 7:28 AM

POINT OF DIVERSION SUMMARY



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- Explore the **NEW** [USGS National Water Dashboard](#) to access real-time data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for the Nation

* IMPORTANT: [Next Generation Station Page](#)

Search Results -- 1 sites found

site_no list =

- 320419103302202

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320419103302202 26S.34E.06.21414A

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°04'19", Longitude 103°30'22" NAD27

Land-surface elevation 3,329 feet above NAVD88

This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Chinle Formation (231CHNL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2021-06-02 11:58:04 EDT



0.6 0.52 nadww01




Fighting Okra 18 CTB 4

Devon Energy
API: N/A
Lea County, NM
Surface Water Map

Legend

-  24.64 Miles
-  Fighting Okra 18 CTB 4





Pima Environmental Services

Appendix B

Soil Survey & Geological Data

FEMA Flood Map

Wetlands Map

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Lea County, New Mexico

PU—Pyote and Maljamar fine sands

Map Unit Setting

National map unit symbol: dmqq

Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 12 inches

Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent

Maljamar and similar soils: 44 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote

Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand

Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High
(2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water capacity: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R042XC003NM - Loamy Sand
Hydric soil rating: No

Description of Maljamar

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand
Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 40 to 60 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water capacity: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: R042XC003NM - Loamy Sand
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 10 percent
Ecological site: R042XC022NM - Sandhills

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Hydric soil rating: No

Data Source Information


Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 17, Jun 8, 2020

National Flood Hazard Layer FIRMette



103°30'54"W 32°3'8"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 6/2/2021 at 12:05 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Wetlands Map



February 7, 2023

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Pima Environmental Services

Appendix C

C-141 Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped.	
<input type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: _____	Title: _____
Signature: <u>Kendra DeHoyos</u>	Date: _____
email: _____	Telephone: _____
<u>OCD Only</u>	
Received by: <u>Ramona Marcus</u>	Date: <u>6/8/2021</u>

NAPP2114636364

Spill Volume(Bbls) Calculator	
<i>Inputs in blue, Outputs in red</i>	
Contaminated Soil measurement	
Area (square feet)	Depth(inches)
<u>6154.176</u>	<u>0.250</u>
Cubic Feet of Soil Impacted	<u>128.212</u>
Barrels of Soil Impacted	<u>22.85</u>
Soil Type	Sand
Barrels of Oil Assuming 100% Saturation	<u>4.57</u>
Saturation	Fluid present with shovel/backhoe
Estimated Barrels of Oil Released	<u>4.57</u>
Free Standing Fluid Only	
Area (square feet)	Depth(inches)
<u>3000</u>	<u>0.250</u>
Standing fluid	<u>11.141</u>
Total fluids spilled	<u>15.712</u>

Incident ID	nAPP2114636364
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>>100</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2114636364
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: EHS Professional

Signature: Dale Woodall Date: 2/21/2023

email: dale.woodall@dnv.com Telephone: 405-318-4697

OCD Only

Received by: _____ Date: _____

Incident ID	nAPP2114636364
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: EHS Professional
Signature: Dale Woodall Date: 2/21/2023
email: dale.woodall@dvn.com Telephone: 405-318-4697

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Jennifer Nobui Date: 03/01/2023
Printed Name: Jennifer Nobui Title: Environmental Specialist A




Pima Environmental Services

Appendix D

Photographic Documentation



**SITE PHOTOGRAPHS
DEVON ENERGY
FIGHTING OKRA 18 CTB 4**







Pima Environmental Services

Appendix E

Laboratory Reports

Report to:
Tom Bynum



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Fighting Okra 18 CTB 4

Work Order: E302039

Job Number: 01058-0007

Received: 2/8/2023

Revision: 2

Report Reviewed By:

Walter Hinchman
Laboratory Director
2/14/23

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 2/14/23

Tom Bynum
PO Box 247
Plains, TX 79355-0247



Project Name: Fighting Okra 18 CTB 4
Workorder: E302039
Date Received: 2/8/2023 7:30:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 2/8/2023 7:30:00AM, under the Project Name: Fighting Okra 18 CTB 4.

The analytical test results summarized in this report with the Project Name: Fighting Okra 18 CTB 4 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
S1 - 1'	6
S1 - 3'	7
S1 - 4'	8
S2 - 1'	9
S2 -3'	10
S2 - 4'	11
S3 - 1'	12
S3 - 3'	13
S3 - 4'	14
S4 - 1'	15
S4 - 3'	16
S4 - 4'	17
S5 - 1'	18
S5 - 3'	19
S5 - 4'	20
S6 - 1'	21
S6 - 3'	22
S6 - 4'	23
SW1	24
SW2	25

Table of Contents (continued)

SW3	26
SW4	27
BG1	28
QC Summary Data	29
QC - Volatile Organics by EPA 8021B	29
QC - Nonhalogenated Organics by EPA 8015D - GRO	31
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	33
QC - Anions by EPA 300.0/9056A	35
Definitions and Notes	37
Chain of Custody etc.	38

Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	02/14/23 15:31

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
S1 - 1'	E302039-01A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S1 - 3'	E302039-02A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S1 - 4'	E302039-03A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S2 - 1'	E302039-04A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S2 - 3'	E302039-05A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S2 - 4'	E302039-06A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S3 - 1'	E302039-07A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S3 - 3'	E302039-08A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S3 - 4'	E302039-09A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S4 - 1'	E302039-10A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S4 - 3'	E302039-11A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S4 - 4'	E302039-12A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S5 - 1'	E302039-13A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S5 - 3'	E302039-14A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S5 - 4'	E302039-15A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S6 - 1'	E302039-16A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S6 - 3'	E302039-17A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
S6 - 4'	E302039-18A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
SW1	E302039-19A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
SW2	E302039-20A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
SW3	E302039-21A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
SW4	E302039-22A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.
BG1	E302039-23A	Soil	02/06/23	02/08/23	Glass Jar, 2 oz.



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S1 - 1'

E302039-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2306057	
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.9 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2306057	
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.6 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2306055	
Diesel Range Organics (C10-C28)	159	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	92.2	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	103 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: BA		Batch: 2306070	
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S1 - 3'

E302039-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.1 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.1 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	103 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	24.2	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S1 - 4'

E302039-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		93.5 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
		105 %	50-200	02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S2 - 1'

E302039-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		90.4 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
		104 %	50-200	02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	21.9	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S2 -3'

E302039-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.8 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.1 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	102 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	67.3	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S2 - 4'

E302039-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.4 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.2 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	105 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S3 - 1'

E302039-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		93.6 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	29.8	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
		104 %	50-200	02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	23.5	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S3 - 3'

E302039-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.2 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.1 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	102 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	123	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S3 - 4'

E302039-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.5 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.0 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	104 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S4 - 1'

E302039-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.5 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.5 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	56.3	25.0	1	02/09/23	02/09/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/09/23	
<i>Surrogate: n-Nonane</i>						
	104 %	50-200		02/09/23	02/09/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	23.2	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S4 - 3'

E302039-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.7 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.6 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	104 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	41.1	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S4 - 4'

E302039-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.8 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.2 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	105 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S5 - 1'

E302039-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.7 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.4 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	105 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	251	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S5 - 3'

E302039-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.8 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.6 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	104 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	52.9	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S5 - 4'

E302039-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.8 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.2 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	108 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S6 - 1'

E302039-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.1 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.4 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	104 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	268	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S6 - 3'

E302039-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.4 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.8 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	105 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	151	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

S6 - 4'

E302039-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.0 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.7 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	106 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

SW1

E302039-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.1 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.7 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	108 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

SW2

E302039-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Benzene	ND	0.0250	1	02/09/23	02/11/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/11/23	
Toluene	ND	0.0250	1	02/09/23	02/11/23	
o-Xylene	ND	0.0250	1	02/09/23	02/11/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/11/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/11/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.2 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306057
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/11/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.0 %	70-130		02/09/23	02/11/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306055
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	106 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306070
Chloride	ND	20.0	1	02/09/23	02/11/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

SW3

E302039-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306053
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		103 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306053
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		90.5 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306067
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
		103 %	50-200	02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306071
Chloride	ND	20.0	1	02/09/23	02/09/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

SW4

E302039-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306053
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		102 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306053
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		93.5 %	70-130	02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306067
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
		103 %	50-200	02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306071
Chloride	ND	20.0	1	02/09/23	02/09/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Fighting Okra 18 CTB 4
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
2/14/2023 3:31:16PM

BG1

E302039-23

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306053
Benzene	ND	0.0250	1	02/09/23	02/10/23	
Ethylbenzene	ND	0.0250	1	02/09/23	02/10/23	
Toluene	ND	0.0250	1	02/09/23	02/10/23	
o-Xylene	ND	0.0250	1	02/09/23	02/10/23	
p,m-Xylene	ND	0.0500	1	02/09/23	02/10/23	
Total Xylenes	ND	0.0250	1	02/09/23	02/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.4 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2306053
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/09/23	02/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.3 %	70-130		02/09/23	02/10/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2306067
Diesel Range Organics (C10-C28)	ND	25.0	1	02/09/23	02/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	02/09/23	02/10/23	
<i>Surrogate: n-Nonane</i>						
	107 %	50-200		02/09/23	02/10/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2306071
Chloride	ND	20.0	1	02/09/23	02/10/23	



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2306053-BLK1)

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.04		8.00		101	70-130			

LCS (2306053-BS1)

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	4.59	0.0250	5.00		91.8	70-130			
Ethylbenzene	4.46	0.0250	5.00		89.2	70-130			
Toluene	4.64	0.0250	5.00		92.7	70-130			
o-Xylene	4.62	0.0250	5.00		92.4	70-130			
p,m-Xylene	9.01	0.0500	10.0		90.1	70-130			
Total Xylenes	13.6	0.0250	15.0		90.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.95		8.00		99.4	70-130			

Matrix Spike (2306053-MS1)

Source: E302050-01

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	4.94	0.0250	5.00	ND	98.8	54-133			
Ethylbenzene	4.85	0.0250	5.00	ND	97.0	61-133			
Toluene	5.03	0.0250	5.00	ND	101	61-130			
o-Xylene	5.00	0.0250	5.00	ND	100	63-131			
p,m-Xylene	9.82	0.0500	10.0	ND	98.2	63-131			
Total Xylenes	14.8	0.0250	15.0	ND	98.8	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.92		8.00		99.0	70-130			

Matrix Spike Dup (2306053-MSD1)

Source: E302050-01

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	5.46	0.0250	5.00	ND	109	54-133	10.0	20	
Ethylbenzene	5.38	0.0250	5.00	ND	108	61-133	10.3	20	
Toluene	5.55	0.0250	5.00	ND	111	61-130	9.78	20	
o-Xylene	5.55	0.0250	5.00	ND	111	63-131	10.4	20	
p,m-Xylene	10.9	0.0500	10.0	ND	109	63-131	10.1	20	
Total Xylenes	16.4	0.0250	15.0	ND	109	63-131	10.2	20	
Surrogate: 4-Bromochlorobenzene-PID	7.94		8.00		99.2	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2306057-BLK1)

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.00		8.00		100	70-130			

LCS (2306057-BS1)

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	4.69	0.0250	5.00		93.7	70-130			
Ethylbenzene	4.66	0.0250	5.00		93.2	70-130			
Toluene	4.82	0.0250	5.00		96.5	70-130			
o-Xylene	4.83	0.0250	5.00		96.7	70-130			
p,m-Xylene	9.40	0.0500	10.0		94.0	70-130			
Total Xylenes	14.2	0.0250	15.0		94.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.04		8.00		100	70-130			

Matrix Spike (2306057-MS1)

Source: E302039-04

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	4.79	0.0250	5.00	ND	95.7	54-133			
Ethylbenzene	4.81	0.0250	5.00	ND	96.2	61-133			
Toluene	4.95	0.0250	5.00	ND	99.0	61-130			
o-Xylene	4.97	0.0250	5.00	ND	99.3	63-131			
p,m-Xylene	9.74	0.0500	10.0	ND	97.4	63-131			
Total Xylenes	14.7	0.0250	15.0	ND	98.0	63-131			
Surrogate: 4-Bromochlorobenzene-PID	8.07		8.00		101	70-130			

Matrix Spike Dup (2306057-MSD1)

Source: E302039-04

Prepared: 02/09/23 Analyzed: 02/10/23

Benzene	5.37	0.0250	5.00	ND	107	54-133	11.5	20	
Ethylbenzene	5.38	0.0250	5.00	ND	108	61-133	11.2	20	
Toluene	5.54	0.0250	5.00	ND	111	61-130	11.3	20	
o-Xylene	5.58	0.0250	5.00	ND	112	63-131	11.6	20	
p,m-Xylene	10.8	0.0500	10.0	ND	108	63-131	10.7	20	
Total Xylenes	16.4	0.0250	15.0	ND	109	63-131	11.0	20	
Surrogate: 4-Bromochlorobenzene-PID	8.04		8.00		101	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2306053-BLK1)

Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.66		8.00		95.7	70-130			

LCS (2306053-BS2)

Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	51.0	20.0	50.0		102	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.31		8.00		91.4	70-130			

Matrix Spike (2306053-MS2)

Source: E302050-01

Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	47.3	20.0	50.0	ND	94.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.41		8.00		92.6	70-130			

Matrix Spike Dup (2306053-MSD2)

Source: E302050-01

Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	52.0	20.0	50.0	ND	104	70-130	9.34	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.46		8.00		93.3	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2306057-BLK1) Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.16		8.00		89.5	70-130			

LCS (2306057-BS2) Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	50.0	20.0	50.0		100	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.40		8.00		92.5	70-130			

Matrix Spike (2306057-MS2) Source: E302039-04 Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	49.8	20.0	50.0	ND	99.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.62		8.00		95.2	70-130			

Matrix Spike Dup (2306057-MSD2) Source: E302039-04 Prepared: 02/09/23 Analyzed: 02/10/23

Gasoline Range Organics (C6-C10)	48.7	20.0	50.0	ND	97.4	70-130	2.14	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.47		8.00		93.4	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2306055-BLK1)					Prepared: 02/09/23 Analyzed: 02/09/23				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	52.7		50.0		105	50-200			

LCS (2306055-BS1)					Prepared: 02/09/23 Analyzed: 02/09/23				
Diesel Range Organics (C10-C28)	258	25.0	250		103	38-132			
Surrogate: n-Nonane	51.5		50.0		103	50-200			

Matrix Spike (2306055-MS1)					Source: E302039-01		Prepared: 02/09/23 Analyzed: 02/09/23		
Diesel Range Organics (C10-C28)	299	25.0	250	159	55.8	38-132			
Surrogate: n-Nonane	50.2		50.0		100	50-200			

Matrix Spike Dup (2306055-MSD1)					Source: E302039-01		Prepared: 02/09/23 Analyzed: 02/09/23		
Diesel Range Organics (C10-C28)	307	25.0	250	159	59.2	38-132	2.81	20	
Surrogate: n-Nonane	51.5		50.0		103	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2306067-BLK1)

Prepared: 02/09/23 Analyzed: 02/10/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	53.0		50.0		106	50-200			

LCS (2306067-BS1)

Prepared: 02/09/23 Analyzed: 02/10/23

Diesel Range Organics (C10-C28)	246	25.0	250		98.4	38-132			
Surrogate: n-Nonane	51.0		50.0		102	50-200			

Matrix Spike (2306067-MS1)

Source: E302052-09

Prepared: 02/09/23 Analyzed: 02/10/23

Diesel Range Organics (C10-C28)	246	25.0	250	ND	98.4	38-132			
Surrogate: n-Nonane	50.7		50.0		101	50-200			

Matrix Spike Dup (2306067-MSD1)

Source: E302052-09

Prepared: 02/09/23 Analyzed: 02/10/23

Diesel Range Organics (C10-C28)	258	25.0	250	ND	103	38-132	4.67	20	
Surrogate: n-Nonane	51.1		50.0		102	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2306070-BLK1)					Prepared: 02/09/23 Analyzed: 02/11/23				
Chloride	ND	20.0							
LCS (2306070-BS1)					Prepared: 02/09/23 Analyzed: 02/11/23				
Chloride	271	20.0	250		108	90-110			
Matrix Spike (2306070-MS1)					Source: E302039-01		Prepared: 02/09/23 Analyzed: 02/11/23		
Chloride	289	20.0	250	ND	116	80-120			
Matrix Spike Dup (2306070-MSD1)					Source: E302039-01		Prepared: 02/09/23 Analyzed: 02/11/23		
Chloride	287	20.0	250	ND	115	80-120	0.764	20	



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2023 3:31:16PM

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2306071-BLK1)					Prepared: 02/09/23 Analyzed: 02/09/23				
Chloride	ND	20.0							
LCS (2306071-BS1)					Prepared: 02/09/23 Analyzed: 02/09/23				
Chloride	264	20.0	250		105	90-110			
Matrix Spike (2306071-MS1)					Source: E302039-21		Prepared: 02/09/23 Analyzed: 02/09/23		
Chloride	266	20.0	250	ND	107	80-120			
Matrix Spike Dup (2306071-MSD1)					Source: E302039-21		Prepared: 02/09/23 Analyzed: 02/09/23		
Chloride	268	20.0	250	ND	107	80-120	0.610	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 4	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	02/14/23 15:31

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Project Information

Chain of Custody

Page 1 of 3

Client: Pima Environmental Services Project: <u>Fighting Oak Trail CTR</u> Project Manager: <u>Tom Bynum</u> Address: <u>5614 N. Lovington Hwy.</u> City, State, Zip: <u>Hobbs, NM, 88240</u> Phone: <u>580-748-1613</u> Email: <u>tom@pimaoil.com</u> Report due by:					Bill To Attention: <u>Devon</u> Address: City, State, Zip Phone: Email: Pima Project # <u>112-1</u>		Lab Use Only Lab WO# <u>E302039</u> Job Number <u>01058-0007</u>		TAT 1D 2D 3D Standard <u>X</u>				EPA Program CWA SDWA RCRA State NM CO UT AZ TX <u>X</u>	
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX	Remarks
2:00	2/6/23	S	1	S1-1'	1							X		
2:05				S1-3'	2									
2:10				S1-4'	3									
2:15				S2-1'	4									
2:20				S2-3'	5									
2:25				S2-4'	6									
2:30				S3-1'	7									
2:35				S3-3'	8									
2:40				S3-4'	9									
2:45				S4-1'	10									
Additional Instructions: <u>Billing # 21060804</u>														
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: <u>Audrina Benamides</u>														
Relinquished by: (Signature) <u>AB</u>		Date <u>2-7-23</u>	Time <u>2:00</u>	Received by: (Signature) <u>Michelle Cuyes</u>		Date <u>2-7-23</u>	Time <u>1500</u>	Lab Use Only Received on ice: <u>Y</u> / N						
Relinquished by: (Signature) <u>Michelle Cuyes</u>		Date <u>2-7-23</u>	Time <u>1750</u>	Received by: (Signature) <u>Lorena</u>		Date <u>2-7-23</u>	Time <u>1750</u>	T1 T2 T3						
Relinquished by: (Signature) <u>Lorena</u>		Date <u>2-7-23</u>	Time <u>2345</u>	Received by: (Signature) <u>Lucas</u>		Date <u>2/8/23</u>	Time <u>7:30</u>	AVG Temp °C <u>40</u>						
Sample Matrix: <u>S</u> - Soil, <u>Sl</u> - Solid, <u>Sg</u> - Sludge, <u>A</u> - Aqueous, <u>O</u> - Other														
Container Type: <u>g</u> - glass, <u>p</u> - poly/plastic, <u>ag</u> - amber glass, <u>v</u> - VOA														
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.														

Project Information

Chain of Custody

Page 2 of 3

Client: Pima Environmental Services					Bill To		Lab Use Only				TAT				EPA Program			
Project: <u>Fighting Okra 18 CB</u>					Attention: <u>Devon</u>		Lab WO#		Job Number		1D	2D	3D	Standard	CWA	SDWA		
Project Manager: Tom Bynum					Address:		<u>E 302039</u>		<u>01058-0007</u>					<input checked="" type="checkbox"/>				
Address: 5614 N. Lovington Hwy.					City, State, Zip		Analysis and Method										RCRA	
City, State, Zip: Hobbs, NM, 88240					Phone:		DRO/ORG by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0		BGDOC NM	BGDOC TX	State		
Phone: 580-748-1613					Email:											NM	CO	
Email: tom@pimaoil.com					Pima Project # <u>112-1</u>											UT	AZ	
Report due by:																TX		
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	Remarks												
2:50	2/6/23	S	1	SL-3'	11													
2:55				SL-4'	12													
3:00				SL-1'	13													
3:05				SL-3'	14													
3:10				SL-4'	15													
3:15				SL-1'	16													
3:20				SL-3'	17													
3:25				SL-4'	18													
3:30				SW1	19													
3:35				SW2	20													
Additional Instructions:																		
Billing Number: <u>21060804</u>																		
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: <u>Audriana Benamio</u>																		
Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.																		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Lab Use Only										
<u>AD</u>		2-7-23	2:00	<u>Michelle Cuyes</u>		2-7-23	1500	Received on ice: <input checked="" type="checkbox"/> Y / N										
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	T1 T2 T3										
<u>Michelle Cuyes</u>		2-7-23	1750	<u>Lorenzo Lei</u>		2-7-23	1750											
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	AVG Temp °C										
<u>Lorenzo Lei</u>		2-7-23	2345	<u>Quinn 2083</u>		2/8/23	7:30	4.0										
Sample Matrix: <u>S</u> - Soil, <u>Sd</u> - Solid, <u>Sg</u> - Sludge, <u>A</u> - Aqueous, <u>O</u> - Other																		
Container Type: <u>g</u> - glass, <u>p</u> - poly/plastic, <u>ag</u> - amber glass, <u>v</u> - VOA																		
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																		



Envirotech Analytical Laboratory

Printed: 2/8/2023 1:33:43PM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	02/08/23 07:30	Work Order ID:	E302039
Phone:	(575) 631-6977	Date Logged In:	02/08/23 09:46	Logged In By:	Caitlin Christian
Email:	tom@pimaoil.com	Due Date:	02/14/23 07:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: na

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 188787

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 188787
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Closure Report Approved. Please implement 19.15.29.13 NMAC when completing P&A.	3/1/2023