

Incident ID	nAPP2222961063
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ 85 _____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.


Incident ID	nAPP2222961063
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill

Title: Lead Environmental Specialist - Water

Signature:



Date: 02/21/2023

email: ABarnhill@chevron.com

Telephone: 432-687-7108

OCD Only

Received by: Jocelyn Harimon

Date: 02/28/2023

Incident ID	nAPP2222961063
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill _____ Title: Lead Environmental Specialist - Water _____
Signature: Amy Barnhill _____ Date: 02/21/2023 _____
email: ABarnhill@chevron.com _____ Telephone: 432-687-7108 _____

OCD Only

Received by: Jocelyn Harimon _____ Date: 02/28/2023 _____

☐ Approved ☒ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: Jennifer Nabui _____ Date: 03/08/2023 _____



2904 W 2nd St.
Roswell, NM 88201
voice: 575.624.2420
fax: 575.624.2421
www.atkinseng.com

February 1, 2023

#zeuspit_env_22

Mark Andersen

Permian Asset HSEQ Manager
TETRA Technologies Inc./Swiftwater Inc.
2401 N. CR 1287 Midland, TX 79701
Phone: 432.234.0179

SUBJECT: Amendment to Work Plan for the Dagger Lake Zeus Pond Release (nAPP2211527047 and nAPP2222961063), Lea County, New Mexico

Dear Mr. Anderson,

On behalf of Atkins Engineering Associates INC. (AEA) has prepared this amendment to the NMOCD denied Site Assessment and Remediation Work plan submitted October 28th, 2022. In order to gain NMOCD work approval of the remediation of the release of liquids related to oil and gas production activities at the DAGGER LAKE ZEUS POND. The site is in Unit P, Section 35, Township 21S, Range 32E, Lea County, New Mexico.

Table 1 summarizes release information and Site Criteria.

Table 1: Release Information and Closure Criteria			
Name	DAGGER LAKE ZEUS POND	Company	Chevron U.S.A., Inc
API Number		Location	32.427920, -103.637540;
Incident Number	nAPP2211527047 and nAPP2222961063		
Estimated Date of Release	4/9/22 and 8/12/22	Date Reported to NMOCD	4/9/22 and 8/12/22
Landowner	State	Reported To	NMOCD District 1
Source of Release	Chevron's Dagger Lake Zeus Pond due to a recirculation line becoming unstrapped. Approximately 10.16 barrels and 1,715.4 barrels, respectively, of produced water were released, and visible surface impact included a total of 141,958 square feet. Note, the second release encompassed the area impacted by the first release. During the August release, crews were able to quickly shut down operations and make repairs to the connection recovering 480 barrels.		
Released Volume	1715 bbls	Released Material	Produced Water
Recovered Volume	480 bbls	Net Release	1235 bbls
NMOCD Closure Criteria	>100 feet to groundwater		

Dagger Lake Zeus Pond
February 1, 2023

Page 2 of 4

1.0 Background

Release delineation activities were conducted by Envirotech from September 19 through 22, 2022, which included utilizing hand tools to advance soil borings in proximity of the release path to determine the horizontal and vertical extents of the release. Concurrently, Warrior Technologies was on-site daylighting subsurface pipelines belonging to Solaris and Enterprise

NMOCD rejected the previously submitted Site Assessment and Remediation Work plan (see Appendix C) on December 23, 2022. *NMOCD Environmental staff commented*, “Remediation Plan Denied. Soil blending is not allowed. The use of SA2000 requires a meeting with OCD to discuss proper procedures and protocols.”

Because the denial was based on the remedial method and not the Site assessment performed AEA decided to amend the previously submitted work plan.

2.0 Site Information and EM Survey

Electromagnetic surveying was used to accurately define the parameters or horizontal boundaries of the shallow soil investigation and determine the validity of the previous site assessment. A Geonics Ltd. EM-38 ground conductivity meter that has been factory calibrated was used on site to collect data.

Figure 1 attached is a product of the fixed-frequency EM method used to map variations in ground conductivity to identify anomalously conductive soils and infer changes in the soil characteristics and composition. This method used portable instrumentation consisting of a transmitter coil and a receiver coil. primary magnetic field from the transmitter coil induces subsurface eddy currents, which in turn generate a secondary magnetic field that is intercepted by the receiver coil. The ratio of the primary and secondary magnetic fields is related to ground conductivity represented as ECa in mS/m.

The conductivity values are not specific values from discrete depths; they are weighted averages of conductivity between the surface and the depth of exploration of the EM field and are termed “apparent conductivities”. The apparent conductivity values obtained are in units of millisiemens per meter (mS/m). The apparent conductivity (ECa) of the soil has been related to the paste extract conductivity {ECe} by the relationship $ECa = 5ECe$ (McNeill, 1986a). Table 2 (from McNeill, 1986a) illustrates this general relationship. Measurements are expressed in millisiemens/meter (mS/m).

Table 1: ECe to ECa Conversion

Soil Conductivity vs Salinity (from McNeill, 1986a)			
Salinity (NRCS)	ECe (mS/cm) (Lab)	ECa (mS/m) (EM-38)	Figure Color
NRCS Soil Background (site)	0-2	0-40	White to green
Slight	0-4	40-80	Yellow
Moderate	4-8	80-100	red
High	8-12	160-240	Purple

Dagger Lake Zeus Pond
February 1, 2023

Page 3 of 4

The table above shows the general correlation between laboratory soil saturated paste E_{Ce} and the apparent conductivity E_{Ca} measured by an EM unit. The Electromagnetic surveying confirmed the previously submitted release area and samples.

3.0 Proposed Remediation

Comparing the delineation performed by Envirotech with the horizontal extent provided by the EM Survey conducted by AEA. AEA proposes an excavation of caliche and native soil to remediate the impacted soils. The majority of the excavation will be less than two (2) feet except for sample areas TH-5, TH-7 and at the base of the Zeus Pit.

Figure 1 shows the extent of the proposed excavation and existing sample locations. All laboratory results are summarized in Table 3 (Envirotech report). Laboratory reports are included in Appendix D.

Figure 2 shows the large amount of intersecting underground and above ground utilities. AEA will facilitate a project 811 and will work directly with the area utility owners to remove as much contaminate mass as safety will allow.

All contaminated soil from the location will be hauled to a NMOCD approved facility (waste manifest will be available upon request).


4.0 Variance and Limitations

Atkins Engineering Associates INC. (AEA) request a sample variance request from 19.15.29.12.D.1.c. The post data collection activities outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000) via (VSP) show that closure sample collection at the five hundred (500) to eight hundred (800) square foot interval will still achieve the same 98% confidence interval as the standard two hundred square foot sampling plan. For these reasons AEA requests a closure sample interval of 500-800 square feet.

The scope of our services included: assessment sampling; verifying release stabilization; regulatory liaison; remediation; and preparing this scope of work. All work has been performed in accordance with generally accepted professional environmental consulting practices for oil and gas releases in the Permian Basin in New Mexico.

If there are any questions regarding this report, please contact Austin Weyant at 575-626-3993

Submitted by:
Atkins Engineering Associates INC

A handwritten signature in black ink, appearing to read "Austin Weyant", is written over a light blue horizontal line.

Austin Weyant
Geoscientist

Dagger Lake Zeus Pond
February 1, 2023

Page 4 of 4

ATTACHMENTS:

Figures:

Figure 1: ECa Raw EM Survey

Figure 2: Site ECa, sample locations and
utilities


Appendices:

Appendix A: Form C141

Appendix B: NMOSE Wells Report

Appendix C: Envirotech Site Assessment

FIGURES



ZEUS SWD #001

LEGEND

- WellGIS
- ZeusPit_EnvirotechSample




0 40 80 160
Scale: 1:1,000 Feet

ECa mS/cm

JOB No. zeuspit_env_22
DATE FIELD: 12/21/22 DRAWN JAW
DATE DRAWN: 1/26/2023 REVIEW LCM


Atkins
ENGINEERING ASSOCIATES

FIGURE 2 EM 38 ECa
Zeus Pit Release
Under Ground Utilities



LEGEND

- WellGIS
- Pipeline
- ZeusPit_EnvirotechSample



JOB No. zeuspit_env_22

DATE FIELD: 12/21/22 DRAWN JAW

DATE DRAWN: 1/26/2023 REVIEW LCM

APPENDIX A FORMS C141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2222961063
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Chevron USA	OGRID: 4323
Contact Name: Amy Barnhill	Contact Telephone: 432-687-7108
Contact email: ABarnhill@chevron.com	Incident # (assigned by OCD)
Contact mailing address: 6301 Deauville Blvd Midland, Tx 79706	

Location of Release Source

Latitude 32.4281 _____ Longitude -103.639114 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Dagger Lake Zeus Pond	Site Type: Water
Date Release Discovered: 8-12-22	API# (if applicable)

Unit Letter	Section	Township	Range	County
P	35	21S	32E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 1715.4 bbls	Volume Recovered (bbls) 480 bbls
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)


Cause of Release: Normal operation night shift pump operator put the pump to recirculate back into the pond and the recirculation line became unstrapped and began spilling on the berm.

Incident ID	nAPP2222961063
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? Over 25 bbls
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Amy Barnhill notified Mike Bratcher on 8-12-22 via email.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Amy Barnhill	Title: Water Specialist
Signature: 	Date: 8-17-22
email: ABarnhill@chevron.com	Telephone: 432-687-7108
<u>OCD Only</u>	
Received by: Jocelyn Harimon	Date: 08/18/2022

Incident ID	nAPP2222961063
District RP	
Facility ID	
Application ID	

Spill Calculations:

Area	Shape	Length in feet	Width in feet	Diameter (for circular)	Standing Depth in inches	Depth in Soil in inches	Standing Volume	In Soil Volume	Total Volume
1	Rectangle	187.00	187.00		1.000	2.000	519.02	155.71	674.72
2	Rectangle	174.60	174.60		2.000	2.000	904.94	135.74	1040.68

Total Volume BBLs 1715.40

APPENDIX B

NMOSE WELLS REPORT

RECORD OF SEISMIC SHOTHOLE

0 - 20	Sand
20 - 160	Red shale
160 - 205	Hard blue shale

Company ShellL.S. Elev. 3696Prospect Delaware BasinDepth to K. 20 TcLine S-63Elev. of K 3676 TcS. P. No. 961CONFIDENTIAL DATADriller Austin Parish

Data Obtained by _____

Date Drilled 7-29-53

Template position _____

RECORD OF SEISMIC SHOT HOLE

0 - 100 ✓ Sandy Shale 2
100 - 200 Red Bed

Company ShellProspect Delaware BasinLine S-43 ✓S. P. No. 829 ✓Driller AndersonDate Drilled 5-16-53L. S. Elev. 3675 ✓Depth to K. 100 ? ✓Elev. of K 3575 ? ✓CONFIDENTIAL DATA

Data Obtained by _____

Template position _____

RECORD OF SEISMIC SHOTHOLE

0 - 60 Caliche
60 - 130 Red Clay

*An electric log for this hole indicates that the top of the Triassic was encountered at a depth of 71 feet (elevation 3603).

Company Humble

Prospect Bell Lake

Line 27

S. P. No. 850

Driller _____

Date Drilled 8/25/58

L. S. Elev. _____ 3674

Depth to K. _____ Rc 60

Elev. of K _____ Rc *3614

CONFIDENTIAL DATA

Data Obtained by USGS

Template position _____

RECORD OF SEISMIC SHOT HOLE

00 - 130 Red Clay
00 - 00 Caliche

*An electric log for this hole indicates that the top of the Triassic was encountered at a depth of 71 feet (elevation 3033).

Line of hole No #3014
Depth to 10' No 00
L.S. Elev 3014

CONFIDENTIAL DATA

Date Obtained by URG

Temple position

Company - Wyandale
Project - Bell Lake
Line
S. P. No. 050
Diller
Date Collected 02/28/23

RECORD OF SEISMIC SHOTHOLE

0 - 80 Sand
80 - 205 Blue shale

Company ShellProspect Delaware BasinLine S-63S. P. No. 960Driller Ray AdkisonDate Drilled 7-29-53L. S. Elev. 3667Depth to K. 80Elev. of K 3587CONFIDENTIAL DATA

Data Obtained by _____

Template position _____

RECORD OF SEISMIC SHOTHOLE

0 - 65 ✓ Sand
65 - 160 Red Shale
160 - 290 Red Bed

Company ShellProspect Delaware BasinLine S-43 ✓S. P. No. 830 ✓Driller AdkisonDate Drilled 6-16-53L.S. Elev. 3655 ✓Depth to K. 65 ✓Elev. of K 3590 ✓CONFIDENTIAL DATA

Data Obtained by _____

Template position _____

RECORD OF SEISMIC SHOT HOLE

0 - 50	Sand
50 - 130	Blue shale
130 - 205	Red shale

Company Shell

Prospect Delaware Basin

Line S-63

S. P. No. 959

L. S. Elev.	<u>3662</u>
Depth to K.	<u>50</u>
Elev. of K.	<u>3612</u>

CONFIDENTIAL DATA

Driller Austin Parish Date Obtained by _____

Date Drilled 7-29-53 Template position _____

RECORD OF SEISMIC SHOTHOLE

0 - 40' Sand
40 - 145 Blue Clay & Shale
145 - 185 Red Clay

*An electric log for this hole indicates that the top of the Triassic was encountered at a depth of 56?feet (elevation 3600?)

Company Humble
Prospect Bell Lake
Line 27
S. P. No. 852

L. S. Elev.	<u>3656</u>
Depth to K.	<u>40</u> <u>7c</u>
Elev. of K	<u>*3616</u> <u>7c</u>

CONFIDENTIAL DATA

Driller _____ Data Obtained by USGS
Date Drilled 8/25/58 Template position _____

RECORD OF SEISMIC SHOTHOLE

145 - 105 Red Clay
 150 - 145 Blue Clay & Shale
 155 - 145 Sand

*In electric log for this hole indicates that the top of the Triassic was encountered at a depth of 5000' (elevation 3000')

Company	Example	Line	2 P. No. 852
Project	Bell Lake		
Depth to K.	10'		
Elev. of K.	3016		
Log Elev.	3050		

COMPILED DATA

Date obtained by USGS



Template position

Date Dated 8/23/58

APPENDIX C

ENVIROTECH SITE ASSESSMENT

Site Characterization and Remediation Plan



Dagger Lake Zeus Pond

Incident # nAPP2211527047 and nAPP2222961063

Unit P, Section 35, T21S, R32E

Lea County, New Mexico

October 28, 2022

Amended By J.Austin Weyant 1/23/23, nothing added or altered only striked out

Mark Andersen
Permian Asset HSEQ Manager
TETRA Technologies/Swiftwater
2401 North County Road 1287
Midland, Texas 79701
Phone: (432) 234-0179
E-mail: mandersen@tetrattec.com



Practical Solutions for a Better Tomorrow
Arizona • Colorado • New Mexico • Texas • Utah

Table of Contents

**Tetra Technologies - Swiftwater
Dagger Lake Zeus Pond Produced Water Release
Site Characterization and Remediation Plan
Incident # nAPP2222961063 and nAPP2211527047
Unit P, Section 35, T21S, R32E
Lea County, New Mexico**

LOCATION.....	1
BACKGROUND	1
SURFACE AND GROUND WATER.....	1
REGULATORY STANDARDS	1
SITE CHARACTERIZATION-DELINEATION.....	2
Field Screening	2
Confirmation Soil Sampling	3
Laboratory Analytical Results.....	3
SITE CHARACTERIZATION CONCLUSION	3
REMEDIATION PLAN	4
Alternative Method	4
Site Stabilization and Restoration	5
Site Closure.....	5
Schedule	5

Figures: Figure 1, Vicinity Map
 Figure 2, Site Map

Tables: Table 1, Summary of Soil Analytical Results

Appendices: Appendix A, Siting Criteria Documentation
 Appendix B, Field Notes
 Appendix C, Site Photography
 Appendix D, Laboratory Analytical Reports
 Appendix E, SA-2000 Documentation

Page Left Intentionally Blank

Location

The subject site is identified as the Dagger Lake Zeus Pond Produced Water Spill and is located within Unit P, Section 35, Township 21 South, Range 32 East, Lea County, New Mexico. The site location is further described as beginning at 32.428384, -103.640087 and terminating at 32.427920, -103.637540; see **Figure 1, Vicinity Map**.

Background

The subject site includes two (2) separate incidents, one on April 9, 2022, and another on August 12, 2022. Both incidents included a release of produced water from Chevron's Dagger Lake Zeus Pond due to a recirculation line becoming unstrapped. Approximately 10.16 barrels and 1,715.4 barrels, respectively, of produced water were released, and visible surface impact included a total of 141,958 square feet. Note, the second release encompassed the area impacted by the first release. During the August release, crews were able to quickly shut down operations and make repairs to the connection recovering 480 barrels.

Surface and Ground Water

Based on information provided by the United States Department of Agriculture Natural Resources Conservation Service (NRCS) Web Soil Survey, the predominant soil at the site is Pyote loamy fine sand. Depth to a restrictive feature is reported to be greater than 80 inches.

The subject site is 0.15 miles north of a groundwater monitoring water well (C04566). The depth to well is recorded at 110 feet in September 2021 and was dry. The spill site and groundwater well are relatively similar in elevation (3-foot differential); therefore, depth to water at the subject site is estimated to be greater than 100 feet below ground surface (bgs). The subject site is also within a low karst occurrence area, and distance to the nearest water course is over 1,226 south of the spill site. Siting criteria documentation for the subject spill site is provided in **Appendix A, Siting Documentation**.

Regulatory Standards

Based on the release being mostly confined to the upper 4 feet, the closure criteria for the site were based on the following reclamation standards provided in 19.15.29.13 NMAC:

Constituent	Method	Limit
Chloride	EPA 300.0	600 mg/kg
Total Petroleum Hydrocarbons (TPH)	EPA Method 8015D	100 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA Method 8021B	50 mg/kg
Benzene	EPA Method 8021B	10 mg/kg

For contaminant concentrations greater than 4 feet bgs, the following release closure criteria from 19.15.29.12 NMAC are applicable:

Constituent	Method	Limit
Chloride	EPA 300.0	20,000 mg/kg
Total Petroleum Hydrocarbons (TPH)	EPA Method 8015D	2,500 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA Method 8021B	50 mg/kg
Benzene	EPA Method 8021B	10 mg/kg

Site Characterization-Delineation

Release delineation activities were conducted from September 19 through 22, 2022, which included utilizing hand tools to advance soil borings in proximity of the release path to determine the horizontal and vertical extents of the release. Concurrently, Warrior Technologies was on-site daylighting subsurface pipelines belonging to Solaris and Enterprise.

Field Screening

To direct delineation activities, field screening for volatile organic compounds (VOCs) was conducted with a photo-ionization detector (PID) organic vapor meter (OVM). Prior to performing field screening activities, the PID-OVM was first calibrated with 100 parts per million (ppm) isobutylene gas. Soil samples were also screened in the field for TPH per United States Environmental Protection Agency (EPA) Method 418.1 using an Infracal Total Oil and Grease (TOG)/TPH Analyzer. A three-point calibration was completed prior to conducting soil screening. Field screening protocol followed the manufacture's operating procedures. Samples were also field screened for chlorides using a Hach Chloride Test Kit. Field screening results are provided in **Appendix B, Field Notes**.

Confirmation Soil Sampling

Three (3) surface soil samples were collected off-site, in undisturbed locations (BG-1, BG-2, and BG-3). The three (3) soil samples were used to provide background chloride concentrations for future remediation efforts. Additionally, six (6) surface, grab samples were collected within the visible release path, including in proximity to the source (GS-1 through GS-6). These samples were used to determine if VOCs and TPH could be used as indicators for the release delineation, or if chloride would be the contaminant of concern for this site. These initial samples were field screened as well as collected for laboratory analysis.

A total of eighteen (18) test holes (TH) were excavated in proximity of the spill path. Two samples were collected for laboratory analysis from each test hole. All soil samples collected for laboratory analysis, were placed into an individual laboratory provided 2-ounce jar, capped head space free, and transported on ice to Envirotech Analytical Laboratory under strict chain of custody. The soil sample locations are illustrated in **Figure 2, Site Map** and in **Appendix C, Site Photography**.

Laboratory Analytical Results

The soil samples were analyzed per analytical methods referenced in 19.15.29.12 NMAC. Laboratory results indicate VOCs and TPH are below laboratory detection limits and regulatory standards throughout the spill path, at all depths analyzed. Chloride is the contaminant of concern for the subject release and concentrations ranged from <20.0 mg/kg in several samples to 9,360 mg/kg in TH-1 @ S (0-0.25 ft bgs). Analytical results are summarized in **Table 1, Summary of Soil Analytical Results** and **Appendix D, Laboratory Analytical Report**.

Site Characterization Conclusion

The original spill path was mapped out by Tetra Technologies (Tetra) representatives, and the flow path was used to guide horizontal delineation efforts. Field screening and laboratory samples, indicate the impacted surface area is smaller than the original spill path mapped by Tetra. The impacted area measures 43,452.56 square feet, while the original spill report recorded 141,958 square feet of impacted surface.

Based on field screening and confirmation samples collected, petroleum hydrocarbons are not considered contaminants of concern, only chloride. The majority of the chloride contamination is contained within the upper 2 feet of the impact area, with the exception of a small area in proximity to TH-3 and TH-5; and around TH-7 and TH-14.

Based on field screening and laboratory analytical results, the total depth for remediation in these small areas will likely be extended to 4 feet bgs.

Remediation Plan

The spill footprint includes the April and August 2022 releases and is estimated to be 43,452.56 square feet to an average depth of 1 to 2 feet. Therefore, it is estimated that approximately 1,609 – 3,300 cubic yards of soil has been impacted. To successfully mitigate chloride contamination, and to protect public health and the environment, Tetra/Chevron proposes the following remediation plan:

Based on the delineation field screening and laboratory analytical results for chloride, the contaminated soil will be removed to approximately 2.0 feet bgs along the entire spill path. Field screening using a ~~Hach Chloride Test Kit~~ will guide the excavation extents. Where chloride contamination was confirmed above regulatory standard at 2 feet bgs, excavation will continue until field screening results indicate chloride contamination has been removed.

The excavation will be deemed complete when field screening levels indicates chloride contamination is below the applicable regulatory standard of 600 mg/kg in samples screened within the upper 4 feet. All contaminated soil will be transported off site to a NMOCD approved disposal facility.

~~Alternative Method~~

~~To expedite the remediation project, mitigate heavy truck traffic, and provide a cost-effective solution, an alternative to the traditional dig and haul is proposed. Treatment of the soil utilizing 3 Tier Technologies' SA-2000 and in-situ soil blending is the proposed alternative method for impacted soil at depths greater than 2-foot bgs. Once the heavily impacted surficial soil is removed from the spill path, the spill path will be treated with SA-2000 per manufacturers application rate. Manufacturer rate recommendation is 64 ounces of concentrate per cubic yard of material. The product is diluted in clean water at a ratio of 13 to 1. Further information regarding SA-2000 is provided in **Appendix E**.~~

~~The soil horizon representative of 2 to 3 feet will be blended with the soil horizon representative of 3 to 4 feet bgs. The treatment zone will be allowed to rest for 30 days, which is the anticipated timeline for the SA-2000 to be effective.~~

~~A sampling notification will be submitted to NMOCD after the 30-day treatment period, and confirmation soil samples, representing 500 square feet, will be collected within the treatment zone.~~

Site Stabilization and Restoration

Upon completion of the remediation excavation, an NMOCD 48-hour notice will be submitted for confirmation sampling for contaminants of concern. Tetra is requesting a variance to the 200 square foot confirmation sampling requirement for the area to be excavated, which would require over 217 base samples within the excavation footprint. Tetra proposes increasing the confirmation sampling size to 5-point composite soil samples representative of 500 square feet for the base and sidewalls of the excavation. Five-point composite soil samples will be collected and analyzed for chloride only. Initial characterization results indicate that petroleum hydrocarbons are not a contaminant of concern at the subject spill site. If laboratory analytical results indicate the concentration of chloride is below 600 mg/kg in the upper 4 feet of the impacted area, the site will be backfilled with non-impacted soil.

Site Closure

Upon completion of the remediation activities, Tetra will submit a Form C-141/Closure to the NMOCD, including the Closure Report Attachment Checklist. The site will be reclaimed in accordance with 19.15.29.13 NMAC.

Schedule

The proposed schedule for the remediation excavation is estimated to be 45-65 days. This schedule is dependent on the availability of transport and the distance of the disposal facility from the subject site. This does not include confirmation sampling, laboratory analysis, and closure report preparation.


Figures



Figure 1, Vicinity Map
~~Figure 2, Site Map~~



Practical Solutions for a Better Tomorrow



Copyright:© 2013 National Geographic Society, i-cubed

Legend


 Site Location

Figure 1, Vicinity Map

Tetra Tech
Zeus Pit- Remediation Excavation
Section 35, Township 21S, Range 32E
Eddy County, New Mexico
32.4281270, -103.6391739
Project #21016-0003



Environmental Scientists and Engineers
5796 U.S Highway 64
Farmington, New Mexico 87401
505.632.0615

Date Drawn: 08/18/2022
Drawn by: C. Todacheenie

Tables



Table 1, Summary of Soil Analytical Results



Practical Solutions for a Better Tomorrow

Table 1, Summary of Soil Analytical Results
Dagger Lake Zeus Pond
Site Characterization and Remediation Plan
Unit P, Section 35, Township 21S, Range 32E
Lea County, New Mexico
Incident #nAPP2222961063

Laboratory Sample ID	Date	Sample Description	EPA Method 8015			EPA Method 8021		EPA Method 300.0
			GRO	DRO	ORO	Benzene	Total BTEX	Chlorides
NMOCD Remediation Closure Criteria (Table 1 - 19.15.29.13 NMAC)			100 mg/kg			10 mg/kg	50 mg/kg	600 mg/kg
NMOCD Release Closure Criteria (Table 1 - 19.15.29.12 NMAC)			1,000/2,5000			10 mg/kg	50 mg/kg	20,000 mg/kg
BG-1	9/19/2022	Surface (0.0 - 0.25 ft)	N/A	N/A	N/A	N/A	N/A	<20.0
BG-2			N/A	N/A	N/A	N/A	N/A	142
BG-3			N/A	N/A	N/A	N/A	N/A	<20.0
GS-1			<20.0	<25.0	<50.0	<0.0250	<0.100	4,960
GS-2			<20.0	42.4	<50.0	<0.0250	<0.100	40.5
GS-3			<20.0	<25.0	<50.0	<0.0250	<0.100	1,450
GS-4			<20.0	<25.0	<50.0	<0.0250	<0.100	60.4
GS-5			<20.0	<25.0	<50.0	<0.0250	<0.100	54.2
GS-6			<20.0	<25.0	<50.0	<0.0250	<0.100	31.2
TH-1 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	9,630
TH-1 @ 2'	9/21/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	160
TH-2 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	7,450
TH-2 @ 4'	9/21/2022	4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	104
TH-3 @ 4'	9/21/2022	4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	614
TH-3 @ 8'	9/21/2022	8 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	589
TH-4 @ 2'	9/21/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	1,150
TH-4 @ 4'	9/21/2022	4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	24.2
TH-5 @ 2'	9/21/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	2,510
TH-5 @ 4'	9/21/2022	4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	2,500
TH-6 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	41.8
TH-6 @ 2'	9/21/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	32
TH-7 @ 2'	9/21/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	3,780
TH-7 @ 8'	9/21/2022	8 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	632
TH-8 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-8 @ 2'	9/21/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-9 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-9 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-10 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	1,850
TH-10 @ 4'	9/22/2022	4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	210
TH-11 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-11 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	26.9
TH-12 @ S	9/20/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-12 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	22.8
TH-13 @ S	9/21/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-13 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	21.0
TH-14 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	5,070
TH-14 @ 8'	9/22/2022	8 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	590
TH-15 @ S	9/21/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-15 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	23.8
TH-16 @ S	9/21/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-16 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-17 @ S	9/21/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-17 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-18 @ S	9/22/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0
TH-18 @ 2'	9/22/2022	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0

N/A - Not Analyzed; BGS - below ground surface

Appendix A



Siting Criteria




Practical Solutions for a Better Tomorrow

Site Name:	Chevron Dagger Lake Zeus Pond			
API #:				
Lat/Long:	32.4281270, -103.6391739			
TRS:	Unti P Sec35 T21S R32E			
Land Jurisdiction:	Federal			
County:	Lea			
Wellhead Protection Area Assessment				
Water Source Type (well/spring/stock pond)	ID	Latitude	Longitude	Distance
Distance to Nearest Significant Watercourse				
1,226 feet (south of spill site to San Simon Swale)				
Depth to Groundwater Determination				
Cathodic Report/Site Specific Hydrogeology				
Elevation Differential	spill site is 3 feet lower than water well			
Water Wells	C04566 (9/2021); Dry hole at 110 feet; 0.15 miles from spill site			
Sensitive Receptor Determination				
<300' of any continuously flowing watercourse or any other significant watercourse	No			
<200' of any lakebed, sinkhole or playa lake (measured from the Ordinary High Water	No			
<300' of an occupied permanent residence, school, hospital, institution or church	No			
<500' of a spring or private/domestic water well used by <5 households for domestic or stock watering purposes	No			
<1000' of any water well or spring	No			
Within incorporated municipal boundaries or within a defined municipal fresh water well	No			
<300' of a wetland	No			
Within the area overlying a subsurface mine	No			
Within an unstable area	No			
Within a 100-year floodplain (Zone D - risk unknown)	No			
DTW Determination	≤50 <input type="checkbox"/>	50-100 <input type="checkbox"/>	>100 <input checked="" type="checkbox"/>	
Benzene	10	10	10	
BTEX (mg/kg)	50	50	50	
8015 TPH (GRO/DRO) (mg/kg)	Not Applicable	1,000	1,000	
8015 TPH (GRO/DRO/MRO) (mg/kg)	100	2,500	2,500	
Chlorides (mg/kg)	600	10,000	20,000	



Practical Solutions of a Better Tomorrow



Measurement



| Feet ▾

Measurement Result

1,226.8 Feet

Clear

Press CTRL to enable snapping

32.4281270, -103.6391739 X

Show search results for 32.428...

CP-01701-POD1

C-04566-POD1

1:9027

0.2km

App State

Click to restore the map extent and layers visibility where you left off



New Mexico Office of the State Engineer

Transaction Summary

EXPL Permit To Explore





Transaction Number: 703676 Transaction Desc: C 04566 POD1 File Date: 08/02/2021

Primary Status: PMT Permit
 Secondary Status: APR Approved
 Person Assigned: *****

Applicant: ADVANCED ENERGY PARTNERS
 Contact: BRADEN HARRIS


x

Events

	Date	Type	Description	Comment	Processed By
 get images	08/02/2021	APP	Application Received	*	*****
	08/11/2021	FTN	Finalize non-published Trans.		*****
 get images	08/12/2021	TEC	Technical Report	*PLG PLAN POD1	*****
 get images	10/22/2021	LOG	Well Log Received	*	*****
 get images	10/22/2021	LGI	Well Log Image	*PLG RECORD C-	*****
	10/27/2021	DRY	Dry well log received		*****
	11/10/2021	QAT	Quality Assurance Completed	DATA	*****
	11/16/2021	QAT	Quality Assurance Completed	IMAGE	*****

x

Water Right Information

WR File Nbr	Acres	Diversion	Consumptive	Purpose of Use
C 04566	0	0		MON MONITORING WELL
**Point of Diversion				
C 04566 POD1		627930	3588524	

x

Remarks

"ANDERSON FEDERAL. A SOIL BORING TO DETERMINE DEPTH UP TO 110 FEET. TEMPORARY PVC WELL MATERIAL WILL BE PLACED TO TOTAL DEPTH AND SECURED AT SURFACE. TEMPORARY WELL WILL BE IN PLACE FOR MINIMUM OF 72 HOURS. IF GROUND WATER IS ENCOUNTERED

THE BORING WILL BE PLUGGED IMMEDIATELY USING AUGERS AS TREMIE TO LAND A SLURRY OF PORTLAND TYPE I/II NEAT CEMENT LESS THAN 6.0 GALLONS OF WATER PER 94 LB SACK. IF NO WATER IS ENCOUNTERED THEN DRILL CUTTINGS WILL BE USED TO (10) TEN FEET OF-

LAND SURFACE AND PLUGGED USING HYDRATED BENTONITE."

x

National Flood Hazard Layer FIRMMette



103°38'40"W 32°25'57"N



0 250 500 1,000 1,500 2,000 Feet 1:6,000

























103°38'2"W 32°25'27"N

Released to Imaging: 3/8/2023 12:23:44 PM

Basemap: USGS National Map: Orthoimagery: Data refreshed October, 2020

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
OTHER AREAS OF FLOOD HAZARD		Regulatory Floodway
		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
OTHER AREAS		Area with Flood Risk due to Levee Zone D
		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard Zone D
		Channel, Culvert, or Storm Sewer
OTHER FEATURES		Levee, Dike, or Floodwall
		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
MAP PANELS		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **10/5/2022 at 4:58 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Conditions

- 1A Depth of the well shall not exceed the thickness of the valley fill.
- 4 No water shall be appropriated and beneficially used under this permit.
- B The well shall be drilled by a driller licensed in the State of New Mexico in accordance with 72-12-12 NMSA 1978. A licensed driller shall not be required for the construction of a well driven without the use of a drill rig, provided that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter.
- C The well driller must file the well record with the State Engineer and the applicant within 30 days after the well is drilled or driven. It is the well owner's responsibility to ensure that the well driller files the well record. The well driller may obtain the well record form from any District Office or the Office of the State Engineer website.
- 6 The well authorized by this permit shall be plugged completely using the following method per Rules and Regulations Governing Well Driller Licensing, Construction, Repair and Plugging of Wells; Subsection C of 19.27.4.30 NMAC unless an alternative plugging method is proposed by the well owner and approved by the State Engineer upon completion of the permitted use. All pumping appurtenance shall be removed from the well prior to plugging. To plug a well, the entire well shall be filled from the bottom upwards to ground surface using a tremie pipe. The bottom of the tremie shall remain submerged in the sealant throughout the entire sealing process; other placement methods may be acceptable
- 7 The Permittee shall utilize the highest and best technology available to ensure conservation of water to the maximum extent practical.
- P The well shall be constructed, maintained, and operated to prevent inter-aquifer exchange of water and to prevent loss of hydraulic head between hydrogeologic zones.
- Q The State Engineer retains jurisdiction over this permit.
- R Pursuant to section 72-8-1 NMSA 1978, the permittee shall allow the State Engineer and OSE representatives entry upon private property for the performance of their respective duties, including access to the ditch or acequia to measure flow and also to the well for meter reading and water level measurement.
- 16 Construction of a water well by anyone without a valid New Mexico Well Driller License is illegal, and the landowner shall bear the cost of plugging the well by a licensed New Mexico well driller. This does not apply to driven wells, the casing of which does not exceed two and three-eighths inches outside diameter.

Action of the State Engineer

**** See Image For Any Additional Conditions of Approval ****

Approval Code: A - Approved

Action Date: 08/11/2021

Log Due Date: 08/11/2022

State Engineer: John R. D Antonio,

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/6/22 1:36 PM

TRANSACTION
SUMMARY

Appendix B

Field Notes



Practical Solutions for a Better Tomorrow

Project # 21016-0003

CLIENT: <u>TETRA TECH</u>		Envmtl. Spclst: <u>K. SANCHEZ / AFOUZE</u>
CLIENT/JOB #: <u>21016-0003</u>		Onsite: 8:00 Offsite: 16:00
DATE: <u>9-19-22</u>	505-632-0615 1-800-362-1879	LAT: <u>32.42813</u>
WEATHER: (TEMP, CONDITIONS) <u>67° SUNNY</u>	5796 US Highway 64	LONG: <u>-103.63917</u>
JSA TIME: <u>8:10</u>	Farmington, NM 87401	

Purpose/Objective: (include project narrative for daily work; be sure to include site conditions at end of day)

- DELINEATE RELEASE @ ZEUS PIT FOR TETRA TECH.
- HYDROVAL TO DAYLIGHT SOLARIS AND ENTERPRISE LINES

EOD - HYDROVALLED AREAS BARRICADED W/ T-POSTS AND CAUTION TAPE.
WILL BE ON SITE TUESDAY 9.20.22 @ 8:00.

LOCATION:	Name: <u>ZEUS PT SWD</u>	Well #: <u>1</u>	API: <u>30-025-44243</u>
	County: <u>LEA</u>	State: <u>NM</u>	HWY-MM: _____
Cause of Release: <u>BROKEN LINE TO PIT</u>	Material Released: <u>PRODUCED WATER</u>	Amt. Released: <u>~750 BBLs</u>	
QUAD/UNIT: <u>P</u>	SEC: <u>35</u>	TWP: <u>21S</u>	RNG: <u>32E</u> PM: _____
Spill Located Approximately: <u>15</u> FT.	FROM (fixed landmark) <u>TOP OF BERM</u>		
Excavation Approx: _____ FT. X _____ FT. X _____ FT.	Volume (cy/tons): _____		
Disposal Facility: _____			
Land Use/Well Status <u>ACTIVE</u>	Land Owner: <u>PRIVATE/STATE BLM</u>		
REGULATORY AGENCY: <u>NMOLD</u>	CLOSURE STDs: <u>TPH-100 BTEX-10 CI-600</u>		
ADDITIONAL CLOSURE REQUIREMENTS:			

SAMPLE NAME	TIME COLLECTED	DESCRIPTION (lat/long or location)	TPH			VOC		Chloride	Lab
			TIME	READING	CAL ppm	TIME	PID/OV ppm	mg/kg	Y/N
200/500/1250 Standards	10:59 / 11:00 / 11:04		184	482	1221				
B6-1	10:06	SURFACE						<30	Y
B6-2	10:31	"						230	Y
B6-3	10:35	"						<30	Y
GS-1	11:02	"	11:14	4	16	11:16	0.0	4808	Y
GS-2	11:26	"	11:41	5	20	11:40	0.0	<298	Y
GS-3	13:20	"						1458	Y
GS-4	13:40	"						74	Y
GS-5	14:22	"						50	Y
GS-6	15:10	"						30	Y


Notes: SAFETY MEETING CONCLUDED @ 9:54. ENVIROTECH, TETRA TECH, ENTERPRISE, WARRIOR, SOLARIS ATTENDING. ALL AGREED W/ PLAN.
15:00 - CONFIRMED W/ GABRIEL (WARRIOR) TO BE ON SITE AFTER SPEAKING TO YANCY-ENTERPRISE (11:50)
WARRIOR TO BE ON SITE @ 11:00 (9-20).

Location: ZEUS PIT
Project # 21016-0003

Date: 7.19.22

SITE PERIMETER: Draw a schematic of the spill site. Attach photos and other diagrams as needed.

DIMENSIONS: LENGTH, WIDTH, DEPTH



EXCAVATION OVERVIEW:

LAT/LONG MAIN POINTS AND SAMPLE LOCATIONS SEE ATTACHED MAP FOR LOCATIONS

BG-1 ~~32.4285470~~ ~~-103.6393071~~ 32.4285037 -103.6702962

BG-2 ~~32.4283008~~ ~~-103.6388474~~ 32.4277297 -103.6393071

BG-3 32.4276304 -103.6376762

GS-1 32.4285470 -103.6393071

GS-2 32.4283008 -103.6388474

GS-3 32.4283061 -103.6390788

GS-4 32.4284728 -103.6392484

GS-5 32.4282204 -103.6386241

GS-6 32.4280489 -103.6377886

~~GS-7~~
~~GS-8~~ } NOT COLLECTED

EXCAVATION PROFILE VIEWS:


Sample Name:

Sample Name:

Sample Name:

Sample Name:

Location: CE 003
Project # 21016-0003

CLIENT: <u>TETRA TECH</u>	 envirotech	Envmtl. Spclst: <u>K. SANCHEZ/A. FOUTZ</u>
CLIENT/JOB #: <u>21016-0003</u>		Onsite: <u>8:00</u> Offsite: <u>17:15</u>
DATE: <u>9.20.22</u>	505-632-0615 1-800-362-1879	LAT: <u>32.4281270</u>
WEATHER: (TEMP, CONDITIONS) <u>74° SUNNY</u>	5796 US Highway 64	LONG: <u>-103.6391739</u>
JSA TIME: <u>8:22</u>	Farmington, NM 87401	

Purpose/Objective: (include project narrative for daily work; be sure to include site conditions at end of day)

DELINEATE ZEUS SPILL W/ BORE HOLES, 1ST HORIZONTALLY, 2ND VERTICALLY,
HYDROVAL ENTERPRISE LINE ON SOUTH END OF EXCAVATION.

EOD: - ALL NEW HYDROVAL HOLES MARKED AND TAPED W/ T-POSTS AND YELLOW TAPE.
(16:52) CALLED JUAN W/ WARRIOR TO LET HIM KNOW WE DO NOT NEED ~~THE~~ WARRIOR TOMORROW (9-21).
YANCY W/ ENTERPRISE OFF-SITE @ 17:04. WARRIOR STILL ON SITE WHEN ENVIROTECH PERSONNEL LEFT.

LOCATION:	Name: <u>ZEUS SWD</u>	Well #: <u>1</u>	API: <u>30-025-74273</u>
	County: <u>LEA</u>	State: <u>NM</u>	HWY-MM: _____
Cause of Release: <u>BROKEN LINE TO PIT</u>	Material Released: <u>PRODUCED WATER</u>	Amt. Released: <u>~750 BBLs</u>	
QUAD/UNIT: <u>P</u>	SEC: <u>35</u>	TWP: <u>21S</u>	RNG: <u>32E</u> PM: _____
Spill Located Approximately: <u>15</u> FT.	FROM (fixed landmark) <u>TOP OF BERM</u>		
Excavation Approx: _____ FT.	X _____ FT.	X _____ FT.	Volume (cy/tons): _____
Disposal Facility: _____			
Land Use/Well Status: <u>ACTIVE</u>	Land Owner: <u>PRIVATE/STATE BLM</u>		
REGULATORY AGENCY: <u>NM DCD</u>	CLOSURE STDs: <u>TPH-100 BTEX-10 CI-600</u>		
ADDITIONAL CLOSURE REQUIREMENTS:			

SAMPLE NAME	TIME COLLECTED	DESCRIPTION (lat/long or location)	TPH			VOC		Chloride	Lab
			TIME	READING	CAL ppm	TIME	PID/OV ppm	mg/kg	Y/N
200/500/1250 Standards	/	/	/	/					
TH-1 @ S	9:18	SURFACE-0.25 ft						76148	Y
TH-2 @ S	9:49	0-0.25 ft						76148	Y
TH-3 @ S	10:20	0-0.25 ft						3231	Y/N
TH-4 @ S	10:49	0-0.25 ft						<30	Y
TH-5 @ S	11:38	0-0.25 ft						579	Y
TH-6 @ S	12:03	0-0.25 ft						30	Y
TH-7 @ S	12:50	0-0.25 ft						184	Y
TH-8 @ S	13:40	0-0.25 ft						<30	Y
TH-9 @ S	14:44	0-0.25 ft						<30	Y
TH-10 @ S	15:34	0-0.25 ft						36	Y
TH-11 @ S	15:58	0-0.25 ft						<30	Y
TH-12 @ S	16:24	0-0.25 ft						<30	Y

Notes: CI SAMPLES VERY DIFFICULT TO SEPERATE THROUGH FILTERS. TAKING A LONG TIME TO COMPLETE.
- 14:04 YANCY W/ ENTERPRISE ARRIVED, ABLE TO START DAYLIGHTING/SAMPLING SOUTHERN PORTION OF SPILL PATCH

Date: 9.20.22

Location: ZEUS PIT
Project # 21016-0003

SITE PERIMETER: Draw a schematic of the spill site. Attach photos and other diagrams as needed.

DIMENSIONS: LENGTH, WIDTH, DEPTH SEE ATTACHED MAP

EXCAVATION OVERVIEW:

LAT/LONG MAIN POINTS AND SAMPLE LOCATIONS

TH-1 32.4285331 -103.6388112
TH-2 32.4284277 -103.6389450
TH-3 32.4287284 -103.6391599
TH-4 32.4287185 -103.6394067
TH-5 32.4283741 -103.6391227
TH-6 32.4282258 -103.6390868
TH-7 32.4282620 -103.6392675
TH-8 32.4283025 -103.6393906
TH-9 32.4274679 -103.6391616
TH-10 32.4276974 -103.6389353
TH-11 32.4278921 -103.6385044

ESTH-12 32.4278921 -103.6385229

EXCAVATION PROFILE VIEWS:

Sample Name:

Sample Name:

Sample Name:

Sample Name:

Project # 21016-0003

CLIENT: <u>TETRA TECH</u>	 envirotech	Envmtl. Spclst: <u>K. SANCHEZ/A. FOURT</u>
CLIENT/JOB #: <u>21016-0003</u>		Onsite: <u>8:00</u> Offsite: <u>19:00</u>
DATE: <u>9.21.22</u>	505-632-0615 1-800-362-1879	LAT: <u>32.4281270</u>
WEATHER: (TEMP, CONDITIONS) <u>70° Sunny</u>	5796 US Highway 64	LONG: <u>-102.6391779</u>
JSA TIME: <u>8:04</u>	Farmington, NM 87401	

Purpose/Objective: (include project narrative for daily work; be sure to include site conditions at end of day)

- FINISH HORIZONTAL DELINEATION FOR CHLORIDES.
- START VERTICAL DELINEATION FOR CHLORIDES.

EOD. - NORTH END OF SPILL PATH VERTICALLY DELINEATED. WILL WORK ON SOUTH TOMORROW (9.22)

LOCATION: Name: <u>FEEL SWD</u>	Well #: <u>1</u>	API: <u>30-025-44243</u>
County: <u>LEA</u>	State: <u>NM</u>	HWY-MM: <u></u>
Cause of Release: <u>BROKEN LINE TO PIT</u>	Material Released: <u>PRODUCED WATER</u>	Amt. Released: <u>~750 BBLs</u>
QUAD/UNIT: <u>P</u>	SEC: <u>35</u>	TWP: <u>21S</u>
	RNG: <u>32E</u>	PM: <u></u>
Spill Located Approximately: <u>15</u> FT.	FROM (fixed landmark) <u>TOP OF BERM</u>	
Excavation Approx: <u></u> FT. X <u></u> FT. X <u></u> FT.	Volume (cy/tons): <u></u>	
Disposal Facility: <u></u>		
Land Use/Well Status <u>Active</u>	Land Owner: <u>PRIVATE/BLM</u>	

REGULATORY AGENCY: NMOC CLOSURE STDs: TPH-100 BTEX-10 CI-600

ADDITIONAL CLOSURE REQUIREMENTS:

SAMPLE NAME	TIME COLLECTED	DESCRIPTION (lat/long or location)	TPH			VOC		Chloride	Lab
			TIME	READING	CAL ppm	TIME	PID/OV ppm	mg/kg	Y/N
200/500/1250 Standards	/	/	/	/					
TH-13 @ S	12:05	0-0.25 ft						<30	Y
TH-14 @ S	12:12	0-0.25 ft						587	Y
TH-15 @ S	12:20	0-0.25 ft						<30	Y
TH-16 @ S	12:26	0-0.25 ft						<30	Y
TH-17 @ S	12:58	0-0.25 ft						<30	Y
TH-1 @ 2'	13:34	2 ft BGS						<298	Y
TH-2 @ 2'	13:48	2 ft BGS						3534	N
TH-2 @ 4'	14:08	4 ft BGS						<298	Y
TH-3 @ 2'	14:30	2 ft BGS						2726	N
TH-3 @ 4'	14:59	4 ft BGS						7779	Y
TH-3 @ 6'	15:24	6 ft BGS						3534	N
TH-3 @ 8'	15:49	8 ft BGS						636	Y

Notes:

Location:
Project #

Date:

SITE PERIMETER: Draw a schematic of the spill site. Attach photos and other diagrams as needed.

DIMENSIONS: LENGTH, WIDTH, DEPTH

EXCAVATION OVERVIEW:

LAT/LONG MAIN POINTS AND SAMPLE LOCATIONS

TH-13 32.4279439 -103.6387163
TH-14 32.4279832 -103.6391730
TH-15 32.4279586 -103.6395934
TH-16 32.4277014 -103.6396430
TH-17 32.4280356 -103.6375677


EXCAVATION PROFILE VIEWS:

Sample Name:

Sample Name:

Sample Name:


Sample Name:

CLIENT:	TETRA TECH	 envirotech	Envmtl. Spclst: K. <u>SANCHEZ/A FOUR</u>
CLIENT/JOB #:	21016-0003		Site Name: <u>ZEUS SWO</u>
START DATE:	9.21.22	505-632-0615 1-800-362-1879	LAT <u>32.4281270</u>
FINISH DATE:		5796 US Highway 64	LONG <u>-107.6391739</u>
Page #	<u>3</u> of <u>3</u>	Farmington, NM 87401	

Field Screening Report

[illegible]

NOTES: *Include laboratory analysis information*

CLIENT: <u>TETRA TECH</u>	 envirotech	Envmtl. Spclst: <u>K. SANCHEZ/A. FOURT</u>
CLIENT/JOB #: <u>21016-0003</u>		Onsite: <u>7:45</u> Offsite: _____
DATE: <u>9-22-22</u>	505-632-0615 1-800-362-1879	LAT: <u>32.4281270</u>
WEATHER: (TEMP, CONDITIONS) <u>69° Sunny</u>	5796 US Highway 64	LONG: <u>-103.6391739</u>
JSA TIME: <u>8:08</u>	Farmington, NM 87401	

Purpose/Objective: (include project narrative for daily work; be sure to include site conditions at end of day)

- VERTICALLY DELINEATE ZEUS SWD SPILL TEST HOLES.
- TAKE PICTURES OF LAYOUT OF LINES BY BERM FOR MAPPING PURPOSES. ALSO WATER ON R.O.W. ROAD.

LOCATION:	Name: <u>ZEUS SWD</u>	Well #: <u>1</u>	API: <u>30-025-44273</u>
	County: <u>LEA</u>	State: <u>NM</u>	HWY-MM: _____
Cause of Release: <u>BROKEN LINE TO PT</u>	Material Released: <u>PRODUCED WATER</u>	Amt. Released: <u>~750 BBLs</u>	
QUAD/UNIT: <u>P</u>	SEC: <u>35</u>	TWP: <u>21S</u>	RNG: <u>32E</u> PM: _____
Spill Located Approximately: <u>15</u> FT.	FROM (fixed landmark) <u>TOP OF BERM</u>		
Excavation Approx: _____ FT. X _____ FT. X _____ FT.	Volume (cy/tons): _____		
Disposal Facility: _____			
Land Use/Well Status <u>ACTIVE</u>	Land Owner: <u>PRIVATE/BLM</u>		
REGULATORY AGENCY: <u>NMOCO</u>	CLOSURE STDs: <u>TPH-100 BTEX-10 C1-606</u>		
ADDITIONAL CLOSURE REQUIREMENTS: _____			

			TPH			VOC		Chloride	Lab
SAMPLE NAME	TIME COLLECTED	DESCRIPTION (lat/long or location)	TIME	READING	CAL ppm	TIME	PID/OV ppm	mg/kg	Y/N
200/500/1250 Standards	/	/	/	/					
TH-9 @ 2'	8:39	2ft BGS						1298	
TH-10 @ 2'	8:55	2ft. BGS						2319	
TH-10 @ 4'	9:15	4ft. BGS						1298	
TH-11 @ 2'	9:32	2ft BGS						1298	
TH-12 @ 2'	9:50	2ft BGS						1298	
TH-13 @ 2'	10:21	2ft BGS						1298	
TH-14 @ 2'	10:46	2ft BGS						4779	
TH-14 @ 4'	11:02	4ft BGS						3534	
TH-14 @ 6'	11:21	6ft BGS						1458	
TH-17 @ 8'	11:40	8ft BGS						636	
TH-15 @ 2'	12:02	2ft BGS						1298	
TH-16 @ 2'	12:38	2ft BGS						1298	

Notes:

Date: 2.22.22

Location: 21016
 Project # 21016-0003

SITE PERIMETER: Draw a schematic of the spill site. Attach photos and other diagrams as needed.

DIMENSIONS: LENGTH, WIDTH, DEPTH

EXCAVATION OVERVIEW:

LAT/LONG MAIN POINTS AND SAMPLE LOCATIONS

TH-18 32.4283160 -103.6392103

EXCAVATION PROFILE VIEWS:

Sample Name:

Sample Name:

Sample Name:

Sample Name:

Appendix C



Site Photography



Practical Solutions for a Better Tomorrow

Site Photography
Tetra Technologies/Swiftwater
Dagger Lake Zeus Pond
Site Characterization and Delineation
Project #21016-0003
September 19-22, 2022



Photo 1: Spill Source



Photo 2: Daylighting Activities



Practical Solutions for a Better Tomorrow

Site Photography
Tetra Technologies/Swiftwater
Dagger Lake Zeus Pond
Site Characterization and Delineation
Project #21016-0003
September 19-22, 2022



Photo 3: Example TH-1 @ 2 feet



Photo 4: Example TH-3 @ 4 feet



Practical Solutions for a Better Tomorrow

Site Photography
Tetra Technologies/Swiftwater
Dagger Lake Zeus Pond
Site Characterization and Delineation
Project #21016-0003
September 19-22, 2022



Photo 5: End of South Spill Path (West View)



Photo 6: Water in Road at Spill Terminus (Southeast View)



Practical Solutions for a Better Tomorrow

Site Photography
Tetra Technologies/Swiftwater
Dagger Lake Zeus Pond
Site Characterization and Delineation
Project #21016-0003
September 19-22, 2022



Photo 7: Boring Near Toe of Pond



Photo 8: Stressed Vegetation in Spill Path



Practical Solutions for a Better Tomorrow

Appendix D



Laboratory Analytical Reports



Practical Solutions for a Better Tomorrow

Report to:
Greg Crabtree



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Tetra Technologies

Project Name: Zeus Pit Delineation

Work Order: E209137

Job Number: 21016-0003

Received: 9/23/2022

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
10/3/22

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.
Envirotech Inc. holds the NM SDWA certification for data reported. (Lab #NM00979)

Date Reported: 10/3/22



Greg Crabtree
6121 Indian School Road, NE
Albuquerque, NM 87110

Project Name: Zeus Pit Delineation
Workorder: E209137
Date Received: 9/23/2022 1:40:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 9/23/2022 1:40:00PM, under the Project Name: Zeus Pit Delineation.

The analytical test results summarized in this report with the Project Name: Zeus Pit Delineation apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
BG-1	6
BG-2	7
BG-3	8
GS-1	9
GS-2	10
GS-3	11
GS-4	12
GS-5	13
GS-6	14
TH-1 @ S	15
TH-2 @ S	16
TH-6 @ S	17
TH-8 @ S	18
TH-9 @ S	19
TH-11 @ S	20
TH-12 @ S	21
TH-1 @ 2'	22
TH-2 @ 4'	23
TH-3 @ 4'	24
TH-3 @ 8'	25

Table of Contents (continued)

QC Summary Data	26
QC - Volatile Organics by EPA 8021B	26
QC - Nonhalogenated Organics by EPA 8015D - GRO	27
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	28
QC - Anions by EPA 300.0/9056A	29
Definitions and Notes	30
Chain of Custody etc.	31

Sample Summary

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name:	Zeus Pit Delineation	Reported: 10/03/22 12:11
	Project Number:	21016-0003	
	Project Manager:	Greg Crabtree	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BG-1	E209137-01A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
BG-2	E209137-02A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
BG-3	E209137-03A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
GS-1	E209137-04A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
GS-2	E209137-05A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
GS-3	E209137-06A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
GS-4	E209137-07A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
GS-5	E209137-08A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
GS-6	E209137-09A	Soil	09/19/22	09/23/22	Glass Jar, 2 oz.
TH-1 @ S	E209137-10A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-2 @ S	E209137-11A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-6 @ S	E209137-12A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-8 @ S	E209137-13A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-9 @ S	E209137-14A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-11 @ S	E209137-15A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-12 @ S	E209137-16A	Soil	09/20/22	09/23/22	Glass Jar, 2 oz.
TH-1 @ 2'	E209137-17A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-2 @ 4'	E209137-18A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-3 @ 4'	E209137-19A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-3 @ 8'	E209137-20A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.



Sample Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	
6121 Indian School Road, NE	Project Number:	21016-0003	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 12:11:51PM

BG-1

E209137-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
---------	--------	-----------------	----------	----------	----------	-------

Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: KL			Batch: 2240078
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported: 10/3/2022 12:11:51PM
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	

BG-2

E209137-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: KL		Batch: 2240078	
Chloride	142	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	
6121 Indian School Road, NE	Project Number:	21016-0003	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 12:11:51PM

BG-3

E209137-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: KL			Batch: 2240078
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

GS-1

E209137-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		103 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		87.0 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		88.5 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	4960	100	5	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

GS-2

E209137-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		85.0 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	42.4	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		93.2 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	40.5	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

GS-3

E209137-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		85.0 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		96.2 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	1450	40.0	2	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

GS-4

E209137-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
	91.5 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	60.4	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

GS-5

E209137-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: IY		Batch: 2240014	
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		100 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: IY		Batch: 2240014	
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		86.0 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: JL		Batch: 2240020	
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>		93.2 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: KL		Batch: 2240078	
Chloride	54.2	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

GS-6

E209137-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		102 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		86.8 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		88.4 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	31.2	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-1 @ S

E209137-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.7 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
	85.4 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	9630	400	20	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-2 @ S

E209137-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		84.8 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		86.4 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	7450	200	10	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-6 @ S

E209137-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		85.3 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		131 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	41.8	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-8 @ S
E209137-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		85.4 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		75.5 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-9 @ S

E209137-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		84.9 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		88.1 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-11 @ S

E209137-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		102 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		86.5 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		89.7 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	ND	20.0	1	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-12 @ S

E209137-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		103 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		86.0 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		86.4 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	ND	20.0	1	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-1 @ 2'

E209137-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		101 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		82.4 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>		76.0 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	160	20.0	1	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-2 @ 4'

E209137-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		102 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		81.1 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
<i>Surrogate: n-Nonane</i>						
		93.3 %	50-200	09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	104	20.0	1	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-3 @ 4'

E209137-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		102 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		82.9 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
<i>Surrogate: n-Nonane</i>						
		84.6 %	50-200	09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	614	400	20	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 12:11:51PM

TH-3 @ 8'

E209137-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240014
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		83.7 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240020
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
<i>Surrogate: n-Nonane</i>						
		88.8 %	50-200	09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240078
Chloride	589	20.0	1	09/29/22	09/30/22	



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 12:11:51PM
--	--	-----------------------------------

Volatile Organics by EPA 8021B

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240014-BLK1)

Prepared: 09/27/22 Analyzed: 09/30/22

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.97		8.00		99.6	70-130			

LCS (2240014-BS1)

Prepared: 09/27/22 Analyzed: 09/30/22

Benzene	4.89	0.0250	5.00		97.8	70-130			
Ethylbenzene	4.02	0.0250	5.00		80.3	70-130			
Toluene	4.26	0.0250	5.00		85.3	70-130			
o-Xylene	4.08	0.0250	5.00		81.5	70-130			
p,m-Xylene	8.16	0.0500	10.0		81.6	70-130			
Total Xylenes	12.2	0.0250	15.0		81.5	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.08		8.00		101	70-130			

LCS Dup (2240014-BSD1)

Prepared: 09/27/22 Analyzed: 09/30/22

Benzene	4.30	0.0250	5.00		85.9	70-130	12.9	20	
Ethylbenzene	3.51	0.0250	5.00		70.2	70-130	13.4	20	
Toluene	3.73	0.0250	5.00		74.7	70-130	13.3	20	
o-Xylene	3.56	0.0250	5.00		71.2	70-130	13.5	20	
p,m-Xylene	7.14	0.0500	10.0		71.4	70-130	13.3	20	
Total Xylenes	10.7	0.0250	15.0		71.3	70-130	13.4	20	
Surrogate: 4-Bromochlorobenzene-PID	8.10		8.00		101	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 12:11:51PM
--	--	-----------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240014-BLK1)

Prepared: 09/27/22 Analyzed: 09/30/22

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.93		8.00		86.7	70-130			

LCS (2240014-BS2)

Prepared: 09/27/22 Analyzed: 10/03/22

Gasoline Range Organics (C6-C10)	49.3	20.0	50.0		98.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.66		8.00		83.3	70-130			

LCS Dup (2240014-BSD2)

Prepared: 09/27/22 Analyzed: 09/30/22

Gasoline Range Organics (C6-C10)	46.9	20.0	50.0		93.8	70-130	4.95	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.06		8.00		88.2	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 12:11:51PM
--	--	-----------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240020-BLK1)

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	46.6		50.0		93.2	50-200			

LCS (2240020-BS1)

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	249	25.0	250		99.5	38-132			
Surrogate: n-Nonane	45.4		50.0		90.9	50-200			

Matrix Spike (2240020-MS1)

Source: E209137-11

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	262	25.0	250	ND	105	38-132			
Surrogate: n-Nonane	46.0		50.0		92.1	50-200			

Matrix Spike Dup (2240020-MSD1)

Source: E209137-11

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	271	25.0	250	ND	109	38-132	3.61	20	
Surrogate: n-Nonane	46.4		50.0		92.9	50-200			



QC Summary Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported:
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 12:11:51PM

Anions by EPA 300.0/9056A

Analyst: KL

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2240078-BLK1)					Prepared: 09/29/22 Analyzed: 09/29/22				
Chloride	ND	20.0							
LCS (2240078-BS1)					Prepared: 09/29/22 Analyzed: 09/29/22				
Chloride	252	20.0	250		101	90-110			
LCS Dup (2240078-BSD1)					Prepared: 09/29/22 Analyzed: 09/29/22				
Chloride	254	20.0	250		102	90-110	0.789	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Tetra Technologies	Project Name:	Zeus Pit Delineation	
6121 Indian School Road, NE	Project Number:	21016-0003	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/03/22 12:11

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.

Client: Tetra Tech Project: Zeus Pit Delineation Project Manager: Greg Crabtree Address: City, State, Zip: Phone: Email: All Enviro					Bill To Attention: Address: City, State, Zip: Phone: Email:					Lab Use Only Lab WO# E209137 Job Number 21016-0003					TAT 1D 2D 3D Standard X				EPA Program CWA SDWA		
Report due by:										Analysis and Method										RCRA	
																				State	
																				NM CO UT AZ TX	
																				Remarks	
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	Chloride	BDGOC														
10:06	9-19-22	S	1	BG-1	1	X															
10:31				BG-2	2	X															
10:35				BG-3	3	X															
11:02				GS-1	4		X														
11:26				GS-2	5		X														
13:20				GS-3	6		X														
13:40				GS-4	7		X														
14:22				GS-5	8		X														
15:10				GS-6	9		X														
9:18	9-20-22			TH-1 @ S	10		X														
Additional Instructions:																					
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.															Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.						
Relinquished by: (Signature) <u>[Signature]</u> Date <u>9-23-22</u> Time <u>13:39</u>															Received by: (Signature) <u>[Signature]</u> Date <u>9/23/22</u> Time <u>13:40</u>						
Relinquished by: (Signature) _____ Date _____ Time _____															Received by: (Signature) _____ Date _____ Time _____						
Relinquished by: (Signature) _____ Date _____ Time _____															Received by: (Signature) _____ Date _____ Time _____						
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____															Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA						
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																					

Client: Tetra Tech Project: Zeus Pit Delineation Project Manager: Greg Crabtree Address: _____ City, State, Zip: _____ Phone: _____ Email: All Enviro _____ Report due by: _____					Bill To Attention: _____ Address: _____ City, State, Zip: _____ Phone: _____ Email: _____					Lab Use Only Lab WO# <u>E209137</u> Job Number <u>21016-0003</u>				TAT 1D <input type="checkbox"/> 2D <input type="checkbox"/> 3D <input type="checkbox"/> Standard <input checked="" type="checkbox"/>				EPA Program CWA <input type="checkbox"/> SDWA <input type="checkbox"/>																																																																																																																																																																																																					
														RCRA <input type="checkbox"/>																																																																																																																																																																																																									
														State NM <input type="checkbox"/> CO <input type="checkbox"/> UT <input type="checkbox"/> AZ <input type="checkbox"/> TX <input type="checkbox"/>																																																																																																																																																																																																									
														Remarks																																																																																																																																																																																																									
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number																																																																																																																																																																																																																		
9:49	9-20-22	S	1	TH-2 @ 5	11	<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); border: 1px solid black; padding: 2px;">BDGOC</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table> </div>																																																																																																																																																																																																																	
12:03				TH-6 @ 5	12																																																																																																																																																																																																																		
13:40				TH-8 @ 5	13																																																																																																																																																																																																																		
14:44				TH-9 @ 5	14																																																																																																																																																																																																																		
15:58				TH-11 @ 5	15																																																																																																																																																																																																																		
16:24				TH-12 @ 5	16																																																																																																																																																																																																																		
17:34	9-21-22			TH-1 @ 2'	17																																																																																																																																																																																																																		
14:08				TH-2 @ 4'	18																																																																																																																																																																																																																		
14:59				TH-3 @ 4'	19																																																																																																																																																																																																																		
15:49				^{KS} TH-4 @ 8' TH-3 @ 8'	20																																																																																																																																																																																																																		
Additional Instructions:																																																																																																																																																																																																																							
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.											Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.																																																																																																																																																																																																												
Relinquished by: (Signature) <u>[Signature]</u> Date <u>9-23-22</u> Time <u>13:19</u>											Received by: (Signature) <u>[Signature]</u> Date <u>9/23/22</u> Time <u>13:40</u>																																																																																																																																																																																																												
Relinquished by: (Signature) _____ Date _____ Time _____											Received by: (Signature) _____ Date _____ Time _____																																																																																																																																																																																																												
Relinquished by: (Signature) _____ Date _____ Time _____											Received by: (Signature) _____ Date _____ Time _____																																																																																																																																																																																																												
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____											Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																																																																																																																																																																																																												
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																																																																																																																																																																																																																							

Envirotech Analytical Laboratory

Printed: 9/23/2022 2:26:49PM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Tetra Technologies	Date Received:	09/23/22 13:40	Work Order ID:	E209137
Phone:	(505)881-3188	Date Logged In:	09/23/22 13:50	Logged In By:	Caitlin Christian
Email:	gcrabtree@envirotech-inc.com	Due Date:	09/30/22 17:00 (5 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: Kholeton SanchezComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: na

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:
Greg Crabtree



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Tetra Technologies

Project Name: Zeus Pit Delineation

Work Order: E209138

Job Number: 21016-0003

Received: 9/23/2022

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
10/3/22

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.
Envirotech Inc. holds the NM SDWA certification for data reported. (Lab #NM00979)

Date Reported: 10/3/22



Greg Crabtree
6121 Indian School Road, NE
Albuquerque, NM 87110

Project Name: Zeus Pit Delineation
Workorder: E209138
Date Received: 9/23/2022 1:40:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 9/23/2022 1:40:00PM, under the Project Name: Zeus Pit Delineation.

The analytical test results summarized in this report with the Project Name: Zeus Pit Delineation apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
TH-4 @ 2'	6
TH-4 @ 4'	7
TH-5 @ 2'	8
TH-5 @ 4'	9
TH-6 @ 2'	10
TH-7 @ 2'	11
TH-7 @ 8'	12
TH-8 @ 2'	13
TH-13 @ S	14
TH-15 @ S	15
TH-16 @ S	16
TH-17 @ S	17
TH-9 @ 2'	18
TH-10 @ 2'	19
TH-10 @ 4'	20
TH-11 @ 2'	21
TH-12 @ 2'	22
TH-13 @ 2'	23
TH-14 @ 2'	24
TH-14 @ 8'	25

Table of Contents (continued)

TH-15 @ 2'	26
TH-16 @ 2'	27
TH-17 @ 2'	28
TH-18 @ S	29
TH-18 @ 2'	30
QC Summary Data	31
QC - Volatile Organic Compounds by EPA 8260B	31
QC - Nonhalogenated Organics by EPA 8015D - GRO	33
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	35
QC - Anions by EPA 300.0/9056A	37
Definitions and Notes	39
Chain of Custody etc.	40

Sample Summary

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name:	Zeus Pit Delineation	Reported: 10/03/22 17:10
	Project Number:	21016-0003	
	Project Manager:	Greg Crabtree	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
TH-4 @ 2'	E209138-01A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-4 @ 4'	E209138-02A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-5 @ 2'	E209138-03A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-5 @ 4'	E209138-04A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-6 @ 2'	E209138-05A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-7 @ 2'	E209138-06A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-7 @ 8'	E209138-07A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-8 @ 2'	E209138-08A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-13 @ S	E209138-09A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-15 @ S	E209138-10A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-16 @ S	E209138-11A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-17 @ S	E209138-12A	Soil	09/21/22	09/23/22	Glass Jar, 2 oz.
TH-9 @ 2'	E209138-13A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-10 @ 2'	E209138-14A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-10 @ 4'	E209138-15A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-11 @ 2'	E209138-16A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-12 @ 2'	E209138-17A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-13 @ 2'	E209138-18A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-14 @ 2'	E209138-19A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-14 @ 8'	E209138-20A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-15 @ 2'	E209138-21A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-16 @ 2'	E209138-22A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-17 @ 2'	E209138-23A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-18 @ S	E209138-24A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.
TH-18 @ 2'	E209138-25A	Soil	09/22/22	09/23/22	Glass Jar, 2 oz.



Sample Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 5:10:48PM
--	--	----------------------------------

TH-4 @ 2'

E209138-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/29/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/29/22	
Toluene	ND	0.0250	1	09/27/22	09/29/22	
o-Xylene	ND	0.0250	1	09/27/22	09/29/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/29/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/29/22	
Surrogate: Bromofluorobenzene	97.0 %	70-130		09/27/22	09/29/22	
Surrogate: 1,2-Dichloroethane-d4	102 %	70-130		09/27/22	09/29/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/29/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/29/22	
Surrogate: Bromofluorobenzene	97.0 %	70-130		09/27/22	09/29/22	
Surrogate: 1,2-Dichloroethane-d4	102 %	70-130		09/27/22	09/29/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/29/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	84.6 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	1150	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-4 @ 4'

E209138-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/29/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/29/22	
Toluene	ND	0.0250	1	09/27/22	09/29/22	
o-Xylene	ND	0.0250	1	09/27/22	09/29/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/29/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/29/22	
Surrogate: Bromofluorobenzene	97.0 %	70-130		09/27/22	09/29/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/29/22	
Surrogate: Toluene-d8	97.3 %	70-130		09/27/22	09/29/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/29/22	
Surrogate: Bromofluorobenzene	97.0 %	70-130		09/27/22	09/29/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/29/22	
Surrogate: Toluene-d8	97.3 %	70-130		09/27/22	09/29/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	86.1 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	24.2	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-5 @ 2'

E209138-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/29/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/29/22	
Toluene	ND	0.0250	1	09/27/22	09/29/22	
o-Xylene	ND	0.0250	1	09/27/22	09/29/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/29/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/29/22	
Surrogate: Bromofluorobenzene	95.5 %	70-130		09/27/22	09/29/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/29/22	
Surrogate: Toluene-d8	98.1 %	70-130		09/27/22	09/29/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/29/22	
Surrogate: Bromofluorobenzene	95.5 %	70-130		09/27/22	09/29/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/29/22	
Surrogate: Toluene-d8	98.1 %	70-130		09/27/22	09/29/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	86.4 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	2510	40.0	2	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-5 @ 4'

E209138-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	93.9 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.3 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	93.9 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.3 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	88.3 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	2500	40.0	2	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-6 @ 2'

E209138-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.1 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	102 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.1 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	102 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	87.0 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	31.6	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-7 @ 2'

E209138-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.1 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.1 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	93.1 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	3780	40.0	2	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-7 @ 8'

E209138-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.7 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	98.7 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.7 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	98.7 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	85.7 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	632	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-8 @ 2'

E209138-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.3 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.5 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.1 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.3 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.5 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.1 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/29/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/29/22	
Surrogate: n-Nonane	88.9 %	50-200		09/28/22	09/29/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-13 @ S

E209138-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	98.0 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.5 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	95.8 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	98.0 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.5 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	95.8 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	87.2 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-15 @ S

E209138-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.9 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.9 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	84.8 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-16 @ S

E209138-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.6 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	95.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.6 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	95.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	87.2 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-17 @ S

E209138-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.5 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	103 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.7 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.5 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	103 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.7 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	86.8 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-9 @ 2'

E209138-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.7 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	103 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	98.8 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.7 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	103 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	98.8 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	98.7 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	ND	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-10 @ 2'

E209138-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.8 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.0 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.8 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.0 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	93.2 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	1850	40.0	2	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-10 @ 4'

E209138-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.9 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.9 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	87.0 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	210	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-11 @ 2'

E209138-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.4 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.4 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	89.5 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	26.9	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-12 @ 2'

E209138-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.7 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	98.1 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.7 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	98.1 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	85.2 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	22.8	20.0	1	09/29/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-13 @ 2'

E209138-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.4 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	104 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	97.4 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	104 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.4 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	88.4 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	21.0	20.0	1	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-14 @ 2'

E209138-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.8 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	97.5 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	96.8 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	97.5 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.6 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	86.3 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	5070	40.0	2	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-14 @ 8'

E209138-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.4 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.8 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2240017
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	95.4 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	97.8 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240019
Diesel Range Organics (C10-C28)	ND	25.0	1	09/28/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/28/22	09/30/22	
Surrogate: n-Nonane	87.0 %	50-200		09/28/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240077
Chloride	590	20.0	1	09/29/22	09/30/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-15 @ 2'

E209138-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		101 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		93.2 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		95.4 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		101 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		93.2 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		95.4 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240013
Diesel Range Organics (C10-C28)	ND	25.0	1	09/27/22	09/28/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/27/22	09/28/22	
Surrogate: n-Nonane		93.5 %	50-200	09/27/22	09/28/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240007
Chloride	23.8	20.0	1	09/26/22	09/28/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-16 @ 2'

E209138-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		100 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		90.6 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		84.3 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		100 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		90.6 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		84.3 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240013
Diesel Range Organics (C10-C28)	ND	25.0	1	09/27/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/27/22	09/30/22	
Surrogate: n-Nonane		89.9 %	50-200	09/27/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240007
Chloride	ND	20.0	1	09/26/22	09/28/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-17 @ 2'

E209138-23

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		117 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		89.0 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		102 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		117 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		89.0 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		102 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240013
Diesel Range Organics (C10-C28)	ND	25.0	1	09/27/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/27/22	09/30/22	
Surrogate: n-Nonane		91.9 %	50-200	09/27/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240007
Chloride	ND	20.0	1	09/26/22	09/29/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-18 @ S

E209138-24

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		110 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		90.6 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		90.7 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene		110 %	70-130	09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4		90.6 %	70-130	09/27/22	09/30/22	
Surrogate: Toluene-d8		90.7 %	70-130	09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240013
Diesel Range Organics (C10-C28)	ND	25.0	1	09/27/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/27/22	09/30/22	
Surrogate: n-Nonane		89.7 %	50-200	09/27/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240007
Chloride	ND	20.0	1	09/26/22	09/28/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Zeus Pit Delineation
Project Number: 21016-0003
Project Manager: Greg Crabtree

Reported:
10/3/2022 5:10:48PM

TH-18 @ 2'

E209138-25

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Benzene	ND	0.0250	1	09/27/22	09/30/22	
Ethylbenzene	ND	0.0250	1	09/27/22	09/30/22	
Toluene	ND	0.0250	1	09/27/22	09/30/22	
o-Xylene	ND	0.0250	1	09/27/22	09/30/22	
p,m-Xylene	ND	0.0500	1	09/27/22	09/30/22	
Total Xylenes	ND	0.0250	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	93.6 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	91.0 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.3 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2239112
Gasoline Range Organics (C6-C10)	ND	20.0	1	09/27/22	09/30/22	
Surrogate: Bromofluorobenzene	93.6 %	70-130		09/27/22	09/30/22	
Surrogate: 1,2-Dichloroethane-d4	91.0 %	70-130		09/27/22	09/30/22	
Surrogate: Toluene-d8	96.3 %	70-130		09/27/22	09/30/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2240013
Diesel Range Organics (C10-C28)	ND	25.0	1	09/27/22	09/30/22	
Oil Range Organics (C28-C36)	ND	50.0	1	09/27/22	09/30/22	
Surrogate: n-Nonane	91.6 %	50-200		09/27/22	09/30/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: KL		Batch: 2240007
Chloride	ND	20.0	1	09/26/22	09/28/22	



QC Summary Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported:
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 5:10:48PM

Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2239112-BLK1)

Prepared: 09/23/22 Analyzed: 09/30/22

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.510		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.458		0.500		91.6	70-130			
Surrogate: Toluene-d8	0.495		0.500		98.9	70-130			

LCS (2239112-BS1)

Prepared: 09/23/22 Analyzed: 09/30/22

Benzene	2.21	0.0250	2.50		88.2	70-130			
Ethylbenzene	2.27	0.0250	2.50		90.9	70-130			
Toluene	2.45	0.0250	2.50		98.1	70-130			
o-Xylene	2.30	0.0250	2.50		92.1	70-130			
p,m-Xylene	4.68	0.0500	5.00		93.6	70-130			
Total Xylenes	6.99	0.0250	7.50		93.1	70-130			
Surrogate: Bromofluorobenzene	0.532		0.500		106	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.439		0.500		87.8	70-130			
Surrogate: Toluene-d8	0.565		0.500		113	70-130			

Matrix Spike (2239112-MS1)

Source: E209134-03

Prepared: 09/23/22 Analyzed: 09/30/22

Benzene	2.05	0.0250	2.50	ND	81.9	48-131			
Ethylbenzene	2.20	0.0250	2.50	ND	88.2	45-135			
Toluene	2.06	0.0250	2.50	ND	82.4	48-130			
o-Xylene	1.76	0.0250	2.50	ND	70.3	43-135			
p,m-Xylene	4.36	0.0500	5.00	ND	87.1	43-135			
Total Xylenes	6.11	0.0250	7.50	ND	81.5	43-135			
Surrogate: Bromofluorobenzene	0.424		0.500		84.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.444		0.500		88.7	70-130			
Surrogate: Toluene-d8	0.494		0.500		98.7	70-130			

Matrix Spike Dup (2239112-MSD1)

Source: E209134-03

Prepared: 09/23/22 Analyzed: 09/30/22

Benzene	2.15	0.0250	2.50	ND	85.8	48-131	4.72	23	
Ethylbenzene	2.28	0.0250	2.50	ND	91.0	45-135	3.19	27	
Toluene	2.13	0.0250	2.50	ND	85.2	48-130	3.29	24	
o-Xylene	2.32	0.0250	2.50	ND	92.8	43-135	27.6	27	
p,m-Xylene	4.50	0.0500	5.00	ND	89.9	43-135	3.16	27	
Total Xylenes	6.82	0.0250	7.50	ND	90.9	43-135	10.9	27	
Surrogate: Bromofluorobenzene	0.523		0.500		105	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.453		0.500		90.5	70-130			
Surrogate: Toluene-d8	0.495		0.500		99.0	70-130			

R3



QC Summary Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported:
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 5:10:48PM

Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240017-BLK1)

Prepared: 09/27/22 Analyzed: 09/29/22

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.483		0.500		96.6	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.479		0.500		95.7	70-130			
Surrogate: Toluene-d8	0.488		0.500		97.6	70-130			

LCS (2240017-BS1)

Prepared: 09/27/22 Analyzed: 09/29/22

Benzene	2.43	0.0250	2.50		97.1	70-130			
Ethylbenzene	2.31	0.0250	2.50		92.3	70-130			
Toluene	2.32	0.0250	2.50		92.9	70-130			
o-Xylene	2.33	0.0250	2.50		93.1	70-130			
p,m-Xylene	4.61	0.0500	5.00		92.3	70-130			
Total Xylenes	6.94	0.0250	7.50		92.5	70-130			
Surrogate: Bromofluorobenzene	0.503		0.500		101	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.520		0.500		104	70-130			
Surrogate: Toluene-d8	0.482		0.500		96.4	70-130			

LCS Dup (2240017-BSD1)

Prepared: 09/27/22 Analyzed: 09/29/22

Benzene	2.24	0.0250	2.50		89.6	70-130	8.03	23	
Ethylbenzene	2.17	0.0250	2.50		86.8	70-130	6.12	27	
Toluene	2.19	0.0250	2.50		87.5	70-130	6.08	24	
o-Xylene	2.18	0.0250	2.50		87.3	70-130	6.43	27	
p,m-Xylene	4.34	0.0500	5.00		86.8	70-130	6.16	27	
Total Xylenes	6.52	0.0250	7.50		86.9	70-130	6.25	27	
Surrogate: Bromofluorobenzene	0.508		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.501		0.500		100	70-130			
Surrogate: Toluene-d8	0.487		0.500		97.4	70-130			



QC Summary Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported:
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 5:10:48PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2239112-BLK1)

Prepared: 09/23/22 Analyzed: 09/30/22

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.510		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.458		0.500		91.6	70-130			
Surrogate: Toluene-d8	0.495		0.500		98.9	70-130			

LCS (2239112-BS2)

Prepared: 09/23/22 Analyzed: 09/30/22

Gasoline Range Organics (C6-C10)	39.4	20.0	50.0		78.8	70-130			
Surrogate: Bromofluorobenzene	0.514		0.500		103	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.448		0.500		89.5	70-130			
Surrogate: Toluene-d8	0.502		0.500		100	70-130			

Matrix Spike (2239112-MS2)

Source: E209134-03

Prepared: 09/23/22 Analyzed: 10/03/22

Gasoline Range Organics (C6-C10)	41.0	20.0	50.0	ND	82.0	70-130			
Surrogate: Bromofluorobenzene	0.449		0.500		89.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.436		0.500		87.2	70-130			
Surrogate: Toluene-d8	0.514		0.500		103	70-130			

Matrix Spike Dup (2239112-MSD2)

Source: E209134-03

Prepared: 09/23/22 Analyzed: 09/30/22

Gasoline Range Organics (C6-C10)	38.9	20.0	50.0	ND	77.8	70-130	5.28	20	
Surrogate: Bromofluorobenzene	0.519		0.500		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.439		0.500		87.7	70-130			
Surrogate: Toluene-d8	0.495		0.500		98.9	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 5:10:48PM
--	--	----------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240017-BLK1)

Prepared: 09/27/22 Analyzed: 09/29/22

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.483		0.500		96.6	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.479		0.500		95.7	70-130			
Surrogate: Toluene-d8	0.488		0.500		97.6	70-130			

LCS (2240017-BS2)

Prepared: 09/27/22 Analyzed: 09/29/22

Gasoline Range Organics (C6-C10)	35.5	20.0	50.0		71.1	70-130			
Surrogate: Bromofluorobenzene	0.503		0.500		101	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.509		0.500		102	70-130			
Surrogate: Toluene-d8	0.487		0.500		97.4	70-130			

LCS Dup (2240017-BSD2)

Prepared: 09/27/22 Analyzed: 09/29/22

Gasoline Range Organics (C6-C10)	37.6	20.0	50.0		75.3	70-130	5.74	20	
Surrogate: Bromofluorobenzene	0.498		0.500		99.5	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.502		0.500		100	70-130			
Surrogate: Toluene-d8	0.472		0.500		94.4	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 5:10:48PM
--	--	----------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240013-BLK1)

Prepared: 09/27/22 Analyzed: 09/28/22

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	39.5		50.0		79.0	50-200			

LCS (2240013-BS1)

Prepared: 09/27/22 Analyzed: 09/28/22

Diesel Range Organics (C10-C28)	255	25.0	250		102	38-132			
Surrogate: n-Nonane	48.0		50.0		96.0	50-200			

Matrix Spike (2240013-MS1)

Source: E209134-08

Prepared: 09/27/22 Analyzed: 09/28/22

Diesel Range Organics (C10-C28)	255	25.0	250	ND	102	38-132			
Surrogate: n-Nonane	49.1		50.0		98.2	50-200			

Matrix Spike Dup (2240013-MSD1)

Source: E209134-08

Prepared: 09/27/22 Analyzed: 09/28/22

Diesel Range Organics (C10-C28)	269	25.0	250	ND	108	38-132	5.36	20	
Surrogate: n-Nonane	46.6		50.0		93.1	50-200			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Zeus Pit Delineation Project Number: 21016-0003 Project Manager: Greg Crabtree	Reported: 10/3/2022 5:10:48PM
--	--	----------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240019-BLK1)

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	43.8		50.0		87.7	50-200			

LCS (2240019-BS1)

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	256	25.0	250		102	38-132			
Surrogate: n-Nonane	44.9		50.0		89.8	50-200			

Matrix Spike (2240019-MS1)

Source: E209138-08

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	263	25.0	250	ND	105	38-132			
Surrogate: n-Nonane	45.6		50.0		91.2	50-200			

Matrix Spike Dup (2240019-MSD1)

Source: E209138-08

Prepared: 09/28/22 Analyzed: 09/29/22

Diesel Range Organics (C10-C28)	251	25.0	250	ND	101	38-132	4.38	20	
Surrogate: n-Nonane	43.8		50.0		87.7	50-200			



QC Summary Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported:
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 5:10:48PM

Anions by EPA 300.0/9056A

Analyst: KL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240007-BLK1)

Prepared: 09/26/22 Analyzed: 09/28/22

Chloride ND 20.0

LCS (2240007-BS1)

Prepared: 09/26/22 Analyzed: 09/28/22

Chloride 250 20.0 250 100 90-110

Matrix Spike (2240007-MS1)

Source: E209138-21

Prepared: 09/26/22 Analyzed: 09/28/22

Chloride 272 20.0 250 23.8 99.4 80-120

Matrix Spike Dup (2240007-MSD1)

Source: E209138-21

Prepared: 09/26/22 Analyzed: 09/28/22

Chloride 272 20.0 250 23.8 99.4 80-120 0.0320 20



QC Summary Data

Tetra Technologies	Project Name:	Zeus Pit Delineation	Reported:
6121 Indian School Road, NE	Project Number:	21016-0003	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/3/2022 5:10:48PM

Anions by EPA 300.0/9056A

Analyst: KL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2240077-BLK1)

Prepared: 09/29/22 Analyzed: 09/29/22

Chloride	ND	20.0							
----------	----	------	--	--	--	--	--	--	--

LCS (2240077-BS1)

Prepared: 09/29/22 Analyzed: 09/29/22

Chloride	246	20.0	250		98.5	90-110			
----------	-----	------	-----	--	------	--------	--	--	--

LCS Dup (2240077-BSD1)

Prepared: 09/29/22 Analyzed: 09/29/22

Chloride	248	20.0	250		99.2	90-110	0.751	20	
----------	-----	------	-----	--	------	--------	-------	----	--

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Tetra Technologies	Project Name:	Zeus Pit Delineation	
6121 Indian School Road, NE	Project Number:	21016-0003	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	10/03/22 17:10

- R3 The RPD exceeded the acceptance limit. LCS spike recovery met acceptance criteria.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Client: Tetra Tech Project: Zeus Pit Delineation Project Manager: Greg Crabtree Address: City, State, Zip: Phone: Email: All Enviro					Bill To Attention: Address: City, State, Zip: Phone: Email:					Lab Use Only Lab WO# E209138 Job Number 21016-0003				TAT 1D 2D 3D Standard X				EPA Program CWA SDWA			
Report due by:										Analysis and Method										RCRA	
																				State	
																				NM CO UT AZ TX	
																				Remarks	
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number																
16:08	9-21-22	S	1	TH-4 @ 2'	1	X															
16:29	1	1	1	TH-4 @ 4'	2	1															
16:40				TH-5 @ 2'	3																
16:54				TH-5 @ 4'	4																
17:19				TH-6 @ 2'	5																
17:39				TH-7 @ 2'	6																
18:40				TH-7 @ 8'	7																
18:54				TH-8 @ 2'	8																
12:05				TH-13 @ 5	9																
12:20	+	+	+	TH-15 @ 5	10	+															
Additional Instructions:																					
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.															Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.						
Sampled by: Kholeton Sanchez / A Fante																					
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Lab Use Only									
[Signature]		9-23-22		13:39		[Signature]		9/23/22		13:40		Received on ice: 0/ N									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		T1 T2 T3									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		AVG Temp °C 4									
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other															Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA						
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																					

Page 41 of 43

[illegible]

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 191423

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 191423
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Remediation Plan Approved with Conditions. Variance approved: Composite confirmation samples will be collected from the bottom and sidewalls of the excavation from areas representing no more than five hundred (500) square feet. Please clearly mark the outline of the excavation in the closure report.	3/8/2023