**Received by OCD: 3/15/2023 2:01:18 PM** Form C-141 State of New Mexico

Oil Conservation Division

|             |      | Page 1 of .    | 27 |
|-------------|------|----------------|----|
| Incident II | )    | NAPP2220943960 |    |
| District RF | )    |                |    |
| Facility ID |      |                |    |
| Applicatio  | n ID |                |    |

# Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| What is the shallowest depth to groundwater beneath the area affected by the release?   | <u>198</u> (ft bgs) |  |  |  |  |
|---|---------------------|--|--|--|--|
| Did this release impact groundwater or surface water?   |                     |  |  |  |  |
| Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes? | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?   | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within 300 feet of a wetland?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release overlying a subsurface mine?   | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release overlying an unstable area such as karst geology?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Are the lateral extents of the release within a 100-year floodplain?  | 🗌 Yes 🛛 No          |  |  |  |  |
| Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?  | 🗌 Yes 🛛 No          |  |  |  |  |

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

#### Characterization Report Checklist: Each of the following items must be included in the report.

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
   Field data
- Data table of soil contaminant concentration data
- $\boxtimes$  Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

| Received by OCD: 3  | /15/2023 2:01:18 PM<br>State of New Mexico   |  |  | Page 2 of 27  |
|---|--|--|--|---|
|   |  |  | Incident ID  | NAPP2220943960  |
| Page 4  | Oil Conservation Division  |  | District RP  |   |
|   |  |  | Facility ID  |   |
|   |  |  | Application ID   |   |
| regulations all operations all operations all operations all operations and operations addition, OCD acception addition, OCD acceptions. Printed Name: Date Signature: | the information given above is true and complete to the<br>tors are required to report and/or file certain release not<br>environment. The acceptance of a C-141 report by the<br>investigate and remediate contamination that pose a thr<br>bance of a C-141 report does not relieve the operator of<br>ale Woodall<br><i>le Woodall</i><br>bdall@dvn.com | ifications and perform co<br>OCD does not relieve the<br>eat to groundwater, surfa | eprrective actions for rele<br>e operator of liability sha<br>ice water, human health<br>liance with any other fea | ases which may endanger<br>ould their operations have<br>or the environment. In |
| OCD Only Received by:   | Jocelyn Harimon  | Date: 03   | 3/15/2023  |   |

Page 6

Oil Conservation Division

| Incident ID    | NAPP2220943960 |
|----------------|----------------|
| District RP    |                |
| Facility ID    |                |
| Application ID |                |

Page 3 of 27

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<u>Closure Report Attachment Checklist</u>: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11 NMAC

Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)

Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)

Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Title: EHS Professional

Printed Name: Dale Woodall

Signature: Dale Woodall

email: dale.woodall@dvn.com

Telephone: 405-318-4697

Date: 3/15/2023

**OCD Only** 

Received by: Jocelyn Harimon

Date: 03/15/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

| Closure Approved by: | Date:  |
|----------------------|--------|
| Printed Name:        | Title: |



Pima Environmental Services 5614 N. Lovington Highway Hobbs, NM 88240 575-964-7740

August 18, 2022

NMOCD District 2 811 S. First St Artesia, NM, 88210

#### RE: Liner Inspection and Closure Report Billiken 6 CTB 1 API No. N/A GPS: Latitude 32.07865 Longitude -103.412159 UL- D, Section 6, Township 26S, Range 35E NMOCD Reference No NAPP2220943960

Devon Energy Production Company (Devon) has contracted Pima Environmental Services, LLC (Pima) to perform a liner inspection and prepare this closure report for a produced water release that happened at the Billiken 6 CTB 1 (Billiken). An initial C-141 was submitted on August 11, 2022, and can be found in Appendix B. This incident was assigned Incident ID NAPP2220943960, by the New Mexico Oil Conservation Division (NMOCD).

#### Site Information and Site Characterization

The Billiken is located approximately thirteen (13) miles West of Jal, NM. This spill site is in Unit D, Section 6, Township 26S, Range 35E, Latitude 32.07865 Longitude -103.412159, Lea County, NM. A Location Map can be found in Figure 1.

Based upon New Mexico Office of the State Engineer well water data, depth to the nearest groundwater in this area is 300 feet below grade surface (BGS). According to the United States Geological Survey well water data, depth to the nearest groundwater in this area is 198 feet BGS. See Appendix A for referenced water surveys. The Billiken is in a low karst area (Figure 3). A Topographic Map can be found in Figure 2.

#### **Release Information**

**NAPP2220943960**: On July 27, 2022, A transfer pump seal started to leak fluid into lined containment. Approximately 10 barrels (bbls) of produced water was released. A vacuum truck was dispatched and recovered all 10 bbls of fluid from the lined SPCC containment ring. Once fluids were removed, the liner was visually inspected by Devon field staff for any pinholes or punctures, and none were found. Based on this inspection there is no evidence that the spilled fluids left containment.

A Site Map can be found in Figure 4.

#### Site Assessment and Liner Inspection

On August 7, 2022, after sending the 48-hour notification via email, Pima Environmental conducted a liner inspection at this location. We concluded that this liner and containment maintained its integrity and was able to retain the fluids. The liner inspection form and photographic documentation can be found in Appendix C.

#### Closure Request

After careful review, Pima requests that this incident, NAPP2220943960 be closed. Devon has complied with the applicable closure requirements.

Should you have any questions or need additional information, please feel free to contact Tom Bynum at 575-964-7740 or tom@pimaoil.com.

Respectfully,

Tom Bynum

Tom Bynum Project Manager Pima Environmental Services, LLC

#### **Attachments**

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Site Map

Appendices:

Appendix A- Referenced Water Surveys Appendix B- C-141 Form & 48 Hour Notification Appendix C- Liner Inspection Form & Photographic Documentation

.




## Figures:


1-Location Map


2-Topographic Map

3-Karst Map

4-Site Map







# Received by OCD: 3/15/2023 2:01:18 PM Billiken 6 CTB 1

1

Devon Energy API: N/A Lea County, NM Site Map Legend Page 10 of 27
Billiken 6 CTB 1

 $\mathbb{N}$ 

300 ft

Billiken 6 CTB 1



# Appendix A

Water Surveys: OSE USGS



# *New Mexico Office of the State Engineer* **Water Column/Average Depth to Water**

| (A CLW##### in the<br>POD suffix indicates the<br>POD has been replaced | (R=POD<br>replaced,<br>O=orpha |                  | l             |      |              |     |        |       |                      |                  |                     |                    |                 |                 |          |
|---|--------------------------------|------------------|---------------|------|--------------|-----|--------|-------|----------------------|------------------|---------------------|--------------------|-----------------|-----------------|----------|
| & no longer serves a water right file.)                                 | C=the fil                      | e is             |               |      |              |     |        |       | / 2=NE<br>est to lar | 3=SW 4=SE        | E)<br>AD83 UTM in m | atora)             | (In f           | Poot)           |          |
| ( all right riter)  | closed)                        | POD              |               | (    | qua          | rte | rs are | smane | stiolar              | gest) (N         | AD85 UTM III II     | leters)            | (III I          | eet)            |          |
|   |                                | Sub-             |               | 0    | Q            | 0   |        |       |                      |                  |                     |                    |                 | W               | Vater    |
| POD Number  | Code                           |                  | County        | -    | -            | _   |        | Tws   | Rng                  | Х                | Y                   | DistanceDep        | thWellDep       |                 |          |
| <u>C 04601 POD1</u>   |                                | CUB              | LE            | 3    | 4            | 3   | 05     | 26S   | 35E                  | 651710           | 3548919 🌍           | 2061               |                 |                 |          |
| <u>C 02299</u>  |                                | CUB              | LE            | 4    | 2            | 4   | 24     | 25S   | 34E                  | 649517           | 3554125 🌍           | 4115               | 350             | 300             | 50       |
| <u>CP 01305 POD1</u>  |                                | СР               | LE            |      | 1            | 4   | 31     | 25S   | 37E                  | 655628           | 3551065 🌍           | 5744               | 420             | 230             | 190      |
| <u>C 02296</u>  |                                | CUB              | LE            | 3    | 4            | 2   | 18     | 25S   | 35E                  | 650846           | 3556088 🌍           | 6114               | 300             | 230             | 70       |
| <u>C 02297</u>  |                                | CUB              | LE            | 2    | 2            | 1   | 21     | 25S   | 35E                  | 653475           | 3555216 🌍           | 6251               | 300             | 230             | 70       |
| <u>C 02298</u>  |                                | CUB              | LE            | 2    | 2            | 1   | 21     | 25S   | 35E                  | 653484           | 3555216 🌍           | 6256               | 250             | 205             | 45       |
| <u>C 04583 POD1</u>   |                                | CUB              | LE            | 3    | 3            | 3   | 15     | 26S   | 34E                  | 644920           | 3545643 🌍           | 6697               | 55              |                 |          |
|   |                                |                  |               |      |              |     |        |       |                      |                  | Averag              | ge Depth to Wate   | r:              | 239 fee         | t        |
|   |                                |                  |               |      |              |     |        |       |                      |                  |                     | Minimum Dep        | oth:            | 205 fee         | t        |
|   |                                |                  |               |      |              |     |        |       |                      |                  |                     | Maximum Dep        | th:             | 300 fee         | t        |
| Record Count: 7   |                                |                  |               |      |              |     |        |       |                      |                  |                     |                    |                 |                 |          |
| UTMNAD83 Radius   | <u>s Search (ii</u>            | <u>1 meters)</u> | ) <u>:</u>    |      |              |     |        |       |                      |                  |                     |                    |                 |                 |          |
| <b>Easting (X):</b> 649   | 9976.7                         |                  | North         | ning | ( <b>Y</b> ) | ):  | 3550   | 035.4 |                      |                  | <b>Radius:</b> 7000 |                    |                 |                 |          |
| The date is formished by the N  | MOSE/ISC                       | and in c         | antad hr- 41- |      |              |     |        |       |                      | donaton din c 41 | at the OSE/ISC      | les as momenties   |                 | unliad con      | in a th- |
| The data is furnished by the Maccuracy, completeness, reliab            |                                |                  |               |      |              |     |        |       |                      | ierstanding th   | at the OSE/ISC ma   | ike no warranties, | expressed or in | npiied, concerr | iing the |
|   |                                |                  |               |      |              |     |        |       |                      |                  |                     | WATER COL          | IMN/ AVED       | AGE DEPTH       | I TO     |

8/18/22 7:25 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER



USGS Home Contact USGS Search USGS

### **National Water Information System: Web Interface**

| ICCC | Wator | Resources |
|------|-------|-----------|
| 0363 | water | Resources |
|      |       |           |

| Data | Category: |   | Geographic Area: |              |    |
|------|-----------|---|------------------|--------------|----|
| Gro  | undwater  | ~ | United States    | $\checkmark$ | GO |

## Click to hideNews Bulletins

- Explore the NEW <u>USGS National Water Dashboard</u> interactive map to access realtime water data from over 13,500 stations nationwide.
- Full News 🔊

Groundwater levels for the Nation

Important: <u>Next Generation Monitoring Location Page</u>

# Search Results -- 1 sites found

site\_no list =

• 320150103235501

### Minimum number of levels = 1

Save file of selected sites to local disk for future upload

# USGS 320150103235501 26S.35E.19.142

Available data for this site Groundwater: Field measurements V GO


Lea County, New Mexico Hydrologic Unit Code 13070007 Latitude 32°01'53", Longitude 103°24'25" NAD27 Land-surface elevation 3,190 feet above NGVD29 This well is completed in the Other aquifers (N9999OTHER) national aquifer. **Output formats** 

Table of data

Tab-separated data

<u>Graph of data</u>

Reselect period



Breaks in the plot represent a gap of at least one year between field measurements. <u>Download a presentation-quality graph</u>

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: Groundwater for USA: Water Levels URL: https://nwis.waterdata.usgs.gov/nwis/gwlevels?

Page Contact Information: <u>USGS Water Data Support Team</u> Page Last Modified: 2022-08-04 13:19:30 EDT 0.54 0.46 nadww02





## Appendix B

C-141 Form

**48-Hour Notification** 

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural **Resources Department** 

**Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Page 16 bf 27

| Incident ID    |  |
|----------------|--|
| District RP    |  |
| Facility ID    |  |
| Application ID |  |

# **Release Notification**

## **Responsible Party**

| Responsible Party       | OGRID                        |
|-------------------------|------------------------------|
| Contact Name            | Contact Telephone            |
| Contact email           | Incident # (assigned by OCD) |
| Contact mailing address |                              |

### **Location of Release Source**

Longitude

| Latitude | Longitude                                       |
|----------|---|
|          | (NAD 83 in decimal degrees to 5 decimal places) |
|          |   |

| Site Name               | Site Type            |
|-------------------------|----------------------|
| Date Release Discovered | API# (if applicable) |

| Unit Letter | Section | Township | Range | County |
|-------------|---------|----------|-------|--------|
|             |         |          |       |        |

Surface Owner: State Federal Tribal Private (Name: \_

## **Nature and Volume of Release**

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

| Crude Oil        | Volume Released (bbls)  | Volume Recovered (bbls)                 |
|------------------|---|---|
| Produced Water   | Volume Released (bbls)  | Volume Recovered (bbls)                 |
|                  | Is the concentration of total dissolved solids (TDS)<br>in the produced water >10,000 mg/l? | Yes No                                  |
| Condensate       | Volume Released (bbls)  | Volume Recovered (bbls)                 |
| Natural Gas      | Volume Released (Mcf)   | Volume Recovered (Mcf)                  |
| Other (describe) | Volume/Weight Released (provide units)  | Volume/Weight Recovered (provide units) |
| Cause of Release |   |   |
|                  |   |   |
|                  |   |   |
|                  |   |   |
|                  |   |   |

| Page 2 |
|--------|
|--------|

### Oil Conservation Division

| Incident ID    |  |
|----------------|--|
| District RP    |  |
| Facility ID    |  |
| Application ID |  |

| Was this a major         | If YES, for what reason(s) does the responsible party consider this a major release?  |
|--------------------------|---|
| release as defined by    |   |
| 19.15.29.7(A) NMAC?      |   |
|                          |   |
| Yes No                   |   |
|                          |   |
|                          |   |
|                          |   |
| If YES, was immediate no | otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? |
|                          |   |
|                          |   |

## **Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| Printed Name:                | Title:          |  |
|------------------------------|-----------------|--|
| Signature: Kendra Ruiz       | Date:           |  |
| email:                       | Telephone:      |  |
| OCD Only                     |                 |  |
| Received by: Jocelyn Harimon | Date:08/11/2022 |  |

Received by OCD: 3/15/2023 2:01:18 PM Form C-141 State of New Mexico

Oil Conservation Division

|                | Page 18 of 2   |
|----------------|----------------|
| Incident ID    | NAPP2220943960 |
| District RP    |                |
| Facility ID    |                |
| Application ID |                |

# Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| What is the shallowest depth to groundwater beneath the area affected by the release?   | <u>198</u> (ft bgs) |
|---|---------------------|
| Did this release impact groundwater or surface water?   | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?  | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?  | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?  | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes? | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?  | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?   | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within 300 feet of a wetland?  | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release overlying a subsurface mine?   | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release overlying an unstable area such as karst geology?  | 🗌 Yes 🛛 No          |
| Are the lateral extents of the release within a 100-year floodplain?  | 🗌 Yes 🛛 No          |
| Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?  | 🗌 Yes 🔀 No          |

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

#### Characterization Report Checklist: Each of the following items must be included in the report.

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
   Field data
- Data table of soil contaminant concentration data
- $\boxtimes$  Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Page 3

| Received by OCD: 3/15/20   | 23 2:01:18 PM<br>State of New Mexico |  |   | Page 19 of  |
|--|--------------------------------------|--|---|---|
|  |                                      |  | Incident ID   | NAPP2220943960  |
| Page 4   | Oil Conservation Divis               | ion  | District RP   |   |
|  |                                      |  | Facility ID   |   |
|  |                                      |  | Application ID  |   |
| regulations all operators are<br>public health or the environ<br>failed to adequately investig |                                      | e notifications and perform c<br>the OCD does not relieve th<br>a threat to groundwater, surfa | orrective actions for rel<br>e operator of liability sl<br>ace water, human health<br>liance with any other for<br>essional | eases which may endanger<br>nould their operations have<br>n or the environment. In |
| OCD Only Received by:  |                                      | Date:  |   |   |

Oil Conservation Division

| Incident ID    | NAPP2220943960 |
|----------------|----------------|
| District RP    |                |
| Facility ID    |                |
| Application ID |                |

Page 20 of 27

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<u>Closure Report Attachment Checklist</u>: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11 NMAC

Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)

Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)

Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: EHS Professional

Signature: Dale Woodall Date: 3/15/2023

email: dale.woodall@dvn.com

Telephone: 405-318-4697

**OCD Only** 

Received by:

Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

| Closure Approved by:         | Date: 03/20/2023                  |
|------------------------------|-----------------------------------|
| Printed Name: Jennifer Nobui | Title: Environmental Specialist A |



Gio PimaOil <gio@pimaoil.com>

## **Billiken 6 CTB 1 liner inspection**

1 message

**Gio PimaOil** <gio@pimaoil.com> To: ocdonline@state.nm.us, Tom Pima Oil <tom@pimaoil.com> Thu, Aug 4, 2022 at 9:34 AM

Good Morning,

Pima Environmental would like to notify you that we will be conducting a liner Inspection at the Billiken 6 CTB 1 for incident NAPP2220943960. Pima personnel are scheduled to be on site for this Inspection event at approximately 6:00 a.m. On Sunday, August 7, 2022. If you have any questions or concerns, please let me know. Thank you.

--Gio Gomez Project Manager cell-806-782-1151 Office- 575-964-7740 Pima Environmental Services, LLC.



## Appendix C

Liner Inspection Form

Photographic Documentation

.



## **Liner Inspection Form**

| Company Name:                         | Devon Energy   |                     |          |
|---------------------------------------|--|---------------------|----------|
| Site:                                 | Billiken 6 CTB 1                                     |                     |          |
| Lat/Long:                             | <u>32.07865, -103.41259</u>                          |                     |          |
| NMOCD Incident ID<br>& Incident Date: | NAPP2220943960                                       | 7/27/2022           |          |
| 2-Day Notification<br>Sent:           | via Email by Gio Gomez                               | <u>8/4/2022</u>     |          |
| Inspection Date:                      | <u>    8/7/2022                                 </u> |                     |          |
| Liner Type:                           | Earthen w/liner                                      | Earthen no liner    | Polystar |
|                                       | Steel w/poly liner                                   | Steel w/spray epoxy | No Liner |

Other:


| Visualization  | Yes | No | Comments |
|--|-----|----|----------|
| Is there a tear in the liner?                          |     | Х  |          |
| Are there holes in the liner?                          |     | Х  |          |
| Is the liner retaining any fluids?                     |     | Х  |          |
| Does the liner have<br>integrity to contain a<br>leak? | Х   |    |          |


Comments: \_\_\_\_\_

| Inspector Name: <u>Scott Henson</u> | _ Inspector Signature: <u></u> |
|-------------------------------------|--------------------------------|
|-------------------------------------|--------------------------------|



## SITE PHOTOGRAPHS LINER INSPECTION







District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

| Operator:                           | OGRID:                                    |
|-------------------------------------|---|
| DEVON ENERGY PRODUCTION COMPANY, LP | 6137                                      |
| 333 West Sheridan Ave.              | Action Number:                            |
| Oklahoma City, OK 73102             | 197573                                    |
|                                     | Action Type:                              |
|                                     | [C-141] Release Corrective Action (C-141) |

#### CONDITIONS

| Created<br>By | Condition         | Condition<br>Date |
|---------------|-------------------|-------------------|
| jnobui        | Closure Approved. | 3/20/2023         |

CONDITIONS

Page 27 of 27

Action 197573