



August 13, 2020

District Supervisor
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

**Re: Release Characterization and Remediation Work Plan
ConocoPhillips
Vacuum Abo Unit 4-5 Flowline Release
Unit Letter H, Section 26, Township 17 South, Range 35 East
Lea County, New Mexico
1RP-1601**

Dear Sir or Madam:

Tetra Tech, Inc. (Tetra Tech) was contacted by ConocoPhillips (COP) to assess a release that occurred from the Vacuum Abo Unit 4-5 well (API No. 30-025-02888) flowline. The release site coordinates are 32.807750°, -103.422833°, located in the Public Land Survey System (PLSS) Unit Letter H, Section 26, Township 17 South, Range 35 East, Lea County, New Mexico (Site). The Site location is shown on Figures 1 and 2.

BACKGROUND

According to the State of New Mexico Oil Conservation Division (NMOCD) C-141 Initial Report (Appendix A), the release occurred on September 27, 2007. The release occurred due to external corrosion on a 2-7/8" steel flowline approximately 1,075 feet (ft) southwest of the Vacuum Abo 4-5 well pad and resulted in the discharge of 3 barrels (bbls) of oil and 17 bbls of produced water to the ground surface. According to the C-141, the release affected approximately 2,000 square ft (sf) of pasture land. During the initial response, 2 bbls of oil and 13 bbls of water were recovered with a vacuum truck. The NMOCD approved the initial C-141 on October 1, 2007 and assigned the Site the Remediation Permit (RP) number 1RP-1601.

SITE CHARACTERIZATION

A site characterization was performed and per 19.15.29.12 NMAC, no watercourses, sinkholes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the specified distances and the Site is in a low karst potential area. The Site is within a New Mexico oil and gas production area. A playa lake is located approximately 400 ft northwest of the release location.

According to the New Mexico Office of the State Engineer (NMOSE) well database, there are two wells located in Section 26, Township 17 South, Range 35 East. The average depth to groundwater documented is 50 ft below ground surface (bgs). Site characterization data is included in Appendix B.

REGULATORY FRAMEWORK

Based upon the release footprint and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the site characterization data was used to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total

Tetra Tech

901 West Wall St., Suite 100, Midland, TX 79701

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com

petroleum hydrocarbons (TPH), and chlorides in soil. Based on the site characterization, the RRALs for the Site are as follows:

- Benzene: 10 milligrams per kilogram (mg/kg);
- Total BTEX (sum of benzene, toluene, ethylbenzene, and xylene): 50 mg/kg;
- TPH (GRO + DRO + ORO): 100 mg/kg;
- Chloride: 600 mg/kg

SITE ASSESSMENT

Review of aerial imagery from 2009 indicated evidence of disturbed soils which would seem to indicate that remediation activities occurred at the site (see Figure 3). However, there is no record of analytical samples collected prior to or immediately following any such remedial actions. At the direction of ConocoPhillips, Tetra Tech personnel were onsite to delineate and sample the release area vicinity in May 2020. While onsite, Tetra Tech personnel observed an approximate 4,830-sf area that was apparently previously excavated, had a liner emplaced, and backfilled (see Figure 3).

A total of five (5) soil borings (BH-1 through BH-5) were installed using an air rotary drilling rig to depths ranging from 10 to 20 ft bgs to evaluate the vertical and horizontal extents of the release area vicinity and determine the success of the apparent remediation activities. Borings BH-1 and BH-2 were installed in the general vicinity of the release area. Boring BH-4 was installed within the apparent release extent footprint, to gather vertical delineation while avoiding the lined area in order to preserve the integrity of the liner. Borings BH-3 and BH-5 were installed outside of the perimeter of the reported release area and vicinity. Boring logs, included as Appendix C, present soil descriptions, sample depths and field screening data from the site assessment. Photographic documentation of the release area during the site assessment is included in Appendix D.

A total of thirty-one (31) samples were submitted to Pace Analytical National Center for Testing & Innovation in Nashville, Tennessee to be analyzed for chlorides via EPA Method 300.0, TPH via EPA Method 8015M, and BTEX via EPA Method 8021B. The soil boring locations are shown on Figure 3.

SUMMARY OF SAMPLING RESULTS

The results of the sampling event in May 2020 are summarized in Table 1. The uppermost two samples associated with boring BH-4 (0-1 ft bgs and 2-3 ft bgs) had TPH results that exceeded the proposed RRAL of 100 mg/kg. However, all analytical results associated with the remaining Site boring locations were below the proposed RRALs for TPH, BTEX and chlorides. Boring location BH-4 is located immediately adjacent to the observed lined area, as shown on Figure 3. A copy of the analytical laboratory report and chain-of-custody documentation are included in Appendix E.

REMEDIATION WORK PLAN

Based on the analytical results, ConocoPhillips proposes to remove the impacted material in the area of distressed vegetation surrounding boring location BH-4, as depicted in Figure 4. Screening samples will be collected during the excavation process to determine if the remediation footprint for the site will be modified based on field conditions. Impacted soils will be excavated using heavy equipment (backhoes, hoe rams, and track hoes) to a maximum depth of 4 ft below surface or until a representative sample from the walls and bottom of the excavation is below the RRAL for TPH (100 mg/kg). The area of the release extent that runs along the lined and backfilled excavation will be hand-dug to a depth of 4 ft or the maximum extent practicable.

Excavated soils will be transported offsite and disposed of at an NMOCD-approved or permitted facility. Confirmation floor and sidewall samples will be collected for verification of remedial activities, and analyzed for TPH, BTEX and chloride. Once the sample results are received, NMOCD will be notified and the excavation will then be backfilled with clean material to surface grade. The estimated volume of material to be remediated is 225 cubic yards.

ALTERNATIVE CONFIRMATION SAMPLING PLAN

In accordance with 19.15.29.12(D)(1)(b) NMAC, ConocoPhillips proposes the following alternative confirmation sampling plan to adhere with NMOCD requirements. The proposed confirmation sample locations are depicted in Figure 4. Three (3) confirmation floor samples and six (6) confirmation sidewall samples are proposed for verification of remedial activities. The proposed excavation encompasses an area of approximately 1,500 square feet. Care will be taken not to disturb the lined area during excavation activities, and confirmation samples will not be collected in that area.

These confirmation sidewall and floor samples will be representative of no more than approximately 500 square feet of excavated area. Confirmation samples will be sent to Pace Laboratories for analysis of TPH, BTEX, and chlorides. Once results are received, NMOCD will be notified and the excavation will then be backfilled with clean material to surface grade.

SITE RECLAMATION AND RESTORATION PLAN

The backfilled areas will be seeded in Spring 2021 (first favorable growing season) to aid in revegetation. Based on the soils at the site, the New Mexico State Land Office (NMSLO) Sandy (SL) Loam Seed Mixture will be used for seeding and will be planted in the amount specified in the pounds pure live seed (PLS) per acre (Appendix F). The seed mixture will be spread by a drill equipped with a depth regulator or a hand-held broadcaster and raked. If a hand-held broadcaster is used for dispersal, the pounds pure live seed per acre will be doubled.

Site inspections will be performed to assess the revegetation progress and evaluate the site for the presence of primary or secondary noxious weeds. If noxious weeds are identified, the NMSLO will be contacted to determine an effective method for eradication. If the site does not show revegetation after one growing season, the area will be reseeded as appropriate. The NMSLO seed mixture details and corresponding pounds pure live seed per acre are included in Appendix F.

CONCLUSION

ConocoPhillips proposes to complete remediation activities at the Site within 90 days of approval of this submittal. Upon completion of the proposed work, a final closure report detailing the remediation activities and the results of the confirmation sampling will be submitted to NMOCD. If you have any questions concerning the soil assessment or the proposed remediation activities for the Site, please call me at (512) 338-2861 or Greg at (432) 682-4559.

Sincerely,

Tetra Tech, Inc.



Christian M. Llull, P.G.
Project Manager



Greg W. Pope, P.G.
Program Manager

cc:

Mr. Marvin Soriwei, RMR – ConocoPhillips
Mr. Charles Beauvais, GPBU - ConocoPhillips

LIST OF ATTACHMENTS

Figures:

- Figure 1 – Site Location/Overview Map
- Figure 2 – Site Location/Topographic Map
- Figure 3 – Release Assessment Map
- Figure 4 – Proposed Excavation and Confirmation Sampling Map


Tables:


- Table 1 – Summary of Analytical Results –Site Assessment

Appendices:

- Appendix A – C-141 Form
- Appendix B – Site Characterization Data
- Appendix C – Soil Boring Logs
- Appendix D – Photographic Documentation
- Appendix E – Laboratory Analytical Data
- Appendix F – NMSLO Seed Mixture

FIGURES





DOCUMENT PATH: D:\CONOCOPHILLIPS\MXD\VAC_ABO_4_5\FIGURE 2 TOPO_VAC_ABO_4_5.MXD


TETRA TECH
www.tetrattech.com

 901 West Wall Street, Suite 100
 Midland, Texas 79701
 Phone: (432) 682-4559
 Fax: (432) 682-3946

CONOCOPHILLIPS

 1RP-1601
 (32.807733°, -103.422854°)
 LEA COUNTY, NEW MEXICO

**VACUUM ABO 4-5 FLOWLINE RELEASE
 TOPOGRAPHIC MAP**


PROJECT NO.: 212C-MD-02201


DATE: AUGUST 11, 2020

DESIGNED BY: AAM

Figure No.

2





TABLES

TABLE 1
SUMMARY OF ANALYTICAL RESULTS
SOIL ASSESSMENT - 1RP-1601
CONOCOPHILLIPS
VACUUM ABO 4-5 FLOWLINE RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth Interval	Field Screening Results		Chloride ¹		BTEX ²										TPH ³							
			Chloride	PID			Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX	GRO ⁴		DRO		ORO		Total TPH (GRO+DRO+ORO)		
					mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q		mg/kg	C ₃ - C ₁₀	Q	C ₁₀ - C ₂₈	Q	C ₂₈ - C ₄₀		Q	mg/kg
BH-1	5/19/2020	0-1	101	3.9	13.6	J	< 0.00102		< 0.00512		< 0.00256		< 0.00665		-	< 0.102		3.42	J	8.35		11.8		
		2-3	97.1	7.1	< 20.4		< 0.00102		< 0.00511		< 0.00255		< 0.00664		-	< 0.102		< 4.09		1.92	J	1.92		
		4-5	301	9.0	62.4		< 0.00102		< 0.00509		< 0.00254		< 0.00661		-	< 0.102		< 4.07		< 4.07		-		
		6-7	171	4.2	32.9		< 0.00101		< 0.00505		< 0.00252		< 0.00656		-	< 0.101		< 4.04		< 4.04		-		
		9-10	164	2.8	12.5	J	< 0.00104		< 0.00518		< 0.00259		< 0.00674		-	< 0.104		< 4.15		< 4.15		-		
		14-15	-	-	12.3	J	< 0.00101		< 0.00503		< 0.00252		< 0.00654		-	< 0.101		< 4.02		< 4.02		-		
		19-20	-	-	19.6		< 0.00109		< 0.00545		< 0.00273		< 0.00709		-	< 0.109		< 4.36		< 4.36		-		
BH-2	5/19/2020	0-1	148	2.9	10.0	J	< 0.00103		< 0.00514		< 0.00257		< 0.00669		-	< 0.103		4.53		11.6		16.1		
		2-3	447	6.1	65.5		< 0.00102		< 0.00509		< 0.00255		< 0.00662		-	< 0.102		< 4.07		2.66	J	2.66		
		4-5	106	2.8	12.3	J	< 0.00101		< 0.00507		< 0.00253		< 0.00659		-	< 0.101		< 4.05		< 4.05		-		
		6-7	101	2.1	< 21.0		< 0.00105		< 0.00525		< 0.00262		< 0.00682		-	< 0.105		< 4.20		< 4.20		-		
		9-10	97.1	2.3	< 20.9		< 0.00105		< 0.00524		< 0.00262		< 0.00681		-	< 0.105		< 4.19		< 4.19		-		
		14-15	-	-	< 20.7		< 0.00104		< 0.00518		< 0.00259		< 0.00673		-	< 0.104		< 4.14		< 4.14		-		
		19-20	-	-	< 22.7		< 0.00113		< 0.00567		< 0.00283		< 0.00737		-	< 0.113		< 4.53		< 4.53		-		
BH-3	5/20/2020	0-1	78.3	2.0	< 20.5		< 0.00102		< 0.00512		< 0.00256		< 0.00665		-	< 0.102		13.1		30.3		43.4		
		2-3	68.5	1.8	12.6	J	< 0.00104		< 0.00518		< 0.00259		< 0.00674		-	< 0.104		6.53		19.7		26.2		
		4-5	42.3	1.9	< 20.4		< 0.00102		< 0.00510		< 0.00255		< 0.00663		-	< 0.102		< 4.08		< 4.08		-		
		6-7	41.9	1.4	< 20.4		< 0.00102		< 0.00511		< 0.00255		< 0.00664		-	< 0.102		< 4.08	Q	< 4.08	Q	-		
		9-10	41.3	1.6	< 20.6		< 0.00103		< 0.00516		< 0.00258		< 0.00671		-	< 0.103		< 4.13		0.335	J	0.335		
BH-4	5/20/2020	0-1	101	2.8	< 20.6		< 0.00103		< 0.00514		< 0.00257		< 0.00668		-	< 0.103		79.3		128		207		
		2-3	43.2	4.1	23.8		0.000561	J	< 0.00510		< 0.00255		< 0.00663	0.000651	< 0.102		34.6		122		157			
		4-5	151	3.5	83.5		< 0.00103		< 0.00517		< 0.00259		< 0.00673		-	< 0.103		< 4.14		2.32	B J	2.32		
		6-7	57.9	2.1	19.0	J	< 0.00103		< 0.00513		< 0.00256		< 0.00666		-	< 0.103		13.2		34.1		47.3		
		9-10	46.8	1.8	< 20.1		< 0.00101		< 0.00503		< 0.00251		< 0.00654		-	< 0.101		< 4.02		2.20	B J	2.20		
		14-15	-	-	27.1		< 0.00109		< 0.00544		< 0.00272		< 0.00707		-	< 0.109		3.25	J	6.76		10.0		
		19-20	-	-	22.6		< 0.00103		< 0.00514		< 0.00257		< 0.00668		-	< 0.103		3.67	J	9.33		13.0		
BH-5	5/20/2020	0-1	80.8	2.8	14.1	J	< 0.00103		< 0.00517		< 0.00259		< 0.00672		-	0.0541	B J	3.09	J	13.9		17.0		
		2-3	116	3.4	20.3	J	< 0.00103		< 0.00514		< 0.00257		< 0.00668		-	< 0.103		1.81	J	6.08		7.89		
		4-5	176	2.9	26.4		< 0.00108		< 0.00542		< 0.00271		< 0.00704		-	< 0.108		< 4.33		2.89	B J	2.89		
		6-7	45.8	2.1	< 20.6		< 0.00103		< 0.00516		< 0.00258		< 0.00671		-	< 0.103		< 4.13		2.66	B J	2.66		
		9-10	47.1	1.5	< 20.7		< 0.00104		< 0.00518		< 0.00259		< 0.00673		-	< 0.104		< 4.14		1.52	B J	1.52		

NOTES:

ft. Feet

bgs Below ground surface

ppm Parts per million

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

ORO Oil range organics

Bold and italicized values indicate exceedance of proposed RRALS

Shaded rows indicate depth intervals proposed for excavation and remediation.

1 EPA Method 300.0

2 EPA Method 8260B

3 EPA Method 8015

4 EPA Method 8015D/GRO

QUALIFIERS:

B The same analyte is found in the associated blank.

J The identification of the analyte is acceptable; the reported value is an estimate.

APPENDIX A C-141 Forms

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company ConocoPhillips Company	Contact Mickey Garner
Address 3300 North A St. Bldg 6, Midland, TX 79705-5406	Telephone No. 505.391.3158
Facility Name Vacuum ABO 4-5	Facility Type Oil and Gas

Surface Owner State of New Mexico	Mineral Owner State of New Mexico	Lease No 30-025-02888-00-00
--	--	------------------------------------

LOCATION OF RELEASE

Unit Letter A	Section 26	Township 17S	Range 35E	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
-------------------------	----------------------	------------------------	---------------------	---------------	------------------	---------------	----------------	----------------------

Latitude **N 32 48.465** Longitude **W 103 25.370**

NATURE OF RELEASE

Type of Release Crude Oil and Produced Water	Volume of Release 20bbl (3oil, 17water)	Volume Recovered (2oil, 13water)
Source of Release 2 7/8" steel flowline	Date and Hour of Occurrence 9-27-2007 1:00 am	Date and Hour of Discovery 9-27-2007 9:00 am 3031-1234567
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*
N/A



Describe Cause of Problem and Remedial Action Taken.*

On Thursday September 27, 2007 at 9:00 am a leak was discovered coming from a 2 7/8" steel flowline on Vacuum ABO Well # 4-5 due to external corrosion. Amount spilled was 3 bbls of oil and 17 bbls of produced water.

Describe Area Affected and Cleanup Action Taken.*

The spill was not contained and affected approximately 2,000 sq/ft of pasture. The MSO shut in the well and called a vacuum truck to pick up free liquids. 2 bbls of oil and 13 bbls of produced water were recovered. The spill site will be delineated and remediated in accordance with NMOCD guidelines. The chloride content for this lease is 81,000.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Mickey Garner	Approved by District Supervisor: 	
Title: HSE Lead	Approval Date: 10/1/07	Expiration Date: 1/1/08
E-mail Address: Mickey.D.Garner@conocophillips.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 9-27-2007 Phone: 505.391.3158		

- Attach Additional Sheets If Necessary

RP#1601

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Remediation Plan


Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____
Signature:  Date: _____
email: _____ Telephone: _____

OCD Only

Received by: OCD Date: 8/13/2020

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature:  Date: 3/30/2023

APPENDIX B

Site Characterization Data



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)



(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD										X	Y	Depth Well	Depth Water	Water Column
	Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng						
L 04881	L	LE		1	3	26	17S	35E	646556	3630644*		137	50	87	
L 04951	L	LE		2	2	2	26	17S	35E	647851	3631560*		137	50	87

Average Depth to Water: **50 feet**

Minimum Depth: **50 feet**

Maximum Depth: **50 feet**

Record Count: 2

PLSS Search:

Section(s): 26

Township: 17S

Range: 35E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/6/20 10:16 AM




Page 1 of 1


WATER COLUMN/ AVERAGE
DEPTH TO WATER

Karst Potential

Vac Abo 4-5 Flowline Release
1RP-1601

Legend

-  1RP-1601
-  High
-  Low
-  Medium




Google Earth

© 2020 Google

Image Landsat / Copernicus

Released to Imaging: 3/30/2023 8:18:23 AM

Water Bodies



7/6/2020, 11:15:08 AM



Override 1



OCD District Offices



PLSS First Division



PLSS Second Division




OSE Water-bodies



PLJV Probable Playas



OSE Streams



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community, OCD, BLM

New Mexico Oil Conservation Division

APPENDIX C

Soil Boring Logs

212C-MD-02201		TETRA TECH		LOG OF BORING BH-1				Page 1 of 1											
Project Name: Vac Abo 4-5																			
Borehole Location: GPS Coordinates: 32.807581°, -103.422616°					Surface Elevation: 3914 ft														
Borehole Number: BH-1				Borehole Diameter (in.): 8		Date Started: 5/19/2020		Date Finished: 5/19/2020											
WATER LEVEL OBSERVATIONS While Drilling <input checked="" type="checkbox"/> DRY ft Upon Completion of Drilling <input checked="" type="checkbox"/> DRY ft Remarks:																			
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS					
			ExStik	PID				LL	PI										
			101	3.9								-ML- SANDY SILT: White, stiff, calcareous, with moderate gravel, no odor, no staining.		BH-1 (0-1')					
			97.1	7.1										BH-1 (2-3')					
5			301	9										BH-1 (4-5')					
			171	4.2										BH-1 (6-7')					
10			164	2.8										BH-1 (9-10')					
15														BH-1 (14-15')					
20													20	BH-1 (19-20')					
Bottom of borehole at 20.0 feet.																			
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;"> Sampler Types: <input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample </td> <td style="width: 30%;"> <input checked="" type="checkbox"/> Acetate Liner <input checked="" type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input checked="" type="checkbox"/> Test Pit </td> <td style="width: 30%;"> Operation Types: <input checked="" type="checkbox"/> Mud Rotary <input checked="" type="checkbox"/> Continuous Flight Auger <input checked="" type="checkbox"/> Wash Rotary </td> <td style="width: 30%;"> <input checked="" type="checkbox"/> Hand Auger <input checked="" type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel </td> <td> Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column. </td> </tr> </table>															Sampler Types: <input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample	<input checked="" type="checkbox"/> Acetate Liner <input checked="" type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input checked="" type="checkbox"/> Test Pit	Operation Types: <input checked="" type="checkbox"/> Mud Rotary <input checked="" type="checkbox"/> Continuous Flight Auger <input checked="" type="checkbox"/> Wash Rotary	<input checked="" type="checkbox"/> Hand Auger <input checked="" type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel	Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column.
Sampler Types: <input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample	<input checked="" type="checkbox"/> Acetate Liner <input checked="" type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input checked="" type="checkbox"/> Test Pit	Operation Types: <input checked="" type="checkbox"/> Mud Rotary <input checked="" type="checkbox"/> Continuous Flight Auger <input checked="" type="checkbox"/> Wash Rotary	<input checked="" type="checkbox"/> Hand Auger <input checked="" type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel	Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column.															
Logger: Joe Tyler					Drilling Equipment: Air Rotary					Driller: Scarborough Drilling									

212C-MD-02201		TETRA TECH		LOG OF BORING BH-2				Page 1 of 1									
Project Name: Vac Abo 4-5																	
Borehole Location: GPS Coordinates: 32.807570°, -103.423293°				Surface Elevation: 3913 ft													
Borehole Number: BH-2				Borehole Diameter (in.): 8		Date Started: 5/19/2020		Date Finished: 5/19/2020									
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <input checked="" type="checkbox"/> DRY ft Upon Completion of Drilling <input checked="" type="checkbox"/> DRY ft Remarks:					
			ExStik	PID	MATERIAL DESCRIPTION		DEPTH (ft)	REMARKS									
5	5	X	148	2.9								5	-ML- SANDY SILT: White, stiff, calcareous, with moderate gravel, no odor, no staining.		BH-2 (0-1')		
			447	6.1											BH-2 (2-3')		
			106	2.8											BH-2 (4-5')		
			101	2.1											BH-2 (6-7')		
			97.1	2.3											BH-2 (9-10')		
10	10	X										10	BH-2 (14-15')				
15	15	X										15	BH-2 (19-20')				
20	20	X										20	Bottom of borehole at 20.0 feet.				

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample </div> <div style="width: 50%;"> <input type="checkbox"/> Acetate Liner <input type="checkbox"/> Vane Shear <input type="checkbox"/> California <input type="checkbox"/> Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Continuous Flight Auger <input type="checkbox"/> Wash Rotary </div> <div style="width: 50%;"> <input type="checkbox"/> Hand Auger <input type="checkbox"/> Air Rotary <input type="checkbox"/> Direct Push <input type="checkbox"/> Core Barrel </div> </div>	Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column.
---	--	---

Logger: Joe Tyler	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
-------------------	--------------------------------	-------------------------------


212C-MD-02201		TETRA TECH		LOG OF BORING BH-3				Page 1 of 1						
Project Name: Vac Abo 4-5														
Borehole Location: GPS Coordinates: 32.807279°, -103.422928°				Surface Elevation: 3914 ft										
Borehole Number: BH-3				Borehole Diameter (in.): 8		Date Started: 5/19/2020		Date Finished: 5/19/2020						
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:		
												MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS
5			78.3	2								-ML- SANDY SILT: White, stiff, calcareous, with moderate gravel, no odor, no staining.		BH-3 (0-1')
			68.5	1.8										BH-3 (2-3')
			42.3	1.9										BH-3 (4-5')
			41.9	1.4										BH-3 (6-7')
10			41.3	1.6										BH-3 (9-10')
Bottom of borehole at 10.0 feet.														
Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>			Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>			Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column.								
Logger: Joe Tyler				Drilling Equipment: Air Rotary				Driller: Scarborough Drilling						

212C-MD-02201		TETRA TECH		LOG OF BORING BH-4				Page 1 of 1							
Project Name: Vac Abo 4-5															
Borehole Location: GPS Coordinates: 32.807714°, -103.422776°				Surface Elevation: 3914 ft											
Borehole Number: BH-4				Borehole Diameter (in.): 8		Date Started: 5/19/2020		Date Finished: 5/19/2020							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:			
			ExStik	PID					LL	PI			MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS
5	[Wavy Line]	[X]	101	2.8							[Dotted Pattern]	[Dotted Pattern]	-ML- SANDY SILT: White, stiff, calcareous, with moderate gravel, no odor, no staining.		BH-4 (0-1')
			43.2	4.1											BH-4 (2-3')
			151	3.5											BH-4 (4-5')
			57.9	2.1											BH-4 (6-7')
			46.8	1.8											BH-4 (9-10')
10	[Wavy Line]	[X]									[Dotted Pattern]	[Dotted Pattern]	-SM- SILTY SAND: Tan, medium stiff, with low gravel, no odor, no staining.		BH-4 (14-15')
															BH-4 (19-20')
15	[Wavy Line]	[X]									[Dotted Pattern]	[Dotted Pattern]	-SM- SILTY SAND: Tan, medium stiff, with low gravel, no odor, no staining.		
20	[Wavy Line]	[X]									[Dotted Pattern]	[Dotted Pattern]	-SM- SILTY SAND: Tan, medium stiff, with low gravel, no odor, no staining.		
Bottom of borehole at 20.0 feet.															
Sampler Types:		<input checked="" type="checkbox"/> Split Spoon <input type="checkbox"/> Acetate Liner <input type="checkbox"/> Shelby <input type="checkbox"/> Vane Shear <input type="checkbox"/> Bulk Sample <input type="checkbox"/> California <input type="checkbox"/> Grab Sample <input type="checkbox"/> Test Pit				Operation Types:				<input type="checkbox"/> Hand Auger <input type="checkbox"/> Air Rotary <input type="checkbox"/> Direct Push <input type="checkbox"/> Core Barrel		Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column.			
Logger: Joe Tyler				Drilling Equipment: Air Rotary				Driller: Scarborough Drilling							


212C-MD-02201		TETRA TECH		LOG OF BORING BH-5				Page 1 of 1						
Project Name: Vac Abo 4-5														
Borehole Location: GPS Coordinates: 32.807966°, -103.422901°				Surface Elevation: 3913 ft										
Borehole Number: BH-5				Borehole Diameter (in.): 8		Date Started: 5/19/2020		Date Finished: 5/19/2020						
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:		
			ExStik	PID					LL	PI			MATERIAL DESCRIPTION	DEPTH (ft)
5			80.8	2.8								-ML- SANDY SILT: White, stiff, calcareous, with moderate gravel, no odor, no staining.		BH-5 (0-1')
			116	3.4									BH-5 (2-3')	
			176	2.9									BH-5 (4-5')	
			45.8	2.1									BH-5 (6-7')	
10			47.1	1.5									10	BH-5 (9-10')
Bottom of borehole at 10.0 feet.														
Sampler Types: <input checked="" type="checkbox"/> Split Spoon <input type="checkbox"/> Shelby <input type="checkbox"/> Bulk Sample <input type="checkbox"/> Grab Sample		<input type="checkbox"/> Acetate Liner <input type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input type="checkbox"/> Test Pit		Operation Types: <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Continuous Flight Auger <input type="checkbox"/> Wash Rotary		<input type="checkbox"/> Hand Auger <input type="checkbox"/> Air Rotary <input type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel		Notes: Surface elevation is an estimated value based on Google Earth. Laboratory analytical sample IDs and intervals are shown in the "Remarks" column.						
Logger: Joe Tyler				Drilling Equipment: Air Rotary				Driller: Scarborough Drilling						

APPENDIX D


Photographic Documentation



TETRA TECH, INC. PROJECT NO. 212C-MD-02201	DESCRIPTION	View west over of flowline and release area. Site Coordinates: 32.807750°, -103.422833°	1
	SITE NAME	Vac Abo 4-5 Flowline Release	5/20/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02201	DESCRIPTION	View south over release area.	2
	SITE NAME	Vac Abo 4-5 Flowline Release	5/20/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02201	DESCRIPTION	View northwest of release extent, with drilling rig in the background.	3
	SITE NAME	Vac Abo 4-5 Flowline Release	5/20/2020

APPENDIX E

Laboratory Analytical Data



ANALYTICAL REPORT

June 10, 2020

ConocoPhillips - Tetra Tech


Sample Delivery Group: L1223384
Samples Received: 05/29/2020
Project Number: 212C-MD-02201
Description: VAC Abo 4-5 (1RP-1601)

Report To: Christian Llull
901 West Wall
Suite 100
Midland, TX 79701

Entire Report Reviewed By:

Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	4
Cn: Case Narrative	11
Sr: Sample Results	12
BH-1 (0-1) L1223384-01	12
BH-1 (2-3) L1223384-02	13
BH-1 (4-5) L1223384-03	14
BH-1 (6-7) L1223384-04	15
BH-1 (9-10) L1223384-05	16
BH-1 (14-15) L1223384-06	17
BH-1 (19-20) L1223384-07	18
BH-2 (0-1) L1223384-08	19
BH-2 (2-3) L1223384-09	20
BH-2 (4-5) L1223384-10	21
BH-2 (6-7) L1223384-11	22
BH-2 (9-10) L1223384-12	23
BH-2 (14-15) L1223384-13	24
BH-2 (19-20) L1223384-14	25
BH-3 (0-1) L1223384-15	26
BH-3 (2-3) L1223384-16	27
BH-3 (4-5) L1223384-17	28
BH-3 (6-7) L1223384-18	29
BH-3 (9-10) L1223384-19	30
BH-4 (0-1) L1223384-20	31
BH-4 (2-3) L1223384-21	32
BH-4 (4-5) L1223384-22	33
BH-4 (6-7) L1223384-23	34
BH-4 (9-10) L1223384-24	35
BH-4 (14-15) L1223384-25	36
BH-4 (19-20) L1223384-26	37
BH-5 (0-1) L1223384-27	38
BH-5 (2-3) L1223384-28	39
BH-5 (4-5) L1223384-29	40
BH-5 (6-7) L1223384-30	41
BH-5 (9-10) L1223384-31	42
Qc: Quality Control Summary	43
Total Solids by Method 2540 G-2011	43
Wet Chemistry by Method 300.0	47
Volatile Organic Compounds (GC) by Method 8015D/GRO	49



Volatile Organic Compounds (GC/MS) by Method 8260B	52
Semi-Volatile Organic Compounds (GC) by Method 8015	54
GI: Glossary of Terms	57
AI: Accreditations & Locations	58
Sc: Sample Chain of Custody	59



BH-1 (0-1) L1223384-01 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:00	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 03:43	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 12:37	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 21:29	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 02:05	KME	Mt. Juliet, TN

1
Cp2
Tc3
Ss4
Cn

BH-1 (2-3) L1223384-02 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:05	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 04:12	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 13:01	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 21:48	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 02:41	KME	Mt. Juliet, TN

5
Sr6
Qc7
Gl8
Al

BH-1 (4-5) L1223384-03 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:10	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 04:27	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 13:24	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 22:07	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 23:45	KME	Mt. Juliet, TN

9
Sc

BH-1 (6-7) L1223384-04 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:20	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 04:42	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 13:48	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 22:26	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 00:30	KME	Mt. Juliet, TN

BH-1 (9-10) L1223384-05 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:30	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 04:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 14:12	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 22:45	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 01:01	KME	Mt. Juliet, TN

BH-1 (14-15) L1223384-06 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:40	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 05:42	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 14:36	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 23:04	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 01:17	KME	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

BH-1 (19-20) L1223384-07 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 10:50	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 05:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 15:00	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 23:23	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 01:33	KME	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

BH-2 (0-1) L1223384-08 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 11:30	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 06:42	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 15:24	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/01/20 23:42	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 01:49	KME	Mt. Juliet, TN

9 Sc

BH-2 (2-3) L1223384-09 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 11:35	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 06:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 15:47	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 00:01	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 00:45	KME	Mt. Juliet, TN

BH-2 (4-5) L1223384-10 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 11:40	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486310	1	06/03/20 16:56	06/03/20 17:02	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 07:12	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 16:11	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 00:20	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 23:14	KME	Mt. Juliet, TN

BH-2 (6-7) L1223384-11 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 11:50	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 07:27	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 16:35	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 00:39	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 21:38	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

BH-2 (9-10) L1223384-12 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 12:00	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 07:42	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 16:59	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 00:58	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 21:54	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

BH-2 (14-15) L1223384-13 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 12:10	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 07:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 17:23	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 01:17	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 22:10	KME	Mt. Juliet, TN

⁹ Sc

BH-2 (19-20) L1223384-14 Solid

				Collected by Joe Tyler	Collected date/time 05/19/20 12:20	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 08:41	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 17:46	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 01:36	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 22:58	KME	Mt. Juliet, TN

BH-3 (0-1) L1223384-15 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 10:00	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 08:56	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 18:10	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 01:55	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 03:06	KME	Mt. Juliet, TN

BH-3 (2-3) L1223384-16 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 10:05	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 09:11	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:32	06/02/20 18:34	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:32	06/02/20 02:14	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/05/20 16:33	KME	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

BH-3 (4-5) L1223384-17 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 10:10	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 09:26	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485649	1	05/30/20 11:47	06/02/20 18:58	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:47	06/02/20 02:33	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/02/20 23:29	KME	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

BH-3 (6-7) L1223384-18 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 10:20	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486006	1	06/03/20 21:34	06/04/20 09:41	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 00:21	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:47	06/02/20 02:52	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1488541	1	06/09/20 04:05	06/09/20 13:14	JN	Mt. Juliet, TN

9 Sc

BH-3 (9-10) L1223384-19 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 10:30	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 15:02	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 00:41	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:47	06/02/20 03:11	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/03/20 00:14	KME	Mt. Juliet, TN

BH-4 (0-1) L1223384-20 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 11:00	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486312	1	06/03/20 16:49	06/03/20 16:55	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 15:11	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 01:02	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485458	1	05/30/20 11:47	06/02/20 03:29	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485340	1	06/02/20 07:07	06/05/20 16:06	KME	Mt. Juliet, TN

BH-4 (2-3) L1223384-21 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 11:05	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 15:20	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 01:23	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 09:07	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	5	06/02/20 12:46	06/03/20 17:50	FM	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

BH-4 (4-5) L1223384-22 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 11:10	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 15:30	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 01:43	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 09:26	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/02/20 20:48	KME	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

BH-4 (6-7) L1223384-23 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 11:20	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 15:49	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 02:04	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 09:45	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/03/20 17:36	FM	Mt. Juliet, TN

⁹ Sc

BH-4 (9-10) L1223384-24 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 11:30	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 15:58	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 02:24	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 10:04	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/02/20 21:01	KME	Mt. Juliet, TN

BH-4 (14-15) L1223384-25 Solid

				Collected by Joe Tyler	Collected date/time 05/20/20 11:40	Received date/time 05/29/20 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 16:08	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 02:45	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 10:23	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/03/20 16:43	FM	Mt. Juliet, TN

BH-4 (19-20) L1223384-26 Solid

Collected by
Joe Tyler

Collected date/time
05/20/20 11:50

Received date/time
05/29/20 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 16:56	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 03:05	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 10:42	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/03/20 16:57	FM	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

BH-5 (0-1) L1223384-27 Solid

Collected by
Joe Tyler

Collected date/time
05/20/20 12:30

Received date/time
05/29/20 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 17:05	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1486256	1	05/30/20 11:47	06/03/20 13:17	DWR	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 11:01	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/03/20 17:10	FM	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

BH-5 (2-3) L1223384-28 Solid

Collected by
Joe Tyler

Collected date/time
05/20/20 12:35

Received date/time
05/29/20 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 17:15	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 03:47	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 11:20	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/03/20 17:23	FM	Mt. Juliet, TN

⁹ Sc

BH-5 (4-5) L1223384-29 Solid

Collected by
Joe Tyler

Collected date/time
05/20/20 12:40

Received date/time
05/29/20 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 17:24	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 04:07	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 11:38	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/02/20 22:21	KME	Mt. Juliet, TN

BH-5 (6-7) L1223384-30 Solid

Collected by
Joe Tyler

Collected date/time
05/20/20 12:50

Received date/time
05/29/20 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486314	1	06/04/20 10:38	06/04/20 10:48	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 17:34	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 04:28	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 11:57	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/02/20 22:34	KME	Mt. Juliet, TN

BH-5 (9-10) L1223384-31 Solid

Collected by
Joe Tyler

Collected date/time
05/20/20 13:00

Received date/time
05/29/20 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1486315	1	06/04/20 10:26	06/04/20 10:36	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1486008	1	06/03/20 09:34	06/03/20 17:43	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1485890	1	05/30/20 11:47	06/03/20 04:49	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1485615	1	05/30/20 11:47	06/02/20 12:16	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1485512	1	06/02/20 12:46	06/02/20 22:47	KME	Mt. Juliet, TN

1Cp

2Tc

3Ss

4Cn

5Sr


6Qc

7Gl

8Al

9Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris McCord
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Collected date/time: 05/19/20 10:00

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.7		1	06/03/2020 17:02	WG1486310

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	13.6	J	9.41	20.5	1	06/04/2020 03:43	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0222	0.102	1	06/02/2020 12:37	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	97.4			77.0-120		06/02/2020 12:37	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000478	0.00102	1	06/01/2020 21:29	WG1485458
Toluene	U		0.00133	0.00512	1	06/01/2020 21:29	WG1485458
Ethylbenzene	U		0.000754	0.00256	1	06/01/2020 21:29	WG1485458
Total Xylenes	U		0.000900	0.00665	1	06/01/2020 21:29	WG1485458
(S) Toluene-d8	105			75.0-131		06/01/2020 21:29	WG1485458
(S) 4-Bromofluorobenzene	88.8			67.0-138		06/01/2020 21:29	WG1485458
(S) 1,2-Dichloroethane-d4	105			70.0-130		06/01/2020 21:29	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.42	J	1.65	4.09	1	06/03/2020 02:05	WG1485340
C28-C40 Oil Range	8.35		0.280	4.09	1	06/03/2020 02:05	WG1485340
(S) o-Terphenyl	67.1			18.0-148		06/03/2020 02:05	WG1485340

Collected date/time: 05/19/20 10:05

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.9		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.40	20.4	1	06/04/2020 04:12	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0222	0.102	1	06/02/2020 13:01	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	97.2			77.0-120		06/02/2020 13:01	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000477	0.00102	1	06/01/2020 21:48	WG1485458
Toluene	U		0.00133	0.00511	1	06/01/2020 21:48	WG1485458
Ethylbenzene	U		0.000753	0.00255	1	06/01/2020 21:48	WG1485458
Total Xylenes	U		0.000899	0.00664	1	06/01/2020 21:48	WG1485458
(S) Toluene-d8	105			75.0-131		06/01/2020 21:48	WG1485458
(S) 4-Bromofluorobenzene	87.5			67.0-138		06/01/2020 21:48	WG1485458
(S) 1,2-Dichloroethane-d4	98.6			70.0-130		06/01/2020 21:48	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.65	4.09	1	06/03/2020 02:41	WG1485340
C28-C40 Oil Range	1.92	J	0.280	4.09	1	06/03/2020 02:41	WG1485340
(S) o-Terphenyl	60.5			18.0-148		06/03/2020 02:41	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 10:10

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.3		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	62.4		9.36	20.3	1	06/04/2020 04:27	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	06/02/2020 13:24	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	97.7			77.0-120		06/02/2020 13:24	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000475	0.00102	1	06/01/2020 22:07	WG1485458
Toluene	U		0.00132	0.00509	1	06/01/2020 22:07	WG1485458
Ethylbenzene	U		0.000750	0.00254	1	06/01/2020 22:07	WG1485458
Total Xylenes	U		0.000895	0.00661	1	06/01/2020 22:07	WG1485458
(S) Toluene-d8	103			75.0-131		06/01/2020 22:07	WG1485458
(S) 4-Bromofluorobenzene	88.5			67.0-138		06/01/2020 22:07	WG1485458
(S) 1,2-Dichloroethane-d4	97.9			70.0-130		06/01/2020 22:07	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.64	4.07	1	06/02/2020 23:45	WG1485340
C28-C40 Oil Range	U		0.279	4.07	1	06/02/2020 23:45	WG1485340
(S) o-Terphenyl	71.6			18.0-148		06/02/2020 23:45	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 10:20

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.0		1	06/03/2020 17:02	WG1486310

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	32.9		9.29	20.2	1	06/04/2020 04:42	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0219	0.101	1	06/02/2020 13:48	WG1485649
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	99.3			77.0-120		06/02/2020 13:48	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000472	0.00101	1	06/01/2020 22:26	WG1485458
Toluene	U		0.00131	0.00505	1	06/01/2020 22:26	WG1485458
Ethylbenzene	U		0.000744	0.00252	1	06/01/2020 22:26	WG1485458
Total Xylenes	U		0.000889	0.00656	1	06/01/2020 22:26	WG1485458
(S) Toluene-d8	104			75.0-131		06/01/2020 22:26	WG1485458
(S) 4-Bromofluorobenzene	89.4			67.0-138		06/01/2020 22:26	WG1485458
(S) 1,2-Dichloroethane-d4	101			70.0-130		06/01/2020 22:26	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.63	4.04	1	06/03/2020 00:30	WG1485340
C28-C40 Oil Range	U		0.277	4.04	1	06/03/2020 00:30	WG1485340
(S) o-Terphenyl	52.1			18.0-148		06/03/2020 00:30	WG1485340

Collected date/time: 05/19/20 10:30

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.5		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	12.5	J	9.54	20.7	1	06/04/2020 04:57	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	06/02/2020 14:12	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	98.4			77.0-120		06/02/2020 14:12	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000484	0.00104	1	06/01/2020 22:45	WG1485458
Toluene	U		0.00135	0.00518	1	06/01/2020 22:45	WG1485458
Ethylbenzene	U		0.000764	0.00259	1	06/01/2020 22:45	WG1485458
Total Xylenes	U		0.000912	0.00674	1	06/01/2020 22:45	WG1485458
(S) Toluene-d8	104			75.0-131		06/01/2020 22:45	WG1485458
(S) 4-Bromofluorobenzene	87.6			67.0-138		06/01/2020 22:45	WG1485458
(S) 1,2-Dichloroethane-d4	94.8			70.0-130		06/01/2020 22:45	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.67	4.15	1	06/03/2020 01:01	WG1485340
C28-C40 Oil Range	U		0.284	4.15	1	06/03/2020 01:01	WG1485340
(S) o-Terphenyl	64.7			18.0-148		06/03/2020 01:01	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 10:40

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	99.4		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	12.3	J	9.26	20.1	1	06/04/2020 05:42	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0218	0.101	1	06/02/2020 14:36	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	100			77.0-120		06/02/2020 14:36	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000470	0.00101	1	06/01/2020 23:04	WG1485458
Toluene	U		0.00131	0.00503	1	06/01/2020 23:04	WG1485458
Ethylbenzene	U		0.000741	0.00252	1	06/01/2020 23:04	WG1485458
Total Xylenes	U		0.000885	0.00654	1	06/01/2020 23:04	WG1485458
(S) Toluene-d8	104			75.0-131		06/01/2020 23:04	WG1485458
(S) 4-Bromofluorobenzene	88.8			67.0-138		06/01/2020 23:04	WG1485458
(S) 1,2-Dichloroethane-d4	98.4			70.0-130		06/01/2020 23:04	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.62	4.02	1	06/03/2020 01:17	WG1485340
C28-C40 Oil Range	U		0.276	4.02	1	06/03/2020 01:17	WG1485340
(S) o-Terphenyl	69.0			18.0-148		06/03/2020 01:17	WG1485340

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Collected date/time: 05/19/20 10:50

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	91.7		1	06/03/2020 17:02	WG1486310

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	19.6	J	10.0	21.8	1	06/04/2020 05:57	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0237	0.109	1	06/02/2020 15:00	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	98.2			77.0-120		06/02/2020 15:00	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000509	0.00109	1	06/01/2020 23:23	WG1485458
Toluene	U		0.00142	0.00545	1	06/01/2020 23:23	WG1485458
Ethylbenzene	U		0.000804	0.00273	1	06/01/2020 23:23	WG1485458
Total Xylenes	U		0.000960	0.00709	1	06/01/2020 23:23	WG1485458
(S) Toluene-d8	105			75.0-131		06/01/2020 23:23	WG1485458
(S) 4-Bromofluorobenzene	86.8			67.0-138		06/01/2020 23:23	WG1485458
(S) 1,2-Dichloroethane-d4	96.4			70.0-130		06/01/2020 23:23	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.76	4.36	1	06/03/2020 01:33	WG1485340
C28-C40 Oil Range	U		0.299	4.36	1	06/03/2020 01:33	WG1485340
(S) o-Terphenyl	67.5			18.0-148		06/03/2020 01:33	WG1485340

Collected date/time: 05/19/20 11:30

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.2		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	10.0	J	9.46	20.6	1	06/04/2020 06:42	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	06/02/2020 15:24	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	94.8			77.0-120		06/02/2020 15:24	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000480	0.00103	1	06/01/2020 23:42	WG1485458
Toluene	U		0.00134	0.00514	1	06/01/2020 23:42	WG1485458
Ethylbenzene	U		0.000758	0.00257	1	06/01/2020 23:42	WG1485458
Total Xylenes	U		0.000905	0.00669	1	06/01/2020 23:42	WG1485458
(S) Toluene-d8	104			75.0-131		06/01/2020 23:42	WG1485458
(S) 4-Bromofluorobenzene	89.1			67.0-138		06/01/2020 23:42	WG1485458
(S) 1,2-Dichloroethane-d4	98.7			70.0-130		06/01/2020 23:42	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4.53		1.66	4.11	1	06/03/2020 01:49	WG1485340
C28-C40 Oil Range	11.6		0.282	4.11	1	06/03/2020 01:49	WG1485340
(S) o-Terphenyl	66.7			18.0-148		06/03/2020 01:49	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 11:35

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.2		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	65.5		9.37	20.4	1	06/04/2020 06:57	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	06/02/2020 15:47	WG1485649
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	96.8			77.0-120		06/02/2020 15:47	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000476	0.00102	1	06/02/2020 00:01	WG1485458
Toluene	U		0.00132	0.00509	1	06/02/2020 00:01	WG1485458
Ethylbenzene	U		0.000751	0.00255	1	06/02/2020 00:01	WG1485458
Total Xylenes	U		0.000896	0.00662	1	06/02/2020 00:01	WG1485458
(S) <i>Toluene-d8</i>	106			75.0-131		06/02/2020 00:01	WG1485458
(S) <i>4-Bromofluorobenzene</i>	88.6			67.0-138		06/02/2020 00:01	WG1485458
(S) <i>1,2-Dichloroethane-d4</i>	102			70.0-130		06/02/2020 00:01	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.64	4.07	1	06/03/2020 00:45	WG1485340
C28-C40 Oil Range	2.66	J	0.279	4.07	1	06/03/2020 00:45	WG1485340
(S) <i>o</i> -Terphenyl	70.3			18.0-148		06/03/2020 00:45	WG1485340

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Collected date/time: 05/19/20 11:40

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.7		1	06/03/2020 17:02	WG1486310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	12.3	J	9.32	20.3	1	06/04/2020 07:12	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0220	0.101	1	06/02/2020 16:11	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	98.9			77.0-120		06/02/2020 16:11	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000473	0.00101	1	06/02/2020 00:20	WG1485458
Toluene	U		0.00132	0.00507	1	06/02/2020 00:20	WG1485458
Ethylbenzene	U		0.000747	0.00253	1	06/02/2020 00:20	WG1485458
Total Xylenes	U		0.000892	0.00659	1	06/02/2020 00:20	WG1485458
(S) Toluene-d8	102			75.0-131		06/02/2020 00:20	WG1485458
(S) 4-Bromofluorobenzene	87.2			67.0-138		06/02/2020 00:20	WG1485458
(S) 1,2-Dichloroethane-d4	101			70.0-130		06/02/2020 00:20	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.63	4.05	1	06/02/2020 23:14	WG1485340
C28-C40 Oil Range	U		0.278	4.05	1	06/02/2020 23:14	WG1485340
(S) o-Terphenyl	72.7			18.0-148		06/02/2020 23:14	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 11:50

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.3		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.66	21.0	1	06/04/2020 07:27	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0228	0.105	1	06/02/2020 16:35	WG1485649
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	96.9			77.0-120		06/02/2020 16:35	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000490	0.00105	1	06/02/2020 00:39	WG1485458
Toluene	U		0.00136	0.00525	1	06/02/2020 00:39	WG1485458
Ethylbenzene	U		0.000774	0.00262	1	06/02/2020 00:39	WG1485458
Total Xylenes	U		0.000924	0.00682	1	06/02/2020 00:39	WG1485458
(S) <i>Toluene-d8</i>	103			75.0-131		06/02/2020 00:39	WG1485458
(S) <i>4-Bromofluorobenzene</i>	87.6			67.0-138		06/02/2020 00:39	WG1485458
(S) <i>1,2-Dichloroethane-d4</i>	101			70.0-130		06/02/2020 00:39	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.69	4.20	1	06/02/2020 21:38	WG1485340
C28-C40 Oil Range	U		0.288	4.20	1	06/02/2020 21:38	WG1485340
(S) <i>o</i> -Terphenyl	68.0			18.0-148		06/02/2020 21:38	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 12:00

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.5		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.63	20.9	1	06/04/2020 07:42	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0227	0.105	1	06/02/2020 16:59	WG1485649
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	96.8			77.0-120		06/02/2020 16:59	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000489	0.00105	1	06/02/2020 00:58	WG1485458
Toluene	U		0.00136	0.00524	1	06/02/2020 00:58	WG1485458
Ethylbenzene	U		0.000772	0.00262	1	06/02/2020 00:58	WG1485458
Total Xylenes	U		0.000922	0.00681	1	06/02/2020 00:58	WG1485458
(S) <i>Toluene-d8</i>	104			75.0-131		06/02/2020 00:58	WG1485458
(S) <i>4-Bromofluorobenzene</i>	88.7			67.0-138		06/02/2020 00:58	WG1485458
(S) <i>1,2-Dichloroethane-d4</i>	102			70.0-130		06/02/2020 00:58	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.69	4.19	1	06/02/2020 21:54	WG1485340
C28-C40 Oil Range	U		0.287	4.19	1	06/02/2020 21:54	WG1485340
(S) <i>o</i> -Terphenyl	56.2			18.0-148		06/02/2020 21:54	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/19/20 12:10

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.6		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.52	20.7	1	06/04/2020 07:57	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	06/02/2020 17:23	WG1485649
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	98.5			77.0-120		06/02/2020 17:23	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000483	0.00104	1	06/02/2020 01:17	WG1485458
Toluene	U		0.00135	0.00518	1	06/02/2020 01:17	WG1485458
Ethylbenzene	U		0.000763	0.00259	1	06/02/2020 01:17	WG1485458
Total Xylenes	U		0.000911	0.00673	1	06/02/2020 01:17	WG1485458
(S) <i>Toluene-d8</i>	106			75.0-131		06/02/2020 01:17	WG1485458
(S) <i>4-Bromofluorobenzene</i>	86.8			67.0-138		06/02/2020 01:17	WG1485458
(S) <i>1,2-Dichloroethane-d4</i>	99.7			70.0-130		06/02/2020 01:17	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.67	4.14	1	06/02/2020 22:10	WG1485340
C28-C40 Oil Range	U		0.284	4.14	1	06/02/2020 22:10	WG1485340
(S) <i>o</i> -Terphenyl	67.9			18.0-148		06/02/2020 22:10	WG1485340

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 05/19/20 12:20

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	88.2		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		10.4	22.7	1	06/04/2020 08:41	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0246	0.113	1	06/02/2020 17:46	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	98.3			77.0-120		06/02/2020 17:46	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000529	0.00113	1	06/02/2020 01:36	WG1485458
Toluene	U		0.00147	0.00567	1	06/02/2020 01:36	WG1485458
Ethylbenzene	U		0.000836	0.00283	1	06/02/2020 01:36	WG1485458
Total Xylenes	U		0.000998	0.00737	1	06/02/2020 01:36	WG1485458
(S) Toluene-d8	104			75.0-131		06/02/2020 01:36	WG1485458
(S) 4-Bromofluorobenzene	85.7			67.0-138		06/02/2020 01:36	WG1485458
(S) 1,2-Dichloroethane-d4	102			70.0-130		06/02/2020 01:36	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.83	4.53	1	06/02/2020 22:58	WG1485340
C28-C40 Oil Range	U		0.311	4.53	1	06/02/2020 22:58	WG1485340
(S) o-Terphenyl	62.2			18.0-148		06/02/2020 22:58	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 10:00

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.7		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.42	20.5	1	06/04/2020 08:56	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0222	0.102	1	06/02/2020 18:10	WG1485649
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	93.6			77.0-120		06/02/2020 18:10	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000478	0.00102	1	06/02/2020 01:55	WG1485458
Toluene	U		0.00133	0.00512	1	06/02/2020 01:55	WG1485458
Ethylbenzene	U		0.000754	0.00256	1	06/02/2020 01:55	WG1485458
Total Xylenes	U		0.000901	0.00665	1	06/02/2020 01:55	WG1485458
(S) <i>Toluene-d8</i>	104			75.0-131		06/02/2020 01:55	WG1485458
(S) <i>4-Bromofluorobenzene</i>	85.4			67.0-138		06/02/2020 01:55	WG1485458
(S) <i>1,2-Dichloroethane-d4</i>	100			70.0-130		06/02/2020 01:55	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	13.1		1.65	4.09	1	06/03/2020 03:06	WG1485340
C28-C40 Oil Range	30.3		0.280	4.09	1	06/03/2020 03:06	WG1485340
(S) <i>o</i> -Terphenyl	53.5			18.0-148		06/03/2020 03:06	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 10:05

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.5		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	12.6	J	9.53	20.7	1	06/04/2020 09:11	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	06/02/2020 18:34	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	97.3			77.0-120		06/02/2020 18:34	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000484	0.00104	1	06/02/2020 02:14	WG1485458
Toluene	U		0.00135	0.00518	1	06/02/2020 02:14	WG1485458
Ethylbenzene	U		0.000764	0.00259	1	06/02/2020 02:14	WG1485458
Total Xylenes	U		0.000912	0.00674	1	06/02/2020 02:14	WG1485458
(S) Toluene-d8	106			75.0-131		06/02/2020 02:14	WG1485458
(S) 4-Bromofluorobenzene	85.6			67.0-138		06/02/2020 02:14	WG1485458
(S) 1,2-Dichloroethane-d4	94.1			70.0-130		06/02/2020 02:14	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	6.53		1.67	4.14	1	06/05/2020 16:33	WG1485340
C28-C40 Oil Range	19.7		0.284	4.14	1	06/05/2020 16:33	WG1485340
(S) o-Terphenyl	96.8			18.0-148		06/05/2020 16:33	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 10:10

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.0		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.39	20.4	1	06/04/2020 09:26	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	06/02/2020 18:58	WG1485649
(S) a,a,a-Trifluorotoluene(FID)	98.6			77.0-120		06/02/2020 18:58	WG1485649

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000476	0.00102	1	06/02/2020 02:33	WG1485458
Toluene	U		0.00133	0.00510	1	06/02/2020 02:33	WG1485458
Ethylbenzene	U		0.000752	0.00255	1	06/02/2020 02:33	WG1485458
Total Xylenes	U		0.000898	0.00663	1	06/02/2020 02:33	WG1485458
(S) Toluene-d8	103			75.0-131		06/02/2020 02:33	WG1485458
(S) 4-Bromofluorobenzene	89.6			67.0-138		06/02/2020 02:33	WG1485458
(S) 1,2-Dichloroethane-d4	103			70.0-130		06/02/2020 02:33	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.64	4.08	1	06/02/2020 23:29	WG1485340
C28-C40 Oil Range	U		0.280	4.08	1	06/02/2020 23:29	WG1485340
(S) o-Terphenyl	66.6			18.0-148		06/02/2020 23:29	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 10:20

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.9		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	U		9.39	20.4	1	06/04/2020 09:41	WG1486006

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0222	0.102	1	06/03/2020 00:21	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	93.3			77.0-120		06/03/2020 00:21	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000477	0.00102	1	06/02/2020 02:52	WG1485458
Toluene	U		0.00133	0.00511	1	06/02/2020 02:52	WG1485458
Ethylbenzene	U		0.000753	0.00255	1	06/02/2020 02:52	WG1485458
Total Xylenes	U		0.000899	0.00664	1	06/02/2020 02:52	WG1485458
(S) Toluene-d8	103			75.0-131		06/02/2020 02:52	WG1485458
(S) 4-Bromofluorobenzene	89.8			67.0-138		06/02/2020 02:52	WG1485458
(S) 1,2-Dichloroethane-d4	100			70.0-130		06/02/2020 02:52	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U	Q	1.64	4.08	1	06/09/2020 13:14	WG1488541
C28-C40 Oil Range	U	Q	0.280	4.08	1	06/09/2020 13:14	WG1488541
(S) o-Terphenyl	66.5			18.0-148		06/09/2020 13:14	WG1488541

Sample Narrative:

L1223384-18 WG1488541: Duplicate Analysis required due to contamination. Reporting out of hold results.

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Collected date/time: 05/20/20 10:30

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.9		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.49	20.6	1	06/03/2020 15:02	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	06/03/2020 00:41	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	94.0			77.0-120		06/03/2020 00:41	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000482	0.00103	1	06/02/2020 03:11	WG1485458
Toluene	U		0.00134	0.00516	1	06/02/2020 03:11	WG1485458
Ethylbenzene	U		0.000760	0.00258	1	06/02/2020 03:11	WG1485458
Total Xylenes	U		0.000908	0.00671	1	06/02/2020 03:11	WG1485458
(S) Toluene-d8	105			75.0-131		06/02/2020 03:11	WG1485458
(S) 4-Bromofluorobenzene	89.3			67.0-138		06/02/2020 03:11	WG1485458
(S) 1,2-Dichloroethane-d4	101			70.0-130		06/02/2020 03:11	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.66	4.13	1	06/03/2020 00:14	WG1485340
C28-C40 Oil Range	0.335	J	0.283	4.13	1	06/03/2020 00:14	WG1485340
(S) o-Terphenyl	66.8			18.0-148		06/03/2020 00:14	WG1485340

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 05/20/20 11:00

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.3		1	06/03/2020 16:55	WG1486312

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		9.46	20.6	1	06/03/2020 15:11	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	06/03/2020 01:02	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	92.6			77.0-120		06/03/2020 01:02	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000480	0.00103	1	06/02/2020 03:29	WG1485458
Toluene	U		0.00134	0.00514	1	06/02/2020 03:29	WG1485458
Ethylbenzene	U		0.000757	0.00257	1	06/02/2020 03:29	WG1485458
Total Xylenes	U		0.000904	0.00668	1	06/02/2020 03:29	WG1485458
(S) Toluene-d8	104			75.0-131		06/02/2020 03:29	WG1485458
(S) 4-Bromofluorobenzene	89.6			67.0-138		06/02/2020 03:29	WG1485458
(S) 1,2-Dichloroethane-d4	102			70.0-130		06/02/2020 03:29	WG1485458

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	79.3		1.65	4.11	1	06/05/2020 16:06	WG1485340
C28-C40 Oil Range	128		0.282	4.11	1	06/05/2020 16:06	WG1485340
(S) o-Terphenyl	115			18.0-148		06/05/2020 16:06	WG1485340

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 11:05

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	98.0		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	23.8		9.39	20.4	1	06/03/2020 15:20	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	06/03/2020 01:23	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	93.9			77.0-120		06/03/2020 01:23	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	0.000561	J	0.000476	0.00102	1	06/02/2020 09:07	WG1485615
Toluene	U		0.00133	0.00510	1	06/02/2020 09:07	WG1485615
Ethylbenzene	U		0.000752	0.00255	1	06/02/2020 09:07	WG1485615
Total Xylenes	U		0.000898	0.00663	1	06/02/2020 09:07	WG1485615
(S) Toluene-d8	105			75.0-131		06/02/2020 09:07	WG1485615
(S) 4-Bromofluorobenzene	89.6			67.0-138		06/02/2020 09:07	WG1485615
(S) 1,2-Dichloroethane-d4	106			70.0-130		06/02/2020 09:07	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	34.6		8.21	20.4	5	06/03/2020 17:50	WG1485512
C28-C40 Oil Range	122		1.40	20.4	5	06/03/2020 17:50	WG1485512
(S) o-Terphenyl	73.0			18.0-148		06/03/2020 17:50	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 11:10

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.6		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	83.5		9.52	20.7	1	06/03/2020 15:30	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.103	1	06/03/2020 01:43	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	93.3			77.0-120		06/03/2020 01:43	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000483	0.00103	1	06/02/2020 09:26	WG1485615
Toluene	U		0.00135	0.00517	1	06/02/2020 09:26	WG1485615
Ethylbenzene	U		0.000763	0.00259	1	06/02/2020 09:26	WG1485615
Total Xylenes	U		0.000911	0.00673	1	06/02/2020 09:26	WG1485615
(S) Toluene-d8	105			75.0-131		06/02/2020 09:26	WG1485615
(S) 4-Bromofluorobenzene	87.7			67.0-138		06/02/2020 09:26	WG1485615
(S) 1,2-Dichloroethane-d4	101			70.0-130		06/02/2020 09:26	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.67	4.14	1	06/02/2020 20:48	WG1485512
C28-C40 Oil Range	2.32	B J	0.284	4.14	1	06/02/2020 20:48	WG1485512
(S) o-Terphenyl	56.0			18.0-148		06/02/2020 20:48	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 11:20

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.5		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	19.0	J	9.43	20.5	1	06/03/2020 15:49	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	06/03/2020 02:04	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	93.8			77.0-120		06/03/2020 02:04	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000479	0.00103	1	06/02/2020 09:45	WG1485615
Toluene	U		0.00133	0.00513	1	06/02/2020 09:45	WG1485615
Ethylbenzene	U		0.000756	0.00256	1	06/02/2020 09:45	WG1485615
Total Xylenes	U		0.000902	0.00666	1	06/02/2020 09:45	WG1485615
(S) Toluene-d8	104			75.0-131		06/02/2020 09:45	WG1485615
(S) 4-Bromofluorobenzene	87.6			67.0-138		06/02/2020 09:45	WG1485615
(S) 1,2-Dichloroethane-d4	102			70.0-130		06/02/2020 09:45	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	13.2		1.65	4.10	1	06/03/2020 17:36	WG1485512
C28-C40 Oil Range	34.1		0.281	4.10	1	06/03/2020 17:36	WG1485512
(S) o-Terphenyl	65.3			18.0-148		06/03/2020 17:36	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 11:30

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	99.5		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		9.25	20.1	1	06/03/2020 15:58	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0218	0.101	1	06/03/2020 02:24	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	94.4			77.0-120		06/03/2020 02:24	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000470	0.00101	1	06/02/2020 10:04	WG1485615
Toluene	U		0.00131	0.00503	1	06/02/2020 10:04	WG1485615
Ethylbenzene	U		0.000741	0.00251	1	06/02/2020 10:04	WG1485615
Total Xylenes	U		0.000885	0.00654	1	06/02/2020 10:04	WG1485615
(S) Toluene-d8	104			75.0-131		06/02/2020 10:04	WG1485615
(S) 4-Bromofluorobenzene	85.8			67.0-138		06/02/2020 10:04	WG1485615
(S) 1,2-Dichloroethane-d4	96.3			70.0-130		06/02/2020 10:04	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.62	4.02	1	06/02/2020 21:01	WG1485512
C28-C40 Oil Range	2.20	B J	0.275	4.02	1	06/02/2020 21:01	WG1485512
(S) o-Terphenyl	72.3			18.0-148		06/02/2020 21:01	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 11:40

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	91.9		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	27.1		10.0	21.8	1	06/03/2020 16:08	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0236	0.109	1	06/03/2020 02:45	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	92.8			77.0-120		06/03/2020 02:45	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000508	0.00109	1	06/02/2020 10:23	WG1485615
Toluene	U		0.00141	0.00544	1	06/02/2020 10:23	WG1485615
Ethylbenzene	U		0.000802	0.00272	1	06/02/2020 10:23	WG1485615
Total Xylenes	U		0.000958	0.00707	1	06/02/2020 10:23	WG1485615
(S) Toluene-d8	104			75.0-131		06/02/2020 10:23	WG1485615
(S) 4-Bromofluorobenzene	89.3			67.0-138		06/02/2020 10:23	WG1485615
(S) 1,2-Dichloroethane-d4	102			70.0-130		06/02/2020 10:23	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.25	J	1.75	4.35	1	06/03/2020 16:43	WG1485512
C28-C40 Oil Range	6.76		0.298	4.35	1	06/03/2020 16:43	WG1485512
(S) o-Terphenyl	74.0			18.0-148		06/03/2020 16:43	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 11:50

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.3		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	22.6		9.45	20.5	1	06/03/2020 16:56	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	06/03/2020 03:05	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	94.1			77.0-120		06/03/2020 03:05	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000480	0.00103	1	06/02/2020 10:42	WG1485615
Toluene	U		0.00134	0.00514	1	06/02/2020 10:42	WG1485615
Ethylbenzene	U		0.000757	0.00257	1	06/02/2020 10:42	WG1485615
Total Xylenes	U		0.000904	0.00668	1	06/02/2020 10:42	WG1485615
(S) Toluene-d8	106			75.0-131		06/02/2020 10:42	WG1485615
(S) 4-Bromofluorobenzene	85.6			67.0-138		06/02/2020 10:42	WG1485615
(S) 1,2-Dichloroethane-d4	102			70.0-130		06/02/2020 10:42	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.67	J	1.65	4.11	1	06/03/2020 16:57	WG1485512
C28-C40 Oil Range	9.33		0.282	4.11	1	06/03/2020 16:57	WG1485512
(S) o-Terphenyl	72.2			18.0-148		06/03/2020 16:57	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 12:30

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.7		1	06/04/2020 10:48	WG1486314

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	14.1	J	9.52	20.7	1	06/03/2020 17:05	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0541	B J	0.0224	0.103	1	06/03/2020 13:17	WG1486256
(S) a,a,a-Trifluorotoluene(FID)	99.5			77.0-120		06/03/2020 13:17	WG1486256

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000483	0.00103	1	06/02/2020 11:01	WG1485615
Toluene	U		0.00134	0.00517	1	06/02/2020 11:01	WG1485615
Ethylbenzene	U		0.000762	0.00259	1	06/02/2020 11:01	WG1485615
Total Xylenes	U		0.000910	0.00672	1	06/02/2020 11:01	WG1485615
(S) Toluene-d8	104			75.0-131		06/02/2020 11:01	WG1485615
(S) 4-Bromofluorobenzene	86.0			67.0-138		06/02/2020 11:01	WG1485615
(S) 1,2-Dichloroethane-d4	99.4			70.0-130		06/02/2020 11:01	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.09	J	1.67	4.14	1	06/03/2020 17:10	WG1485512
C28-C40 Oil Range	13.9		0.283	4.14	1	06/03/2020 17:10	WG1485512
(S) o-Terphenyl	70.8			18.0-148		06/03/2020 17:10	WG1485512

Collected date/time: 05/20/20 12:35

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.3		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	20.3	J	9.46	20.6	1	06/03/2020 17:15	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	06/03/2020 03:47	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	93.5			77.0-120		06/03/2020 03:47	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000480	0.00103	1	06/02/2020 11:20	WG1485615
Toluene	U		0.00134	0.00514	1	06/02/2020 11:20	WG1485615
Ethylbenzene	U		0.000757	0.00257	1	06/02/2020 11:20	WG1485615
Total Xylenes	U		0.000904	0.00668	1	06/02/2020 11:20	WG1485615
(S) Toluene-d8	104			75.0-131		06/02/2020 11:20	WG1485615
(S) 4-Bromofluorobenzene	85.9			67.0-138		06/02/2020 11:20	WG1485615
(S) 1,2-Dichloroethane-d4	101			70.0-130		06/02/2020 11:20	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1.81	J	1.65	4.11	1	06/03/2020 17:23	WG1485512
C28-C40 Oil Range	6.08		0.282	4.11	1	06/03/2020 17:23	WG1485512
(S) o-Terphenyl	66.4			18.0-148		06/03/2020 17:23	WG1485512



Collected date/time: 05/20/20 12:40

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.3		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	26.4		9.97	21.7	1	06/03/2020 17:24	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0235	0.108	1	06/03/2020 04:07	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	93.6			77.0-120		06/03/2020 04:07	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000506	0.00108	1	06/02/2020 11:38	WG1485615
Toluene	U		0.00141	0.00542	1	06/02/2020 11:38	WG1485615
Ethylbenzene	U		0.000799	0.00271	1	06/02/2020 11:38	WG1485615
Total Xylenes	U		0.000954	0.00704	1	06/02/2020 11:38	WG1485615
(S) Toluene-d8	103			75.0-131		06/02/2020 11:38	WG1485615
(S) 4-Bromofluorobenzene	90.0			67.0-138		06/02/2020 11:38	WG1485615
(S) 1,2-Dichloroethane-d4	102			70.0-130		06/02/2020 11:38	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.74	4.33	1	06/02/2020 22:21	WG1485512
C28-C40 Oil Range	2.89	B J	0.297	4.33	1	06/02/2020 22:21	WG1485512
(S) o-Terphenyl	67.9			18.0-148		06/02/2020 22:21	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 12:50

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.9		1	06/04/2020 10:48	WG1486314

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	U		9.49	20.6	1	06/03/2020 17:34	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	06/03/2020 04:28	WG1485890
(S) a,a,a-Trifluorotoluene(FID)	94.5			77.0-120		06/03/2020 04:28	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000482	0.00103	1	06/02/2020 11:57	WG1485615
Toluene	U		0.00134	0.00516	1	06/02/2020 11:57	WG1485615
Ethylbenzene	U		0.000760	0.00258	1	06/02/2020 11:57	WG1485615
Total Xylenes	U		0.000908	0.00671	1	06/02/2020 11:57	WG1485615
(S) Toluene-d8	103			75.0-131		06/02/2020 11:57	WG1485615
(S) 4-Bromofluorobenzene	88.9			67.0-138		06/02/2020 11:57	WG1485615
(S) 1,2-Dichloroethane-d4	101			70.0-130		06/02/2020 11:57	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.66	4.13	1	06/02/2020 22:34	WG1485512
C28-C40 Oil Range	2.66	B J	0.283	4.13	1	06/02/2020 22:34	WG1485512
(S) o-Terphenyl	71.5			18.0-148		06/02/2020 22:34	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Collected date/time: 05/20/20 13:00

L1223384

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.6		1	06/04/2020 10:36	WG1486315

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.53	20.7	1	06/03/2020 17:43	WG1486008

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	06/03/2020 04:49	WG1485890
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	93.9			77.0-120		06/03/2020 04:49	WG1485890

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000484	0.00104	1	06/02/2020 12:16	WG1485615
Toluene	U		0.00135	0.00518	1	06/02/2020 12:16	WG1485615
Ethylbenzene	U		0.000763	0.00259	1	06/02/2020 12:16	WG1485615
Total Xylenes	U		0.000911	0.00673	1	06/02/2020 12:16	WG1485615
(S) <i>Toluene-d8</i>	105			75.0-131		06/02/2020 12:16	WG1485615
(S) <i>4-Bromofluorobenzene</i>	87.2			67.0-138		06/02/2020 12:16	WG1485615
(S) <i>1,2-Dichloroethane-d4</i>	95.8			70.0-130		06/02/2020 12:16	WG1485615

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.67	4.14	1	06/02/2020 22:47	WG1485512
C28-C40 Oil Range	1.52	B J	0.284	4.14	1	06/02/2020 22:47	WG1485512
(S) <i>o</i> -Terphenyl	60.4			18.0-148		06/02/2020 22:47	WG1485512

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Total Solids by Method 2540 G-2011

[L1223384-01,02,03,04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3534948-1 06/03/20 17:02

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.000			

L1223384-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1223384-03 06/03/20 17:02 • (DUP) R3534948-3 06/03/20 17:02

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP RPD Limits
Total Solids	98.3	98.0	1	0.255	10

Laboratory Control Sample (LCS)

(LCS) R3534948-2 06/03/20 17:02

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

Total Solids by Method 2540 G-2011

[L1223384-11,12,13,14,15,16,17,18,19,20](#)

Method Blank (MB)

(MB) R3534941-1 06/03/20 16:55

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.000			

L1223384-14 Original Sample (OS) • Duplicate (DUP)

(OS) L1223384-14 06/03/20 16:55 • (DUP) R3534941-3 06/03/20 16:55

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	88.2	89.0	1	0.863		10

Laboratory Control Sample (LCS)

(LCS) R3534941-2 06/03/20 16:55

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Total Solids by Method 2540 G-2011

[L1223384-21,22,23,24,25,26,27,28,29,30](#)

Method Blank (MB)

(MB) R3535353-1 06/04/20 10:48

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.000			

L1223384-25 Original Sample (OS) • Duplicate (DUP)

(OS) L1223384-25 06/04/20 10:48 • (DUP) R3535353-3 06/04/20 10:48

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	91.9	91.5	1	0.474		10

Laboratory Control Sample (LCS)

(LCS) R3535353-2 06/04/20 10:48

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Total Solids by Method 2540 G-2011

[L1223384-31](#)

Method Blank (MB)

(MB) R3535352-1 06/04/20 10:36

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.000			

Original Sample (OS) • Duplicate (DUP)

(OS) • (DUP) R3535352-3 06/04/20 10:36

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits
Total Solids	82.2	82.2	1	0.510		10

Laboratory Control Sample (LCS)

(LCS) R3535352-2 06/04/20 10:36

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Wet Chemistry by Method 300.0

L1223384-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18

Method Blank (MB)

(MB) R3534946-1 06/04/20 01:18

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Chloride	U		9.20	20.0

L1223384-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1223384-01 06/04/20 03:43 • (DUP) R3534946-3 06/04/20 03:58

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	13.6	12.8	1	6.39	⬇	20

L1223384-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1223384-18 06/04/20 09:41 • (DUP) R3534946-6 06/04/20 09:56

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	U	U	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3534946-2 06/04/20 01:32

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Chloride	200	204	102	90.0-110	

L1223384-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1223384-07 06/04/20 05:57 • (MS) R3534946-4 06/04/20 06:12 • (MSD) R3534946-5 06/04/20 06:27

	Spike Amount (dry)	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Chloride	545	19.6	621	584	110	103	1	80.0-120			6.23	20

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc

Wet Chemistry by Method 300.0

L1223384-19,20,21,22,23,24,25,26,27,28,29,30,31

Method Blank (MB)

(MB) R3534872-1 06/03/20 14:32

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Chloride	U		9.20	20.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1223384-22 Original Sample (OS) • Duplicate (DUP)

(OS) L1223384-22 06/03/20 15:30 • (DUP) R3534872-3 06/03/20 15:39

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	83.5	86.3	1	3.27		20

L1223523-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1223523-06 06/03/20 18:59 • (DUP) R3534872-6 06/03/20 19:09

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	124	119	1	3.69		20

Laboratory Control Sample (LCS)

(LCS) R3534872-2 06/03/20 14:42

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Chloride	200	187	93.7	90.0-110	

L1223384-25 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1223384-25 06/03/20 16:08 • (MS) R3534872-4 06/03/20 16:37 • (MSD) R3534872-5 06/03/20 16:46

	Spike Amount (dry)	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Chloride	544	27.1	548	559	95.6	97.8	1	80.0-120			2.13	20

Volatile Organic Compounds (GC) by Method 8015D/GRO

L1223384-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17

Method Blank (MB)

(MB) R3534297-2 06/02/20 11:38

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	99.8			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3534297-1 06/02/20 10:37

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.10	74.5	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			104	77.0-120	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO

L1223384-18,19,20,21,22,23,24,25,26,28,29,30,31

Method Blank (MB)

(MB) R3534392-2 06/02/20 23:01

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	95.3			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3534392-1 06/02/20 22:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.45	99.1	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			111	77.0-120	

Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) • (MS) R3534392-6 06/03/20 08:35 • (MSD) R3534392-7 06/03/20 08:56

Analyte	Spike Amount mg/kg	Original Result	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.45		2.87	2.24	52.1	41.8	1	10.0-151			24.7	28
(S) a,a,a-Trifluorotoluene(FID)					96.5	94.5		77.0-120				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO L1223384-27

Method Blank (MB)

(MB) R3534650-2 06/03/20 08:03

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	0.0483	⬇	0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	100			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3534650-1 06/03/20 07:18

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.59	102	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			107	77.0-120	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1223384-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20

Method Blank (MB)

(MB) R3534022-2 06/01/20 20:27

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	105			75.0-131
(S) 4-Bromofluorobenzene	87.5			67.0-138
(S) 1,2-Dichloroethane-d4	100			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3534022-1 06/01/20 19:31

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.120	96.0	70.0-123	
Ethylbenzene	0.125	0.114	91.2	74.0-126	
Toluene	0.125	0.115	92.0	75.0-121	
Xylenes, Total	0.375	0.323	86.1	72.0-127	
(S) Toluene-d8			99.7	75.0-131	
(S) 4-Bromofluorobenzene			95.0	67.0-138	
(S) 1,2-Dichloroethane-d4			114	70.0-130	

L1223384-20 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1223384-20 06/02/20 03:29 • (MS) R3534022-3 06/02/20 03:49 • (MSD) R3534022-4 06/02/20 04:08

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.128	U	0.113	0.109	88.0	84.8	1	10.0-149			3.70	37
Ethylbenzene	0.128	U	0.106	0.106	82.4	82.4	1	10.0-160			0.000	38
Toluene	0.128	U	0.110	0.111	85.6	86.4	1	10.0-156			0.930	38
Xylenes, Total	0.385	U	0.300	0.302	77.9	78.4	1	10.0-160			0.683	38
(S) Toluene-d8					101	103		75.0-131				
(S) 4-Bromofluorobenzene					91.5	93.1		67.0-138				
(S) 1,2-Dichloroethane-d4					108	104		70.0-130				

Volatile Organic Compounds (GC/MS) by Method 8260B

L1223384-21,22,23,24,25,26,27,28,29,30,31

Method Blank (MB)

(MB) R3534200-2 06/02/20 06:01

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	104			75.0-131
(S) 4-Bromofluorobenzene	88.6			67.0-138
(S) 1,2-Dichloroethane-d4	101			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS)

(LCS) R3534200-1 06/02/20 05:05

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.119	95.2	70.0-123	
Ethylbenzene	0.125	0.110	88.0	74.0-126	
Toluene	0.125	0.109	87.2	75.0-121	
Xylenes, Total	0.375	0.312	83.2	72.0-127	
(S) Toluene-d8			98.8	75.0-131	
(S) 4-Bromofluorobenzene			96.1	67.0-138	
(S) 1,2-Dichloroethane-d4			115	70.0-130	

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

L1223384-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,19,20

Method Blank (MB)

(MB) R3534523-1 06/02/20 21:04

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	62.9			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3534523-2 06/02/20 21:23

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	39.0	78.0	50.0-150	
(S) o-Terphenyl			66.2	18.0-148	

L1223384-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1223384-13 06/02/20 22:10 • (MS) R3534523-3 06/02/20 22:26 • (MSD) R3534523-4 06/02/20 22:42

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	51.6	U	32.4	36.4	62.9	71.1	1	50.0-150			11.7	20
(S) o-Terphenyl					52.7	58.2		18.0-148				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

L1223384-21,22,23,24,25,26,27,28,29,30,31

Method Blank (MB)

(MB) R3534383-1 06/02/20 19:30

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	0.428	J	0.274	4.00
(S) o-Terphenyl	64.4			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3534383-2 06/02/20 19:43

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	36.6	73.2	50.0-150	
(S) o-Terphenyl			84.1	18.0-148	

L1223380-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1223380-01 06/03/20 18:03 • (MS) R3534744-1 06/03/20 18:16 • (MSD) R3534744-2 06/03/20 18:30

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	53.7	323	387	387	120	120	5	50.0-150			0.000	20
(S) o-Terphenyl					56.9	62.2		18.0-148				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Semi-Volatile Organic Compounds (GC) by Method 8015 L1223384-18

Method Blank (MB)

(MB) R3536639-1 06/09/20 11:39

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	65.5			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3536639-2 06/09/20 11:52

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	36.8	73.6	50.0-150	
(S) o-Terphenyl			61.1	18.0-148	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
Q	Sample was prepared and/or analyzed past holding time as defined in the method. Concentrations should be considered minimum values.

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gi
8	Al
9	Sc

Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660
Alaska	17-026
Arizona	AZ0612
Arkansas	88-0469
California	2932
Colorado	TN00003
Connecticut	PH-0197
Florida	E87487
Georgia	NELAP
Georgia ¹	923
Idaho	TN00003
Illinois	200008
Indiana	C-TN-01
Iowa	364
Kansas	E-10277
Kentucky ^{1 6}	90010
Kentucky ²	16
Louisiana	AI30792
Louisiana ¹	LA180010
Maine	TN0002
Maryland	324
Massachusetts	M-TN003
Michigan	9958
Minnesota	047-999-395
Mississippi	TN00003
Missouri	340
Montana	CERT0086

Nebraska	NE-OS-15-05
Nevada	TN-03-2002-34
New Hampshire	2975
New Jersey-NELAP	TN002
New Mexico ¹	n/a
New York	11742
North Carolina	Env375
North Carolina ¹	DW21704
North Carolina ³	41
North Dakota	R-140
Ohio-VAP	CL0069
Oklahoma	9915
Oregon	TN200002
Pennsylvania	68-02979
Rhode Island	LA000356
South Carolina	84004
South Dakota	n/a
Tennessee ^{1 4}	2006
Texas	T104704245-18-15
Texas ⁵	LAB0152
Utah	TN00003
Vermont	VT2006
Virginia	460132
Washington	C847
West Virginia	233
Wisconsin	9980939910
Wyoming	A2LA

Third Party Federal Accreditations


A2LA – ISO 17025	1461.01
A2LA – ISO 17025 ⁵	1461.02
Canada	1461.01
EPA-Crypto	TN00003

AIHA-LAP, LLC EMLAP	100789
DOD	1461.01
USDA	P330-15-00234

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



Analysis Request of Chain of Custody Record

Page : 1 of 4

**Tetra Tech, Inc.**901 West Wall Street, Suite 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

F021

1223384

Client Name:	Conoco Phillips	Site Manager:	Christian Llull
Project Name:	Vac Abo 4-5 (1RP-1601)	Contact Info:	Email: christian.llull@tetrattech.com Phone: (512) 338-1667
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02201
Invoice to:	Accounts Payable 901 West Wall Street, Suite 100 Midland, Texas 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Joe Tyler
Comments: COPTETRA Acctnum			

ANALYSIS REQUEST
(Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	BTEX 8021B	TPH TX1005 (Ext to C33)	TPH 8015M (GRO - DR - DR - DR)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C / 625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride 300.0	Chloride Sulfate TDS	General Water Chemistry	Anion/Cation Balance	TPH 8015R	HOLD		
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	NONE																									
		DATE	TIME																															
	BH-1 (0'-1') ^a	05/19/20	1000		X			X			1	N	X	X													X							01
	BH-1 (2'-3') ^b	05/19/20	1005		X			X			1	N	X	X													X							02
	BH-1 (4'-5') ^c	05/19/20	1010		X			X			1	N	X	X													X							03
	BH-1 (6'-7') ^d	05/19/20	1020		X			X			1	N	X	X													X							04
	BH-1 (9'-10') ^e	05/19/20	1030		X			X			1	N	X	X													X							05
	BH-1 (14'-15') ^f	05/19/20	1040		X			X			1	N	X	X													X							06
	BH-1 (19'-20') ^g	05/19/20	1050		X			X			1	N	X	X													X							07
	BH-2 (0'-1') ^h	05/19/20	1130		X			X			1	N	X	X													X							08
	BH-2 (2'-3') ⁱ	05/19/20	1135		X			X			1	N	X	X													X							09
	BH-2 (4'-5') ^j	05/19/20	1140		X			X			1	N	X	X													X							10

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	5-28-20	12:30	<i>[Signature]</i>	5-28-20	12:30
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	5-28-20	16:00	<i>[Signature]</i>	5-28-20	16:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>			<i>[Signature]</i>	5/29/20	09:00

LAB USE ONLY

Sample Temperature

REMARKS:

- ☒ Standard
- ☐ RUSH: Same Day 24 hr. 48 hr. 72 hr.
- ☐ Rush Charges Authorized
- ☐ Special Report Limits or TRRP Report

ORIGINAL COPY

1790 3030 2916

(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____

Analysis Request of Chain of Custody Record

Page : 2 of 4

**Tetra Tech, Inc.**901 West Wall Street, Suite 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

1223384

Client Name: Conoco Phillips

Site Manager: Christian Llull

Project Name: Vac Abo 4-5 (1RP-1601)

Contact Info: Email: christian.llull@tetrattech.com
Phone: (512) 338-1667Project Location: Lea County, New Mexico
(county, state)

Project #: 212C-MD-02201

Invoice to: Accounts Payable
901 West Wall Street, Suite 100 Midland, Texas 79701

Receiving Laboratory: Pace Analytical

Sampler Signature: Joe Tyler

Comments: COPTETRA Acctnum

ANALYSIS REQUEST
(Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	BTEX 8260B / 624	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MFO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride 300.0	Chloride Sulfate TDS	General Water Chemistry (see attached list)	Anion/Cation Balance	TPH 8015R	HOLD	
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	NONE																								
		DATE	TIME																														
	BH-2 (6'-7') 1	05/19/20	1150		X			X			1	N	X	X													X						
	BH-2 (9'-10') 2	05/19/20	1200		X			X			1	N	X	X													X						
	BH-2 (14'-15') 3	05/19/20	1210		X			X			1	N	X	X													X						
	BH-2 (19'-20') 4	05/19/20	1220		X			X			1	N	X	X													X						
	BH-3 (0'-1') 5	05/20/20	1000		X			X			1	N	X	X													X						
	BH-3 (2'-3') 6	05/20/20	1005		X			X			1	N	X	X													X						
	BH-3 (4'-5') 7	05/20/20	1010		X			X			1	N	X	X													X						
	BH-3 (6'-7') 8	05/20/20	1020		X			X			1	N	X	X													X						
	BH-3 (9'-10') 9	05/20/20	1030		X			X			1	N	X	X													X						
	BH-4 (0'-1') 10	05/20/20	1100		X			X			1	N	X	X													X						

Relinquished by: *Joe Tyler* Date: 5-28-20 Time: 12:30Received by: *Joe Tyler* Date: 5-28-20 Time: 12:30Relinquished by: *Joe Tyler* Date: 5-28-20 Time: 10:00Received by: *Joe Tyler* Date: 5-28-20 Time: 10:00Relinquished by: *L. Webb* Date: 5/29/20 Time: 09:00Received by: *L. Webb* Date: 5/29/20 Time: 09:00

LAB USE ONLY

Sample Temperature

REMARKS:

- ☒ Standard
- ☐ RUSH: Same Day 24 hr. 48 hr. 72 hr.
- ☐ Rush Charges Authorized
- ☐ Special Report Limits or TRRP Report

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____

Analysis Request of Chain of Custody Record

Page: 3 0 4

**Tetra Tech, Inc.**901 West Wall Street, Suite 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

1223384

Client Name: Conoco Phillips

Site Manager: Christian Llull

Project Name: Vac Abo 4-5 (1RP-1601)

Contact Info: Email: christian.llull@tetratech.com
Phone: (512) 338-1667Project Location: Lea County, New Mexico
(county, state)

Project #: 212C-MD-02201

Invoice to: Accounts Payable
901 West Wall Street, Suite 100 Midland, Texas 79701

Receiving Laboratory: Pace Analytical

Sampler Signature: Joe Tyler

Comments: COPTETRA Acctnum

ANALYSIS REQUEST
(Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX			PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	BTEX 8260B / 624	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MRO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCBs 8082 / 608	NORM	PLM (Asbestos)	Chloride 300.0	Chloride Sulfate TDS	General Water Chemistry (see attached list)	Anion/Cation Balance	TPH 8015R	HOLD	
		YEAR: 2020		WATER	SOIL		HCL	HNO ₃	ICE	NONE																								
		DATE	TIME																															
	BH-4 (2'-3') *	05/20/20	1105		X				X		1	N	X	X														X						
	BH-4 (4'-5') *	05/20/20	1110		X				X		1	N	X	X														X						
	BH-4 (6'-7') *	05/20/20	1120		X				X		1	N	X	X														X						
	BH-4 (9'-10') *	05/20/20	1130		X				X		1	N	X	X														X						
	BH-4 (14'-15') *	05/20/20	1140		X				X		1	N	X	X														X						
	BH-4 (19'-20') *	05/20/20	1150		X				X		1	N	X	X														X						
	BH-5 (0'-1') *	05/20/20	1230		X				X		1	N	X	X														X						
	BH-5 (2'-3') *	05/20/20	1235		X				X		1	N	X	X														X						
	BH-5 (4'-5') *	05/20/20	1240		X				X		1	N	X	X														X						
	BH-5 (6'-7') *	05/20/20	1250		X				X		1	N	X	X														X						

Relinquished by: *[Signature]* Date: 5/28/20 Time: 12:30Received by: *[Signature]* Date: 5/28/20 Time: 12:30Relinquished by: *[Signature]* Date: 5/28/20 Time: 10:00Received by: *[Signature]* Date: 5/28/20 Time: 10:00Relinquished by: *[Signature]* Date: 5/29/20 Time: 09:00Received by: *[Signature]* Date: 5/29/20 Time: 09:00

LAB USE ONLY

Sample Temperature

REMARKS:

- ☒ Standard
- ☐ RUSH: Same Day 24 hr. 48 hr. 72 hr.
- ☐ Rush Charges Authorized
- ☐ Special Report Limits or TRRP Report

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____



Tetra Tech, Inc.

901 West Wall Street, Suite 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

1223384

Client Name: Conoco Phillips

Site Manager: Christian Llull

Project Name: Vac Abo 4-5 (1RP-1601)

Contact Info: Email: christian.llull@tetrattech.com
Phone: (512) 338-1667

Project Location: Lea County, New Mexico
(county, state)

Project #: 212C-MD-02201

Invoice to:	Accounts Payable 901 West Wall Street, Suite 100 Midland, Texas 79701
-------------	--


Receiving Laboratory: Pace Analytical

Sampler Signature: Joe Tyler

Comments: COPTETRA Acctnum

ANALYSIS REQUEST
(Circle or Specify Method No.)[illegible]

Relinquished by: Bill D. Smith Date: 5-28-20 Time: 12:30

Received by:  Date: 5-28-73 Time: 12:30

Relinquished by:  Date: 5-28-20 Time: 16:00

Received by: Felt Date: 5-28-20 Time: 12:00

Relinquished by: _____ Date: _____ Time: _____

Received by: L. H. A. T. Date: 5/29/20 Time: 09:

LAB USE
ONLY

Sample Temperature

REMARKS:

☒ Standard☐ RUSH: Same Day 24 hr. 48 hr. 72 hr.☐ Rush Charges Authorized☐ Special Report Limits or TRRP Report

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

Pace Analytical National Center for Testing & Innovation Cooler Receipt Form

Client:	12161616	1223381
Cooler Received/Opened On:	5 / 29 / 20	Temperature: Amb
Received By:	Lakeacher Webster	
Signature:	<i>L. Webster</i>	
Receipt Check List		
	NP	Yes No
COC Seal Present / Intact?		✓
COC Signed / Accurate?		✓
Bottles arrive intact?		✓
Correct bottles used?		✓
Sufficient volume sent?		✓
If Applicable		
VOA Zero headspace?		
Preservation Correct / Checked?		

APPENDIX F

NMSLO Seed Mixture



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for Lea County, New Mexico

Vac Abo 4-5 Flowline Release



July 6, 2020

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Lea County, New Mexico..... 13

 KO—Kimbrough gravelly loam, dry, 0 to 3 percent slopes..... 13

References..... 15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report Soil Map



Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)


Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit


 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water


 Perennial Water

 Rock Outcrop


 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole

 Slide or Slip


 Sodic Spot

 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals

Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 17, Jun 8, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 18, 2016—Nov 20, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KO	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	0.8	100.0%
Totals for Area of Interest		0.8	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

KO—Kimbrough gravelly loam, dry, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2tw43
Elevation: 2,500 to 4,800 feet
Mean annual precipitation: 14 to 16 inches
Mean annual air temperature: 57 to 63 degrees F
Frost-free period: 180 to 220 days
Farmland classification: Not prime farmland

Map Unit Composition

Kimbrough, dry, and similar soils: 80 percent
Minor components: 20 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kimbrough, Dry

Setting

Landform: Plains, playa rims
Down-slope shape: Linear, convex
Across-slope shape: Linear, concave
Parent material: Loamy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 3 inches: gravelly loam
Bw - 3 to 10 inches: loam
Bkkm1 - 10 to 16 inches: cemented material
Bkkm2 - 16 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 4 to 18 inches to petrocalcic
Natural drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.01 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 95 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 1.0
Available water storage in profile: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: D
Ecological site: Very Shallow 12-17" PZ (R077DY049TX)
Hydric soil rating: No

Custom Soil Resource Report

Minor Components

Eunice

Percent of map unit: 10 percent

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Convex

Ecological site: Very Shallow 12-17" PZ (R077DY049TX)

Hydric soil rating: No

Spraberry

Percent of map unit: 6 percent

Landform: Plains, playa rims

Down-slope shape: Linear, convex

Across-slope shape: Linear

Ecological site: Very Shallow 12-17" PZ (R077DY049TX)

Hydric soil rating: No

Kenhill

Percent of map unit: 4 percent

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Linear

Ecological site: Clay Loam 12-17" PZ (R077DY038TX)

Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

NMSLO Seed Mix**Sandy Loam (SL)****SANDY LOAM (SL) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Grasses:			
Galleta grass	Viva, VNS, So.	2.5	F
Little bluestem	Cimmaron, Pastura	2.5	F
Blue grama	Hachita, Lovington	2.0	D
Sideoats grama	Vaughn, El Reno	2.0	F
Sand dropseed	VNS, Southern	1.0	S
Forbs:			
Indian blanketflower	VNS, Southern	1.0	D
Parry penstemon	VNS, Southern	1.0	D
Blue flax	Appar	1.0	D
Desert globemallow	VNS, Southern	1.0	D
Shrubs:			
Fourwing saltbush	VNS, Southern	2.0	D
Common winterfat	VNS, Southern	1.0	F
Apache plume	VNS, Southern	0.75	F
Total PLS/acre		17.75	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

- VNS, Southern – No Variety Stated, seed should be from a southern latitude collection of this species.
- Double above seed rates for broadcast or hydroseeding.
- If Parry penstemon is not available, substitute firecracker penstemon.
- If desert globemallow is not available, substitute scarlet globemallow or Nelson globemallow.
- If a species is not available, provide a suggested substitute to the New Mexico Land Office for approval. Increasing all other species proportionately may be acceptable.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 9710

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 9710
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
amaxwell	Work plan and sampling variance request approved. Submit a closure report via the OCD permitting portal by 7/7/2023.	3/30/2023