



April 15th, 2019

Bradford Billings
Oil Conservation Division
1220 S. St Francis Dr. #3
Santa Fe, NM 87505

Crystal Weaver
Bureau of Land Management, CFO
620 E. Green Street
Carlsbad, NM 88220

Closure Report
MC Federal #003
API#: 30-025-34773
RP#: 1RP-4793
DOR: August 14, 2017
Unit Letter F, Section 21, Township 17 South, Range 32 East
Lea County, New Mexico

Mr. Billings/Ms. Weaver,

COG Operating, LLC (COG) is pleased to submit the following closure report in response to a release that occurred at the MC Federal #003.

BACKGROUND

This release occurred on August 14, 2017. Following the release an assessment of impacted soils was conducted. A remediation work plan was submitted to and subsequently approved by the New Mexico Oil Conservation Division (NMOCD) and Bureau of Land Management (BLM). The release was due to a hammer union failure on a divert line and resulted in the release of approximately fifteen (15) barrels (bbls) of oil. Vacuum trucks were utilized to recover approximately ten (10) bbls of oil. The release was within an unlined berm.

Remediation activities were conducted in accordance with the NMOCD/BLM approved work plan.

REMEDIAL ACTIONS

- The impacted area of AH-1 was excavated to a depth of one (1) foot below ground surface (bgs).
- The impacted area of AH-2 was excavated to a depth of one and one-half (1.5) feet bgs.
- The impacted area of AH-3 was excavated to a depth of two and one-half (2.5) feet bgs.
- On January 17, 2019, confirmation samples were collected from the floor and sidewalls of the excavation and analyzed for benzene, toluene, ethylbenzene and xylene (BTEX) by EPA Method 8021B, total petroleum hydrocarbons (TPH) by EPA Method 8015 modified and chloride SM4500 Cl B. Sidewall sample North-2 and East-1 exhibited elevated concentrations of chlorides and TPH respectively.
- All of the excavated material was hauled to an NMOCD approved solid waste disposal facility.
- The excavation was backfilled with clean "like" material and contoured to match the surrounding terrain.

DEFERMENT REQUEST

The facility is currently active. During initial delineation activities the impacts were defined. Due to safety issues due to proximity to the tanks and other associated equipment, COG requests deferment of the impacted soil in the areas of North-2 and East-1 until abandonment of the facility. The signed C-141 Final is included herein.

Should you have any questions or concerns please do not hesitate to contact me.

Sincerely,



Dakota Neel
HSE Coordinator

Enclosed:

Appendix I: Site Diagram with Confirmation Sample Points

Appendix II: Laboratory Analytical Report and Chain-of Custody Documentation for Confirmation Samples



Appendix III: Approved Work Plan

Appendix IV: Initial C-141 (Copy)

Appendix V: Final C-141

APPENDIX I

Legend

-  AOI MC FEDERAL #3
-  Confirmation Sample Points



APPENDIX II



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 24, 2019

DAKOTA NEEL

COG OPERATING

P. O. BOX 1630

ARTESIA, NM 88210

RE: MC FEDERAL #3

Enclosed are the results of analyses for samples received by the laboratory on 01/21/19 10:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BTM - 1 (H900189-01)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.80	90.0	2.00	1.14	
Toluene*	<0.050	0.050	01/22/2019	ND	1.89	94.4	2.00	0.832	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.90	95.0	2.00	3.64	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.57	92.8	6.00	2.34	
Total BTEX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2019	ND	213	107	200	7.39	
DRO >C10-C28*	<10.0	10.0	01/21/2019	ND	209	105	200	15.5	
EXT DRO >C28-C36	<10.0	10.0	01/21/2019	ND					

Surrogate: 1-Chlorooctane 88.5 % 41-142

Surrogate: 1-Chlorooctadecane 81.9 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: NORTH - 1 (H900189-02)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.80	90.0	2.00	1.14	
Toluene*	<0.050	0.050	01/22/2019	ND	1.89	94.4	2.00	0.832	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.90	95.0	2.00	3.64	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.57	92.8	6.00	2.34	
Total BTX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	213	107	200	7.39	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	209	105	200	15.5	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 93.4 % 41-142

Surrogate: 1-Chlorooctadecane 84.5 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: SOUTH - 1 (H900189-03)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.80	90.0	2.00	1.14	
Toluene*	<0.050	0.050	01/22/2019	ND	1.89	94.4	2.00	0.832	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.90	95.0	2.00	3.64	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.57	92.8	6.00	2.34	
Total BTEX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	213	107	200	7.39	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	209	105	200	15.5	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 94.2 % 41-142

Surrogate: 1-Chlorooctadecane 84.5 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: EAST - 1 (H900189-04)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.80	90.0	2.00	1.14	
Toluene*	<0.050	0.050	01/22/2019	ND	1.89	94.4	2.00	0.832	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.90	95.0	2.00	3.64	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.57	92.8	6.00	2.34	
Total BTEX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	01/22/2019	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<50.0	50.0	01/22/2019	ND	213	107	200	7.39	
DRO >C10-C28*	2620	50.0	01/22/2019	ND	209	105	200	15.5	
EXT DRO >C28-C36	1270	50.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 95.0 % 41-142

Surrogate: 1-Chlorooctadecane 198 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: WEST - 1 (H900189-05)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.80	90.0	2.00	1.14	
Toluene*	<0.050	0.050	01/22/2019	ND	1.89	94.4	2.00	0.832	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.90	95.0	2.00	3.64	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.57	92.8	6.00	2.34	
Total BTEX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2960	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	187	93.4	200	1.23	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	209	104	200	0.684	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 92.5 % 41-142

Surrogate: 1-Chlorooctadecane 91.2 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: 1 / 2 (H900189-06)

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.93	96.6	2.00	0.384	
Toluene*	<0.050	0.050	01/22/2019	ND	1.86	92.8	2.00	0.183	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.85	92.3	2.00	0.340	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.61	93.4	6.00	0.489	
Total BTEX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	187	93.4	200	1.23	
DRO >C10-C28*	1290	10.0	01/22/2019	ND	209	104	200	0.684	
EXT DRO >C28-C36	435	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 88.3 % 41-142

Surrogate: 1-Chlorooctadecane 124 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BTM - 2 (H900189-07)

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/22/2019	ND	1.93	96.6	2.00	0.384	
Toluene*	<0.050	0.050	01/22/2019	ND	1.86	92.8	2.00	0.183	
Ethylbenzene*	<0.050	0.050	01/22/2019	ND	1.85	92.3	2.00	0.340	
Total Xylenes*	<0.150	0.150	01/22/2019	ND	5.61	93.4	6.00	0.489	
Total BTEX	<0.300	0.300	01/22/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	212	106	200	0.401	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	218	109	200	6.50	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 91.2 % 41-142

Surrogate: 1-Chlorooctadecane 91.8 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: SOUTH - 2 (H900189-08)

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/23/2019	ND	2.25	113	2.00	0.171	
Toluene*	<0.050	0.050	01/23/2019	ND	2.22	111	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/23/2019	ND	2.19	110	2.00	0.780	
Total Xylenes*	<0.150	0.150	01/23/2019	ND	6.65	111	6.00	0.0222	
Total BTEX	<0.300	0.300	01/23/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2019	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	212	106	200	0.401	
DRO >C10-C28*	22.1	10.0	01/22/2019	ND	218	109	200	6.50	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 86.1 % 41-142

Surrogate: 1-Chlorooctadecane 85.9 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: NORTH - 2 (H900189-09)

BTEx 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/23/2019	ND	2.25	113	2.00	0.171		
Toluene*	<0.050	0.050	01/23/2019	ND	2.22	111	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/23/2019	ND	2.19	110	2.00	0.780		
Total Xylenes*	<0.150	0.150	01/23/2019	ND	6.65	111	6.00	0.0222		
Total BTEx	<0.300	0.300	01/23/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4320	16.0	01/22/2019	ND	416	104	400	0.00	QM-07, QR-03

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	212	106	200	0.401	
DRO >C10-C28*	30.4	10.0	01/22/2019	ND	218	109	200	6.50	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 82.8 % 41-142

Surrogate: 1-Chlorooctadecane 83.8 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: 2 / 3 (H900189-10)

BTEx 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/24/2019	ND	2.25	113	2.00	0.171		
Toluene*	<0.050	0.050	01/24/2019	ND	2.22	111	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/24/2019	ND	2.19	110	2.00	0.780		
Total Xylenes*	<0.150	0.150	01/24/2019	ND	6.65	111	6.00	0.0222		
Total BTEX	<0.300	0.300	01/24/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	01/22/2019	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	212	106	200	0.401	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	218	109	200	6.50	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 88.3 % 41-142

Surrogate: 1-Chlorooctadecane 85.5 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BTM - 3 (H900189-11)

BTEx 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/24/2019	ND	2.25	113	2.00	0.171		
Toluene*	<0.050	0.050	01/24/2019	ND	2.22	111	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/24/2019	ND	2.19	110	2.00	0.780		
Total Xylenes*	<0.150	0.150	01/24/2019	ND	6.65	111	6.00	0.0222		
Total BTEX	<0.300	0.300	01/24/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	01/22/2019	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	212	106	200	0.401	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	218	109	200	6.50	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 86.1 % 41-142

Surrogate: 1-Chlorooctadecane 84.0 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: NORTH - 3 (H900189-12)

BTEX 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/24/2019	ND	2.25	113	2.00	0.171		
Toluene*	<0.050	0.050	01/24/2019	ND	2.22	111	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/24/2019	ND	2.19	110	2.00	0.780		
Total Xylenes*	<0.150	0.150	01/24/2019	ND	6.65	111	6.00	0.0222		
Total BTEX	<0.300	0.300	01/24/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	01/22/2019	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	212	106	200	0.401	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	218	109	200	6.50	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 81.1 % 41-142

Surrogate: 1-Chlorooctadecane 78.8 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: SOUTH - 3 (H900189-13)

BTEx 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/24/2019	ND	2.25	113	2.00	0.171		
Toluene*	<0.050	0.050	01/24/2019	ND	2.22	111	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/24/2019	ND	2.19	110	2.00	0.780		
Total Xylenes*	<0.150	0.150	01/24/2019	ND	6.65	111	6.00	0.0222		
Total BTEX	<0.300	0.300	01/24/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/22/2019	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	185	92.4	200	2.50	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	212	106	200	6.26	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 82.8 % 41-142

Surrogate: 1-Chlorooctadecane 77.0 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 01/21/2019
 Reported: 01/24/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 01/17/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: EAST - 3 (H900189-14)

BTEx 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/24/2019	ND	2.25	113	2.00	0.171		
Toluene*	<0.050	0.050	01/24/2019	ND	2.22	111	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/24/2019	ND	2.19	110	2.00	0.780		
Total Xylenes*	<0.150	0.150	01/24/2019	ND	6.65	111	6.00	0.0222		
Total BTEX	<0.300	0.300	01/24/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2019	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2019	ND	185	92.4	200	2.50	
DRO >C10-C28*	<10.0	10.0	01/22/2019	ND	212	106	200	6.26	
EXT DRO >C28-C36	<10.0	10.0	01/22/2019	ND					

Surrogate: 1-Chlorooctane 88.0 % 41-142

Surrogate: 1-Chlorooctadecane 83.0 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Page 17 of 18



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: COG Operating LLC		BILL TO		ANALYSIS REQUEST					
Project Manager: Dakota Neel		P.O. #:							
Address: 2208 West Main		Company: COG Operating LLC							
City: Artesia		Attn: Robert McNeill							
Phone #: (575) 746-2010		Address: 600 W Illinois							
Fax #:		City: Midland							
Project #: Project Owner:		State: TX Zip: 79701							
Project Name: MC FEDERAL #3		Phone #: (432) 221-0388							
Project Location:		Fax #:							
Sampler Name: Dakota Neel									

[illegible]

PLEASE NOTE: Liability and damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the services. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates, or agents.

affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.			
Reinquired By:	Date:	Received By:	Phone Result:
ID <i>10145</i>	Time:	<i>Jamara Delat</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Date:		Adtl Phone #:
Reinquired By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No
			Adtl Fax #:
REMARKS:			

Time:		
Delivered By: (Circle One)	Sample Condition	CHECKED BY:
Sampler - UPS - Bus - Other:	Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No	(Initials)

5. Please fax written changes to 575-393-2476

Page 18 of 18



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 14, 2019

DAKOTA NEEL

COG OPERATING

P. O. BOX 1630

ARTESIA, NM 88210

RE: MC FEDERAL #3

Enclosed are the results of analyses for samples received by the laboratory on 02/08/19 12:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 02/08/2019
 Reported: 02/14/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 02/04/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: 1/2 (H900510-01)

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/12/2019	ND	2.28	114	2.00	2.57	
Toluene*	<0.050	0.050	02/12/2019	ND	2.15	107	2.00	1.80	
Ethylbenzene*	<0.050	0.050	02/12/2019	ND	2.10	105	2.00	2.45	
Total Xylenes*	<0.150	0.150	02/12/2019	ND	6.27	105	6.00	1.84	
Total BTEX	<0.300	0.300	02/12/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	02/14/2019	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/12/2019	ND	180	90.2	200	5.40	
DRO >C10-C28*	<10.0	10.0	02/12/2019	ND	192	96.0	200	0.186	
EXT DRO >C28-C36	<10.0	10.0	02/12/2019	ND					

Surrogate: 1-Chlorooctane 75.4 % 41-142

Surrogate: 1-Chlorooctadecane 73.3 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

Received: 02/08/2019
 Reported: 02/14/2019
 Project Name: MC FEDERAL #3
 Project Number: NONE GIVEN
 Project Location: COG

Sampling Date: 02/04/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: WEST-1 (H900510-02)

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/12/2019	ND	2.28	114	2.00	2.57	
Toluene*	<0.050	0.050	02/12/2019	ND	2.15	107	2.00	1.80	
Ethylbenzene*	<0.050	0.050	02/12/2019	ND	2.10	105	2.00	2.45	
Total Xylenes*	<0.150	0.150	02/12/2019	ND	6.27	105	6.00	1.84	
Total BTEX	<0.300	0.300	02/12/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	02/14/2019	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/12/2019	ND	180	90.2	200	5.40	
DRO >C10-C28*	<10.0	10.0	02/12/2019	ND	192	96.0	200	0.186	
EXT DRO >C28-C36	<10.0	10.0	02/12/2019	ND					

Surrogate: 1-Chlorooctane 78.4 % 41-142

Surrogate: 1-Chlorooctadecane 75.3 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]

APPENDIX III

SITE INFORMATION

By CHernandez at 7:52 am, Aug 21, 2018

Report Type: Work Plan 1RP-4793

General Site Information:

Site:	MC Federal #003					
Company:	COG Operating LLC					
Section, Township and Range	Unit F	Sec. 21	T 17S	R 32E		
Lease Number:	API No. 30-025-34773					
County:	Lea County					
GPS:	32.8214073° N			103.7725525° W		
Surface Owner:	Federal					
Mineral Owner:	Federal					
Directions:	From the intersection of Hwy 529 and CR 126, head North on CR126 approx. 1.89mi, turn West and go approx. 0.37mi, turn North and go approx. .35mi, Head West and go approx. .20mi and location is on South side					
	NMOCD approves of the delineation completed and proposed remediation for 1RP-4793 with the following conditions: Both bottom and sidewall confirmation samples are required for					

NMOCD approves of the delineation completed and proposed remediation for 1RP-4793 with the following conditions: Both bottom and sidewall confirmation samples are required for each of the proposed depths of excavation. At least one confirmation sidewall/edge sample location must be at the border between each different depth of excavation, for example at the border between AH-1 and AH-2 excavation areas. Marked confirmation sample locations in relation to delineation sample locations on a scaled map. Dated photo documentation of the remediation process.

Release Data:

Date Released:	8/14/2017
Type Release:	Oil
Source of Contamination:	Hammer Union
Fluid Released:	15 bbls
Fluids Recovered:	10bbls

Official Communication:

Name:	Robert Mcneil	Ike Tavaréz
Company:	COG Operating, LLC	Tetra Tech
Address:	One Concho Center	4000 N. Big Spring
	600 W. Illinois Ave	Ste 401
City:	Midland Texas, 79701	Midland, Texas
Phone number:	(432) 686-3026	(432) 687-8110
Fax:	(432) 684-7137	
Email:	rmcneil@conchoresources.com	Ike.Tavaréz@tetrattech.com

Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	<100
>100 ft.	0	
WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:		10

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	1,000



June 15, 2018

Ms. Olivia Yu
Environmental Engineer Specialist
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

Re: Work Plan for the COG Operating LLC, MC Federal #3 Tank Battery, Unit F, Section 21, Township 17 South, Range 32 East, Lea County, New Mexico. 1RP-4793.

Mr. Yu:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC., (COG) to assess and evaluate a release that occurred at MC Federal #3 Tank Battery, Unit F, Section 21, Township 17 South, Range 32 East, Lea County, New Mexico (Site). The spill site coordinates are N 32.8214073°, W 103.7725525°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on August 14, 2017, and released approximately fifteen (15) barrels of oil due to a hammer union failure on a divert line. A vacuum truck was used to remove all freestanding fluids, recovering approximately ten (10) barrels of oil. The release was contained inside the bermed facility and impacted an area measuring approximately 125' x 35'. The initial C-141 Form is included in Appendix A.

Groundwater

No water wells are listed in Section 17 in the New Mexico Office of the State Engineers database or on the USGS National Water Information System. According to the Chevron Texaco Groundwater Trend map, the average depth to groundwater in the area is between 150' and 175' below surface. However, the wells in the vicinity are less than 100' below surface and greater than 50' below surface. The groundwater data is shown in Appendix B.

Tetra Tech

4000 North Big Spring, Suite 401, Midland, TX 79705

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com

**TETRA TECH**

Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 1,000 mg/kg.

Soil Assessment and Analytical Results

On March 6, 2018, and April 12, 2018, Tetra Tech personnel were on site to evaluate and sample the release area. Three (3) hand augers were installed in the release area to a total depth of 5.5' below surface. Selected samples were analyzed for TPH analysis by EPA method 8015 modified, and BTEX by EPA Method 8021B. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The sampling results are summarized in Table 1. The auger hole locations are shown on Figure 3.

Referring to Table 1, none of the samples analyzed showed benzene or total BTEX concentrations above the laboratory reporting limits. Additionally, the areas of auger holes (AH-1, AH-2, and AH-3) showed TPH levels above the RRALs with concentrations of 5,170 mg/kg 6,072 mg/kg and 5,580 mg/kg at 0-1' below surface. The area of auger hole (AH-1) declined with depth at 1-1.5' below surface, with a TPH concentration of 288 mg/kg. The area of auger hole (AH-2) declined with depth, but a showed a TPH concentration of 2,090 mg/kg at 1-1.5' and 55.7 mg/kg at 2-2.5' mg/kg below surface. In addition, the area of auger hole (AH-3) had TPH concentrations of 7,980 mg/kg and 1,220 mg/kg at 1-1.5' and 2-2.5' below surface. The TPH declined below the RRAL at 3-3.5' below surface, with a concentration of <15.0 mg/kg.

Work Plan

Based on the laboratory results, COG will attempt to remove the TPH impacted soils as shown on Figure 4 and highlighted (green) on Table 1. The areas (AH-1, AH-2, and AH-3) will be hand dug (excavated) to approximately 1.0' to 3.0' below surface. Due to the active equipment and access issues, the impacted areas around the tanks, steel lines and flowlines around the perimeter of the spill will be excavated to maximum extent practicable. If we cannot excavate the impacted soil due safety concerns or access, we will defer the remaining impact until abandonment. All of the excavated material will be transported offsite for proper disposal. Once excavated to the appropriate depth, the excavated areas will be backfilled with clean material to surface grade.

**TETRA TECH**

The proposed excavation depths may not be reached due to wall cave-ins and safety concerns for onsite personnel. Also, impacted soil around oil and gas equipment, structures or lines may not be feasible or practicable to be removed due to safety concerns for onsite personnel. As such, COG will excavate the impacted soils to the maximum extent practicable.

Conclusion

Upon completion, a final report detailing the remediation activities will be submitted to the NMOCD. If you have any questions or comments concerning the assessment or the proposed remediation activities for this site, please call at (432) 682-4559.

Respectfully submitted,
TETRA TECH

Mike Carmona,
Geologist I

Ike Tavaréz,
Senior Project Manager, P.G.

cc: Robert McNeill – COG
Dakota Neel – COG
Rebecca Haskell – COG
Crystal Weaver - NMOCD
Shelly Tucker - BLM

Figures




Figure 1

Mc Federal #3
(32.821410, -103.772840)

Overview Map


Lea County, New Mexico


Project : 212C-MD-00958.13

Date : 03/23/2018

File : H:\GIS\212C-MD-00958.13









Tables

Table 1
COG Operating LLC.
MC Federal #3
Lea County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Soil Status		TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)
			In-Situ	Removed	C6-C10	C10-C28	C28-C35	Total					
AH-1	3/6/2018	0-1	X	-	1,060	3,610	498	5,170	<0.0998	0.116	1.25	5.02	6.39
	"	1-1.5	X	-	37.0	221	29.9	288	<0.00200	<0.00200	<0.00200	0.0404	0.0404
	4/12/2018	0-1	X	-	226	2,590	127	2,940	-	-	-	-	-
	"	1-1.5	X	-	<15.0	18.8	<15.0	18.8	-	-	-	-	-
	"	2-2.5	X	-	<15.0	<15.0	<15.0	<15.0	-	-	-	-	-
AH-2	3/6/2018	0-1	X	-	51.3	2,330	537	2,920	<0.00202	<0.00202	0.00504	0.0212	0.0263
	"	1-1.5	X	-	26.0	1,670	391	2,090	<0.00199	<0.00199	0.00410	0.00443	0.00853
	4/12/2018	0-1	X	-	471.0	6,020	225	6,720	-	-	-	-	-
	"	1-1.5	X	-	27.7	213	<14.9	241	-	-	-	-	-
	"	2-2.5	X	-	<15.0	55.7	<15.0	55.7	-	-	-	-	-
AH-3	3/6/2018	0-1	X	-	183	4,570	827	5,580	<0.00198	<0.00198	0.00561	0.0104	0.0160
	"	1-1.5	X	-	247	3,340	489	4,080	<0.00200	<0.00200	0.0236	0.0300	0.0536
	4/12/2018	0-1	X	-	<15.0	2,020	131	4,550	-	-	-	-	-
	"	1-1.5	X	-	237	3,490	137	7,980	-	-	-	-	-
	"	2-2.5	X	-	<15.0	531	49.2	1,220	-	-	-	-	-
	"	3-3.5	X	-	<15.0	<15.0	<15.0	<15.0	-	-	-	-	-

 Proposed Excavation Depths

Photos

**COG Operating LLC
MC Federal #3 TB
Lea County, NM**



TETRA TECH



View East of Northeast part of Tank Battery



View South of AH#1

**COG Operating LLC
MC Federal #3 TB
Lea County, NM**



View North of area, AH#1



View North of area, AH#1

**COG Operating LLC
MC Federal #3 TB
Lea County, NM**



View East of area, AH#2



View Northwest of area, AH#2

**COG Operating LLC
MC Federal #3 TB
Lea County, NM**



View South of area, AH#3



View East of area, AH#3.

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: COG Operating LLC OGRID # 229137	Contact: Robert McNeill
Address: 600 West Illinois Avenue, Midland TX 79701	Telephone No. 432-683-7443
Facility Name: MC Federal #003	Facility Type: Tank Battery

Surface Owner: Federal	Mineral Owner: Federal	API No. 30-025-34773
------------------------	------------------------	----------------------

LOCATION OF RELEASE

Unit Letter F	Section 21	Township 17S	Range 32E	Feet from the 2,160	North/South Line North	Feet from the 2,310	East/West Line West	County Lea
------------------	---------------	-----------------	--------------	------------------------	---------------------------	------------------------	------------------------	---------------

Latitude 32.8214073 Longitude -103.7725525

NATURE OF RELEASE

Type of Release: Oil	Volume of Release: 15 bbl.	Volume Recovered: 10 bbl.
Source of Release: Hammer Union	Date and Hour of Occurrence: August 14, 2017 2:00 pm	Date and Hour of Discovery: August 14, 2017 2:00 pm
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

RECEIVED
By Olivia Yu at 6:02 pm, Aug 18, 2017

Describe Cause of Problem and Remedial Action Taken.*

The release was from a hammer union on a divert line. The hammer union was tightened.

Describe Area Affected and Cleanup Action Taken.*

The release was within an unlined berm. A vacuum truck was dispatched to remove all freestanding fluids. Concho will have the spill area sampled to delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Rebecca Haskell</i>	OIL CONSERVATION DIVISION	
Printed Name: Rebecca Haskell	Approved by Environmental Specialist: <i>[Signature]</i>	
Title: Senior HSE Coordinator	Approval Date: 8/18/2017	Expiration Date:
E-mail Address: rhaskell@concho.com	Conditions of Approval: see attached directive	Attached <input checked="" type="checkbox"/>
Date: August 17, 2017 Phone: 432-683-7443		

Attach Additional Sheets If Necessary

1RP-4793

nOY1723065162

pOY1723065337

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
COG - MC Federal #3
Lea County, New Mexico

16 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

- 88 New Mexico State Engineers Well Reports
- 105 USGS Well Reports
- 90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)
Geology and Groundwater Resources of Eddy County, NM (Report 3)
- 34 NMOCD - Groundwater Data
- 123 Tetra Tech installed temporary wells and field water level
- 143 NMOCD Groundwater map well location



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	DepthWell	DepthWater	Water Column
L 03980		L	LE	2	2	2	01	17S	32E	620466	3637594*	270	200	70
L 03980 S		L	LE	4	4	4	02	17S	32E	618870	3636170*	255	179	76
L 03980 S2		L	LE	3	2	3	01	17S	32E	619470	3636581*	225	175	50
L 04019		L	LE	4	3	4	02	17S	32E	618468	3636166*	182		
L 04020		L	LE	3	3	4	02	17S	32E	618268	3636166*	200		
L 04021	R	L	LE	3	4	4	02	17S	32E	618670	3636170*	190		
L 04021 POD3		L	LE		3	4	03	17S	32E	616761	3636252*	247		
L 04021 S		L	LE	2	4	4	03	17S	32E	617262	3636354*	260		
L 13047 POD1		L	LE				11	17S	32E	618187	3635254*	140		
L 13050 POD1		L	LE	2	2	1	10	17S	32E	616463	3635945*	156	132	24
RA 08855			LE	4	1	1	10	17S	32E	616061	3635742*	158		
RA 09505			LE	2	2	1	10	17S	32E	616462	3635944	147		
RA 09505 S			LE	2	2	1	10	17S	32E	616463	3635945*	144		
RA 10175			LE		2	1	28	17S	32E	614814	3631005*	158		
RA 11684 POD1			LE	1	1	4	11	17S	32E	618216	3635124	275		
RA 11684 POD2			LE	1	1	4	11	17S	32E	618313	3635248	275		
RA 11684 POD3			LE	3	3	1	11	17S	32E	618262	3635371	275		
RA 11684 POD4			LE	1	3	2	11	17S	32E	618334	3635521	275		
RA 11684 POD5			LE	3	1	4	11	17S	32E	618353	3635047	275		
RA 11734 POD1			LE	2	2	1	10	17S	32E	616556	3635929	165		
RA 11911 POD1			LE	1	3	1	24	17S	32E	619192	3632296	35		
RA 12020 POD1			LE	2	2	1	28	17S	32E	614828	3630954	120	81	39
RA 12042 POD1			LE	2	2	1	28	17S	32E	614891	3631181	400		

Average Depth to Water: **153 feet**

Minimum Depth: **81 feet**

Maximum Depth: **200 feet**

Record Count: 23

PLSS Search:

Township: 17S **Range:** 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/20/18 2:20 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER

Appendix C

Analytical Report 578429

for
Tetra Tech- Midland

Project Manager: Ike Tavaréz

MC Federal #3

212C-MD-00958 Task #13

13-MAR-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-18-24), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-18-14)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)



13-MAR-18

Project Manager: **Ike Tavaréz**

Tetra Tech- Midland

4000 N. Big Spring Suite 401

Midland, TX 79705

Reference: XENCO Report No(s): **578429**

MC Federal #3

Project Address: Lea County, New Mexico

Ike Tavaréz:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 578429. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 578429 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 578429



Tetra Tech- Midland, Midland, TX

MC Federal #3

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
AH #1	S	03-06-18 00:00	0 - 1 ft	578429-001
AH #1	S	03-06-18 00:00	1 - 1.5 ft	578429-002
AH #2	S	03-06-18 00:00	0 - 1 ft	578429-007
AH #2	S	03-06-18 00:00	1 - 1.5 ft	578429-008
AH #3	S	03-06-18 00:00	0 - 1 ft	578429-013
AH #3	S	03-06-18 00:00	1 - 1.5 ft	578429-014
AH #1	S	03-06-18 00:00	2 - 2.5 ft	Not Analyzed
AH #1	S	03-06-18 00:00	3 - 3.5 ft	Not Analyzed
AH #1	S	03-06-18 00:00	4 - 4.5 ft	Not Analyzed
AH #1	S	03-06-18 00:00	5 - 5.5 ft	Not Analyzed
AH #2	S	03-06-18 00:00	2 - 2.5 ft	Not Analyzed
AH #2	S	03-06-18 00:00	3 - 3.5 ft	Not Analyzed
AH #2	S	03-06-18 00:00	4 - 4.5 ft	Not Analyzed
AH #2	S	03-06-18 00:00	5 - 5.5 ft	Not Analyzed
AH #3	S	03-06-18 00:00	2 - 2.5 ft	Not Analyzed
AH #3	S	03-06-18 00:00	3 - 3.5 ft	Not Analyzed
AH #3	S	03-06-18 00:00	4 - 4.5 ft	Not Analyzed
AH #3	S	03-06-18 00:00	5 - 5.5 ft	Not Analyzed



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: MC Federal #3

Project ID: 212C-MD-00958 Task #1.
Work Order Number(s): 578429

Report Date: 13-MAR-18
Date Received: 03/07/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3043356 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Dilutions due to poor resolution of internal standard created by matrix interference of sample analyzed at 1x.



Certificate of Analysis Summary 578429

Tetra Tech- Midland, Midland, TX

Project Name: MC Federal #3



Project Id: 212C-MD-00958 Task #13

Contact: Ike Tavarez

Project Location: Lea County, New Mexico

Date Received in Lab: Wed Mar-07-18 11:17 am

Report Date: 13-MAR-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	578429-001	578429-002	578429-007	578429-008	578429-013	578429-014
	<i>Field Id:</i>	AH #1	AH #1	AH #2	AH #2	AH #3	AH #3
	<i>Depth:</i>	0-1 ft	1-1.5 ft	0-1 ft	1-1.5 ft	0-1 ft	1-1.5 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Mar-06-18 00:00	Mar-06-18 00:00	Mar-06-18 00:00	Mar-06-18 00:00	Mar-06-18 00:00	Mar-06-18 00:00
BTEX by EPA 8021B	<i>Extracted:</i>	Mar-10-18 12:00	Mar-10-18 12:00	Mar-10-18 12:00	Mar-10-18 12:00	Mar-10-18 12:00	Mar-10-18 12:00
	<i>Analyzed:</i>	Mar-10-18 17:16	Mar-10-18 16:57	Mar-10-18 18:34	Mar-10-18 18:53	Mar-10-18 19:32	Mar-10-18 19:13
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.0998 0.0998	<0.00200 0.00200	<0.00202 0.00202	<0.00199 0.00199	<0.00198 0.00198	<0.00200 0.00200
Toluene		0.116 0.0998	<0.00200 0.00200	<0.00202 0.00202	<0.00199 0.00199	<0.00198 0.00198	<0.00200 0.00200
Ethylbenzene		1.25 0.0998	<0.00200 0.00200	0.00504 0.00202	0.00410 0.00199	0.00561 0.00198	0.0236 0.00200
m,p-Xylenes		3.76 0.200	0.0233 0.00401	0.00882 0.00404	0.00443 0.00398	0.0104 0.00396	0.0300 0.00401
o-Xylene		1.26 0.0998	0.0171 0.00200	0.0124 0.00202	<0.00199 0.00199	<0.00198 0.00198	<0.00200 0.00200
Total Xylenes		5.02 0.0998	0.0404 0.00200	0.0212 0.00202	0.00443 0.00199	0.0104 0.00198	0.0300 0.00200
Total BTEX		6.39 0.0998	0.0404 0.00200	0.0263 0.00202	0.00853 0.00199	0.0160 0.00198	0.0536 0.00200
TPH By SW8015 Mod	<i>Extracted:</i>	Mar-10-18 10:00	Mar-10-18 10:00	Mar-10-18 10:00	Mar-10-18 10:00	Mar-10-18 10:00	Mar-10-18 10:00
	<i>Analyzed:</i>	Mar-11-18 06:07	Mar-11-18 06:28	Mar-11-18 09:23	Mar-11-18 09:44	Mar-11-18 07:27	Mar-11-18 07:46
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		1060 74.9	37.0 15.0	51.3 15.0	26.0 15.0	183 74.8	247 74.9
Diesel Range Organics (DRO)		3610 74.9	221 15.0	2330 15.0	1670 15.0	4570 74.8	3340 74.9
Oil Range Hydrocarbons (ORO)		498 74.9	29.9 15.0	537 15.0	391 15.0	827 74.8	489 74.9
Total TPH		5170 74.9	288 15.0	2920 15.0	2090 15.0	5580 74.8	4080 74.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 578429,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3043356

Sample: 578429-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 16:57

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0256	0.0300	85	70-130	
4-Bromofluorobenzene	0.0379	0.0300	126	70-130	

Lab Batch #: 3043356

Sample: 578429-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 17:16

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0233	0.0300	78	70-130	
4-Bromofluorobenzene	0.0316	0.0300	105	70-130	

Lab Batch #: 3043356

Sample: 578429-007 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 18:34

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0230	0.0300	77	70-130	
4-Bromofluorobenzene	0.0293	0.0300	98	70-130	

Lab Batch #: 3043356

Sample: 578429-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 18:53

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0254	0.0300	85	70-130	
4-Bromofluorobenzene	0.0245	0.0300	82	70-130	

Lab Batch #: 3043356

Sample: 578429-014 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 19:13

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0280	0.0300	93	70-130	
4-Bromofluorobenzene	0.0362	0.0300	121	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 578429,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3043356

Sample: 578429-013 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 19:32

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0277	0.0300	92	70-130	
4-Bromofluorobenzene	0.0370	0.0300	123	70-130	

Lab Batch #: 3043412

Sample: 578429-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 06:07

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	102	99.9	102	70-135	
o-Terphenyl	49.6	50.0	99	70-135	

Lab Batch #: 3043412

Sample: 578429-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 06:28

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	91.0	99.8	91	70-135	
o-Terphenyl	44.1	49.9	88	70-135	

Lab Batch #: 3043412

Sample: 578429-013 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 07:27

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	90.6	99.7	91	70-135	
o-Terphenyl	47.6	49.9	95	70-135	

Lab Batch #: 3043412

Sample: 578429-014 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 07:46

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	102	99.8	102	70-135	
o-Terphenyl	46.8	49.9	94	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 578429,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3043412

Sample: 578429-007 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 09:23

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.1	99.9	97	70-135	
o-Terphenyl	44.0	50.0	88	70-135	

Lab Batch #: 3043412

Sample: 578429-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 09:44

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	89.7	99.9	90	70-135	
o-Terphenyl	43.4	50.0	87	70-135	

Lab Batch #: 3043356

Sample: 7640532-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 03/10/18 14:03

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0259	0.0300	86	70-130	
4-Bromofluorobenzene	0.0317	0.0300	106	70-130	

Lab Batch #: 3043412

Sample: 7640552-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 03/10/18 23:15

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	82.2	100	82	70-135	
o-Terphenyl	43.8	50.0	88	70-135	

Lab Batch #: 3043356

Sample: 7640532-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 03/10/18 12:07

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0276	0.0300	92	70-130	
4-Bromofluorobenzene	0.0329	0.0300	110	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 578429,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3043412

Sample: 7640552-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 03/10/18 23:34

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	121	100	121	70-135	
o-Terphenyl	55.5	50.0	111	70-135	

Lab Batch #: 3043356

Sample: 7640532-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 03/10/18 12:27

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0257	0.0300	86	70-130	
4-Bromofluorobenzene	0.0340	0.0300	113	70-130	

Lab Batch #: 3043412

Sample: 7640552-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 03/10/18 23:54

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	93.5	100	94	70-135	
o-Terphenyl	43.4	50.0	87	70-135	

Lab Batch #: 3043356

Sample: 578592-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 12:46

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0232	0.0300	77	70-130	
4-Bromofluorobenzene	0.0215	0.0300	72	70-130	

Lab Batch #: 3043412

Sample: 578596-005 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 00:33

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	99.6	99.8	100	70-135	
o-Terphenyl	46.0	49.9	92	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 578429,

Lab Batch #: 3043356

Sample: 578592-001 SD / MSD

Project ID: 212C-MD-00958 Task #13

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/10/18 13:05

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0329	0.0300	110	70-130	
4-Bromofluorobenzene	0.0347	0.0300	116	70-130	

Lab Batch #: 3043412

Sample: 578596-005 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 03/11/18 00:52

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	112	100	112	70-135	
o-Terphenyl	49.1	50.0	98	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: MC Federal #3

Work Order #: 578429

Project ID: 212C-MD-00958 Task #13

Analyst: ALJ

Date Prepared: 03/10/2018

Date Analyzed: 03/10/2018

Lab Batch ID: 3043356

Sample: 7640532-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	<0.00200	0.0998	0.0902	90	0.100	0.0860	86	5	70-130	35	
Toluene	<0.00200	0.0998	0.0963	96	0.100	0.0922	92	4	70-130	35	
Ethylbenzene	<0.00200	0.0998	0.110	110	0.100	0.105	105	5	70-130	35	
m,p-Xylenes	<0.00399	0.200	0.217	109	0.200	0.207	104	5	70-130	35	
o-Xylene	<0.00200	0.0998	0.106	106	0.100	0.101	101	5	70-130	35	

Analyst: ARM

Date Prepared: 03/10/2018

Date Analyzed: 03/10/2018

Lab Batch ID: 3043412

Sample: 7640552-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1090	109	1000	943	94	14	70-135	35	
Diesel Range Organics (DRO)	<15.0	1000	984	98	1000	832	83	17	70-135	35	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: MC Federal #3

Work Order #: 578429

Project ID: 212C-MD-00958 Task #13

Lab Batch ID: 3043356

QC- Sample ID: 578592-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 03/10/2018

Date Prepared: 03/10/2018

Analyst: ALJ

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00202	0.101	0.0443	44	0.100	0.0412	41	7	70-130	35	X
Toluene	<0.00202	0.101	0.0382	38	0.100	0.0279	28	31	70-130	35	X
Ethylbenzene	<0.00202	0.101	0.0304	30	0.100	0.0219	22	33	70-130	35	X
m,p-Xylenes	<0.00404	0.202	0.0650	32	0.201	0.0364	18	56	70-130	35	XF
o-Xylene	<0.00202	0.101	0.0301	30	0.100	0.0221	22	31	70-130	35	X

Lab Batch ID: 3043412

QC- Sample ID: 578596-005 S

Batch #: 1 Matrix: Soil

Date Analyzed: 03/11/2018

Date Prepared: 03/10/2018

Analyst: ARM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	915	92	1000	967	97	6	70-135	35	
Diesel Range Organics (DRO)	<15.0	998	800	80	1000	839	84	5	70-135	35	

Matrix Spike Percent Recovery $[D] = 100 * (C - A) / B$
 Relative Percent Difference $RPD = 200 * |(C - F) / (C + F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 * (F - A) / E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

Analysis Request of Chain of Custody Record

Page 1 of 2



Tetra Tech, Inc.

 4000 N. Big Spring Street, Suite
 401 Midland, Texas 79705
 Tel (432) 682-4559
 Fax (432) 682-3946

578429

ANALYSIS REQUEST

(Circle or Specify Method No.)

Client Name:		COG		Site Manager:		Ike Tavaréz	
Project Name:		MC Federal #3					
Project Location:		(county, state) Lea County, New Mexico		Project #:		212C-MD-00958 Task#13	
Invoice to:		Becky Haskell					
Receiving Laboratory:		Xenco Midland TX		Sampler Signature:		Mike Carmona	
Comments:		Run deeper samples if TPH exceeds 5,000 mg/kg. Run deeper samples if benzene exceeds 10 mg/kg or Total BTEX exceeds 50 mg/kg					

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	LAB USE ONLY
		DATE	TIME	WATER	SOIL	HCL	HNO ₃	ICE	None			
	AH #1 (0-1')	3/6/2018		X		X					1 N	
	AH #1 (1-1.5')	3/6/2018		X		X					1 N	
	AH #1 (2-2.5')	3/6/2018		X		X					1 N	
	AH #1 (3-3.5')	3/6/2018		X		X					1 N	
	AH #1 4-4.5')	3/6/2018		X		X					1 N	
	AH #1 (5-5.5')	3/6/2018		X		X					1 N	
	AH #2 (0-1')	3/6/2018		X		X					1 N	
	AH #2 (1-1.5')	3/6/2018		X		X					1 N	
	AH #2 (2-2.5')	3/6/2018		X		X					1 N	
	AH #2 (3-3.5')	3/6/2018		X		X					1 N	

Received by:	Date:	Time:	Received by:	Date:	Time:
Mike Carmona	3/7/18	1100	[Signature]	3/7/18	1100
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

Temp: 3	IR ID: R-8
CF: (0-6: -0.2°C)	
(6-23: +0.2°C)	
Corrected Temp: 1	

ORIGINAL COPY

(Circle) HAND DELIVER

LAB USE ONLY

Sample Temperature

REMARKS:

☒ STANDARD☐ RUSH: Same Day 24 hr 48 hr 72 hr☐ Rush Charges Authorized☐ Special Report Limits or TRRP Report

Analysis Request of Chain of Custody Record



Tetra Tech, Inc.

4000 N. Big Spring Street, Ste 401
Midland, Texas 79705
Tel (432) 682-4559
Fax (432) 682-3946

Page 2 of 2

Client Name: COG Site Manager: Ike Tavaréz

Project Name: MC Federal #3

Project Location: (county, state) Lea County, New Mexico Project #: 212C-MD-00958 Task#13

Invoice to: Becky Haskell

Receiving Laboratory: Xenco Midland Tx Sampler Signature: Mike Carmona

Comments: Run deeper samples if TPH exceeds 5,000 mg/kg. Run deeper samples if benzene exceeds 10 mg/kg or Total BTEX exceeds 50 mg/kg

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD					# CONTAINERS	FILTERED (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		DATE	TIME		WATER	SOIL	HCL	HNO ₃	ICE			None																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
													YEAR: 2017																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	AH #2 (4-4.5')	3/6/2018		X				X			1 N		BTEX 8021B	BTEX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Relinquished by: Mike Carmona Date: 3/7/18 Time: 1100 Received by: [Signature] Date: 3/18/18 Time: 1100

Relinquished by: [Signature] Date: [] Time: [] Received by: [Signature] Date: [] Time: []

ORIGINAL COPY

578429

ANALYSIS REQUEST

(Circle or Specify Method No.)

- BTEX 8021B BTEX 8260B
- TPH TX1005 (Ext to C35)
- TPH 8015M (GRO - DRO - ORO - MRO)
- PAH 8270C
- Total Metals Ag As Ba Cd Cr Pb Se Hg
- TCLP Metals Ag As Ba Cd Cr Pb Se Hg
- TCLP Volatiles
- TCLP Semi Volatiles
- RCI
- GC/MS Vol. 8260B / 624
- GC/MS Semi. Vol. 8270C/625
- PCB's 8082 / 608
- NORM
- PLM (Asbestos)
- Chloride
- Chloride Sulfate TDS
- General Water Chemistry (see attached list)
- Anion/Cation Balance

LAB USE ONLY

REMARKS:

☒ STANDARD

☐ RUSH: Same Day 24 hr 48 hr 72 hr

☐ Rush Charges Authorized

☐ Special Report Limits or TRRP Report

Temp: 3 IR ID: R-8

CF: (0-6: -0.2°C)

(6-23: +0.2°C)

Corrected Temp: 1



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: Tetra Tech- Midland

Date/ Time Received: 03/07/2018 11:17:27 AM

Work Order #: 578429

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.1	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	Yes	
#4 *Custody Seals intact on shipping container/ cooler?	N/A	
#5 Custody Seals intact on sample bottles?	N/A	
#6 *Custody Seals Signed and dated?	N/A	
#7 *Chain of Custody present?	Yes	
#8 Any missing/extra samples?	No	
#9 Chain of Custody signed when relinquished/ received?	Yes	
#10 Chain of Custody agrees with sample labels/matrix?	Yes	
#11 Container label(s) legible and intact?	Yes	
#12 Samples in proper container/ bottle?	Yes	TPH in bulk container
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicated test(s)?	Yes	
#16 All samples received within hold time?	Yes	
#17 Subcontract of sample(s)?	No	
#18 Water VOC samples have zero headspace?	N/A	

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Katie Lowe

Date: 03/07/2018

Checklist reviewed by:

Kelsey Brooks

Date: 03/09/2018

Analytical Report 582192

for
Tetra Tech- Midland

Project Manager: Ike Tavaréz

MC Federal #3

212C-MD-00958 Task #13

17-APR-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-24), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-14)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



17-APR-18

Project Manager: **Ike Tavaréz**

Tetra Tech- Midland

4000 N. Big Spring Suite 401

Midland, TX 79705

Reference: XENCO Report No(s): **582192**

MC Federal #3

Project Address: Lea County, New Mexico

Ike Tavaréz:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 582192. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 582192 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 582192



Tetra Tech- Midland, Midland, TX

MC Federal #3

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
AH #1 (0-1')	S	04-12-18 00:00		582192-001
AH #1 (1-1.5')	S	04-12-18 00:00		582192-002
AH #1 (2-2.5')	S	04-12-18 00:00		582192-003
AH #2 (0-1')	S	04-12-18 00:00		582192-007
AH #2 (1-1.5')	S	04-12-18 00:00		582192-008
AH #2 (2-2.5')	S	04-12-18 00:00		582192-009
AH #3 (0-1')	S	04-12-18 00:00		582192-013
AH #3 (1-1.5')	S	04-12-18 00:00		582192-014
AH #3 (2-2.5')	S	04-12-18 00:00		582192-015
AH #3 (3-3.5')	S	04-12-18 00:00		582192-016
AH #1 (3-3.5')	S	04-12-18 00:00		Not Analyzed
AH #1 (4-4.5')	S	04-12-18 00:00		Not Analyzed
AH #1 (5-5.5')	S	04-12-18 00:00		Not Analyzed
AH #2 (3-3.5')	S	04-12-18 00:00		Not Analyzed
AH #2 (4-4.5')	S	04-12-18 00:00		Not Analyzed
AH #2 (5-5.5')	S	04-12-18 00:00		Not Analyzed
AH #3 (4-4.5')	S	04-12-18 00:00		Not Analyzed
AH #3 (5-5.5')	S	04-12-18 00:00		Not Analyzed



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: MC Federal #3

Project ID: 212C-MD-00958 Task #1.
Work Order Number(s): 582192

Report Date: 17-APR-18
Date Received: 04/12/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 582192

Tetra Tech- Midland, Midland, TX

Project Name: MC Federal #3



Project Id: 212C-MD-00958 Task #13

Contact: Ike Tavarez

Project Location: Lea County, New Mexico

Date Received in Lab: Thu Apr-12-18 03:30 pm

Report Date: 17-APR-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	582192-001	582192-002	582192-003	582192-007	582192-008	582192-009
	<i>Field Id:</i>	AH #1 (0-1')	AH #1 (1-1.5')	AH #1 (2-2.5')	AH #2 (0-1')	AH #2 (1-1.5')	AH #2 (2-2.5')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Apr-12-18 00:00	Apr-12-18 00:00	Apr-12-18 00:00	Apr-12-18 00:00	Apr-12-18 00:00	Apr-12-18 00:00
TPH By SW8015 Mod	<i>Extracted:</i>	Apr-14-18 09:00	Apr-14-18 09:00	Apr-14-18 09:00	Apr-14-18 09:00	Apr-14-18 09:00	Apr-14-18 09:00
	<i>Analyzed:</i>	Apr-14-18 11:49	Apr-14-18 12:15	Apr-14-18 12:42	Apr-14-18 14:02	Apr-14-18 14:28	Apr-14-18 14:54
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		226 74.9	<15.0 15.0	<15.0 15.0	471 74.8	27.7 14.9	<15.0 15.0
Diesel Range Organics (DRO)		2590 74.9	18.8 15.0	<15.0 15.0	6020 74.8	213 14.9	55.7 15.0
Oil Range Hydrocarbons (ORO)		127 74.9	<15.0 15.0	<15.0 15.0	225 74.8	<14.9 14.9	<15.0 15.0
Total TPH		2940 74.9	18.8 15.0	<15.0 15.0	6720 74.8	241 14.9	55.7 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 582192

Tetra Tech- Midland, Midland, TX

Project Name: MC Federal #3



Project Id: 212C-MD-00958 Task #13

Contact: Ike Tavarez

Project Location: Lea County, New Mexico

Date Received in Lab: Thu Apr-12-18 03:30 pm

Report Date: 17-APR-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	582192-013	582192-014	582192-015	582192-016		
	<i>Field Id:</i>	AH #3 (0-1')	AH #3 (1-1.5')	AH #3 (2-2.5')	AH #3 (3-3.5')		
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Apr-12-18 00:00	Apr-12-18 00:00	Apr-12-18 00:00	Apr-12-18 00:00		
TPH By SW8015 Mod	<i>Extracted:</i>	Apr-14-18 09:00	Apr-14-18 09:00	Apr-14-18 09:00	Apr-16-18 16:00		
	<i>Analyzed:</i>	Apr-15-18 08:47	Apr-14-18 15:47	Apr-15-18 09:12	Apr-17-18 10:41		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	237 74.8	<15.0 15.0	<15.0 15.0		
Diesel Range Organics (DRO)		2020 15.0	3490 74.8	531 15.0	<15.0 15.0		
Oil Range Hydrocarbons (ORO)		131 15.0	137 74.8	49.2 15.0	<15.0 15.0		
Total TPH		4550 15.0	7980 74.8	1220 15.0	<15.0 15.0		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 582192,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3046716

Sample: 582192-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 11:49

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	108	99.9	108	70-135	
o-Terphenyl	63.6	50.0	127	70-135	

Lab Batch #: 3046716

Sample: 582192-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 12:15

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	100	99.7	100	70-135	
o-Terphenyl	51.3	49.9	103	70-135	

Lab Batch #: 3046716

Sample: 582192-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 12:42

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	94.9	99.9	95	70-135	
o-Terphenyl	48.5	50.0	97	70-135	

Lab Batch #: 3046716

Sample: 582192-007 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 14:02

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	118	99.7	118	70-135	
o-Terphenyl	39.2	49.9	79	70-135	

Lab Batch #: 3046716

Sample: 582192-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 14:28

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	99.4	99.6	100	70-135	
o-Terphenyl	54.4	49.8	109	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 582192,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3046716

Sample: 582192-009 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 14:54

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	95.5	99.9	96	70-135	
o-Terphenyl	49.7	50.0	99	70-135	

Lab Batch #: 3046716

Sample: 582192-014 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 15:47

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	108	99.7	108	70-135	
o-Terphenyl	63.1	49.9	126	70-135	

Lab Batch #: 3046716

Sample: 582192-013 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/15/18 08:47

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	103	99.7	103	70-135	
o-Terphenyl	59.4	49.9	119	70-135	

Lab Batch #: 3046716

Sample: 582192-015 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/15/18 09:12

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	107	99.8	107	70-135	
o-Terphenyl	53.7	49.9	108	70-135	

Lab Batch #: 3046890

Sample: 582192-016 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/17/18 10:41

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	93.1	99.7	93	70-135	
o-Terphenyl	46.4	49.9	93	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 582192,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3046716

Sample: 7642660-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 04/14/18 10:32

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	102	100	102	70-135	
o-Terphenyl	51.8	50.0	104	70-135	

Lab Batch #: 3046890

Sample: 7642747-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 04/16/18 23:30

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	104	100	104	70-135	
o-Terphenyl	52.3	50.0	105	70-135	

Lab Batch #: 3046716

Sample: 7642660-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 04/14/18 10:58

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	108	100	108	70-135	
o-Terphenyl	53.7	50.0	107	70-135	

Lab Batch #: 3046890

Sample: 7642747-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 04/16/18 23:57

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	111	100	111	70-135	
o-Terphenyl	55.9	50.0	112	70-135	

Lab Batch #: 3046716

Sample: 7642660-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 04/14/18 11:23

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	108	100	108	70-135	
o-Terphenyl	54.5	50.0	109	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: MC Federal #3

Work Orders : 582192,

Project ID: 212C-MD-00958 Task #13

Lab Batch #: 3046890

Sample: 7642747-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 04/17/18 00:24

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	123	100	123	70-135	
o-Terphenyl	60.1	50.0	120	70-135	

Lab Batch #: 3046716

Sample: 582192-003 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 13:09

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	111	99.8	111	70-135	
o-Terphenyl	52.8	49.9	106	70-135	

Lab Batch #: 3046890

Sample: 582461-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/17/18 01:18

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	111	99.7	111	70-135	
o-Terphenyl	54.1	49.9	108	70-135	

Lab Batch #: 3046716

Sample: 582192-003 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/14/18 13:35

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	113	99.8	113	70-135	
o-Terphenyl	54.2	49.9	109	70-135	

Lab Batch #: 3046890

Sample: 582461-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 04/17/18 01:44

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	113	99.8	113	70-135	
o-Terphenyl	54.7	49.9	110	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: MC Federal #3

Work Order #: 582192

Project ID: 212C-MD-00958 Task #13

Analyst: ARM

Date Prepared: 04/14/2018

Date Analyzed: 04/14/2018

Lab Batch ID: 3046716

Sample: 7642660-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	950	95	1000	980	98	3	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	951	95	1000	993	99	4	70-135	20	

Analyst: ARM

Date Prepared: 04/16/2018

Date Analyzed: 04/16/2018

Lab Batch ID: 3046890

Sample: 7642747-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1020	102	1000	1080	108	6	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	1040	104	1000	1100	110	6	70-135	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: MC Federal #3

Work Order #: 582192

Project ID: 212C-MD-00958 Task #13

Lab Batch ID: 3046716

QC- Sample ID: 582192-003 S

Batch #: 1 Matrix: Soil

Date Analyzed: 04/14/2018

Date Prepared: 04/14/2018

Analyst: ARM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	950	95	998	958	96	1	70-135	20	
Diesel Range Organics (DRO)	<15.0	998	977	98	998	993	99	2	70-135	20	

Lab Batch ID: 3046890

QC- Sample ID: 582461-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 04/17/2018

Date Prepared: 04/16/2018

Analyst: ARM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	997	1020	102	998	1020	102	0	70-135	20	
Diesel Range Organics (DRO)	<15.0	997	1050	105	998	1050	105	0	70-135	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
 Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

Analysis Request of Chain of Custody Record



Tetra Tech, Inc.

 4000 N. Big Spring Street, Ste
 401 Midland, Texas 79705
 Tel (432) 682-4559
 Fax (432) 682-3846

Client Name:

Site Manager:

Ike Tavaréz

Project Name:

Project #:

212C-MD-00958 Task#13

Project Location:
(county, state)

Project #:

212C-MD-00958 Task#13

Invoice to:

Becky Haskell

Receiving Laboratory:

Xenco Midland Tx

Sampler Signature:

Mike Carmona

Comments:

Run deeper samples if TPH exceeds 1,000 mg/kg.

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD					# CONTAINERS	FILTERED (Y/N)	LAB USE ONLY	REMARKS:
		DATE	TIME	WATER	SOIL	HCL	HNO ₃	ICE	None					
										YEAR: 2017				
	AH #1 (0-1')	4/12/2018		X		X						1 N		
	AH #1 (1-1.5')	4/12/2018		X		X						1 N		
	AH #1 (2-2.5')	4/12/2018		X		X						1 N		
	AH #1 (3-3.5')	4/12/2018		X		X						1 N		
	AH #1 4-4.5')	4/12/2018		X		X						1 N		
	AH #1 (5-5.5')	4/12/2018		X		X						1 N		
	AH #2 (0-1')	4/12/2018		X		X						1 N		
	AH #2 (1-1.5')	4/12/2018		X		X						1 N		
	AH #2 (2-2.5')	4/12/2018		X		X						1 N		
	AH #2 (3-3.5')	4/12/2018		X		X						1 N		

ANALYSIS REQUEST

(Circle or Specify Method No.)

 BTEX 8021B BTEX 8260B
 TPH TX1005 (Ext to C35)
 TPH 8015M (GRO - DRO - ORO - MRO)
 PAH 8270C
 Total Metals Ag As Ba Cd Cr Pb Se Hg
 TCLP Metals Ag As Ba Cd Cr Pb Se Hg
 TCLP Volatiles
 TCLP Semi Volatiles
 RCI
 GC/MS Vol. 8260B / 624
 GC/MS Semi. Vol. 8270C/625
 PCB's 8082 / 608
 NORM
 PLM (Asbestos)
 Chloride
 Chloride Sulfate TDS
 General Water Chemistry (see attached list)
 Anion/Cation Balance

Hold

LAB USE ONLY

REMARKS:

STANDARD

RUSH: Same Day 24 hr 48 hr 72 hr

Rush Charges Authorized

Special Report Limits or TRRP Report

Sample Temperature

(Circle) HAND DELIVERE

Temp: 5.4 IR ID: R-8

CF: (0-6: -0.2°C)

(6-23: +0.2°C)

Corrected Temp: 5.4

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Tetra Tech. Inc.

4000 N. Big Spring Street, Ste 401
Midland, Texas 79705
Tel (432) 882-4559
Fax (432) 882-3946

582192

Client Name:		COG		Site Manager:		Ike Tavarez	
Project Name:		MC Federal #3		Project #:		212C-MD-00958 Task#13	
Project Location: (county, state)		Lea County, New Mexico		Project #:		212C-MD-00958 Task#13	
Invoice to:		Becky Haskell		Sampler Signature:		Mike Carmona	
Receiving Laboratory:		Xenco Midland TX		Sampler Signature:		Mike Carmona	
Comments:		Run deeper samples if TPH exceeds 1,000 mg/kg.					

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD						# CONTAINERS	FILTERED (Y/N)	
		DATE	TIME		WATER	SOIL	HCL	HNO ₃	ICE	None			
													YEAR: 2017
	AH #2 (4-4.5')	4/12/2018		X				X				1	N
	AH #2 (5-5.5')	4/12/2018		X				X				1	N
	AH #3 (0-1')	4/12/2018		X				X				1	N
	AH #3 (1-1.5')	4/12/2018		X				X				1	N
	AH #3 (2-2.5')	4/12/2018		X				X				1	N
	AH #3 (3-3.5')	4/12/2018		X				X				1	N
	AH #3 (4-4.5')	4/12/2018		X				X				1	N
	AH #3 (5-5.5')	4/12/2018		X				X				1	N

Indisposed by:	Date:	Time:	Received by:	Date:	Time:
Mike Carmona	4-12-18		Mike Carmona	4/12/18	1530
Indisposed by:	Date:	Time:	Received by:	Date:	Time:
	4-12-18				

ORIGINAL COPY

LAB USE ONLY	REMARKS:	BTEX 8021B BTEX 8260B	
		TPH TX1005 (Ext to C35)	
Sample Temperature	RUSH: Same Day 24 hr 48 hr 72 hr	TPH 8015M (GRO - DRO - ORO - MRO)	
		PAH 8270C	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	Total Metals Ag As Ba Cd Cr Pb Se Hg	
		TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	TCLP Volatiles	
		TCLP Semi Volatiles	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	RCI	
		GC/MS Vol. 8260B / 624	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	GC/MS Semi. Vol. 8270C/625	
		PCB's 8082 / 608	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	NORM	
		PLM (Asbestos)	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	Chloride	
		Chloride Sulfate TDS	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	General Water Chemistry (see attached list)	
		Anion/Cation Balance	
Special Report Limits or TRRP Report	Special Report Limits or TRRP Report	Hold	

(Circle) HAND DELIVERED FENEX UPS Tracking #:

Temp: 56 IR ID: R-8
CF: (0-6: -0.2°C)
(6-23: +0.2°C)
Contracted Temp: < ()

Table 1
COG Operating LLC.
MC Federal #3
Lea County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Soil Status		TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			In-Situ	Removed	C6-C10	C10-C28	C28-C35	Total						
AH-1	3/6/2018	0-1	X	-	1,060	3,610	498	5,170	<0.0998	0.116	1.25	5.02	6.39	-
	"	1-1.5	X	-	37.0	221	29.9	288	<0.00200	<0.00200	<0.00200	0.0404	0.0404	-
	4/12/2018	0-1	X	-	226	2,590	127	2,940	-	-	-	-	-	-
	"	1-1.5	X	-	<15.0	18.8	<15.0	18.8	-	-	-	-	-	-
	"	2-2.5	X	-	<15.0	<15.0	<15.0	<15.0	-	-	-	-	-	-
	8/2/2018	0-1	X	-	-	-	-	-	-	-	-	-	-	1,900
	"	1-1.5	X	-	-	-	-	-	-	-	-	-	-	1,760
	"	2-2.5	X	-	-	-	-	-	-	-	-	-	-	314
	"	3-3.5	X	-	-	-	-	-	-	-	-	-	-	268
	"	4-4.5	X	-	-	-	-	-	-	-	-	-	-	110
AH-2	3/6/2018	0-1	X	-	51.3	2,330	537	2,920	<0.00202	<0.00202	0.00504	0.0212	0.0263	-
	"	1-1.5	X	-	26.0	1,670	391	2,090	<0.00199	<0.00199	0.00410	0.00443	0.00853	-
	4/12/2018	0-1	X	-	471.0	6,020	225	6,720	-	-	-	-	-	-
	"	1-1.5	X	-	27.7	213	<14.9	241	-	-	-	-	-	-
	"	2-2.5	X	-	<15.0	55.7	<15.0	55.7	-	-	-	-	-	-
	8/2/2018	0-1	X	-	-	-	-	-	-	-	-	-	-	<4.99
	"	1-1.5	X	-	-	-	-	-	-	-	-	-	-	5.73
	"	2-2.5	X	-	-	-	-	-	-	-	-	-	-	<5.00
	"	3-3.5	X	-	-	-	-	-	-	-	-	-	-	<5.00
	"	4-4.5	X	-	-	-	-	-	-	-	-	-	-	<5.02
AH-3	3/6/2018	0-1	X	-	183	4,570	827	5,580	<0.00198	<0.00198	0.00561	0.0104	0.0160	-
	"	1-1.5	X	-	247	3,340	489	4,080	<0.00200	<0.00200	0.0236	0.0300	0.0536	-
	4/12/2018	0-1	X	-	<15.0	2,020	131	4,550	-	-	-	-	-	-
	"	1-1.5	X	-	237	3,490	137	7,980	-	-	-	-	-	-
	"	2-2.5	X	-	<15.0	531	49.2	1,220	-	-	-	-	-	-
	"	3-3.5	X	-	<15.0	<15.0	<15.0	<15.0	-	-	-	-	-	-
	8/2/2018	0-1	X	-	-	-	-	-	-	-	-	-	-	65.1
	"	1-1.5	X	-	-	-	-	-	-	-	-	-	-	42.4
	"	2-2.5	X	-	-	-	-	-	-	-	-	-	-	11.2
	"	3-3.5	X	-	-	-	-	-	-	-	-	-	-	10.8
	"	4-4.5	X	-	-	-	-	-	-	-	-	-	-	10.3

 Proposed Excavation Depths

APPENDIX IV

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: COG Operating LLC OGRID # 229137	Contact: Robert McNeill
Address: 600 West Illinois Avenue, Midland TX 79701	Telephone No. 432-683-7443
Facility Name: MC Federal #003	Facility Type: Tank Battery
Surface Owner: Federal	Mineral Owner: Federal
API No. 30-025-34773	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
F	21	17S	32E	2,160	North	2,310	West	Lea

Latitude 32.8214073 Longitude -103.7725525

NATURE OF RELEASE

Type of Release: Oil	Volume of Release: 15 bbl.	Volume Recovered: 10 bbl.
Source of Release: Hammer Union	Date and Hour of Occurrence: August 14, 2017 2:00 pm	Date and Hour of Discovery: August 14, 2017 2:00 pm
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*


Describe Cause of Problem and Remedial Action Taken.*

The release was from a hammer union on a divert line. The hammer union was tightened.

Describe Area Affected and Cleanup Action Taken.*

The release was within an unlined berm. A vacuum truck was dispatched to remove all freestanding fluids. Concho conducted remediation activities per the NMOCD approved work plan.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:  Printed Name: Dakota Neel Title: HSE Coordinator E-mail Address: dneel2@concho.com Date: April 15, 2019 Phone: 575-746-2010	<u>OIL CONSERVATION DIVISION</u>	
	Ap	<div style="border: 2px solid red; padding: 5px; color: red;"> Deferral of North-2 and East-1 approved until the equipment is removed during other operations, or when the well or facility is plugged or abandoned, whichever comes first. Incident number will remain open until final closure report is submitted and approved by the NMOCD. </div>
	Ag	
	Co	

* Attach Additional Sheets If Necessary

APPENDIX V

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: COG Operating LLC OGRID # 229137	Contact: Robert McNeill
Address: 600 West Illinois Avenue, Midland TX 79701	Telephone No. 432-683-7443
Facility Name: MC Federal #003	Facility Type: Tank Battery

Surface Owner: Federal	Mineral Owner: Federal	API No. 30-025-34773
------------------------	------------------------	----------------------

LOCATION OF RELEASE

Unit Letter F	Section 21	Township 17S	Range 32E	Feet from the 2,160	North/South Line North	Feet from the 2,310	East/West Line West	County Lea
------------------	---------------	-----------------	--------------	------------------------	---------------------------	------------------------	------------------------	---------------

Latitude 32.8214073 Longitude -103.7725525

NATURE OF RELEASE

Type of Release: Oil	Volume of Release: 15 bbl.	Volume Recovered: 10 bbl.
Source of Release: Hammer Union	Date and Hour of Occurrence: August 14, 2017 2:00 pm	Date and Hour of Discovery: August 14, 2017 2:00 pm
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

RECEIVED
By Olivia Yu at 6:02 pm, Aug 18, 2017

Describe Cause of Problem and Remedial Action Taken.*

The release was from a hammer union on a divert line. The hammer union was tightened.

Describe Area Affected and Cleanup Action Taken.*

The release was within an unlined berm. A vacuum truck was dispatched to remove all freestanding fluids. Concho will have the spill area sampled to delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Rebecca Haskell</i>	OIL CONSERVATION DIVISION	
Printed Name: Rebecca Haskell	Approved by Environmental Specialist: <i>[Signature]</i>	
Title: Senior HSE Coordinator	Approval Date: 8/18/2017	Expiration Date:
E-mail Address: rhaskell@concho.com	Conditions of Approval: see attached directive	Attached <input checked="" type="checkbox"/>
Date: August 17, 2017 Phone: 432-683-7443		

Attach Additional Sheets If Necessary

1RP-4793

nOY1723065162

pOY1723065337

Operator/Responsible Party,

The OCD has received the form C-141 you provided on _8/17/2017_ regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number _1RP-4793_ has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District _1_ office in __Hobbs__ on or before _9/18/2017_. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-476-3465
jim.griswold@state.nm.us

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 205109

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 205109
	Action Type: [IM-SD] Incident File Support Doc (ENV) (IM-BNF)

CONDITIONS

Created By	Condition	Condition Date
bhall	Deferral approved until the equipment is removed during other operations or upon plugging and abandonment, which ever comes first.	4/10/2023