



NV

2020 Groundwater Monitoring Report

East Hobbs Junction
Lea County, New Mexico

Phillips 66 Company





Executive Summary

GHD conducted semi-annual groundwater monitoring in 2020 on March 2 and 5, 2020 and September 8, 9 and 10, 2020 at the Phillips 66 East Hobbs Junction in Hobbs, New Mexico. Groundwater levels were measured in all Site monitor wells using an oil/water interface probe prior to purging and sampling.

Ten groundwater samples were collected during the March 2020 event, and eleven groundwater samples were collected during the September 2020 event. Monitor well (MW) MW-9 was not sampled due to the presence of light non-aqueous phase liquid. Groundwater samples were submitted under chain of custody documentation to Pace Analytical Laboratories of Lenexa, Kansas. The samples were analyzed for benzene, toluene, ethylbenzene, xylenes, total petroleum hydrocarbons—gasoline range organics, total petroleum hydrocarbons – diesel range organics, and chloride. Groundwater samples collected from MW-1, MW-2, and MW-3 were reported by the laboratory to be above the New Mexico Water Quality Control Commission's groundwater quality standards during the monitoring events.



Table of Contents

1.	Introduction.....	1
2.	Site Description and History.....	1
3.	Regulatory Framework.....	2
4.	Groundwater Monitoring and Sampling.....	3
4.1	Groundwater Monitoring – March 2020	3
4.2	Groundwater Sampling – March 2020	3
4.3	Groundwater Analytical Results – March 2020.....	4
4.4	Groundwater Monitoring – September 2020.....	4
4.5	Groundwater Sampling – September 2020	5
4.6	Groundwater Analytical Results – September 2020	5
5.	Summary and Recommendations.....	6

Figure Index

Figure 1	Site Aerial Map
Figure 2	Site Plan Map
Figure 3	Groundwater Gradient Map – March 2020
Figure 4	Groundwater Analytical Results – BTEX – March 2020
Figure 5	Groundwater Analytical Results – Chloride – March 2020
Figure 6	Groundwater Gradient Map – September 2020
Figure 7	Groundwater Analytical Results – BTEX – September 2020
Figure 8	Groundwater Analytical Results – Chloride – September 2020

Table Index

Table 3.1	Groundwater Constituent of Concern Table.....	3
Table 1	Groundwater Elevation Data	
Table 2	Groundwater Analytical Data – BTEX, TPH-GRO and TPH-DRO	
Table 4	Groundwater Analytical Data – Inorganics	

Appendix Index

Appendix A	Groundwater Laboratory Analytical Reports
------------	---



1. Introduction

GHD Services Inc. (GHD) prepared this 2020 Groundwater Monitoring Report on behalf of Phillips 66 Company (Phillips 66). This report summarizes groundwater monitoring and sampling activities at East Hobbs Junction (Site) in March and September 2020. The report presents the following:

- Site Description and History
- Regulatory Framework
- Groundwater Monitoring and Sampling
- Summary and Recommendations

2. Site Description and History

The Site is located in Lea County, New Mexico (Section 08, Township 19S, Range 38E; Figure 1). Site remedial activities began in January 2000, following the discovery of a release of crude oil from a gathering line at the East Hobbs Junction. The property on which the release occurred is largely undeveloped arid land.

On March 23, 1999, Phillips 66 personnel discovered a release of unrefined petroleum products (crude oil) associated with a local well field gathering pipeline system located near the town of Hobbs, New Mexico. The area consists of several gathering lines which meet in one locality. The failed line was a 6-inch diameter line which was not in service but was open to the main line. The line leak was noted by the evidence of oil impacts on the ground surface in the area of the release. The quantity of crude oil released was not known. Phillips 66 excavated approximately 200 cubic yards of petroleum impacted soil from around and below the release location. The limits of the excavation were approximately 10 feet wide by 60 feet long and averaged approximately 6 to 8 feet deep with the deepest extent around 12 feet. Excavation activities were halted because of other active petroleum pipelines present in the area. Three groundwater monitor wells were then installed and approximately 3 feet of crude oil was detected on the water table in each monitor well.

Assessment activities have been conducted at the Site to define the crude oil impacts, and a soil and groundwater remediation system was installed to address the impacts. The remediation system installation consisted of soil vapor extraction (SVE), air sparge (AS), and light non-aqueous phase liquid (LNAPL) recovery. Figure 2 illustrates the locations of the existing pipeline corridors, the Site monitor and remediation wells, the remediation buildings and storage tank at the Site. Higgins and Associates, L.L.C. of Centennial, Colorado performed the installation of the remediation system, initial startup, O&M and required monitoring activities until September 2003. In September 2003, Tetra Tech assumed responsibility for the remedial oversight duties at the Site. On August 5, 2008, the SVE and AS systems were converted into a bioventing system utilizing electronic timers to cycle the periods of operation to promote oxygen enhancement in the vadose zone to encourage biodegradation. The skimmer pumps have been removed from all monitor wells except MW-2 and MW-9.



In August 2011, GHD (formerly Conestoga-Rovers and Associates) was retained as the environmental consultant for the Site by Phillips 66. Periodic O&M of the remediation system was performed until the skimming operations were shut down in 2014 due to mechanical problems.

Remedial activities continued in 2015 with the use of mobile dual phase extraction (MDPE) to remove residual LNAPL to the extent practical. MDPE events were conducted in 2015 in March, April, July and November.

Additional MDPE events were conducted in 2017 in February, April and June. GHD evaluated the MDPE data collected at the Site and determined that the LNAPL recovery rate reduced from approximately 1% in 2015 to approximately 0.3% in the first half of 2017. In order to enhance the recovery rate, GHD performed a pilot test utilizing Ivey-sol Surfactant Enhanced Remediation (SER) to remove absorbed LNAPL near the release area.

On December 5, 2017, GHD gravity-fed 200 gallons of surfactant into both MW-1 and RW-2, and AcuVac initiated MDPE approximately three hours after the injection. An additional Ivey-Sol SER injection and MDPE recovery event was performed on December 6, 2017. A total of 1,702 gallons of total fluids and an immeasurable amount of LNAPL were recovered during a 7-hour period.

A Cool-Ox® injection event was performed in May 2018. GHD and Deep Earth Technologies, Inc. (DTI) injected Cool-Ox®, which is a patented solution of calcium peroxide that generates hydrogen peroxide slowly and facilitates the oxidation of petroleum hydrocarbons. Cool-Ox® was injected directly into the MW-1, MW-2, MW-3, MW-7, MW-9, MW-10 and AS wells SP-1, SP-2, SP-7 and SP-8. A total of 7,100 gallons of Cool-Ox® were injected over a four-day period. Following the injections of Cool-Ox®, LNAPL was not observed until December 2019 following a drop in the water table.

3. Regulatory Framework

The New Mexico Oil Conservation Division (NMOCD) is the regulatory agency overseeing the cleanup of petroleum hydrocarbon impacts associated with the Site. The NMOCD uses groundwater quality standards contained in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC¹) for groundwater cleanup.

The New Mexico Water Quality Control Commission (NMWQCC) Human Health Standards are listed in the following Constituents of Concern Table for comparison purposes and evaluation of groundwater analytical results contained in this report.

As of December 2018, NMWQCC updated the Human Health Standards; however, due to the timing of the sampling, the previous standards were used for this reporting period. Moving forward, the revised standards will be used.

¹ New Mexico Water Quality Control Commission (<http://www.nmcpr.state.nm.us/nmac/parts/title20/20.006.0002.htm>)

**Table 3.1 Groundwater Constituent of Concern Table**

Constituent Of Concern	NMWQCC Standards (mg/L)
Benzene	0.005
Toluene	1.00
Ethylbenzene	0.70
Xylenes	0.62
TPH-DRO	NA
TPH-GRO	NA
Chloride	250

TPH-DRO – Total Petroleum Hydrocarbons-Diesel Range Organics

TPH-GRO – Total Petroleum Hydrocarbons-Gasoline Range Organics

4. Groundwater Monitoring and Sampling

4.1 Groundwater Monitoring – March 2020

GHD personnel gauged 27 on-site monitor wells on March 2, 2020 to measure groundwater elevation. Well caps were removed before gauging to allow groundwater levels to equilibrate. An oil/water interface probe was used to measure groundwater depths and check for the presence of LNAPL in each of the monitor wells. Groundwater measurements proceeded from clean wells to the wells containing LNAPL to minimize the potential for cross contamination between wells. The oil/water interface probe was cleaned with an Alconox®/de-ionized water solution and rinsed with de-ionized water after each use.

Well caps were removed before gauging to allow groundwater levels to equilibrate. MW-4 (SVE-1), MW-5 (SVE-2), MW-7 (RW-5), MW-10 (RW-6), MW-11 (RW-7), MW-14 (SVE-11), MW-15 (SVE-12), MW-16, MW-17, MW-19, MW-21, and SVE-10 were all measured dry. LNAPL was measured in MW-9 (RW-2) with a thickness of 0.73 feet. Groundwater elevations ranged from 3572.42 ft-amsl at MW-18 to 3577.26 ft-amsl at MW-8 (SVE-5). The groundwater flow direction as measured from Site wells was to the south-south east and is generally consistent with historical data.

Table 1 presents the Groundwater Elevation Data. Figure 3 presents Groundwater Gradient Map – March 2020.

4.2 Groundwater Sampling – March 2020

GHD personnel collected samples for the first semi-annual 2020 groundwater sampling event from nine on-site monitor wells on March 3 and 5, 2020. Groundwater samples were collected from MW-1, MW-2, MW-3, MW-6, MW-8, MW-12, MW-13, MW-18, and MW-22 through MW-27.

Samples were collected via traditional bailer method. Field parameters including pH, temp, conductivity were collected during the purging of monitor wells. The groundwater samples, including a duplicate sample, were collected with clean, disposable bailers, decanted into clean containers supplied by the analytical laboratory, placed on ice in an insulated cooler, and chilled to a temperature of approximately 40°F (4°C). The coolers were sealed for transport and shipped to Pace under chain-of-custody protocol. Groundwater not used for sampling is stored on-site in a 140-barrel above ground storage tank, for off-site disposal.



Pace analyzed the groundwater samples for:

- BTEX by EPA Method 8260B
- TPH-GRO by EPA Method 8015B
- TPH-DRO by EPA Method 8015B
- Chloride by EPA Method 300

4.3 Groundwater Analytical Results – March 2020

Sample results for the March 2020 semiannual groundwater monitoring events are summarized below.

- Benzene was detected above the groundwater remedial objective of 0.005 mg/L in MW-1 and MW-2 at concentrations of 0.073 mg/L (MW-1 Duplicate) and 0.0092 mg/L, respectively. Benzene was not detected above the remedial objective in the remaining monitor wells.
- Toluene was not detected above the groundwater remedial objective of 1.00 mg/L in groundwater samples collected during the March 2020 sampling event.
- Ethylbenzene was not detected above the groundwater remedial objective of 0.70 mg/l in groundwater samples collected during the March 2020 sampling event.
- Total xylenes were not detected above the groundwater remedial objective of 0.62 mg/l in groundwater samples collected during the March 2020 sampling event.
- TPH-GRO was detected above the laboratory detection limit in groundwater samples MW-1 (Duplicate), MW-2 and MW-8 with concentrations ranging from 0.750 mg/L (MW-2) to 3.40 mg/L (MW-8). Groundwater remedial objectives for TPH-GRO have not been established for the Site.
- TPH-DRO was detected above the laboratory detection limit in groundwater samples MW-1, MW-2, MW-3, MW-6, MW-8, and MW-24. The highest concentration of TPH-DRO was reported as 37.2 mg/L in MW-8. Groundwater remedial objectives for TPH-DRO have not been established for the Site.
- Chloride was not detected above the groundwater remedial objective of 250 mg/l in any groundwater samples collected during the March 2020 sampling event.

Table 2 presents Groundwater Analytical Data – BTEX, TPH-GRO and TPH-DRO and Table 3 presents Groundwater Analytical Data – Inorganics. Figure 4 presents Groundwater Analytical Results – Organics – March 2020; Figure 5 presents Groundwater Analytical Results – Inorganics – March 2020. The Pace analytical reports are presented as Appendix A.

4.4 Groundwater Monitoring – September 2020

GHD personnel gauged 28 on-site monitor wells on September 8, 2020 to measure groundwater elevation. Well caps were removed before gauging to allow groundwater levels to equilibrate. An oil/water interface probe was used to measure groundwater depths and check for the presence of LNAPL in each of the monitor wells. Groundwater measurements proceeded from clean wells to the wells containing LNAPL to minimize the potential for cross contamination between wells. The oil/water interface probe was cleaned with an Alconox®/de-ionized water solution and rinsed with de-ionized water after each use.



Monitor wells at MW-4 (SVE-1), MW-5 (SVE-2), MW-7 (RW-5), MW-10 (RW-6), MW-11 (RW-7), MW-13, MW-14 (SVE-11), MW-15 (SVE-12), MW-16, MW-17, MW-18 (SVE-13), MW-19, MW-20, MW-21, MW-23, and SVE-10 were all measured dry. LNAPL was measured in MW-9 (RW-2) with a thickness of 1.21 feet. Groundwater elevations ranged from 3572.54 feet-above mean sea level (ft-amsl) at MW-12 (SVE-9) to 3576.91 ft-amsl at MW-8 (SVE-5). The groundwater flow direction as measured from Site wells was to the south-south east and is generally consistent with historical data.

Table 1 presents the Groundwater Elevation Data. Figure 6 presents Groundwater Gradient Map – September 2020.

4.5 Groundwater Sampling – September 2020

GHD personnel collected samples for the second semi-annual 2020 groundwater sampling event from 11 on-site monitor wells on September 9 and 10, 2020. Groundwater samples were collected from MW-1, MW-2, MW-3, MW-6, MW-8, MW-12, MW-22, and MW-24 through MW-27.

Samples were collected via traditional bailer method. Field parameters including pH, temp, conductivity were collected during the purging of monitor wells. The groundwater samples, including duplicate samples, were collected with clean, disposable bailers, decanted into clean containers supplied by the analytical laboratory, placed on ice in an insulated cooler, and chilled to a temperature of approximately 40°F (4°C). The coolers were sealed for transport and shipped to Pace Analytical Services (Pace) in Lenexa, Kansas under chain-of-custody protocol. Purge water is stored on-site in a 140-barrel above ground storage tank, for off-site disposal.

Pace analyzed the groundwater samples for:

- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8260B
- TPH-GRO by EPA Method 8015B
- TPH-DRO by EPA Method 8015B
- Chloride by EPA Method 300

4.6 Groundwater Analytical Results – September 2020

Sample results for the September 2020 semiannual groundwater monitoring event are summarized below.

- Benzene was detected at concentrations above the groundwater remedial objective of 0.005 milligrams per liter (mg/L) in MW-1, MW-2, and MW-3 at 0.063 mg/L, 0.054 mg/L and 0.0089 mg/L, respectively. Benzene was not detected above the remedial objective in the remaining monitor wells.
- Toluene was not detected above the groundwater remedial objective of 1.00 mg/L in groundwater samples collected during the September 2020 sampling event.
- Ethylbenzene was not detected above the groundwater remedial objective of 0.70 mg/L in groundwater samples collected during the September 2020 sampling event.
- Total xylenes were not detected above the groundwater remedial objective of 0.62 mg/L in groundwater samples collected during the September 2020 sampling event.



- TPH-GRO was detected above the laboratory detection limit in groundwater samples MW-1, MW-2, MW-3, MW-8, and the duplicate sample taken at MW-1. The highest concentration of TPH-GRO was reported as 1.4 mg/L in MW-8. Groundwater remedial objectives for TPH-GRO have not been established for the Site.
- TPH-DRO was detected above the laboratory detection limit in groundwater samples MW-1, MW-2, MW-3, MW-8, and the duplicate samples taken at MW-1 and MW-3. The highest concentration of TPH-DRO was reported as 35.1 mg/L in MW-8. Groundwater remedial objectives for TPH-DRO have not been established for the Site.
- Chloride was detected above the groundwater remedial objective of 250 mg/L in MW-24 at a concentration of 257 mg/L. Chloride was not detected above the remedial objective in the remaining wells.

Table 2 presents Groundwater Analytical Data – BTEX, TPH-GRO and TPH-DRO; Table 3 Groundwater Analytical Data – Inorganics. Figure 7 presents Groundwater Analytical Results – Organics – September 2020; Figure 8 presents Groundwater Analytical Results – Inorganics – September 2020. The Pace analytical reports are presented as Appendix A.

5. Summary and Recommendations

Removal of LNAPL and dissolved BTEX, TPH-GRO, TPH-DRO and chloride remain the remedial objective for this Site. Groundwater data collected in March and September 2020 from MW-1, MW-2, and MW-3 continue to indicate exceedance of the NMWQCC standards. The groundwater sample collected in September 2020 from MW-28 was in exceedance of the NMWQCC standard for chloride. LNAPL thickness in MW-9 continues to increase as the water table decreases.

GHD submitted at Cool-Ox work plan on March 12, 2021 to address the recalcitrant LNAPL in MW-9 (RW-2). The work plan included installing up to nine new remediation wells to use as injection points around MW-1, MW-2, MW-3, and MW-9. Approximately 6,500 gallons of Cool-Ox to be injected in remediation wells RW-1, RW-3, and newly installed remediation wells RW-8 through RW-16.

Following injections, GHD will continue conducting groundwater monitoring on a quarterly basis and reporting on an annual basis for the Site, as directed by the NMOCD.

All of which is Respectfully Submitted,

GHD


A handwritten signature in blue ink.

David Bonga, PE
Project Manager

A handwritten signature in blue ink.

Christina Ruby
Portfolio Manager

Figures



SOURCE: USGS 7.5 MINUTE QUAD
"HOBBS WEST, NEW MEXICO"

LAT/LONG: 32.681° NORTH, 103.165° WEST
COORDINATE: NAD83 DATUM, U.S. FOOT
STATE PLANE ZONE - NEW MEXICO EAST

figure 1

SITE AERIAL MAP
EAST HOBBS JUNCTION
HOBBS, LEA COUNTY, NEW MEXICO
Phillips 66 Company











figure 2
SITE PLAN MAP
EAST HOBBS JUNCTION
HOBBS, LEA COUNTY, NEW MEXICO
Phillips 66 Company














Tables

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	03/01/01	3606.28	24.19	27.14	2.95	3581.50
MW-1	06/25/01	3606.28	NM	NM		NM
MW-1	09/25/01	3606.28	NM	NM		NM
MW-1	12/11/01	3606.28	NM	NM		NM
MW-1	05/22/02	3606.28	25.39	27.85	2.46	3580.40
MW-1	04/18/05	3606.28	--	24.29	--	3581.99
MW-1	07/18/05	3606.28	--	24.31	--	3581.97
MW-1	10/17/05	3606.28	--	24.23	--	3582.05
MW-1	01/23/06	3606.28	--	24.42	--	3581.86
MW-1	04/24/06	3606.28	24.79	24.80	0.01	3581.49
MW-1	10/10/11	3606.28	27.95	29.92	1.97	3577.94
MW-1	05/30/12	3606.28	28.70	30.56	1.86	3577.21
MW-1	01/31/13	3606.28	29.30	30.90	1.60	3576.66
MW-1	02/07/13	3606.28	29.41	30.58	1.17	3576.64
MW-1	02/14/13	3606.28	29.30	30.90	1.60	3576.66
MW-1	03/07/13	3606.28	29.48	30.68	1.20	3576.56
MW-1	08/22/13	3606.28	29.94	31.20	1.26	3576.09
MW-1	09/19/13	3606.28	30.23	30.53	0.30	3575.98
MW-1	10/03/13	3606.28	30.22	30.58	0.36	3575.98
MW-1	10/31/13	3606.28	30.06	31.42	1.36	3575.92
MW-1	01/08/14	3606.28	30.09	31.94	1.85	3575.78
MW-1	03/10/14	3606.28	30.20	32.09	1.89	3575.66
MW-1	03/25/14	3606.28	30.18	32.15	1.97	3575.67
MW-1	04/02/14	3606.28	30.22	32.23	2.01	3575.62
MW-1	04/16/14	3606.28	30.25	32.22	1.97	3575.60
MW-1	04/28/14	3606.28	30.30	32.27	1.97	3575.55
MW-1	05/15/14	3606.28	30.36	32.29	1.93	3575.50
MW-1	05/28/14	3606.28	30.44	32.15	1.71	3575.46
MW-1	06/09/14	3606.28	30.48	32.20	1.72	3575.42
MW-1	07/29/14	3606.28	30.60	32.38	1.78	3575.29
MW-1	08/06/14	3606.28	30.68	32.39	1.71	3575.22
MW-1	08/19/14	3606.28	30.63	32.38	1.75	3575.27
MW-1	09/03/14	3606.28	30.74	32.48	1.74	3575.16
MW-1	10/01/14	3606.28	30.49	32.07	1.58	3575.44
MW-1	10/30/14	3606.28	30.46	32.10	1.64	3575.46
MW-1	11/19/14	3606.28	30.34	32.02	1.68	3575.57
MW-1	11/24/14	3606.28	30.60	31.52	0.92	3575.48
MW-1	12/10/14	3606.28	30.56	31.53	0.97	3575.51
MW-1	01/20/15	3606.28	30.52	31.50	0.98	3575.54
MW-1	02/24/15	3606.28	30.48	31.41	0.93	3575.60
MW-1	02/25/15	3606.28	30.63	31.17	0.54	3575.53
MW-1	02/26/15	3606.28	30.65	31.18	0.53	3575.51
MW-1	02/27/15	3606.28	30.64	31.19	0.55	3575.52
MW-1	04/23/15	3606.28	30.69	31.42	0.73	3575.43
MW-1	04/24/15	3606.28	30.84	30.91	0.07	3575.42
MW-1	04/27/15	3606.28	30.91	31.01	0.10	3575.35
MW-1	05/15/15	3606.28	30.92	31.09	0.17	3575.32
MW-1	06/08/15	3606.28	30.89	31.05	0.16	3575.35
MW-1	07/09/15	3606.28	30.81	31.01	0.20	3575.43
MW-1	07/10/15	3606.28	30.86	30.91	0.05	3575.41
MW-1	07/27/15	3606.28	30.80	30.90	0.10	3575.46
MW-1	08/18/15	3606.28	30.78	30.94	0.16	3575.46
MW-1	09/29/15	3606.28	30.77	30.93	0.16	3575.47
MW-1	11/19/15	3606.28	30.55	30.77	0.22	3575.68
MW-1	11/20/15	3606.28	30.61	30.66	0.05	3575.66
MW-1	11/23/15	3606.28	30.62	30.67	0.05	3575.65
MW-1	01/21/16	3606.28	30.38	30.54	0.16	3575.86
MW-1	02/18/16	3606.28	30.36	30.54	0.18	3575.88

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	03/21/16	3606.28	30.31	30.63	0.32	3575.90
MW-1	04/14/16	3606.28	30.35	30.79	0.44	3575.83
MW-1	05/19/16	3606.28	30.49	31.00	0.51	3575.68
MW-1	07/27/16	3606.28	30.75	31.40	0.65	3575.39
MW-1	10/13/16	3606.28	29.33	30.28	0.95	3576.74
MW-1	12/08/16	3606.28	29.81	30.11	0.30	3576.40
MW-1	03/22/17	3606.28	29.64	29.96	0.32	3576.57
MW-1	09/18/17	3606.28	30.10	30.14	0.04	3576.17
MW-1	03/21/18	3606.28	--	30.33	--	3575.95
MW-1	05/15/18	3606.28	--	31.62	--	3574.66
MW-1	06/14/18	3606.28	--	30.80	--	3575.48
MW-1	09/18/18	3606.28	--	31.04	--	3575.24
MW-1	03/05/19	3606.28	--	31.21	--	3575.07
MW-1	06/04/19	3606.28	--	31.40	--	3574.88
MW-1	09/03/19	3606.28	--	31.57	--	3574.71
MW-1	12/05/19	3606.28	--	31.75	--	3574.53
MW-1	03/02/20	3606.28	--	31.87	--	3574.41
MW-1	06/18/20	3606.28	--	32.00	--	3574.28
MW-1	09/08/20	3606.28	--	32.46	--	3573.82
MW-2 (RW-1)	03/01/01	3606.45	24.29	26.88	2.59	3581.64
MW-2 (RW-1)	06/25/01	3606.45	25.73	26.67	0.94	3580.53
MW-2 (RW-1)	09/25/01	3606.45	26.04	26.59	0.55	3580.30
MW-2 (RW-1)	12/11/01	3606.45	25.73	28.20	2.47	3580.23
MW-2 (RW-1)	05/22/02	3606.45	26.33	28.00	1.67	3579.79
MW-2 (RW-1)	11/05/02	3606.45	24.67	28.73	4.06	3580.97
MW-2 (RW-1)	02/25/03	3606.45	26.55	29.30	2.75	3579.35
MW-2 (RW-1)	04/09/03	3606.45	26.41	28.41	2.00	3579.64
MW-2 (RW-1)	06/25/03	3606.45	26.58	28.55	1.97	3579.48
MW-2 (RW-1)	09/11/03	3606.45	26.62	28.60	1.98	3579.43
MW-2 (RW-1)	11/05/03	3606.45	26.95	28.74	1.79	3579.14
MW-2 (RW-1)	01/19/04	3606.45	27.35	28.42	1.07	3578.89
MW-2 (RW-1)	04/20/04	3606.45	27.47	28.24	0.77	3578.83
MW-2 (RW-1)	07/20/04	3606.45	27.74	28.97	1.23	3578.46
MW-2 (RW-1)	10/25/04	3606.45	25.20	25.39	0.19	3581.21
MW-2 (RW-1)	01/24/05	3606.45	--	25.42	--	3581.03
MW-2 (RW-1)	02/14/05	3606.45	--	25.35	--	3581.10
MW-2 (RW-1)	03/02/05	3606.45	--	25.31	--	3581.14
MW-2 (RW-1)	03/08/05	3606.45	--	25.28	--	3581.17
MW-2 (RW-1)	03/23/05	3606.45	--	25.21	--	3581.24
MW-2 (RW-1)	04/18/05	3606.45	25.10	25.11	0.01	3581.35
MW-2 (RW-1)	05/09/05	3606.45	--	25.12	--	3581.33
MW-2 (RW-1)	06/10/05	3606.45	--	25.08	--	3581.37
MW-2 (RW-1)	07/18/05	3606.45	25.09	25.10	0.01	3581.36
MW-2 (RW-1)	10/17/05	3606.45	24.88	25.00	0.12	3581.55
MW-2 (RW-1)	12/28/05	3606.45	--	25.15	--	3581.30
MW-2 (RW-1)	01/10/06	3606.45	25.19	25.20	0.01	3581.26
MW-2 (RW-1)	01/23/06	3606.45	25.17	25.21	0.04	3581.27
MW-2 (RW-1)	04/24/06	3606.45	25.56	25.58	0.02	3580.89
MW-2 (RW-1)	07/24/06	3606.45	25.91	25.95	0.04	3580.53
MW-2 (RW-1)	10/23/06	3606.45	--	25.79	--	3580.66
MW-2 (RW-1)	01/23/07	3606.45	25.82	25.83	0.01	3580.63
MW-2 (RW-1)	04/23/07	3606.45	26.11	26.27	0.16	3580.31
MW-2 (RW-1)	07/23/07	3606.45	26.25	26.38	0.13	3580.17
MW-2 (RW-1)	10/22/07	3606.45	26.29	26.38	0.09	3580.14
MW-2 (RW-1)	01/28/08	3606.45	26.32	26.39	0.07	3580.12
MW-2 (RW-1)	04/21/08	3606.45	26.54	26.62	0.08	3579.89
MW-2 (RW-1)	07/21/08	3606.45	26.83	26.91	0.08	3579.60

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-2 (RW-1)	10/20/08	3606.45	27.00	27.11	0.11	3579.43
MW-2 (RW-1)	01/19/09	3606.45	--	27.25	--	3579.20
MW-2 (RW-1)	04/20/09	3606.45	27.48	27.49	0.01	3578.97
MW-2 (RW-1)	07/27/09	3606.45	--	27.78	--	3578.67
MW-2 (RW-1)	10/26/09	3606.45	--	27.95	--	3578.50
MW-2 (RW-1)	01/25/10	3606.45	--	28.16	--	3578.29
MW-2 (RW-1)	04/26/10	3606.45	28.10	29.34	1.24	3578.10
MW-2 (RW-1)	07/26/10	3606.45	27.86	28.95	1.09	3578.37
MW-2 (RW-1)	10/25/10	3606.45	27.78	27.87	0.09	3578.65
MW-2 (RW-1)	01/24/11	3606.45	28.32	29.60	1.28	3577.87
MW-2 (RW-1)	03/01/11	3606.45	--	29.88	--	3576.57
MW-2 (RW-1)	04/04/11	3606.45	28.51	30.12	1.61	3577.62
MW-2 (RW-1)	04/05/11	3606.45	28.56	29.81	1.25	3577.64
MW-2 (RW-1)	04/11/11	3606.45	28.58	29.98	1.40	3577.59
MW-2 (RW-1)	04/18/11	3606.45	28.58	30.05	1.47	3577.58
MW-2 (RW-1)	04/25/11	3606.45	28.56	30.07	1.51	3577.59
MW-2 (RW-1)	05/02/11	3606.45	28.71	29.83	1.12	3577.52
MW-2 (RW-1)	05/03/11	3606.45	28.70	29.70	1.00	3577.55
MW-2 (RW-1)	05/09/11	3606.45	28.64	29.97	1.33	3577.54
MW-2 (RW-1)	05/31/11	3606.45	28.66	30.16	1.50	3577.49
MW-2 (RW-1)	06/06/11	3606.45	28.67	30.12	1.45	3577.49
MW-2 (RW-1)	10/10/11	3606.45	28.80	30.17	1.37	3577.38
MW-2 (RW-1)	05/30/12	3606.45	30.05	30.30	0.25	3576.35
MW-2 (RW-1)	02/27/13	3606.45	30.40	31.95	1.55	3575.74
MW-2 (RW-1)	03/07/13	3606.45	30.13	31.70	1.57	3576.01
MW-2 (RW-1)	03/14/13	3606.45	30.43	31.99	1.56	3575.71
MW-2 (RW-1)	03/19/13	3606.45	30.43	32.05	1.62	3575.70
MW-2 (RW-1)	04/05/13	3606.45	30.48	32.05	1.57	3575.66
MW-2 (RW-1)	04/10/13	3606.45	30.43	32.00	1.57	3575.71
MW-2 (RW-1)	04/18/13	3606.45	30.51	32.00	1.49	3575.64
MW-2 (RW-1)	04/25/13	3606.45	30.53	32.05	1.52	3575.62
MW-2 (RW-1)	05/09/13	3606.45	30.60	32.16	1.56	3575.54
MW-2 (RW-1)	05/13/13	3606.45	30.35	31.89	1.54	3575.79
MW-2 (RW-1)	05/23/13	3606.45	30.62	32.17	1.55	3575.52
MW-2 (RW-1)	05/30/13	3606.45	30.63	32.20	1.57	3575.51
MW-2 (RW-1)	06/07/13	3606.45	30.68	32.21	1.53	3575.46
MW-2 (RW-1)	06/13/13	3606.45	30.41	31.97	1.56	3575.73
MW-2 (RW-1)	06/27/13	3606.45	30.45	32.01	1.56	3575.69
MW-2 (RW-1)	07/02/13	3606.45	30.63	32.20	1.57	3575.51
MW-2 (RW-1)	07/11/13	3606.45	30.77	32.32	1.55	3575.37
MW-2 (RW-1)	07/23/13	3606.45	31.14	31.19	0.05	3575.30
MW-2 (RW-1)	08/22/13	3606.45	31.21	31.29	0.08	3575.22
MW-2 (RW-1)	09/19/13	3606.45	31.31	31.33	0.02	3575.14
MW-2 (RW-1)	10/03/13	3606.45	31.28	31.30	0.02	3575.17
MW-2 (RW-1)	10/31/13	3606.45	31.32	31.50	0.18	3575.09
MW-2 (RW-1)	11/14/13	3606.45	31.30	31.74	0.44	3575.05
MW-2 (RW-1)	11/27/13	3606.28	31.30	31.85	0.55	3574.86
MW-2 (RW-1)	12/11/13	3606.45	31.20	31.21	0.01	3575.25
MW-2 (RW-1)	12/24/13	3606.45	31.20	31.22	0.02	3575.25
MW-2 (RW-1)	01/08/14	3606.45	31.52	31.52	0.00	3574.93
MW-2 (RW-1)	03/10/14	3606.45	31.44	32.30	0.86	3574.82
MW-2 (RW-1)	03/25/14	3606.45	31.41	32.33	0.92	3574.84
MW-2 (RW-1)	04/02/14	3606.45	31.41	32.54	1.13	3574.79
MW-2 (RW-1)	04/16/14	3606.45	31.45	32.17	0.72	3574.84
MW-2 (RW-1)	04/28/14	3606.45	31.50	32.64	1.14	3574.70
MW-2 (RW-1)	05/15/14	3606.45	31.52	32.70	1.18	3574.67
MW-2 (RW-1)	05/28/14	3606.45	31.66	32.31	0.65	3574.65
MW-2 (RW-1)	06/09/14	3606.45	31.66	32.40	0.74	3574.63

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-2 (RW-1)	07/29/14	3606.45	31.78	32.78	1.00	3574.45
MW-2 (RW-1)	08/06/14	3606.45	31.90	32.89	0.99	3574.33
MW-2 (RW-1)	08/19/14	3606.45	31.79	32.86	1.07	3574.42
MW-2 (RW-1)	09/03/14	3606.45	31.89	32.90	1.01	3574.34
MW-2 (RW-1)	10/01/14	3606.45	31.63	32.43	0.80	3574.64
MW-2 (RW-1)	10/30/14	3606.45	31.64	32.47	0.83	3574.63
MW-2 (RW-1)	11/19/14	3606.45	31.26	32.15	0.89	3574.99
MW-2 (RW-1)	11/24/14	3606.45	--	31.79	--	3574.66
MW-2 (RW-1)	12/10/14	3606.45	--	31.78	--	3574.67
MW-2 (RW-1)	01/08/15	3606.45	31.75	31.76	0.01	3574.70
MW-2 (RW-1)	01/20/15	3606.45	--	31.74	--	3574.71
MW-2 (RW-1)	02/24/15	3606.45	31.69	31.75	0.06	3574.75
MW-2 (RW-1)	02/25/15	3606.45	31.76	31.78	0.02	3574.69
MW-2 (RW-1)	02/26/15	3606.45	31.77	31.78	0.01	3574.68
MW-2 (RW-1)	02/27/15	3606.45	31.76	31.78	0.02	3574.69
MW-2 (RW-1)	03/10/15	3606.45	31.76	31.80	0.04	3574.68
MW-2 (RW-1)	04/23/15	3606.45	31.83	31.97	0.14	3574.59
MW-2 (RW-1)	04/24/15	3606.45	31.88	31.90	0.02	3574.57
MW-2 (RW-1)	05/15/15	3606.45	31.95	32.05	0.10	3574.48
MW-2 (RW-1)	06/08/15	3606.45	31.94	32.03	0.09	3574.49
MW-2 (RW-1)	07/09/15	3606.45	31.85	31.92	0.07	3574.58
MW-2 (RW-1)	07/10/15	3606.45	31.92	31.93	0.01	3574.53
MW-2 (RW-1)	07/27/15	3606.45	31.81	31.82	0.01	3574.64
MW-2 (RW-1)	08/18/15	3606.45	31.83	31.84	0.01	3574.62
MW-2 (RW-1)	09/29/15	3606.45	--	32.84	--	3573.61
MW-2 (RW-1)	11/19/15	3606.45	31.63	31.66	0.03	3574.81
MW-2 (RW-1)	11/20/15	3606.45	--	31.38	--	3575.07
MW-2 (RW-1)	11/23/15	3606.45	31.67	31.68	0.01	3574.78
MW-2 (RW-1)	01/21/16	3606.45	--	31.45	--	3575.00
MW-2 (RW-1)	02/18/16	3606.45	--	31.49	--	3574.96
MW-2 (RW-1)	03/21/16	3606.45	31.40	31.47	0.07	3575.03
MW-2 (RW-1)	04/14/16	3606.45	31.47	31.50	0.03	3574.97
MW-2 (RW-1)	05/19/16	3606.45	31.59	31.67	0.08	3574.84
MW-2 (RW-1)	07/27/16	3606.45	31.89	32.09	0.20	3574.52
MW-2 (RW-1)	9/22/2016	3606.45	--	31.30	--	3575.15
MW-2 (RW-1)	10/13/16	3606.45	30.19	31.71	1.52	3575.93
MW-2 (RW-1)	12/08/16	3606.45	--	30.92	--	3575.53
MW-2 (RW-1)	03/22/17	3606.45	--	30.73	--	3575.72
MW-2 (RW-1)	09/18/17	3606.45	30.17	30.18	0.01	3576.28
MW-2 (RW-1)	03/21/18	3606.45	30.39	30.45	0.06	3576.05
MW-2 (RW-1)	05/15/18	3606.45	30.62	30.78	0.16	3575.79
MW-2 (RW-1)	06/14/18	3606.45	--	30.80	--	3575.65
MW-2 (RW-1)	09/18/18	3606.45	--	31.08	--	3575.37
MW-2 (RW-1)	03/05/19	3606.45	--	31.32	--	3575.13
MW-2 (RW-1)	06/04/19	3606.45	--	31.39	--	3575.06
MW-2 (RW-1)	09/03/19	3606.45	--	31.65	--	3574.80
MW-2 (RW-1)	12/05/19	3606.45	--	31.94	--	3574.51
MW-2 (RW-1)	03/02/20	3606.45	--	31.84	--	3574.61
MW-2 (RW-1)	06/18/20	3606.45	--	32.02	--	3574.43
MW-2 (RW-1)	09/08/20	3606.45	--	32.27	--	3574.18
MW-3 (RW-3)	03/01/01	3606.33	24.19	26.92	2.73	3581.59
MW-3 (RW-3)	06/25/01	3606.33	24.91	27.01	2.10	3581.00
MW-3 (RW-3)	09/25/01	3606.33	25.09	27.52	2.43	3580.75
MW-3 (RW-3)	12/11/01	3606.33	25.29	27.70	2.41	3580.56
MW-3 (RW-3)	11/05/02	3606.33	26.13	28.14	2.01	3579.80
MW-3 (RW-3)	02/25/03	3606.33	26.34	29.55	3.21	3579.35
MW-3 (RW-3)	04/09/03	3606.33	26.24	29.02	2.78	3579.53

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3 (RW-3)	06/25/03	3606.33	26.47	28.06	1.59	3579.54
MW-3 (RW-3)	09/11/03	3606.33	26.89	28.72	1.83	3579.07
MW-3 (RW-3)	11/05/03	3606.33	26.85	28.45	1.60	3579.16
MW-3 (RW-3)	01/19/04	3606.33	26.95	28.86	1.91	3579.00
MW-3 (RW-3)	04/20/04	3606.33	27.19	28.64	1.45	3578.85
MW-3 (RW-3)	07/20/04	3606.33	27.26	28.53	1.27	3578.82
MW-3 (RW-3)	10/25/04	3606.33	25.77	25.78	0.01	3580.56
MW-3 (RW-3)	01/24/05	3606.33	24.91	24.93	0.02	3581.42
MW-3 (RW-3)	02/14/05	3606.33	--	24.83	--	3581.50
MW-3 (RW-3)	03/02/05	3606.33	--	24.78	--	3581.55
MW-3 (RW-3)	03/08/05	3606.33	--	24.76	--	3581.57
MW-3 (RW-3)	03/23/05	3606.33	--	24.69	--	3581.64
MW-3 (RW-3)	04/18/05	3606.33	24.55	24.56	0.01	3581.78
MW-3 (RW-3)	05/09/05	3606.33	--	24.58	--	3581.75
MW-3 (RW-3)	06/10/05	3606.33	--	24.56	--	3581.77
MW-3 (RW-3)	07/18/05	3606.33	24.55	24.57	0.02	3581.78
MW-3 (RW-3)	10/17/05	3606.33	--	24.47	--	3581.86
MW-3 (RW-3)	12/28/05	3606.33	--	24.63	--	3581.70
MW-3 (RW-3)	01/10/06	3606.33	--	24.69	--	3581.64
MW-3 (RW-3)	01/23/06	3606.33	24.47	24.66	0.19	3581.82
MW-3 (RW-3)	04/24/06	3606.33	25.03	25.10	0.07	3581.29
MW-3 (RW-3)	07/24/06	3606.33	25.38	25.39	0.01	3580.95
MW-3 (RW-3)	10/23/06	3606.33	25.27	25.28	0.01	3581.06
MW-3 (RW-3)	01/23/07	3606.33	25.31	25.32	0.01	3581.02
MW-3 (RW-3)	04/23/07	3606.33	25.61	25.65	0.04	3580.71
MW-3 (RW-3)	07/23/07	3606.33	25.74	25.77	0.03	3580.58
MW-3 (RW-3)	10/22/07	3606.33	25.77	25.78	0.01	3580.56
MW-3 (RW-3)	01/28/08	3606.33	25.81	25.82	0.01	3580.52
MW-3 (RW-3)	04/21/08	3606.33	--	26.05	--	3580.28
MW-3 (RW-3)	07/21/08	3606.33	--	26.34	--	3579.99
MW-3 (RW-3)	10/20/08	3606.33	--	26.61	--	3579.72
MW-3 (RW-3)	01/19/09	3606.33	26.75	26.76	0.01	3579.58
MW-3 (RW-3)	04/20/09	3606.33	26.99	27.00	0.01	3579.34
MW-3 (RW-3)	07/27/09	3606.33	--	27.29	--	3579.04
MW-3 (RW-3)	10/26/09	3606.33	--	27.45	--	3578.88
MW-3 (RW-3)	01/25/10	3606.33	--	27.58	--	3578.75
MW-3 (RW-3)	04/26/10	3606.33	--	27.89	--	3578.44
MW-3 (RW-3)	07/26/10	3606.33	--	27.63	--	3578.70
MW-3 (RW-3)	10/25/10	3606.33	27.43	27.45	0.02	3578.90
MW-3 (RW-3)	01/24/11	3606.33	28.08	28.09	0.01	3578.25
MW-3 (RW-3)	04/18/11	3606.33	28.09	28.10	0.01	3578.24
MW-3 (RW-3)	10/10/11	3606.33	--	28.60	--	3577.73
MW-3 (RW-3)	05/30/12	3606.33	--	29.36	--	3576.97
MW-3 (RW-3)	02/27/13	3606.33	29.92	30.39	0.47	3576.32
MW-3 (RW-3)	03/07/13	3606.33	29.92	30.41	0.49	3576.31
MW-3 (RW-3)	07/23/13	3606.33	30.31	30.87	0.56	3575.91
MW-3 (RW-3)	03/10/14	3606.33	30.81	31.28	0.47	3575.42
MW-3 (RW-3)	03/25/14	3606.33	30.82	31.35	0.53	3575.39
MW-3 (RW-3)	04/02/14	3606.33	30.84	31.36	0.52	3575.38
MW-3 (RW-3)	04/16/14	3606.33	30.85	31.41	0.56	3575.36
MW-3 (RW-3)	04/28/14	3606.33	30.91	31.44	0.53	3575.30
MW-3 (RW-3)	05/15/14	3606.33	30.95	31.46	0.51	3575.27
MW-3 (RW-3)	05/28/14	3606.33	31.01	31.48	0.47	3575.22
MW-3 (RW-3)	06/09/14	3606.33	31.02	31.55	0.53	3575.19
MW-3 (RW-3)	07/29/14	3606.33	31.17	31.72	0.55	3575.04
MW-3 (RW-3)	08/06/14	3606.33	31.20	31.72	0.52	3575.02
MW-3 (RW-3)	08/19/14	3606.33	31.19	31.74	0.55	3575.02
MW-3 (RW-3)	09/03/14	3606.33	31.32	31.78	0.46	3574.91

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3 (RW-3)	10/01/14	3606.33	31.07	31.33	0.26	3575.20
MW-3 (RW-3)	10/30/14	3606.33	31.06	31.35	0.29	3575.21
MW-3 (RW-3)	11/19/14	3606.33	30.90	31.31	0.41	3575.34
MW-3 (RW-3)	11/24/14	3606.33	--	31.06	--	3575.27
MW-3 (RW-3)	12/10/14	3606.33	--	31.06	--	3575.27
MW-3 (RW-3)	01/20/15	3606.33	--	31.01	--	3575.32
MW-3 (RW-3)	02/24/15	3606.33	30.95	30.98	0.03	3575.37
MW-3 (RW-3)	02/25/15	3606.33	--	31.00	--	3575.33
MW-3 (RW-3)	02/26/15	3606.33	--	31.00	--	3575.33
MW-3 (RW-3)	02/27/15	3606.33	30.99	31.00	0.01	3575.34
MW-3 (RW-3)	03/10/15	3606.33	--	31.00	--	3575.33
MW-3 (RW-3)	04/23/15	3606.33	--	31.08	--	3575.25
MW-3 (RW-3)	04/24/15	3606.33	--	31.13	--	3575.20
MW-3 (RW-3)	04/27/15	3606.33	--	31.22	--	3575.11
MW-3 (RW-3)	05/15/15	3606.33	31.20	31.21	0.01	3575.13
MW-3 (RW-3)	06/08/15	3606.33	--	31.18	--	3575.15
MW-3 (RW-3)	07/09/15	3606.33	--	31.10	--	3575.23
MW-3 (RW-3)	07/10/15	3606.33	--	31.12	--	3575.21
MW-3 (RW-3)	07/27/15	3606.33	--	31.06	--	3575.27
MW-3 (RW-3)	08/18/15	3606.33	--	31.05	--	3575.28
MW-3 (RW-3)	09/29/15	3607.33	--	31.04	--	3576.29
MW-3 (RW-3)	11/19/15	3606.33	--	30.83	--	3575.50
MW-3 (RW-3)	11/20/15	3606.33	--	30.87	--	3575.46
MW-3 (RW-3)	11/23/15	3606.33	--	30.88	--	3575.45
MW-3 (RW-3)	01/21/16	3606.33	--	30.71	--	3575.62
MW-3 (RW-3)	02/18/16	3606.33	--	30.69	--	3575.64
MW-3 (RW-3)	03/21/16	3606.33	--	30.62	--	3575.71
MW-3 (RW-3)	04/14/16	3606.33	--	30.67	--	3575.66
MW-3 (RW-3)	05/19/16	3607.33	--	30.82	--	3576.51
MW-3 (RW-3)	07/27/16	3608.33	--	31.11	--	3577.22
MW-3 (RW-3)	09/22/16	3608.33	--	30.55	--	3577.78
MW-3 (RW-3)	12/08/16	3609.33	--	30.15	--	3579.18
MW-3 (RW-3)	03/22/17	3608.33	--	29.93	--	3578.40
MW-3 (RW-3)	09/18/17	3608.33	--	30.33	--	3578.00
MW-3 (RW-3)	03/21/18	3608.33	--	30.62	--	3577.71
MW-3 (RW-3)	05/15/18	3608.33	--	30.83	--	3577.50
MW-3 (RW-3)	06/14/18	3608.33	--	30.74	--	3577.59
MW-3 (RW-3)	07/16/18	3608.33	--	30.85	--	3577.48
MW-3 (RW-3)	09/18/18	3608.33	--	31.00	--	3577.33
MW-3 (RW-3)	03/05/19	3608.33	--	31.25	--	3577.08
MW-3 (RW-3)	06/04/19	3608.33	--	31.29	--	3577.04
MW-3 (RW-3)	09/03/19	3608.33	--	31.99	--	3576.34
MW-3 (RW-3)	12/05/19	3608.33	--	31.66	--	3576.67
MW-3 (RW-3)	03/02/20	3608.33	--	31.77	--	3576.56
MW-3 (RW-3)	06/18/20	3608.33	--	31.94	--	3576.39
MW-3 (RW-3)	09/08/20	3608.33	--	32.08	--	3576.25
MW-4 (SVE-1)	03/01/01	3606.69	--	24.60	--	3582.09
MW-4 (SVE-1)	06/25/01	3606.69	--	25.14	--	3581.55
MW-4 (SVE-1)	09/25/01	3606.69	--	25.36	--	3581.33
MW-4 (SVE-1)	12/11/01	3606.69	--	24.54	--	3582.15
MW-4 (SVE-1)	05/21/02	3606.69	--	25.95	--	3580.74
MW-4 (SVE-1)	06/08/02	3606.69	--	26.00	--	3580.69
MW-4 (SVE-1)	06/15/02	3606.69	--	26.00	--	3580.69
MW-4 (SVE-1)	10/15/02	3606.37	--	26.86	--	3579.51
MW-4 (SVE-1)	10/25/02	3606.37	--	26.90	--	3579.47
MW-4 (SVE-1)	10/26/02	3606.37	--	26.89	--	3579.48
MW-4 (SVE-1)	11/04/02	3606.37	--	26.86	--	3579.51

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4 (SVE-1)	11/05/02	3606.37	--	26.80	--	3579.57
MW-4 (SVE-1)	12/16/02	3606.37	--	26.80	--	3579.57
MW-4 (SVE-1)	01/22/03	3606.37	--	26.68	--	3579.69
MW-4 (SVE-1)	02/14/03	3606.37	--	26.88	--	3579.49
MW-4 (SVE-1)	02/24/03	3606.37	--	26.90	--	3579.47
MW-4 (SVE-1)	04/07/03	3606.37	--	27.00	--	3579.37
MW-4 (SVE-1)	04/24/03	3606.37	--	26.98	--	3579.39
MW-4 (SVE-1)	07/15/03	3606.37	--	27.09	--	3579.28
MW-4 (SVE-1)	09/11/03	3606.37	--	27.23	--	3579.14
MW-4 (SVE-1)	10/15/03	3606.37	--	27.25	--	3579.12
MW-4 (SVE-1)	01/19/04	3606.37	--	27.71	--	3578.66
MW-4 (SVE-1)	04/19/04	3606.37	--	27.64	--	3578.73
MW-4 (SVE-1)	07/20/04	3606.37	--	27.90	--	3578.47
MW-4 (SVE-1)	10/25/04	3606.37	--	26.21	--	3580.16
MW-4 (SVE-1)	01/24/05	3606.37	--	25.42	--	3580.95
MW-4 (SVE-1)	04/18/05	3606.37	--	25.10	--	3581.27
MW-4 (SVE-1)	07/18/05	3606.37	--	25.06	--	3581.31
MW-4 (SVE-1)	10/17/05	3606.37	--	24.90	--	3581.47
MW-4 (SVE-1)	01/23/06	3606.37	--	25.11	--	3581.26
MW-4 (SVE-1)	04/24/06	3606.37	--	25.47	--	3580.90
MW-4 (SVE-1)	07/24/06	3606.37	--	25.82	--	3580.55
MW-4 (SVE-1)	10/23/06	3606.37	--	25.69	--	3580.68
MW-4 (SVE-1)	01/23/07	3606.37	--	25.76	--	3580.61
MW-4 (SVE-1)	04/23/07	3606.37	--	26.05	--	3580.32
MW-4 (SVE-1)	07/23/07	3606.37	--	26.18	--	3580.19
MW-4 (SVE-1)	10/22/07	3606.37	--	26.25	--	3580.12
MW-4 (SVE-1)	01/28/08	3606.37	--	26.28	--	3580.09
MW-4 (SVE-1)	04/21/08	3606.37	--	26.47	--	3579.90
MW-4 (SVE-1)	07/21/08	3606.37	--	26.74	--	3579.63
MW-4 (SVE-1)	10/20/08	3606.37	--	27.15	--	3579.22
MW-4 (SVE-1)	01/19/09	3606.37	--	27.27	--	3579.10
MW-4 (SVE-1)	04/20/09	3606.37	--	27.50	--	3578.87
MW-4 (SVE-1)	07/27/09	3606.37	--	27.80	--	3578.57
MW-4 (SVE-1)	10/26/09	3606.37	--	27.94	--	3578.43
MW-4 (SVE-1)	01/25/10	3606.37	--	28.12	--	3578.25
MW-4 (SVE-1)	04/26/10	3606.37	--	28.39	--	3577.98
MW-4 (SVE-1)	07/26/10	3606.37	--	28.12	--	3578.25
MW-4 (SVE-1)	10/25/10	3606.37	--	28.02	--	3578.35
MW-4 (SVE-1)	01/24/11	3606.37	--	28.32	--	3578.05
MW-4 (SVE-1)	04/18/11	3606.37	--	28.62	--	3577.75
MW-4 (SVE-1)	10/10/11	3606.37	--	29.08	--	3577.29
MW-4 (SVE-1)	05/30/12	3606.37	--	29.78	--	3576.59
MW-4 (SVE-1)	02/27/13	3606.37	--	30.46	--	3575.91
MW-4 (SVE-1)	07/23/13	3606.37	--	30.85	--	3575.52
MW-4 (SVE-1)	03/25/14	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	07/29/14	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	02/24/15	3606.37	--	31.49	--	3574.88
MW-4 (SVE-1)	03/11/15	3606.37	--	31.57	--	3574.80
MW-4 (SVE-1)	07/27/15	3606.37	--	31.70	--	3574.67
MW-4 (SVE-1)	03/21/16	3606.37	--	31.25	--	3575.12
MW-4 (SVE-1)	09/22/16	3606.37	--	30.86	--	3575.51
MW-4 (SVE-1)	03/22/17	3606.37	--	30.56	--	3575.81
MW-4 (SVE-1)	09/18/17	3606.37	--	30.91	--	3575.46
MW-4 (SVE-1)	03/21/18	3606.37	--	31.18	--	3575.19
MW-4 (SVE-1)	06/14/18	3606.37	--	31.43	--	3574.94
MW-4 (SVE-1)	09/18/18	3606.37	--	31.79	--	3574.58
MW-4 (SVE-1)	03/05/19	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	06/04/19	3606.37	--	DRY	--	DRY

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4 (SVE-1)	09/03/19	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	12/05/19	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	03/02/20	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	06/18/20	3606.37	--	DRY	--	DRY
MW-4 (SVE-1)	09/08/20	3606.37	--	DRY	--	DRY
MW-5 (SVE-2)	03/01/01	3605.52	--	24.03	--	3581.49
MW-5 (SVE-2)	06/25/01	3605.52	--	24.23	--	3581.29
MW-5 (SVE-2)	09/25/01	3605.52	--	24.48	--	3581.04
MW-5 (SVE-2)	12/11/01	3605.52	--	24.68	--	3580.84
MW-5 (SVE-2)	05/21/02	3605.52	--	25.12	--	3580.40
MW-5 (SVE-2)	06/08/02	3605.52	--	25.13	--	3580.39
MW-5 (SVE-2)	06/15/02	3605.52	--	25.13	--	3580.39
MW-5 (SVE-2)	10/15/02	3604.90	--	26.20	--	3578.70
MW-5 (SVE-2)	10/25/02	3604.90	--	26.19	--	3578.71
MW-5 (SVE-2)	10/26/02	3604.90	--	26.21	--	3578.69
MW-5 (SVE-2)	11/04/02	3604.90	--	26.08	--	3578.82
MW-5 (SVE-2)	11/05/02	3604.90	--	26.02	--	3578.88
MW-5 (SVE-2)	12/16/02	3604.90	--	26.06	--	3578.84
MW-5 (SVE-2)	01/22/03	3604.90	--	25.81	--	3579.09
MW-5 (SVE-2)	02/08/03	3604.90	--	25.91	--	3578.99
MW-5 (SVE-2)	02/14/03	3604.90	--	25.89	--	3579.01
MW-5 (SVE-2)	02/24/03	3604.90	--	25.96	--	3578.94
MW-5 (SVE-2)	04/07/03	3604.90	--	26.06	--	3578.84
MW-5 (SVE-2)	04/24/03	3604.90	--	26.05	--	3578.85
MW-5 (SVE-2)	07/15/03	3604.90	--	26.38	--	3578.52
MW-5 (SVE-2)	09/11/03	3604.90	--	26.43	--	3578.47
MW-5 (SVE-2)	10/15/03	3604.90	--	26.70	--	3578.20
MW-5 (SVE-2)	01/19/04	3604.90	--	27.06	--	3577.84
MW-5 (SVE-2)	04/19/04	3604.90	--	26.93	--	3577.97
MW-5 (SVE-2)	07/20/04	3604.90	--	27.17	--	3577.73
MW-5 (SVE-2)	10/25/04	3604.90	--	25.22	--	3579.68
MW-5 (SVE-2)	01/24/05	3604.90	--	24.52	--	3580.38
MW-5 (SVE-2)	04/18/05	3604.90	--	24.11	--	3580.79
MW-5 (SVE-2)	07/18/05	3604.90	--	24.18	--	3580.72
MW-5 (SVE-2)	10/17/05	3604.90	--	24.00	--	3580.90
MW-5 (SVE-2)	01/23/06	3604.90	--	24.24	--	3580.66
MW-5 (SVE-2)	04/24/06	3604.90	--	24.66	--	3580.24
MW-5 (SVE-2)	07/24/06	3604.90	--	25.03	--	3579.87
MW-5 (SVE-2)	10/23/06	3604.90	--	24.91	--	3579.99
MW-5 (SVE-2)	01/23/07	3604.90	--	24.90	--	3580.00
MW-5 (SVE-2)	04/23/07	3604.90	--	25.22	--	3579.68
MW-5 (SVE-2)	07/23/07	3604.90	--	25.35	--	3579.55
MW-5 (SVE-2)	10/22/07	3604.90	--	25.35	--	3579.55
MW-5 (SVE-2)	01/28/08	3604.90	--	25.38	--	3579.52
MW-5 (SVE-2)	04/21/08	3604.90	--	25.64	--	3579.26
MW-5 (SVE-2)	07/21/08	3604.90	--	25.95	--	3578.95
MW-5 (SVE-2)	10/20/08	3604.90	--	26.21	--	3578.69
MW-5 (SVE-2)	01/19/09	3604.90	--	26.23	--	3578.67
MW-5 (SVE-2)	04/20/09	3604.90	--	26.59	--	3578.31
MW-5 (SVE-2)	07/27/09	3604.90	--	26.78	--	3578.12
MW-5 (SVE-2)	10/26/09	3604.90	--	26.92	--	3577.98
MW-5 (SVE-2)	01/25/10	3604.90	--	27.22	--	3577.68
MW-5 (SVE-2)	04/26/10	3604.90	--	27.45	--	3577.45
MW-5 (SVE-2)	07/26/10	3604.90	--	27.21	--	3577.69
MW-5 (SVE-2)	10/25/10	3604.90	--	26.89	--	3578.01
MW-5 (SVE-2)	01/24/11	3604.90	--	27.34	--	3577.56
MW-5 (SVE-2)	04/18/11	3604.90	--	27.72	--	3577.18

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-5 (SVE-2)	10/10/11	3604.90	--	28.25	--	3576.65
MW-5 (SVE-2)	05/30/12	3604.90	--	29.01	--	3575.89
MW-5 (SVE-2)	02/27/13	3604.90	--	29.69	--	3575.21
MW-5 (SVE-2)	07/23/13	3604.90	--	30.11	--	3574.79
MW-5 (SVE-2)	03/25/14	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	07/29/14	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	02/24/15	3604.90	--	30.63	--	3574.27
MW-5 (SVE-2)	03/10/15	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	07/27/15	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	03/21/16	3604.90	--	30.25	--	3574.65
MW-5 (SVE-2)	09/22/16	3604.90	--	30.26	--	3574.64
MW-5 (SVE-2)	03/22/17	3604.90	--	29.60	--	3575.30
MW-5 (SVE-2)	09/18/17	3604.90	--	30.01	--	3574.89
MW-5 (SVE-2)	03/21/18	3604.90	--	30.21	--	3574.69
MW-5 (SVE-2)	06/14/18	3604.90	--	30.69	--	3574.21
MW-5 (SVE-2)	09/18/18	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	03/05/19	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	06/04/19	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	09/03/19	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	12/05/19	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	03/02/20	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	06/18/20	3604.90	--	DRY	--	DRY
MW-5 (SVE-2)	09/08/20	3604.90	--	DRY	--	DRY
MW-6 (RW-4)	03/01/01	3606.14	24.51	25.54	1.03	3581.42
MW-6 (RW-4)	06/25/01	3606.14	24.42	26.88	2.46	3581.23
MW-6 (RW-4)	09/25/01	3606.14	25.93	25.96	0.03	3580.20
MW-6 (RW-4)	12/11/01	3606.14	25.66	27.64	1.98	3580.08
MW-6 (RW-4)	06/25/03	3606.14	26.78	28.31	1.53	3579.05
MW-6 (RW-4)	09/11/03	3606.14	26.83	28.46	1.63	3578.98
MW-6 (RW-4)	11/05/03	3606.14	27.19	28.02	0.83	3578.78
MW-6 (RW-4)	01/19/04	3606.14	27.36	28.41	1.05	3578.57
MW-6 (RW-4)	04/20/04	3606.14	27.63	27.96	0.33	3578.44
MW-6 (RW-4)	07/20/04	3606.14	28.01	28.38	0.37	3578.06
MW-6 (RW-4)	10/25/04	3606.14	26.21	26.22	0.01	3579.93
MW-6 (RW-4)	01/24/05	3606.14	--	25.17	--	3580.97
MW-6 (RW-4)	02/14/05	3606.14	--	25.11	--	3581.03
MW-6 (RW-4)	03/02/05	3606.14	25.05	25.06	0.01	3581.09
MW-6 (RW-4)	03/08/05	3606.14	--	25.02	--	3581.12
MW-6 (RW-4)	03/23/05	3606.14	--	24.97	--	3581.17
MW-6 (RW-4)	04/18/05	3606.14	--	24.86	--	3581.28
MW-6 (RW-4)	05/09/05	3606.14	--	24.87	--	3581.27
MW-6 (RW-4)	06/10/05	3606.14	--	24.83	--	3581.31
MW-6 (RW-4)	07/18/05	3606.14	--	24.84	--	3581.30
MW-6 (RW-4)	10/17/05	3606.14	--	24.75	--	3581.39
MW-6 (RW-4)	12/28/05	3606.14	--	24.90	--	3581.24
MW-6 (RW-4)	01/10/06	3606.14	--	24.96	--	3581.18
MW-6 (RW-4)	01/23/06	3606.14	--	24.94	--	3581.20
MW-6 (RW-4)	04/24/06	3606.14	25.30	25.31	0.01	3580.84
MW-6 (RW-4)	07/24/06	3606.14	25.65	25.66	0.01	3580.49
MW-6 (RW-4)	10/22/06	3606.14	25.53	25.54	0.01	3580.61
MW-6 (RW-4)	01/23/07	3606.14	25.59	25.60	0.01	3580.55
MW-6 (RW-4)	04/23/07	3606.14	--	25.88	--	3580.26
MW-6 (RW-4)	07/23/07	3606.17	26.01	26.02	0.01	3580.16
MW-6 (RW-4)	10/22/07	3606.17	26.06	26.07	0.01	3580.11
MW-6 (RW-4)	01/28/08	3606.17	26.10	26.11	0.01	3580.07
MW-6 (RW-4)	04/21/08	3606.17	--	26.32	--	3579.85

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-6 (RW-4)	07/21/08	3606.17	--	26.60	--	3579.57
MW-6 (RW-4)	10/20/08	3606.17	--	26.83	--	3579.34
MW-6 (RW-4)	01/19/09	3606.17	26.96	26.97	0.01	3579.21
MW-6 (RW-4)	04/20/09	3606.17	--	27.20	--	3578.97
MW-6 (RW-4)	07/27/09	3606.17	--	27.50	--	3578.67
MW-6 (RW-4)	10/26/09	3606.17	--	27.64	--	3578.53
MW-6 (RW-4)	01/25/10	3606.17	--	27.85	--	3578.32
MW-6 (RW-4)	04/26/10	3606.17	--	28.08	--	3578.09
MW-6 (RW-4)	07/26/10	3606.17	--	27.83	--	3578.34
MW-6 (RW-4)	10/25/10	3606.17	--	27.64	--	3578.53
MW-6 (RW-4)	01/24/11	3606.17	--	28.27	--	3577.90
MW-6 (RW-4)	04/18/11	3606.17	--	28.30	--	3577.87
MW-6 (RW-4)	10/10/11	3606.17	--	28.78	--	3577.39
MW-6 (RW-4)	05/30/12	3606.17	--	29.43	--	3576.74
MW-6 (RW-4)	02/27/13	3606.17	--	30.12	--	3576.05
MW-6 (RW-4)	07/23/13	3606.17	--	30.50	--	3575.67
MW-6 (RW-4)	03/25/14	3606.17	--	31.05	--	3575.12
MW-6 (RW-4)	07/29/14	3606.17	--	31.31	--	3574.86
MW-6 (RW-4)	02/24/15	3606.17	--	31.12	--	3575.05
MW-6 (RW-4)	03/10/15	3606.17	--	31.18	--	3574.99
MW-6 (RW-4)	07/27/15	3606.17	--	31.30	--	3574.87
MW-6 (RW-4)	03/21/16	3606.17	--	30.85	--	3575.32
MW-6 (RW-4)	09/22/16	3606.17	--	30.85	--	3575.32
MW-6 (RW-4)	03/22/17	3606.17	--	30.20	--	3575.97
MW-6 (RW-4)	09/18/17	3606.17	--	30.59	--	3575.58
MW-6 (RW-4)	03/21/18	3606.17	--	30.78	--	3575.39
MW-6 (RW-4)	06/14/18	3606.17	--	31.10	--	3575.07
MW-6 (RW-4)	09/18/18	3606.17	--	31.46	--	3574.71
MW-6 (RW-4)	03/05/19	3606.17	--	31.60	--	3574.57
MW-6 (RW-4)	06/04/19	3606.17	--	31.67	--	3574.50
MW-6 (RW-4)	09/03/19	3606.17	--	31.89	--	3574.28
MW-6 (RW-4)	12/05/19	3606.17	--	32.04	--	3574.13
MW-6 (RW-4)	03/02/20	3606.17	--	32.15	--	3574.02
MW-6 (RW-4)	06/18/20	3606.17	--	32.27	--	3573.90
MW-6 (RW-4)	09/08/20	3606.17	--	32.47	--	3573.70
MW-7 (RW-5)	03/01/01	3605.50	23.73	26.61	2.88	3581.19
MW-7 (RW-5)	06/25/01	3605.50	25.30	25.35	0.05	3580.19
MW-7 (RW-5)	09/25/01	3605.50	25.41	26.05	0.64	3579.96
MW-7 (RW-5)	05/22/02	3605.50	25.98	26.54	0.56	3579.41
MW-7 (RW-5)	11/05/02	3605.50	25.44	28.68	3.24	3579.41
MW-7 (RW-5)	02/25/03	3605.50	26.08	29.56	3.48	3578.72
MW-7 (RW-5)	04/09/03	3605.50	26.28	29.18	2.90	3578.64
MW-7 (RW-5)	06/25/03	3605.50	26.72	28.73	2.01	3578.38
MW-7 (RW-5)	09/11/03	3605.50	26.73	29.08	2.35	3578.30
MW-7 (RW-5)	11/05/03	3605.50	27.00	29.03	2.03	3578.09
MW-7 (RW-5)	01/19/04	3605.50	27.00	29.77	2.77	3577.95
MW-7 (RW-5)	04/20/04	3605.50	27.30	29.55	2.25	3577.75
MW-7 (RW-5)	07/20/04	3605.50	27.47	29.11	1.64	3577.70
MW-7 (RW-5)	10/25/04	3605.50	25.16	25.79	0.63	3580.21
MW-7 (RW-5)	01/24/05	3605.50	25.10	25.12	0.02	3580.40
MW-7 (RW-5)	02/14/05	3605.50	24.86	26.02	1.16	3580.41
MW-7 (RW-5)	03/02/05	3605.50	24.62	26.49	1.87	3580.51
MW-7 (RW-5)	03/08/05	3605.50	24.58	26.41	1.83	3580.55
MW-7 (RW-5)	03/23/05	3605.50	24.45	26.56	2.11	3580.63
MW-7 (RW-5)	04/18/05	3605.50	24.58	25.84	1.26	3580.67
MW-7 (RW-5)	05/09/05	3605.50	24.54	26.14	1.60	3580.64
MW-7 (RW-5)	06/10/05	3605.50	24.25	26.18	1.93	3580.86

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (RW-5)	07/18/05	3605.50	24.75	25.47	0.72	3580.61
MW-7 (RW-5)	10/17/05	3605.50	24.78	24.79	0.01	3580.72
MW-7 (RW-5)	11/29/05	3605.50	--	24.94	--	3580.56
MW-7 (RW-5)	12/06/05	3605.50	24.87	24.88	0.01	3580.63
MW-7 (RW-5)	12/12/05	3605.50	24.91	24.92	0.01	3580.59
MW-7 (RW-5)	12/21/05	3605.50	--	24.94	--	3580.56
MW-7 (RW-5)	12/28/05	3605.50	--	24.95	--	3580.55
MW-7 (RW-5)	01/04/06	3605.50	--	25.01	--	3580.49
MW-7 (RW-5)	01/10/06	3605.50	--	25.01	--	3580.49
MW-7 (RW-5)	01/16/06	3605.50	25.03	25.04	0.01	3580.47
MW-7 (RW-5)	01/23/06	3605.50	24.99	25.01	0.02	3580.51
MW-7 (RW-5)	02/01/06	3605.50	25.11	25.12	0.01	3580.39
MW-7 (RW-5)	02/16/06	3605.50	25.18	25.19	0.01	3580.32
MW-7 (RW-5)	03/06/06	3605.50	25.25	25.27	0.02	3580.25
MW-7 (RW-5)	03/29/06	3605.50	25.33	25.34	0.01	3580.17
MW-7 (RW-5)	04/04/06	3605.50	25.36	25.37	0.01	3580.14
MW-7 (RW-5)	04/11/06	3605.50	25.41	25.42	0.01	3580.09
MW-7 (RW-5)	04/17/06	3605.50	25.42	25.44	0.02	3580.08
MW-7 (RW-5)	04/24/06	3605.50	25.36	25.39	0.03	3580.13
MW-7 (RW-5)	05/03/06	3605.50	25.49	25.51	0.02	3580.01
MW-7 (RW-5)	05/31/06	3605.50	25.62	25.65	0.03	3579.87
MW-7 (RW-5)	06/09/06	3605.50	25.66	25.71	0.05	3579.83
MW-7 (RW-5)	06/12/06	3605.50	25.67	25.73	0.06	3579.82
MW-7 (RW-5)	06/26/06	3605.50	25.74	25.84	0.10	3579.74
MW-7 (RW-5)	07/05/06	3605.50	25.81	25.91	0.10	3579.67
MW-7 (RW-5)	07/10/06	3605.50	25.61	25.92	0.31	3579.83
MW-7 (RW-5)	07/17/06	3605.50	25.86	25.88	0.02	3579.64
MW-7 (RW-5)	07/24/06	3605.50	25.75	25.79	0.04	3579.74
MW-7 (RW-5)	08/02/06	3605.50	25.93	25.94	0.01	3579.57
MW-7 (RW-5)	08/14/06	3605.50	25.96	25.99	0.03	3579.53
MW-7 (RW-5)	08/28/06	3605.50	26.02	26.07	0.05	3579.47
MW-7 (RW-5)	09/14/06	3605.50	25.91	25.92	0.01	3579.59
MW-7 (RW-5)	09/21/06	3605.50	25.75	26.06	0.31	3579.69
MW-7 (RW-5)	09/25/06	3605.50	25.76	26.15	0.39	3579.66
MW-7 (RW-5)	10/02/06	3605.50	25.77	25.89	0.12	3579.71
MW-7 (RW-5)	10/10/06	3605.50	25.77	25.89	0.12	3579.71
MW-7 (RW-5)	10/16/06	3605.50	25.78	25.99	0.21	3579.68
MW-7 (RW-5)	10/23/06	3605.50	25.60	25.80	0.20	3579.86
MW-7 (RW-5)	10/30/06	3605.50	24.92	25.86	0.94	3580.39
MW-7 (RW-5)	11/06/06	3605.50	25.73	26.01	0.28	3579.71
MW-7 (RW-5)	11/21/06	3605.50	25.79	25.93	0.14	3579.68
MW-7 (RW-5)	11/28/06	3605.50	25.74	25.95	0.21	3579.72
MW-7 (RW-5)	12/05/06	3605.50	25.75	26.04	0.29	3579.69
MW-7 (RW-5)	12/11/06	3605.50	25.75	26.11	0.36	3579.68
MW-7 (RW-5)	12/18/06	3605.50	25.75	26.19	0.44	3579.66
MW-7 (RW-5)	01/02/07	3605.50	25.83	26.16	0.33	3579.60
MW-7 (RW-5)	01/08/07	3605.50	25.81	26.14	0.33	3579.62
MW-7 (RW-5)	01/23/07	3605.50	25.61	26.06	0.45	3579.80
MW-7 (RW-5)	02/05/07	3605.50	25.88	26.36	0.48	3579.52
MW-7 (RW-5)	02/26/07	3605.50	25.92	26.57	0.65	3579.45
MW-7 (RW-5)	03/05/07	3605.50	25.96	26.63	0.67	3579.41
MW-7 (RW-5)	03/13/07	3605.50	26.02	26.37	0.35	3579.41
MW-7 (RW-5)	03/19/07	3605.50	26.03	26.41	0.38	3579.39
MW-7 (RW-5)	03/26/07	3605.50	26.06	26.48	0.42	3579.36
MW-7 (RW-5)	04/02/07	3605.50	26.08	26.48	0.40	3579.34
MW-7 (RW-5)	04/23/07	3605.50	25.92	26.43	0.51	3579.48
MW-7 (RW-5)	05/01/07	3605.50	26.20	26.55	0.35	3579.23
MW-7 (RW-5)	05/29/07	3605.50	26.21	26.59	0.38	3579.21

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (RW-5)	06/04/07	3605.50	26.21	26.89	0.68	3579.15
MW-7 (RW-5)	06/11/07	3605.50	26.23	26.61	0.38	3579.19
MW-7 (RW-5)	06/18/07	3605.50	26.24	26.61	0.37	3579.19
MW-7 (RW-5)	06/26/07	3605.50	26.00	26.39	0.39	3579.42
MW-7 (RW-5)	07/09/07	3605.50	26.04	26.42	0.38	3579.38
MW-7 (RW-5)	07/17/07	3605.50	26.04	26.35	0.31	3579.40
MW-7 (RW-5)	07/23/07	3605.50	26.05	26.42	0.37	3579.38
MW-7 (RW-5)	07/30/07	3605.50	26.07	26.31	0.24	3579.38
MW-7 (RW-5)	08/07/07	3605.50	26.07	26.37	0.30	3579.37
MW-7 (RW-5)	08/20/07	3605.50	26.10	26.41	0.31	3579.34
MW-7 (RW-5)	08/27/07	3605.50	26.11	26.44	0.33	3579.32
MW-7 (RW-5)	09/04/07	3605.50	26.12	26.43	0.31	3579.32
MW-7 (RW-5)	09/10/07	3605.50	26.12	26.47	0.35	3579.31
MW-7 (RW-5)	09/25/07	3605.50	26.21	26.43	0.22	3579.25
MW-7 (RW-5)	10/02/07	3605.50	26.17	26.32	0.15	3579.30
MW-7 (RW-5)	10/11/07	3605.50	26.20	26.34	0.14	3579.27
MW-7 (RW-5)	10/22/07	3605.50	26.06	26.28	0.22	3579.40
MW-7 (RW-5)	10/31/07	3605.50	26.14	26.27	0.13	3579.33
MW-7 (RW-5)	11/12/07	3605.50	26.14	26.30	0.16	3579.33
MW-7 (RW-5)	11/19/07	3605.50	26.14	26.33	0.19	3579.32
MW-7 (RW-5)	12/05/07	3605.50	26.16	26.35	0.19	3579.30
MW-7 (RW-5)	12/10/07	3605.50	26.16	26.35	0.19	3579.30
MW-7 (RW-5)	12/20/07	3605.50	26.21	26.40	0.19	3579.25
MW-7 (RW-5)	01/02/08	3605.50	26.29	26.47	0.18	3579.17
MW-7 (RW-5)	01/07/08	3605.50	26.26	26.53	0.27	3579.19
MW-7 (RW-5)	01/28/08	3605.50	26.14	26.37	0.23	3579.31
MW-7 (RW-5)	02/12/08	3605.50	26.39	26.51	0.12	3579.09
MW-7 (RW-5)	02/26/08	3605.50	26.43	26.54	0.11	3579.05
MW-7 (RW-5)	04/21/08	3605.50	26.38	26.46	0.08	3579.10
MW-7 (RW-5)	04/28/08	3605.50	26.61	26.63	0.02	3578.89
MW-7 (RW-5)	05/20/08	3605.50	26.66	26.70	0.04	3578.83
MW-7 (RW-5)	06/02/08	3605.50	26.70	26.73	0.03	3578.79
MW-7 (RW-5)	06/09/08	3605.50	26.77	26.83	0.06	3578.72
MW-7 (RW-5)	06/16/08	3605.50	26.75	26.78	0.03	3578.74
MW-7 (RW-5)	06/30/08	3605.50	26.82	26.84	0.02	3578.68
MW-7 (RW-5)	07/14/08	3605.50	26.88	26.90	0.02	3578.62
MW-7 (RW-5)	07/21/08	3605.50	26.69	26.72	0.03	3578.80
MW-7 (RW-5)	08/06/08	3605.50	26.96	27.02	0.06	3578.53
MW-7 (RW-5)	08/18/08	3605.50	27.02	27.06	0.04	3578.47
MW-7 (RW-5)	09/09/08	3605.50	--	27.06	--	3578.44
MW-7 (RW-5)	09/15/08	3605.50	--	27.08	--	3578.42
MW-7 (RW-5)	09/22/08	3605.50	--	27.11	--	3578.39
MW-7 (RW-5)	09/29/08	3605.50	--	27.15	--	3578.35
MW-7 (RW-5)	10/07/08	3605.50	--	27.20	--	3578.30
MW-7 (RW-5)	10/20/08	3605.50	--	26.92	--	3578.58
MW-7 (RW-5)	10/28/08	3605.50	--	27.22	--	3578.28
MW-7 (RW-5)	11/07/08	3605.50	--	27.23	--	3578.27
MW-7 (RW-5)	11/24/08	3605.50	--	27.22	--	3578.28
MW-7 (RW-5)	12/01/08	3605.50	--	27.23	--	3578.27
MW-7 (RW-5)	12/08/08	3605.50	--	27.24	--	3578.26
MW-7 (RW-5)	12/24/08	3605.50	--	27.28	--	3578.22
MW-7 (RW-5)	12/29/08	3605.50	--	27.29	--	3578.21
MW-7 (RW-5)	01/06/09	3605.50	--	27.34	--	3578.16
MW-7 (RW-5)	01/14/09	3605.50	--	27.29	--	3578.21
MW-7 (RW-5)	01/19/09	3605.50	27.02	27.03	0.01	3578.48
MW-7 (RW-5)	01/26/09	3605.50	--	27.37	--	3578.13
MW-7 (RW-5)	02/10/09	3605.50	--	27.41	--	3578.09
MW-7 (RW-5)	02/26/09	3605.50	--	27.43	--	3578.07

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (RW-5)	03/02/09	3605.50	--	27.41	--	3578.09
MW-7 (RW-5)	03/09/09	3605.50	--	27.45	--	3578.05
MW-7 (RW-5)	03/16/09	3605.50	--	27.46	--	3578.04
MW-7 (RW-5)	03/24/09	3605.50	--	27.50	--	3578.00
MW-7 (RW-5)	03/30/09	3605.50	--	27.46	--	3578.04
MW-7 (RW-5)	04/06/09	3605.50	--	27.50	--	3578.00
MW-7 (RW-5)	04/14/09	3605.50	--	27.48	--	3578.02
MW-7 (RW-5)	04/20/09	3605.50	27.28	27.29	0.01	3578.22
MW-7 (RW-5)	04/28/09	3605.50	--	27.50	--	3578.00
MW-7 (RW-5)	05/11/09	3605.50	--	27.54	--	3577.96
MW-7 (RW-5)	05/26/09	3605.50	--	27.56	--	3577.94
MW-7 (RW-5)	06/01/09	3605.50	--	27.60	--	3577.90
MW-7 (RW-5)	06/09/09	3605.50	--	27.58	--	3577.92
MW-7 (RW-5)	06/15/09	3605.50	--	27.65	--	3577.85
MW-7 (RW-5)	06/29/09	3605.50	--	27.63	--	3577.87
MW-7 (RW-5)	07/06/09	3605.50	--	27.68	--	3577.82
MW-7 (RW-5)	07/14/09	3605.50	--	27.71	--	3577.79
MW-7 (RW-5)	07/20/09	3605.50	--	27.55	--	3577.95
MW-7 (RW-5)	07/27/09	3605.50	--	27.60	--	3577.90
MW-7 (RW-5)	08/03/09	3605.50	--	27.79	--	3577.71
MW-7 (RW-5)	08/12/09	3605.50	--	27.79	--	3577.71
MW-7 (RW-5)	08/24/09	3605.50	--	27.79	--	3577.71
MW-7 (RW-5)	08/31/09	3605.50	--	27.80	--	3577.70
MW-7 (RW-5)	09/08/09	3605.50	--	27.75	--	3577.75
MW-7 (RW-5)	09/16/09	3605.50	--	27.80	--	3577.70
MW-7 (RW-5)	09/28/09	3605.50	--	27.78	--	3577.72
MW-7 (RW-5)	10/05/09	3605.50	--	27.82	--	3577.68
MW-7 (RW-5)	10/12/09	3605.50	--	27.85	--	3577.65
MW-7 (RW-5)	10/26/09	3605.50	27.72	27.73	0.01	3577.78
MW-7 (RW-5)	11/03/09	3605.50	--	27.93	--	3577.57
MW-7 (RW-5)	11/10/09	3605.50	--	27.88	--	3577.62
MW-7 (RW-5)	11/23/09	3605.50	--	27.90	--	3577.60
MW-7 (RW-5)	11/30/09	3605.50	--	27.94	--	3577.56
MW-7 (RW-5)	12/07/09	3605.50	--	27.93	--	3577.57
MW-7 (RW-5)	12/22/09	3605.50	--	28.00	--	3577.50
MW-7 (RW-5)	01/04/10	3605.50	--	28.00	--	3577.50
MW-7 (RW-5)	01/11/10	3605.50	--	28.05	--	3577.45
MW-7 (RW-5)	01/18/10	3605.50	--	28.02	--	3577.48
MW-7 (RW-5)	01/25/10	3605.50	--	27.95	--	3577.55
MW-7 (RW-5)	02/01/10	3605.50	--	28.06	--	3577.44
MW-7 (RW-5)	02/08/10	3605.50	--	28.10	--	3577.40
MW-7 (RW-5)	02/22/10	3605.50	--	28.09	--	3577.41
MW-7 (RW-5)	03/01/10	3605.50	--	28.19	--	3577.31
MW-7 (RW-5)	03/08/10	3605.50	--	28.25	--	3577.25
MW-7 (RW-5)	03/22/10	3605.50	--	28.29	--	3577.21
MW-7 (RW-5)	03/29/10	3605.50	--	28.30	--	3577.20
MW-7 (RW-5)	04/05/10	3605.50	--	28.34	--	3577.16
MW-7 (RW-5)	04/13/10	3605.50	--	28.32	--	3577.18
MW-7 (RW-5)	04/19/10	3605.50	--	28.38	--	3577.12
MW-7 (RW-5)	04/26/10	3605.50	--	28.18	--	3577.32
MW-7 (RW-5)	05/03/10	3605.50	--	28.41	--	3577.09
MW-7 (RW-5)	05/14/10	3605.50	--	28.46	--	3577.04
MW-7 (RW-5)	05/20/10	3605.50	--	28.43	--	3577.07
MW-7 (RW-5)	05/27/10	3605.50	--	28.44	--	3577.06
MW-7 (RW-5)	06/01/10	3605.50	--	28.47	--	3577.03
MW-7 (RW-5)	06/07/10	3605.50	--	28.49	--	3577.01
MW-7 (RW-5)	06/15/10	3605.50	--	28.53	--	3576.97
MW-7 (RW-5)	06/28/10	3605.50	--	28.50	--	3577.00

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (RW-5)	07/06/10	3605.50	--	28.50	--	3577.00
MW-7 (RW-5)	07/13/10	3605.50	--	28.33	--	3577.17
MW-7 (RW-5)	07/19/10	3605.50	--	28.28	--	3577.22
MW-7 (RW-5)	07/26/10	3605.50	--	27.91	--	3577.59
MW-7 (RW-5)	08/09/10	3605.50	--	28.11	--	3577.39
MW-7 (RW-5)	08/16/10	3605.50	--	28.07	--	3577.43
MW-7 (RW-5)	08/30/10	3605.50	--	28.04	--	3577.46
MW-7 (RW-5)	09/07/10	3605.50	--	27.99	--	3577.51
MW-7 (RW-5)	09/13/10	3605.50	--	28.00	--	3577.50
MW-7 (RW-5)	09/20/10	3605.50	--	27.95	--	3577.55
MW-7 (RW-5)	09/27/10	3605.50	--	27.99	--	3577.51
MW-7 (RW-5)	10/04/10	3605.50	--	27.95	--	3577.55
MW-7 (RW-5)	10/12/10	3605.50	--	27.99	--	3577.51
MW-7 (RW-5)	10/19/10	3605.50	--	27.96	--	3577.54
MW-7 (RW-5)	10/25/10	3605.50	27.70	27.71	0.01	3577.80
MW-7 (RW-5)	11/01/10	3605.50	--	28.03	--	3577.47
MW-7 (RW-5)	11/09/10	3605.50	--	28.03	--	3577.47
MW-7 (RW-5)	11/22/10	3605.50	--	28.05	--	3577.45
MW-7 (RW-5)	12/06/10	3605.50	--	28.13	--	3577.37
MW-7 (RW-5)	12/13/10	3605.50	--	28.11	--	3577.39
MW-7 (RW-5)	01/04/11	3605.50	--	28.29	--	3577.21
MW-7 (RW-5)	01/10/11	3605.50	--	28.24	--	3577.26
MW-7 (RW-5)	01/17/11	3605.50	--	28.28	--	3577.22
MW-7 (RW-5)	01/24/11	3605.50	28.35	28.36	0.01	3577.15
MW-7 (RW-5)	01/31/11	3605.50	--	28.32	--	3577.18
MW-7 (RW-5)	02/07/11	3605.50	--	28.37	--	3577.13
MW-7 (RW-5)	02/14/11	3605.50	--	28.46	--	3577.04
MW-7 (RW-5)	03/01/11	3605.50	--	28.56	--	3576.94
MW-7 (RW-5)	03/07/11	3605.50	--	28.55	--	3576.95
MW-7 (RW-5)	03/21/11	3605.50	--	28.53	--	3576.97
MW-7 (RW-5)	03/28/11	3605.50	--	28.60	--	3576.90
MW-7 (RW-5)	04/18/11	3605.50	--	28.71	--	3576.79
MW-7 (RW-5)	10/10/11	3605.50	--	28.92	--	3576.58
MW-7 (RW-5)	05/30/12	3605.50	--	29.66	--	3575.84
MW-7 (RW-5)	01/17/13	3605.50	--	30.19	--	3575.31
MW-7 (RW-5)	01/24/13	3605.50	--	30.17	--	3575.33
MW-7 (RW-5)	01/31/13	3605.50	--	30.20	--	3575.30
MW-7 (RW-5)	02/07/13	3605.50	--	30.25	--	3575.25
MW-7 (RW-5)	02/14/13	3605.50	--	30.20	--	3575.30
MW-7 (RW-5)	02/27/13	3605.50	--	30.30	--	3575.20
MW-7 (RW-5)	03/07/13	3605.50	--	30.33	--	3575.17
MW-7 (RW-5)	03/14/13	3605.50	--	30.35	--	3575.15
MW-7 (RW-5)	03/19/13	3605.50	--	30.36	--	3575.14
MW-7 (RW-5)	04/05/13	3605.50	--	30.39	--	3575.11
MW-7 (RW-5)	04/10/13	3605.50	--	30.40	--	3575.10
MW-7 (RW-5)	04/18/13	3605.50	--	30.43	--	3575.07
MW-7 (RW-5)	04/25/13	3605.50	--	30.42	--	3575.08
MW-7 (RW-5)	05/02/13	3605.50	--	30.44	--	3575.06
MW-7 (RW-5)	05/09/13	3605.50	--	30.48	--	3575.02
MW-7 (RW-5)	05/13/13	3605.50	--	30.50	--	3575.00
MW-7 (RW-5)	05/23/13	3605.50	--	30.50	--	3575.00
MW-7 (RW-5)	05/30/13	3605.50	--	30.58	--	3574.92
MW-7 (RW-5)	06/07/13	3605.50	--	30.56	--	3574.94
MW-7 (RW-5)	06/13/13	3605.50	--	30.56	--	3574.94
MW-7 (RW-5)	06/27/13	3605.50	--	30.64	--	3574.86
MW-7 (RW-5)	07/02/13	3605.50	--	30.51	--	3574.99
MW-7 (RW-5)	07/11/13	3605.50	--	30.66	--	3574.84
MW-7 (RW-5)	07/23/13	3605.50	--	30.69	--	3574.81

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (RW-5)	08/22/13	3605.50	--	30.78	--	3574.72
MW-7 (RW-5)	09/19/13	3605.50	--	30.85	--	3574.65
MW-7 (RW-5)	10/03/13	3605.50	--	30.87	--	3574.63
MW-7 (RW-5)	10/31/13	3605.50	--	30.93	--	3574.57
MW-7 (RW-5)	11/14/13	3605.50	--	31.00	--	3574.50
MW-7 (RW-5)	11/27/13	3605.50	--	30.96	--	3574.54
MW-7 (RW-5)	12/11/13	3605.50	--	30.98	--	3574.52
MW-7 (RW-5)	12/24/13	3605.50	--	31.01	--	3574.49
MW-7 (RW-5)	01/08/14	3605.50	--	31.06	--	3574.44
MW-7 (RW-5)	03/10/14	3605.50	--	31.16	--	3574.34
MW-7 (RW-5)	03/25/14	3605.50	--	31.20	--	3574.30
MW-7 (RW-5)	04/02/14	3605.50	--	31.22	--	3574.28
MW-7 (RW-5)	04/16/14	3605.50	--	31.26	--	3574.24
MW-7 (RW-5)	04/28/14	3605.50	--	31.26	--	3574.24
MW-7 (RW-5)	05/15/14	3605.50	--	31.30	--	3574.20
MW-7 (RW-5)	05/28/14	3605.50	--	31.34	--	3574.16
MW-7 (RW-5)	06/09/14	3605.50	--	31.37	--	3574.13
MW-7 (RW-5)	07/29/14	3605.50	DRY	--	DRY	DRY
MW-7 (RW-5)	08/06/14	3605.50	DRY	--	DRY	DRY
MW-7 (RW-5)	08/19/14	3605.50	--	31.48	--	3574.02
MW-7 (RW-5)	09/03/14	3605.50	DRY	--	DRY	DRY
MW-7 (RW-5)	10/01/14	3605.50	--	31.45	--	3574.05
MW-7 (RW-5)	10/30/14	3605.50	--	31.37	--	3574.13
MW-7 (RW-5)	11/24/14	3606.50	--	31.35	--	3575.15
MW-7 (RW-5)	12/10/14	3606.50	--	31.32	--	3575.18
MW-7 (RW-5)	01/08/15	3606.50	--	31.27	--	3575.23
MW-7 (RW-5)	01/20/15	3606.50	--	31.27	--	3575.23
MW-7 (RW-5)	02/25/15	3606.50	--	31.29	--	3575.21
MW-7 (RW-5)	03/10/15	3606.50	--	31.30	--	3575.20
MW-7 (RW-5)	04/24/15	3606.50	--	31.50	--	3575.00
MW-7 (RW-5)	05/15/15	3606.50	--	31.50	--	3575.00
MW-7 (RW-5)	06/08/15	3606.50	31.46	31.47	0.01	3575.04
MW-7 (RW-5)	07/27/15	3606.50	--	31.60	--	3574.90
MW-7 (RW-5)	08/18/15	3606.50	--	31.34	--	3575.16
MW-7 (RW-5)	09/29/15	3607.50	--	31.33	--	3576.17
MW-7 (RW-5)	02/18/16	3607.50	--	30.93	--	3576.57
MW-7 (RW-5)	03/21/16	3607.50	--	30.90	--	3576.60
MW-7 (RW-5)	04/14/16	3607.50	--	30.97	--	3576.53
MW-7 (RW-5)	05/19/16	3608.50	--	31.10	--	3577.40
MW-7 (RW-5)	07/27/16	3609.50	--	31.41	--	3578.09
MW-7 (RW-5)	09/22/16	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	10/13/16	3610.50	--	30.05	--	3580.45
MW-7 (RW-5)	12/08/16	3611.50	--	30.51	--	3580.99
MW-7 (RW-5)	03/22/17	3609.50	--	30.26	--	3579.24
MW-7 (RW-5)	09/18/17	3609.50	--	30.66	--	3578.84
MW-7 (RW-5)	03/21/18	3609.50	--	30.90	--	3578.60
MW-7 (RW-5)	05/15/18	3609.50	--	31.70	--	3577.80
MW-7 (RW-5)	06/14/18	3609.50	--	31.34	--	3578.16
MW-7 (RW-5)	09/18/18	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	03/05/19	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	06/04/19	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	09/03/19	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	12/05/19	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	03/02/20	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	06/18/20	3609.50	DRY	--	DRY	DRY
MW-7 (RW-5)	09/08/20	3609.50	DRY	--	DRY	DRY

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8 (SVE-5)	03/01/01	3605.25	--	24.29	--	3580.96
MW-8 (SVE-5)	06/25/01	3605.25	--	25.54	--	3579.71
MW-8 (SVE-5)	09/25/01	3605.25	--	24.82	--	3580.43
MW-8 (SVE-5)	12/11/01	3605.25	--	25.03	--	3580.22
MW-8 (SVE-5)	05/21/02	3605.25	--	25.40	--	3579.85
MW-8 (SVE-5)	06/08/02	3605.25	--	25.45	--	3579.80
MW-8 (SVE-5)	06/15/02	3605.25	--	25.47	--	3579.78
MW-8 (SVE-5)	10/15/02	3604.92	--	26.25	--	3578.67
MW-8 (SVE-5)	10/25/02	3604.92	--	26.26	--	3578.66
MW-8 (SVE-5)	10/26/02	3604.92	--	26.25	--	3578.67
MW-8 (SVE-5)	11/04/02	3604.92	--	26.00	--	3578.92
MW-8 (SVE-5)	11/05/02	3604.92	--	25.99	--	3578.93
MW-8 (SVE-5)	12/16/02	3604.92	--	25.85	--	3579.07
MW-8 (SVE-5)	01/22/03	3604.92	--	25.70	--	3579.22
MW-8 (SVE-5)	02/14/03	3604.92	25.90	25.91	0.01	3579.02
MW-8 (SVE-5)	02/24/03	3604.92	25.95	26.00	0.05	3578.96
MW-8 (SVE-5)	04/07/03	3604.92	26.00	26.11	0.11	3578.90
MW-8 (SVE-5)	04/24/03	3604.92	26.01	26.11	0.10	3578.89
MW-8 (SVE-5)	06/25/03	3604.92	26.39	26.96	0.57	3578.42
MW-8 (SVE-5)	09/11/03	3604.92	26.58	27.13	0.55	3578.23
MW-8 (SVE-5)	11/05/03	3604.92	26.18	26.51	0.33	3578.67
MW-8 (SVE-5)	01/19/04	3604.92	27.00	27.59	0.59	3577.80
MW-8 (SVE-5)	04/20/04	3604.92	27.11	27.56	0.45	3577.72
MW-8 (SVE-5)	07/20/04	3604.92	27.06	27.40	0.34	3577.79
MW-8 (SVE-5)	10/25/04	3604.92	25.33	26.49	1.16	3579.36
MW-8 (SVE-5)	01/24/05	3604.92	24.22	25.16	0.94	3580.51
MW-8 (SVE-5)	02/14/05	3604.92	23.85	24.96	1.11	3580.85
MW-8 (SVE-5)	03/02/05	3604.92	23.78	24.87	1.09	3580.92
MW-8 (SVE-5)	03/08/05	3604.92	23.84	24.84	1.00	3580.88
MW-8 (SVE-5)	03/23/05	3604.92	23.80	24.81	1.01	3580.92
MW-8 (SVE-5)	04/18/05	3604.92	23.89	24.79	0.90	3580.85
MW-8 (SVE-5)	05/09/05	3604.92	23.62	24.59	0.97	3581.11
MW-8 (SVE-5)	06/10/05	3604.92	23.55	24.52	0.97	3581.18
MW-8 (SVE-5)	07/18/05	3604.92	23.99	24.81	0.82	3580.77
MW-8 (SVE-5)	10/17/05	3604.92	23.91	24.72	0.81	3580.85
MW-8 (SVE-5)	12/06/05	3604.92	23.92	24.68	0.76	3580.85
MW-8 (SVE-5)	12/12/05	3604.92	23.83	24.45	0.62	3580.97
MW-8 (SVE-5)	12/21/05	3604.92	24.06	24.86	0.80	3580.70
MW-8 (SVE-5)	12/28/05	3604.92	24.06	24.85	0.79	3580.70
MW-8 (SVE-5)	01/04/06	3604.92	24.14	24.93	0.79	3580.62
MW-8 (SVE-5)	01/10/06	3604.92	24.15	24.93	0.78	3580.61
MW-8 (SVE-5)	01/16/06	3604.92	24.17	24.92	0.75	3580.60
MW-8 (SVE-5)	01/23/06	3604.92	24.13	24.96	0.83	3580.62
MW-8 (SVE-5)	02/01/06	3604.92	24.24	25.01	0.77	3580.53
MW-8 (SVE-5)	02/16/06	3604.92	24.32	25.08	0.76	3580.45
MW-8 (SVE-5)	03/06/06	3604.92	24.42	25.17	0.75	3580.35
MW-8 (SVE-5)	03/29/06	3604.92	24.52	25.27	0.75	3580.25
MW-8 (SVE-5)	04/04/06	3604.92	24.56	25.29	0.73	3580.21
MW-8 (SVE-5)	04/11/06	3604.92	24.60	25.34	0.74	3580.17
MW-8 (SVE-5)	04/17/06	3604.92	24.62	25.35	0.73	3580.15
MW-8 (SVE-5)	04/24/06	3604.92	24.55	25.39	0.84	3580.20
MW-8 (SVE-5)	05/03/06	3604.92	24.69	25.45	0.76	3580.08
MW-8 (SVE-5)	05/31/06	3604.92	24.83	25.92	1.09	3579.87
MW-8 (SVE-5)	06/09/06	3604.92	25.00	25.01	0.01	3579.92
MW-8 (SVE-5)	06/12/06	3604.92	25.03	25.04	0.01	3579.89
MW-8 (SVE-5)	06/26/06	3604.92	25.11	25.12	0.01	3579.81
MW-8 (SVE-5)	07/05/06	3604.92	25.18	25.19	0.01	3579.74
MW-8 (SVE-5)	07/10/06	3604.92	25.19	25.20	0.01	3579.73

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8 (SVE-5)	07/17/06	3604.92	25.16	25.18	0.02	3579.76
MW-8 (SVE-5)	07/24/06	3604.92	25.04	25.09	0.05	3579.87
MW-8 (SVE-5)	08/02/06	3604.92	25.23	25.28	0.05	3579.68
MW-8 (SVE-5)	08/14/06	3604.92	25.23	25.28	0.05	3579.68
MW-8 (SVE-5)	08/28/06	3604.92	25.33	25.38	0.05	3579.58
MW-8 (SVE-5)	09/14/06	3604.92	25.24	25.26	0.02	3579.68
MW-8 (SVE-5)	09/21/06	3604.92	25.70	25.75	0.05	3579.21
MW-8 (SVE-5)	09/25/06	3604.92	25.10	25.11	0.01	3579.82
MW-8 (SVE-5)	10/02/06	3604.92	25.81	25.82	0.01	3579.11
MW-8 (SVE-5)	10/10/06	3604.92	--	24.82	--	3580.10
MW-8 (SVE-5)	10/16/06	3604.92	25.08	25.14	0.06	3579.83
MW-8 (SVE-5)	10/23/06	3604.92	24.89	24.92	0.03	3580.02
MW-8 (SVE-5)	10/30/06	3604.92	25.00	25.01	0.01	3579.92
MW-8 (SVE-5)	11/06/06	3604.92	--	25.01	--	3579.91
MW-8 (SVE-5)	11/21/06	3604.92	--	25.03	--	3579.89
MW-8 (SVE-5)	11/28/06	3604.92	--	25.01	--	3579.91
MW-8 (SVE-5)	12/05/06	3604.92	--	25.01	--	3579.91
MW-8 (SVE-5)	12/11/06	3604.92	--	25.02	--	3579.90
MW-8 (SVE-5)	12/18/06	3604.92	--	25.04	--	3579.88
MW-8 (SVE-5)	01/02/07	3604.92	--	25.09	--	3579.83
MW-8 (SVE-5)	01/08/07	3604.92	--	25.04	--	3579.88
MW-8 (SVE-5)	01/23/07	3604.92	--	24.91	--	3580.01
MW-8 (SVE-5)	02/05/07	3604.92	--	25.19	--	3579.73
MW-8 (SVE-5)	02/26/07	3604.92	25.23	25.24	0.01	3579.69
MW-8 (SVE-5)	03/05/07	3604.92	25.31	25.32	0.01	3579.61
MW-8 (SVE-5)	03/13/07	3604.92	25.34	25.35	0.01	3579.58
MW-8 (SVE-5)	03/19/07	3604.92	25.36	25.37	0.01	3579.56
MW-8 (SVE-5)	03/26/07	3604.92	25.40	25.41	0.01	3579.52
MW-8 (SVE-5)	04/02/07	3604.92	25.41	25.42	0.01	3579.51
MW-8 (SVE-5)	04/23/07	3604.92	25.23	25.24	0.01	3579.69
MW-8 (SVE-5)	05/01/07	3604.92	25.51	25.52	0.01	3579.41
MW-8 (SVE-5)	05/29/07	3604.92	25.53	25.54	0.01	3579.39
MW-8 (SVE-5)	06/04/07	3604.92	25.54	25.55	0.01	3579.38
MW-8 (SVE-5)	06/11/07	3604.92	--	25.56	--	3579.36
MW-8 (SVE-5)	06/18/07	3604.92	--	25.56	--	3579.36
MW-8 (SVE-5)	06/26/07	3604.92	--	25.29	--	3579.63
MW-8 (SVE-5)	07/09/07	3604.92	--	25.33	--	3579.59
MW-8 (SVE-5)	07/17/07	3604.92	--	25.33	--	3579.59
MW-8 (SVE-5)	07/23/07	3604.92	25.34	25.35	0.01	3579.58
MW-8 (SVE-5)	07/30/07	3604.92	--	25.34	--	3579.58
MW-8 (SVE-5)	08/07/07	3604.92	--	25.35	--	3579.57
MW-8 (SVE-5)	08/20/07	3604.92	--	25.37	--	3579.55
MW-8 (SVE-5)	08/27/07	3604.92	--	25.40	--	3579.52
MW-8 (SVE-5)	09/04/07	3604.92	--	25.41	--	3579.51
MW-8 (SVE-5)	09/10/07	3604.92	25.45	25.46	0.01	3579.47
MW-8 (SVE-5)	09/25/07	3604.92	25.45	25.46	0.01	3579.47
MW-8 (SVE-5)	10/02/07	3604.92	25.40	25.41	0.01	3579.52
MW-8 (SVE-5)	10/11/07	3604.92	25.40	25.41	0.01	3579.52
MW-8 (SVE-5)	10/22/07	3604.92	25.30	25.31	0.01	3579.62
MW-8 (SVE-5)	10/31/07	3604.92	--	25.36	--	3579.56
MW-8 (SVE-5)	11/12/07	3604.92	--	25.33	--	3579.59
MW-8 (SVE-5)	11/19/07	3604.92	--	25.35	--	3579.57
MW-8 (SVE-5)	12/05/07	3604.92	--	25.38	--	3579.54
MW-8 (SVE-5)	12/10/07	3604.92	--	25.44	--	3579.48
MW-8 (SVE-5)	12/20/07	3604.92	--	25.44	--	3579.48
MW-8 (SVE-5)	01/02/08	3604.92	--	25.51	--	3579.41
MW-8 (SVE-5)	01/07/08	3604.92	--	25.50	--	3579.42
MW-8 (SVE-5)	01/28/08	3604.92	25.39	25.40	0.01	3579.53

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8 (SVE-5)	02/12/08	3604.92	25.64	25.65	0.01	3579.28
MW-8 (SVE-5)	02/26/08	3604.92	25.69	25.70	0.01	3579.23
MW-8 (SVE-5)	04/21/08	3604.92	25.65	25.66	0.01	3579.27
MW-8 (SVE-5)	04/28/08	3604.92	--	25.84	--	3579.08
MW-8 (SVE-5)	05/20/08	3604.92	--	25.94	--	3578.98
MW-8 (SVE-5)	06/02/08	3604.92	--	25.99	--	3578.93
MW-8 (SVE-5)	06/09/08	3604.92	26.05	26.08	0.03	3578.86
MW-8 (SVE-5)	06/16/08	3604.92	26.03	26.04	0.01	3578.89
MW-8 (SVE-5)	06/30/08	3604.92	--	26.11	--	3578.81
MW-8 (SVE-5)	07/14/08	3604.92	--	26.18	--	3578.74
MW-8 (SVE-5)	07/21/08	3604.92	25.98	26.04	0.06	3578.93
MW-8 (SVE-5)	08/06/08	3604.92	26.28	26.29	0.01	3578.64
MW-8 (SVE-5)	08/18/08	3604.92	26.33	26.39	0.06	3578.58
MW-8 (SVE-5)	09/09/08	3604.92	--	26.41	--	3578.51
MW-8 (SVE-5)	09/15/08	3604.92	--	26.42	--	3578.50
MW-8 (SVE-5)	09/22/08	3604.92	--	26.45	--	3578.47
MW-8 (SVE-5)	09/29/08	3604.92	--	26.49	--	3578.43
MW-8 (SVE-5)	10/07/08	3604.92	--	26.52	--	3578.40
MW-8 (SVE-5)	10/20/08	3604.92	26.23	26.27	0.04	3578.68
MW-8 (SVE-5)	10/28/08	3604.92	--	26.55	--	3578.37
MW-8 (SVE-5)	11/28/08	3604.92	--	26.54	--	3578.38
MW-8 (SVE-5)	12/01/08	3604.92	--	26.53	--	3578.39
MW-8 (SVE-5)	12/08/08	3604.92	--	26.54	--	3578.38
MW-8 (SVE-5)	12/24/08	3604.92	--	26.57	--	3578.35
MW-8 (SVE-5)	12/29/08	3604.92	--	26.60	--	3578.32
MW-8 (SVE-5)	01/06/09	3604.92	--	26.64	--	3578.28
MW-8 (SVE-5)	01/14/09	3604.92	--	26.63	--	3578.29
MW-8 (SVE-5)	01/19/09	3604.92	26.35	26.36	0.01	3578.57
MW-8 (SVE-5)	01/26/09	3604.92	--	26.68	--	3578.24
MW-8 (SVE-5)	02/10/09	3604.92	--	26.73	--	3578.19
MW-8 (SVE-5)	02/26/09	3604.92	--	26.75	--	3578.17
MW-8 (SVE-5)	03/02/09	3604.92	26.75	26.76	0.01	3578.17
MW-8 (SVE-5)	03/09/09	3604.92	--	26.78	--	3578.14
MW-8 (SVE-5)	03/16/09	3604.92	26.79	26.80	0.01	3578.13
MW-8 (SVE-5)	03/24/09	3604.92	--	26.82	--	3578.10
MW-8 (SVE-5)	03/30/09	3604.92	--	26.78	--	3578.14
MW-8 (SVE-5)	04/06/09	3604.92	--	26.84	--	3578.08
MW-8 (SVE-5)	04/14/09	3604.92	--	26.79	--	3578.13
MW-8 (SVE-5)	04/20/09	3604.92	26.61	26.62	0.01	3578.31
MW-8 (SVE-5)	04/28/09	3604.92	--	26.82	--	3578.10
MW-8 (SVE-5)	05/11/09	3604.92	--	26.89	--	3578.03
MW-8 (SVE-5)	05/26/09	3604.92	--	26.88	--	3578.04
MW-8 (SVE-5)	06/01/09	3604.92	--	26.95	--	3577.97
MW-8 (SVE-5)	06/09/09	3604.92	--	26.90	--	3578.02
MW-8 (SVE-5)	06/15/09	3604.92	--	26.98	--	3577.94
MW-8 (SVE-5)	06/29/09	3604.92	--	26.94	--	3577.98
MW-8 (SVE-5)	07/06/09	3604.92	--	27.00	--	3577.92
MW-8 (SVE-5)	07/14/09	3604.92	--	27.07	--	3577.85
MW-8 (SVE-5)	07/20/09	3604.92	--	26.99	--	3577.93
MW-8 (SVE-5)	07/27/09	3604.92	--	26.95	--	3577.97
MW-8 (SVE-5)	08/03/09	3604.92	--	27.08	--	3577.84
MW-8 (SVE-5)	08/12/09	3604.92	--	27.15	--	3577.77
MW-8 (SVE-5)	08/24/09	3604.92	--	27.08	--	3577.84
MW-8 (SVE-5)	08/31/09	3604.92	--	27.14	--	3577.78
MW-8 (SVE-5)	09/08/09	3604.92	--	27.06	--	3577.86
MW-8 (SVE-5)	09/16/09	3604.92	--	27.13	--	3577.79
MW-8 (SVE-5)	09/28/09	3604.92	--	27.03	--	3577.89
MW-8 (SVE-5)	10/05/09	3604.92	--	27.15	--	3577.77

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8 (SVE-5)	10/12/09	3604.92	--	27.10	--	3577.82
MW-8 (SVE-5)	10/26/09	3604.92	--	27.05	--	3577.87
MW-8 (SVE-5)	11/03/09	3604.92	--	27.08	--	3577.84
MW-8 (SVE-5)	11/10/09	3604.92	--	27.19	--	3577.73
MW-8 (SVE-5)	11/23/09	3604.92	--	27.15	--	3577.77
MW-8 (SVE-5)	11/30/09	3604.92	--	27.26	--	3577.66
MW-8 (SVE-5)	12/07/09	3604.92	--	27.32	--	3577.60
MW-8 (SVE-5)	12/22/09	3604.92	--	27.35	--	3577.57
MW-8 (SVE-5)	01/04/10	3604.92	--	27.31	--	3577.61
MW-8 (SVE-5)	01/11/10	3604.92	--	27.39	--	3577.53
MW-8 (SVE-5)	01/18/10	3604.92	--	27.26	--	3577.66
MW-8 (SVE-5)	01/25/10	3604.92	--	27.30	--	3577.62
MW-8 (SVE-5)	02/01/10	3604.92	--	27.35	--	3577.57
MW-8 (SVE-5)	02/08/10	3604.92	--	27.39	--	3577.53
MW-8 (SVE-5)	02/22/10	3604.92	--	27.53	--	3577.39
MW-8 (SVE-5)	03/01/10	3604.92	--	27.19	--	3577.73
MW-8 (SVE-5)	03/08/10	3604.92	--	27.56	--	3577.36
MW-8 (SVE-5)	03/22/10	3604.92	--	27.80	--	3577.12
MW-8 (SVE-5)	03/29/10	3604.92	--	27.51	--	3577.41
MW-8 (SVE-5)	04/05/10	3604.92	--	27.64	--	3577.28
MW-8 (SVE-5)	04/13/10	3604.92	--	27.51	--	3577.41
MW-8 (SVE-5)	04/19/10	3604.92	--	27.68	--	3577.24
MW-8 (SVE-5)	04/26/10	3604.92	--	27.49	--	3577.43
MW-8 (SVE-5)	05/03/10	3604.92	--	27.75	--	3577.17
MW-8 (SVE-5)	05/14/10	3604.92	--	27.78	--	3577.14
MW-8 (SVE-5)	05/20/10	3604.92	--	27.75	--	3577.17
MW-8 (SVE-5)	05/27/10	3604.92	--	27.55	--	3577.37
MW-8 (SVE-5)	06/01/10	3604.92	--	27.78	--	3577.14
MW-8 (SVE-5)	06/07/10	3604.92	--	27.72	--	3577.20
MW-8 (SVE-5)	06/15/10	3604.92	--	27.85	--	3577.07
MW-8 (SVE-5)	06/28/10	3604.92	--	27.75	--	3577.17
MW-8 (SVE-5)	07/06/10	3604.92	--	27.73	--	3577.19
MW-8 (SVE-5)	07/13/10	3604.92	--	27.63	--	3577.29
MW-8 (SVE-5)	07/19/10	3604.92	--	27.64	--	3577.28
MW-8 (SVE-5)	07/26/10	3604.92	--	27.27	--	3577.65
MW-8 (SVE-5)	08/09/10	3604.92	--	27.45	--	3577.47
MW-8 (SVE-5)	08/16/10	3604.92	--	27.38	--	3577.54
MW-8 (SVE-5)	08/30/10	3604.92	--	27.35	--	3577.57
MW-8 (SVE-5)	09/07/10	3604.92	--	27.27	--	3577.65
MW-8 (SVE-5)	09/13/10	3604.92	--	27.31	--	3577.61
MW-8 (SVE-5)	09/20/10	3604.92	--	27.21	--	3577.71
MW-8 (SVE-5)	09/27/10	3604.92	--	27.29	--	3577.63
MW-8 (SVE-5)	10/04/10	3604.92	--	27.21	--	3577.71
MW-8 (SVE-5)	10/12/10	3604.92	--	27.29	--	3577.63
MW-8 (SVE-5)	10/19/10	3604.92	--	27.22	--	3577.70
MW-8 (SVE-5)	10/25/10	3604.92	26.97	26.98	0.01	3577.95
MW-8 (SVE-5)	11/01/10	3604.92	--	27.22	--	3577.70
MW-8 (SVE-5)	11/09/10	3604.92	--	27.31	--	3577.61
MW-8 (SVE-5)	11/22/10	3604.92	--	27.30	--	3577.62
MW-8 (SVE-5)	12/06/10	3604.92	--	27.41	--	3577.51
MW-8 (SVE-5)	12/13/10	3604.92	--	27.34	--	3577.58
MW-8 (SVE-5)	01/04/11	3604.92	--	27.54	--	3577.38
MW-8 (SVE-5)	01/10/11	3604.92	--	27.44	--	3577.48
MW-8 (SVE-5)	01/17/11	3604.92	--	27.49	--	3577.43
MW-8 (SVE-5)	01/24/11	3604.92	--	27.67	--	3577.25
MW-8 (SVE-5)	01/31/11	3604.92	--	27.56	--	3577.36
MW-8 (SVE-5)	02/07/11	3604.92	--	27.62	--	3577.30
MW-8 (SVE-5)	02/14/11	3604.92	--	27.77	--	3577.15

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8 (SVE-5)	03/01/11	3604.92	--	27.75	--	3577.17
MW-8 (SVE-5)	03/07/11	3604.92	--	27.87	--	3577.05
MW-8 (SVE-5)	03/21/11	3604.92	--	27.79	--	3577.13
MW-8 (SVE-5)	03/28/11	3604.92	--	27.92	--	3577.00
MW-8 (SVE-5)	04/18/11	3604.92	--	28.01	--	3576.91
MW-8 (SVE-5)	10/10/11	3604.92	--	28.31	--	3576.61
MW-8 (SVE-5)	05/30/12	3604.92	--	29.07	--	3575.85
MW-8 (SVE-5)	01/17/13	3604.92	--	29.56	--	3575.36
MW-8 (SVE-5)	01/24/13	3604.92	--	29.57	--	3575.35
MW-8 (SVE-5)	01/31/13	3604.92	--	29.56	--	3575.36
MW-8 (SVE-5)	02/07/13	3604.92	--	29.62	--	3575.30
MW-8 (SVE-5)	02/14/13	3604.92	--	29.56	--	3575.36
MW-8 (SVE-5)	02/27/13	3604.92	--	29.66	--	3575.26
MW-8 (SVE-5)	03/07/13	3604.92	--	29.69	--	3575.23
MW-8 (SVE-5)	03/14/13	3604.92	--	29.67	--	3575.25
MW-8 (SVE-5)	03/19/13	3604.92	--	29.72	--	3575.20
MW-8 (SVE-5)	04/05/13	3604.92	--	29.76	--	3575.16
MW-8 (SVE-5)	04/10/13	3604.92	--	29.07	--	3575.85
MW-8 (SVE-5)	04/18/13	3604.92	--	29.10	--	3575.82
MW-8 (SVE-5)	04/25/13	3604.92	--	29.77	--	3575.15
MW-8 (SVE-5)	05/02/13	3604.92	--	29.83	--	3575.09
MW-8 (SVE-5)	05/09/13	3604.92	--	29.87	--	3575.05
MW-8 (SVE-5)	05/13/13	3604.92	--	29.89	--	3575.03
MW-8 (SVE-5)	05/23/13	3604.92	--	29.89	--	3575.03
MW-8 (SVE-5)	05/30/13	3604.92	--	29.93	--	3574.99
MW-8 (SVE-5)	06/07/13	3604.92	--	29.93	--	3574.99
MW-8 (SVE-5)	06/13/13	3604.92	--	30.00	--	3574.92
MW-8 (SVE-5)	06/27/13	3604.92	--	29.83	--	3575.09
MW-8 (SVE-5)	07/02/13	3604.92	--	29.86	--	3575.06
MW-8 (SVE-5)	07/11/13	3604.92	--	30.08	--	3574.84
MW-8 (SVE-5)	07/23/13	3604.92	--	30.11	--	3574.81
MW-8 (SVE-5)	08/22/13	3604.92	--	29.86	--	3575.06
MW-8 (SVE-5)	09/19/13	3604.92	--	30.24	--	3574.68
MW-8 (SVE-5)	10/03/13	3604.92	--	30.18	--	3574.74
MW-8 (SVE-5)	10/31/13	3604.92	--	30.21	--	3574.71
MW-8 (SVE-5)	11/14/13	3604.92	--	30.32	--	3574.60
MW-8 (SVE-5)	11/27/13	3604.92	--	30.35	--	3574.57
MW-8 (SVE-5)	12/11/13	3604.92	--	30.31	--	3574.61
MW-8 (SVE-5)	12/24/13	3604.92	--	30.40	--	3574.52
MW-8 (SVE-5)	01/08/14	3605.50	--	31.06	--	3574.44
MW-8 (SVE-5)	03/10/14	3605.50	--	31.16	--	3574.34
MW-8 (SVE-5)	03/25/14	3605.50	--	31.20	--	3574.30
MW-8 (SVE-5)	04/02/14	3605.50	--	31.22	--	3574.28
MW-8 (SVE-5)	04/16/14	3605.50	--	31.26	--	3574.24
MW-8 (SVE-5)	04/28/14	3605.50	--	31.26	--	3574.24
MW-8 (SVE-5)	05/15/14	3605.50	--	31.30	--	3574.20
MW-8 (SVE-5)	05/28/14	3605.50	--	31.34	--	3574.16
MW-8 (SVE-5)	06/09/14	3605.50	--	31.37	--	3574.13
MW-8 (SVE-5)	07/29/14	3605.50	--	DRY	--	DRY
MW-8 (SVE-5)	08/06/14	3605.50	--	DRY	--	DRY
MW-8 (SVE-5)	08/19/14	3605.50	--	31.48	--	3574.02
MW-8 (SVE-5)	09/03/14	3605.50	--	Dry	--	Dry
MW-8 (SVE-5)	10/01/14	3605.50	--	31.45	--	3574.05
MW-8 (SVE-5)	10/30/14	3605.50	--	31.37	--	3574.13
MW-8 (SVE-5)	11/24/14	3606.50	--	31.35	--	3575.15
MW-8 (SVE-5)	12/10/14	3606.50	--	31.32	--	3575.18
MW-8 (SVE-5)	01/08/15	3605.92	--	30.61	--	3575.31

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8 (SVE-5)	01/20/15	3605.92	--	30.60	--	3575.32
MW-8 (SVE-5)	02/25/15	3605.92	--	30.60	--	3575.32
MW-8 (SVE-5)	03/10/15	3605.92	--	30.61	--	3575.31
MW-8 (SVE-5)	04/24/15	3605.92	--	30.79	--	3575.13
MW-8 (SVE-5)	05/15/15	3605.92	--	30.83	--	3575.09
MW-8 (SVE-5)	06/08/15	3605.92	--	30.77	--	3575.15
MW-8 (SVE-5)	07/27/15	3605.92	--	30.68	--	3575.24
MW-8 (SVE-5)	08/18/15	3605.92	--	30.65	--	3575.27
MW-8 (SVE-5)	09/29/15	3606.92	--	30.60	--	3576.32
MW-8 (SVE-5)	01/21/16	3606.92	--	30.38	--	3576.54
MW-8 (SVE-5)	02/18/16	3606.92	--	30.18	--	3576.74
MW-8 (SVE-5)	03/21/16	3606.92	--	30.15	--	3576.77
MW-8 (SVE-5)	04/14/16	3606.92	--	30.34	--	3576.58
MW-8 (SVE-5)	05/19/16	3607.92	--	30.56	--	3577.36
MW-8 (SVE-5)	07/27/16	3608.92	--	30.72	--	3578.20
MW-8 (SVE-5)	09/22/16	3608.92	--	30.70	--	3578.22
MW-8 (SVE-5)	10/13/16	3609.92	--	29.43	--	3580.49
MW-8 (SVE-5)	12/08/16	3610.92	--	29.92	--	3581.00
MW-8 (SVE-5)	03/22/17	3608.92	--	29.52	--	3579.40
MW-8 (SVE-5)	09/18/17	3608.92	--	29.94	--	3578.98
MW-8 (SVE-5)	03/21/18	3608.92	--	30.18	--	3578.74
MW-8 (SVE-5)	06/14/18	3608.92	--	31.13	--	3577.79
MW-8 (SVE-5)	07/16/18	3608.92	--	30.77	--	3578.15
MW-8 (SVE-5)	09/18/18	3608.92	--	30.95	--	3577.97
MW-8 (SVE-5)	03/05/19	3608.92	--	31.02	--	3577.90
MW-8 (SVE-5)	06/04/19	3608.92	--	31.16	--	3577.76
MW-8 (SVE-5)	09/03/19	3608.92	--	31.41	--	3577.51
MW-8 (SVE-5)	12/06/19	3608.92	--	31.54	--	3577.38
MW-8 (SVE-5)	03/02/20	3608.92	--	31.66	--	3577.26
MW-8 (SVE-5)	06/18/20	3608.92	--	31.82	--	3577.10
MW-8 (SVE-5)	09/08/20	3608.92	--	32.01	--	3576.91
MW-9 (RW-2)	03/01/01	3605.75	23.68	26.82	3.14	3581.44
MW-9 (RW-2)	06/25/01	3605.75	24.73	24.79	0.06	3581.01
MW-9 (RW-2)	09/25/01	3605.75	25.90	26.28	0.38	3579.77
MW-9 (RW-2)	12/11/01	3605.75	25.49	28.73	3.24	3579.61
MW-9 (RW-2)	05/22/02	3605.75	26.19	27.64	1.45	3579.27
MW-9 (RW-2)	11/05/02	3605.75	25.83	29.15	3.32	3579.26
MW-9 (RW-2)	02/25/03	3605.75	26.38	28.62	2.24	3578.92
MW-9 (RW-2)	04/09/03	3605.75	26.30	28.24	1.94	3579.06
MW-9 (RW-2)	04/22/03	3605.75	26.30	28.95	2.65	3578.92
MW-9 (RW-2)	06/25/03	3605.75	27.02	29.08	2.06	3578.32
MW-9 (RW-2)	09/11/03	3605.75	27.22	29.25	2.03	3578.12
MW-9 (RW-2)	11/05/03	3605.75	27.35	29.30	1.95	3578.01
MW-9 (RW-2)	01/19/04	3605.75	28.50	29.94	1.44	3576.96
MW-9 (RW-2)	04/20/04	3605.75	28.91	29.04	0.13	3576.81
MW-9 (RW-2)	07/20/04	3605.75	28.58	30.09	1.51	3576.87
MW-9 (RW-2)	10/25/04	3605.75	27.22	27.34	0.12	3578.51
MW-9 (RW-2)	12/29/04	3605.75	26.44	26.45	0.01	3579.31
MW-9 (RW-2)	01/24/05	3605.75	--	26.23	--	3579.52
MW-9 (RW-2)	02/14/05	3605.75	--	26.13	--	3579.62
MW-9 (RW-2)	03/02/05	3605.75	--	26.12	--	3579.63
MW-9 (RW-2)	03/08/05	3605.75	--	26.09	--	3579.66
MW-9 (RW-2)	03/23/05	3605.75	--	26.03	--	3579.72
MW-9 (RW-2)	04/18/05	3605.75	--	25.90	--	3579.85
MW-9 (RW-2)	05/09/05	3605.75	--	25.93	--	3579.82
MW-9 (RW-2)	06/10/05	3605.75	--	25.91	--	3579.84
MW-9 (RW-2)	07/18/05	3605.75	--	25.94	--	3579.81

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-9 (RW-2)	10/17/05	3605.75	--	25.85	--	3579.90
MW-9 (RW-2)	12/28/05	3605.75	--	25.99	--	3579.76
MW-9 (RW-2)	01/23/06	3605.75	26.03	26.04	0.01	3579.72
MW-9 (RW-2)	04/24/06	3605.75	26.43	26.44	0.01	3579.32
MW-9 (RW-2)	07/24/06	3605.75	26.79	26.80	0.01	3578.96
MW-9 (RW-2)	10/23/06	3605.75	--	26.65	--	3579.10
MW-9 (RW-2)	01/23/07	3605.75	--	26.69	--	3579.06
MW-9 (RW-2)	04/23/07	3605.75	26.99	27.00	0.01	3578.76
MW-9 (RW-2)	07/23/07	3605.75	27.13	27.14	0.01	3578.62
MW-9 (RW-2)	10/22/07	3605.75	27.13	27.14	0.01	3578.62
MW-9 (RW-2)	01/28/08	3605.75	27.18	27.19	0.01	3578.57
MW-9 (RW-2)	04/21/08	3605.75	--	27.43	--	3578.32
MW-9 (RW-2)	07/21/08	3605.75	--	27.72	--	3578.03
MW-9 (RW-2)	10/20/08	3605.75	27.96	27.97	0.01	3577.79
MW-9 (RW-2)	01/19/09	3605.75	--	28.12	--	3577.63
MW-9 (RW-2)	04/20/09	3605.75	--	28.36	--	3577.39
MW-9 (RW-2)	07/27/09	3605.75	--	28.62	--	3577.13
MW-9 (RW-2)	10/26/09	3605.75	28.76	28.77	0.01	3576.99
MW-9 (RW-2)	01/25/10	3605.75	28.75	30.03	1.28	3576.74
MW-9 (RW-2)	04/26/10	3605.75	28.91	30.41	1.50	3576.54
MW-9 (RW-2)	07/26/10	3605.75	28.56	30.12	1.56	3576.88
MW-9 (RW-2)	10/25/10	3605.75	28.56	28.57	0.01	3577.19
MW-9 (RW-2)	01/24/11	3605.75	29.18	30.52	1.34	3576.30
MW-9 (RW-2)	03/01/11	3605.75	--	30.67	--	3575.08
MW-9 (RW-2)	03/01/11	3605.75	--	30.67	--	3575.08
MW-9 (RW-2)	04/04/11	3605.75	29.35	30.99	1.64	3576.07
MW-9 (RW-2)	04/05/11	3605.75	29.47	30.45	0.98	3576.08
MW-9 (RW-2)	04/11/11	3605.75	29.58	30.81	1.23	3575.92
MW-9 (RW-2)	04/18/11	3605.75	29.59	30.90	1.31	3575.90
MW-9 (RW-2)	04/25/11	3605.75	29.52	30.80	1.28	3575.97
MW-9 (RW-2)	05/02/11	3605.75	29.55	30.84	1.29	3575.94
MW-9 (RW-2)	05/03/11	3605.75	29.91	30.16	0.25	3575.79
MW-9 (RW-2)	05/09/11	3605.75	29.66	30.83	1.17	3575.86
MW-9 (RW-2)	05/31/11	3605.75	29.96	30.99	1.03	3575.58
MW-9 (RW-2)	06/06/11	3605.75	29.71	31.03	1.32	3575.78
MW-9 (RW-2)	10/10/11	3605.75	29.61	31.40	1.79	3575.78
MW-9 (RW-2)	05/30/12	3605.75	30.44	31.64	1.20	3575.07
MW-9 (RW-2)	02/07/13	3605.75	30.99	32.85	1.86	3574.39
MW-9 (RW-2)	03/07/13	3605.75	31.01	32.85	1.84	3574.37
MW-9 (RW-2)	03/14/13	3605.75	31.02	32.89	1.87	3574.36
MW-9 (RW-2)	03/19/13	3605.75	31.47	31.48	0.01	3574.28
MW-9 (RW-2)	04/05/13	3605.75	31.53	31.59	0.06	3574.21
MW-9 (RW-2)	04/10/13	3605.75	31.50	31.59	0.09	3574.23
MW-9 (RW-2)	04/18/13	3605.75	31.70	31.75	0.05	3574.04
MW-9 (RW-2)	04/25/13	3605.75	31.69	31.72	0.03	3574.05
MW-9 (RW-2)	05/09/13	3605.75	30.72	30.76	0.04	3575.02
MW-9 (RW-2)	05/13/13	3605.75	31.62	31.70	0.08	3574.11
MW-9 (RW-2)	05/23/13	3605.75	31.62	31.67	0.05	3574.12
MW-9 (RW-2)	05/30/13	3605.75	31.61	31.72	0.11	3574.12
MW-9 (RW-2)	06/07/13	3605.75	31.75	31.83	0.08	3573.98
MW-9 (RW-2)	06/13/13	3605.75	30.65	30.72	0.07	3575.09
MW-9 (RW-2)	06/27/13	3605.75	31.08	31.18	0.10	3574.65
MW-9 (RW-2)	07/02/13	3605.75	30.72	30.76	0.04	3575.02
MW-9 (RW-2)	07/11/13	3605.75	31.78	31.84	0.06	3573.96
MW-9 (RW-2)	07/23/13	3605.75	31.76	31.77	0.01	3573.99
MW-9 (RW-2)	08/22/13	3605.75	31.79	31.97	0.18	3573.92
MW-9 (RW-2)	09/19/13	3605.75	31.81	32.16	0.35	3573.86
MW-9 (RW-2)	10/03/13	3605.75	31.81	32.22	0.41	3573.85

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-9 (RW-2)	10/31/13	3605.75	31.98	32.07	0.09	3573.75
MW-9 (RW-2)	11/14/13	3605.75	32.07	32.13	0.06	3573.67
MW-9 (RW-2)	11/27/13	3605.75	32.08	32.19	0.11	3573.65
MW-9 (RW-2)	12/11/13	3605.75	33.12	33.15	0.03	3572.62
MW-9 (RW-2)	12/24/13	3605.75	--	32.15	--	3573.60
MW-9 (RW-2)	01/08/14	3605.75	--	32.12	--	3573.63
MW-9 (RW-2)	03/10/14	3605.75	32.29	32.33	0.04	3573.45
MW-9 (RW-2)	03/25/14	3605.75	32.20	32.29	0.09	3573.53
MW-9 (RW-2)	04/02/14	3605.75	32.25	32.29	0.04	3573.49
MW-9 (RW-2)	04/16/14	3605.75	32.30	32.37	0.07	3573.43
MW-9 (RW-2)	04/28/14	3605.75	32.32	32.35	0.03	3573.42
MW-9 (RW-2)	05/15/14	3605.75	32.38	32.41	0.03	3573.36
MW-9 (RW-2)	05/28/14	3605.75	32.42	32.44	0.02	3573.33
MW-9 (RW-2)	06/09/14	3605.75	32.45	32.47	0.02	3573.30
MW-9 (RW-2)	07/29/14	3605.75	32.58	32.61	0.03	3573.16
MW-9 (RW-2)	08/06/14	3605.75	32.62	32.64	0.02	3573.13
MW-9 (RW-2)	08/19/14	3605.75	32.64	32.68	0.04	3573.10
MW-9 (RW-2)	09/03/14	3605.75	32.72	32.74	0.02	3573.03
MW-9 (RW-2)	10/01/14	3605.75	32.47	32.48	0.01	3573.28
MW-9 (RW-2)	10/30/14	3605.75	32.41	32.42	0.01	3573.34
MW-9 (RW-2)	11/19/14	3605.75	32.43	32.45	0.02	3573.32
MW-9 (RW-2)	11/24/14	3605.75	--	32.43	--	3573.32
MW-9 (RW-2)	12/10/14	3605.75	--	32.39	--	3573.36
MW-9 (RW-2)	01/08/15	3605.75	32.36	32.37	0.01	3573.39
MW-9 (RW-2)	01/20/15	3605.75	--	32.33	--	3573.42
MW-9 (RW-2)	02/24/15	3605.75	32.34	32.36	0.02	3573.41
MW-9 (RW-2)	02/25/15	3605.75	--	32.37	--	3573.38
MW-9 (RW-2)	02/26/15	3605.75	--	32.37	--	3573.38
MW-9 (RW-2)	02/27/15	3605.75	--	32.37	--	3573.38
MW-9 (RW-2)	03/10/15	3605.75	32.35	32.36	0.01	3573.40
MW-9 (RW-2)	04/23/15	3605.75	32.43	32.46	0.03	3573.31
MW-9 (RW-2)	04/24/15	3605.75	--	32.51	--	3573.24
MW-9 (RW-2)	04/27/15	3605.75	--	32.58	--	3573.17
MW-9 (RW-2)	05/15/15	3605.75	32.55	32.58	0.03	3573.19
MW-9 (RW-2)	06/08/15	3605.75	32.51	32.55	0.04	3573.23
MW-9 (RW-2)	07/09/15	3605.75	32.44	32.48	0.04	3573.30
MW-9 (RW-2)	07/10/15	3605.75	--	32.52	--	3573.23
MW-9 (RW-2)	07/27/15	3605.75	32.43	32.45	0.02	3573.32
MW-9 (RW-2)	08/18/15	3605.75	32.41	32.43	0.02	3573.34
MW-9 (RW-2)	09/29/15	3605.75	32.41	32.42	0.01	3573.34
MW-9 (RW-2)	11/19/15	3605.75	32.21	32.24	0.03	3573.53
MW-9 (RW-2)	11/20/15	3605.75	--	32.26	--	3573.49
MW-9 (RW-2)	11/23/15	3605.75	--	32.23	--	3573.52
MW-9 (RW-2)	01/21/16	3605.75	--	32.00	--	3573.75
MW-9 (RW-2)	02/18/16	3605.75	31.95	31.96	0.01	3573.80
MW-9 (RW-2)	03/21/16	3605.75	31.97	31.99	0.02	3573.78
MW-9 (RW-2)	04/14/16	3605.75	32.01	32.02	0.01	3573.74
MW-9 (RW-2)	05/19/16	3605.75	32.14	32.17	0.03	3573.60
MW-9 (RW-2)	07/27/16	3605.75	32.50	32.54	0.04	3573.24
MW-9 (RW-2)	09/22/16	3605.75	31.94	31.95	0.01	3573.81
MW-9 (RW-2)	10/13/16	3605.75	30.87	32.22	1.35	3574.58
MW-9 (RW-2)	12/08/16	3605.75	--	31.45	--	3574.30
MW-9 (RW-2)	03/22/17	3605.75	--	36.72	--	3569.03
MW-9 (RW-2)	09/18/17	3605.75	30.74	30.75	0.01	3575.01
MW-9 (RW-2)	03/21/18	3605.75	--	30.95	--	3574.80
MW-9 (RW-2)	05/15/18	3605.75	--	31.25	--	3574.50
MW-9 (RW-2)	06/14/18	3605.75	--	31.13	--	3574.62
MW-9 (RW-2)	07/16/18	3605.75	--	31.31	--	3574.44

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-9 (RW-2)	09/18/18	3605.75	--	31.49	--	3574.26
MW-9 (RW-2)	03/05/19	3605.75	--	31.61	--	3574.14
MW-9 (RW-2)	06/04/19	3605.75	--	31.75	--	3574.00
MW-9 (RW-2)	09/03/19	3605.75	--	31.94	--	3573.81
MW-9 (RW-2)	12/05/19	3605.75	32.11	32.12	0.01	3573.64
MW-9 (RW-2)	03/02/20	3605.75	32.08	32.81	0.73	3573.51
MW-9 (RW-2)	06/18/20	3605.75	32.14	33.23	1.09	3573.37
MW-3 (RW-3)	03/01/01	3605.39	26.97	28.51	1.54	3578.12
MW-10 (RW-6)	03/01/01	3604.94	23.53	25.57	2.04	3581.00
MW-10 (RW-6)	06/25/01	3604.94	23.75	25.95	2.20	3580.75
MW-10 (RW-6)	09/25/01	3604.94	--	24.47	--	3580.47
MW-10 (RW-6)	12/11/01	3604.94	24.27	26.31	2.04	3580.26
MW-10 (RW-6)	05/22/02	3604.94	25.00	25.50	0.50	3579.84
MW-10 (RW-6)	11/05/02	3604.94	25.33	28.84	3.51	3578.91
MW-10 (RW-6)	02/25/03	3604.94	25.26	28.41	3.15	3579.05
MW-10 (RW-6)	04/09/03	3604.94	25.48	28.15	2.67	3578.93
MW-10 (RW-6)	06/25/03	3604.94	25.96	27.73	1.77	3578.63
MW-10 (RW-6)	09/11/03	3604.94	26.34	28.36	2.02	3578.20
MW-10 (RW-6)	11/05/03	3604.94	26.20	28.17	1.97	3578.35
MW-10 (RW-6)	01/19/04	3604.94	26.30	28.36	2.06	3578.23
MW-10 (RW-6)	04/20/04	3604.94	26.53	28.49	1.96	3578.02
MW-10 (RW-6)	07/20/04	3604.94	26.72	28.03	1.31	3577.96
MW-10 (RW-6)	10/25/04	3604.94	25.24	26.36	1.12	3579.48
MW-10 (RW-6)	01/24/05	3604.94	24.14	24.57	0.43	3580.71
MW-10 (RW-6)	02/14/05	3604.94	23.99	24.96	0.97	3580.76
MW-10 (RW-6)	03/02/05	3604.94	24.00	24.64	0.64	3580.81
MW-10 (RW-6)	03/08/05	3604.94	23.97	24.61	0.64	3580.84
MW-10 (RW-6)	03/23/05	3604.94	23.91	24.58	0.67	3580.90
MW-10 (RW-6)	04/18/05	3604.94	23.77	24.47	0.70	3581.03
MW-10 (RW-6)	05/09/05	3604.94	23.82	24.51	0.69	3580.98
MW-10 (RW-6)	06/10/05	3604.94	23.81	24.50	0.69	3580.99
MW-10 (RW-6)	07/18/05	3604.94	23.90	24.51	0.61	3580.92
MW-10 (RW-6)	10/17/05	3604.94	23.89	24.32	0.43	3580.96
MW-10 (RW-6)	11/29/05	3604.94	24.08	24.22	0.14	3580.83
MW-10 (RW-6)	12/06/05	3604.94	24.08	24.37	0.29	3580.80
MW-10 (RW-6)	12/12/05	3604.94	24.11	24.44	0.33	3580.76
MW-10 (RW-6)	12/21/05	3604.94	24.11	24.46	0.35	3580.76
MW-10 (RW-6)	12/28/05	3604.94	24.12	24.49	0.37	3580.75
MW-10 (RW-6)	01/04/06	3604.94	24.11	24.47	0.36	3580.76
MW-10 (RW-6)	01/10/06	3604.94	24.12	24.49	0.37	3580.75
MW-10 (RW-6)	01/16/06	3604.94	24.02	24.48	0.46	3580.83
MW-10 (RW-6)	01/23/06	3604.94	23.99	24.42	0.43	3580.86
MW-10 (RW-6)	02/01/06	3604.94	24.12	24.44	0.32	3580.76
MW-10 (RW-6)	02/16/06	3604.94	24.24	24.52	0.28	3580.64
MW-10 (RW-6)	03/06/06	3604.94	24.33	24.62	0.29	3580.55
MW-10 (RW-6)	03/29/06	3604.94	24.42	24.72	0.30	3580.46
MW-10 (RW-6)	04/04/06	3604.94	24.45	24.73	0.28	3580.43
MW-10 (RW-6)	04/11/06	3604.94	24.49	24.76	0.27	3580.40
MW-10 (RW-6)	04/17/06	3604.94	24.53	24.77	0.24	3580.36
MW-10 (RW-6)	04/24/06	3604.94	24.47	24.66	0.19	3580.43
MW-10 (RW-6)	05/03/06	3604.94	24.62	24.66	0.04	3580.31
MW-10 (RW-6)	05/31/06	3604.94	24.76	24.80	0.04	3580.17
MW-10 (RW-6)	06/09/06	3604.94	24.80	24.84	0.04	3580.13
MW-10 (RW-6)	06/12/06	3604.94	24.81	24.85	0.04	3580.12
MW-10 (RW-6)	06/26/06	3604.94	24.88	24.96	0.08	3580.04
MW-10 (RW-6)	07/05/06	3604.94	24.93	25.02	0.09	3579.99

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-10 (RW-6)	07/10/06	3604.94	24.95	25.04	0.09	3579.97
MW-10 (RW-6)	07/17/06	3604.94	24.97	25.06	0.09	3579.95
MW-10 (RW-6)	07/24/06	3604.94	24.87	24.99	0.12	3580.05
MW-10 (RW-6)	08/02/06	3604.94	25.06	25.14	0.08	3579.86
MW-10 (RW-6)	08/14/06	3604.94	25.07	25.08	0.01	3579.87
MW-10 (RW-6)	08/28/06	3604.94	25.14	25.27	0.13	3579.77
MW-10 (RW-6)	09/14/06	3604.94	25.05	25.16	0.11	3579.87
MW-10 (RW-6)	09/21/06	3604.94	25.02	25.08	0.06	3579.91
MW-10 (RW-6)	09/25/06	3604.94	25.03	25.08	0.05	3579.90
MW-10 (RW-6)	10/02/06	3604.94	24.98	25.02	0.04	3579.95
MW-10 (RW-6)	10/10/06	3604.94	24.98	25.01	0.03	3579.95
MW-10 (RW-6)	10/16/06	3604.94	24.97	25.01	0.04	3579.96
MW-10 (RW-6)	10/23/06	3604.94	24.75	24.80	0.05	3580.18
MW-10 (RW-6)	10/30/06	3604.94	24.92	24.96	0.04	3580.01
MW-10 (RW-6)	11/06/06	3604.94	24.93	24.97	0.04	3580.00
MW-10 (RW-6)	11/21/06	3604.94	24.91	24.97	0.06	3580.02
MW-10 (RW-6)	11/28/06	3604.94	24.92	24.96	0.04	3580.01
MW-10 (RW-6)	12/05/06	3604.94	24.91	24.96	0.05	3580.02
MW-10 (RW-6)	12/11/06	3604.94	24.89	24.94	0.05	3580.04
MW-10 (RW-6)	12/18/06	3604.94	24.89	24.98	0.09	3580.03
MW-10 (RW-6)	01/02/07	3604.94	24.97	25.07	0.10	3579.95
MW-10 (RW-6)	01/08/07	3604.94	25.01	25.09	0.08	3579.91
MW-10 (RW-6)	01/23/07	3604.94	24.77	24.82	0.05	3580.16
MW-10 (RW-6)	02/05/07	3604.94	25.08	25.20	0.12	3579.84
MW-10 (RW-6)	02/26/07	3604.94	25.14	25.29	0.15	3579.77
MW-10 (RW-6)	03/05/07	3604.94	25.18	25.32	0.14	3579.73
MW-10 (RW-6)	03/13/07	3604.94	25.20	25.33	0.13	3579.71
MW-10 (RW-6)	03/19/07	3604.94	25.24	25.37	0.13	3579.67
MW-10 (RW-6)	03/26/07	3604.94	25.24	25.36	0.12	3579.68
MW-10 (RW-6)	04/02/07	3604.94	25.27	25.40	0.13	3579.64
MW-10 (RW-6)	04/23/07	3604.94	25.09	25.23	0.14	3579.82
MW-10 (RW-6)	05/01/07	3604.94	25.36	25.47	0.11	3579.56
MW-10 (RW-6)	05/29/07	3604.94	25.42	25.53	0.11	3579.50
MW-10 (RW-6)	06/04/07	3604.94	25.43	25.52	0.09	3579.49
MW-10 (RW-6)	06/11/07	3604.94	25.44	25.52	0.08	3579.48
MW-10 (RW-6)	06/18/07	3604.94	25.43	25.52	0.09	3579.49
MW-10 (RW-6)	06/26/07	3604.94	25.18	25.24	0.06	3579.75
MW-10 (RW-6)	07/09/07	3604.94	25.20	25.26	0.06	3579.73
MW-10 (RW-6)	07/17/07	3604.94	25.23	25.28	0.05	3579.70
MW-10 (RW-6)	07/23/07	3604.94	25.18	25.28	0.10	3579.74
MW-10 (RW-6)	07/30/07	3604.94	25.22	25.27	0.05	3579.71
MW-10 (RW-6)	08/07/07	3604.94	25.24	25.28	0.04	3579.69
MW-10 (RW-6)	08/20/07	3604.94	25.24	25.34	0.10	3579.68
MW-10 (RW-6)	08/27/07	3604.94	25.28	25.36	0.08	3579.64
MW-10 (RW-6)	09/04/07	3604.94	25.31	25.35	0.04	3579.62
MW-10 (RW-6)	09/10/07	3604.94	25.29	25.33	0.04	3579.64
MW-10 (RW-6)	09/25/07	3604.94	25.35	25.37	0.02	3579.59
MW-10 (RW-6)	10/02/07	3604.94	25.35	25.38	0.03	3579.58
MW-10 (RW-6)	10/11/07	3604.94	25.28	25.31	0.03	3579.65
MW-10 (RW-6)	10/22/07	3604.94	25.17	25.23	0.06	3579.76
MW-10 (RW-6)	10/31/07	3604.94	25.30	25.31	0.01	3579.64
MW-10 (RW-6)	11/12/07	3604.94	25.26	25.27	0.01	3579.68
MW-10 (RW-6)	11/19/07	3604.94	25.30	25.31	0.01	3579.64
MW-10 (RW-6)	12/05/07	3604.94	25.29	25.31	0.02	3579.65
MW-10 (RW-6)	12/10/07	3604.94	25.32	25.35	0.03	3579.61
MW-10 (RW-6)	12/20/07	3604.94	25.35	25.37	0.02	3579.59
MW-10 (RW-6)	01/02/08	3604.94	25.43	25.44	0.01	3579.51
MW-10 (RW-6)	01/07/08	3604.94	25.43	25.50	0.07	3579.50

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-10 (RW-6)	01/28/08	3604.94	25.26	25.36	0.10	3579.66
MW-10 (RW-6)	02/12/08	3604.94	25.56	25.58	0.02	3579.38
MW-10 (RW-6)	02/26/08	3604.94	25.60	25.63	0.03	3579.33
MW-10 (RW-6)	04/21/08	3604.94	25.50	25.51	0.01	3579.44
MW-10 (RW-6)	04/28/08	3604.94	25.77	25.80	0.03	3579.16
MW-10 (RW-6)	05/20/08	3604.94	25.81	25.83	0.02	3579.13
MW-10 (RW-6)	06/02/08	3604.94	25.85	25.86	0.01	3579.09
MW-10 (RW-6)	06/09/08	3604.94	25.87	25.88	0.01	3579.07
MW-10 (RW-6)	06/16/08	3604.94	25.96	25.97	0.01	3578.98
MW-10 (RW-6)	06/30/08	3604.94	25.99	26.00	0.01	3578.95
MW-10 (RW-6)	07/14/08	3604.94	26.06	26.07	0.01	3578.88
MW-10 (RW-6)	07/21/08	3604.94	--	25.81	--	3579.13
MW-10 (RW-6)	08/06/08	3604.94	--	26.30	--	3578.64
MW-10 (RW-6)	08/18/08	3604.94	--	26.36	--	3578.58
MW-10 (RW-6)	09/09/08	3604.94	--	26.35	--	3578.59
MW-10 (RW-6)	09/15/08	3604.94	26.29	26.30	0.01	3578.65
MW-10 (RW-6)	09/22/08	3604.94	--	26.40	--	3578.54
MW-10 (RW-6)	09/29/08	3604.94	--	26.45	--	3578.49
MW-10 (RW-6)	10/07/08	3604.94	--	26.51	--	3578.43
MW-10 (RW-6)	10/20/08	3604.94	26.24	26.28	0.04	3578.69
MW-10 (RW-6)	10/28/08	3604.94	--	26.54	--	3578.40
MW-10 (RW-6)	11/10/08	3604.94	--	26.51	--	3578.43
MW-10 (RW-6)	11/24/08	3604.94	--	26.50	--	3578.44
MW-10 (RW-6)	12/01/08	3604.94	--	26.49	--	3578.45
MW-10 (RW-6)	12/08/08	3604.94	--	26.53	--	3578.41
MW-10 (RW-6)	12/24/08	3604.94	--	26.52	--	3578.42
MW-10 (RW-6)	12/29/08	3604.94	--	26.56	--	3578.38
MW-10 (RW-6)	01/06/09	3604.94	--	26.63	--	3578.31
MW-10 (RW-6)	01/14/09	3604.94	--	26.48	--	3578.46
MW-10 (RW-6)	01/19/09	3604.94	--	26.33	--	3578.61
MW-10 (RW-6)	01/26/09	3604.94	--	26.61	--	3578.33
MW-10 (RW-6)	02/10/09	3604.94	--	26.70	--	3578.24
MW-10 (RW-6)	02/26/09	3604.94	--	26.72	--	3578.22
MW-10 (RW-6)	03/02/09	3604.94	--	26.66	--	3578.28
MW-10 (RW-6)	03/09/09	3604.94	--	26.73	--	3578.21
MW-10 (RW-6)	03/16/09	3604.94	--	26.74	--	3578.20
MW-10 (RW-6)	03/24/09	3604.94	--	26.76	--	3578.18
MW-10 (RW-6)	03/30/09	3604.94	--	26.66	--	3578.28
MW-10 (RW-6)	04/06/09	3604.94	--	26.80	--	3578.14
MW-10 (RW-6)	04/14/09	3604.94	--	26.64	--	3578.30
MW-10 (RW-6)	04/20/09	3604.94	26.56	26.57	0.01	3578.38
MW-10 (RW-6)	04/28/09	3604.94	--	26.68	--	3578.26
MW-10 (RW-6)	05/11/09	3604.94	--	26.81	--	3578.13
MW-10 (RW-6)	05/26/09	3604.94	--	26.73	--	3578.21
MW-10 (RW-6)	06/01/09	3604.94	--	26.86	--	3578.08
MW-10 (RW-6)	06/09/09	3604.94	--	26.70	--	3578.24
MW-10 (RW-6)	06/15/09	3604.94	--	26.90	--	3578.04
MW-10 (RW-6)	06/29/09	3604.94	--	26.78	--	3578.16
MW-10 (RW-6)	07/06/09	3604.94	--	26.80	--	3578.14
MW-10 (RW-6)	07/14/09	3604.94	--	26.98	--	3577.96
MW-10 (RW-6)	07/20/09	3604.94	--	26.84	--	3578.10
MW-10 (RW-6)	07/27/09	3604.94	--	26.87	--	3578.07
MW-10 (RW-6)	08/03/09	3604.94	--	27.02	--	3577.92
MW-10 (RW-6)	08/12/09	3604.94	--	27.05	--	3577.89
MW-10 (RW-6)	08/24/09	3604.94	--	26.95	--	3577.99
MW-10 (RW-6)	08/31/09	3604.94	--	27.05	--	3577.89
MW-10 (RW-6)	09/08/09	3604.94	--	26.92	--	3578.02
MW-10 (RW-6)	09/16/09	3604.94	--	27.04	--	3577.90

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-10 (RW-6)	09/28/09	3604.94	--	26.88	--	3578.06
MW-10 (RW-6)	10/05/09	3604.94	--	27.07	--	3577.87
MW-10 (RW-6)	10/12/09	3604.94	--	27.06	--	3577.88
MW-10 (RW-6)	10/26/09	3604.94	26.99	27.00	0.01	3577.95
MW-10 (RW-6)	11/03/09	3604.94	--	26.93	--	3578.01
MW-10 (RW-6)	11/10/09	3604.94	--	27.08	--	3577.86
MW-10 (RW-6)	11/23/09	3604.94	--	27.03	--	3577.91
MW-10 (RW-6)	11/30/09	3604.94	--	27.17	--	3577.77
MW-10 (RW-6)	12/07/09	3604.94	--	27.08	--	3577.86
MW-10 (RW-6)	12/22/09	3604.94	--	27.24	--	3577.70
MW-10 (RW-6)	01/04/10	3604.94	--	27.14	--	3577.80
MW-10 (RW-6)	01/11/10	3604.94	--	27.30	--	3577.64
MW-10 (RW-6)	01/18/10	3604.94	--	27.12	--	3577.82
MW-10 (RW-6)	01/25/10	3604.94	--	27.21	--	3577.73
MW-10 (RW-6)	02/01/10	3604.94	--	27.29	--	3577.65
MW-10 (RW-6)	02/01/10	3604.94	--	27.34	--	3577.60
MW-10 (RW-6)	02/08/10	3604.94	--	27.25	--	3577.69
MW-10 (RW-6)	02/22/10	3604.94	--	27.44	--	3577.50
MW-10 (RW-6)	03/08/10	3604.94	--	27.46	--	3577.48
MW-10 (RW-6)	03/22/10	3604.94	--	27.50	--	3577.44
MW-10 (RW-6)	03/29/10	3604.94	--	27.35	--	3577.59
MW-10 (RW-6)	04/05/10	3604.94	--	27.53	--	3577.41
MW-10 (RW-6)	04/13/10	3604.94	--	27.36	--	3577.58
MW-10 (RW-6)	04/19/10	3604.94	--	27.57	--	3577.37
MW-10 (RW-6)	04/26/10	3604.94	--	27.39	--	3577.55
MW-10 (RW-6)	05/03/10	3604.94	--	27.72	--	3577.22
MW-10 (RW-6)	05/14/10	3604.94	--	27.75	--	3577.19
MW-10 (RW-6)	05/20/10	3604.94	--	27.62	--	3577.32
MW-10 (RW-6)	05/27/10	3604.94	--	27.23	--	3577.71
MW-10 (RW-6)	06/01/10	3604.94	--	27.67	--	3577.27
MW-10 (RW-6)	06/07/10	3604.94	--	27.57	--	3577.37
MW-10 (RW-6)	06/15/10	3604.94	--	27.81	--	3577.13
MW-10 (RW-6)	06/28/10	3604.94	--	27.60	--	3577.34
MW-10 (RW-6)	07/06/10	3604.94	--	27.45	--	3577.49
MW-10 (RW-6)	07/13/10	3604.94	--	27.41	--	3577.53
MW-10 (RW-6)	07/19/10	3604.94	--	27.49	--	3577.45
MW-10 (RW-6)	07/26/10	3604.94	--	27.15	--	3577.79
MW-10 (RW-6)	08/09/10	3604.94	--	27.32	--	3577.62
MW-10 (RW-6)	08/16/10	3604.94	--	27.23	--	3577.71
MW-10 (RW-6)	08/30/10	3604.94	--	27.24	--	3577.70
MW-10 (RW-6)	09/07/10	3604.94	--	27.13	--	3577.81
MW-10 (RW-6)	09/13/10	3604.94	--	27.19	--	3577.75
MW-10 (RW-6)	09/20/10	3604.94	--	27.07	--	3577.87
MW-10 (RW-6)	09/27/10	3604.94	--	27.18	--	3577.76
MW-10 (RW-6)	10/04/10	3604.94	--	27.09	--	3577.85
MW-10 (RW-6)	10/12/10	3604.94	--	27.20	--	3577.74
MW-10 (RW-6)	10/19/10	3604.94	--	27.09	--	3577.85
MW-10 (RW-6)	10/25/10	3604.94	26.91	26.92	0.01	3578.03
MW-10 (RW-6)	11/01/10	3604.94	--	27.17	--	3577.77
MW-10 (RW-6)	11/09/10	3604.94	--	27.22	--	3577.72
MW-10 (RW-6)	11/22/10	3604.94	--	27.17	--	3577.77
MW-10 (RW-6)	12/06/10	3604.94	--	27.30	--	3577.64
MW-10 (RW-6)	12/13/10	3604.94	--	27.21	--	3577.73
MW-10 (RW-6)	01/04/11	3604.94	--	27.45	--	3577.49
MW-10 (RW-6)	01/10/11	3604.94	--	27.30	--	3577.64
MW-10 (RW-6)	01/17/11	3604.94	--	27.36	--	3577.58
MW-10 (RW-6)	01/24/11	3604.94	--	27.58	--	3577.36
MW-10 (RW-6)	01/31/11	3604.94	--	27.43	--	3577.51

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-10 (RW-6)	02/07/11	3604.94	--	27.47	--	3577.47
MW-10 (RW-6)	02/14/11	3604.94	--	27.66	--	3577.28
MW-10 (RW-6)	03/01/11	3604.94	--	27.79	--	3577.15
MW-10 (RW-6)	03/07/11	3604.94	--	27.75	--	3577.19
MW-10 (RW-6)	03/21/11	3604.94	--	27.66	--	3577.28
MW-10 (RW-6)	03/28/11	3604.94	--	27.80	--	3577.14
MW-10 (RW-6)	04/18/11	3604.94	--	27.98	--	3576.96
MW-10 (RW-6)	10/10/11	3604.94	--	28.23	--	3576.71
MW-10 (RW-6)	05/30/12	3604.94	--	28.97	--	3575.97
MW-10 (RW-6)	01/17/13	3604.94	--	29.45	--	3575.49
MW-10 (RW-6)	01/24/13	3604.94	--	29.46	--	3575.48
MW-10 (RW-6)	01/31/13	3604.94	--	29.46	--	3575.48
MW-10 (RW-6)	02/07/13	3604.94	--	29.52	--	3575.42
MW-10 (RW-6)	02/14/13	3604.94	--	29.46	--	3575.48
MW-10 (RW-6)	02/27/13	3604.94	--	29.56	--	3575.38
MW-10 (RW-6)	03/07/13	3604.94	--	29.58	--	3575.36
MW-10 (RW-6)	03/14/13	3604.94	--	29.54	--	3575.40
MW-10 (RW-6)	03/19/13	3604.94	--	29.60	--	3575.34
MW-10 (RW-6)	04/05/13	3604.94	--	29.62	--	3575.32
MW-10 (RW-6)	04/10/13	3604.94	--	28.75	--	3576.19
MW-10 (RW-6)	04/18/13	3604.94	--	28.46	--	3576.48
MW-10 (RW-6)	04/25/13	3604.94	--	29.60	--	3575.34
MW-10 (RW-6)	05/02/13	3604.94	--	29.68	--	3575.26
MW-10 (RW-6)	05/09/13	3604.94	--	29.66	--	3575.28
MW-10 (RW-6)	05/13/13	3604.94	--	29.70	--	3575.24
MW-10 (RW-6)	05/23/13	3604.94	--	29.73	--	3575.21
MW-10 (RW-6)	05/30/13	3604.94	--	29.76	--	3575.18
MW-10 (RW-6)	06/07/13	3604.94	--	29.73	--	3575.21
MW-10 (RW-6)	06/13/13	3604.94	--	29.87	--	3575.07
MW-10 (RW-6)	06/27/13	3604.94	--	29.80	--	3575.14
MW-10 (RW-6)	07/02/13	3604.94	--	29.75	--	3575.19
MW-10 (RW-6)	07/11/13	3604.94	--	29.94	--	3575.00
MW-10 (RW-6)	07/23/13	3604.94	--	29.97	--	3574.97
MW-10 (RW-6)	08/22/13	3604.94	--	30.07	--	3574.87
MW-10 (RW-6)	09/19/13	3604.94	--	30.08	--	3574.86
MW-10 (RW-6)	10/03/13	3604.94	--	30.09	--	3574.85
MW-10 (RW-6)	10/31/13	3604.94	--	30.13	--	3574.81
MW-10 (RW-6)	11/14/13	3604.94	--	30.21	--	3574.73
MW-10 (RW-6)	11/27/13	3604.94	--	30.25	--	3574.69
MW-10 (RW-6)	12/11/13	3604.94	--	30.23	--	3574.71
MW-10 (RW-6)	12/24/13	3604.94	--	30.28	--	3574.66
MW-10 (RW-6)	01/08/14	3604.94	--	30.25	--	3574.69
MW-10 (RW-6)	03/10/14	3604.94	--	30.43	--	3574.51
MW-10 (RW-6)	03/25/14	3604.94	--	30.47	--	3574.47
MW-10 (RW-6)	04/02/14	3604.94	--	30.49	--	3574.45
MW-10 (RW-6)	04/16/14	3604.94	--	30.55	--	3574.39
MW-10 (RW-6)	04/28/14	3604.94	--	30.55	--	3574.39
MW-10 (RW-6)	05/15/14	3604.94	--	30.60	--	3574.34
MW-10 (RW-6)	05/28/14	3604.94	--	30.64	--	3574.30
MW-10 (RW-6)	06/09/14	3604.94	--	30.68	--	3574.26
MW-10 (RW-6)	07/29/14	3604.94	--	30.82	--	3574.12
MW-10 (RW-6)	08/06/14	3604.94	--	30.86	--	3574.08
MW-10 (RW-6)	08/19/14	3604.94	--	30.88	--	3574.06
MW-10 (RW-6)	09/03/14	3604.94	--	DRY	--	DRY
MW-10 (RW-6)	10/01/14	3604.94	--	30.80	--	3574.14
MW-10 (RW-6)	10/30/14	3604.94	--	30.77	--	3574.17
MW-10 (RW-6)	11/24/14	3605.94	--	30.64	--	3575.30
MW-10 (RW-6)	12/10/14	3605.94	--	30.61	--	3575.33

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-10 (RW-6)	01/08/15	3605.94	--	30.53	--	3575.41
MW-10 (RW-6)	01/20/15	3605.94	--	30.52	--	3575.42
MW-10 (RW-6)	02/25/15	3605.94	--	30.54	--	3575.40
MW-10 (RW-6)	03/10/15	3605.94	--	30.55	--	3575.39
MW-10 (RW-6)	04/24/15	3605.94	--	30.72	--	3575.22
MW-10 (RW-6)	05/15/15	3605.94	--	DRY	--	DRY
MW-10 (RW-6)	06/08/15	3605.94	30.70	30.71	0.01	3575.24
MW-10 (RW-6)	07/27/15	3605.94	--	30.65	--	3575.29
MW-10 (RW-6)	08/18/15	3605.94	--	DRY	--	DRY
MW-10 (RW-6)	08/19/15	3606.94	--	30.41	--	3576.53
MW-10 (RW-6)	09/29/15	3606.94	--	30.63	--	3576.31
MW-10 (RW-6)	01/21/16	3606.94	--	30.20	--	3576.74
MW-10 (RW-6)	02/18/16	3606.94	--	30.22	--	3576.72
MW-10 (RW-6)	03/21/16	3606.94	--	30.26	--	3576.68
MW-10 (RW-6)	04/14/16	3606.94	--	30.21	--	3576.73
MW-10 (RW-6)	05/19/16	3607.94	--	30.33	--	3577.61
MW-10 (RW-6)	07/27/16	3608.94	--	30.68	--	3578.26
MW-10 (RW-6)	09/22/16	3608.94	--	30.35	--	3578.59
MW-10 (RW-6)	10/13/16	3609.94	--	29.32	--	3580.62
MW-10 (RW-6)	12/08/16	3610.94	--	29.70	--	3581.24
MW-10 (RW-6)	03/22/17	3608.94	--	29.50	--	3579.44
MW-10 (RW-6)	09/18/17	3608.94	--	29.93	--	3579.01
MW-10 (RW-6)	03/21/18	3608.94	--	30.16	--	3578.78
MW-10 (RW-6)	05/15/18	3608.94	--	30.45	--	3578.49
MW-10 (RW-6)	06/14/18	3608.94	--	30.88	--	3578.06
MW-10 (RW-6)	09/18/18	3608.94	--	30.85	--	3578.09
MW-10 (RW-6)	03/05/19	3608.94	--	DRY	--	DRY
MW-10 (RW-6)	06/04/19	3608.94	--	DRY	--	DRY
MW-10 (RW-6)	09/03/19	3608.94	--	DRY	--	DRY
MW-10 (RW-6)	12/05/19	3608.94	--	DRY	--	DRY
MW-10 (RW-6)	03/02/20	3608.94	--	DRY	--	DRY
MW-10 (RW-6)	06/18/20	3608.94	--	DRY	--	DRY
MW-10 (RW-6)	09/08/20	3608.94	--	DRY	--	DRY
MW-11 (RW-7)	03/01/01	3608.06	--	27.09	--	3580.97
MW-11 (RW-7)	06/25/01	3608.06	--	27.30	--	3580.76
MW-11 (RW-7)	09/25/01	3608.06	27.51	28.26	0.75	3580.40
MW-11 (RW-7)	12/11/01	3608.06	27.50	28.36	0.86	3580.39
MW-11 (RW-7)	05/21/02	3608.06	27.60	29.67	2.07	3580.05
MW-11 (RW-7)	06/16/02	3608.06	28.48	30.95	2.47	3579.09
MW-11 (RW-7)	10/25/02	3608.06	27.90	30.73	2.83	3579.59
MW-11 (RW-7)	11/04/02	3608.06	27.95	30.81	2.86	3579.54
MW-11 (RW-7)	11/05/02	3608.06	27.92	30.97	3.05	3579.53
MW-11 (RW-7)	11/05/02	3608.06	29.83	30.57	0.74	3578.08
MW-11 (RW-7)	02/24/03	3608.06	28.97	30.96	1.99	3578.69
MW-11 (RW-7)	02/25/03	3608.06	28.71	30.90	2.19	3578.91
MW-11 (RW-7)	04/09/03	3608.06	28.97	30.96	1.99	3578.69
MW-11 (RW-7)	09/11/03	3608.06	29.06	30.74	1.68	3578.66
MW-11 (RW-7)	11/05/03	3608.06	29.82	31.25	1.43	3577.95
MW-11 (RW-7)	01/19/04	3608.06	30.23	30.94	0.71	3577.69
MW-11 (RW-7)	04/20/04	3608.06	30.48	30.53	0.05	3577.57
MW-11 (RW-7)	07/20/04	3608.06	30.33	31.16	0.83	3577.56
MW-11 (RW-7)	10/25/04	3608.06	--	29.10	--	3578.96
MW-11 (RW-7)	01/24/05	3608.06	28.03	28.04	0.01	3580.03
MW-11 (RW-7)	04/18/05	3608.06	27.73	27.75	0.02	3580.33
MW-11 (RW-7)	07/18/05	3608.06	27.99	28.00	0.01	3580.07
MW-11 (RW-7)	10/17/05	3608.06	27.89	27.90	0.01	3580.17
MW-11 (RW-7)	12/28/05	3608.06	28.04	28.06	0.02	3580.02

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-11 (RW-7)	01/10/06	3608.06	28.09	28.10	0.01	3579.97
MW-11 (RW-7)	01/23/06	3608.06	28.03	28.05	0.02	3580.03
MW-11 (RW-7)	04/24/06	3608.06	28.40	28.44	0.04	3579.65
MW-11 (RW-7)	07/24/06	3608.06	28.75	28.90	0.15	3579.28
MW-11 (RW-7)	10/23/06	3608.06	28.65	28.74	0.09	3579.39
MW-11 (RW-7)	01/23/07	3608.06	28.74	28.75	0.01	3579.32
MW-11 (RW-7)	04/23/07	3608.06	28.99	29.11	0.12	3579.05
MW-11 (RW-7)	07/23/07	3608.06	29.13	29.16	0.03	3578.92
MW-11 (RW-7)	10/22/07	3608.06	29.16	29.18	0.02	3578.90
MW-11 (RW-7)	01/28/08	3608.06	29.20	29.22	0.02	3578.86
MW-11 (RW-7)	04/21/08	3608.06	--	29.44	--	3578.62
MW-11 (RW-7)	07/21/08	3608.06	--	29.73	--	3578.33
MW-11 (RW-7)	10/20/08	3608.06	--	29.95	--	3578.11
MW-11 (RW-7)	01/19/09	3608.06	--	30.04	--	3578.02
MW-11 (RW-7)	04/20/09	3608.06	30.38	30.39	0.01	3577.68
MW-11 (RW-7)	07/27/09	3608.06	--	30.64	--	3577.42
MW-11 (RW-7)	10/26/09	3608.06	--	30.77	--	3577.29
MW-11 (RW-7)	01/25/10	3608.06	--	31.00	--	3577.06
MW-11 (RW-7)	04/26/10	3608.06	--	31.16	--	3576.90
MW-11 (RW-7)	07/26/10	3608.06	--	30.95	--	3577.11
MW-11 (RW-7)	10/25/10	3608.06	--	30.76	--	3577.30
MW-11 (RW-7)	01/24/11	3608.06	--	31.36	--	3576.70
MW-11 (RW-7)	04/18/11	3608.06	--	31.35	--	3576.71
MW-11 (RW-7)	10/10/11	3608.06	--	31.86	--	3576.20
MW-11 (RW-7)	05/30/12	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	02/27/13	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	07/23/13	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/25/14	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	07/29/14	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/10/15	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	07/27/15	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/21/16	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	09/22/16	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/22/17	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	09/18/17	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/21/18	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	05/15/18	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	06/14/18	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	09/18/18	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/05/19	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	06/04/19	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	09/03/19	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	12/05/19	3608.06	--	DRY	--	DRY
MW-11 (RW-7)	03/02/20	3609.06	--	DRY	--	DRY
MW-11 (RW-7)	06/18/20	3610.06	--	DRY	--	DRY
MW-11 (RW-7)	09/08/20	3610.06	--	DRY	--	DRY
MW-12 (SVE-9)	03/01/01	3604.40	--	23.87	--	3580.53
MW-12 (SVE-9)	06/25/01	3604.40	--	24.14	--	3580.26
MW-12 (SVE-9)	09/25/01	3604.40	--	24.38	--	3580.02
MW-12 (SVE-9)	12/11/01	3604.40	--	24.62	--	3579.78
MW-12 (SVE-9)	05/21/02	3604.40	--	24.96	--	3579.44
MW-12 (SVE-9)	06/08/02	3604.40	--	25.64	--	3578.76
MW-12 (SVE-9)	06/15/02	3604.40	--	25.64	--	3578.76
MW-12 (SVE-9)	10/25/02	3604.14	--	25.83	--	3578.31
MW-12 (SVE-9)	10/26/02	3604.14	--	25.84	--	3578.30
MW-12 (SVE-9)	11/04/02	3604.14	--	25.66	--	3578.48
MW-12 (SVE-9)	11/05/02	3604.14	--	25.54	--	3578.60

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-12 (SVE-9)	12/16/02	3604.14	--	25.52	--	3578.62
MW-12 (SVE-9)	01/22/03	3604.14	--	25.50	--	3578.64
MW-12 (SVE-9)	04/24/03	3604.14	--	25.58	--	3578.56
MW-12 (SVE-9)	09/11/03	3604.14	--	26.08	--	3578.06
MW-12 (SVE-9)	10/15/03	3604.14	--	26.33	--	3577.81
MW-12 (SVE-9)	01/19/04	3604.14	--	26.68	--	3577.46
MW-12 (SVE-9)	04/19/04	3604.14	--	26.57	--	3577.57
MW-12 (SVE-9)	07/20/04	3604.14	--	26.72	--	3577.42
MW-12 (SVE-9)	10/25/04	3604.14	--	25.07	--	3579.07
MW-12 (SVE-9)	01/24/05	3604.14	--	23.85	--	3580.29
MW-12 (SVE-9)	04/18/05	3604.14	--	23.55	--	3580.59
MW-12 (SVE-9)	07/18/05	3604.14	--	23.71	--	3580.43
MW-12 (SVE-9)	10/17/05	3604.14	--	23.65	--	3580.49
MW-12 (SVE-9)	01/10/06	3604.14	--	23.86	--	3580.28
MW-12 (SVE-9)	01/23/06	3604.14	--	23.89	--	3580.25
MW-12 (SVE-9)	04/24/06	3604.14	--	24.31	--	3579.83
MW-12 (SVE-9)	07/24/06	3604.14	--	24.70	--	3579.44
MW-12 (SVE-9)	10/23/06	3604.14	--	24.55	--	3579.59
MW-12 (SVE-9)	01/23/07	3604.14	--	24.60	--	3579.54
MW-12 (SVE-9)	04/23/07	3604.14	--	24.92	--	3579.22
MW-12 (SVE-9)	07/23/07	3604.14	--	25.02	--	3579.12
MW-12 (SVE-9)	10/22/07	3604.14	--	24.98	--	3579.16
MW-12 (SVE-9)	01/28/08	3604.14	--	25.09	--	3579.05
MW-12 (SVE-9)	04/21/08	3604.14	--	25.36	--	3578.78
MW-12 (SVE-9)	07/21/08	3604.14	--	25.70	--	3578.44
MW-12 (SVE-9)	10/20/08	3604.14	--	25.94	--	3578.20
MW-12 (SVE-9)	01/19/09	3604.14	--	26.00	--	3578.14
MW-12 (SVE-9)	04/20/09	3604.14	--	26.28	--	3577.86
MW-12 (SVE-9)	07/27/09	3604.14	--	26.60	--	3577.54
MW-12 (SVE-9)	10/26/09	3604.14	--	26.61	--	3577.53
MW-12 (SVE-9)	01/25/10	3604.14	--	26.59	--	3577.55
MW-12 (SVE-9)	04/26/10	3604.14	--	27.02	--	3577.12
MW-12 (SVE-9)	07/26/10	3604.14	--	26.76	--	3577.38
MW-12 (SVE-9)	10/25/10	3604.14	--	26.51	--	3577.63
MW-12 (SVE-9)	01/24/11	3604.14	--	26.94	--	3577.20
MW-12 (SVE-9)	04/18/11	3604.14	--	27.35	--	3576.79
MW-12 (SVE-9)	10/10/11	3604.14	--	27.89	--	3576.25
MW-12 (SVE-9)	05/30/12	3604.14	--	28.63	--	3575.51
MW-12 (SVE-9)	02/27/13	3604.14	--	29.26	--	3574.88
MW-12 (SVE-9)	07/23/13	3604.14	--	29.69	--	3574.45
MW-12 (SVE-9)	03/25/14	3604.14	--	30.13	--	3574.01
MW-12 (SVE-9)	07/29/14	3604.14	--	30.51	--	3573.63
MW-12 (SVE-9)	03/10/15	3604.14	--	30.17	--	3573.97
MW-12 (SVE-9)	07/27/15	3604.14	--	30.27	--	3573.87
MW-12 (SVE-9)	03/21/16	3604.14	--	29.73	--	3574.41
MW-12 (SVE-9)	09/22/16	3604.14	--	30.01	--	3574.13
MW-12 (SVE-9)	03/22/17	3604.14	--	29.52	--	3574.62
MW-12 (SVE-9)	09/18/17	3604.14	--	29.62	--	3574.52
MW-12 (SVE-9)	03/21/18	3604.14	--	29.78	--	3574.36
MW-12 (SVE-9)	05/15/18	3604.14	--	30.09	--	3574.05
MW-12 (SVE-9)	06/14/18	3604.14	--	30.11	--	3574.03
MW-12 (SVE-9)	07/16/18	3604.14	--	30.30	--	3573.84
MW-12 (SVE-9)	09/18/18	3604.14	--	30.47	--	3573.67
MW-12 (SVE-9)	03/05/19	3604.14	--	30.60	--	3573.54
MW-12 (SVE-9)	06/04/19	3604.14	--	30.74	--	3573.40
MW-12 (SVE-9)	09/03/19	3604.14	--	30.97	--	3573.17
MW-12 (SVE-9)	12/05/19	3604.14	--	31.12	--	3573.02
MW-12 (SVE-9)	03/02/20	3604.14	--	31.24	--	3572.90

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-12 (SVE-9)	06/18/20	3604.14	--	31.41	--	3572.73
MW-12 (SVE-9)	09/08/20	3604.14	--	31.60	--	3572.54
MW-13	03/01/01	3604.31	--	24.70	--	3579.61
MW-13	06/25/01	3604.31	--	24.95	--	3579.36
MW-13	09/25/01	3604.31	--	25.23	--	3579.08
MW-13	12/11/01	3604.31	--	25.48	--	3578.83
MW-13	05/21/02	3604.31	--	25.79	--	3578.52
MW-13	06/15/02	3604.31	--	25.85	--	3578.46
MW-13	09/20/02	3604.31	--	25.97	--	3578.34
MW-13	10/15/02	3604.31	--	26.11	--	3578.20
MW-13	10/22/02	3604.31	--	26.11	--	3578.20
MW-13	10/25/02	3604.31	--	26.13	--	3578.18
MW-13	10/26/02	3604.31	--	26.12	--	3578.19
MW-13	11/04/02	3604.31	--	26.05	--	3578.26
MW-13	11/05/02	3604.31	--	26.06	--	3578.25
MW-13	11/22/02	3604.31	--	26.01	--	3578.30
MW-13	11/29/02	3604.31	--	25.95	--	3578.36
MW-13	01/22/03	3604.31	--	25.88	--	3578.43
MW-13	02/14/03	3604.31	--	25.93	--	3578.38
MW-13	02/24/03	3604.31	--	25.96	--	3578.35
MW-13	04/24/03	3604.31	--	26.14	--	3578.17
MW-13	07/15/03	3604.31	--	26.40	--	3577.91
MW-13	09/11/03	3604.31	--	26.55	--	3577.76
MW-13	10/15/03	3604.31	--	26.71	--	3577.60
MW-13	01/19/04	3604.31	--	26.98	--	3577.33
MW-13	04/19/04	3604.31	--	26.95	--	3577.36
MW-13	07/20/04	3604.31	--	26.81	--	3577.50
MW-13	10/25/04	3604.31	--	24.95	--	3579.36
MW-13	01/24/05	3604.31	--	23.64	--	3580.67
MW-13	04/18/05	3604.31	--	23.46	--	3580.85
MW-13	07/18/05	3604.31	--	23.78	--	3580.53
MW-13	10/17/05	3604.31	--	23.72	--	3580.59
MW-13	01/23/06	3604.31	--	24.02	--	3580.29
MW-13	04/24/06	3604.31	--	24.50	--	3579.81
MW-13	07/24/06	3604.31	--	24.93	--	3579.38
MW-13	10/23/06	3604.31	--	24.66	--	3579.65
MW-13	01/23/07	3604.31	--	24.76	--	3579.55
MW-13	04/23/07	3604.31	--	25.12	--	3579.19
MW-13	07/23/07	3604.31	--	25.16	--	3579.15
MW-13	10/22/07	3604.31	--	25.04	--	3579.27
MW-13	01/28/08	3604.31	--	25.25	--	3579.06
MW-13	04/21/08	3604.31	--	25.60	--	3578.71
MW-13	07/21/08	3604.31	--	26.02	--	3578.29
MW-13	10/20/08	3604.31	--	26.19	--	3578.12
MW-13	01/19/09	3604.31	--	26.26	--	3578.05
MW-13	04/20/09	3604.31	--	26.60	--	3577.71
MW-13	07/27/09	3604.31	--	26.92	--	3577.39
MW-13	10/26/09	3604.31	--	26.91	--	3577.40
MW-13	01/25/10	3604.31	--	27.19	--	3577.12
MW-13	04/26/10	3604.31	--	27.35	--	3576.96
MW-13	07/26/10	3604.31	--	27.07	--	3577.24
MW-13	10/25/10	3604.31	--	26.72	--	3577.59
MW-13	01/24/11	3604.31	--	27.21	--	3577.10
MW-13	04/18/11	3604.31	--	27.58	--	3576.73
MW-13	10/10/11	3604.31	--	28.19	--	3576.12
MW-13	05/30/12	3604.31	--	29.00	--	3575.31
MW-13	02/27/13	3604.31	--	29.56	--	3574.75

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-13	07/23/13	3604.31	--	30.01	--	3574.30
MW-13	03/25/14	3604.31	--	30.42	--	3573.89
MW-13	07/29/14	3604.31	--	30.87	--	3573.44
MW-13	03/10/15	3604.31	--	30.33	--	3573.98
MW-13	07/27/15	3604.31	--	30.31	--	3574.00
MW-13	03/21/16	3604.31	--	29.80	--	3574.51
MW-13	09/22/16	3604.31	--	30.23	--	3574.08
MW-13	03/22/17	3604.31	--	29.50	--	3574.81
MW-13	09/18/17	3604.31	--	30.76	--	3573.55
MW-13	03/21/18	3604.31	--	30.02	--	3574.29
MW-13	06/14/18	3604.31	--	31.40	--	3572.91
MW-13	07/16/18	3604.31	--	30.62	--	3573.69
MW-13	09/18/18	3604.31	--	30.75	--	3573.56
MW-13	03/05/19	3604.31	--	30.82	--	3573.49
MW-13	06/04/19	3604.31	--	31.02	--	3573.29
MW-13	09/03/19	3604.31	--	31.29	--	3573.02
MW-13	12/05/19	3604.31	--	31.36	--	3572.95
MW-13	03/02/20	3604.31	--	31.56	--	3572.75
MW-13	06/18/20	3604.31	--	31.78	--	3572.53
MW-13	09/08/20	3604.31	--	DRY	--	DRY
MW-14 (SVE-11)	03/01/01	3604.11	--	23.96	--	3580.15
MW-14 (SVE-11)	06/25/01	3604.11	--	24.14	--	3579.97
MW-14 (SVE-11)	09/25/01	3604.11	--	24.45	--	3579.66
MW-14 (SVE-11)	12/11/01	3604.11	--	24.63	--	3579.48
MW-14 (SVE-11)	05/21/02	3604.11	--	25.00	--	3579.11
MW-14 (SVE-11)	06/15/02	3604.11	--	25.08	--	3579.03
MW-14 (SVE-11)	10/15/02	3603.77	--	25.82	--	3577.95
MW-14 (SVE-11)	01/22/03	3603.77	--	25.90	--	3577.87
MW-14 (SVE-11)	04/24/03	3603.77	--	25.92	--	3577.85
MW-14 (SVE-11)	07/15/03	3603.77	--	26.11	--	3577.66
MW-14 (SVE-11)	09/11/03	3603.77	--	26.26	--	3577.51
MW-14 (SVE-11)	10/15/03	3603.77	--	26.41	--	3577.36
MW-14 (SVE-11)	01/19/04	3603.77	--	26.68	--	3577.09
MW-14 (SVE-11)	04/19/04	3603.77	--	26.61	--	3577.16
MW-14 (SVE-11)	07/20/04	3603.77	--	26.75	--	3577.02
MW-14 (SVE-11)	10/25/04	3603.77	--	24.81	--	3578.96
MW-14 (SVE-11)	01/24/05	3603.77	--	23.76	--	3580.01
MW-14 (SVE-11)	04/18/05	3603.77	--	23.58	--	3580.19
MW-14 (SVE-11)	07/18/05	3603.77	--	23.83	--	3579.94
MW-14 (SVE-11)	10/17/05	3603.77	--	23.77	--	3580.00
MW-14 (SVE-11)	01/23/06	3603.77	--	24.03	--	3579.74
MW-14 (SVE-11)	04/24/06	3603.77	--	24.41	--	3579.36
MW-14 (SVE-11)	07/24/06	3603.77	--	24.80	--	3578.97
MW-14 (SVE-11)	10/23/06	3603.77	--	24.70	--	3579.07
MW-14 (SVE-11)	01/23/07	3603.77	--	24.79	--	3578.98
MW-14 (SVE-11)	04/23/07	3603.77	--	25.06	--	3578.71
MW-14 (SVE-11)	07/23/07	3603.77	--	25.19	--	3578.58
MW-14 (SVE-11)	10/22/07	3603.77	--	25.20	--	3578.57
MW-14 (SVE-11)	01/28/08	3603.77	--	25.30	--	3578.47
MW-14 (SVE-11)	04/21/08	3603.77	--	25.53	--	3578.24
MW-14 (SVE-11)	07/21/08	3603.77	--	25.83	--	3577.94
MW-14 (SVE-11)	10/20/08	3603.77	--	26.07	--	3577.70
MW-14 (SVE-11)	01/19/09	3603.77	--	26.15	--	3577.62
MW-14 (SVE-11)	04/20/09	3603.77	--	26.37	--	3577.40
MW-14 (SVE-11)	07/27/09	3603.77	--	26.65	--	3577.12
MW-14 (SVE-11)	10/26/09	3603.77	--	26.75	--	3577.02
MW-14 (SVE-11)	01/25/10	3603.77	--	26.97	--	3576.80

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-14 (SVE-11)	04/26/10	3603.77	--	27.14	--	3576.63
MW-14 (SVE-11)	07/26/10	3603.77	--	26.78	--	3576.99
MW-14 (SVE-11)	10/25/10	3603.77	--	26.64	--	3577.13
MW-14 (SVE-11)	01/24/11	3603.77	--	27.03	--	3576.74
MW-14 (SVE-11)	04/18/11	3603.77	--	27.36	--	3576.41
MW-14 (SVE-11)	10/10/11	3603.77	--	27.87	--	3575.90
MW-14 (SVE-11)	05/30/12	3603.77	--	28.55	--	3575.22
MW-14 (SVE-11)	02/27/13	3603.77	--	DRY	--	DRY
MW-14 (SVE-11)	07/23/13	3603.77	--	29.51	--	3574.26
MW-14 (SVE-11)	03/25/14	3603.77	--	30.02	--	3573.75
MW-14 (SVE-11)	07/29/14	3603.77	--	30.34	--	3573.43
MW-14 (SVE-11)	03/10/15	3603.77	--	30.15	--	3573.62
MW-14 (SVE-11)	07/27/15	3603.77	--	30.30	--	3573.47
MW-14 (SVE-11)	03/21/16	3603.77	--	29.80	--	3573.97
MW-14 (SVE-11)	09/22/16	3603.77	--	29.61	--	3574.16
MW-14 (SVE-11)	03/22/17	3603.77	--	29.28	--	3574.49
MW-14 (SVE-11)	09/18/17	3603.77	--	29.73	--	3574.04
MW-14 (SVE-11)	03/21/18	3603.77	--	29.88	--	3573.89
MW-14 (SVE-11)	06/14/18	3603.77	--	30.83	--	3572.94
MW-14 (SVE-11)	09/18/18	3603.77	--	30.49	--	3573.28
MW-14 (SVE-11)	03/05/19	3603.77	--	DRY	--	DRY
MW-14 (SVE-11)	06/04/19	3603.77	--	30.74	--	3573.03
MW-14 (SVE-11)	09/03/19	3603.77	--	DRY	--	DRY
MW-14 (SVE-11)	12/05/19	3603.77	--	DRY	--	DRY
MW-14 (SVE-11)	03/02/20	3603.77	--	DRY	--	DRY
MW-14 (SVE-11)	06/18/20	3603.77	--	DRY	--	DRY
MW-14 (SVE-11)	09/08/20	3603.77	--	DRY	--	DRY
MW-15 (SVE-12)	03/01/01	3609.78	28.20	28.26	0.06	3581.57
MW-15 (SVE-12)	06/25/01	3609.78	28.24	28.90	0.66	3581.41
MW-15 (SVE-12)	09/25/01	3609.78	NM	NM	NM	NM
MW-15 (SVE-12)	12/11/01	3609.78	NM	NM	NM	NM
MW-15 (SVE-12)	05/21/02	3609.78	28.98	29.77	0.79	3580.64
MW-15 (SVE-12)	06/08/02	3609.78	29.05	29.85	0.80	3580.57
MW-15 (SVE-12)	06/15/02	3609.23	29.65	30.42	0.77	3579.43
MW-15 (SVE-12)	10/25/02	3609.23	29.67	30.57	0.90	3579.38
MW-15 (SVE-12)	11/04/02	3609.23	29.80	30.62	0.82	3579.27
MW-15 (SVE-12)	11/05/02	3609.23	29.81	30.57	0.76	3579.27
MW-15 (SVE-12)	11/22/02	3609.23	29.81	30.59	0.78	3579.26
MW-15 (SVE-12)	11/29/02	3609.23	29.70	30.59	0.89	3579.35
MW-15 (SVE-12)	02/08/03	3609.23	30.10	30.44	0.34	3579.06
MW-15 (SVE-12)	02/24/03	3609.23	30.09	30.51	0.42	3579.06
MW-15 (SVE-12)	02/25/03	3609.23	30.09	30.51	0.42	3579.06
MW-15 (SVE-12)	04/07/03	3609.23	30.21	30.50	0.29	3578.96
MW-15 (SVE-12)	04/09/03	3609.23	30.21	30.50	0.29	3578.96
MW-15 (SVE-12)	04/22/03	3609.23	30.27	30.49	0.22	3578.92
MW-15 (SVE-12)	04/24/03	3609.23	30.24	30.44	0.20	3578.95
MW-15 (SVE-12)	06/25/03	3609.23	30.34	30.55	0.21	3578.85
MW-15 (SVE-12)	09/11/03	3609.23	30.52	30.79	0.27	3578.66
MW-15 (SVE-12)	11/05/03	3609.23	30.67	30.94	0.27	3578.51
MW-15 (SVE-12)	01/19/04	3609.23	30.87	31.11	0.24	3578.31
MW-15 (SVE-12)	04/19/04	3609.23	31.03	31.09	0.06	3578.19
MW-15 (SVE-12)	07/20/04	3609.23	31.10	31.32	0.22	3578.09
MW-15 (SVE-12)	10/25/04	3609.23	--	29.94	--	3579.29
MW-15 (SVE-12)	01/24/05	3609.23	--	28.72	--	3580.51
MW-15 (SVE-12)	04/18/05	3609.23	--	28.40	--	3580.83
MW-15 (SVE-12)	07/18/05	3609.23	--	28.39	--	3580.84
MW-15 (SVE-12)	10/17/05	3609.23	--	28.29	--	3580.94

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-15 (SVE-12)	01/23/06	3609.23	--	28.44	--	3580.79
MW-15 (SVE-12)	04/24/06	3609.23	--	28.72	--	3580.51
MW-15 (SVE-12)	07/24/06	3609.23	--	29.12	--	3580.11
MW-15 (SVE-12)	10/23/06	3609.23	--	29.05	--	3580.18
MW-15 (SVE-12)	01/23/07	3609.23	--	29.12	--	3580.11
MW-15 (SVE-12)	04/23/07	3609.23	--	29.36	--	3579.87
MW-15 (SVE-12)	07/23/07	3609.23	--	29.53	--	3579.70
MW-15 (SVE-12)	10/22/07	3609.23	--	29.61	--	3579.62
MW-15 (SVE-12)	01/28/08	3609.23	--	29.65	--	3579.58
MW-15 (SVE-12)	04/21/08	3609.23	--	29.84	--	3579.39
MW-15 (SVE-12)	07/21/08	3609.23	--	30.08	--	3579.15
MW-15 (SVE-12)	10/20/08	3609.23	--	30.30	--	3578.93
MW-15 (SVE-12)	01/19/09	3609.23	--	30.49	--	3578.74
MW-15 (SVE-12)	04/20/09	3609.23	--	30.70	--	3578.53
MW-15 (SVE-12)	07/27/09	3609.23	--	30.94	--	3578.29
MW-15 (SVE-12)	10/26/09	3609.23	--	31.13	--	3578.10
MW-15 (SVE-12)	01/25/10	3609.23	--	31.31	--	3577.92
MW-15 (SVE-12)	04/26/10	3609.23	--	31.50	--	3577.73
MW-15 (SVE-12)	07/26/10	3609.23	--	31.29	--	3577.94
MW-15 (SVE-12)	10/25/10	3609.23	--	31.18	--	3578.05
MW-15 (SVE-12)	01/24/11	3609.23	--	31.45	--	3577.78
MW-15 (SVE-12)	04/18/11	3609.23	--	31.72	--	3577.51
MW-15 (SVE-12)	10/10/11	3609.23	--	32.12	--	3577.11
MW-15 (SVE-12)	05/30/12	3609.23	--	32.75	--	3576.48
MW-15 (SVE-12)	02/27/13	3609.23	--	33.43	--	3575.80
MW-15 (SVE-12)	07/23/13	3609.23	--	33.76	--	3575.47
MW-15 (SVE-12)	03/25/14	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	07/29/14	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	03/10/15	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	07/27/15	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	03/21/16	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	09/22/16	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	03/22/17	3609.23	--	33.67	--	3575.56
MW-15 (SVE-12)	09/18/17	3609.23	--	34.01	--	3575.22
MW-15 (SVE-12)	03/21/18	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	06/14/18	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	09/18/18	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	03/05/19	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	06/04/19	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	09/03/19	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	12/05/19	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	03/02/20	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	06/18/20	3609.23	--	DRY	--	DRY
MW-15 (SVE-12)	09/08/20	3609.23	--	DRY	--	DRY
MW-16	03/01/01	3606.31	--	25.57	--	3580.74
MW-16	06/25/01	3606.31	--	25.78	--	3580.53
MW-16	09/25/01	3606.31	--	26.01	--	3580.30
MW-16	12/11/01	3606.31	--	26.21	--	3580.10
MW-16	05/21/02	3606.31	--	26.57	--	3579.74
MW-16	06/15/02	3606.31	--	26.64	--	3579.67
MW-16	06/16/02	3606.31	--	26.63	--	3579.68
MW-16	09/20/02	3606.31	--	26.80	--	3579.51
MW-16	10/15/02	3606.31	--	26.85	--	3579.46
MW-16	10/22/02	3606.31	--	26.88	--	3579.43
MW-16	10/25/02	3606.31	--	26.88	--	3579.43
MW-16	10/26/02	3606.31	--	26.88	--	3579.43
MW-16	11/04/02	3606.31	--	26.90	--	3579.41

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-16	11/05/02	3606.31	--	26.91	--	3579.40
MW-16	01/22/03	3606.31	--	26.95	--	3579.36
MW-16	02/14/03	3606.31	--	26.95	--	3579.36
MW-16	02/24/03	3606.31	--	26.95	--	3579.36
MW-16	04/07/03	3606.31	--	27.05	--	3579.26
MW-16	04/24/03	3606.31	--	27.16	--	3579.15
MW-16	07/14/03	3606.31	--	27.25	--	3579.06
MW-16	08/02/03	3606.31	--	27.27	--	3579.04
MW-16	09/11/03	3606.31	--	27.35	--	3578.96
MW-16	10/15/03	3606.31	--	27.49	--	3578.82
MW-16	01/19/04	3606.31	--	27.68	--	3578.63
MW-16	04/19/04	3606.31	--	27.78	--	3578.53
MW-16	07/20/04	3606.31	--	27.89	--	3578.42
MW-16	10/25/04	3606.31	--	26.38	--	3579.93
MW-16	01/24/05	3606.31	--	25.11	--	3581.20
MW-16	04/18/05	3606.31	--	24.91	--	3581.40
MW-16	07/18/05	3606.31	--	25.04	--	3581.27
MW-16	10/17/05	3606.31	--	24.99	--	3581.32
MW-16	01/23/06	3606.31	--	25.20	--	3581.11
MW-16	04/24/06	3606.31	--	25.56	--	3580.75
MW-16	07/24/06	3606.31	--	25.90	--	3580.41
MW-16	10/23/06	3606.31	--	25.84	--	3580.47
MW-16	01/23/07	3606.31	--	25.94	--	3580.37
MW-16	04/23/07	3606.31	--	26.16	--	3580.15
MW-16	07/23/07	3606.31	--	26.33	--	3579.98
MW-16	10/22/07	3606.31	--	26.40	--	3579.91
MW-16	01/28/08	3606.31	--	26.45	--	3579.86
MW-16	04/21/08	3606.31	--	26.66	--	3579.65
MW-16	07/21/08	3606.31	--	26.91	--	3579.40
MW-16	10/20/08	3606.31	--	27.13	--	3579.18
MW-16	01/19/09	3606.31	--	27.26	--	3579.05
MW-16	04/20/09	3606.31	--	27.50	--	3578.81
MW-16	07/27/09	3606.31	--	27.75	--	3578.56
MW-16	10/26/09	3606.31	--	27.93	--	3578.38
MW-16	01/25/10	3606.31	--	28.09	--	3578.22
MW-16	04/26/10	3606.31	--	28.27	--	3578.04
MW-16	07/26/10	3606.31	--	28.00	--	3578.31
MW-16	10/25/10	3606.31	--	27.88	--	3578.43
MW-16	01/24/11	3606.31	--	28.19	--	3578.12
MW-16	04/18/11	3606.31	--	28.47	--	3577.84
MW-16	10/10/11	3606.31	--	28.87	--	3577.44
MW-16	05/30/12	3606.31	--	29.50	--	3576.81
MW-16	02/27/13	3606.31	--	30.13	--	3576.18
MW-16	07/23/13	3606.31	--	30.48	--	3575.83
MW-16	03/25/14	3606.31	--	30.98	--	3575.33
MW-16	07/29/14	3606.31	--	31.26	--	3575.05
MW-16	03/10/15	3606.31	--	31.20	--	3575.11
MW-16	07/27/15	3606.31	--	Dry	--	Dry
MW-16	03/21/16	3606.31	--	30.95	--	3575.36
MW-16	09/22/16	3606.31	--	29.90	--	3576.41
MW-16	03/22/17	3606.31	--	30.40	--	3575.91
MW-16	09/18/17	3606.31	--	30.77	--	3575.54
MW-16	03/21/18	3606.31	--	30.96	--	3575.35
MW-16	06/14/18	3606.31	--	DRY	--	DRY
MW-16	09/18/18	3606.31	--	31.46	--	3574.85
MW-16	03/05/19	3606.31	--	DRY	--	DRY
MW-16	06/04/19	3606.31	--	DRY	--	DRY
MW-16	09/03/19	3606.31	--	DRY	--	DRY

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-16	12/05/19	3606.31	--	DRY	--	DRY
MW-16	03/02/20	3606.31	--	DRY	--	DRY
MW-16	06/18/20	3606.31	--	DRY	--	DRY
MW-16	09/08/20	3603.31	--	DRY	--	DRY
MW-17	03/01/01	3609.03	--	27.78	--	3581.25
MW-17	06/25/01	3609.03	--	27.99	--	3581.04
MW-17	09/25/01	3609.03	--	28.21	--	3580.82
MW-17	12/11/01	3609.03	--	28.39	--	3580.64
MW-17	05/21/02	3609.03	--	28.77	--	3580.26
MW-17	06/08/02	3609.03	--	28.80	--	3580.23
MW-17	06/13/02	3609.03	--	28.81	--	3580.22
MW-17	06/15/02	3609.03	--	28.81	--	3580.22
MW-17	09/20/02	3609.03	--	29.00	--	3580.03
MW-17	10/15/02	3609.03	--	29.07	--	3579.96
MW-17	10/22/02	3609.03	--	29.06	--	3579.97
MW-17	10/25/02	3609.03	--	29.06	--	3579.97
MW-17	10/26/02	3609.03	--	29.09	--	3579.94
MW-17	11/04/02	3609.03	--	29.10	--	3579.93
MW-17	11/05/02	3609.03	--	29.13	--	3579.90
MW-17	11/22/02	3609.03	--	29.16	--	3579.87
MW-17	12/16/02	3609.03	--	DRY	--	DRY
MW-17	01/22/03	3609.03	--	29.15	--	3579.88
MW-17	02/08/03	3609.03	--	29.16	--	3579.87
MW-17	02/14/03	3609.03	--	29.17	--	3579.86
MW-17	02/24/03	3609.03	--	29.19	--	3579.84
MW-17	04/07/03	3609.03	--	29.23	--	3579.80
MW-17	04/24/03	3609.03	--	29.28	--	3579.75
MW-17	07/14/03	3609.03	--	29.45	--	3579.58
MW-17	08/02/03	3609.03	--	29.49	--	3579.54
MW-17	09/11/03	3609.03	--	29.57	--	3579.46
MW-17	10/15/03	3609.03	--	29.70	--	3579.33
MW-17	01/19/04	3609.03	--	29.88	--	3579.15
MW-17	04/19/04	3609.03	--	DRY	--	DRY
MW-17	07/20/04	3609.03	--	DRY	--	DRY
MW-17	10/25/04	3609.03	--	28.88	--	3580.15
MW-17	01/24/05	3609.03	--	27.57	--	3581.46
MW-17	04/18/05	3609.03	--	27.31	--	3581.72
MW-17	07/18/05	3609.03	--	27.35	--	3581.68
MW-17	10/17/05	3609.03	--	27.26	--	3581.77
MW-17	01/23/06	3609.03	--	27.45	--	3581.58
MW-17	04/24/06	3609.03	--	27.79	--	3581.24
MW-17	07/24/06	3609.03	--	28.11	--	3580.92
MW-17	10/23/06	3609.03	--	28.08	--	3580.95
MW-17	01/23/07	3609.03	--	28.17	--	3580.86
MW-17	04/23/07	3609.03	--	28.37	--	3580.66
MW-17	07/23/07	3609.03	--	28.54	--	3580.49
MW-17	10/22/07	3609.03	--	28.66	--	3580.37
MW-17	01/28/08	3609.03	--	28.68	--	3580.35
MW-17	04/21/08	3609.03	--	28.87	--	3580.16
MW-17	07/21/08	3609.03	--	29.11	--	3579.92
MW-17	10/20/08	3609.03	--	29.33	--	3579.70
MW-17	01/19/09	3609.03	--	29.45	--	3579.58
MW-17	04/20/09	3609.03	--	29.70	--	3579.33
MW-17	07/27/09	3609.03	--	DRY	--	DRY
MW-17	10/26/09	3609.03	--	DRY	--	DRY
MW-17	01/25/10	3609.03	--	DRY	--	DRY
MW-17	04/26/10	3609.03	--	DRY	--	DRY

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-17	07/26/10	3609.03	--	DRY	--	DRY
MW-17	10/10/11	3610.03	--	DRY	--	DRY
MW-17	05/30/12	3610.03	--	DRY	--	DRY
MW-17	02/27/13	3610.03	--	DRY	--	DRY
MW-17	07/23/13	3610.03	--	DRY	--	DRY
MW-17	03/25/14	3610.03	--	DRY	--	DRY
MW-17	07/29/14	3610.03	--	DRY	--	DRY
MW-17	03/10/15	3610.03	--	DRY	--	DRY
MW-17	07/27/15	3610.03	--	DRY	--	DRY
MW-17	03/21/16	3610.03	--	DRY	--	DRY
MW-17	09/22/16	3610.03	--	DRY	--	DRY
MW-17	03/22/17	3610.03	--	DRY	--	DRY
MW-17	09/18/17	3610.03	--	DRY	--	DRY
MW-17	03/21/18	3610.03	--	DRY	--	DRY
MW-17	06/14/18	3610.03	--	DRY	--	DRY
MW-17	09/18/18	3610.03	--	DRY	--	DRY
MW-17	03/05/19	3610.03	--	DRY	--	DRY
MW-17	06/04/19	3610.03	--	DRY	--	DRY
MW-17	09/03/19	3610.03	--	DRY	--	DRY
MW-17	12/05/19	3610.03	--	DRY	--	DRY
MW-17	03/02/20	3601.03	--	DRY	--	DRY
MW-17	06/18/20	3601.03	--	DRY	--	DRY
MW-17	09/08/20	3601.03	--	DRY	--	DRY
MW-18 (SVE-13)	03/01/01	3605.71	--	25.59	--	3580.12
MW-18 (SVE-13)	06/25/01	3605.71	--	25.85	--	3579.86
MW-18 (SVE-13)	09/25/01	3605.71	--	26.10	--	3579.61
MW-18 (SVE-13)	12/11/01	3605.71	--	26.33	--	3579.38
MW-18 (SVE-13)	05/21/02	3605.71	--	26.70	--	3579.01
MW-18 (SVE-13)	06/15/02	3605.71	--	26.75	--	3578.96
MW-18 (SVE-13)	06/16/02	3605.71	--	26.74	--	3578.97
MW-18 (SVE-13)	09/20/02	3605.34	--	27.54	--	3577.80
MW-18 (SVE-13)	10/15/02	3605.34	--	27.55	--	3577.79
MW-18 (SVE-13)	10/22/02	3605.34	--	27.55	--	3577.79
MW-18 (SVE-13)	10/25/02	3605.34	--	27.54	--	3577.80
MW-18 (SVE-13)	10/26/02	3605.34	--	27.55	--	3577.79
MW-18 (SVE-13)	11/05/02	3605.34	--	27.35	--	3577.99
MW-18 (SVE-13)	11/22/02	3605.34	--	27.38	--	3577.96
MW-18 (SVE-13)	01/22/03	3605.34	--	27.43	--	3577.91
MW-18 (SVE-13)	02/24/03	3605.34	--	27.46	--	3577.88
MW-18 (SVE-13)	04/07/03	3605.34	--	27.57	--	3577.77
MW-18 (SVE-13)	04/24/03	3605.34	--	27.58	--	3577.76
MW-18 (SVE-13)	07/15/03	3605.34	--	27.78	--	3577.56
MW-18 (SVE-13)	08/02/03	3605.34	--	27.83	--	3577.51
MW-18 (SVE-13)	09/11/03	3605.34	--	28.01	--	3577.33
MW-18 (SVE-13)	10/15/03	3605.34	--	28.15	--	3577.19
MW-18 (SVE-13)	01/19/04	3605.34	--	28.42	--	3576.92
MW-18 (SVE-13)	04/19/04	3605.34	--	28.40	--	3576.94
MW-18 (SVE-13)	07/20/04	3605.34	--	28.38	--	3576.96
MW-18 (SVE-13)	10/25/04	3605.34	--	26.62	--	3578.72
MW-18 (SVE-13)	01/24/05	3605.34	--	25.37	--	3579.97
MW-18 (SVE-13)	04/18/05	3605.34	--	25.15	--	3580.19
MW-18 (SVE-13)	07/18/05	3605.34	--	25.36	--	3579.98
MW-18 (SVE-13)	10/17/05	3605.34	--	25.33	--	3580.01
MW-18 (SVE-13)	01/23/06	3605.34	--	25.59	--	3579.75
MW-18 (SVE-13)	04/24/06	3605.34	--	26.01	--	3579.33
MW-18 (SVE-13)	07/24/06	3605.34	--	26.41	--	3578.93
MW-18 (SVE-13)	10/23/06	3605.34	--	26.25	--	3579.09

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-18 (SVE-13)	01/23/07	3605.34	--	26.32	--	3579.02
MW-18 (SVE-13)	04/23/07	3605.34	--	26.63	--	3578.71
MW-18 (SVE-13)	07/23/07	3605.34	--	26.73	--	3578.61
MW-18 (SVE-13)	10/22/07	3605.34	--	26.70	--	3578.64
MW-18 (SVE-13)	01/28/08	3605.34	--	26.81	--	3578.53
MW-18 (SVE-13)	04/21/08	3605.34	--	27.09	--	3578.25
MW-18 (SVE-13)	07/21/08	3605.34	--	27.45	--	3577.89
MW-18 (SVE-13)	10/20/08	3605.34	--	27.65	--	3577.69
MW-18 (SVE-13)	01/19/09	3605.34	--	27.75	--	3577.59
MW-18 (SVE-13)	04/20/09	3605.34	--	28.05	--	3577.29
MW-18 (SVE-13)	07/27/09	3605.34	--	28.36	--	3576.98
MW-18 (SVE-13)	10/26/09	3605.34	--	28.41	--	3576.93
MW-18 (SVE-13)	01/25/10	3605.34	--	28.65	--	3576.69
MW-18 (SVE-13)	04/26/10	3605.34	--	28.83	--	3576.51
MW-18 (SVE-13)	07/26/10	3605.34	--	28.56	--	3576.78
MW-18 (SVE-13)	10/25/10	3605.34	--	28.30	--	3577.04
MW-18 (SVE-13)	01/24/11	3605.34	--	27.21	--	3578.13
MW-18 (SVE-13)	04/18/11	3605.34	--	27.05	--	3578.29
MW-18 (SVE-13)	10/10/11	3605.34	--	29.60	--	3575.74
MW-18 (SVE-13)	05/30/12	3605.34	--	30.33	--	3575.01
MW-18 (SVE-13)	02/27/13	3605.34	--	30.95	--	3574.39
MW-18 (SVE-13)	07/23/13	3605.34	--	31.36	--	3573.98
MW-18 (SVE-13)	03/25/14	3605.34	--	31.79	--	3573.55
MW-18 (SVE-13)	07/29/14	3605.34	--	32.18	--	3573.16
MW-18 (SVE-13)	03/10/15	3605.34	--	31.81	--	3573.53
MW-18 (SVE-13)	07/27/15	3605.34	--	31.90	--	3573.44
MW-18 (SVE-13)	03/21/16	3605.34	--	31.35	--	3573.99
MW-18 (SVE-13)	09/22/16	3605.34	--	31.62	--	3573.72
MW-18 (SVE-13)	03/22/17	3605.34	--	30.79	--	3574.55
MW-18 (SVE-13)	09/18/17	3605.34	--	31.75	--	3573.59
MW-18 (SVE-13)	03/21/18	3605.34	--	31.46	--	3573.88
MW-18 (SVE-13)	06/14/18	3605.34	--	31.82	--	3573.52
MW-18 (SVE-13)	09/18/18	3605.34	--	32.17	--	3573.17
MW-18 (SVE-13)	03/05/19	3605.34	--	32.23	--	3573.11
MW-18 (SVE-13)	06/04/19	3605.34	--	32.42	--	3572.92
MW-18 (SVE-13)	09/03/19	3605.34	--	32.65	--	3572.69
MW-18 (SVE-13)	12/05/19	3605.34	--	32.78	--	3572.56
MW-18 (SVE-13)	03/02/20	3605.34	--	32.92	--	3572.42
MW-18 (SVE-13)	06/18/20	3605.34	--	33.05	--	3572.29
MW-18 (SVE-13)	09/08/20	3605.34	--	DRY	--	DRY
MW-19	03/01/01	3606.69	--	27.20	--	3579.49
MW-19	06/25/01	3606.69	--	27.45	--	3579.24
MW-19	09/25/01	3606.69	--	27.71	--	3578.98
MW-19	12/11/01	3606.69	--	27.93	--	3578.76
MW-19	05/21/02	3606.69	--	28.26	--	3578.43
MW-19	06/08/02	3606.69	--	28.30	--	3578.39
MW-19	06/15/02	3606.69	--	28.33	--	3578.36
MW-19	09/20/02	3606.69	--	28.54	--	3578.15
MW-19	10/15/02	3606.69	--	28.57	--	3578.12
MW-19	10/22/02	3606.69	--	28.57	--	3578.12
MW-19	10/25/02	3606.69	--	28.55	--	3578.14
MW-19	10/26/02	3606.69	--	28.58	--	3578.11
MW-19	11/04/02	3606.69	--	28.58	--	3578.11
MW-19	11/05/02	3606.69	--	28.56	--	3578.13
MW-19	11/22/02	3606.69	--	28.55	--	3578.14
MW-19	11/29/02	3606.69	--	28.54	--	3578.15
MW-19	12/16/02	3606.69	--	28.54	--	3578.15

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-19	01/22/03	3606.69	--	28.48	--	3578.21
MW-19	02/08/03	3606.69	--	28.50	--	3578.19
MW-19	02/14/03	3606.69	--	28.51	--	3578.18
MW-19	02/24/03	3606.69	--	28.51	--	3578.18
MW-19	04/24/03	3606.69	--	28.62	--	3578.07
MW-19	07/15/03	3606.69	--	28.90	--	3577.79
MW-19	08/02/03	3606.69	--	28.93	--	3577.76
MW-19	09/11/03	3606.69	--	29.03	--	3577.66
MW-19	10/15/03	3606.69	--	29.18	--	3577.51
MW-19	01/19/04	3606.69	--	29.42	--	3577.27
MW-19	04/19/04	3606.69	--	29.40	--	3577.29
MW-19	07/20/04	3606.69	--	29.40	--	3577.29
MW-19	10/25/04	3606.69	--	27.19	--	3579.50
MW-19	01/24/05	3606.69	--	26.20	--	3580.49
MW-19	04/18/05	3606.69	--	26.11	--	3580.58
MW-19	07/18/05	3606.69	--	26.40	--	3580.29
MW-19	10/17/05	3606.69	--	26.41	--	3580.28
MW-19	01/23/06	3606.69	--	26.68	--	3580.01
MW-19	04/24/06	3606.69	--	27.09	--	3579.60
MW-19	07/24/06	3606.69	--	27.49	--	3579.20
MW-19	10/23/06	3606.69	--	27.37	--	3579.32
MW-19	01/23/07	3606.69	--	27.46	--	3579.23
MW-19	04/23/07	3606.69	--	27.76	--	3578.93
MW-19	07/23/07	3606.69	--	27.85	--	3578.84
MW-19	10/22/07	3606.69	--	27.83	--	3578.86
MW-19	01/28/08	3606.69	--	27.95	--	3578.74
MW-19	04/21/08	3606.69	--	28.23	--	3578.46
MW-19	07/21/08	3606.69	--	28.59	--	3578.10
MW-19	10/20/08	3606.69	--	28.80	--	3577.89
MW-19	01/19/09	3606.69	--	28.90	--	3577.79
MW-19	04/20/09	3606.69	--	29.18	--	3577.51
MW-19	07/27/09	3606.69	--	29.47	--	3577.22
MW-19	10/26/09	3606.69	--	29.52	--	3577.17
MW-19	01/25/10	3606.69	--	29.75	--	3576.94
MW-19	04/26/10	3606.69	--	29.90	--	3576.79
MW-19	07/26/10	3606.69	--	29.62	--	3577.07
MW-19	10/25/10	3606.69	--	29.39	--	3577.30
MW-19	01/24/11	3606.69	--	29.80	--	3576.89
MW-19	04/18/11	3606.69	--	30.11	--	3576.58
MW-19	10/10/11	3606.69	--	30.63	--	3576.06
MW-19	05/30/12	3606.69	--	34.12	--	3572.57
MW-19	02/27/13	3606.69	--	31.95	--	3574.74
MW-19	07/23/13	3606.69	--	32.35	--	3574.34
MW-19	03/25/14	3606.69	--	DRY	--	DRY
MW-19	07/29/14	3606.69	--	DRY	--	DRY
MW-19	03/10/15	3606.69	--	DRY	--	DRY
MW-19	07/27/15	3606.69	--	DRY	--	DRY
MW-19	03/21/16	3606.69	--	32.50	--	3574.19
MW-19	09/22/16	3606.69	--	DRY	--	DRY
MW-19	03/22/17	3606.69	--	31.98	--	3574.71
MW-19	09/18/17	3606.69	--	32.45	--	3574.24
MW-19	03/21/18	3606.69	--	32.62	--	3574.07
MW-19	06/14/18	3606.69	--	DRY	--	DRY
MW-19	09/18/18	3606.69	--	DRY	--	DRY
MW-19	03/05/19	3606.69	--	DRY	--	DRY
MW-19	06/04/19	3606.69	--	DRY	--	DRY
MW-19	09/03/19	3606.69	--	DRY	--	DRY
MW-19	12/05/19	3606.69	--	DRY	--	DRY

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-19	03/02/20	3606.69	--	DRY	--	DRY
MW-19	06/18/20	3606.69	--	DRY	--	DRY
MW-19	09/08/20	3606.69	--	DRY	--	DRY
MW-20	03/01/01	3606.25	--	30.24	--	3576.01
MW-20	06/08/01	3606.25	--	31.26	--	3574.99
MW-20	06/25/01	3606.25	--	31.45	--	3574.80
MW-20	09/25/01	3606.25	--	31.67	--	3574.58
MW-20	12/11/01	3606.25	--	30.84	--	3575.41
MW-20	05/21/02	3606.25	--	31.21	--	3575.04
MW-20	06/08/02	3606.25	--	31.26	--	3574.99
MW-20	06/13/02	3606.25	--	31.28	--	3574.97
MW-20	06/15/02	3606.25	--	31.28	--	3574.97
MW-20	09/20/02	3606.25	--	31.46	--	3574.79
MW-20	10/15/02	3606.25	--	31.52	--	3574.73
MW-20	10/22/02	3606.25	--	31.53	--	3574.72
MW-20	10/25/02	3606.25	--	31.52	--	3574.73
MW-20	10/26/02	3606.25	--	31.54	--	3574.71
MW-20	11/04/02	3606.25	--	31.56	--	3574.69
MW-20	11/05/02	3606.25	--	31.56	--	3574.69
MW-20	11/22/02	3606.25	--	31.59	--	3574.66
MW-20	11/29/02	3606.25	--	31.56	--	3574.69
MW-20	12/16/02	3606.25	--	31.65	--	3574.60
MW-20	01/22/03	3606.25	--	31.60	--	3574.65
MW-20	02/08/03	3606.25	--	31.65	--	3574.60
MW-20	02/14/03	3606.25	--	31.64	--	3574.61
MW-20	02/24/03	3606.25	--	31.64	--	3574.61
MW-20	04/07/03	3606.25	--	31.75	--	3574.50
MW-20	04/24/03	3606.25	--	31.76	--	3574.49
MW-20	07/15/03	3606.25	--	31.90	--	3574.35
MW-20	08/02/03	3606.25	--	31.95	--	3574.30
MW-20	09/11/03	3606.25	--	32.04	--	3574.21
MW-20	10/15/03	3606.25	--	32.17	--	3574.08
MW-20	01/19/04	3606.25	--	32.35	--	3573.90
MW-20	04/19/04	3606.25	--	32.46	--	3573.79
MW-20	07/20/04	3606.25	--	32.59	--	3573.66
MW-20	10/25/04	3606.25	--	31.22	--	3575.03
MW-20	01/24/05	3606.25	--	29.97	--	3576.28
MW-20	04/18/05	3606.25	--	29.78	--	3576.47
MW-20	07/18/05	3606.25	--	29.85	--	3576.40
MW-20	10/17/05	3606.25	--	29.75	--	3576.50
MW-20	01/23/06	3606.25	--	29.95	--	3576.30
MW-20	04/24/06	3606.25	--	30.28	--	3575.97
MW-20	07/24/06	3606.25	--	30.59	--	3575.66
MW-20	10/23/06	3606.25	--	30.55	--	3575.70
MW-20	01/23/07	3606.25	--	30.68	--	3575.57
MW-20	04/23/07	3606.25	--	30.89	--	3575.36
MW-20	07/23/07	3606.25	--	31.08	--	3575.17
MW-20	10/22/07	3606.25	--	31.16	--	3575.09
MW-20	01/28/08	3606.50	--	31.21	--	3575.29
MW-20	04/21/08	3606.50	--	31.38	--	3575.12
MW-20	07/21/08	3606.50	--	31.62	--	3574.88
MW-20	10/20/08	3606.50	--	31.82	--	3574.68
MW-20	01/19/09	3606.50	--	32.00	--	3574.50
MW-20	04/20/09	3606.50	--	32.22	--	3574.28
MW-20	07/27/09	3606.50	--	32.45	--	3574.05
MW-20	10/26/09	3606.50	--	32.63	--	3573.87
MW-20	01/25/10	3606.50	--	32.79	--	3573.71

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-20	04/26/10	3606.50	--	32.98	--	3573.52
MW-20	07/26/10	3606.50	--	32.67	--	3573.83
MW-20	10/25/10	3606.50	--	32.69	--	3573.81
MW-20	01/24/11	3606.50	--	32.92	--	3573.58
MW-20	04/18/11	3606.50	--	33.18	--	3573.32
MW-20	10/10/11	3606.50	--	33.55	--	3572.95
MW-20	05/30/12	3606.50	--	34.12	--	3572.38
MW-20	02/27/13	3606.50	--	34.78	--	3571.72
MW-20	07/23/13	3606.50	--	35.11	--	3571.39
MW-20	03/25/14	3606.50	--	35.61	--	3570.89
MW-20	07/29/14	3606.50	--	35.89	--	3570.61
MW-20	03/10/15	3606.50	--	DRY	--	DRY
MW-20	07/27/15	3606.50	--	DRY	--	DRY
MW-20	03/21/16	3606.50	--	35.72	--	3570.78
MW-20	09/22/16	3606.50	--	DRY	--	DRY
MW-20	03/22/17	3606.50	--	35.15	--	3571.35
MW-20	09/18/17	3606.50	--	35.50	--	3571.00
MW-20	03/21/18	3606.50	--	35.70	--	3570.80
MW-20	06/14/18	3606.50	--	DRY	--	DRY
MW-20	09/18/18	3606.50	--	DRY	--	DRY
MW-20	03/05/19	3606.50	--	DRY	--	DRY
MW-20	06/04/19	3606.50	--	DRY	--	DRY
MW-20	09/04/19	3606.50	--	DRY	--	DRY
MW-20	12/05/19	3606.50	--	DRY	--	DRY
MW-20	03/02/20	3606.50	--	DRY	--	DRY
MW-20	06/18/20	3606.50	--	DRY	--	DRY
MW-20	09/08/20	3606.50	--	DRY	--	DRY
MW-21	06/08/02	3603.51	--	24.62	--	3578.89
MW-21	06/13/02	3603.51	--	24.61	--	3578.90
MW-21	06/15/02	3603.51	--	24.63	--	3578.88
MW-21	09/20/02	3603.51	--	24.81	--	3578.70
MW-21	10/15/02	3603.51	--	24.86	--	3578.65
MW-21	10/22/02	3603.51	--	24.88	--	3578.63
MW-21	10/25/02	3603.51	--	24.92	--	3578.59
MW-21	10/26/02	3603.51	--	24.92	--	3578.59
MW-21	11/04/02	3603.51	--	24.93	--	3578.58
MW-21	11/05/02	3603.51	--	24.90	--	3578.61
MW-21	11/22/02	3603.51	--	24.87	--	3578.64
MW-21	11/29/02	3603.51	--	24.90	--	3578.61
MW-21	12/16/02	3603.51	--	24.95	--	3578.56
MW-21	01/22/03	3603.51	--	24.88	--	3578.63
MW-21	02/08/03	3603.51	--	24.89	--	3578.62
MW-21	02/14/03	3603.51	--	24.89	--	3578.62
MW-21	02/24/03	3603.51	--	24.90	--	3578.61
MW-21	04/07/03	3603.51	--	25.00	--	3578.51
MW-21	04/24/03	3603.51	--	25.01	--	3578.50
MW-21	07/15/03	3603.51	--	25.20	--	3578.31
MW-21	08/02/03	3603.51	--	25.28	--	3578.23
MW-21	09/11/03	3603.51	--	25.35	--	3578.16
MW-21	10/15/03	3603.51	--	25.48	--	3578.03
MW-21	01/19/04	3603.51	--	25.68	--	3577.83
MW-21	04/19/04	3603.51	--	25.68	--	3577.83
MW-21	07/20/04	3603.51	--	25.81	--	3577.70
MW-21	10/25/04	3603.51	--	23.56	--	3579.95
MW-21	01/24/05	3603.51	--	22.70	--	3580.81
MW-21	04/18/05	3603.51	--	22.64	--	3580.87
MW-21	07/18/05	3603.51	--	22.88	--	3580.63

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-21	10/17/05	3603.51	--	22.88	--	3580.63
MW-21	01/23/06	3603.51	--	23.13	--	3580.38
MW-21	04/24/06	3603.51	--	23.49	--	3580.02
MW-21	07/24/06	3603.51	--	23.86	--	3579.65
MW-21	10/23/06	3603.51	--	23.82	--	3579.69
MW-21	01/23/07	3603.51	--	23.92	--	3579.59
MW-21	04/23/07	3603.51	--	24.15	--	3579.36
MW-21	07/23/07	3603.51	--	24.32	--	3579.19
MW-21	10/22/07	3603.51	--	24.35	--	3579.16
MW-21	01/28/08	3603.51	--	24.45	--	3579.06
MW-21	04/21/08	3603.51	--	24.65	--	3578.86
MW-21	07/21/08	3603.51	--	24.95	--	3578.56
MW-21	10/20/08	3603.51	--	25.17	--	3578.34
MW-21	01/19/09	3603.51	--	25.29	--	3578.22
MW-21	04/20/09	3603.51	--	25.50	--	3578.01
MW-21	07/27/09	3603.51	--	25.79	--	3577.72
MW-21	10/26/09	3603.51	--	25.91	--	3577.60
MW-21	01/25/10	3603.51	--	26.10	--	3577.41
MW-21	04/26/10	3603.51	--	26.26	--	3577.25
MW-21	07/26/10	3603.51	--	25.89	--	3577.62
MW-21	10/25/10	3603.51	--	25.81	--	3577.70
MW-21	01/24/11	3603.51	--	25.16	--	3578.35
MW-21	04/18/11	3603.51	--	26.45	--	3577.06
MW-21	10/10/11	3603.51	--	26.90	--	3576.61
MW-21	05/30/12	3603.51	--	27.52	--	3575.99
MW-21	02/27/13	3603.51	--	28.13	--	3575.38
MW-21	07/23/13	3603.51	--	28.49	--	3575.02
MW-21	03/25/14	3603.51	--	28.95	--	3574.56
MW-21	07/29/14	3603.51	--	29.24	--	3574.27
MW-21	03/10/15	3603.51	--	29.13	--	3574.38
MW-21	07/27/15	3603.51	--	29.36	--	3574.15
MW-21	03/21/16	3603.51	--	28.90	--	3574.61
MW-21	09/22/16	3603.51	28.84	28.85	0.01	3574.67
MW-21	03/22/17	3603.51	--	28.26	--	3575.25
MW-21	09/18/17	3603.51	--	28.79	--	3574.72
MW-21	03/21/18	3603.51	--	28.95	--	3574.56
MW-21	06/14/18	3603.51	--	29.64	--	3573.87
MW-21	09/18/18	3603.51	--	29.49	--	3574.02
MW-21	03/05/19	3603.51	--	DRY	--	DRY
MW-21	06/04/19	3603.51	--	DRY	--	DRY
MW-21	09/03/19	3603.51	--	DRY	--	DRY
MW-21	12/05/19	3603.51	--	DRY	--	DRY
MW-21	03/02/20	3603.51	--	DRY	--	DRY
MW-21	06/18/20	3606.51	--	DRY	--	DRY
MW-21	09/08/20	3606.51	--	DRY	--	DRY
MW-22	06/08/02	3603.27	--	24.20	--	3579.07
MW-22	06/13/02	3603.27	--	24.41	--	3578.86
MW-22	06/15/02	3603.27	--	24.44	--	3578.83
MW-22	09/20/02	3603.27	--	24.59	--	3578.68
MW-22	10/15/02	3603.27	--	24.69	--	3578.58
MW-22	10/22/02	3603.27	--	24.67	--	3578.60
MW-22	10/25/02	3603.27	--	24.66	--	3578.61
MW-22	10/26/02	3603.27	--	24.70	--	3578.57
MW-22	11/04/02	3603.27	--	24.63	--	3578.64
MW-22	11/05/02	3603.27	--	24.55	--	3578.72
MW-22	11/22/02	3603.27	--	24.55	--	3578.72
MW-22	11/29/02	3603.27	--	24.51	--	3578.76

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-22	12/16/02	3603.27	--	24.50	--	3578.77
MW-22	01/22/03	3603.27	--	24.40	--	3578.87
MW-22	02/08/03	3603.27	--	24.44	--	3578.83
MW-22	02/14/03	3603.27	--	24.45	--	3578.82
MW-22	02/24/03	3603.27	--	24.50	--	3578.77
MW-22	04/07/03	3603.27	--	24.67	--	3578.60
MW-22	04/24/03	3603.27	--	24.67	--	3578.60
MW-22	07/15/03	3603.27	--	25.00	--	3578.27
MW-22	08/02/03	3603.27	--	25.09	--	3578.18
MW-22	09/11/03	3603.27	--	25.16	--	3578.11
MW-22	10/15/03	3603.27	--	25.30	--	3577.97
MW-22	01/19/04	3603.27	--	25.60	--	3577.67
MW-22	04/19/04	3603.27	--	25.59	--	3577.68
MW-22	07/20/04	3603.27	--	25.35	--	3577.92
MW-22	10/25/04	3603.27	--	23.79	--	3579.48
MW-22	01/24/05	3603.27	--	22.25	--	3581.02
MW-22	04/18/05	3603.27	--	21.95	--	3581.32
MW-22	07/18/05	3603.27	--	22.25	--	3581.02
MW-22	10/17/05	3603.27	--	22.17	--	3581.10
MW-22	01/23/06	3603.27	--	22.49	--	3580.78
MW-22	04/24/06	3603.27	--	22.99	--	3580.28
MW-22	07/24/06	3603.27	--	23.42	--	3579.85
MW-22	10/23/06	3603.27	--	23.09	--	3580.18
MW-22	01/23/07	3603.27	--	23.17	--	3580.10
MW-22	04/23/07	3603.27	--	23.56	--	3579.71
MW-22	07/23/07	3603.27	--	23.57	--	3579.70
MW-22	10/22/07	3603.27	--	23.58	--	3579.69
MW-22	01/28/08	3603.27	--	23.63	--	3579.64
MW-22	04/21/08	3603.27	--	24.01	--	3579.26
MW-22	07/21/08	3603.27	--	24.46	--	3578.81
MW-22	10/20/08	3603.27	--	24.65	--	3578.62
MW-22	01/19/09	3603.27	--	24.73	--	3578.54
MW-22	04/20/09	3603.27	--	25.08	--	3578.19
MW-22	07/27/09	3603.27	--	25.42	--	3577.85
MW-22	10/26/09	3603.27	--	25.40	--	3577.87
MW-22	01/25/10	3603.27	--	25.68	--	3577.59
MW-22	04/26/10	3603.27	--	25.84	--	3577.43
MW-22	07/26/10	3603.27	--	25.61	--	3577.66
MW-22	10/25/10	3603.27	--	25.20	--	3578.07
MW-22	01/24/11	3603.27	--	25.72	--	3577.55
MW-22	04/18/11	3603.27	--	26.10	--	3577.17
MW-22	10/10/11	3603.27	--	26.75	--	3576.52
MW-22	05/30/12	3603.27	--	27.59	--	3575.68
MW-22	02/27/13	3603.27	--	DRY	--	DRY
MW-22	07/23/13	3603.27	--	28.63	--	3574.64
MW-22	03/25/14	3603.27	--	29.03	--	3574.24
MW-22	07/29/14	3603.27	--	29.51	--	3573.76
MW-22	03/10/15	3603.27	--	28.84	--	3574.43
MW-22	07/27/15	3603.27	--	28.80	--	3574.47
MW-22	03/21/16	3603.27	--	28.20	--	3575.07
MW-22	09/22/16	3603.27	--	28.75	--	3574.52
MW-22	03/22/17	3603.27	--	27.70	--	3575.57
MW-22	09/18/17	3603.27	--	28.14	--	3575.13
MW-22	03/21/18	3603.27	--	28.40	--	3574.87
MW-22	06/14/18	3603.27	--	28.83	--	3574.44
MW-22	09/18/18	3603.27	--	29.01	--	3574.26
MW-22	03/05/19	3603.27	--	29.30	--	3573.97
MW-22	06/04/19	3603.27	--	29.49	--	3573.78

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-22	09/03/19	3603.27	--	29.76	--	3573.51
MW-22	12/06/19	3603.27	--	29.83	--	3573.44
MW-22	03/02/20	3603.27	--	30.03	--	3573.24
MW-22	06/18/20	3603.27	--	30.14	--	3573.13
MW-22	09/08/20	3603.27	--	30.34	--	3572.93
MW-23	06/08/02	3604.62	--	25.15	--	3579.47
MW-23	06/13/02	3604.62	--	25.13	--	3579.49
MW-23	06/15/02	3604.62	--	25.15	--	3579.47
MW-23	09/20/02	3604.62	--	25.30	--	3579.32
MW-23	10/15/02	3604.62	--	25.40	--	3579.22
MW-23	10/22/02	3604.62	--	25.38	--	3579.24
MW-23	10/25/02	3604.62	--	25.40	--	3579.22
MW-23	10/26/02	3604.62	--	25.39	--	3579.23
MW-23	11/04/02	3604.62	--	25.40	--	3579.22
MW-23	11/05/02	3604.62	--	25.40	--	3579.22
MW-23	11/22/02	3604.62	--	25.41	--	3579.21
MW-23	11/29/02	3604.62	--	25.34	--	3579.28
MW-23	12/16/02	3604.62	--	25.15	--	3579.47
MW-23	01/22/03	3604.62	--	25.15	--	3579.47
MW-23	02/08/03	3604.62	--	25.17	--	3579.45
MW-23	02/14/03	3604.62	--	25.26	--	3579.36
MW-23	02/24/03	3604.62	--	25.40	--	3579.22
MW-23	04/07/03	3604.62	--	25.45	--	3579.17
MW-23	04/24/03	3604.62	--	25.48	--	3579.14
MW-23	07/15/03	3604.62	--	25.70	--	3578.92
MW-23	08/02/03	3604.62	--	25.77	--	3578.85
MW-23	09/11/03	3604.62	--	25.85	--	3578.77
MW-23	10/15/03	3604.62	--	26.02	--	3578.60
MW-23	01/19/04	3604.62	--	26.31	--	3578.31
MW-23	04/19/04	3604.62	--	26.34	--	3578.28
MW-23	07/20/04	3604.62	--	26.17	--	3578.45
MW-23	10/25/04	3604.62	--	24.56	--	3580.06
MW-23	01/24/05	3604.62	--	23.25	--	3581.37
MW-23	04/18/05	3604.62	--	22.85	--	3581.77
MW-23	07/18/05	3604.62	--	23.04	--	3581.58
MW-23	10/17/05	3604.62	--	22.97	--	3581.65
MW-23	01/23/06	3604.62	--	23.22	--	3581.40
MW-23	04/24/06	3604.62	--	23.69	--	3580.93
MW-23	07/24/06	3604.62	--	24.12	--	3580.50
MW-23	10/23/06	3604.62	--	23.85	--	3580.77
MW-23	01/23/07	3604.62	--	23.86	--	3580.76
MW-23	04/23/07	3604.62	--	24.24	--	3580.38
MW-23	07/23/07	3604.62	--	24.28	--	3580.34
MW-23	10/22/07	3604.62	--	24.26	--	3580.36
MW-23	01/28/08	3604.62	--	24.34	--	3580.28
MW-23	04/21/08	3604.62	--	24.66	--	3579.96
MW-23	07/21/08	3604.62	--	25.09	--	3579.53
MW-23	10/20/08	3604.62	--	25.32	--	3579.30
MW-23	01/19/09	3604.62	--	25.40	--	3579.22
MW-23	04/20/09	3604.62	--	25.70	--	3578.92
MW-23	07/27/09	3604.62	--	26.07	--	3578.55
MW-23	10/26/09	3604.62	--	26.10	--	3578.52
MW-23	01/25/10	3604.62	--	26.39	--	3578.23
MW-23	04/26/10	3604.62	--	26.59	--	3578.03
MW-23	07/26/10	3604.62	--	26.37	--	3578.25
MW-23	10/25/10	3604.62	--	26.01	--	3578.61
MW-23	01/24/11	3604.62	--	26.45	--	3578.17

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-23	04/18/11	3604.62	--	26.82	--	3577.80
MW-23	10/10/11	3604.62	--	27.45	--	3577.17
MW-23	05/30/12	3604.62	--	28.29	--	3576.33
MW-23	02/27/13	3604.62	--	28.93	--	3575.69
MW-23	07/23/13	3604.62	--	29.38	--	3575.24
MW-23	03/25/14	3604.62	--	29.83	--	3574.79
MW-23	07/29/14	3604.62	--	30.20	--	3574.42
MW-23	03/10/15	3604.62	--	29.66	--	3574.96
MW-23	07/27/15	3604.62	--	29.70	--	3574.92
MW-23	03/21/16	3604.62	--	29.06	--	3575.56
MW-23	09/22/16	3604.62	--	29.53	--	3575.09
MW-23	03/22/17	3604.62	--	28.57	--	3576.05
MW-23	09/18/17	3604.62	--	28.90	--	3575.72
MW-23	03/21/18	3604.62	--	29.15	--	3575.47
MW-23	06/14/18	3604.62	--	29.58	--	3575.04
MW-23	09/18/18	3604.62	--	29.96	--	3574.66
MW-23	03/05/19	3604.62	--	30.06	--	3574.56
MW-23	06/04/19	3604.62	--	30.25	--	3574.37
MW-23	09/03/19	3604.62	--	30.50	--	3574.12
MW-23	12/06/19	3604.62	--	30.63	--	3573.99
MW-23	03/02/20	3604.62	--	30.79	--	3573.83
MW-23	06/18/20	3604.62	--	30.91	--	3573.71
MW-23	09/08/20	3604.62	--	DRY	--	DRY
MW-24	01/25/10	3608.89	--	30.11	--	3578.78
MW-24	04/26/10	3608.89	--	30.29	--	3578.60
MW-24	07/26/10	3608.89	--	30.08	--	3578.81
MW-24	10/25/10	3608.89	--	29.96	--	3578.93
MW-24	01/24/11	3608.89	--	30.24	--	3578.65
MW-24	04/18/11	3608.89	--	30.51	--	3578.38
MW-24	10/10/11	3608.89	--	30.92	--	3577.97
MW-24	05/30/12	3608.89	--	31.59	--	3577.30
MW-24	02/27/13	3608.89	--	32.23	--	3576.66
MW-24	07/23/13	3608.89	--	32.59	--	3576.30
MW-24	03/25/14	3608.89	--	33.12	--	3575.77
MW-24	07/29/14	3608.89	--	33.43	--	3575.46
MW-24	03/10/15	3608.89	--	33.35	--	3575.54
MW-24	07/27/15	3608.89	--	33.46	--	3575.43
MW-24	03/21/16	3608.89	--	33.10	--	3575.79
MW-24	09/22/16	3608.89	--	33.12	--	3575.77
MW-24	03/22/17	3608.89	--	32.47	--	3576.42
MW-24	09/18/17	3608.89	--	32.80	--	3576.09
MW-24	03/21/18	3608.89	--	33.05	--	3575.84
MW-24	06/14/18	3608.89	--	33.35	--	3575.54
MW-24	09/18/18	3608.89	--	33.64	--	3575.25
MW-24	03/05/19	3608.89	--	33.81	--	3575.08
MW-24	06/04/19	3608.89	--	33.85	--	3575.04
MW-24	09/03/19	3608.89	--	34.05	--	3574.84
MW-24	12/06/19	3608.89	--	34.18	--	3574.71
MW-24	03/02/20	3608.89	--	34.38	--	3574.51
MW-24	06/18/20	3608.89	--	34.41	--	3574.48
MW-24	09/08/20	3608.96	--	34.58	--	3574.38
MW-25	01/25/10	3609.81	--	31.00	--	3578.81
MW-25	04/26/10	3609.81	--	31.19	--	3578.62
MW-25	07/26/10	3609.81	--	30.96	--	3578.85
MW-25	10/25/10	3609.81	--	30.87	--	3578.94
MW-25	01/24/11	3609.81	--	31.14	--	3578.67

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-25	04/18/11	3609.81	--	31.40	--	3578.41
MW-25	10/10/11	3609.81	--	31.79	--	3578.02
MW-25	05/30/12	3609.81	--	32.43	--	3577.38
MW-25	02/27/13	3609.81	--	33.09	--	3576.72
MW-25	07/23/13	3609.81	--	33.42	--	3576.39
MW-25	03/25/14	3609.81	--	33.94	--	3575.87
MW-25	07/29/14	3609.81	--	34.25	--	3575.56
MW-25	03/10/15	3609.81	--	34.20	--	3575.61
MW-25	07/27/15	3609.81	--	34.30	--	3575.51
MW-25	03/21/16	3609.81	--	33.96	--	3575.85
MW-25	09/22/16	3609.81	--	34.00	--	3575.81
MW-25	03/22/17	3609.81	--	33.34	--	3576.47
MW-25	09/18/17	3609.81	--	33.69	--	3576.12
MW-25	03/21/18	3609.81	--	33.93	--	3575.88
MW-25	06/14/18	3609.81	--	34.23	--	3575.58
MW-25	09/18/18	3609.81	--	34.48	--	3575.33
MW-25	03/05/19	3609.81	--	34.65	--	3575.16
MW-25	06/04/19	3609.81	--	34.69	--	3575.12
MW-25	09/03/19	3609.81	--	34.86	--	3574.95
MW-25	12/06/19	3609.81	--	35.02	--	3574.79
MW-25	03/02/20	3609.81	--	35.10	--	3574.71
MW-25	06/18/20	3609.81	--	35.29	--	3574.52
MW-25	09/08/20	3609.81	--	35.44	--	3574.37
MW-26	01/25/10	3604.86	--	26.54	--	3578.32
MW-26	04/26/10	3604.86	--	26.71	--	3578.15
MW-26	07/26/10	3604.86	--	26.50	--	3578.36
MW-26	10/25/10	3604.86	--	26.19	--	3578.67
MW-26	01/24/11	3604.86	--	26.61	--	3578.25
MW-26	04/18/11	3604.86	--	26.94	--	3577.92
MW-26	10/10/11	3604.86	--	27.51	--	3577.35
MW-26	05/30/12	3604.86	--	28.32	--	3576.54
MW-26	02/27/13	3604.86	--	29.01	--	3575.85
MW-26	07/23/13	3604.86	--	29.43	--	3575.43
MW-26	03/25/14	3604.86	--	29.90	--	3574.96
MW-26	07/29/14	3604.86	--	30.31	--	3574.55
MW-26	03/10/15	3604.86	--	29.85	--	3575.01
MW-26	07/27/15	3604.86	--	29.90	--	3574.96
MW-26	03/21/16	3604.86	--	29.30	--	3575.56
MW-26	09/22/16	3604.86	--	29.60	--	3575.26
MW-26	03/22/17	3604.86	--	28.75	--	3576.11
MW-26	09/18/17	3604.86	--	29.11	--	3575.75
MW-26	03/21/18	3604.86	--	29.35	--	3575.51
MW-26	06/14/18	3604.86	--	29.70	--	3575.16
MW-26	09/18/18	3604.86	--	30.09	--	3574.77
MW-26	03/05/19	3604.86	--	30.24	--	3574.62
MW-26	06/04/19	3604.86	--	30.38	--	3574.48
MW-26	09/03/19	3604.86	--	30.67	--	3574.19
MW-26	12/06/19	3604.86	--	30.78	--	3574.08
MW-26	03/02/20	3604.86	--	30.95	--	3573.91
MW-26	06/18/20	3604.86	--	31.05	--	3573.81
MW-26	09/08/20	3604.86	--	31.26	--	3573.60
MW-27	01/25/10	3604.99	--	26.70	--	3578.29
MW-27	04/26/10	3604.99	--	26.87	--	3578.12
MW-27	07/26/10	3604.99	--	26.66	--	3578.33
MW-27	10/25/10	3604.99	--	26.35	--	3578.64
MW-27	01/24/11	3604.99	--	26.77	--	3578.22

Table 1

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-27	04/18/11	3604.99	--	27.10	--	3577.89
MW-27	10/10/11	3604.99	--	27.67	--	3577.32
MW-27	05/30/12	3604.99	--	28.46	--	3576.53
MW-27	02/27/13	3604.99	--	29.11	--	3575.88
MW-27	07/23/13	3604.99	--	29.55	--	3575.44
MW-27	03/25/14	3604.99	--	30.02	--	3574.97
MW-27	07/29/14	3604.99	--	30.40	--	3574.59
MW-27	03/10/15	3604.99	--	29.97	--	3575.02
MW-27	07/27/15	3604.99	--	30.01	--	3574.98
MW-27	03/21/16	3604.99	--	29.45	--	3575.54
MW-27	09/22/16	3604.99	--	30.74	--	3574.25
MW-27	03/22/17	3604.99	--	28.87	--	3576.12
MW-27	09/18/17	3604.99	--	29.30	--	3575.69
MW-27	03/21/18	3604.99	--	29.52	--	3575.47
MW-27	06/14/18	3604.99	--	29.86	--	3575.13
MW-27	07/16/18	3604.99	--	30.12	--	3574.87
MW-27	09/18/18	3604.99	--	30.28	--	3574.71
MW-27	03/05/19	3604.99	--	30.41	--	3574.58
MW-27	06/04/19	3604.99	--	30.53	--	3574.46
MW-27	09/03/19	3604.99	--	30.79	--	3574.20
MW-27	12/06/19	3604.99	--	30.92	--	3574.07
MW-27	03/02/20	3604.99	--	31.04	--	3573.95
MW-27	06/18/20	3604.99	--	31.19	--	3573.80
MW-27	09/08/20	3604.99	--	31.44	--	3573.55
SVE-10	06/15/02	3605.12	--	25.24	--	3579.88
SVE-10	11/04/02	3605.12	--	25.43	--	3579.69
SVE-10	11/05/02	3605.12	--	25.44	--	3579.68
SVE-10	11/22/02	3605.12	--	25.58	--	3579.54
SVE-10	11/29/02	3605.12	--	25.63	--	3579.49
SVE-10	12/16/02	3605.12	--	25.68	--	3579.44
SVE-10	01/22/03	3605.12	--	25.70	--	3579.42
SVE-10	02/08/03	3605.12	--	25.73	--	3579.39
SVE-10	02/14/03	3605.12	--	25.70	--	3579.42
SVE-10	02/24/03	3605.12	--	25.73	--	3579.39
SVE-10	04/07/03	3605.12	--	25.93	--	3579.19
SVE-10	04/24/03	3605.12	--	25.84	--	3579.28
SVE-10	07/15/03	3605.12	--	25.86	--	3579.26
SVE-10	08/02/03	3605.12	--	25.93	--	3579.19
SVE-10	10/15/03	3605.12	--	25.94	--	3579.18
SVE-10	01/19/04	3605.12	--	26.79	--	3578.33
SVE-10	04/19/04	3605.12	--	26.62	--	3578.50
SVE-10	07/20/04	3605.12	--	26.86	--	3578.26
SVE-10	10/25/04	3605.12	--	25.22	--	3579.90
SVE-10	01/24/05	3605.12	--	24.01	--	3581.11
SVE-10	04/18/05	3605.12	--	23.79	--	3581.33
SVE-10	07/18/05	3605.12	--	23.91	--	3581.21
SVE-10	10/17/05	3605.12	--	23.89	--	3581.23
SVE-10	01/23/06	3605.12	--	24.11	--	3581.01
SVE-10	04/24/06	3605.12	--	24.50	--	3580.62
SVE-10	07/24/06	3605.12	--	24.87	--	3580.25
SVE-10	10/23/06	3605.12	--	24.76	--	3580.36
SVE-10	01/23/07	3605.12	--	24.84	--	3580.28
SVE-10	04/23/07	3605.12	--	25.11	--	3580.01
SVE-10	07/23/07	3605.12	--	25.24	--	3579.88
SVE-10	10/22/07	3605.12	--	25.27	--	3579.85
SVE-10	01/28/08	3605.12	--	25.34	--	3579.78
SVE-10	04/21/08	3605.12	--	25.56	--	3579.56

Groundwater Elevation Data
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-btoc)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
SVE-10	07/21/08	3605.12	--	25.87	--	3579.25
SVE-10	10/20/08	3605.12	--	26.10	--	3579.02
SVE-10	01/19/09	3605.12	--	26.20	--	3578.92
SVE-10	04/20/09	3605.12	--	26.44	--	3578.68
SVE-10	07/27/09	3605.12	--	26.70	--	3578.42
SVE-10	10/26/09	3605.12	--	26.83	--	3578.29
SVE-10	01/25/10	3605.12	--	27.10	--	3578.02
SVE-10	04/26/10	3605.12	--	27.26	--	3577.86
SVE-10	07/26/10	3605.12	--	27.03	--	3578.09
SVE-10	10/25/10	3605.12	--	26.82	--	3578.30
SVE-10	01/24/11	3605.12	--	27.19	--	3577.93
SVE-10	04/18/11	3605.12	--	27.47	--	3577.65
SVE-10	10/10/11	3605.12	--	27.95	--	3577.17
SVE-10	05/30/12	3605.12	--	28.47	--	3576.65
SVE-10	02/27/13	3605.12	--	DRY	--	DRY
SVE-10	07/23/13	3605.12	--	DRY	--	DRY
SVE-10	03/25/14	3605.12	--	DRY	--	DRY
SVE-10	07/29/14	3605.12	--	28.47	--	3576.65
SVE-10	03/10/15	3605.12	--	DRY	--	DRY
SVE-10	07/27/15	3605.12	--	28.60	--	3576.52
SVE-10	03/21/16	3605.12	--	28.50	--	3576.62
SVE-10	09/22/16	3605.12	--	30.32	--	3574.80
SVE-10	03/22/17	3605.12	--	28.52	--	3576.60
SVE-10	09/18/17	3605.12	--	DRY	--	DRY
SVE-10	03/21/18	3605.12	--	28.55	--	3576.57
SVE-10	06/14/18	3605.12	--	DRY	--	DRY
SVE-10	09/18/18	3605.12	--	DRY	--	DRY
SVE-10	03/05/19	3605.12	--	DRY	--	DRY
SVE-10	06/04/19	3605.12	--	DRY	--	DRY
SVE-10	09/03/19	3605.12	--	DRY	--	DRY
SVE-10	12/06/19	3605.12	--	DRY	--	DRY
SVE-10	03/02/20	3606.12	--	DRY	--	DRY
SVE-10	06/18/20	3606.12	--	DRY	--	DRY
SVE-10	09/08/20	3606.12	--	DRY	--	DRY

Notes:

1. ft-amsl = feet - above mean sea level
2. LNAPL = Light Non-Aqueous Phase Liquid
3. ft-btoc = feet below top of casing
4. ft = feet
5. -- = not detected
5. DRY = well dry upon gauging
6. Corrected Groundwater Elevation = Top of Casing - (Depth To Water - (0.78 x LNAPL Thickness))

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-1	3/22/18	4.210	0.05	0.28	0.77	<250.0	17.5
MW-1	09/19/18	0.198	0.02	0.01	0.05	<2.5	14.6
MW-1	03/07/19	0.585	0.44	0.05	0.15	5	12.0
MW-1	06/06/19	0.441	0.46	0.06	0.21	4	15.2
MW-1 Duplicate	06/06/19	0.431	0.44	0.06	0.20	4	11.7
MW-1	09/04/19	0.166	0.18	0.03	0.11	2	9.4
MW-1 Duplicate	09/04/19	0.162	0.18	0.03	0.11	2	9.3
MW-1	12/05/19	0.140	0.13	0.02	0.09	2	12.5
MW-1 Duplicate	12/05/19	0.156	0.13	0.03	0.10	2	14.0
MW-1	03/05/20	0.046	0.06	0.01	0.06	<2.5	6.3
MW-1 Duplicate	03/05/20	0.073	0.11	0.03	0.11	2	13.7
MW-1	09/10/20	0.063	0.056	0.01	0.049	0.65	8.7
MW-1 Duplicate	09/10/20	0.051	0.046	0.05	0.009	0.54	0.7
MW-2	07/29/09	15.0	2.0	0.640	1.54	62.0	10.0
MW-2	10/28/09	9.80	0.82	0.420	0.93	36.0	2.6
MW-2	01/27/10	0.001	0.001	0.011	0.001	0.71	2.2
MW-2	03/27/17	1.0	0.14	0.160	0.220	6.80	1.3
MW-2	09/19/17	NS/LNAPL	NS/LNAPL	NS/LNAPL	NS/LNAPL	NS/LNAPL	NS/LNAPL
MW-2	09/19/18	0.0427	0.030	0.082	0.163	1.850	4.5
MW-2	03/07/19	0.0364	0.008	0.065	0.101	2.240	5.9
MW-2	06/06/19	0.0207	0.002	0.028	0.046	1.260	1.7
MW-2	09/04/19	0.0255	0.003	0.039	0.075	1.220	1.9
MW-2	12/05/19	0.0208	0.001	0.011	0.021	1.310	2.7
MW-2 Duplicate	12/05/19	0.0209	0.001	0.012	0.021	1.220	2.4
MW-2	03/05/20	0.0092	<0.0010	0.006	0.012	0.750	1.3
MW-2	09/10/20	0.0540	0.005	0.012	0.024	0.670	1.7
MW-3	01/23/03	1.44	0.019	0.030	0.079	5.56	13.6
MW-3	04/24/08	13.0	0.540	0.660	1.44	120	13
MW-3	07/25/08	10.0	0.130	0.460	0.85	59	22
MW-3	10/22/08	15.0	0.270	0.490	1.10	NA	2.3
MW-3	07/29/09	9.20	0.080	0.330	0.70	33	3.7
MW-3	10/28/09	6.40	0.026	0.270	0.59	22	3.9
MW-3	01/27/10	7.70	0.022	0.310	0.38	48	2.6
MW-3	04/28/10	6.30	0.053	0.350	0.71	26	8.0
MW-3	05/31/12	2.54	<0.025	0.158	0.307	13	18.1
MW-3	03/12/15	0.247	<0.001	0.129	0.0299	2.2	66.2
MW-3 Duplicate	03/12/15	0.331	0.0011	0.142	0.0539	3.1	57.0
MW-3	07/29/15	0.431	0.217	<0.005	0.243	6.9	20.9
MW-3 Duplicate	07/29/15	0.525	0.28	<0.005	0.403	10.1	3.0
MW-3	03/22/16	0.161	0.182	<0.005	0.0795	2.9	5.5
MW-3	03/24/17	0.0068	0.00018J	0.0082	0.0063	0.56	5.9
MW-3	09/19/17	0.011	0.00029J	0.024	0.019	1.1	7.7
MW-3 Duplicate	09/19/17	0.016	0.00023J	0.065	0.060	2.1	63.3
MW-3	03/22/18	0.0053	<0.005	0.038	0.032	7.8	39.3
MW-3	09/19/18	<0.005	<0.005	0.034	0.056	<2.5	34.8
MW-3	03/07/19	0.002	0.000	0.014	0.027	0.8	6.0
MW-3	06/06/19	0.006	<0.001	0.012	0.025	<0.50	7.1
MW-3	09/04/19	0.008	<0.001	0.009	0.019	0.5	3.9
MW-3	12/05/19	<0.001	<0.001	0.001	0.002	0.1	0.9
MW-3	03/05/20	0.004	<0.0010	0.003	0.005	<0.50	1.8
MW-3	09/10/20	0.0089	0.001	0.003	0.005	<0.5	2.0
MW-3 Duplicate	09/10/20	0.0088	<0.0010	0.002	0.004	<0.5	9.4

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-4	01/13/00	<0.5	<0.5	<0.5	<0.5	<0.002	<0.002
MW-4	04/06/00	0.019	0.001	0.001	0.003	<0.001	<0.001
MW-4	08/02/00	0.002	<0.5	<0.5	<0.002	<0.98	<0.98
MW-4	11/15/00	0.024	0.001	0.001	<0.002	0.52	<0.50
MW-4	03/06/01	0.110	0.002	0.009	0.016	1.7	<0.55
MW-4	06/25/01	0.066	0.001	0.001	<0.002	0.83	<0.59
MW-4	09/26/01	0.080	0.001	0.004	0.006	0.55	<0.50
MW-4	12/12/01	0.039	0.002	<0.0010	<0.0010	0.369	<0.101
MW-4	05/21/02	0.078	0.008	0.002	0.006	0.567	<0.103
MW-4	10/16/02	0.045	<0.001	0.003	0.005	0.177	<0.102
MW-4	01/23/03	0.268	0.160	0.008	0.089	1.58	0.141
MW-4	04/25/03	0.589	0.372	0.016	0.114	2.4	0.159
MW-4	07/14/03	0.055	0.046	0.005	0.011	0.405	<0.10
MW-4	10/17/03	0.007	0.003	<0.001	<0.003	<0.10	0.59
MW-4	01/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-4	04/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-4	07/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-4	10/28/04	0.002	<0.001	<0.001	<0.003	<0.10	0.19
MW-4	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.19
MW-4	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-4	07/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.31
MW-4	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.093
MW-4	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.23
MW-4	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.073
MW-4	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.34
MW-4	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.16
MW-4	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.15
MW-4	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.058
MW-4	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.26
MW-4	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.051
MW-4	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-4	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-4	07/24/08	<0.001	0.001	<0.001	<0.001	<0.10	<0.10
MW-4	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-4	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.062
MW-4	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-4	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-4	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-4	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.17
MW-4	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.072
MW-4	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-4	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-4	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-4	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-4	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-4	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-4	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-4	09/22/16	<0.001	<0.001	<0.001	<0.003	0.024J	0.46
MW-4	03/27/17	<0.001	0.00076J	<0.001	<0.003	0.022J	<0.45
MW-5	01/13/00	<0.5	<0.5	<0.5	<0.5	<0.0020	<0.0020
MW-5	04/06/00	<0.5	<0.5	<0.5	<0.002	<0.001	<0.001
MW-5	08/02/00	<0.5	<0.5	<0.5	<0.002	<0.99	<0.99
MW-5	11/15/00	0.001	0.001	<0.5	<0.002	0.26	0.92
MW-5	03/06/01	0.008	0.007	0.001	<0.002	0.66	<0.54
MW-5	06/25/01	0.019	0.026	0.002	<0.002	0.87	<0.53
MW-5	09/26/01	0.085	0.046	0.003	0.018	0.76	<0.50
MW-5	12/12/01	0.164	0.106	0.007	0.050	1.42	<0.101
MW-5	05/21/02	0.146	0.119	0.011	0.032	1.23	<0.101

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-5	10/16/02	0.273	0.179	<0.010	0.042	1.60	0.188
MW-5	01/23/03	1.98	1.48	0.068	0.594	10	0.548
MW-5	04/25/03	1.19	0.863	0.058	0.318	6.37	0.256
MW-5	07/14/03	0.119	0.123	0.013	0.042	0.842	<0.10
MW-5	10/17/03	0.022	0.022	0.003	0.010	<0.10	0.99
MW-5	01/22/04	0.032	0.012	0.001	<0.003	0.16	<0.048
MW-5	04/22/04	0.020	0.023	0.002	0.004	0.32	<0.20
MW-5 Duplicate	04/22/04	0.021	0.027	0.002	0.006	0.37	<0.20
MW-5	07/23/04	0.011	0.010	0.001	<0.003	0.13	<0.048
MW-5	10/28/04	0.028	0.029	0.002	0.008	0.20	0.077
MW-5	01/26/05	0.009	0.009	0.002	0.005	<0.10	0.069
MW-5 Duplicate	01/26/05	0.009	0.009	0.002	0.005	<0.10	0.098
MW-5	04/20/05	0.079	0.036	<0.001	0.043	0.42	0.064
MW-5	07/20/05	0.005	0.004	<0.001	<0.003	<0.10	0.083
MW-5	10/19/05	0.014	0.010	<0.001	0.011	<0.10	0.089
MW-5	01/25/06	0.002	0.003	<0.001	<0.003	<0.10	0.53
MW-5	04/26/06	<0.001	0.001	<0.001	<0.003	<0.10	0.11
MW-5	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.19
MW-5	10/25/06	<0.001	0.001	<0.001	<0.003	<0.10	0.08
MW-5	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.15
MW-5	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.23
MW-5	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.34
MW-5	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.33
MW-5	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	0.11
MW-5	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-5	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-5	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	2.4
MW-5	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-5	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-5	07/29/09	0.007	0.006	<0.001	0.049	0.29	0.34
MW-5	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.065
MW-5	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.15
MW-5	04/27/10	<0.001	0.001	<0.001	<0.001	<0.10	0.078
MW-5	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-5	10/26/10	<0.001	<0.001	<0.001	0.004	<0.10	<0.05
MW-5	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-5	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-5	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-5	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-5	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-5 Duplicate	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-5	03/27/17	<0.001	0.00023J	<0.001	<0.003	0.011J	<0.50
MW-6	01/13/00	3.30	2.00	0.240	0.580	<0.002	<0.002
MW-6	04/06/00	3.90	1.10	0.270	0.540	<0.001	<0.001
MW-6	07/20/05	2.00	0.92	0.340	0.870	12	3.0
MW-6	10/20/05	1.70	1.10	0.300	0.940	1.7	5.9
MW-6	01/26/06	2.00	0.77	0.25	0.70	16	5.8
MW-6	07/27/06	1.90	0.25	0.28	0.38	11	22
MW-6	10/26/06	1.60	0.81	0.36	0.69	14	15
MW-6	01/26/07	1.10	0.75	0.28	0.50	14	29
MW-6	04/26/07	1.50	1.20	0.31	0.66	15	6.7
MW-6	07/25/07	0.69	0.36	0.17	0.25	6.6	4.6
MW-6	10/25/07	0.55	0.39	0.15	0.18	4.5	4.4
MW-6 Duplicate	10/25/07	0.93	0.84	0.22	0.38	8.5	21.0
MW-6	01/31/08	1.20	1.20	0.31	0.52	11	8.9
MW-6 Duplicate	01/31/08	1.20	1.10	0.30	0.55	12	9.1
MW-6	04/24/08	1.50	1.50	0.41	0.84	20	13
MW-6	07/25/08	0.72	0.69	0.25	0.41	8.4	17
MW-6	10/22/08	0.55	0.30	0.24	0.261	NA	0.56
MW-6	01/21/09	0.35	0.27	0.20	0.247	4.2	4.1

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-6	04/22/09	0.34	0.28	0.18	0.275	11	5.8
MW-6	07/29/09	0.18	0.21	0.18	0.247	4.2	2.2
MW-6	10/28/09	0.20	0.13	0.29	0.31	6.9	5.1
MW-6	01/27/10	0.098	0.050	0.18	0.164	4.2	3
MW-6	04/28/10	0.047	0.017	0.12	0.071	2.7	0.72
MW-6	07/28/10	0.040	0.014	0.18	0.102	3.1	2.9
MW-6	10/27/10	0.020	0.003	0.13	0.022	2.8	1.0
MW-6	01/26/11	0.027	0.003	0.13	0.009	2.4	12
MW-6	10/13/11	0.003	<0.001	0.039	<0.003	<0.5	1.4
MW-6	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.5	1.5
MW-6	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	0.76
MW-6	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	3.5
MW-6	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	1.2
MW-6	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-6	03/12/15	<0.001	<0.001	<0.001	<0.003	<0.50	4.0
MW-6	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	2.2
MW-6	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	0.71
MW-6	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	0.54
MW-6	03/27/17	<0.001	0.00070J	<0.001	<0.003	<0.50	<0.56
MW-6	09/19/17	0.00016J	<0.001	0.00019J	<0.003	0.034J	0.84
MW-6	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.47
MW-6	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-6	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.48
MW-6	06/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-6	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	7.40
MW-6	12/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	1.20
MW-6	03/05/20	<0.001	<0.001	<0.001	<0.003	<0.50	1.70
MW-6	09/10/20	<0.001	<0.0010	<0.001	<0.003	<0.5	<0.45
MW-7	05/31/12	9.75	<0.1	0.635	1.64	988.0	37.8
MW-7	02/28/13	6.49	<0.10	0.333	0.326	24.6	21.4
MW-7	07/29/13	4.13	<0.01	0.493	<0.03	21.0	118
MW-7	03/24/17	0.75	<0.02	0.094	<0.06	3.2J	59.8
MW-8	01/13/00	<0.5	<0.5	<0.5	<0.5	<0.002	<0.002
MW-8	04/06/00	<0.5	<0.5	<0.5	<0.002	<0.001	<0.001
MW-8	08/02/00	<0.5	<0.5	<0.5	<0.002	<0.94	<0.94
MW-8	11/15/00	<0.5	<0.5	<0.5	<0.002	<0.001	0.86
MW-8	03/06/01	<0.5	<0.5	<0.5	<0.002	<0.001	<0.54
MW-8	06/25/01	<0.5	<0.5	<0.5	<0.002	<0.10	<0.55
MW-8	09/26/01	0.054	0.001	<0.5	0.002	0.24	<0.50
MW-8	12/12/01	0.593	0.018	0.009	0.048	1.56	0.107
MW-8	05/21/02	0.912	0.057	0.050	0.092	2.90	<0.101
MW-8	10/16/02	NA	NA	NA	NA	NA	0.269
MW-8	01/22/03	2.52	0.406	0.252	0.398	10.5	1.73
MW-8	01/31/08	2.30	0.270	0.340	0.890	30	130
MW-8	05/31/12	4.61	<0.1	0.152	<0.3	7	165
MW-8	02/28/13	1.92	0.0227	0.0746	0.0819	8.7	8
MW-8	07/29/13	1.30	<0.01	0.0609	<0.03	5.5	9.6
MW-8	03/26/14	1.88	<0.01	0.0612	<0.03	8.9	<0.50
MW-8	07/30/14	0.955	0.0514	<0.01	<0.03	2.7	<0.50
MW-8	03/11/15	0.0249	<0.001	0.0066	<0.003	2.4	2.3
MW-8 Duplicate	03/11/15	0.0179	<0.001	0.0050	<0.003	1.9	9.8
MW-8	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	1.5
MW-8	03/22/16	<0.001	<0.001	<0.001	<0.003	0.57	7.0
MW-8	09/22/16	0.000074J	<0.001	0.00019J	<0.003	0.25J	2.6
MW-8	03/27/17	<0.001	0.0012	<0.001	<0.003	0.37J	1.1
MW-8	09/19/17	0.00032J	0.00024J	<0.001	<0.003	0.043J	0.70
MW-8	03/22/18	<0.001	<0.001	<0.001	<0.003	0.58	14.20

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-8	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	2.3
MW-8	06/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	2.7
MW-8	03/07/19	0.0003	<0.001	<0.001	<0.003	0.16	2.6
MW-8	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	6.3
MW-8	12/06/19	<0.001	<0.001	<0.001	<0.003	0.45	1.2
MW-8	03/05/20	0.0021	<0.0010	0.009	0.007	3.40	37.2
MW-8	09/10/20	0.0012	<0.0010	0.001	<0.0030	1.40	35.1
MW-9	04/24/08	21.0	0.940	0.57	1.38	79	25
MW-9	03/24/17	8.7	<0.01	0.45	0.84	41.6	10.5
MW-9 Duplicate	03/24/17	10.2	<0.020	0.47	0.86	41.5	10.6
MW-9	03/22/18	7.48	<0.010	0.252	0.543	7.71	17.0
MW-9 Duplicate	03/22/18	7.42	<0.025	<0.025	0.545	<12.5	17.3
MW-9	09/19/18	0.0522	<0.001	0.0035	0.0094	1.22	9.6
MW-9 Duplicate	09/19/18	0.1450	<0.001	0.0097	0.0222	<2.5	9.2
MW-9	03/07/19	0.3870	0.001	0.0089	0.0156	2	7.2
MW-9	06/06/19	0.0228	<0.001	0.0017	0.0030	<0.50	4.7
MW-9	09/04/19	0.0105	<0.001	<0.001	<0.003	<0.50	4.7
MW-10	01/13/00	4.10	0.490	0.440	0.720	<0.002	<0.002
MW-10	04/06/00	0.40	0.053	0.066	0.098	<0.001	<0.001
MW-10	08/02/00	0.22	0.012	0.027	0.055	<1.10	<1.10
MW-10	05/31/12	7.43	<0.1	<0.1	<0.3	<50	20
MW-10	02/28/13	3.18	<0.05	<0.05	<0.15	8.6	3.1
MW-10	07/29/13	3.63	<0.02	0.0385	0.0601	11.6	2.0
MW-10	03/12/15	7.57	<0.020	0.128	<0.060	21.1	2.0
MW-10	03/22/16	4.160	<0.050	<0.050	<0.150	14.4 J	4.8
MW-10	09/22/16	0.00078J	<0.001	0.00019J	<0.003	0.20J	1.1
MW-10	03/24/17	1.5	0.0012	0.0032	<0.003	7.6	2.3
MW-10	09/19/17	1.7	<0.001	0.0032J	<0.003	8.8	11.7
MW-11	04/06/00	4.10	2.40	0.29	0.420	1.60	1.60
MW-11	08/02/00	3.90	2.10	0.26	0.510	2.50	2.50
MW-11	11/15/00	4.80	2.50	0.22	0.350	30	<0.53
MW-11	03/06/01	5.30	3.40	0.34	0.580	41	0.59
MW-11	06/25/01	5.10	3.70	0.34	<0.040	49	0.87
MW-11	04/24/08	7.40	0.360	0.68	1.80	34	28
MW-11	07/25/08	7.60	0.460	0.99	2.45	36	20
MW-11	10/22/08	8.60	0.460	1.00	2.70	NA	6.1
MW-11	01/21/09	6.60	0.210	0.72	1.91	28	6.8
MW-11	07/29/09	5.90	0.080	0.77	2.02	39	7.1
MW-11	10/28/09	5.20	0.043	0.88	2.41	29	8.6
MW-11	01/27/10	5.60	0.076	0.97	2.48	67	10
MW-11	07/28/10	3.80	1.50	0.70	1.67	29	10
MW-12	04/06/00	2.00	0.200	0.110	0.200	<1.20	<1.20
MW-12	08/02/00	2.90	0.022	0.097	0.160	<0.97	<0.97
MW-12	11/15/00	4.10	0.087	0.170	0.220	21	1.40
MW-12	03/06/01	4.30	0.120	0.210	0.290	24	<0.56
MW-12	06/25/01	4.10	0.120	0.220	<0.040	30	1.10
MW-12	09/26/01	3.30	0.120	0.150	0.200	19	0.85
MW-12	12/12/01	3.52	0.290	0.258	0.376	18.5	0.285
MW-12	05/21/02	4.04	0.265	0.195	0.284	16.4	0.104
MW-12	10/16/02	NA	NA	NA	NA	NA	0.351
MW-12	01/23/03	3.61	0.346	0.261	0.437	20.1	0.442
MW-12	04/25/03	3.51	0.202	0.078	0.437	13.2	0.594
MW-12	07/14/03	3.90	0.316	0.357	0.575	17.1	0.598
MW-12	10/20/03	1.90	0.030	0.130	0.220	6.40	0.23
MW-12	01/21/04	2.70	0.130	0.300	0.450	12	0.25

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-12	04/21/04	2.90	<0.010	0.095	0.150	11	<0.20
MW-12	07/23/04	3.20	<0.010	0.066	0.160	12	0.33
MW-12 Duplicate	07/23/04	3.30	<0.010	0.071	0.160	12	0.33
MW-12	10/28/04	3.20	0.016	0.046	0.140	14	0.52
MW-12	01/27/05	4.00	<0.020	0.066	0.130	15	1.20
MW-12 Duplicate	01/27/05	3.90	<0.020	0.067	0.130	15	1.30
MW-12	04/21/05	2.70	0.041	0.120	0.140	12	1.20
MW-12 Duplicate	04/21/05	2.60	0.038	0.110	0.140	12	1.00
MW-12	07/21/05	3.00	0.051	0.160	0.170	13	0.85
MW-12 Duplicate	07/21/05	2.80	0.054	0.150	0.160	13	0.73
MW-12	10/20/05	2.30	<0.001	0.095	0.170	15	1.0
MW-12 Duplicate	10/20/05	2.10	0.021	0.100	0.160	13	0.95
MW-12	01/26/06	2.80	<0.001	0.059	0.140	14	0.89
MW-12 Duplicate	01/26/06	2.90	0.013	0.160	0.150	14	0.43
MW-12	04/27/06	2.70	<0.001	0.130	0.120	12	0.84
MW-12 Duplicate	04/27/06	2.90	<0.001	0.120	0.130	13	1.00
MW-12	07/27/06	3.60	<0.001	0.150	0.160	15	1.00
MW-12 Duplicate	07/27/06	3.70	<0.001	0.150	0.160	15	1.30
MW-12	10/26/06	3.40	<0.001	0.120	0.170	13	0.64
MW-12 Duplicate	10/26/06	3.40	<0.001	0.190	0.180	14	0.92
MW-12	01/26/07	3.00	<0.001	0.160	0.160	14	1.00
MW-12 Duplicate	01/26/07	3.20	<0.001	0.150	0.170	15	1.30
MW-12	04/26/07	3.20	<0.001	0.230	0.200	14	0.58
MW-12 Duplicate	04/26/07	3.10	<0.001	0.200	0.200	14	0.60
MW-12	07/25/07	3.00	<0.001	0.110	0.140	14	0.86
MW-12 Duplicate	07/25/07	3.50	0.004	0.210	0.220	15	1.7
MW-12	10/25/07	2.70	<0.001	0.096	0.140	12	0.60
MW-12 Duplicate	10/25/07	2.90	<0.001	0.180	0.180	14	0.95
MW-12	01/31/08	2.80	<0.001	0.200	0.180	12	0.63
MW-12 Duplicate	01/31/08	3.10	<0.001	0.280	0.255	13	0.67
MW-12	04/24/08	3.40	<0.010	0.240	0.225	15	<0.10
MW-12 Duplicate	04/24/08	2.90	<0.010	0.220	0.201	13	0.75
MW-12	07/25/08	2.70	<0.0025	0.130	0.100	8.9	0.53
MW-12 Duplicate	07/25/08	2.50	<0.0025	0.120	0.090	8.7	0.47
MW-12	10/22/08	5.00	0.007	0.350	0.300	NA	0.52
MW-12 Duplicate	10/22/08	4.60	0.007	0.340	0.287	NA	0.41
MW-12	01/21/09	3.50	<0.010	0.220	0.193	14	0.48
MW-12 Duplicate	01/21/09	3.00	<0.0020	0.240	0.180	14	0.47
MW-12	04/22/09	3.60	0.002	0.190	0.181	11	0.15
MW-12 Duplicate	04/22/09	3.90	0.001	0.230	0.221	14	0.28
MW-12	07/29/09	4.10	0.002	0.180	0.206	16	0.37
MW-12 Duplicate	07/29/09	4.30	0.002	0.200	0.220	17	0.28
MW-12	10/28/09	4.50	0.002	0.180	0.209	17	0.42
MW-12 Duplicate	10/28/09	4.30	0.003	0.210	0.260	18	0.47
MW-12	01/27/10	4.50	0.002	0.170	0.174	18	0.45
MW-12 Duplicate	01/27/10	4.20	0.002	0.140	0.176	16	0.46
MW-12	04/28/10	4.40	<0.010	0.140	0.190	15	0.47
MW-12 Duplicate	04/28/10	4.40	<0.010	0.150	0.200	15	0.46
MW-12	07/28/10	5.50	<0.005	0.120	0.180	19	0.56
MW-12 Duplicate	07/28/10	5.50	<0.025	0.140	0.190	20	0.52
MW-12	10/27/10	5.30	<0.010	0.140	0.190	16	0.48
MW-12 Duplicate	10/27/10	4.90	<0.010	0.150	0.210	15	0.56
MW-12	01/26/11	4.00	<0.010	0.140	0.160	14	1.0
MW-12 Duplicate	01/26/11	4.90	<0.010	0.110	0.130	16	0.89
MW-12	10/13/11	7.27	<0.001	0.030	0.041	32	0.52
MW-12	05/31/12	9.48	<0.1	0.149	0.365	15	0.56
MW-12	02/28/13	9.10	<0.10	<0.10	<0.30	33.0	0.58
MW-12	07/29/13	4.51	<0.01	0.010	0.163	18.0	<0.50
MW-12	03/26/14	3.67	<0.025	<0.025	<0.075	14.0	<0.50

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-12	07/30/14	2.6	<0.025	<0.025	<0.075	6.7	0.54
MW-12	03/11/15	1.24	<0.025	<0.025	<0.075	5.3	1.1
MW-12	07/29/15	0.229	<0.005	<0.005	<0.015	1.2	0.83
MW-12	03/22/16	0.004	<0.001	<0.001	<0.003	0.56	<0.45
MW-12	09/22/16	0.0017	<0.001	<0.001	<0.003	0.29J	0.82J
MW-12	03/24/07	0.0087	0.00097J	<0.001	<0.003	0.18J	0.66
MW-12	09/19/17	0.0010	<0.001	<0.001	<0.003	0.080J	0.32J
MW-12	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-12	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.500	0.8
MW-12	03/07/19	0.0004	<0.001	<0.001	<0.003	<0.50	1.3
MW-12	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-12	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.8
MW-12	12/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.9
MW-12	03/03/20	<0.001	<0.001	<0.001	<0.003	<0.5	0.7
MW-12	09/09/20	<0.001	<0.001	<0.001	<0.003	<0.5	<0.45
MW-13	06/02/00	<0.5	<0.5	<0.5	<0.002	<0.001	<0.001
MW-13	08/02/00	<0.5	<0.5	<0.5	<0.002	<0.99	<0.99
MW-13	11/15/00	<0.5	<0.5	<0.5	<0.002	<0.10	1.10
MW-13	03/06/01	<0.5	<0.5	<0.5	<0.002	<0.10	0.50
MW-13	06/25/01	0.480	0.001	<0.5	<0.002	2	<0.53
MW-13	09/26/01	<0.5	<0.5	<0.5	<0.002	<0.10	<0.51
MW-13	12/12/01	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	0.132
MW-13	05/21/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-13	10/16/02	NA	NA	NA	NA	NA	<0.102
MW-13	01/22/03	<1	<1	<1	<1	<0.10	<0.105
MW-13	04/24/03	<1	<1	<1	<1	<0.10	<0.105
MW-13	07/14/03	<0.0010	<0.001	<0.001	<0.001	<0.10	0.112
MW-13	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.26
MW-13	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-13	07/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	10/27/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	07/21/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	10/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.062
MW-13	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.087
MW-13	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.077
MW-13	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-13	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.120
MW-13	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.10
MW-13	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.096
MW-13	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.086
MW-13	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-13	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-13	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-13	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-13	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.05
MW-13	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	01/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	04/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-13	01/26/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.20
MW-13	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-13	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-13	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-13	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-13 Duplicate	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-13	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-13	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-13	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-13	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-13	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-13	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	0.30J
MW-13	03/24/17	0.00020J	<0.001	<0.001	<0.003	<0.50	<0.45
MW-13	09/19/17	0.000072J	0.00020J	<0.001	<0.003	0.016J	0.25J
MW-13	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.46
MW-13	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-13	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	0
MW-13	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	1
MW-13	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-13	12/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	0
MW-13	03/03/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-14	06/02/00	0.370	0.005	0.002	0.011	<0.001	<0.001
MW-14	08/02/00	0.760	0.002	0.003	0.013	<0.001	<0.001
MW-14	11/15/00	0.840	0.001	<0.5	0.011	2.6	1.5
MW-14	03/06/01	0.730	<0.0025	<0.0025	0.011	2.8	<0.56
MW-14	06/25/01	0.340	0.001	<0.5	<0.002	1.4	NS
MW-14	09/26/01	0.370	<0.001	<0.001	<4.0	0.96	<0.50
MW-14	12/12/01	0.393	<0.010	<0.010	<0.010	0.89	0.148
MW-14	05/21/02	0.042	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-14	10/16/02	0.228	<0.0010	<0.0010	<0.0010	0.629	0.206
MW-14	01/23/03	0.130	<0.0010	<0.0010	<0.0010	0.375	0.108
MW-14	04/25/03	0.025	<0.0010	<0.0010	<0.0010	0.10	0.104
MW-14	07/14/03	0.057	<0.001	<0.001	<0.001	0.264	0.215
MW-14	10/20/03	<0.001	<0.001	<0.001	<0.003	0.11	0.14
MW-14	01/21/04	0.034	<0.001	<0.001	<0.003	0.18	0.12
MW-14	04/21/04	0.005	<0.001	<0.001	<0.003	<0.10	<0.20
MW-14	07/22/04	0.004	<0.001	<0.001	<0.003	<0.10	0.059
MW-14	10/28/04	0.002	<0.001	<0.001	<0.003	<0.10	<0.048
MW-14	01/26/05	0.006	<0.001	<0.001	<0.003	<0.10	<0.048
MW-14	04/20/05	0.004	<0.001	<0.001	<0.003	<0.10	0.086
MW-14	07/21/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.058
MW-14	10/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.073
MW-14	01/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.33
MW-14	04/27/06	<0.001	<0.001	0.001	<0.003	<0.10	0.055
MW-14	07/27/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.077
MW-14	10/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-14	01/25/07	<0.001	<0.001	<0.001	<0.003	0.11	0.18
MW-14	04/26/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.13
MW-14	07/25/07	<0.001	<0.001	<0.001	<0.003	0.10	0.20
MW-14	10/25/07	<0.001	<0.001	<0.001	<0.003	0.12	0.098
MW-14	01/30/08	<0.001	<0.001	<0.001	<0.003	0.11	0.12
MW-14	04/23/08	0.001	<0.001	<0.001	<0.001	0.10	0.64
MW-14	07/24/08	0.001	<0.001	<0.001	<0.001	<0.10	0.11
MW-14	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	0.1
MW-14	01/21/09	0.001	<0.001	<0.001	<0.001	<0.10	0.086
MW-14	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.37
MW-14	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.063
MW-14	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.075
MW-14	01/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.068
MW-14	04/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.14

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-14	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.13
MW-14	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.076
MW-14	01/26/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-14	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-14	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-14	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-14	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-14	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-14	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	0.25J
MW-14	03/24/17	<0.001	<0.00094J	<0.001	<0.003	<0.50	<0.45
MW-14	09/19/17	0.000093J	0.00020J	<0.001	<0.003	0.011J	0.35J
MW-15	06/02/00	0.83	0.77	0.130	0.170	2.1	2.1
MW-15	08/02/00	0.33	0.25	0.042	0.052	2.8	2.8
MW-15	11/15/00	2.00	2.00	0.470	0.650	29	3.0
MW-15	07/20/05	0.014	<0.001	0.008	<0.003	1.1	15
MW-15	10/19/05	0.003	<0.001	0.005	<0.003	0.70	7.8
MW-15	01/25/06	0.005	0.010	<0.001	<0.003	0.89	23
MW-15	04/26/06	0.004	0.010	0.006	<0.003	0.87	30
MW-15	07/26/06	<0.001	<0.001	0.003	<0.003	0.45	9.3
MW-15	10/25/06	<0.001	<0.001	4.7 F	<0.003	0.43	8.0
MW-15	01/25/07	<0.001	<0.001	<0.001	<0.003	0.32	7.0
MW-15	04/25/07	<0.001	<0.001	0.004	<0.003	0.43	3.6
MW-15	07/24/07	0.005	<0.001	0.005	<0.003	0.22	3.3
MW-15	10/24/07	<0.001	<0.001	0.003	<0.003	0.26	3.9
MW-15	01/30/08	0.002	<0.001	<0.001	<0.003	0.55	5.7
MW-15	04/23/08	0.001	<0.001	<0.001	0.001	0.43	11,000
MW-15	07/24/08	<0.010	<0.010	<0.010	<0.010	<0.001	0.37
MW-15	10/21/08	<0.001	0.002	<0.001	0.004	NA	2.6
MW-15	01/21/09	<0.001	<0.001	<0.001	0.001	0.38	14
MW-15	04/21/09	<0.001	<0.001	<0.001	0.001	0.20	27
MW-15	07/28/09	<0.001	<0.001	<0.001	<0.001	0.30	7.3
MW-15	10/27/09	<0.001	<0.001	<0.001	<0.001	0.16	8.5
MW-15	01/26/10	<0.001	<0.001	<0.001	<0.001	0.15	3
MW-15	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	4.3
MW-15	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	1.9
MW-15	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.48
MW-15	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	3.5
MW-15	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-15	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-15	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-16	06/02/00	0.001	0.001	0.021	0.007	<0.001	<0.001
MW-16	08/02/00	<0.5	<0.5	0.013	<0.002	<0.001	<0.001
MW-16	11/15/00	<0.5	0.001	0.004	<0.002	0.20	<0.50
MW-16	03/06/01	<0.5	0.001	0.008	<0.002	0.31	<0.56
MW-16	06/25/01	<0.5	<0.5	<0.5	<0.002	0.30	<0.56
MW-16	09/26/01	<0.5	0.001	<0.5	<0.002	0.19	<0.50
MW-16	12/12/01	0.002	<0.0010	<0.0010	<0.0010	0.132	0.248
MW-16	05/21/02	0.001	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-16	10/15/02	NA	NA	NA	NA	NA	NA
MW-16	01/22/03	0.001	<1	<1	<1	<0.10	0.124
MW-16	04/24/03	<1	<1	<1	<1	<0.10	0.124
MW-16	07/14/03	<0.0010	<0.001	<0.001	<0.001	<0.10	0.276
MW-16	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.98
MW-16	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-16	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-16	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-16	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.10	0.087

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-16	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-16	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.08
MW-16	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.053
MW-16	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.050
MW-16	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.084
MW-16	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-16	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-16	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-16	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.063
MW-16	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.12
MW-16	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.12
MW-16	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-16	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-16	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-16	07/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.16
MW-16	10/21/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-16	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.25
MW-16	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-16	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-16	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-16	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.072
MW-16	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.055
MW-16	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.25
MW-16	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-16	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.20
MW-16	10/12/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-16	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-16	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-16	07/24/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-16	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-16	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-16	03/24/17	<0.001	<0.001	<0.001	<0.003	0.031J	<0.45
MW-17	06/02/00	<0.5	<0.5	<0.5	<0.002	<0.001	<0.001
MW-17	08/02/00	0.006	<0.5	0.009	<0.002	<0.97	<0.97
MW-17	11/15/00	0.004	0.002	0.005	0.002	0.65	5.6
MW-17	03/06/01	0.007	0.002	0.039	0.014	0.98	<0.54
MW-17	06/25/01	0.001	<0.5	0.001	<0.002	0.44	NS
MW-17	09/26/01	0.001	0.002	0.001	<0.002	0.49	<0.50
MW-17	12/12/01	0.008	<0.0010	0.050	0.040	1.12	1.82
MW-17	05/21/02	0.004	<0.0010	0.002	<0.0010	0.423	0.834
MW-17	10/15/02	<0.0010	<0.0010	<0.0010	<0.0010	0.105	NA
MW-17	01/22/03	<1	<1	<1	<1	<0.001	0.124
MW-17	04/24/03	<1	<1	<1	<1	<0.001	0.124
MW-17	07/14/03	<0.0010	<1	<1	<1	<0.001	0.126
MW-17	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-17	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-17	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.072
MW-17	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.062
MW-17	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.068
MW-17	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.056
MW-17	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.062
MW-17	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.480
MW-17	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.230
MW-17	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.16
MW-17	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.08
MW-17	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.20
MW-17	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	0.25
MW-17	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.31

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-17	07/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.33
MW-17	10/21/08	<0.001	<0.001	<0.001	<0.001	NA	0.21
MW-18	06/02/00	0.60	0.001	0.120	0.045	<0.001	<0.001
MW-18	08/02/00	0.78	<0.5	0.150	0.046	<0.99	<0.99
MW-18	11/15/00	0.85	0.001	0.093	0.050	4.60	1.10
MW-18	03/06/01	0.84	<0.0025	0.160	0.065	8.70	<0.55
MW-18	06/25/01	0.66	0.003	0.150	<0.002	1.0	0.59
MW-18	09/26/01	0.50	<0.005	0.093	0.039	4.4	<0.51
MW-18	12/12/01	0.529	<0.010	0.127	0.054	4.05	0.261
MW-18	05/21/02	0.483	<0.0010	0.105	0.052	4.48	<0.101
MW-18	10/16/02	NA	NA	NA	NA	NA	0.174
MW-18	01/23/03	0.121	<1	0.011	0.016	1.86	<0.10
MW-18	04/25/03	0.591	<1	0.135	0.061	4.08	0.183
MW-18	07/14/03	0.589	<0.010	0.219	0.101	6.39	0.438
MW-18	10/20/03	0.30	0.002	<0.001	<0.003	1.90	0.13
MW-18	01/21/04	0.26	<0.001	0.130	0.073	4.30	0.11
MW-18	04/21/04	0.36	<0.001	0.069	0.055	3.0	<0.20
MW-18	07/22/04	0.52	<0.001	0.110	0.070	4.0	0.15
MW-18	10/28/04	0.30	<0.001	0.009	0.019	1.6	0.12
MW-18	01/26/05	0.31	<0.001	0.014	0.024	1.8	0.15
MW-18	04/20/05	0.55	<0.001	0.049	0.031	2.7	0.15
MW-18	07/21/05	<0.001	<0.001	<0.001	<0.003	3.5	0.11
MW-18	10/20/05	0.82	0.008	0.049	0.037	3.7	0.18
MW-18	01/26/06	0.89	0.033	0.037	0.046	3.9	0.12
MW-18	04/27/06	1.60	0.054	0.071	0.083	6.1	0.14
MW-18	07/27/06	2.40	0.140	0.086	0.110	8.7	0.54
MW-18	10/26/06	2.60	0.100	0.200	0.400	8.9	0.19
MW-18	01/26/07	2.70	<0.001	0.110	0.096	9.3	0.27
MW-18	04/26/07	3.00	<0.001	0.230	0.200	9.2	0.30
MW-18	07/25/07	2.70	<0.001	0.096	0.087	9.6	0.42
MW-18	10/25/07	2.60	<0.001	0.081	0.083	7.9	0.29
MW-18	01/30/08	3.50	<0.001	0.078	0.051	7	0.29
MW-18	04/24/08	3.10	<0.010	0.080	0.059	8.6	0.31
MW-18	07/24/08	4.80	<0.005	0.058	0.039	10	0.22
MW-18	10/22/08	5.20	0.002	0.140	0.108	NA	0.25
MW-18	01/21/09	3.90	<0.025	0.100	0.064	11	0.24
MW-18	04/22/09	4.40	<0.001	0.120	0.118	12	0.19
MW-18	07/29/09	5.00	<0.001	0.140	0.142	15	0.26
MW-18	10/28/09	4.50	<0.001	0.120	0.125	12	0.29
MW-18	01/27/10	5.00	<0.001	0.130	0.152	15	0.3
MW-18	04/28/10	4.30	<0.010	0.170	0.209	13	0.37
MW-18	07/28/10	5.60	<0.020	0.130	0.203	17	0.54
MW-18	10/27/10	5.90	<0.005	0.180	0.210	15	0.39
MW-18	01/26/11	4.10	<0.05	0.110	0.154	13	0.73
MW-18	10/13/11	6.07	<0.05	0.117	0.198	24	<0.5
MW-18	05/31/12	5.32	<0.05	<0.05	0.150	7	0.54
MW-18	02/28/13	2.47	<0.05	<0.05	<0.15	6.9	<0.50
MW-18	07/29/13	1.01	<0.001	<0.001	<0.003	2.7	<0.50
MW-18	03/26/14	0.68	<0.001	<0.001	<0.003	2.2	0.59

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-18	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	0.69
MW-18	07/29/15	<0.001	<0.001	<0.001	<0.003	0.53	0.75
MW-18	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.050	0.52
MW-18	09/22/16	0.0003J	<0.001	<0.001	<0.003	0.24J	0.35J
MW-18 Duplicate	09/22/16	0.00029J	<0.001	<0.001	<0.003	.25J	0.51
MW-18	03/24/17	0.00029J	0.00099J	<0.001	<0.003	0.093J	0.39J
MW-18	09/19/17	0.00023J	0.00023J	<0.001	<0.003	0.13J	0.59
MW-18	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-18	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.93
MW-18	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	NS
MW-18	12/05/19	<0.001	<0.001	<0.001	<0.003	0.1	0.83
MW-18	03/03/20	<0.001	<0.001	<0.001	<0.003	<0.50	0.68
MW-19	06/02/00	<0.5	<0.5	<0.5	<0.002	<0.001	<0.001
MW-19	08/02/00	0.002	0.006	<0.5	0.011	<0.001	<0.001
MW-19	11/15/00	<0.5	<0.5	<0.5	<0.002	<0.10	<0.51
MW-19	03/06/01	<0.5	<0.5	<0.5	<0.002	<0.10	<0.55
MW-19	06/25/01	<0.5	0.001	<0.5	<0.002	<0.10	<0.56
MW-19	09/26/01	<0.5	<0.5	<0.5	<0.002	<0.10	<0.54
MW-19	12/12/01	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-19	05/21/02	<0.0010	<0.0010	<0.0010	<0.0010	0.106	<0.101
MW-19	10/15/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-19	01/22/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-19	04/24/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-19	07/14/03	<0.0010	<0.001	<0.001	<0.001	<0.10	<0.10
MW-19	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.17
MW-19	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-19	07/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	10/27/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.10
MW-19	07/21/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	10/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.048
MW-19	01/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.084
MW-19	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	07/27/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.11
MW-19	10/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-19	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.059
MW-19	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.061
MW-19	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-19	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-19	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-19	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-19	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-19	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-19	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-19	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-19	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-19	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-19	01/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-19	04/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.098
MW-19	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-19	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.067
MW-19	01/26/11	<0.001	<0.001	<1.0	<0.001	<0.10	<0.22
MW-19	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-19	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-19	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-19	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-20	06/02/00	<0.5	<0.5	<0.5	<0.002	<0.001	<0.001
MW-20	08/02/00	0.004	0.004	0.004	0.013	<0.001	<0.001
MW-20	11/15/00	<0.5	<0.5	<0.5	<0.002	<0.10	1.20
MW-20	03/06/01	<0.5	<0.5	<0.5	<0.002	<0.10	0.55
MW-20	06/25/01	<0.5	0.001	<0.5	<0.002	<0.10	<0.56
MW-20	09/26/01	<0.5	<0.5	<0.5	<0.002	<0.10	<0.52
MW-20	12/12/01	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-20	05/21/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-20	10/15/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	NA
MW-20	01/22/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-20	04/24/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-20	07/14/03	<0.0010	<0.001	<0.001	<0.001	<0.10	0.10
MW-20	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.63
MW-20	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-20	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.15
MW-20	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.067
MW-20	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-20	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.061
MW-20	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.075
MW-20	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-20	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-20	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-20	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-20	07/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.19
MW-20	10/21/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-20	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.067
MW-20	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.092
MW-20	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.07
MW-20	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.056
MW-20	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.074
MW-20	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.12
MW-20	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-20	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-20	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-20	10/12/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-20	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-20	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-20	07/24/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-20	03/24/17	<0.001	0.00023J	<0.001	<0.003	<0.50	<0.50
MW-21	06/13/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-21	10/15/02	NA	NA	NA	NA	NA	<0.105
MW-21	01/22/03	<1	<1	<1	<1	<0.10	<0.116
MW-21	04/24/03	<1	<1	<1	<1	<0.10	<0.116
MW-21	07/14/03	<0.0010	<0.001	<0.001	<0.001	<0.10	0.14
MW-21	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.75
MW-21	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-21	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-21	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-21	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.10	0.090

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-21	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-21	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.25
MW-21	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.10
MW-21	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.053
MW-21	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.10
MW-21	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.10
MW-21	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.074
MW-21	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-21	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.087
MW-21	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.18
MW-21	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-21	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.11
MW-21	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-21	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-21	07/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-21	10/21/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-21	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-21	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-21	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-21	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-21	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.14
MW-21	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.12
MW-21	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-21	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-21	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-21	10/12/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-21	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-21	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-21	07/24/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-21	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-21	03/24/17	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	06/13/02	NA	NA	NA	NA	NA	<0.10
MW-22	06/20/02	<0.001	<0.001	<0.001	<0.001	<0.10	<0.101
MW-22	10/15/02	<0.001	<0.001	<0.001	<0.001	<0.10	<0.102
MW-22	01/22/03	<0.001	<0.001	<0.001	<0.001	<0.10	<0.101
MW-22	04/24/03	<0.001	<0.001	<0.001	<0.001	<0.10	<0.101
MW-22	07/14/03	<0.0010	<0.001	<0.001	<0.001	<0.10	<0.10
MW-22	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.35
MW-22	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-22	07/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	10/27/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	07/21/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	10/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.094
MW-22	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.073
MW-22	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.081
MW-22	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-22	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.068
MW-22	04/26/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.20
MW-22	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.13
MW-22	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	<0.050
MW-22	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-22	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-22	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-22	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-22	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.061
MW-22	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	01/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	04/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-22	01/26/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-22	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-22	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-22	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-22	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-22	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22 Duplicate	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	03/27/17	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	09/19/17	0.00020J	<0.001	<0.001	<0.003	0.014J	0.34J
MW-22	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-22	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	12/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.4
MW-22	03/03/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-22	09/09/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-23	06/13/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-23	10/15/02	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	0.353
MW-23	01/22/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-23	04/24/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.101
MW-23	07/14/03	<0.0010	<0.0010	<0.0010	<0.0010	<0.10	<0.10
MW-23	10/17/03	<0.001	<0.001	<0.001	<0.003	<0.10	0.33
MW-23	01/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	04/21/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.20
MW-23	07/22/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	10/27/04	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	01/26/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.089
MW-23	07/21/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.20
MW-23	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-23	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.099
MW-23	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.055
MW-23	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.097
MW-23	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.052
MW-23	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.098
MW-23	10/24/07	0.002	<0.001	0.001	<0.003	<0.10	<0.050
MW-23	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	<0.10
MW-23	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-23	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-23	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	<0.05
MW-23	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-23	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.24
MW-23	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-23	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-23	01/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-23	04/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-23	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-23	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-23	01/26/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.20
MW-23	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-23	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-23	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-23	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-23	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-23	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-23	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-23	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-23	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-23	03/27/17	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-23	09/19/17	0.000067J	<0.001	<0.001	<0.003	<0.50	0.31J
MW-23	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.47
MW-23	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-23	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	NS
MW-23	12/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.40
MW-23	03/03/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	07/22/04	0.400	0.036	0.037	0.035	2.2	0.45
MW-24	10/27/04	0.048	0.005	0.011	<0.003	0.65	0.33
MW-24	01/26/05	0.080	<0.001	0.017	0.012	0.65	0.32
MW-24	04/20/05	0.150	<0.001	0.038	0.014	2.2	0.53
MW-24	07/20/05	0.065	0.004	0.023	0.005	0.55	0.51
MW-24	10/19/05	0.140	<0.001	0.060	0.021	1.9	0.38
MW-24 Duplicate	10/19/05	0.110	<0.001	0.031	0.011	1.2	0.43
MW-24	01/25/06	0.093	0.002	0.035	0.011	1.3	0.54
MW-24 Duplicate	01/25/06	0.075	0.007	0.030	0.010	1.1	0.42
MW-24	04/26/06	0.230	0.029	0.080	0.029	3.4	0.24
MW-24 Duplicate	04/26/06	0.200	0.024	0.065	0.024	2.6	0.42
MW-24	07/26/06	0.100	0.039	0.068	0.026	1.4	0.58
MW-24 Duplicate	07/26/06	0.110	0.043	0.072	0.027	1.4	0.55
MW-24	10/25/06	0.045	0.019	0.041	0.017	1.2	0.22
MW-24 Duplicate	10/25/06	0.046	0.020	0.040	0.017	1.2	0.26
MW-24	01/25/07	0.019	0.007	0.034	0.012	0.68	0.34
MW-24 Duplicate	01/25/07	0.021	0.008	0.035	0.012	0.92	0.34
MW-24	04/25/07	0.006	0.002	0.016	0.003	0.22	0.35
MW-24 Duplicate	04/25/07	0.002	<0.001	0.007	<0.003	0.19	0.30
MW-24	07/24/07	0.006	0.002	0.017	0.003	8.0	0.26
MW-24 Duplicate	07/24/07	0.005	0.001	0.015	0.003	0.34	0.21
MW-24	10/24/07	<0.001	<0.001	0.003	<0.003	0.26	3.9
MW-24	01/30/08	0.002	<0.001	0.007	0.001	0.21	0.16
MW-24	04/23/08	0.001	<0.001	0.008	0.001	0.21	0.27
MW-24 Duplicate	04/23/08	0.003	0.003	0.033	0.007	0.63	0.26
MW-24	07/24/08	0.003	0.003	0.019	0.005	0.29	0.32
MW-24 Duplicate	07/24/08	0.005	0.005	0.036	0.009	0.54	0.27
MW-24	10/21/08	<0.001	0.001	0.002	<0.001	NA	0.26
MW-24 Duplicate	10/21/08	0.004	0.013	0.038	0.010	NA	0.34
MW-24	01/21/09	0.002	0.007	0.016	0.006	0.79	0.48
MW-24 Duplicate	01/21/09	<0.001	0.002	0.003	0.002	1.1	0.45
MW-24	04/21/09	0.002	0.015	0.036	0.016	1.3	0.38
MW-24 Duplicate	04/21/09	0.002	0.004	0.016	0.005	0.46	0.34
MW-24	07/28/09	<0.001	0.004	0.007	0.003	0.86	0.44
MW-24 Duplicate	07/28/09	0.001	0.004	0.015	0.004	0.86	0.52
MW-24	10/28/09	<0.001	<0.001	0.007	0.002	0.81	0.53
MW-24 Duplicate	10/28/09	<0.001	<0.001	0.014	0.002	0.76	0.47

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-24	01/26/10	0.001	<0.001	0.008	<0.001	0.73	0.42
MW-24 Duplicate	01/26/10	0.001	<0.001	0.008	<0.001	0.67	0.4
MW-24	04/27/10	0.003	<0.001	0.006	<0.001	0.51	0.44
MW-24 Duplicate	04/27/10	0.004	<0.001	0.006	<0.001	0.52	0.75
MW-24	07/27/10	0.003	<0.001	0.008	<0.001	0.37	0.30
MW-24 Duplicate	07/27/10	0.001	<0.001	0.001	<0.001	0.26	0.33
MW-24	10/26/10	0.002	<0.001	0.004	<0.001	0.22	0.20
MW-24 Duplicate	10/26/10	0.002	<0.001	0.005	<0.001	0.21	0.24
MW-24	01/25/11	<0.001	<0.001	<0.001	<0.001	0.15	0.41
MW-24 Duplicate	01/25/11	0.002	<0.001	0.005	<0.001	0.19	0.31
MW-24	10/12/11	0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-24	05/31/12	<0.01	<0.01	0.006	<0.003	0.05	<0.5
MW-24	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	1.1
MW-24	07/24/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-24	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	0.50
MW-24	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-24	03/12/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-24	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	03/24/17	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24 Duplicate	03/24/17	0.00021J	<0.001	<0.001	<0.003	0.024J	<0.45
MW-24	09/19/17	<0.001	<0.001	<0.001	<0.003	<0.50	0.56
MW-24	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-24	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.38
MW-24	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-24	12/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.31
MW-24	03/05/20	<0.001	<0.001	<0.001	<0.003	<0.50	0.51
MW-24	09/09/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-25	07/22/04	0.006	<0.001	0.028	0.025	0.71	0.094
MW-25	10/27/04	0.007	<0.001	0.036	0.010	0.63	0.35
MW-25	01/26/05	0.003	<0.001	0.025	0.009	0.28	0.29
MW-25	04/20/05	0.007	0.004	0.055	0.016	0.60	0.23
MW-25	07/19/05	0.004	0.002	0.030	0.010	0.48	0.25
MW-25	10/19/05	0.002	<0.001	0.014	0.003	0.28	0.68
MW-25	01/25/06	0.003	<0.001	0.019	0.004	0.34	0.70
MW-25	04/26/06	0.004	<0.001	0.027	0.003	0.42	0.85
MW-25	07/26/06	0.003	<0.001	0.012	<0.003	0.21	1.20
MW-25	10/25/06	<0.001	<0.001	0.002	<0.003	0.13	0.40
MW-25	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.52
MW-25	04/25/07	<0.001	<0.001	0.001	<0.003	<0.10	0.43
MW-25	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.36
MW-25	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.39
MW-25	01/30/08	<0.001	<0.001	<0.001	<0.003	0.12	0.39
MW-25	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.41
MW-25	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.20
MW-25	10/21/08	<0.001	<0.001	<0.001	<0.001	NA	0.14
MW-25	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.16
MW-25	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.079
MW-25	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.16
MW-25	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.34
MW-25	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.12
MW-25	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.34
MW-25	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-25	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.11
MW-25	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.20

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-25	10/12/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-25	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-25	02/27/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	07/24/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	03/12/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-25	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-25	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-25	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	0.27J
MW-25 Duplicate	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	09/19/17	<0.001	<0.001	<0.001	<0.003	<0.50	0.52
MW-25	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-25	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-25	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	06/05/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-25	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-25	12/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.34
MW-25	03/05/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-25	09/09/20	<0.001	<0.001	<0.001	<0.003	<0.5	<0.45
MW-26	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-26	07/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.053
MW-26	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.066
MW-26	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.16
MW-26	04/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.35
MW-26	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.30
MW-26	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.98
MW-26	01/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.65
MW-26	04/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.092
MW-26	07/25/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.89
MW-26	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.39
MW-26	01/30/08	<0.001	<0.001	<0.001	<0.003	<0.10	0.16
MW-26	04/23/08	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-26	07/24/08	<0.001	<0.001	<0.001	<0.001	<0.10	0.29
MW-26	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	0.053
MW-26	01/21/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-26	04/22/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-26	07/29/09	<0.001	<0.001	<0.001	<0.001	<0.10	0.71
MW-26	10/28/09	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-26	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.051
MW-26	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.078
MW-26	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-26	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-26	01/26/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
MW-26	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
MW-26	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.05	<0.5
MW-26	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-26 Duplicate	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-26	07/29/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-26	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-26	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-26	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26 Duplicate	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	03/27/17	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	09/19/17	0.00011J	<0.001	<0.001	<0.003	0.014J	0.36J

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
MW-26 Duplicate	09/19/17	<0.001	<0.001	<0.001	<0.003	<0.50	0.36J
MW-26	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.47
MW-26	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	06/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-26	12/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.51
MW-26	03/05/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-26	09/10/20	<0.001	<0.001	<0.001	<0.003	<0.5	<0.45
MW-27	04/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	0.095
MW-27	07/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-27 Duplicate	07/20/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-27	10/19/05	<0.001	<0.001	<0.001	<0.003	<0.10	<0.048
MW-27	01/25/06	0.007	<0.001	<0.001	<0.003	<0.10	0.16
MW-27 Duplicate	01/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.17
MW-27	04/26/06	0.052	0.014	0.006	0.017	0.45	0.097
MW-27	07/26/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.10
MW-27	10/25/06	<0.001	<0.001	<0.001	<0.003	<0.10	0.47
MW-27	01/25/07	0.001	<0.001	<0.001	<0.003	<0.10	0.12
MW-27	04/25/07	0.030	0.003	0.002	<0.003	<0.10	0.62
MW-27	07/25/07	0.002	<0.001	<0.001	<0.003	<0.10	0.94
MW-27	10/24/07	<0.001	<0.001	<0.001	<0.003	<0.10	0.22
MW-27	01/30/08	0.006	<0.001	<0.001	<0.003	<0.10	<0.10
MW-27	04/23/08	0.037	0.008	0.002	0.002	0.14	<0.10
MW-27	07/24/08	0.140	0.033	0.006	0.011	0.57	0.20
MW-27	10/22/08	0.013	0.001	<0.001	<0.001	NA	0.07
MW-27	01/21/09	0.170	0.009	0.002	0.008	0.48	<0.05
MW-27	04/22/09	0.120	0.007	0.003	0.007	0.40	<0.05
MW-27	07/29/09	0.027	0.003	<0.001	<0.001	0.13	<0.05
MW-27	10/28/09	0.019	0.001	<0.001	<0.001	<0.10	<0.05
MW-27	01/27/10	0.005	<0.001	<0.001	<0.001	<0.10	<0.05
MW-27	04/28/10	0.046	0.001	<0.001	0.002	0.15	0.057
MW-27	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
MW-27	10/27/10	0.005	<0.001	<0.001	<0.001	<0.10	<0.05
MW-27	01/26/11	0.008	<0.001	<0.001	<0.001	<0.10	<0.21
MW-27	10/13/11	0.057	0.010	0.004	0.008	<0.5	<0.5
MW-27	05/31/12	0.061	0.008	0.006	0.009	0.12	<0.5
MW-27	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-27 Duplicate	02/28/13	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-27	07/29/13	<0.001	<0.001	<0.001	<0.003	0.83	<0.50
MW-27	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-27 Duplicate	03/26/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-27	07/30/14	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-27	03/11/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	07/29/15	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	03/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	03/27/17	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	09/19/17	0.00011J	0.00018J	<0.001	<0.003	<0.50	0.52
MW-27	03/22/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.48
MW-27	09/19/18	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27 Duplicate	03/07/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.28
MW-27	06/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	09/04/19	<0.001	<0.001	<0.001	<0.003	<0.50	<0.45
MW-27	12/06/19	<0.001	<0.001	<0.001	<0.003	<0.50	0.43
MW-27	03/05/20	<0.001	<0.001	<0.001	<0.003	<0.50	<0.50
MW-27	09/10/20	<0.001	<0.001	<0.001	<0.003	<0.5	<0.45

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater quality standards		0.005	1.00	0.70	0.62	ne	ne
SVE-10	01/23/03	1.120	0.136	0.188	0.331	8.89	0.961
SVE-10	04/25/03	0.367	0.560	0.069	0.296	5.18	1.30
SVE-10	07/14/03	0.189	0.030	0.027	0.086	1.74	0.991
SVE-10	10/20/03	<0.001	<0.001	<0.001	<0.003	0.42	0.46
SVE-10	01/22/04	0.002	0.001	0.002	<0.003	<0.10	0.42
SVE-10	04/22/04	0.110	<0.001	0.011	<0.003	0.41	0.35
SVE-10	07/23/04	0.077	<0.001	0.014	<0.003	0.46	0.48
SVE-10	10/28/04	0.024	0.002	0.010	0.008	0.40	1.2
SVE-10	01/27/05	0.012	<0.001	0.012	<0.003	0.19	0.68
SVE-10	04/20/05	<0.001	<0.001	0.014	<0.003	0.12	0.35
SVE-10	07/21/05	0.023	0.001	0.027	<0.003	0.26	0.47
SVE-10	10/20/05	0.022	0.001	0.025	<0.003	0.27	0.29
SVE-10	01/26/06	0.002	<0.001	0.020	<0.003	0.29	0.52
SVE-10	04/27/06	<0.001	<0.001	0.010	<0.003	0.21	0.30
SVE-10	07/27/06	<0.001	<0.001	0.004	<0.003	0.17	0.28
SVE-10	10/26/06	<0.001	<0.001	<0.001	<0.003	0.16	0.17
SVE-10	01/26/07	0.004	<0.001	0.005	<0.003	0.42	0.42
SVE-10	04/26/07	0.002	<0.001	0.012	<0.003	0.56	0.41
SVE-10	07/25/07	0.003	<0.001	0.008	<0.003	0.52	0.42
SVE-10	10/25/07	<0.001	<0.001	0.003	<0.003	0.39	0.30
SVE-10	01/31/08	0.021	<0.001	0.022	<0.003	0.43	0.21
SVE-10	04/24/08	0.014	<0.001	0.026	<0.001	0.56	0.26
SVE-10	07/25/08	0.180	<0.001	0.016	0.012	0.68	0.28
SVE-10	10/22/08	<0.001	<0.001	<0.001	<0.001	NA	0.2
SVE-10	01/21/09	0.001	<0.001	<0.001	<0.001	0.18	0.18
SVE-10	04/22/09	0.003	<0.001	<0.001	<0.001	0.11	0.32
SVE-10	07/29/09	<0.001	<0.001	<0.001	<0.001	0.12	0.17
SVE-10	10/28/09	<0.001	<0.001	<0.001	<0.001	0.56	0.34
SVE-10	01/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.1
SVE-10	04/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	0.089
SVE-10	07/28/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-10	10/27/10	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-10	01/26/11	<0.001	<0.001	<0.001	<0.001	<0.10	<0.21
SVE-10	10/13/11	<0.001	<0.001	<0.001	<0.003	<0.5	<0.5
SP-1	06/02/00	0.009	0.007	0.003	0.007	<0.001	<0.001

Notes:

mg/L = milligrams per liter

ne = not established

< = Analyte was detected below the laboratory detection limit

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

NMWQCC = New Mexico Water Quality Control Commission

Shaded/bolded values exceed their respective NMWQCC Standard for Groundwater.

J Value = Laboratory Detection Limit < Analyte Result < Laboratory Reporting Limit

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-1	3/22/2018	74			
MW-1	9/19/2018	162			
MW-1	3/7/2019	111			
MW-1	6/6/2019	124			
MW-1	9/4/2019	138			
MW-1 Duplicate	9/4/2019	140			
MW-1	12/5/2019	139			
MW-1 Duplicate	12/5/2019	136			
MW-1	3/5/2020	127			
MW-1 Duplicate	3/5/2020	128			
MW-1	9/10/2020	142			
MW-1 Duplicate	9/10/2020	149			
MW-2	07/29/09	66.1	--	--	--
MW-2	10/28/09	89.1	--	--	--
MW-2	01/27/10	67.2	--	--	--
MW-2	03/27/17	52.9			
MW-2	09/19/18	79.3			
MW-2	03/07/19	62.6			
MW-2	06/06/19	69.5			
MW-2	09/04/19	107.0			
MW-2	12/05/19	51.3			
MW-2 Duplicate	12/05/19	51.9			
MW-2	03/05/20	47.5			
MW-2	09/10/20	68.9			
MW-3	01/23/03	176	--	--	--
MW-3	04/24/08	47.9	--	--	--
MW-3	07/25/08	44.7	--	--	--
MW-3	10/22/08	32.9	--	--	--
MW-3	07/29/09	36.8	--	--	--
MW-3	10/28/09	43.2	--	--	--
MW-3	01/27/10	38.2	--	--	--
MW-3	04/28/10	35.4	--	--	--
MW-3	05/31/12	39.7	--	--	--
MW-3	03/12/15	50.5	--	--	--
MW-3	03/12/15	49.5	--	--	--
MW-3	07/29/15	36.4	--	--	--
MW-3 Duplicate	07/29/15	36.4	--	--	--
MW-3	03/22/16	38.9	--	--	--
MW-3	03/24/17	58.7			
MW-3	09/19/17	44.1			
MW-3 Duplicate	09/19/17	44.3			
MW-3	03/22/18	47.8			
MW-3	09/19/18	139.0			
MW-3	03/07/19	57.2			
MW-3	06/06/19	65.8			
MW-3	09/04/19	61.0			
MW-3	12/05/19	58.3			
MW-3	03/05/20	55.7			
MW-3	09/10/20	55.2			
MW-3 Duplicate	09/10/20	71.2			

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-4	01/13/00	210	--	--	--
MW-4	04/06/00	180	--	--	--
MW-4	08/02/00	140	--	--	--
MW-4	11/15/00	180	--	--	--
MW-4	03/06/01	180	--	--	--
MW-4	06/25/01	200	--	--	--
MW-4	09/26/01	180	--	--	--
MW-4	12/12/01	158	--	--	--
MW-4	05/21/02	144	569	1,330	51
MW-4	10/16/02	81	--	--	--
MW-4	01/23/03	173	--	--	--
MW-4	04/25/03	159	--	--	--
MW-4	07/14/03	166	--	--	--
MW-4	10/17/03	190	--	--	--
MW-4	01/22/04	176	--	--	--
MW-4	04/22/04	180	--	--	--
MW-4	07/22/04	192	--	--	--
MW-4	10/28/04	186	--	--	--
MW-4	01/26/05	173	--	--	--
MW-4	04/20/05	128	--	--	--
MW-4	07/20/05	51.5	--	--	--
MW-4	10/19/05	37.7	--	--	--
MW-4	01/25/06	39.4	--	--	--
MW-4	04/26/06	58.0	--	--	--
MW-4	07/26/06	48.1	--	--	--
MW-4	10/25/06	113.0	--	--	--
MW-4	01/25/07	52.1	--	--	--
MW-4	04/25/07	68.8	--	--	--
MW-4	07/25/07	51.6	--	--	--
MW-4	10/24/07	38.5	--	--	--
MW-4	01/30/08	36.8	--	--	--
MW-4	04/23/08	34.5	--	--	--
MW-4	07/24/08	41.7	--	--	--
MW-4	10/22/08	32.9	--	--	--
MW-4	01/21/09	34.4	--	--	--
MW-4	04/22/09	33.7	--	--	--
MW-4	07/29/09	42.7	--	--	--
MW-4	10/28/09	62.2	--	--	--
MW-4	01/26/10	52.6	--	--	--
MW-4	04/27/10	68.2	--	--	--
MW-4	07/27/10	63.1	--	--	--
MW-4	10/26/10	61.9	--	--	--
MW-4	01/25/11	73.3	--	--	--
MW-4	10/13/11	93.1	--	--	--
MW-4	05/31/12	145	--	--	--
MW-4	02/28/13	122	--	--	--
MW-4	07/29/13	77.4	--	--	--
MW-4	09/22/16	152	--	--	--
MW-4	03/27/17	154			
MW-5	01/13/00	130	--	--	--
MW-5	04/06/00	130	--	--	--
MW-5	08/02/00	130	--	--	--
MW-5	11/15/00	180	--	--	--
MW-5	03/06/01	210	--	--	--
MW-5	06/25/01	240	--	--	--
MW-5	09/26/01	260	--	--	--
MW-5	12/12/01	216	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-5	05/21/02	180	619	698	29
MW-5	10/16/02	51	--	--	--
MW-5	01/23/03	187	--	--	--
MW-5	04/25/03	173	--	--	--
MW-5	07/14/03	184	--	--	--
MW-5	10/17/03	192	--	--	--
MW-5	01/22/04	179	--	--	--
MW-5	04/22/04	188	--	--	--
MW-5 Duplicate	04/22/04	189	--	--	--
MW-5	07/23/04	197	--	--	--
MW-5	10/28/04	196	--	--	--
MW-5	01/26/05	190	--	--	--
MW-5 Duplicate	01/26/05	188	--	--	--
MW-5	04/20/05	184	--	--	--
MW-5	07/20/05	196	--	--	--
MW-5	10/19/05	187	--	--	--
MW-5	01/25/06	200	--	--	--
MW-5	04/26/06	196	--	--	--
MW-5	07/26/06	177	--	--	--
MW-5	10/25/06	133	--	--	--
MW-5	01/25/07	71.0	--	--	--
MW-5	04/25/07	48.7	--	--	--
MW-5	07/25/07	44.8	--	--	--
MW-5	10/24/07	32.9	--	--	--
MW-5	01/30/08	38.6	--	--	--
MW-5	04/23/08	36.1	--	--	--
MW-5	07/24/08	21.4	--	--	--
MW-5	10/22/08	19.5	--	--	--
MW-5	01/21/09	24.5	--	--	--
MW-5	04/22/09	22.1	--	--	--
MW-5	07/29/09	22.6	--	--	--
MW-5	10/28/09	40.9	--	--	--
MW-5	01/26/10	40.5	--	--	--
MW-5	04/27/10	64.6	--	--	--
MW-5	07/27/10	64.1	--	--	--
MW-5	10/26/10	67.2	--	--	--
MW-5	01/25/11	90.1	--	--	--
MW-5	10/13/11	98.8	--	--	--
MW-5	05/31/12	74.3	--	--	--
MW-5	02/28/13	66	--	--	--
MW-5	07/29/13	107	--	--	--
MW-5 Duplicate	07/29/13	68	--	--	--
MW-5	03/27/17	77.9			
MW-6	01/13/00	230	--	--	--
MW-6	04/06/00	200	--	--	--
MW-6	07/20/05	106	--	--	--
MW-6	10/20/05	99.2	--	--	--
MW-6	01/26/06	161	--	--	--
MW-6	07/27/06	90.1	--	--	--
MW-6	10/26/06	60.6	--	--	--
MW-6	01/26/07	62.5	--	--	--
MW-6	04/26/07	85.4	--	--	--
MW-6	07/25/07	126	--	--	--
MW-6	10/25/07	170	--	--	--
MW-6 Duplicate	10/25/07	155	--	--	--
MW-6	01/31/08	147	--	--	--
MW-6 Duplicate	01/31/08	146	--	--	--
MW-6	04/24/08	121	--	--	--
MW-6	07/25/08	101	--	--	--
MW-6	10/22/08	97.9	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-6	01/21/09	111	--	--	--
MW-6	04/22/09	107	--	--	--
MW-6	07/29/09	124	--	--	--
MW-6	10/28/09	163	--	--	--
MW-6	01/27/10	112	--	--	--
MW-6	04/28/10	92.6	--	--	--
MW-6	07/28/10	111	--	--	--
MW-6	10/27/10	102	--	--	--
MW-6	01/26/11	85.4	--	--	--
MW-6	10/13/11	75.1	--	--	--
MW-6	05/31/12	63.6	--	--	--
MW-6	02/28/13	92.4	--	--	--
MW-6	07/29/13	119	--	--	--
MW-6	03/26/14	171	--	--	--
MW-6	07/30/14	169	--	--	--
MW-6	03/12/15	180	--	--	--
MW-6	07/29/15	174	--	--	--
MW-6	03/22/16	172	--	--	--
MW-6	09/22/16	147	--	--	--
MW-6	03/27/17	118	--	--	--
MW-6	09/19/17	147	--	--	--
MW-6	03/22/18	153	--	--	--
MW-6	09/19/18	152	--	--	--
MW-6	03/07/19	127	--	--	--
MW-6	06/06/19	126	--	--	--
MW-6	09/04/19	142	--	--	--
MW-6	12/05/19	144	--	--	--
MW-6	03/05/20	152	--	--	--
MW-6	09/10/20	156	--	--	--
MW-7	05/31/12	90.8	--	--	--
MW-7	02/28/13	84.3	--	--	--
MW-7	07/29/13	86.7	--	--	--
MW-7	03/24/17	102	--	--	--
MW-8	01/13/00	160	--	--	--
MW-8	04/06/00	90	--	--	--
MW-8	08/02/00	84	--	--	--
MW-8	11/15/00	100	--	--	--
MW-8	03/06/01	87	--	--	--
MW-8	06/25/01	75	--	--	--
MW-8	09/26/01	72	--	--	--
MW-8	12/12/01	85	--	--	--
MW-8	05/21/02	104	546	638	76
MW-8	10/16/02	42.4	--	--	--
MW-8	01/22/03	106	--	--	--
MW-8	01/31/08	107	--	--	--
MW-8	05/31/12	129	--	--	--
MW-8	02/28/13	124	--	--	--
MW-8	07/29/13	140	--	--	--
MW-8	03/26/14	147	--	--	--
MW-8	07/30/14	165	--	--	--
MW-8	03/11/15	142	--	--	--
MW-8	03/11/15	143	--	--	--
MW-8	07/29/15	142	--	--	--
MW-8	03/22/16	142	--	--	--
MW-8	09/22/16	150	--	--	--
MW-8	03/27/17	152	--	--	--
MW-8	09/19/17	150	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-8	03/22/18	140			
MW-8	09/19/18	164			
MW-8	03/07/19	148			
MW-8	06/06/19	157			
MW-8	09/04/19	170			
MW-8	12/06/19	164			
MW-8	03/05/20	163			
MW-8	09/10/20	144			
MW-9	04/24/08	55.1	--	--	--
MW-9	03/24/17	49.9			
MW-9 Duplicate	03/24/17	47.0			
MW-9	03/22/18	48.8			
MW-9 Duplicate	03/22/18	50.7			
MW-9	09/19/18	461.0			
MW-9 Duplicate	09/18/18	538.0			
MW-9	03/07/19	122.0			
MW-9	06/06/19	119.0			
MW-9	09/04/19	131.0			
MW-10	01/13/00	180	--	--	--
MW-10	04/06/00	180	--	--	--
MW-10	08/02/00	140	--	--	--
MW-10	05/31/12	141	--	--	--
MW-10	02/28/13	113	--	--	--
MW-10	07/29/13	136	--	--	--
MW-10	03/12/15	133	--	--	--
MW-10	03/22/16	132	--	--	--
MW-10	09/22/16	156	--	--	--
MW-10	03/24/17	138	--	--	--
MW-10	09/19/17	135			
MW-11	04/06/00	310	--	--	--
MW-11	08/02/00	270	--	--	--
MW-11	11/15/00	300	--	--	--
MW-11	03/06/01	280	--	--	--
MW-11	06/25/01	290	--	--	--
MW-11	04/24/08	238	--	--	--
MW-11	07/25/08	271	--	--	--
MW-11	10/22/08	185	--	--	--
MW-11	01/21/09	206	--	--	--
MW-11	07/29/09	228	--	--	--
MW-11	10/28/09	303	--	--	--
MW-11	01/27/10	232	--	--	--
MW-11	07/28/10	250	--	--	--
MW-12	04/06/00	190	--	--	--
MW-12	08/02/00	150	--	--	--
MW-12	11/15/00	190	--	--	--
MW-12	03/06/01	180	--	--	--
MW-12	06/25/01	190	--	--	--
MW-12	09/26/01	180	--	--	--
MW-12	12/12/01	169	--	--	--
MW-12	05/21/02	180	864	2,050	478
MW-12	10/16/02	69.5	--	--	--
MW-12	01/23/03	180	--	--	--
MW-12	04/25/03	179	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-12	07/14/03	204	--	--	--
MW-12	10/20/03	197	--	--	--
MW-12	01/21/04	183	--	--	--
MW-12	04/21/04	188	--	--	--
MW-12	07/23/04	195	--	--	--
MW-12 Duplicate	07/23/04	196	--	--	--
MW-12	10/28/04	196	--	--	--
MW-12	01/27/05	187	--	--	--
MW-12 Duplicate	01/27/05	193	--	--	--
MW-12	04/20/05	151	--	--	--
MW-12 Duplicate	04/20/05	154	--	--	--
MW-12	07/21/05	180	--	--	--
MW-12 Duplicate	07/21/05	179	--	--	--
MW-12	10/20/05	149	--	--	--
MW-12 Duplicate	10/20/05	158	--	--	--
MW-12	01/26/06	168	--	--	--
MW-12 Duplicate	01/26/06	183	--	--	--
MW-12	04/27/06	169	--	--	--
MW-12 Duplicate	04/27/06	178	--	--	--
MW-12	07/27/06	162	--	--	--
MW-12 Duplicate	07/27/06	136	--	--	--
MW-12	10/26/06	172	--	--	--
MW-12 Duplicate	10/26/06	170	--	--	--
MW-12	01/26/07	174	--	--	--
MW-12 Duplicate	01/26/07	164	--	--	--
MW-12	04/25/07	175	--	--	--
MW-12 Duplicate	04/25/07	166	--	--	--
MW-12	07/25/07	177	--	--	--
MW-12 Duplicate	07/25/07	192	--	--	--
MW-12	10/25/07	211	--	--	--
MW-12 Duplicate	10/25/07	187	--	--	--
MW-12	01/31/08	181	--	--	--
MW-12 Duplicate	01/31/08	177	--	--	--
MW-12	04/24/08	185	--	--	--
MW-12 Duplicate	04/24/08	183	--	--	--
MW-12	07/25/08	182	--	--	--
MW-12 Duplicate	07/25/08	180	--	--	--
MW-12	10/22/08	138	--	--	--
MW-12 Duplicate	10/22/08	134	--	--	--
MW-12	01/21/09	165	--	--	--
MW-12 Duplicate	01/21/09	156	--	--	--
MW-12	04/22/09	193	--	--	--
MW-12 Duplicate	04/22/09	185	--	--	--
MW-12	07/29/09	190	--	--	--
MW-12 Duplicate	07/29/09	197	--	--	--
MW-12	10/28/09	235	--	--	--
MW-12 Duplicate	10/28/09	233	--	--	--
MW-12	01/27/10	192	--	--	--
MW-12 Duplicate	01/27/10	198	--	--	--
MW-12	04/28/10	171	--	--	--
MW-12 Duplicate	04/28/10	173	--	--	--
MW-12	07/28/10	190	--	--	--
MW-12 Duplicate	07/28/10	194	--	--	--
MW-12	10/27/10	201	--	--	--
MW-12 Duplicate	10/27/10	191	--	--	--
MW-12	01/26/11	186	--	--	--
MW-12 Duplicate	01/26/11	186	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-12	10/13/11	191	--	--	--
MW-12	05/31/12	174	--	--	--
MW-12	02/28/13	166	--	--	--
MW-12	07/29/13	165	--	--	--
MW-12	03/26/14	165	--	--	--
MW-12	07/30/14	82.3	--	--	--
MW-12	03/11/15	143	--	--	--
MW-12	07/29/15	145	--	--	--
MW-12	03/22/16	132	--	--	--
MW-12	09/22/16	151	--	--	--
MW-12	03/24/17	149			
MW-12	09/19/17	152			
MW-12	03/22/18	141			
MW-12	09/19/18	154			
MW-12	03/07/19	143			
MW-12	06/05/19	167			
MW-12	09/04/19	148			
MW-12	12/05/19	148			
MW-12	03/03/20	134			
MW-12	09/09/20	125			
MW-13	06/02/00	91	--	--	--
MW-13	08/02/00	61	--	--	--
MW-13	11/15/00	63	--	--	--
MW-13	03/06/01	66	--	--	--
MW-13	06/25/01	200	--	--	--
MW-13	09/26/01	66	--	--	--
MW-13	12/12/01	69.5	--	--	--
MW-13	05/21/02	58.5	617	563	23
MW-13	10/16/02	71.5	--	--	--
MW-13	01/22/03	72.6	--	--	--
MW-13	04/24/03	67.0	--	--	--
MW-13	07/14/03	72.2	--	--	--
MW-13	10/17/03	67.6	--	--	--
MW-13	01/21/04	68.8	--	--	--
MW-13	04/21/04	62.2	--	--	--
MW-13	07/22/04	64.6	--	--	--
MW-13	10/27/04	59.7	--	--	--
MW-13	01/26/05	66.9	--	--	--
MW-13	04/20/05	69.0	--	--	--
MW-13	07/21/05	64.9	--	--	--
MW-13	10/20/05	63.9	--	--	--
MW-13	01/25/06	68.1	--	--	--
MW-13	04/26/06	65.8	--	--	--
MW-13	07/26/06	71.5	--	--	--
MW-13	10/25/06	91.4	--	--	--
MW-13	01/25/07	65.0	--	--	--
MW-13	04/25/07	69.8	--	--	--
MW-13	07/25/07	71.2	--	--	--
MW-13	10/24/07	61.9	--	--	--
MW-13	01/30/08	71.2	--	--	--
MW-13	04/23/08	71.5	--	--	--
MW-13	07/24/08	74.0	--	--	--
MW-13	10/22/08	59.9	--	--	--
MW-13	01/21/09	65.4	--	--	--
MW-13	04/22/09	67.2	--	--	--
MW-13	07/29/09	68.5	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-13	10/28/09	80.7	--	--	--
MW-13	01/27/10	69.5	--	--	--
MW-13	04/28/10	76.7	--	--	--
MW-13	07/28/10	70.9	--	--	--
MW-13	10/27/10	69.9	--	--	--
MW-13	01/26/11	74.9	--	--	--
MW-13	10/13/11	78.5	--	--	--
MW-13	05/31/12	76.8	--	--	--
MW-13	02/28/13	76.7	--	--	--
MW-13	07/29/13	77.9	--	--	--
MW-13 Duplicate	07/29/13	78	--	--	--
MW-13	03/26/14	84	--	--	--
MW-13	07/30/14	181	--	--	--
MW-13	03/11/15	83.9	--	--	--
MW-13	07/29/15	78.0	--	--	--
MW-13	03/22/16	80.4	--	--	--
MW-13	09/22/16	80.7	--	--	--
MW-13	03/24/17	80.0			
MW-13	09/19/17	79.6			
MW-13	03/22/18	77.6			
MW-13	09/19/18	83.5			
MW-13	03/07/19	80.5			
MW-13	06/05/19	93.0			
MW-13	09/04/19	81.6			
MW-13	12/05/19	85.3			
MW-13	03/03/20	79.0			
MW-14	06/02/00	180	--	--	--
MW-14	08/02/00	170	--	--	--
MW-14	11/15/00	190	--	--	--
MW-14	03/06/01	190	--	--	--
MW-14	06/25/01	200	--	--	--
MW-14	09/26/01	200	--	--	--
MW-14	12/12/01	197	--	--	--
MW-14	05/21/02	162	745	3,290	342
MW-14	10/16/02	67	--	--	--
MW-14	01/23/03	228	--	--	--
MW-14	04/25/03	194	--	--	--
MW-14	07/14/03	242	--	--	--
MW-14	10/17/03	214	--	--	--
MW-14	01/21/04	200	--	--	--
MW-14	04/21/04	201	--	--	--
MW-14	07/22/04	203	--	--	--
MW-14	10/28/04	91.7	--	--	--
MW-14	01/26/05	87.7	--	--	--
MW-14	04/20/05	141	--	--	--
MW-14	07/21/05	107	--	--	--
MW-14	10/20/05	234	--	--	--
MW-14	01/26/06	166	--	--	--
MW-14	04/27/06	183	--	--	--
MW-14	07/27/06	164	--	--	--
MW-14	10/26/06	189	--	--	--
MW-14	01/25/07	178	--	--	--
MW-14	04/26/07	192	--	--	--
MW-14	07/25/07	188	--	--	--
MW-14	10/25/07	209	--	--	--
MW-14	01/30/08	194	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-14	04/23/08	171	--	--	--
MW-14	07/24/08	196	--	--	--
MW-14	10/22/08	131	--	--	--
MW-14	01/21/09	189	--	--	--
MW-14	04/22/09	156	--	--	--
MW-14	07/29/09	237	--	--	--
MW-14	10/28/09	256	--	--	--
MW-14	01/27/10	202	--	--	--
MW-14	04/28/10	190	--	--	--
MW-14	07/28/10	221	--	--	--
MW-14	10/27/10	231	--	--	--
MW-14	01/26/11	216	--	--	--
MW-14	10/13/11	198	--	--	--
MW-14	05/31/12	191	--	--	--
MW-14	07/29/13	185	--	--	--
MW-14	03/11/15	212	--	--	--
MW-14	03/22/16	212	--	--	--
MW-14	09/22/16	223	--	--	--
MW-14	03/24/17	199	--	--	--
MW-14	09/19/17	218	--	--	--
MW-15	06/02/00	170	--	--	--
MW-15	08/02/00	160	--	--	--
MW-15	11/15/00	170	--	--	--
MW-15	07/20/05	143	--	--	--
MW-15	10/19/05	137	--	--	--
MW-15	01/25/06	180	--	--	--
MW-15	04/26/06	301	--	--	--
MW-15	07/26/06	327	--	--	--
MW-15	10/25/06	321	--	--	--
MW-15	01/25/07	321	--	--	--
MW-15	04/25/07	290	--	--	--
MW-15	07/24/07	251	--	--	--
MW-15	10/24/07	287	--	--	--
MW-15	01/30/08	289	--	--	--
MW-15	04/23/08	297	--	--	--
MW-15	07/24/08	372	--	--	--
MW-15	10/21/08	200	--	--	--
MW-15	01/21/09	285	--	--	--
MW-15	04/21/09	252	--	--	--
MW-15	07/28/09	172	--	--	--
MW-15	10/27/09	218	--	--	--
MW-15	01/26/10	188	--	--	--
MW-15	04/27/10	167	--	--	--
MW-15	07/27/10	190	--	--	--
MW-15	10/26/10	183	--	--	--
MW-15	01/25/11	185	--	--	--
MW-15	10/13/11	224	--	--	--
MW-15	05/31/12	173	--	--	--
MW-15	02/27/13	152	--	--	--
MW-16	06/02/00	220	--	--	--
MW-16	08/02/00	210	--	--	--
MW-16	11/15/00	210	--	--	--
MW-16	03/06/01	240	--	--	--
MW-16	06/25/01	240	--	--	--
MW-16	09/26/01	67	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-16	12/12/01	172	--	--	--
MW-16	05/21/02	159	540	2,940	83
MW-16	10/15/02	194	--	--	--
MW-16	01/22/03	206	--	--	--
MW-16	04/24/03	176	--	--	--
MW-16	07/14/03	190	--	--	--
MW-16	10/17/03	200	--	--	--
MW-16	01/21/04	182	--	--	--
MW-16	04/21/04	184	--	--	--
MW-16	07/21/04	185	--	--	--
MW-16	10/26/04	188	--	--	--
MW-16	01/26/05	178	--	--	--
MW-16	04/20/05	193	--	--	--
MW-16	07/19/05	189	--	--	--
MW-16	10/19/05	178	--	--	--
MW-16	01/25/06	174	--	--	--
MW-16	04/26/06	179	--	--	--
MW-16	07/26/06	141	--	--	--
MW-16	10/25/06	175	--	--	--
MW-16	01/25/07	156	--	--	--
MW-16	04/25/07	156	--	--	--
MW-16	07/24/07	168	--	--	--
MW-16	10/24/07	175	--	--	--
MW-16	01/30/08	173	--	--	--
MW-16	04/23/08	160	--	--	--
MW-16	07/23/08	168	--	--	--
MW-16	10/21/08	142	--	--	--
MW-16	01/20/09	151	--	--	--
MW-16	04/21/09	131	--	--	--
MW-16	07/28/09	140	--	--	--
MW-16	10/27/09	175	--	--	--
MW-16	01/26/10	148	--	--	--
MW-16	04/27/10	150	--	--	--
MW-16	07/27/10	140	--	--	--
MW-16	10/26/10	134	--	--	--
MW-16	01/25/11	145	--	--	--
MW-16	10/12/11	132	--	--	--
MW-16	05/31/12	125	--	--	--
MW-16	02/27/13	123	--	--	--
MW-16	07/24/13	124	--	--	--
MW-16	03/11/15	138	--	--	--
MW-16	09/22/16	138	--	--	--
MW-16	03/24/17	145	--	--	--
MW-17	06/02/00	140	--	--	--
MW-17	08/02/00	110	--	--	--
MW-17	11/15/00	130	--	--	--
MW-17	03/06/01	130	--	--	--
MW-17	06/25/01	140	--	--	--
MW-17	09/26/01	130	--	--	--
MW-17	12/12/01	147	--	--	--
MW-17	05/21/02	132	575	1,040	202
MW-17	10/15/02	149	--	--	--
MW-17	01/22/03	76.7	--	--	--
MW-17	04/24/03	84.3	--	--	--
MW-17	07/14/03	143	--	--	--
MW-17	01/26/05	146	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-17	04/20/05	126	--	--	--
MW-17	07/19/05	127	--	--	--
MW-17	10/19/05	123	--	--	--
MW-17	01/25/06	145	--	--	--
MW-17	04/26/06	142	--	--	--
MW-17	07/26/06	134	--	--	--
MW-17	10/25/06	127	--	--	--
MW-17	01/25/07	138	--	--	--
MW-17	04/25/07	189	--	--	--
MW-17	07/24/07	266	--	--	--
MW-17	10/24/07	248	--	--	--
MW-17	01/30/08	255	--	--	--
MW-17	04/23/08	245	--	--	--
MW-17	07/23/08	284	--	--	--
MW-17	10/21/08	188	--	--	--
MW-18	06/02/00	190	--	--	--
MW-18	08/02/00	160	--	--	--
MW-18	11/15/00	210	--	--	--
MW-18	03/06/01	190	--	--	--
MW-18	06/25/01	210	--	--	--
MW-18	09/26/01	190	--	--	--
MW-18	12/12/01	182	--	--	--
MW-18	05/21/02	184	1,070	2,930	374
MW-18	10/16/02	102	--	--	--
MW-18	01/23/03	218	--	--	--
MW-18	04/25/03	195	--	--	--
MW-18	07/14/03	193	--	--	--
MW-18	10/20/03	207	--	--	--
MW-18	01/21/04	193	--	--	--
MW-18	04/21/04	195	--	--	--
MW-18	07/22/04	205	--	--	--
MW-18	10/28/04	205	--	--	--
MW-18	01/26/05	206	--	--	--
MW-18	04/20/05	193	--	--	--
MW-18	07/21/05	206	--	--	--
MW-18	10/20/05	176	--	--	--
MW-18	01/26/06	198	--	--	--
MW-18	04/27/06	199	--	--	--
MW-18	07/27/06	184	--	--	--
MW-18	10/26/06	191	--	--	--
MW-18	01/26/07	191	--	--	--
MW-18	04/26/07	203	--	--	--
MW-18	07/25/07	196	--	--	--
MW-18	10/25/07	219	--	--	--
MW-18	01/30/08	205	--	--	--
MW-18	04/24/08	201	--	--	--
MW-18	07/24/08	208	--	--	--
MW-18	10/22/08	148	--	--	--
MW-18	01/21/09	197	--	--	--
MW-18	04/22/09	220	--	--	--
MW-18	07/29/09	218	--	--	--
MW-18	10/28/09	261	--	--	--
MW-18	01/27/10	195	--	--	--
MW-18	04/28/10	170	--	--	--
MW-18	07/28/10	201	--	--	--
MW-18	10/27/10	184	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-18	01/26/11	200	--	--	--
MW-18	10/13/11	197	--	--	--
MW-18	05/31/12	188	--	--	--
MW-18	02/28/13	188	--	--	--
MW-18	07/29/13	176	--	--	--
MW-18	03/26/14	178	--	--	--
MW-18	03/26/14	178	--	--	--
MW-18	03/11/15	169	--	--	--
MW-18	07/29/15	164	--	--	--
MW-18	03/22/16	170	--	--	--
MW-18	09/22/16	179	--	--	--
MW-18 Duplicate	09/22/16	181	--	--	--
MW-18	03/24/17	186			
MW-18	09/19/17	183			
MW-18	03/22/18	177			
MW-18	06/05/19	178			
MW-18	12/05/19	189			
MW-18	03/03/20	196			
MW-19	06/02/00	140	--	--	--
MW-19	08/02/00	110	--	--	--
MW-19	11/15/00	130	--	--	--
MW-19	03/06/01	130	--	--	--
MW-19	06/25/01	150	--	--	--
MW-19	09/26/01	140	--	--	--
MW-19	12/12/01	144	--	--	--
MW-19	05/21/02	150	--	--	--
MW-19	10/15/02	180	--	--	--
MW-19	01/22/03	177	--	--	--
MW-19	04/24/03	161	--	--	--
MW-19	07/14/03	20.3	--	--	--
MW-19	10/17/03	117	--	--	--
MW-19	01/21/04	169	--	--	--
MW-19	04/21/04	173	--	--	--
MW-19	07/22/04	177	--	--	--
MW-19	10/27/04	171	--	--	--
MW-19	01/26/05	187	--	--	--
MW-19	04/20/05	156	--	--	--
MW-19	07/21/05	177	--	--	--
MW-19	10/20/05	161	--	--	--
MW-19	01/26/05	137	--	--	--
MW-19	04/28/10	157	--	--	--
MW-19	07/28/10	186	--	--	--
MW-19	10/27/10	172	--	--	--
MW-19	01/26/11	174	--	--	--
MW-19	04/26/06	123	--	--	--
MW-19	07/27/06	99.8	--	--	--
MW-19	10/26/06	116.0	--	--	--
MW-19	01/25/07	93.7	--	--	--
MW-19	04/25/07	92.6	--	--	--
MW-19	07/25/07	97.7	--	--	--
MW-19	10/24/07	110	--	--	--
MW-19	01/30/08	101	--	--	--
MW-19	04/23/08	96.1	--	--	--
MW-19	07/24/08	96.5	--	--	--
MW-19	10/22/08	101	--	--	--
MW-19	01/21/09	111	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-19	04/22/09	125	--	--	--
MW-19	07/29/09	146	--	--	--
MW-19	10/28/09	202	--	--	--
MW-19	01/27/10	176	--	--	--
MW-19	10/13/11	174	--	--	--
MW-19	05/31/12	177	--	--	--
MW-19	02/28/13	174	--	--	--
MW-19	07/29/13	171	--	--	--
MW-20	06/02/00	83	--	--	--
MW-20	08/02/00	66	--	--	--
MW-20	11/15/00	66	--	--	--
MW-20	03/06/01	62	--	--	--
MW-20	06/25/01	71	--	--	--
MW-20	09/26/01	210	--	--	--
MW-20	12/12/01	69	--	--	--
MW-20	05/21/02	72	638	1,840	26
MW-20	10/15/02	85	--	--	--
MW-20	01/22/03	83.6	--	--	--
MW-20	04/24/03	77.0	--	--	--
MW-20	07/14/03	85.8	--	--	--
MW-20	10/17/03	76.8	--	--	--
MW-20	01/21/04	74.6	--	--	--
MW-20	04/21/04	69.3	--	--	--
MW-20	07/21/04	69.4	--	--	--
MW-20	10/26/04	68.5	--	--	--
MW-20	01/26/05	76.0	--	--	--
MW-20	04/20/05	73.7	--	--	--
MW-20	07/19/05	69.9	--	--	--
MW-20	10/19/05	72.0	--	--	--
MW-20	01/25/06	72.9	--	--	--
MW-20	04/26/06	70.0	--	--	--
MW-20	07/26/06	68.0	--	--	--
MW-20	10/25/06	92.6	--	--	--
MW-20	02/26/07	70.5	--	--	--
MW-20	04/25/07	67.8	--	--	--
MW-20	07/24/07	44.5	--	--	--
MW-20	10/24/07	142	--	--	--
MW-20	01/30/08	85	--	--	--
MW-20	04/23/08	93.5	--	--	--
MW-20	07/23/08	98.1	--	--	--
MW-20	10/21/08	103	--	--	--
MW-20	01/20/09	109	--	--	--
MW-20	04/21/09	118	--	--	--
MW-20	07/28/09	159	--	--	--
MW-20	10/27/09	194	--	--	--
MW-20	01/26/10	156	--	--	--
MW-20	04/27/10	161	--	--	--
MW-20	07/27/10	150	--	--	--
MW-20	10/26/10	130	--	--	--
MW-20	01/25/11	125	--	--	--
MW-20	10/12/11	100	--	--	--
MW-20	05/31/12	92	--	--	--
MW-20	02/27/13	96	--	--	--
MW-20	07/24/13	107	--	--	--
MW-20	03/24/17	131			

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-21	06/13/02	832	--	--	--
MW-21	10/15/02	857	--	--	--
MW-21	01/22/03	806	--	--	--
MW-21	04/24/03	414	--	--	--
MW-21	07/14/03	853	--	--	--
MW-21	10/17/03	886	--	--	--
MW-21	01/21/04	782	--	--	--
MW-21	04/21/04	684	--	--	--
MW-21	07/21/04	613	--	--	--
MW-21	10/26/04	907	--	--	--
MW-21	01/26/05	659	--	--	--
MW-21	04/20/05	555	--	--	--
MW-21	07/19/05	527	--	--	--
MW-21	10/19/05	483	--	--	--
MW-21	01/25/06	509	--	--	--
MW-21	04/26/06	552	--	--	--
MW-21	07/26/06	466	--	--	--
MW-21	10/25/06	499	--	--	--
MW-21	02/26/07	300	--	--	--
MW-21	04/25/07	572	--	--	--
MW-21	07/24/07	1,010	--	--	--
MW-21	10/24/07	825	--	--	--
MW-21	01/30/08	1,110	--	--	--
MW-21	04/23/08	984	--	--	--
MW-21	07/23/08	694	--	--	--
MW-21	10/21/08	855	--	--	--
MW-21	01/20/09	1,060	--	--	--
MW-21	04/21/09	1,090	--	--	--
MW-21	07/28/09	1,040	--	--	--
MW-21	10/27/09	1,390	--	--	--
MW-21	01/26/10	1,090	--	--	--
MW-21	04/27/10	1,320	--	--	--
MW-21	07/27/10	1,020	--	--	--
MW-21	10/26/10	944	--	--	--
MW-21	01/25/11	926	--	--	--
MW-21	10/12/11	249	--	--	--
MW-21	05/31/12	358	--	--	--
MW-21	02/27/13	326	--	--	--
MW-21	07/24/13	407	--	--	--
MW-21	03/11/15	354	--	--	--
MW-21	03/24/17	185			
MW-22	06/13/02	76.5	--	--	--
MW-22	10/15/02	86.5	--	--	--
MW-22	01/22/03	85.7	--	--	--
MW-22	04/24/03	77.0	--	--	--
MW-22	07/14/03	82.0	--	--	--
MW-22	10/17/03	82.8	--	--	--
MW-22	01/21/04	79.4	--	--	--
MW-22	04/21/04	75.3	--	--	--
MW-22	07/22/04	78.3	--	--	--
MW-22	10/27/04	77.5	--	--	--
MW-22	01/26/05	88.3	--	--	--
MW-22	04/20/05	81.1	--	--	--
MW-22	07/21/05	79.3	--	--	--
MW-22	10/20/05	77.5	--	--	--
MW-22	01/25/06	101	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-22	04/26/06	74.3	--	--	--
MW-22	07/26/06	81.5	--	--	--
MW-22	10/25/06	101.0	--	--	--
MW-22	01/25/07	80.3	--	--	--
MW-22	04/26/07	79.8	--	--	--
MW-22	07/25/07	83.4	--	--	--
MW-22	10/24/07	75.3	--	--	--
MW-22	01/30/08	85.4	--	--	--
MW-22	04/23/08	84.6	--	--	--
MW-22	07/24/08	82.1	--	--	--
MW-22	10/22/08	64.2	--	--	--
MW-22	01/21/09	76.2	--	--	--
MW-22	04/22/09	79.4	--	--	--
MW-22	07/29/09	75.3	--	--	--
MW-22	10/28/09	97.1	--	--	--
MW-22	01/27/10	78.7	--	--	--
MW-22	04/28/10	90.9	--	--	--
MW-22	07/28/10	86.2	--	--	--
MW-22	10/27/10	83.3	--	--	--
MW-22	01/26/11	87.6	--	--	--
MW-22	10/13/11	87.7	--	--	--
MW-22	07/29/13	91.1	--	--	--
MW-22	03/26/14	97.9	--	--	--
MW-22	07/30/14	96.1	--	--	--
MW-22	03/11/15	103	--	--	--
MW-22	07/29/15	103	--	--	--
MW-22	03/22/16	97.4	--	--	--
MW-22 Duplicate	03/22/16	97.1	--	--	--
MW-22	09/22/16	100	--	--	--
MW-22	03/27/17	94.8	--	--	--
MW-22	09/19/17	94.6	--	--	--
MW-22	03/22/18	89.3	--	--	--
MW-22	09/19/18	96.6	--	--	--
MW-22	03/07/19	94.1	--	--	--
MW-22	06/05/19	108.0	--	--	--
MW-22	09/04/19	95.0	--	--	--
MW-22	12/06/19	99.7	--	--	--
MW-22	03/03/20	94.9	--	--	--
MW-22	09/09/20	104.0	--	--	--
MW-23	06/13/02	63	--	--	--
MW-23	10/15/02	36.2	--	--	--
MW-23	01/22/03	58.5	--	--	--
MW-23	04/24/03	130	--	--	--
MW-23	07/14/03	64.6	--	--	--
MW-23	10/17/03	59.2	--	--	--
MW-23	01/21/04	61.3	--	--	--
MW-23	04/21/04	54.8	--	--	--
MW-23	07/22/04	59.0	--	--	--
MW-23	10/27/04	55.5	--	--	--
MW-23	01/26/05	64.8	--	--	--
MW-23	04/20/05	77.6	--	--	--
MW-23	07/21/05	65.0	--	--	--
MW-23	10/19/05	66.5	--	--	--
MW-23	01/25/06	67.7	--	--	--
MW-23	04/26/06	63.4	--	--	--
MW-23	07/26/06	67.2	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-23	10/25/06	86.5	--	--	--
MW-23	01/25/07	63.6	--	--	--
MW-23	04/25/07	66.8	--	--	--
MW-23	07/25/07	63.7	--	--	--
MW-23	10/24/07	61.6	--	--	--
MW-23	01/30/08	67.9	--	--	--
MW-23	04/23/08	65.7	--	--	--
MW-23	07/24/08	59.5	--	--	--
MW-23	10/22/08	52.2	--	--	--
MW-23	01/21/09	55	--	--	--
MW-23	04/22/09	59.4	--	--	--
MW-23	07/29/09	55.7	--	--	--
MW-23	10/28/09	71.6	--	--	--
MW-23	01/27/10	55.3	--	--	--
MW-23	04/28/10	68.6	--	--	--
MW-23	07/28/10	56.6	--	--	--
MW-23	10/27/10	58.8	--	--	--
MW-23	01/26/11	63.2	--	--	--
MW-23	10/13/11	64.1	--	--	--
MW-23	05/31/12	61.1	--	--	--
MW-23	02/28/13	58.5	--	--	--
MW-23	07/29/13	58.9	--	--	--
MW-23	03/26/14	61.1	--	--	--
MW-23	03/11/15	63.8	--	--	--
MW-23	07/29/15	64.2	--	--	--
MW-23	03/22/16	62.3	--	--	--
MW-23	09/22/16	63.7	--	--	--
MW-23	03/27/17	58.6	--	--	--
MW-23	09/19/17	62.2	--	--	--
MW-23	03/22/18	60.0	--	--	--
MW-23	06/05/19	73.8	--	--	--
MW-23	12/06/19	65.9	--	--	--
MW-23	03/03/20	66.2	--	--	--
MW-24	07/22/04	165	--	--	--
MW-24	10/27/04	151	--	--	--
MW-24	01/26/05	182	--	--	--
MW-24	04/20/05	166	--	--	--
MW-24	07/20/05	169	--	--	--
MW-24	10/19/05	177	--	--	--
MW-24 Duplicate	10/19/05	176	--	--	--
MW-24	01/25/06	191	--	--	--
MW-24 Duplicate	01/25/06	187	--	--	--
MW-24	04/26/06	172	--	--	--
MW-24 Duplicate	04/26/06	134	--	--	--
MW-24	07/26/06	176	--	--	--
MW-24 Duplicate	07/26/06	177	--	--	--
MW-24	10/25/06	209	--	--	--
MW-24 Duplicate	10/25/06	208	--	--	--
MW-24	01/25/07	209	--	--	--
MW-24 Duplicate	01/25/07	217	--	--	--
MW-24	04/25/07	192	--	--	--
MW-24 Duplicate	04/25/07	181	--	--	--
MW-24	07/24/07	174	--	--	--
MW-24 Duplicate	07/24/07	192	--	--	--
MW-24	10/24/07	190	--	--	--
MW-24	01/30/08	185	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-24	04/23/08	182	--	--	--
MW-24 Duplicate	04/23/08	185	--	--	--
MW-24	07/24/08	217	--	--	--
MW-24 Duplicate	07/24/08	216	--	--	--
MW-24	10/21/08	189	--	--	--
MW-24 Duplicate	10/21/08	200	--	--	--
MW-24	01/21/09	269	--	--	--
MW-24 Duplicate	01/21/09	294	--	--	--
MW-24	04/21/09	278	--	--	--
MW-24 Duplicate	04/21/09	323	--	--	--
MW-24	07/28/09	275	--	--	--
MW-24 Duplicate	07/28/09	287	--	--	--
MW-24	10/28/09	400	--	--	--
MW-24 Duplicate	10/28/09	400	--	--	--
MW-24	01/26/10	285	--	--	--
MW-24 Duplicate	01/26/10	287	--	--	--
MW-24	04/27/10	232	--	--	--
MW-24 Duplicate	04/27/10	253	--	--	--
MW-24	07/27/10	257	--	--	--
MW-24 Duplicate	07/27/10	255	--	--	--
MW-24	10/26/10	221	--	--	--
MW-24 Duplicate	10/26/10	214	--	--	--
MW-24	01/25/11	218	--	--	--
MW-24 Duplicate	01/25/11	217	--	--	--
MW-24	10/12/11	197	--	--	--
MW-24	05/31/12	215	--	--	--
MW-24	02/27/13	225	--	--	--
MW-24	07/24/13	199	--	--	--
MW-24	08/22/13	205	--	--	--
MW-24	03/26/14	180	--	--	--
MW-24	07/30/14	130	--	--	--
MW-24	03/12/15	169	--	--	--
MW-24	07/29/15	139	--	--	--
MW-24	03/22/16	157	--	--	--
MW-24	09/22/16	173	--	--	--
MW-24	03/24/17	160	--	--	--
MW-24 Duplicate	03/24/17	158	--	--	--
MW-24	09/19/17	149	--	--	--
MW-24	03/22/18	154	--	--	--
MW-24	09/19/18	160	--	--	--
MW-24	03/07/19	157	--	--	--
MW-24	06/05/19	189	--	--	--
MW-24	09/04/19	173	--	--	--
MW-24	12/06/19	205	--	--	--
MW-24	03/05/20	215	--	--	--
MW-24	09/09/20	257	--	--	--
MW-25	07/22/04	116	--	--	--
MW-25	10/27/04	129	--	--	--
MW-25	01/26/05	143	--	--	--
MW-25	04/20/05	123	--	--	--
MW-25	07/19/05	152	--	--	--
MW-25	10/19/05	453	--	--	--
MW-25	01/25/06	480	--	--	--
MW-25	04/26/06	461	--	--	--
MW-25	07/26/06	388	--	--	--
MW-25	10/25/06	241	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-25	01/25/07	119	--	--	--
MW-25	04/25/07	192	--	--	--
MW-25	07/24/07	177	--	--	--
MW-25	10/24/07	376	--	--	--
MW-25	01/30/08	461	--	--	--
MW-25	04/23/08	269	--	--	--
MW-25	07/24/08	256	--	--	--
MW-25	10/21/08	149	--	--	--
MW-25	01/20/09	138	--	--	--
MW-25	04/21/09	159	--	--	--
MW-25	07/28/09	151	--	--	--
MW-25	10/27/09	203	--	--	--
MW-25	01/26/10	171	--	--	--
MW-25	04/27/10	177	--	--	--
MW-25	07/27/10	126	--	--	--
MW-25	10/26/10	118	--	--	--
MW-25	01/25/11	132	--	--	--
MW-25	10/12/11	124	--	--	--
MW-25	05/31/12	128	--	--	--
MW-25	02/27/13	126	--	--	--
MW-25	07/24/13	124	--	--	--
MW-25	03/26/14	135	--	--	--
MW-25	07/30/14	128	--	--	--
MW-25	03/12/15	126	--	--	--
MW-25	07/29/15	120	--	--	--
MW-25	03/22/16	120	--	--	--
MW-25	09/22/16	125	--	--	--
MW-25 Duplicate	09/22/16	124	--	--	--
MW-25	09/19/17	128			
MW-25	03/22/18	117			
MW-25	09/19/18	124			
MW-25	03/07/19	119			
MW-25	06/05/19	137			
MW-25	09/04/19	152			
MW-25	12/06/19	126			
MW-25	03/05/20	128			
MW-25	09/09/20	125			
MW-26	04/20/05	82.5	--	--	--
MW-26	07/20/05	77.2	--	--	--
MW-26	10/19/05	77.8	--	--	--
MW-26	01/25/06	78.3	--	--	--
MW-26	04/26/06	74.0	--	--	--
MW-26	07/26/06	77.9	--	--	--
MW-26	10/25/06	99.1	--	--	--
MW-26	01/25/07	66.6	--	--	--
MW-26	04/25/07	81.4	--	--	--
MW-26	07/25/07	83.7	--	--	--
MW-26	10/24/07	73.3	--	--	--
MW-26	01/30/08	86.8	--	--	--
MW-26	04/23/08	90.4	--	--	--
MW-26	07/24/08	92.6	--	--	--
MW-26	10/22/08	83.1	--	--	--
MW-26	01/21/09	99.8	--	--	--
MW-26	04/22/09	95.3	--	--	--
MW-26	07/29/09	114	--	--	--
MW-26	10/28/09	147	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-26	01/26/10	128	--	--	--
MW-26	04/27/10	123	--	--	--
MW-26	07/28/10	136	--	--	--
MW-26	10/27/10	131	--	--	--
MW-26	01/26/11	146	--	--	--
MW-26	10/13/11	154	--	--	--
MW-26	05/31/12	150	--	--	--
MW-26	02/28/13	142	--	--	--
MW-26 Duplicate	02/28/13	141	--	--	--
MW-26	07/29/13	135	--	--	--
MW-26	03/26/14	135	--	--	--
MW-26	07/30/14	123	--	--	--
MW-26	03/11/15	120	--	--	--
MW-26	07/29/15	116	--	--	--
MW-26	03/22/16	111	--	--	--
MW-26 Duplicate	03/22/16	112	--	--	--
MW-26	09/22/16	113	--	--	--
MW-26	03/27/17	119			
MW-26	09/19/17	120			
MW-26 Duplicate	09/19/17	119			
MW-26	03/22/18	112			
MW-26	09/19/18	122			
MW-26	03/07/19	111			
MW-26	06/06/19	125			
MW-26	09/04/19	116			
MW-26	12/06/19	115			
MW-26	03/05/20	117			
MW-26 Duplicate	03/05/20	114			
MW-26	09/09/20	111			
MW-27	04/20/05	129	--	--	--
MW-27 Duplicate	04/20/05	132	--	--	--
MW-27	07/20/05	129	--	--	--
MW-27 Duplicate	07/20/05	129	--	--	--
MW-27	10/19/05	132	--	--	--
MW-27	01/25/06	136	--	--	--
MW-27 Duplicate	01/25/06	138	--	--	--
MW-27	04/26/06	112	--	--	--
MW-27	07/26/06	115	--	--	--
MW-27	10/25/06	151	--	--	--
MW-27	01/25/07	119	--	--	--
MW-27	04/25/07	117	--	--	--
MW-27	07/25/07	130	--	--	--
MW-27	10/24/07	119	--	--	--
MW-27	01/30/08	115	--	--	--
MW-27	04/23/08	102	--	--	--
MW-27	07/24/08	104	--	--	--
MW-27	10/22/08	107	--	--	--
MW-27	01/21/09	103	--	--	--
MW-27	04/22/09	97.8	--	--	--
MW-27	07/29/09	111	--	--	--
MW-27	10/28/09	160	--	--	--
MW-27	01/27/10	119	--	--	--
MW-27	04/28/10	116	--	--	--
MW-27	07/28/10	130	--	--	--
MW-27	10/27/10	124	--	--	--
MW-27	01/26/11	127	--	--	--

Table 3

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
MW-27	10/13/11	99.3	--	--	--
MW-27	05/31/12	93.6	--	--	--
MW-27	02/28/13	110	--	--	--
MW-27 Duplicate	02/28/13	110	--	--	--
MW-27	07/29/13	101	--	--	--
MW-27	03/26/14	112	--	--	--
MW-27 Duplicate	03/26/14	112	--	--	--
MW-27	07/30/14	108	--	--	--
MW-27	03/11/15	132	--	--	--
MW-27	07/29/15	126	--	--	--
MW-27	03/22/16	137	--	--	--
MW-27	09/22/16	138	--	--	--
MW-27	03/27/17	134			
MW-27	09/19/17	131			
MW-27	03/22/18	115			
MW-27	09/19/18	126			
MW-27	03/07/19	122			
MW-27	06/06/19	116			
MW-27	09/04/19	117			
MW-27	12/06/19	132			
MW-27	03/05/20	124			
MW-27	09/09/20	120			
SVE-10	01/23/03	282	--	--	--
SVE-10	04/25/03	241	--	--	--
SVE-10	07/14/03	270	--	--	--
SVE-10	10/20/03	255	--	--	--
SVE-10	01/22/04	265	--	--	--
SVE-10	04/22/04	236	--	--	--
SVE-10	07/23/04	250	--	--	--
SVE-10	10/28/04	243	--	--	--
SVE-10	01/27/05	251	--	--	--
SVE-10	04/20/05	204	--	--	--
SVE-10	07/21/05	236	--	--	--
SVE-10	10/20/05	183	--	--	--
SVE-10	01/26/06	243	--	--	--
SVE-10	04/27/06	234	--	--	--
SVE-10	07/27/06	230	--	--	--
SVE-10	10/26/06	244	--	--	--
SVE-10	01/26/07	234	--	--	--
SVE-10	04/26/07	256	--	--	--
SVE-10	07/25/07	247	--	--	--
SVE-10	10/25/07	227	--	--	--
SVE-10	01/31/08	234	--	--	--
SVE-10	04/24/08	226	--	--	--
SVE-10	07/25/08	253	--	--	--
SVE-10	10/22/08	173	--	--	--
SVE-10	01/21/09	205	--	--	--
SVE-10	04/22/09	231	--	--	--
SVE-10	07/29/09	252	--	--	--
SVE-10	10/28/09	340	--	--	--
SVE-10	01/27/10	223	--	--	--
SVE-10	04/28/10	221	--	--	--
SVE-10	07/28/10	244	--	--	--
SVE-10	10/27/10	224	--	--	--
SVE-10	01/26/11	240	--	--	--
SVE-10	10/13/11	238	--	--	--

Groundwater Analytical Data - Inorganics
Phillips 66 Company
East Hobbs Junction
Hobbs, Lea County, New Mexico

Monitor Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (µg/L)	Manganese (µg/L)
NMWQCC Groundwater Quality Standards		250	ne	1,000	200
SP-1	06/02/00	180	--	--	--

Notes:

mg/L = milligrams per liter

µg/L = micrograms per liter

NMWQCC = New Mexico Water Quality Control Commission

ne - indicates not established

-- indicates not analyzed

Shaded/bolded values exceed their respective NMWQCC Standard for Groundwater.

Appendices

Appendix A

Groundwater Laboratory Analytical Reports



March 20, 2020

David Bonga
GHD Services, Inc.
14998 West 6th Ave
Suite 800
Golden, CO 80401

RE: Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60330972

Dear David Bonga:

Enclosed are the analytical results for sample(s) received by the laboratory on March 06, 2020. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Jamie Church".

Jamie Church
jamie.church@pacelabs.com
314-838-7223
Project Manager

Enclosures

cc: Chris Knight, GHD Services, Inc.
Angela McManus, Pace Analytical
Julia Slusher, GHD Services, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60330972

Pace Analytical Services Kansas

9608 Loiret Boulevard, Lenexa, KS 66219	Nevada Certification #: KS000212020-2
Missouri Inorganic Drinking Water Certification #: 10090	Oklahoma Certification #: 9205/9935
Arkansas Drinking Water	Florida: Cert E871149 SEKS WET
Arkansas Certification #: 19-016-0	Texas Certification #: T104704407-19-12
Arkansas Drinking Water	Utah Certification #: KS000212018-8
Illinois Certification #: 004455	Illinois Certification #: 004592
Iowa Certification #: 118	Kansas Field Laboratory Accreditation: # E-92587
Kansas/NELAP Certification #: E-10116	Missouri SEKS Micro Certification: 10070
Louisiana Certification #: 03055	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Page 2 of 26

SAMPLE SUMMARY

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60330972001	MW-1	Water	03/05/20 11:40	03/06/20 09:15
60330972002	MW-2	Water	03/05/20 10:10	03/06/20 09:15
60330972003	MW-3	Water	03/05/20 10:55	03/06/20 09:15
60330972004	MW-8	Water	03/05/20 13:35	03/06/20 09:15
60330972005	MW-6	Water	03/05/20 12:10	03/06/20 09:15
60330972006	MW-24	Water	03/05/20 12:45	03/06/20 09:15
60330972007	MW-25	Water	03/05/20 13:10	03/06/20 09:15
60330972008	MW-27	Water	03/05/20 14:05	03/06/20 09:15
60330972009	MW-26	Water	03/05/20 14:40	03/06/20 09:15
60330972010	DUP-02	Water	03/05/20 08:00	03/06/20 09:15
60330972011	DUP-01	Water	03/05/20 08:00	03/06/20 09:15
60330972012	TRIP BLANK	Water	03/05/20 08:00	03/06/20 09:15
60330972013	TRIP BLANK	Water	03/05/20 08:00	03/06/20 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60330972001	MW-1	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972002	MW-2	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972003	MW-3	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972004	MW-8	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972005	MW-6	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972006	MW-24	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	CNB	1	PASI-K
60330972007	MW-25	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972008	MW-27	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972009	MW-26	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972010	DUP-02	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972011	DUP-01	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330972012	TRIP BLANK	EPA 8260	DTB	9	PASI-K
60330972013	TRIP BLANK	EPA 8260	DTB	9	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-1	Lab ID: 60330972001	Collected: 03/05/20 11:40	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	6.3	mg/L	0.50	1	03/09/20 14:02	03/10/20 17:20		
Surrogates								
p-Terphenyl (S)	61	%	45-116	1	03/09/20 14:02	03/10/20 17:20	92-94-4	
n-Tetracosane (S)	57	%	47-120	1	03/09/20 14:02	03/10/20 17:20	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	0.046	mg/L	0.0050	5		03/10/20 08:36	71-43-2	
Ethylbenzene	0.014	mg/L	0.0050	5		03/10/20 08:36	100-41-4	
Toluene	0.062	mg/L	0.0050	5		03/10/20 08:36	108-88-3	
TPH-GRO	ND	mg/L	2.5	5		03/10/20 08:36		
Xylene (Total)	0.059	mg/L	0.015	5		03/10/20 08:36	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	5		03/10/20 08:36	2037-26-5	
4-Bromofluorobenzene (S)	99	%	80-120	5		03/10/20 08:36	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	77-122	5		03/10/20 08:36	17060-07-0	
Preservation pH	11.0		0.10	5		03/10/20 08:36		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	127	mg/L	10.0	10		03/12/20 18:28	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 5 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-2	Lab ID: 60330972002	Collected: 03/05/20 10:10	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	1.3	mg/L	0.50	1	03/09/20 14:02	03/10/20 17:28		
Surrogates								
p-Terphenyl (S)	97	%	45-116	1	03/09/20 14:02	03/10/20 17:28	92-94-4	
n-Tetracosane (S)	97	%	47-120	1	03/09/20 14:02	03/10/20 17:28	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	0.0092	mg/L	0.0010	1		03/10/20 08:51	71-43-2	
Ethylbenzene	0.0063	mg/L	0.0010	1		03/10/20 08:51	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 08:51	108-88-3	
TPH-GRO	0.75	mg/L	0.50	1		03/10/20 08:51		
Xylene (Total)	0.012	mg/L	0.0030	1		03/10/20 08:51	1330-20-7	
Surrogates								
Toluene-d8 (S)	104	%	80-120	1		03/10/20 08:51	2037-26-5	
4-Bromofluorobenzene (S)	98	%	80-120	1		03/10/20 08:51	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	77-122	1		03/10/20 08:51	17060-07-0	
Preservation pH	11.0		0.10	1		03/10/20 08:51		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	47.5	mg/L	10.0	10		03/12/20 18:44	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 6 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-3	Lab ID: 60330972003	Collected: 03/05/20 10:55	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	1.8	mg/L	0.50	1	03/09/20 14:02	03/10/20 17:37		
Surrogates								
p-Terphenyl (S)	93	%	45-116	1	03/09/20 14:02	03/10/20 17:37	92-94-4	
n-Tetracosane (S)	94	%	47-120	1	03/09/20 14:02	03/10/20 17:37	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	0.0043	mg/L	0.0010	1		03/10/20 09:06	71-43-2	
Ethylbenzene	0.0030	mg/L	0.0010	1		03/10/20 09:06	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 09:06	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 09:06		
Xylene (Total)	0.0054	mg/L	0.0030	1		03/10/20 09:06	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		03/10/20 09:06	2037-26-5	
4-Bromofluorobenzene (S)	98	%	80-120	1		03/10/20 09:06	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	77-122	1		03/10/20 09:06	17060-07-0	
Preservation pH	11.0		0.10	1		03/10/20 09:06		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	55.7	mg/L	10.0	10		03/12/20 19:00	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 7 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

Sample: MW-8	Lab ID: 60330972004	Collected: 03/05/20 13:35	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	37.2	mg/L	5.0	10	03/09/20 14:02	03/13/20 21:45		
Surrogates								
p-Terphenyl (S)	0	%	45-116	10	03/09/20 14:02	03/13/20 21:45	92-94-4	S4
n-Tetracosane (S)	0	%	47-120	10	03/09/20 14:02	03/13/20 21:45	646-31-1	S4
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	0.0021	mg/L	0.0010	1			03/10/20 09:21	71-43-2
Ethylbenzene	0.0089	mg/L	0.0010	1			03/10/20 09:21	100-41-4
Toluene	ND	mg/L	0.0010	1			03/10/20 09:21	108-88-3
TPH-GRO	3.4	mg/L	0.50	1			03/10/20 09:21	
Xylene (Total)	0.0068	mg/L	0.0030	1			03/10/20 09:21	1330-20-7
Surrogates								
Toluene-d8 (S)	104	%	80-120	1			03/10/20 09:21	2037-26-5
4-Bromofluorobenzene (S)	92	%	80-120	1			03/10/20 09:21	460-00-4
1,2-Dichloroethane-d4 (S)	98	%	77-122	1			03/10/20 09:21	17060-07-0
Preservation pH	7.0		0.10	1			03/10/20 09:21	
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	163	mg/L	10.0	10			03/12/20 19:32	16887-00-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 8 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-6	Lab ID: 60330972005	Collected: 03/05/20 12:10	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	1.7	mg/L	0.50	1	03/09/20 14:02	03/13/20 21:53		
Surrogates								
p-Terphenyl (S)	92	%	45-116	1	03/09/20 14:02	03/13/20 21:53	92-94-4	
n-Tetracosane (S)	96	%	47-120	1	03/09/20 14:02	03/13/20 21:53	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 09:36	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 09:36	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 09:36	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 09:36		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 09:36	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		03/10/20 09:36	2037-26-5	
4-Bromofluorobenzene (S)	100	%	80-120	1		03/10/20 09:36	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	77-122	1		03/10/20 09:36	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 09:36		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	152	mg/L	10.0	10		03/12/20 19:48	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 9 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-24	Lab ID: 60330972006	Collected: 03/05/20 12:45	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	0.51	mg/L	0.50	1	03/09/20 14:02	03/13/20 22:02		
Surrogates								
p-Terphenyl (S)	104	%	45-116	1	03/09/20 14:02	03/13/20 22:02	92-94-4	
n-Tetracosane (S)	108	%	47-120	1	03/09/20 14:02	03/13/20 22:02	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 09:51	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 09:51	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 09:51	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 09:51		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 09:51	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		03/10/20 09:51	2037-26-5	
4-Bromofluorobenzene (S)	100	%	80-120	1		03/10/20 09:51	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	77-122	1		03/10/20 09:51	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 09:51		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	215	mg/L	20.0	20		03/13/20 12:26	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 10 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

Sample: MW-25	Lab ID: 60330972007	Collected: 03/05/20 13:10	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.50	1	03/09/20 14:02	03/10/20 18:26		
Surrogates								
p-Terphenyl (S)	88	%	45-116	1	03/09/20 14:02	03/10/20 18:26	92-94-4	
n-Tetracosane (S)	88	%	47-120	1	03/09/20 14:02	03/10/20 18:26	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 14:38	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 14:38	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 14:38	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 14:38		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 14:38	1330-20-7	
Surrogates								
Toluene-d8 (S)	104	%	80-120	1		03/10/20 14:38	2037-26-5	
4-Bromofluorobenzene (S)	99	%	80-120	1		03/10/20 14:38	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	77-122	1		03/10/20 14:38	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 14:38		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	128	mg/L	10.0	10		03/12/20 20:20	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 11 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-27	Lab ID: 60330972008	Collected: 03/05/20 14:05	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.50	1	03/09/20 14:02	03/10/20 18:35		
Surrogates								
p-Terphenyl (S)	91	%	45-116	1	03/09/20 14:02	03/10/20 18:35	92-94-4	
n-Tetracosane (S)	90	%	47-120	1	03/09/20 14:02	03/10/20 18:35	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 14:53	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 14:53	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 14:53	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 14:53		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 14:53	1330-20-7	
Surrogates								
Toluene-d8 (S)	103	%	80-120	1		03/10/20 14:53	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-120	1		03/10/20 14:53	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	77-122	1		03/10/20 14:53	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 14:53		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	124	mg/L	10.0	10		03/12/20 20:36	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 12 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: MW-26	Lab ID: 60330972009	Collected: 03/05/20 14:40	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.50	1	03/09/20 14:02	03/10/20 18:43		
Surrogates								
p-Terphenyl (S)	91	%	45-116	1	03/09/20 14:02	03/10/20 18:43	92-94-4	
n-Tetracosane (S)	93	%	47-120	1	03/09/20 14:02	03/10/20 18:43	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 15:08	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 15:08	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 15:08	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 15:08		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 15:08	1330-20-7	
Surrogates								
Toluene-d8 (S)	101	%	80-120	1		03/10/20 15:08	2037-26-5	
4-Bromofluorobenzene (S)	97	%	80-120	1		03/10/20 15:08	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	77-122	1		03/10/20 15:08	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 15:08		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	117	mg/L	10.0	10		03/12/20 21:25	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 13 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

Sample: DUP-02	Lab ID: 60330972010	Collected: 03/05/20 08:00	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.50	1	03/09/20 14:02	03/10/20 18:51		
Surrogates								
p-Terphenyl (S)	86	%	45-116	1	03/09/20 14:02	03/10/20 18:51	92-94-4	
n-Tetracosane (S)	88	%	47-120	1	03/09/20 14:02	03/10/20 18:51	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 15:24	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 15:24	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 15:24	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 15:24		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 15:24	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		03/10/20 15:24	2037-26-5	
4-Bromofluorobenzene (S)	100	%	80-120	1		03/10/20 15:24	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	77-122	1		03/10/20 15:24	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 15:24		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	114	mg/L	10.0	10		03/12/20 21:41	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 14 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

Sample: DUP-01	Lab ID: 60330972011	Collected: 03/05/20 08:00	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	13.7	mg/L	0.50	1	03/09/20 14:02	03/13/20 22:10		
Surrogates								
p-Terphenyl (S)	137	%	45-116	1	03/09/20 14:02	03/13/20 22:10	92-94-4	S8
n-Tetracosane (S)	110	%	47-120	1	03/09/20 14:02	03/13/20 22:10	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	0.073	mg/L	0.0010	1			03/10/20 15:39	71-43-2
Ethylbenzene	0.027	mg/L	0.0010	1			03/10/20 15:39	100-41-4
Toluene	0.11	mg/L	0.0010	1			03/10/20 15:39	108-88-3
TPH-GRO	1.5	mg/L	0.50	1			03/10/20 15:39	
Xylene (Total)	0.11	mg/L	0.0030	1			03/10/20 15:39	1330-20-7
Surrogates								
Toluene-d8 (S)	104	%	80-120	1			03/10/20 15:39	2037-26-5
4-Bromofluorobenzene (S)	99	%	80-120	1			03/10/20 15:39	460-00-4
1,2-Dichloroethane-d4 (S)	105	%	77-122	1			03/10/20 15:39	17060-07-0
Preservation pH	11.0		0.10	1			03/10/20 15:39	
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	128	mg/L	10.0	10			03/12/20 21:57	16887-00-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 15 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

Sample: TRIP BLANK	Lab ID: 60330972012	Collected: 03/05/20 08:00	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 15:54	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 15:54	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 15:54	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 15:54		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 15:54	1330-20-7	
Surrogates								
Toluene-d8 (S)	101	%	80-120	1		03/10/20 15:54	2037-26-5	
4-Bromofluorobenzene (S)	98	%	80-120	1		03/10/20 15:54	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	77-122	1		03/10/20 15:54	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 15:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 16 of 26

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

Sample: TRIP BLANK	Lab ID: 60330972013	Collected: 03/05/20 08:00	Received: 03/06/20 09:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/10/20 16:09	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/10/20 16:09	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/10/20 16:09	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/10/20 16:09		
Xylene (Total)	ND	mg/L	0.0030	1		03/10/20 16:09	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		03/10/20 16:09	2037-26-5	
4-Bromofluorobenzene (S)	97	%	80-120	1		03/10/20 16:09	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	77-122	1		03/10/20 16:09	17060-07-0	
Preservation pH	7.0		0.10	1		03/10/20 16:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 17 of 26

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

QC Batch:	642698	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006		

METHOD BLANK: 2611904 Matrix: Water

Associated Lab Samples: 60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	03/10/20 05:51	
Ethylbenzene	mg/L	ND	0.0010	03/10/20 05:51	
Toluene	mg/L	ND	0.0010	03/10/20 05:51	
TPH-GRO	mg/L	ND	0.50	03/10/20 05:51	
Xylene (Total)	mg/L	ND	0.0030	03/10/20 05:51	
1,2-Dichloroethane-d4 (S)	%	100	77-122	03/10/20 05:51	
4-Bromofluorobenzene (S)	%	100	80-120	03/10/20 05:51	
Toluene-d8 (S)	%	101	80-120	03/10/20 05:51	

LABORATORY CONTROL SAMPLE: 2611905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.019	94	73-117	
Ethylbenzene	mg/L	0.02	0.021	105	73-121	
Toluene	mg/L	0.02	0.023	113	77-119	
TPH-GRO	mg/L	4	3.3	83	70-130	
Xylene (Total)	mg/L	0.06	0.069	115	76-119	
1,2-Dichloroethane-d4 (S)	%			102	77-122	
4-Bromofluorobenzene (S)	%			96	80-120	
Toluene-d8 (S)	%			102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2611906 2611907

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max RPD	RPD	Qual	
		60331088005	Result	Spike Conc.	Spike Conc.	Result	MSD	Result	% Rec	MSD	% Rec	Limits			
Benzene	mg/L	0.055	0.02	0.02	0.069	0.074	69	94	42-137	7	35				
Ethylbenzene	mg/L	0.059	0.02	0.02	0.070	0.079	55	99	44-143	12	36				
Toluene	mg/L	0.0013	0.02	0.02	0.021	0.024	97	113	45-142	14	36				
Xylene (Total)	mg/L	0.014	0.06	0.06	0.070	0.083	93	115	33-149	17	35				
1,2-Dichloroethane-d4 (S)	%						102	108	77-122						
4-Bromofluorobenzene (S)	%						98	97	80-120						
Toluene-d8 (S)	%						99	102	80-120						
Preservation pH		1.0				1.0	1.0						0	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 18 of 26

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

QC Batch:	642819	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60330972007, 60330972008, 60330972009, 60330972010, 60330972011, 60330972012, 60330972013		

METHOD BLANK: 2612382 Matrix: Water

Associated Lab Samples: 60330972007, 60330972008, 60330972009, 60330972010, 60330972011, 60330972012, 60330972013

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
Benzene	mg/L	ND	0.0010	03/10/20 12:21	
Ethylbenzene	mg/L	ND	0.0010	03/10/20 12:21	
Toluene	mg/L	ND	0.0010	03/10/20 12:21	
TPH-GRO	mg/L	ND	0.50	03/10/20 12:21	
Xylene (Total)	mg/L	ND	0.0030	03/10/20 12:21	
1,2-Dichloroethane-d4 (S)	%	103	77-122	03/10/20 12:21	
4-Bromofluorobenzene (S)	%	100	80-120	03/10/20 12:21	
Toluene-d8 (S)	%	102	80-120	03/10/20 12:21	

LABORATORY CONTROL SAMPLE: 2612383

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
Benzene	mg/L	0.02	0.019	97	73-117	
Ethylbenzene	mg/L	0.02	0.022	110	73-121	
Toluene	mg/L	0.02	0.022	111	77-119	
TPH-GRO	mg/L	4	3.4	85	70-130	
Xylene (Total)	mg/L	0.06	0.070	117	76-119	
1,2-Dichloroethane-d4 (S)	%			102	77-122	
4-Bromofluorobenzene (S)	%			97	80-120	
Toluene-d8 (S)	%			100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2612384 2612385

Parameter	Units	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	RPD	RPD	Max
		60331090003	Spike	Spike	Spike	Result	Result	% Rec	% Rec	Limits	Qual	
Benzene	mg/L	ND	0.02	0.02	0.019	0.020	93	100	42-137	7	35	
Ethylbenzene	mg/L	ND	0.02	0.02	0.020	0.023	99	113	44-143	13	36	
Toluene	mg/L	ND	0.02	0.02	0.021	0.024	104	118	45-142	12	36	
Xylene (Total)	mg/L	ND	0.06	0.06	0.064	0.072	107	120	33-149	11	35	
1,2-Dichloroethane-d4 (S)	%						103	101	77-122			
4-Bromofluorobenzene (S)	%						96	98	80-120			
Toluene-d8 (S)	%						100	103	80-120			
Preservation pH		1.0			1.0	1.0				0	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 19 of 26

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

QC Batch: 642469 Analysis Method: EPA 8015B

QC Batch Method: EPA 3510C Analysis Description: EPA 8015B

Associated Lab Samples: 60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006, 60330972007,
60330972008, 60330972009, 60330972010, 60330972011

METHOD BLANK: 2611377 Matrix: Water

Associated Lab Samples: 60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006, 60330972007,
60330972008, 60330972009, 60330972010, 60330972011

Parameter	Units	Blank Result	Reporting		Qualifiers
			Limit	Analyzed	
TPH-DRO	mg/L	ND	0.50	03/10/20 17:04	
n-Tetracosane (S)	%	88	47-120	03/10/20 17:04	
p-Terphenyl (S)	%	86	45-116	03/10/20 17:04	

LABORATORY CONTROL SAMPLE: 2611378

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	12.5	9.5	76	31-104	
n-Tetracosane (S)	%			101	47-120	
p-Terphenyl (S)	%			101	45-116	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 20 of 26

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330972

QC Batch: 643351 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Associated Lab Samples: 60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006, 60330972007,
60330972008, 60330972009, 60330972010, 60330972011

METHOD BLANK: 2614155 Matrix: Water

Associated Lab Samples: 60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006, 60330972007,
60330972008, 60330972009, 60330972010, 60330972011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	03/12/20 15:00	

METHOD BLANK: 2615615 Matrix: Water

Associated Lab Samples: 60330972001, 60330972002, 60330972003, 60330972004, 60330972005, 60330972006, 60330972007,
60330972008, 60330972009, 60330972010, 60330972011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	03/13/20 07:28	

LABORATORY CONTROL SAMPLE: 2614156

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.7	93	90-110	

LABORATORY CONTROL SAMPLE: 2615616

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.8	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2614157 2614158

Parameter	Units	MS Result	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		60331313001	Spike Conc.	25	25	54.1	54.2	103	103	80-120	0
Chloride	mg/L	28.4		25							

MATRIX SPIKE SAMPLE: 2614159

Parameter	Units	Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L			55.7	50	104	97

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 21 of 26

QUALIFIERS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330972

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
 ND - Not Detected at or above adjusted reporting limit.
 TNTC - Too Numerous To Count
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
 MDL - Adjusted Method Detection Limit.
 PQL - Practical Quantitation Limit.
 RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
 S - Surrogate
 1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
 Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
 LCS(D) - Laboratory Control Sample (Duplicate)
 MS(D) - Matrix Spike (Duplicate)
 DUP - Sample Duplicate
 RPD - Relative Percent Difference
 NC - Not Calculable.
 SG - Silica Gel - Clean-Up
 U - Indicates the compound was analyzed for, but not detected.
 N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
 Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
 TNI - The NELAC Institute.

LABORATORIES

PASI-K Pace Analytical Services - Kansas City

ANALYTE QUALIFIERS

- S4 Surrogate recovery not evaluated against control limits due to sample dilution.
- S8 Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-extraction and/or re-analysis)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60330972

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60330972001	MW-1	EPA 3510C	642469	EPA 8015B	642930
60330972002	MW-2	EPA 3510C	642469	EPA 8015B	642930
60330972003	MW-3	EPA 3510C	642469	EPA 8015B	642930
60330972004	MW-8	EPA 3510C	642469	EPA 8015B	642930
60330972005	MW-6	EPA 3510C	642469	EPA 8015B	642930
60330972006	MW-24	EPA 3510C	642469	EPA 8015B	642930
60330972007	MW-25	EPA 3510C	642469	EPA 8015B	642930
60330972008	MW-27	EPA 3510C	642469	EPA 8015B	642930
60330972009	MW-26	EPA 3510C	642469	EPA 8015B	642930
60330972010	DUP-02	EPA 3510C	642469	EPA 8015B	642930
60330972011	DUP-01	EPA 3510C	642469	EPA 8015B	642930
60330972001	MW-1	EPA 8260	642698		
60330972002	MW-2	EPA 8260	642698		
60330972003	MW-3	EPA 8260	642698		
60330972004	MW-8	EPA 8260	642698		
60330972005	MW-6	EPA 8260	642698		
60330972006	MW-24	EPA 8260	642698		
60330972007	MW-25	EPA 8260	642819		
60330972008	MW-27	EPA 8260	642819		
60330972009	MW-26	EPA 8260	642819		
60330972010	DUP-02	EPA 8260	642819		
60330972011	DUP-01	EPA 8260	642819		
60330972012	TRIP BLANK	EPA 8260	642819		
60330972013	TRIP BLANK	EPA 8260	642819		
60330972001	MW-1	EPA 300.0	643351		
60330972002	MW-2	EPA 300.0	643351		
60330972003	MW-3	EPA 300.0	643351		
60330972004	MW-8	EPA 300.0	643351		
60330972005	MW-6	EPA 300.0	643351		
60330972006	MW-24	EPA 300.0	643351		
60330972007	MW-25	EPA 300.0	643351		
60330972008	MW-27	EPA 300.0	643351		
60330972009	MW-26	EPA 300.0	643351		
60330972010	DUP-02	EPA 300.0	643351		
60330972011	DUP-01	EPA 300.0	643351		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/20/2020 03:18 PM

Page 23 of 26



Sample Condition Upon Receipt

WO# : 60330972



60330972

Client Name: GHDCourier: FedEx UPS VIA Clay PEX ECI Pace Xroads Client Other Tracking #: 150587617770 Pace Shipping Label Used? Yes No Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Packing Material: Bubble Wrap Bubble Bags Foam None Other Thermometer Used: CR-200 Type of Ice: Wet Blue NoneCooler Temperature (°C): As-read 3.8, 3.7 Corr. Factor 0.1 Corrected 3.9, 3.2Date and initials of person examining contents: 376126

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>WT</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) Lot # <u>10</u>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Cyanide water sample checks:	List sample IDs, volumes, lot #'s of preservative and the date/time added.	
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Jami Clark

3/6/20

Date: _____

Project Manager Review: _____

CHAIN-OFF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page 2 of 2

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: GHD Services, Inc.	Address: 14998 West 6th Ave. Suite 800	Report To: David Bongia	Copy To: Julia Slusher/Christopher Knight	Attention: Gina Blair	Company Name: GHD
Golden, CO 80401		Purchase Order #:		Address:	
Email: david.bongia@ghd.com	Fax	Project Name: 11194178 E. Hobbs Junction	Project #:	Price Quote: Pace Project Manager: Jamie Church	State / Location: NM
Phone: 720-974-0951	Report Due Date: 2023-03-15	Project #: 11044, line 1		Residual Chlorine (Y/N)	
Requested Analysis Filtered (Y/N)					
<input checked="" type="checkbox"/> Analyses Test Y/N <input checked="" type="checkbox"/> Sample Temp at Collection <input checked="" type="checkbox"/> # of Containers <input checked="" type="checkbox"/> Preservatives <input checked="" type="checkbox"/> Other <input checked="" type="checkbox"/> Methanol <input checked="" type="checkbox"/> NaOH <input checked="" type="checkbox"/> HCl <input checked="" type="checkbox"/> HNO3 <input checked="" type="checkbox"/> H2SO4 <input checked="" type="checkbox"/> Uptreated <input checked="" type="checkbox"/> Matrix Code (see valid codes to left) <input checked="" type="checkbox"/> Sample Type (see valid codes to left)					
SAMPLE ID One Character Per Box. (A-Z, 0-9, -,) Sample Ids must be unique					
ITEM #	COLLECTED	START	END	TIME	TIME
1	MW-1	W 6 3/15/20 1140			
2	MW-2	W 6 3/5/20 1010			
3	MW-3	W 6 3/5/20 1055			
4	MW-8	W 6 3/5/20 1335			
5	MW-6	W 6 3/5/20 1210			
6	MW-24	W 6 3/5/20 1245			
7	MW-25	W 6 3/5/20 1310			
8	MW-27	W 6 3/5/20 1405			
9	MW-26	W 6 3/5/20 1410			
10	Dup-02	W 6 3/5/20			
11	Dup-01	W 6 3/5/20			
12	Trip Blank	W 6 3/5/20			
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION
		<i>Matthew Lashlin</i>	3/5/20	1800	Page 3/6/20 0915 3.8
					3.1
SAMPLE CONDITIONS					
SAMPLE NAME AND SIGNATURE PRINT Name of SAMPLER: <i>Matthew Lashlin</i> SIGNATURE of SAMPLER: <i>[Signature]</i>					
TEMP In C					
Received on ice (y/n)					
Sealed Container (y/n)					
Samples in Place (y/n)					
Customer Comments (y/n)					
Database Facility Code: 075016-PH-EHobbsJct					

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: GHD Services, Inc.	Address: 14998 West 6th Ave, Suite 800 Golden CO 80401	Report To: David Bonga	Copy To: Julia Slusher/Christopher Knight	Attention: Gina Blair	Company Name: GHD
Email: david.bonga@ghd.com	Purchase Order #: 11194178 E Hobbs Junction	Pace Quote: Project Name: Project #: Revised Due Date:	Pace Project Manager: Pace Profile #: 11044, line 1	Pace Quote: Project Name: Project #: Revised Due Date:	Pace Project Manager: Pace Profile #: 11044, line 1
SAMPLE ID One Character per box. (A-Z, 0-9, -,) Sample IDs must be unique					
ITEM # 1 Trip Blank 2 Trip Blank 3 Trip Blank 4 5 6 7 8 9 10 11 12					
ANALYSES TEST Y/N le0330972					
REQUESTED ANALYSIS Filtered (Y/N) Residual Chlorine (Y/N)					
TEMP IN C Received on Lee (Y/N) Custody Seal (Y/N) Sample (Y/N) Inter (Y/N)					
DATE TIME ACCEPTED BY / AFFILIATION DATE TIME SAMPLE CONDITIONS					
ADDITIONAL COMMENTS		SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: Matthew Langholt SIGNATURE of SAMPLER: DATE Signed: 3/5/20			
Database Facility Code: 075016-PH-EHobbsJct					



March 17, 2020

David Bonga
GHD Services, Inc.
14998 West 6th Ave
Suite 800
Golden, CO 80401

RE: Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60330595

Dear David Bonga:

Enclosed are the analytical results for sample(s) received by the laboratory on March 04, 2020. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Jamie Church".

Jamie Church
jamie.church@pacelabs.com
314-838-7223
Project Manager

Enclosures

cc: Chris Knight, GHD Services, Inc.
Angela McManus, Pace Analytical
Julia Slusher, GHD Services, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60330595

Pace Analytical Services Kansas

9608 Loiret Boulevard, Lenexa, KS 66219	Nevada Certification #: KS000212020-2
Missouri Inorganic Drinking Water Certification #: 10090	Oklahoma Certification #: 9205/9935
Arkansas Drinking Water	Florida: Cert E871149 SEKS WET
Arkansas Certification #: 19-016-0	Texas Certification #: T104704407-19-12
Arkansas Drinking Water	Utah Certification #: KS000212018-8
Illinois Certification #: 004455	Illinois Certification #: 004592
Iowa Certification #: 118	Kansas Field Laboratory Accreditation: # E-92587
Kansas/NELAP Certification #: E-10116	Missouri SEKS Micro Certification: 10070
Louisiana Certification #: 03055	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330595

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60330595001	MW-12-030320	Water	03/03/20 12:35	03/04/20 08:40
60330595002	MW-13-030320	Water	03/03/20 11:35	03/04/20 08:40
60330595003	MW-18-030320	Water	03/03/20 12:05	03/04/20 08:40
60330595004	MW-23-030320	Water	03/03/20 13:20	03/04/20 08:40
60330595005	MW-22-030320	Water	03/03/20 13:00	03/04/20 08:40
60330595006	TRIP BLANK	Water	03/03/20 08:00	03/04/20 08:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Page 3 of 17

SAMPLE ANALYTE COUNT

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60330595001	MW-12-030320	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330595002	MW-13-030320	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330595003	MW-18-030320	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330595004	MW-23-030320	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330595005	MW-22-030320	EPA 8015B	AHS	3	PASI-K
		EPA 8260	DTB	9	PASI-K
		EPA 300.0	BLA	1	PASI-K
60330595006	TRIP BLANK	EPA 8260	DTB	9	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Page 4 of 17

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

Sample: MW-12-030320	Lab ID: 60330595001	Collected: 03/03/20 12:35	Received: 03/04/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	0.65	mg/L	0.45	1	03/05/20 19:04	03/06/20 17:23		
Surrogates								
p-Terphenyl (S)	91	%	45-116	1	03/05/20 19:04	03/06/20 17:23	92-94-4	
n-Tetracosane (S)	85	%	47-120	1	03/05/20 19:04	03/06/20 17:23	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1			03/05/20 03:57	71-43-2
Ethylbenzene	ND	mg/L	0.0010	1			03/05/20 03:57	100-41-4
Toluene	ND	mg/L	0.0010	1			03/05/20 03:57	108-88-3
TPH-GRO	ND	mg/L	0.50	1			03/05/20 03:57	
Xylene (Total)	ND	mg/L	0.0030	1			03/05/20 03:57	1330-20-7
Surrogates								
Toluene-d8 (S)	107	%	80-120	1			03/05/20 03:57	2037-26-5
4-Bromofluorobenzene (S)	93	%	80-120	1			03/05/20 03:57	460-00-4
1,2-Dichloroethane-d4 (S)	90	%	77-122	1			03/05/20 03:57	17060-07-0
Preservation pH	7.0		0.10	1			03/05/20 03:57	
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	134	mg/L	50.0	50			03/09/20 18:37	16887-00-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

Sample: MW-13-030320	Lab ID: 60330595002	Collected: 03/03/20 11:35	Received: 03/04/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.45	1	03/05/20 19:04	03/06/20 17:31		
Surrogates								
p-Terphenyl (S)	89	%	45-116	1	03/05/20 19:04	03/06/20 17:31	92-94-4	
n-Tetracosane (S)	74	%	47-120	1	03/05/20 19:04	03/06/20 17:31	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/05/20 04:12	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/05/20 04:12	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/05/20 04:12	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/05/20 04:12		
Xylene (Total)	ND	mg/L	0.0030	1		03/05/20 04:12	1330-20-7	
Surrogates								
Toluene-d8 (S)	107	%	80-120	1		03/05/20 04:12	2037-26-5	
4-Bromofluorobenzene (S)	94	%	80-120	1		03/05/20 04:12	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	77-122	1		03/05/20 04:12	17060-07-0	
Preservation pH	7.0		0.10	1		03/05/20 04:12		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	79.0	mg/L	10.0	10		03/10/20 15:17	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330595

Sample: MW-18-030320	Lab ID: 60330595003	Collected: 03/03/20 12:05	Received: 03/04/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	0.68	mg/L	0.45	1	03/05/20 19:04	03/06/20 17:39		
Surrogates								
p-Terphenyl (S)	90	%	45-116	1	03/05/20 19:04	03/06/20 17:39	92-94-4	
n-Tetracosane (S)	81	%	47-120	1	03/05/20 19:04	03/06/20 17:39	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1			03/05/20 04:27	71-43-2
Ethylbenzene	ND	mg/L	0.0010	1			03/05/20 04:27	100-41-4
Toluene	ND	mg/L	0.0010	1			03/05/20 04:27	108-88-3
TPH-GRO	ND	mg/L	0.50	1			03/05/20 04:27	
Xylene (Total)	ND	mg/L	0.0030	1			03/05/20 04:27	1330-20-7
Surrogates								
Toluene-d8 (S)	108	%	80-120	1			03/05/20 04:27	2037-26-5
4-Bromofluorobenzene (S)	90	%	80-120	1			03/05/20 04:27	460-00-4
1,2-Dichloroethane-d4 (S)	94	%	77-122	1			03/05/20 04:27	17060-07-0
Preservation pH	7.0		0.10	1			03/05/20 04:27	
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	196	mg/L	50.0	50			03/09/20 19:06	16887-00-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 7 of 17

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

Sample: MW-23-030320	Lab ID: 60330595004	Collected: 03/03/20 13:20	Received: 03/04/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.45	1	03/05/20 19:04	03/06/20 17:48		
Surrogates								
p-Terphenyl (S)	93	%	45-116	1	03/05/20 19:04	03/06/20 17:48	92-94-4	
n-Tetracosane (S)	80	%	47-120	1	03/05/20 19:04	03/06/20 17:48	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/05/20 04:42	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/05/20 04:42	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/05/20 04:42	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/05/20 04:42		
Xylene (Total)	ND	mg/L	0.0030	1		03/05/20 04:42	1330-20-7	
Surrogates								
Toluene-d8 (S)	107	%	80-120	1		03/05/20 04:42	2037-26-5	
4-Bromofluorobenzene (S)	92	%	80-120	1		03/05/20 04:42	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	77-122	1		03/05/20 04:42	17060-07-0	
Preservation pH	7.0		0.10	1		03/05/20 04:42		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	66.2	mg/L	10.0	10		03/10/20 15:32	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

Sample: MW-22-030320	Lab ID: 60330595005	Collected: 03/03/20 13:00	Received: 03/04/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
TPH-DRO	ND	mg/L	0.45	1	03/05/20 19:04	03/06/20 17:56		
Surrogates								
p-Terphenyl (S)	87	%	45-116	1	03/05/20 19:04	03/06/20 17:56	92-94-4	
n-Tetracosane (S)	72	%	47-120	1	03/05/20 19:04	03/06/20 17:56	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/05/20 04:57	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/05/20 04:57	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/05/20 04:57	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/05/20 04:57		
Xylene (Total)	ND	mg/L	0.0030	1		03/05/20 04:57	1330-20-7	
Surrogates								
Toluene-d8 (S)	106	%	80-120	1		03/05/20 04:57	2037-26-5	
4-Bromofluorobenzene (S)	95	%	80-120	1		03/05/20 04:57	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	77-122	1		03/05/20 04:57	17060-07-0	
Preservation pH	7.0		0.10	1		03/05/20 04:57		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Chloride	94.9	mg/L	10.0	10		03/10/20 16:20	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 9 of 17

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330595

Sample: TRIP BLANK	Lab ID: 60330595006	Collected: 03/03/20 08:00	Received: 03/04/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
Benzene	ND	mg/L	0.0010	1		03/05/20 05:12	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		03/05/20 05:12	100-41-4	
Toluene	ND	mg/L	0.0010	1		03/05/20 05:12	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		03/05/20 05:12		
Xylene (Total)	ND	mg/L	0.0030	1		03/05/20 05:12	1330-20-7	
Surrogates								
Toluene-d8 (S)	111	%	80-120	1		03/05/20 05:12	2037-26-5	
4-Bromofluorobenzene (S)	94	%	80-120	1		03/05/20 05:12	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	77-122	1		03/05/20 05:12	17060-07-0	
Preservation pH	7.0		0.10	1		03/05/20 05:12		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 10 of 17

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330595

QC Batch:	641917	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60330595001, 60330595002, 60330595003, 60330595004, 60330595005, 60330595006		

METHOD BLANK: 2608457 Matrix: Water

Associated Lab Samples: 60330595001, 60330595002, 60330595003, 60330595004, 60330595005, 60330595006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	03/05/20 01:42	
Ethylbenzene	mg/L	ND	0.0010	03/05/20 01:42	
Toluene	mg/L	ND	0.0010	03/05/20 01:42	
TPH-GRO	mg/L	ND	0.50	03/05/20 01:42	
Xylene (Total)	mg/L	ND	0.0030	03/05/20 01:42	
1,2-Dichloroethane-d4 (S)	%	89	77-122	03/05/20 01:42	
4-Bromofluorobenzene (S)	%	93	80-120	03/05/20 01:42	
Toluene-d8 (S)	%	108	80-120	03/05/20 01:42	

LABORATORY CONTROL SAMPLE: 2608458

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.017	83	73-117	
Ethylbenzene	mg/L	0.02	0.020	100	73-121	
Toluene	mg/L	0.02	0.020	99	77-119	
TPH-GRO	mg/L	4	4.0	101	70-130	
Xylene (Total)	mg/L	0.06	0.062	104	76-119	
1,2-Dichloroethane-d4 (S)	%			91	77-122	
4-Bromofluorobenzene (S)	%			90	80-120	
Toluene-d8 (S)	%			110	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 11 of 17

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330595

QC Batch: 641989 Analysis Method: EPA 8015B

QC Batch Method: EPA 3510C Analysis Description: EPA 8015B

Associated Lab Samples: 60330595001, 60330595002, 60330595003, 60330595004, 60330595005

METHOD BLANK: 2608828 Matrix: Water

Associated Lab Samples: 60330595001, 60330595002, 60330595003, 60330595004, 60330595005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/L	ND	0.50	03/06/20 17:07	
n-Tetracosane (S)	%	78	47-120	03/06/20 17:07	
p-Terphenyl (S)	%	88	45-116	03/06/20 17:07	

LABORATORY CONTROL SAMPLE: 2608829

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	12.5	9.1	72	31-104	
n-Tetracosane (S)	%			91	47-120	
p-Terphenyl (S)	%			96	45-116	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 12 of 17

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60330595

QC Batch:	642584	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
Associated Lab Samples:	60330595001, 60330595002, 60330595003, 60330595004, 60330595005		

METHOD BLANK: 2611642 Matrix: Water

Associated Lab Samples: 60330595001, 60330595002, 60330595003, 60330595004, 60330595005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	03/09/20 09:23	

METHOD BLANK: 2612109 Matrix: Water

Associated Lab Samples: 60330595001, 60330595002, 60330595003, 60330595004, 60330595005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	03/10/20 13:10	

LABORATORY CONTROL SAMPLE: 2611643

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.7	94	90-110	

LABORATORY CONTROL SAMPLE: 2612110

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.6	91	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2611644 2611645

Parameter	Units	60330646002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	125	50	50	181	180	112	110	80-120	1	15	

MATRIX SPIKE SAMPLE: 2611646

Parameter	Units	60330571005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	27.8	25	53.8	104	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 13 of 17

QUALIFIERS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-K Pace Analytical Services - Kansas City

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60330595

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60330595001	MW-12-030320	EPA 3510C	641989	EPA 8015B	642421
60330595002	MW-13-030320	EPA 3510C	641989	EPA 8015B	642421
60330595003	MW-18-030320	EPA 3510C	641989	EPA 8015B	642421
60330595004	MW-23-030320	EPA 3510C	641989	EPA 8015B	642421
60330595005	MW-22-030320	EPA 3510C	641989	EPA 8015B	642421
60330595001	MW-12-030320	EPA 8260	641917		
60330595002	MW-13-030320	EPA 8260	641917		
60330595003	MW-18-030320	EPA 8260	641917		
60330595004	MW-23-030320	EPA 8260	641917		
60330595005	MW-22-030320	EPA 8260	641917		
60330595006	TRIP BLANK	EPA 8260	641917		
60330595001	MW-12-030320	EPA 300.0	642584		
60330595002	MW-13-030320	EPA 300.0	642584		
60330595003	MW-18-030320	EPA 300.0	642584		
60330595004	MW-23-030320	EPA 300.0	642584		
60330595005	MW-22-030320	EPA 300.0	642584		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 03/17/2020 12:53 PM

Page 15 of 17



Sample Condition Upon Receipt

WO# : 60330595



60330595

Client Name: GADCourier: FedEx UPS VIA Clay PEX ECI Pace Xroads Client Other Tracking #: 1505467617406 Pace Shipping Label Used? Yes No Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Packing Material: Bubble Wrap Bubble Bags Foam None Other Thermometer Used: L-29k Type of Ice: Wet Blue None Cooler Temperature (°C): As-read 2.1 Corr. Factor 0.1 Corrected 2.2Date and initials of person examining contents: 3/14/20 9

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>WP</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPII, OK-DRO) Lot # <u>12</u>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Cyanide water sample checks:	List sample IDs, volumes, lot #'s of preservative and the date/time added.	
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples from USDA Regulated Area: State: <u>IL</u>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

3/4/20

Date: _____

Project Manager Review: _____

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Released to Imaging: 4/11/2023 3:00:21 PM #

September 25, 2020

David Bonga
GHD Services, Inc.
14998 West 6th Ave
Suite 800
Golden, CO 80401

RE: Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60348173

Dear David Bonga:

Enclosed are the analytical results for sample(s) received by the laboratory on September 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Kansas City

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jamie Church

Jamie Church
jamie.church@pacelabs.com
314-838-7223
Project Manager

Enclosures

cc: Chris Knight, GHD Services, Inc.
Angela McManus, Pace Analytical
Julia Slusher, GHD Services, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 11194178 P66 E. HOBBS JUNCTION
Pace Project No.: 60348173

Pace Analytical Services Kansas

9608 Loiret Boulevard, Lenexa, KS 66219	Nevada Certification #: KS000212020-2
Missouri Inorganic Drinking Water Certification #: 10090	Oklahoma Certification #: 9205/9935
Arkansas Drinking Water	Florida: Cert E871149 SEKS WET
Arkansas Certification #: 20-020-0	Texas Certification #: T104704407-19-12
Arkansas Drinking Water	Utah Certification #: KS000212019-9
Illinois Certification #: 200030	Illinois Certification #: 004592
Iowa Certification #: 118	Kansas Field Laboratory Accreditation: # E-92587
Kansas/NELAP Certification #: E-10116	Missouri SEKS Micro Certification: 10070
Louisiana Certification #: 03055	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60348173001	MW-1	Water	09/10/20 13:55	09/11/20 09:10
60348173002	MW-2	Water	09/10/20 14:44	09/11/20 09:10
60348173003	MW-3	Water	09/10/20 13:00	09/11/20 09:10
60348173004	MW-6	Water	09/10/20 11:50	09/11/20 09:10
60348173005	MW-8	Water	09/10/20 11:00	09/11/20 09:10
60348173006	MW-12	Water	09/09/20 14:00	09/11/20 09:10
60348173007	MW-22	Water	09/09/20 13:35	09/11/20 09:10
60348173008	MW-24	Water	09/09/20 12:20	09/11/20 09:10
60348173009	MW-25	Water	09/09/20 13:00	09/11/20 09:10
60348173010	MW-26	Water	09/10/20 09:20	09/11/20 09:10
60348173011	MW-27	Water	09/10/20 10:10	09/11/20 09:10
60348173012	DUP-01	Water	09/10/20 08:00	09/11/20 09:10
60348173013	DUP-02	Water	09/10/20 08:00	09/11/20 09:10
60348173014	TRIP BLANK	Water	09/10/20 08:00	09/11/20 09:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60348173001	MW-1	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173002	MW-2	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173003	MW-3	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173004	MW-6	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173005	MW-8	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173006	MW-12	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173007	MW-22	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173008	MW-24	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173009	MW-25	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173010	MW-26	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173011	MW-27	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173012	DUP-01	EPA 8015B	AHS	3	PASI-K
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173013	DUP-02	EPA 8015B	AHS	3	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8260	EAG	9	PASI-K
		EPA 300.0	LDB	1	PASI-K
60348173014	TRIP BLANK	EPA 8260	KJM	9	PASI-K

PASI-K = Pace Analytical Services - Kansas City

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Page 5 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-1	Lab ID: 60348173001	Collected: 09/10/20 13:55	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	8.7	mg/L	0.45	1	09/14/20 21:39	09/15/20 16:45		
p-Terphenyl (S)	87	%	46-120	1	09/14/20 21:39	09/15/20 16:45	92-94-4	
n-Tetracosane (S)	89	%	34-127	1	09/14/20 21:39	09/15/20 16:45	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	0.063	mg/L	0.0010	1		09/16/20 00:09	71-43-2	
Ethylbenzene	0.011	mg/L	0.0010	1		09/16/20 00:09	100-41-4	
Toluene	0.056	mg/L	0.0010	1		09/16/20 00:09	108-88-3	
TPH-GRO	0.65	mg/L	0.50	1		09/16/20 00:09		
Xylene (Total)	0.049	mg/L	0.0030	1		09/16/20 00:09	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		09/16/20 00:09	2037-26-5	
4-Bromofluorobenzene (S)	106	%	80-120	1		09/16/20 00:09	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	86-117	1		09/16/20 00:09	17060-07-0	
Preservation pH	11.0		0.10	1		09/16/20 00:09		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	142	mg/L	20.0	20		09/18/20 20:39	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 6 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-2	Lab ID: 60348173002	Collected: 09/10/20 14:44	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	1.7	mg/L	0.45	1	09/14/20 21:39	09/15/20 16:53		
p-Terphenyl (S)	91	%	46-120	1	09/14/20 21:39	09/15/20 16:53	92-94-4	
n-Tetracosane (S)	98	%	34-127	1	09/14/20 21:39	09/15/20 16:53	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	0.054	mg/L	0.0010	1		09/16/20 00:25	71-43-2	
Ethylbenzene	0.012	mg/L	0.0010	1		09/16/20 00:25	100-41-4	
Toluene	0.0045	mg/L	0.0010	1		09/16/20 00:25	108-88-3	
TPH-GRO	0.67	mg/L	0.50	1		09/16/20 00:25		
Xylene (Total)	0.024	mg/L	0.0030	1		09/16/20 00:25	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		09/16/20 00:25	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-120	1		09/16/20 00:25	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	86-117	1		09/16/20 00:25	17060-07-0	
Preservation pH	11.0		0.10	1		09/16/20 00:25		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	68.9	mg/L	10.0	10		09/18/20 20:53	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 7 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-3	Lab ID: 60348173003	Collected: 09/10/20 13:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	2.0	mg/L	0.45	1	09/14/20 21:39	09/15/20 17:01		
p-Terphenyl (S)	94	%	46-120	1	09/14/20 21:39	09/15/20 17:01	92-94-4	
n-Tetracosane (S)	103	%	34-127	1	09/14/20 21:39	09/15/20 17:01	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	0.0089	mg/L	0.0010	1		09/16/20 00:41	71-43-2	
Ethylbenzene	0.0028	mg/L	0.0010	1		09/16/20 00:41	100-41-4	
Toluene	0.0011	mg/L	0.0010	1		09/16/20 00:41	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 00:41		
Xylene (Total)	0.0045	mg/L	0.0030	1		09/16/20 00:41	1330-20-7	
Surrogates								
Toluene-d8 (S)	103	%	80-120	1		09/16/20 00:41	2037-26-5	
4-Bromofluorobenzene (S)	94	%	80-120	1		09/16/20 00:41	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	86-117	1		09/16/20 00:41	17060-07-0	
Preservation pH	11.0		0.10	1		09/16/20 00:41		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	55.2	mg/L	5.0	5		09/18/20 21:08	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 8 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-6	Lab ID: 60348173004	Collected: 09/10/20 11:50	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 17:09		
p-Terphenyl (S)	79	%	46-120	1	09/14/20 21:39	09/15/20 17:09	92-94-4	
n-Tetracosane (S)	89	%	34-127	1	09/14/20 21:39	09/15/20 17:09	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 00:57	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 00:57	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 00:57	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 00:57		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 00:57	1330-20-7	
Toluene-d8 (S)	102	%	80-120	1		09/16/20 00:57	2037-26-5	
4-Bromofluorobenzene (S)	95	%	80-120	1		09/16/20 00:57	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	86-117	1		09/16/20 00:57	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 00:57		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	156	mg/L	10.0	10		09/18/20 21:22	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 9 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-8	Lab ID: 60348173005	Collected: 09/10/20 11:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	35.1	mg/L	4.5	10	09/14/20 21:39	09/15/20 17:17		
p-Terphenyl (S)	0	%	46-120	10	09/14/20 21:39	09/15/20 17:17	92-94-4	S4
n-Tetracosane (S)	0	%	34-127	10	09/14/20 21:39	09/15/20 17:17	646-31-1	S4
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	0.0012	mg/L	0.0010	1		09/16/20 01:13	71-43-2	
Ethylbenzene	0.0014	mg/L	0.0010	1		09/16/20 01:13	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 01:13	108-88-3	
TPH-GRO	1.4	mg/L	0.50	1		09/16/20 01:13		
Xylene (Total)	ND	mg/L	0.0030	1		09/16/20 01:13	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		09/16/20 01:13	2037-26-5	
4-Bromofluorobenzene (S)	98	%	80-120	1		09/16/20 01:13	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	86-117	1		09/16/20 01:13	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 01:13		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	144	mg/L	20.0	20		09/18/20 21:37	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 10 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-12	Lab ID: 60348173006	Collected: 09/09/20 14:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 17:41		
p-Terphenyl (S)	71	%	46-120	1	09/14/20 21:39	09/15/20 17:41	92-94-4	
n-Tetracosane (S)	77	%	34-127	1	09/14/20 21:39	09/15/20 17:41	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 01:29	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 01:29	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 01:29	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 01:29		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 01:29	1330-20-7	
Toluene-d8 (S)	102	%	80-120	1		09/16/20 01:29	2037-26-5	
4-Bromofluorobenzene (S)	93	%	80-120	1		09/16/20 01:29	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	86-117	1		09/16/20 01:29	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 01:29		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	125	mg/L	20.0	20		09/18/20 12:44	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 11 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-22	Lab ID: 60348173007	Collected: 09/09/20 13:35	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 17:49		
p-Terphenyl (S)	83	%	46-120	1	09/14/20 21:39	09/15/20 17:49	92-94-4	
n-Tetracosane (S)	96	%	34-127	1	09/14/20 21:39	09/15/20 17:49	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 01:45	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 01:45	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 01:45	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 01:45		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 01:45	1330-20-7	
Toluene-d8 (S)	101	%	80-120	1		09/16/20 01:45	2037-26-5	
4-Bromofluorobenzene (S)	97	%	80-120	1		09/16/20 01:45	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	86-117	1		09/16/20 01:45	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 01:45		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	104	mg/L	10.0	10		09/18/20 13:27	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 12 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-24	Lab ID: 60348173008	Collected: 09/09/20 12:20	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 17:57		
p-Terphenyl (S)	64	%	46-120	1	09/14/20 21:39	09/15/20 17:57	92-94-4	
n-Tetracosane (S)	71	%	34-127	1	09/14/20 21:39	09/15/20 17:57	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 02:01	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 02:01	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 02:01	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 02:01		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 02:01	1330-20-7	
Toluene-d8 (S)	99	%	80-120	1		09/16/20 02:01	2037-26-5	
4-Bromofluorobenzene (S)	115	%	80-120	1		09/16/20 02:01	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	86-117	1		09/16/20 02:01	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 02:01		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	257	mg/L	20.0	20		09/18/20 13:42	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 13 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-25	Lab ID: 60348173009	Collected: 09/09/20 13:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 18:05		
p-Terphenyl (S)	93	%	46-120	1	09/14/20 21:39	09/15/20 18:05	92-94-4	
n-Tetracosane (S)	107	%	34-127	1	09/14/20 21:39	09/15/20 18:05	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 02:17	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 02:17	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 02:17	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 02:17		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 02:17	1330-20-7	
Toluene-d8 (S)	94	%	80-120	1		09/16/20 02:17	2037-26-5	
4-Bromofluorobenzene (S)	124	%	80-120	1		09/16/20 02:17	460-00-4	S0
1,2-Dichloroethane-d4 (S)	107	%	86-117	1		09/16/20 02:17	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 02:17		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	125	mg/L	10.0	10		09/18/20 13:57	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 14 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-26	Lab ID: 60348173010	Collected: 09/10/20 09:20	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 18:13		
p-Terphenyl (S)	73	%	46-120	1	09/14/20 21:39	09/15/20 18:13	92-94-4	
n-Tetracosane (S)	85	%	34-127	1	09/14/20 21:39	09/15/20 18:13	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 02:33	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 02:33	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 02:33	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 02:33		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 02:33	1330-20-7	
Toluene-d8 (S)	101	%	80-120	1		09/16/20 02:33	2037-26-5	
4-Bromofluorobenzene (S)	109	%	80-120	1		09/16/20 02:33	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	86-117	1		09/16/20 02:33	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 02:33		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	111	mg/L	10.0	10		09/18/20 14:12	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 15 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: MW-27	Lab ID: 60348173011	Collected: 09/10/20 10:10	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	ND	mg/L	0.45	1	09/14/20 21:39	09/15/20 18:21		
p-Terphenyl (S)	83	%	46-120	1	09/14/20 21:39	09/15/20 18:21	92-94-4	
n-Tetracosane (S)	94	%	34-127	1	09/14/20 21:39	09/15/20 18:21	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/16/20 04:41	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/16/20 04:41	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 04:41	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 04:41		
Xylene (Total) Surrogates	ND	mg/L	0.0030	1		09/16/20 04:41	1330-20-7	
Toluene-d8 (S)	98	%	80-120	1		09/16/20 04:41	2037-26-5	
4-Bromofluorobenzene (S)	112	%	80-120	1		09/16/20 04:41	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	86-117	1		09/16/20 04:41	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 04:41		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	120	mg/L	10.0	10		09/18/20 14:26	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 16 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: DUP-01	Lab ID: 60348173012	Collected: 09/10/20 08:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	9.4	mg/L	4.5	10	09/14/20 21:39	09/19/20 01:57		
p-Terphenyl (S)	0	%	46-120	10	09/14/20 21:39	09/19/20 01:57	92-94-4	S4
n-Tetracosane (S)	0	%	34-127	10	09/14/20 21:39	09/19/20 01:57	646-31-1	S4
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	0.0088	mg/L	0.0010	1		09/16/20 04:57	71-43-2	
Ethylbenzene	0.0023	mg/L	0.0010	1		09/16/20 04:57	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/16/20 04:57	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/16/20 04:57		
Xylene (Total) Surrogates	0.0039	mg/L	0.0030	1		09/16/20 04:57	1330-20-7	
Toluene-d8 (S)	101	%	80-120	1		09/16/20 04:57	2037-26-5	
4-Bromofluorobenzene (S)	106	%	80-120	1		09/16/20 04:57	460-00-4	
1,2-Dichloroethane-d4 (S)	110	%	86-117	1		09/16/20 04:57	17060-07-0	
Preservation pH	6.0		0.10	1		09/16/20 04:57		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	71.2	mg/L	10.0	10		09/18/20 15:11	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 17 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

Sample: DUP-02	Lab ID: 60348173013	Collected: 09/10/20 08:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO Surrogates	0.73	mg/L	0.45	1	09/14/20 21:39	09/19/20 02:05		
p-Terphenyl (S)	6	%	46-120	1	09/14/20 21:39	09/19/20 02:05	92-94-4	H7,S0
n-Tetracosane (S)	6	%	34-127	1	09/14/20 21:39	09/19/20 02:05	646-31-1	H7,S0
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	0.051	mg/L	0.0010	1		09/16/20 05:13	71-43-2	
Ethylbenzene	0.0094	mg/L	0.0010	1		09/16/20 05:13	100-41-4	
Toluene	0.046	mg/L	0.0010	1		09/16/20 05:13	108-88-3	
TPH-GRO	0.54	mg/L	0.50	1		09/16/20 05:13		
Xylene (Total)	0.043	mg/L	0.0030	1		09/16/20 05:13	1330-20-7	
Surrogates								
Toluene-d8 (S)	101	%	80-120	1		09/16/20 05:13	2037-26-5	
4-Bromofluorobenzene (S)	109	%	80-120	1		09/16/20 05:13	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	86-117	1		09/16/20 05:13	17060-07-0	
Preservation pH	11.0		0.10	1		09/16/20 05:13		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	149	mg/L	10.0	10		09/18/20 15:25	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 18 of 31

ANALYTICAL RESULTS

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

Sample: TRIP BLANK	Lab ID: 60348173014	Collected: 09/10/20 08:00	Received: 09/11/20 09:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1			09/17/20 16:19	71-43-2
Ethylbenzene	ND	mg/L	0.0010	1			09/17/20 16:19	100-41-4
Toluene	ND	mg/L	0.0010	1			09/17/20 16:19	108-88-3
TPH-GRO	ND	mg/L	0.50	1			09/17/20 16:19	
Xylene (Total)	ND	mg/L	0.0030	1			09/17/20 16:19	1330-20-7
Surrogates								
Toluene-d8 (S)	99	%	80-120	1			09/17/20 16:19	2037-26-5
4-Bromofluorobenzene (S)	98	%	80-120	1			09/17/20 16:19	460-00-4
1,2-Dichloroethane-d4 (S)	94	%	86-117	1			09/17/20 16:19	17060-07-0
Preservation pH	11.0		0.10	1			09/17/20 16:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 19 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

QC Batch:	676837	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City
Associated Lab Samples:	60348173011, 60348173012, 60348173013		

METHOD BLANK: 2736705 Matrix: Water

Associated Lab Samples: 60348173011, 60348173012, 60348173013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	09/16/20 04:25	
Ethylbenzene	mg/L	ND	0.0010	09/16/20 04:25	
Toluene	mg/L	ND	0.0010	09/16/20 04:25	
TPH-GRO	mg/L	ND	0.50	09/16/20 04:25	
Xylene (Total)	mg/L	ND	0.0030	09/16/20 04:25	
1,2-Dichloroethane-d4 (S)	%	104	86-117	09/16/20 04:25	
4-Bromofluorobenzene (S)	%	114	80-120	09/16/20 04:25	
Toluene-d8 (S)	%	99	80-120	09/16/20 04:25	

LABORATORY CONTROL SAMPLE: 2736706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.018	88	82-115	
Ethylbenzene	mg/L	0.02	0.018	88	79-115	
Toluene	mg/L	0.02	0.018	92	83-115	
TPH-GRO	mg/L	4	3.3	82	55-125	
Xylene (Total)	mg/L	0.06	0.059	98	82-120	
1,2-Dichloroethane-d4 (S)	%			98	86-117	
4-Bromofluorobenzene (S)	%			103	80-120	
Toluene-d8 (S)	%			100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 20 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

QC Batch:	676938	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City
Associated Lab Samples:	60348173001, 60348173002, 60348173003, 60348173004, 60348173005, 60348173006, 60348173007, 60348173008, 60348173009, 60348173010		

METHOD BLANK: 2737081 Matrix: Water

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005, 60348173006, 60348173007,
60348173008, 60348173009, 60348173010

Parameter	Units	Blank	Reporting		Qualifiers
		Result	Limit	Analyzed	
Benzene	mg/L	ND	0.0010	09/15/20 23:37	
Ethylbenzene	mg/L	ND	0.0010	09/15/20 23:37	
Toluene	mg/L	ND	0.0010	09/15/20 23:37	
TPH-GRO	mg/L	ND	0.50	09/15/20 23:37	
Xylene (Total)	mg/L	ND	0.0030	09/15/20 23:37	
1,2-Dichloroethane-d4 (S)	%	98	86-117	09/15/20 23:37	
4-Bromofluorobenzene (S)	%	96	80-120	09/15/20 23:37	
Toluene-d8 (S)	%	105	80-120	09/15/20 23:37	

LABORATORY CONTROL SAMPLE: 2737082

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
Benzene	mg/L	0.02	0.018	89	82-115	
Ethylbenzene	mg/L	0.02	0.018	89	79-115	
Toluene	mg/L	0.02	0.019	95	83-115	
TPH-GRO	mg/L	4	3.3	84	55-125	
Xylene (Total)	mg/L	0.06	0.059	98	82-120	
1,2-Dichloroethane-d4 (S)	%			97	86-117	
4-Bromofluorobenzene (S)	%			104	80-120	
Toluene-d8 (S)	%			104	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 21 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

QC Batch:	677367	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60348173014

METHOD BLANK: 2738746 Matrix: Water

Associated Lab Samples: 60348173014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	09/17/20 11:18	
Ethylbenzene	mg/L	ND	0.0010	09/17/20 11:18	
Toluene	mg/L	ND	0.0010	09/17/20 11:18	
TPH-GRO	mg/L	ND	0.50	09/17/20 11:18	
Xylene (Total)	mg/L	ND	0.0030	09/17/20 11:18	
1,2-Dichloroethane-d4 (S)	%	95	86-117	09/17/20 11:18	
4-Bromofluorobenzene (S)	%	96	80-120	09/17/20 11:18	
Toluene-d8 (S)	%	99	80-120	09/17/20 11:18	

LABORATORY CONTROL SAMPLE: 2738747

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.019	95	82-115	
Ethylbenzene	mg/L	0.02	0.019	94	79-115	
Toluene	mg/L	0.02	0.018	91	83-115	
TPH-GRO	mg/L	4	3.7	92	55-125	
Xylene (Total)	mg/L	0.06	0.058	96	82-120	
1,2-Dichloroethane-d4 (S)	%			95	86-117	
4-Bromofluorobenzene (S)	%			99	80-120	
Toluene-d8 (S)	%			97	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 22 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

QC Batch: 676771 Analysis Method: EPA 8015B

QC Batch Method: EPA 3510C Analysis Description: EPA 8015B

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005, 60348173006, 60348173007,
60348173008, 60348173009, 60348173010, 60348173011, 60348173012, 60348173013

METHOD BLANK: 2736470 Matrix: Water

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005, 60348173006, 60348173007,
60348173008, 60348173009, 60348173010, 60348173011, 60348173012, 60348173013

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
TPH-DRO	mg/L	ND	0.50	09/15/20 16:29	
n-Tetracosane (S)	%	91	34-127	09/15/20 16:29	
p-Terphenyl (S)	%	78	46-120	09/15/20 16:29	

LABORATORY CONTROL SAMPLE: 2736471

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
TPH-DRO	mg/L	12.5	7.0	56	40-110	
n-Tetracosane (S)	%			87	34-127	
p-Terphenyl (S)	%			87	46-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 23 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

QC Batch: 677615 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005

METHOD BLANK: 2739924 Matrix: Water

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	09/18/20 14:23	

METHOD BLANK: 2741288 Matrix: Water

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	09/19/20 08:27	

METHOD BLANK: 2741907 Matrix: Water

Associated Lab Samples: 60348173001, 60348173002, 60348173003, 60348173004, 60348173005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	09/21/20 15:18	

LABORATORY CONTROL SAMPLE: 2739925

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.9	98	90-110	

LABORATORY CONTROL SAMPLE: 2741289

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	5.3	105	90-110	

LABORATORY CONTROL SAMPLE: 2741908

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	5.3	105	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 24 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2739926		2739927							
Parameter	Units	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Max Qual
		60348617001	Spike Conc.								
Chloride	mg/L	533	250	250	768	768	94	94	80-120	0	15

MATRIX SPIKE SAMPLE:		2739928							
Parameter	Units	60348666001	Spike	MS Result	MS % Rec	% Rec Limits	Qualifiers		
		Result	Conc.						
Chloride	mg/L	205	100	323	118	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 25 of 31

QUALITY CONTROL DATA

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

QC Batch: 677618 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60348173006, 60348173007, 60348173008, 60348173009, 60348173010, 60348173011, 60348173012, 60348173013

METHOD BLANK: 2739934 Matrix: Water

Associated Lab Samples: 60348173006, 60348173007, 60348173008, 60348173009, 60348173010, 60348173011, 60348173012, 60348173013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	09/18/20 07:52	

METHOD BLANK: 2741284 Matrix: Water

Associated Lab Samples: 60348173006, 60348173007, 60348173008, 60348173009, 60348173010, 60348173011, 60348173012, 60348173013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	09/19/20 08:27	

LABORATORY CONTROL SAMPLE: 2739935

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.8	96	90-110	

LABORATORY CONTROL SAMPLE: 2741285

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	5.3	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2739936 2739937

Parameter	Units	MS Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	125	100	100	221	227	96	102	80-120	2	15	

MATRIX SPIKE SAMPLE: 2739938

Parameter	Units	Result	MS % Rec	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	94.2	100	183	89	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 26 of 31

QUALIFIERS

Project: 11194178 P66 E. HOBBS JUNCTION
 Pace Project No.: 60348173

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
 ND - Not Detected at or above adjusted reporting limit.
 TNTC - Too Numerous To Count
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
 MDL - Adjusted Method Detection Limit.
 PQL - Practical Quantitation Limit.
 RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
 S - Surrogate
 1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
 Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
 LCS(D) - Laboratory Control Sample (Duplicate)
 MS(D) - Matrix Spike (Duplicate)
 DUP - Sample Duplicate
 RPD - Relative Percent Difference
 NC - Not Calculable.
 SG - Silica Gel - Clean-Up
 U - Indicates the compound was analyzed for, but not detected.
 N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
 Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
 TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 676837
 [M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
 Batch: 676938
 [M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
 Batch: 677367
 [M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

H7	Re-extraction or re-analysis could not be performed within method holding time.
S0	Surrogate recovery outside laboratory control limits.
S4	Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



9608 Loiret Blvd.
Lenexa, KS 66219
(913)599-5665

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11194178 P66 E. HOBBS JUNCTION

Pace Project No.: 60348173

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60348173001	MW-1	EPA 3510C	676771	EPA 8015B	677014
60348173002	MW-2	EPA 3510C	676771	EPA 8015B	677014
60348173003	MW-3	EPA 3510C	676771	EPA 8015B	677014
60348173004	MW-6	EPA 3510C	676771	EPA 8015B	677014
60348173005	MW-8	EPA 3510C	676771	EPA 8015B	677014
60348173006	MW-12	EPA 3510C	676771	EPA 8015B	677014
60348173007	MW-22	EPA 3510C	676771	EPA 8015B	677014
60348173008	MW-24	EPA 3510C	676771	EPA 8015B	677014
60348173009	MW-25	EPA 3510C	676771	EPA 8015B	677014
60348173010	MW-26	EPA 3510C	676771	EPA 8015B	677014
60348173011	MW-27	EPA 3510C	676771	EPA 8015B	677014
60348173012	DUP-01	EPA 3510C	676771	EPA 8015B	677014
60348173013	DUP-02	EPA 3510C	676771	EPA 8015B	677014
60348173001	MW-1	EPA 8260	676938		
60348173002	MW-2	EPA 8260	676938		
60348173003	MW-3	EPA 8260	676938		
60348173004	MW-6	EPA 8260	676938		
60348173005	MW-8	EPA 8260	676938		
60348173006	MW-12	EPA 8260	676938		
60348173007	MW-22	EPA 8260	676938		
60348173008	MW-24	EPA 8260	676938		
60348173009	MW-25	EPA 8260	676938		
60348173010	MW-26	EPA 8260	676938		
60348173011	MW-27	EPA 8260	676837		
60348173012	DUP-01	EPA 8260	676837		
60348173013	DUP-02	EPA 8260	676837		
60348173014	TRIP BLANK	EPA 8260	677367		
60348173001	MW-1	EPA 300.0	677615		
60348173002	MW-2	EPA 300.0	677615		
60348173003	MW-3	EPA 300.0	677615		
60348173004	MW-6	EPA 300.0	677615		
60348173005	MW-8	EPA 300.0	677615		
60348173006	MW-12	EPA 300.0	677618		
60348173007	MW-22	EPA 300.0	677618		
60348173008	MW-24	EPA 300.0	677618		
60348173009	MW-25	EPA 300.0	677618		
60348173010	MW-26	EPA 300.0	677618		
60348173011	MW-27	EPA 300.0	677618		
60348173012	DUP-01	EPA 300.0	677618		
60348173013	DUP-02	EPA 300.0	677618		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/25/2020 02:06 PM

Page 28 of 31



Sample Condition Upon Receipt

WO# : 60348173



60348173

Client Name: GH Services Inc.

Courier: FedEx UPS VIA Clay PEX ECI Pace Xroads Client Other Tracking #: 190867341148 Pace Shipping Label Used? Yes No Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Packing Material: Bubble Wrap Bubble Bags Foam None Other ZPLC

Thermometer Used: -299 Type of Ice: Wet Blue None

Cooler Temperature (°C): As-read 21.29 Corr. Factor +0.2 Corrected 21.31

Date and initials of person examining contents: D91820MF

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	NO times COC
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Used container times
Containers intact:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	1/3 vials for MW12 received broken.
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	1/6 vials for trio blank in cooler
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	two received broken.
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: UT	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks: Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3 DGAU in cooler one, 5 in cooler
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	two
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

REVIEWED

By jchurch at 11:08 am, 9/14/20

Project Manager Review: Date:

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:																																																																																																																																																																																																																																																																																																																															
Company: GHD Services, Inc.	Report To: David Bonga	Copy To: Julia Stusher/Christopher Knight	Attention: Gina Blair	Regulatory Agency:																																																																																																																																																																																																																																																																																																																															
Address: 14986 West 6th Ave. Suite 800			Address: GHD																																																																																																																																																																																																																																																																																																																																
City, CO 80401			Phone:																																																																																																																																																																																																																																																																																																																																
E-mail: david.bonga@ghd.com	Purchase Order #:	Project Name: 11194178 E. Hobbs Junction	Face Project Manager: Jamie Church	State / Location: NM																																																																																																																																																																																																																																																																																																																															
Fax: 720-974-9951	Project #: 11194178	Project #: 11194178	Face Profile #: 11044, line 1	NM																																																																																																																																																																																																																																																																																																																															
Requested Due Date:																																																																																																																																																																																																																																																																																																																																			
<table border="1"> <thead> <tr> <th colspan="2">Analyses Test</th> <th colspan="4">Requested Analysis Filtered (Y/N)</th> </tr> </thead> <tbody> <tr> <td>Preservatives</td> <td></td> <td>Chloride</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>NaOH</td> <td></td> <td>HCl</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>HNO3</td> <td></td> <td>H2SO4</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>Na2S2O3</td> <td></td> <td>Unpreserved</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>Methanol</td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>Other</td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td colspan="2"># OF CONTAINERS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">SAMPLE TEMP AT COLLECTION</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">COLLECTED</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">START</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">END</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">TIME</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">DATE</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">MATRIX CODE</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Drinking Water</td> <td>DW</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Water</td> <td>VNT</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Waste Water</td> <td>WW</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Product</td> <td>P</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sol/Solid</td> <td>SL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Oil</td> <td>OL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Wipe</td> <td>VWP</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Air</td> <td>AR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other</td> <td>OT</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Tissue</td> <td>TS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6">SAMPLE TYPE (see valid codes to left)</td> </tr> <tr> <td colspan="6"># OF CONTAINERS</td> </tr> <tr> <td colspan="6">ITEM #</td> </tr> <tr> <td colspan="6">SAMPLE ID</td> </tr> <tr> <td colspan="6">One Character per box. (A-Z, 0-9, -,)</td> </tr> <tr> <td colspan="6">Sample Ids must be unique</td> </tr> <tr> <td>1</td> <td>MW-1</td> <td>9/10</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>MW-2</td> <td>9/10</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>MW-3</td> <td>9/10</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>MW-4</td> <td>9/10</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>MW-5</td> <td>9/10</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>MW-12</td> <td>9/9</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>MW-22</td> <td>9/9</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>MW-24</td> <td>9/9</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>MW-25</td> <td>9/9</td> <td>X</td> <td>b</td> <td></td> </tr> <tr> <td>10</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">ADDITIONAL COMMENTS</td> <td>RElinquished By / Affiliation</td> <td>Accepted By / Affiliation</td> <td>Date</td> <td>Time</td> </tr> <tr> <td colspan="2"></td> <td>BS/E-HD</td> <td>9/10/2017 30</td> <td>9/10/2017 30</td> <td>9/10/2017 30</td> </tr> <tr> <td colspan="6">SAMPLE CONDITIONS</td> </tr> <tr> <td>TEMP in C</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Received on</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Refrigerator (Y/N)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sealed Cooler (Y/N)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Samples In tact (Y/N)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PRINT Name of SAMPLER:</td> <td colspan="2">Hank Boy J</td> <td colspan="3">DATE Signed: 9/10/2017</td> </tr> <tr> <td>SAMPLER NAME AND SIGNATURE</td> <td colspan="2"></td> <td colspan="3"></td> </tr> </tbody> </table>						Analyses Test		Requested Analysis Filtered (Y/N)				Preservatives		Chloride	X	X		NaOH		HCl	X	X		HNO3		H2SO4	X	X		Na2S2O3		Unpreserved	X	X		Methanol			X	X		Other			X	X		# OF CONTAINERS						SAMPLE TEMP AT COLLECTION						COLLECTED						START						END						TIME						DATE						MATRIX CODE						Drinking Water	DW					Water	VNT					Waste Water	WW					Product	P					Sol/Solid	SL					Oil	OL					Wipe	VWP					Air	AR					Other	OT					Tissue	TS					SAMPLE TYPE (see valid codes to left)						# OF CONTAINERS						ITEM #						SAMPLE ID						One Character per box. (A-Z, 0-9, -,)						Sample Ids must be unique						1	MW-1	9/10				2	MW-2	9/10				3	MW-3	9/10				4	MW-4	9/10				5	MW-5	9/10				6	MW-12	9/9				7	MW-22	9/9				8	MW-24	9/9				9	MW-25	9/9	X	b		10						11						12						ADDITIONAL COMMENTS		RElinquished By / Affiliation	Accepted By / Affiliation	Date	Time			BS/E-HD	9/10/2017 30	9/10/2017 30	9/10/2017 30	SAMPLE CONDITIONS						TEMP in C						Received on						Refrigerator (Y/N)						Sealed Cooler (Y/N)						Samples In tact (Y/N)						PRINT Name of SAMPLER:	Hank Boy J		DATE Signed: 9/10/2017			SAMPLER NAME AND SIGNATURE					
Analyses Test		Requested Analysis Filtered (Y/N)																																																																																																																																																																																																																																																																																																																																	
Preservatives		Chloride	X	X																																																																																																																																																																																																																																																																																																																															
NaOH		HCl	X	X																																																																																																																																																																																																																																																																																																																															
HNO3		H2SO4	X	X																																																																																																																																																																																																																																																																																																																															
Na2S2O3		Unpreserved	X	X																																																																																																																																																																																																																																																																																																																															
Methanol			X	X																																																																																																																																																																																																																																																																																																																															
Other			X	X																																																																																																																																																																																																																																																																																																																															
# OF CONTAINERS																																																																																																																																																																																																																																																																																																																																			
SAMPLE TEMP AT COLLECTION																																																																																																																																																																																																																																																																																																																																			
COLLECTED																																																																																																																																																																																																																																																																																																																																			
START																																																																																																																																																																																																																																																																																																																																			
END																																																																																																																																																																																																																																																																																																																																			
TIME																																																																																																																																																																																																																																																																																																																																			
DATE																																																																																																																																																																																																																																																																																																																																			
MATRIX CODE																																																																																																																																																																																																																																																																																																																																			
Drinking Water	DW																																																																																																																																																																																																																																																																																																																																		
Water	VNT																																																																																																																																																																																																																																																																																																																																		
Waste Water	WW																																																																																																																																																																																																																																																																																																																																		
Product	P																																																																																																																																																																																																																																																																																																																																		
Sol/Solid	SL																																																																																																																																																																																																																																																																																																																																		
Oil	OL																																																																																																																																																																																																																																																																																																																																		
Wipe	VWP																																																																																																																																																																																																																																																																																																																																		
Air	AR																																																																																																																																																																																																																																																																																																																																		
Other	OT																																																																																																																																																																																																																																																																																																																																		
Tissue	TS																																																																																																																																																																																																																																																																																																																																		
SAMPLE TYPE (see valid codes to left)																																																																																																																																																																																																																																																																																																																																			
# OF CONTAINERS																																																																																																																																																																																																																																																																																																																																			
ITEM #																																																																																																																																																																																																																																																																																																																																			
SAMPLE ID																																																																																																																																																																																																																																																																																																																																			
One Character per box. (A-Z, 0-9, -,)																																																																																																																																																																																																																																																																																																																																			
Sample Ids must be unique																																																																																																																																																																																																																																																																																																																																			
1	MW-1	9/10																																																																																																																																																																																																																																																																																																																																	
2	MW-2	9/10																																																																																																																																																																																																																																																																																																																																	
3	MW-3	9/10																																																																																																																																																																																																																																																																																																																																	
4	MW-4	9/10																																																																																																																																																																																																																																																																																																																																	
5	MW-5	9/10																																																																																																																																																																																																																																																																																																																																	
6	MW-12	9/9																																																																																																																																																																																																																																																																																																																																	
7	MW-22	9/9																																																																																																																																																																																																																																																																																																																																	
8	MW-24	9/9																																																																																																																																																																																																																																																																																																																																	
9	MW-25	9/9	X	b																																																																																																																																																																																																																																																																																																																															
10																																																																																																																																																																																																																																																																																																																																			
11																																																																																																																																																																																																																																																																																																																																			
12																																																																																																																																																																																																																																																																																																																																			
ADDITIONAL COMMENTS		RElinquished By / Affiliation	Accepted By / Affiliation	Date	Time																																																																																																																																																																																																																																																																																																																														
		BS/E-HD	9/10/2017 30	9/10/2017 30	9/10/2017 30																																																																																																																																																																																																																																																																																																																														
SAMPLE CONDITIONS																																																																																																																																																																																																																																																																																																																																			
TEMP in C																																																																																																																																																																																																																																																																																																																																			
Received on																																																																																																																																																																																																																																																																																																																																			
Refrigerator (Y/N)																																																																																																																																																																																																																																																																																																																																			
Sealed Cooler (Y/N)																																																																																																																																																																																																																																																																																																																																			
Samples In tact (Y/N)																																																																																																																																																																																																																																																																																																																																			
PRINT Name of SAMPLER:	Hank Boy J		DATE Signed: 9/10/2017																																																																																																																																																																																																																																																																																																																																
SAMPLER NAME AND SIGNATURE																																																																																																																																																																																																																																																																																																																																			

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
		Report To:	David Bonga	Attention:	Gina Blair
Company: GHD Services, Inc. Address: 14988 West 6th Ave. Suite 800 City: CO 802401 Email: david.bonga@ghd.com Phone: 720-974-0951 Fax: Requested Due Date:		Copy To: Julia Stusiner/Christopher Knight Purchase Order #: Project Name: 11194178 E Hobbs Junction Project #: 11194178		Company Name: GHD Address: Page Quic: Pace Project Manager: Jamie Church Pace Profile #: 11044, line 1	
				Residual Chlorine (Y/N) 60348173	
				Requested Analysis Filtered (Y/N)	
				Analyses Test Y/N	
				Preservatives	
				# OF CONTAINERS	
				SAMPLE TEMP AT COLLECTION	
				MATRIX CODE (see valid codes to left)	
		SAMPLE TYPE (G=GRAB C=COMP)		COLLECTED	
		DATE TIME DATE TIME		START END	
SAMPLE ID One Character per box. (A-Z, 0-9, -) Sample IDs must be unique		MATRIX CODE Drinking Water Water Waste Water/ Product Soil/Solid Oil WP AR OT TS			
ITEM #					
1	MU-26	WT	9/10		WT
2	MU-27	WT	9/10		WT
3	Dump-01	WT	-		WT
4	Dump-02	WT	-		WT
5	TRIP Blank				
6					
7					
8					
9					
10					
11					
12					
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		ACCEPTED BY / AFFILIATION DATE: 9/10/20 B/GHD	
				DATE: 9/10/20 Holly Fouad/Passi	
				TIME: 1730	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 2.9	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 3.1	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 4	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 5	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 6	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 7	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 8	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 9	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 10	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 11	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 12	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 13	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 14	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 15	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 16	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 17	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 18	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 19	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 20	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 21	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 22	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 23	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 24	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 25	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 26	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 27	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 28	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 29	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 30	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 31	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 32	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 33	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 34	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 35	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 36	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 37	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 38	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 39	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 40	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 41	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 42	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 43	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 44	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 45	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 46	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 47	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 48	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 49	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 50	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 51	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 52	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 53	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 54	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 55	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 56	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 57	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 58	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 59	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 60	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 61	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 62	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 63	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 64	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 65	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 66	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 67	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 68	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 69	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 70	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 71	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 72	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 73	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 74	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 75	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 76	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 77	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 78	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 79	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 80	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 81	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 82	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 83	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 84	
				TIME: 0910	
				SAMPLE CONDITIONS	
				DATE: 9/10/20 85	
				TIME: 0910	



about GHD

GHD is one of the world's leading professional services companies operating in the global markets of water, energy and resources, environment, property and buildings, and transportation. We provide engineering, environmental, and construction services to private and public sector clients.

David Bonga, PE
David.Bonga@ghd.com
720.974.0951

Jeff Walker
Jeff.Walker@ghd.com
720.974.09505.884.0672

www.ghd.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 89142

CONDITIONS

Operator: PHILLIPS PETROLEUM CO 4001 Penbrook Odessa, TX 79762	OGRID: 17643
	Action Number: 89142
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Accepted for the record. See app ID 186987 for most updated status.	4/11/2023