



Review of 2022 Groundwater Monitoring and Remediation Report:
Content satisfactory

1. Continue removal of LNAPL and dissolved-phase hydrocarbons.
2. Continue conducting semiannual groundwater monitoring and annual reporting.
3. Continue utilizing NET systems for LNAPL recovery.
4. Submit 2023 Groundwater Monitoring and Remediation

2022 Groundwater Monitoring and Remediation Report

Line NM 1-1

Lea County, New Mexico

Phillips 66 Company

February 16, 2023

→ **The Power of Commitment**

Executive Summary

GHD conducted semiannual groundwater monitoring on April 5, 6, and 7, and September 12, 13, and 14, 2022 at the Phillips 66 Line NM 1-1 in Hobbs, New Mexico (Site). Groundwater levels were measured in all site monitor wells using an oil/water interface probe prior to purging and sampling. Crude oil was detected in MW-1, MW-14 through MW-17, MW-19, MW-20, MW-23, MW-24, MW-26, MW-27, MW-35, MW-36 and recovery wells EW-2, RW-1 through RW-4 during the April and September 2022 events. Monitor well MW-25 was not gauged during the April 2022 event. Extraction well EW-1 had measurable product during the April 2022 event, and was gauged dry during the September 2022 event.

Thirteen groundwater samples were collected during both the April and September 2022 monitoring events. Groundwater samples were submitted under chain of custody documentation to Pace Analytical Laboratories (Pace) of Lenexa, Kansas. The samples were analyzed for benzene, toluene, ethylbenzene, xylenes (BTEX), total petroleum hydrocarbons (TPH)—gasoline range organics (GRO), and TPH—diesel range organics (DRO).

The groundwater samples collected were reported by the laboratory to be at concentrations below the New Mexico Water Quality Control Commission's (NMWQCC) groundwater quality standards during the 2022 semiannual monitoring events.

Contents

1.	Introduction	1
2.	Site Description and History	1
3.	Regulatory Framework	2
4.	Groundwater Monitoring and Sampling	3
4.1	Groundwater Monitoring – April 2022	3
4.2	Groundwater Sampling – April 2022	3
4.3	Groundwater Analytical Results – April 2022	3
4.4	Groundwater Monitoring – September 2022	4
4.5	Groundwater Sampling – September 2022	4
4.6	Groundwater Analytical Results – September 2022	4
5.	Groundwater Remedial Activities	5
6.	Summary and Recommendations	5

Figure index

Figure 1	Site Location Map
Figure 2	Site Plan
Figure 3	Groundwater Gradient Map – April 2022
Figure 4	Light Non-Aqueous Phase Liquid Thickness Contour Map – April 2022
Figure 5	Groundwater Analytical Results – April 2022
Figure 6	Groundwater Gradient Map – September 2022
Figure 7	Light Non-Aqueous Phase Liquid Thickness Contour Map – September 2022
Figure 8	Groundwater Analytical Results – September 2022

Table index

Table 1	Groundwater Elevation Data
Table 2	Groundwater Analytical Data – BTEX, TPH GRO and TPH DRO
Table 3	Historical Groundwater Analytical Data – Chloride, Total Hardness, Iron and Manganese
Table 4	Historical Groundwater Analytical Data – Metals and Polyaromatic Hydrocarbons

Appendices

Appendix A	Laboratory Analytical Reports
------------	-------------------------------

1. Introduction

GHD Services Inc. (GHD) prepared this 2022 Annual Groundwater Monitoring and Remediation Report on behalf of Phillips 66 Company (Phillips 66). This report summarizes groundwater monitoring, sampling, and routine operation and maintenance (O&M) activities at Line NM 1-1 (Site) in 2022. The report presents the following:

- Site Description and History
- Regulatory Framework
- Groundwater Monitoring and Sampling
- Groundwater Remediation Activities
- Summary and Recommendations

2. Site Description and History

The Site is located approximately 1 mile south of the City of Hobbs in Lea County, New Mexico (Unit N, Section 9, Township 19S, Range 38E; Figure 1). The area around the release is largely undeveloped arid land primarily used for cattle grazing. Two crude oil production wells are located near the pipeline release. Regional geology consists of unconsolidated alluvium overlaying the Ogallala Formation.

Site remedial activities commenced on October 27, 1998, when Phillips 66 personnel discovered a release of crude oil associated with a local well field gathering pipeline. Approximately 1,500 cubic yards of petroleum impacted soil were excavated around and below the release location. MW-1 was installed approximately 10 feet north of the excavation to determine the vertical extent of soil impacts, and to determine if groundwater had been impacted. Approximately 13 feet of crude oil was detected on the water table. Phillips 66 initiated product recovery in MW 1 on December 12, 1998 using a bailer. During the week of March 22, 1999, Abanaki Corporation installed a PetroXtractor recovery system in MW-1.

Assessment and remediation activities have been conducted at the Site by Higgins and Associates, LLC of Centennial, Colorado to define and address the crude oil impacts including the installation of a comprehensive soil and groundwater remediation system. The remediation system installation consists of a crude oil recovery system, a groundwater extraction, treatment, and re-injection system, and an enhanced bioremediation system consisting of bio venting and nutrient injection.

Beginning on December 1, 2010, four new crude oil recovery wells (RW-1 through RW-4) were installed at the Site under the direction of Tetra Tech. The wells were drilled, completed, and developed by Straub Corporation of Stanton, Texas. Alliance Maintenance and Services of Houston, Texas performed the installation of the recovery pumps, controller, wiring trenching and plumbing. The wells were set using 6-inch diameter Schedule 40 polyvinyl chloride (PVC) casing with 30 feet of 0.020-inch screen extending to the bottom of each well, and blank PVC casing extending from the top of the screened interval to approximately 3 feet above ground surface. Crude oil recovery pumps, consisting of Xitech Model ADJ1015H 4-inch diameter pneumatic High Performance Smart Skimmers with adjustable extended travel floats were installed in each well. The four new recovery well pumps and the seven existing recovery well pumps were connected to a Xitech Model 5500E 16 station programmable pneumatic pump controller, allowing for individual control of each of the pumps. Figure 2 illustrates the locations of the existing pipeline corridors, the Site monitor and remediation wells, the remediation buildings and storage tank at the Site.

On behalf of Phillips 66, GHD assumed semi-annual groundwater and remedial oversight duties of the Site in August 2011.

In April 2015, GHD collected Light Non-Aqueous Phase Liquid (LNAPL) samples to be analyzed for paraffins, isoparaffins, aromatics, naphthenes and olefins (PIANO) distribution. Based on the PIANO results, GHD conducted two 8-hour mobile dual phase extraction (MDPE) events in April and July 2015.

GHD conducted three additional MDPE events consisting of two 8-hour events each in February, April and July 2017. A total of 6,019 gallons of fluid consisting of approximately 730 gallons of crude oil were removed during the three events.

GHD installed eight replacement monitor wells in September 2017 due to a majority of the Site wells being gauged dry.

GHD installed 12 monitor wells in January 2018 to replace dry wells MW-2 through MW-13; remediation wells SV-1, SV-2, MP-1, MP-2, SVE-1, SVE-3, and SVE-5; and injection wells IW-1 through IW-7, that were plugged and abandoned in March of that year.

GHD completed a LNAPL recovery test in March 2018 to evaluate the LNAPL recharge rate in existing recovery wells. Based on the results of the pilot test, GHD began transitioning from the Xitech skimmer pumps to the NAPL Extraction Tool (NET) systems for LNAPL recovery.

The NET system installation began in the third quarter 2018 at recovery wells RW-1, RW-2, and RW-3. Power for the NET systems was installed in January 2019 and the systems began full operation in February 2019.

Four additional monitor wells (MW-34 through MW-37) were installed in June 2019 to further delineate the LNAPL impacts. During the fourth quarter 2019, GHD used one additional NET to remove LNAPL in all wells with measurable free product. A total of 60 gallons of LNAPL were removed while also testing the potential recovery rate of LNAPL using the NET system.

The NET systems were shut down in November 2019 after a Phillips 66 audit identified deficiencies related to electrical classification. The motors and associated electrical equipment were upgraded between June 15 and 23, 2020. The NET systems were restarted following the upgrades. Current operation consists of daily recovery at RW-1, RW-2 and RW-3, and intermittent operation of two trailer mounted NET systems at monitor and recovery wells with measurable product.

Between June 1 and 3, 2020, White Drilling, with oversight from GHD, installed two new monitor wells, MW-38 and MW-39, to delineate LNAPL to the east. LNAPL has not been encountered in these wells and groundwater analytical results were reported below the laboratory detection limits.

Current activities include monthly O&M activities associated with LNAPL recovery and semi-annual groundwater sampling events.

3. Regulatory Framework

The New Mexico Oil Conservation Division (NMOCD) is the regulatory agency overseeing the cleanup of petroleum hydrocarbon impacts associated with the Site. The NMOCD uses groundwater quality standards contained in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC¹) for groundwater cleanup.

The NMWQCC Human Health Standards are listed in the following constituents of concern table for comparison purposes and evaluation of groundwater analytical results contained in this report.

Constituent Of Concern	NMWQCC Standards (mg/L)
Benzene	0.005
Toluene	1.00
Ethylbenzene	0.70
Xylenes	0.62
TPH-DRO – Total Petroleum Hydrocarbons Diesel Range Organics	NA
TPH-GRO – Total Petroleum Hydrocarbons Gasoline Range Organics	NA
Chloride	250

¹ New Mexico Water Quality Control Commission (<http://www.nmcpr.state.nm.us/nmac/parts/title20/20.006.0002.htm>)

4. Groundwater Monitoring and Sampling

4.1 Groundwater Monitoring – April 2022

GHD personnel gauged 32 on-site monitor wells on April 5 and 6, 2022 to measure groundwater elevation. Well caps were removed before gauging to allow groundwater levels to equilibrate. An oil/water interface probe was used to measure groundwater depths and check for the presence of LNAPL in each of the monitor wells. Groundwater measurements proceeded from historically non impacted wells to the wells containing LNAPL. The oil/water interface probe was cleaned with an Alconox®/de ionized water solution and rinsed with de ionized water after each use.

Groundwater elevations ranged from 3553.29 feet above mean sea level (ft amsl) at MW-20 to 3558.35 ft amsl at MW-22. Regional groundwater flows to the south/southeast at an approximate gradient of 0.0069 feet per foot (ft/ft), which is consistent with historical data.

Table 1 presents the Groundwater Elevation Data. Figure 3 presents Groundwater Gradient Map – April 2022. Figure 4 presents the Light Non-Aqueous Phase Liquid Thickness Contour Map – April 2022.

4.2 Groundwater Sampling – April 2022

GHD personnel collected samples for the first semiannual groundwater sampling event from 13 on-site monitor wells on April 6 and 7, 2022. Groundwater samples were collected from MW-18, MW-21, MW-22, MW-28 through MW-34, and MW-37 through MW-39. Due to the presence of LNAPL, 19 monitor and recovery wells were not sampled.

Samples were collected via traditional bailer method. The groundwater samples, including a duplicate sample, were collected with clean, disposable bailers, decanted into clean containers supplied by the analytical laboratory, placed on ice in an insulated cooler, and chilled to a temperature of approximately 40°F (4°C). The coolers were sealed for transport and shipped to Pace Analytical Laboratories (Pace) under chain of custody protocol. Groundwater purged from each well prior to sampling was stored on-site in the above ground storage tank for eventual off-site disposal.

Pace analyzed the groundwater samples for:

- BTEX by Environmental Protection Agency (EPA) Method 8260B;
- TPH GRO by EPA Method 8015; and
- TPH DRO by EPA Method 8015.

4.3 Groundwater Analytical Results – April 2022

Sample results for the April 2022 semiannual groundwater monitoring event are summarized below.

- Benzene was not detected above the groundwater remedial objective of 0.005 milligrams per liter (mg/l) in groundwater samples collected during the April 2022 sampling event.
- Toluene was not detected above the groundwater remedial objective of 1.00 mg/l in groundwater samples collected during the April 2022 sampling event.
- Ethylbenzene was not detected above the groundwater remedial objective of 0.70 mg/l in groundwater samples collected during the April 2022 sampling event.
- Total xylenes were not detected above the groundwater remedial objective of 0.62 mg/l in groundwater samples collected during the April 2022 sampling event.
- TPH GRO was not detected above the laboratory reporting limit in groundwater samples collected during the April 2022 sampling event. Groundwater remedial objectives for TPH GRO have not been established for the Site.
- TPH DRO was detected above the laboratory reporting limit in groundwater samples collected from MW-29 and MW-30 at concentrations of 0.49 mg/L and 0.68 mg/L, respectively. Groundwater remedial objectives for TPH DRO have not been established for the Site.

Table 2 presents Groundwater Analytical Data BTEX, TPH GRO and TPH DRO; Table 3 presents Historical Groundwater Analytical Data – Chloride, Total Hardness, Iron and Manganese; Table 4 presents Historical Groundwater Analytical Data – Metals and Polyaromatic Hydrocarbons. Figure 5 presents Groundwater Analytical Results – April 2022. The Pace Analytical report is presented as Appendix A.

4.4 Groundwater Monitoring – September 2022

GHD personnel gauged 33 on-site monitor wells on September 12, 2022 to measure groundwater elevation. Well caps were removed before gauging to allow groundwater levels to equilibrate. An oil/water interface probe was used to measure groundwater depths and check for the presence of LNAPL in each of the monitor wells. Groundwater measurements proceeded from historically non impacted wells to the wells containing LNAPL. The oil/water interface probe was cleaned with an Alconox®/de-ionized water solution and rinsed with de ionized water after each use.

Groundwater elevations ranged from 3552.37 ft amsl at RW-4 to 3557.77 ft amsl at MW-22. Regional groundwater flows to the south/southeast at an approximate gradient of 0.0070 ft/ft.

Table 1 presents the Groundwater Elevation Data. Figure 6 presents Groundwater Gradient Map – September 2022. Figure 7 presents the Light Non-Aqueous Phase Liquid Thickness Contour Map – September 2022.

4.5 Groundwater Sampling – September 2022

GHD personnel collected samples for the second semiannual groundwater sampling event from 13 on-site monitor wells on September 13 and 14, 2022. Groundwater samples were collected from MW-18, MW-21, MW-22, MW-28 through MW-34, and MW-37 through MW-39. Due to the presence of LNAPL or due to being gauged as dry, 19 monitor and recovery wells were not sampled.

Samples were collected via traditional bailer method. The groundwater samples, including a duplicate sample, were collected with clean, disposable bailers, decanted into clean containers supplied by the analytical laboratory, placed on ice in an insulated cooler, and chilled to a temperature of approximately 40°F (4°C). The coolers were sealed for transport and shipped to Pace under chain of custody protocol. Groundwater not used for sampling was stored on-site in the above ground storage tank for eventual off-site disposal.

Pace analyzed the groundwater samples for:

- BTEX by EPA Method 8260B;
- TPH GRO by EPA Method 8015; and
- TPH DRO by EPA Method 8015.

4.6 Groundwater Analytical Results – September 2022

Sample results for the September 2022 semiannual groundwater monitoring event are summarized below.

- Benzene was not detected above the remedial objective of 0.005 mg/L in the samples collected during the September 2022 sampling event.
- Toluene was not detected above remedial objective of 1.00 mg/L in the samples collected during the September 2022 sampling event.
- Ethylbenzene was not detected above remedial objective of 0.70 mg/L in the samples collected during the September 2022 sampling event.
- Total xylenes were not detected above remedial objective of 0.62 mg/L in the samples collected during the September 2022 sampling event.
- TPH GRO was not detected above the laboratory detection limit in groundwater samples collected during the September 2022 event. Groundwater remedial objectives for TPH GRO have not been established for the Site.
- TPH DRO was detected above the laboratory reporting limit in groundwater samples MW-29 and MW-30, with concentrations of 0.51 mg/L and 0.55 mg/L, respectively. Groundwater remedial objectives for TPH DRO have not been established for the Site.

Table 2 presents Groundwater Analytical Data BTEX, TPH GRO and TPH DRO; Table 3 presents Historical Groundwater Analytical Data – Chloride, Total Hardness, Iron and Manganese; Table 4 presents Historical Groundwater Analytical Data – Metals and Polyaromatic Hydrocarbons. Figure 8 presents Groundwater Analytical Results – September 2022. Appendix A presents the September 2022 Pace analytical report.

5. Groundwater Remedial Activities

GHD completed monthly operation and maintenance activities in 2022 and operated three fixed NET systems at RW-1, RW-2, and RW-3, and two mobile NET systems. One fixed system, located on MW-25, is currently inoperable while GHD troubleshoots the problem.

Between January and December 2022, a total of 418.56 gallons, or an average of 1.14 gallons per day, of LNAPL were recovered by the NET systems. GHD planned to operate the mobile the NET systems on a continuous basis in 2022, however rodents living in the former remediation building continually damaged the power cables. GHD is evaluating the use of mobile solar powered trailers and shielded power cables to eliminate the issue with the rodents and provide more flexibility with the mobile NET systems.

6. Summary and Recommendations

Removal of LNAPL and dissolved-phase hydrocarbons remain the remedial objective for this Site. GHD will continue conducting semiannual groundwater monitoring and annual reporting for the Site, as directed by the NMOCD. The NET systems have shown to be effective at recovering LNAPL. GHD is evaluating ways to further improve the recovery rate and overall effectiveness of the system. GHD's goal for 2023 is to optimize the use of the trailer mounted NET systems to increase the amount of recovered LNAPL.

All of which is Respectfully Submitted,

GHD





David Bonga, PE
Project Manager



Jeremy Anthon
Project Director

Figures




PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1


Project No. 12574649
Date October 2022

SITE LOCATION MAP

FIGURE 1



Source: Image © 2018 Google - Imagery Date: November 2, 2017 Lat/Long: 32.669285° North, 103.156255° West



Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico East (US Feet)




PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1

SITE PLAN

12574649

May 2022

FIGURE 2



LEGEND

EXISTING MONITOR WELL LOCATION & DESIGNATION

EXTRACTION LOCATION & DESIGNATION

PRODUCT RECOVERY WELL LOCATION & DESIGNATION

FENCE LINE

GROUNDWATER ELEVATION CONTOUR
(INTERVAL = 0.5 FT)

INFERRED GROUNDWATER ELEVATION CONTOUR

ELEVATION OF GROUNDWATER (FT)

DIRECTION OF GROUNDWATER FLOW

NOT MEASURED

NOT USED IN CONTOUR

- NOTE:
- GROUNDWATER ELEVATIONS INDICATED ARE FROM MEASUREMENTS OBTAINED ON APRIL 5, 2022.
 - THE APPARENT GROUNDWATER GRADIENT AND DIRECTION OF FLOW WERE DETERMINED TO BE APPROXIMATELY 0.0053 FT/FT TO THE SOUTH-SOUTHEAST.

060120 ft

Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico East (US Feet)




PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1

GROUNDWATER GRADIENT MAP -
APRIL 2022

Project No. 12574649
Date February 2023

FIGURE 3



LEGEND

EXISTING MONITOR WELL LOCATION & DESIGNATION

EXTRACTION LOCATION & DESIGNATION

PRODUCT RECOVERY WELL LOCATION & DESIGNATION

FENCE LINE

INFERRED LNAPL THICKNESS CONTOUR (FT)

LNAPL THICKNESS

NOT DETECTED

NOT MEASURED

NOTE:

1. LNAPL THICKNESS INDICATED ARE FROM MEASUREMENTS OBTAINED ON APRIL 5 AND 6, 2022.

2. RW-1, RW-2, RW-3, AND RW-4 ARE NOT INCLUDED IN CONTOURING.

060120 ft


Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico East (US Feet)

PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1

**LIGHT NON-AQUEOUS PHASE LIQUID
THICKNESS CONTOUR MAP -
APRIL 2022**

Project No. 12574649
Date February 2023

FIGURE 4



LEGEND

EXISTING MONITOR WELL LOCATION & DESIGNATION

EXTRACTION LOCATION & DESIGNATION

PRODUCT RECOVERY WELL LOCATION & DESIGNATION

B

BENZENE CONCENTRATION (MG/L)

T

TOLUENE CONCENTRATION (MG/L)

E

ETHYLBENZENE CONCENTRATION (MG/L)

X

XYLENES CONCENTRATION (MG/L)

TPH

TOTAL PETROLEUM HYDROCARBONS CONCENTRATION (MG/L)

DRO

TPH AS DIESEL RANGE ORGANICS

GRO

TPH AS GASOLINE RANGE ORGANICS

*


INDICATES DUPLICATE SAMPLE

NS-LNAPL

NOT SAMPLED DUE TO THE PRESENCE OF LIGHT NON-AQUEOUS PHASE LIQUIDS

NOTE:

- GROUNDWATER CONCENTRATIONS INDICATED ARE FROM SAMPLES COLLECTED ON APRIL 6 & 7, 2022.
- YELLOW SHADING INDICATES EXCEEDANCE OF NMWQCC GROUNDWATER QUALITY STANDARDS.




PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1

GROUNDWATER ANALYTICAL RESULTS -
APRIL 2022

Project No. 12574649
Date February 2023

FIGURE 5



LEGEND

EXISTING MONITOR WELL LOCATION & DESIGNATION

EXTRACTION LOCATION & DESIGNATION

PRODUCT RECOVERY WELL LOCATION & DESIGNATION

FENCE LINE

GROUNDWATER ELEVATION CONTOUR
(INTERVAL = 0.5 FT)

INFERRED GROUNDWATER ELEVATION CONTOUR

ELEVATION OF GROUNDWATER (FT)
(3553.62)

DIRECTION OF GROUNDWATER FLOW

NM
NOT MEASURED

NOT USED IN CONTOUR

- NOTE:
- GROUNDWATER ELEVATIONS INDICATED ARE FROM MEASUREMENTS OBTAINED ON SEPTEMBER 12 AND 14, 2022.
 - THE APPARENT GROUNDWATER GRADIENT AND DIRECTION OF FLOW WERE DETERMINED TO BE APPROXIMATELY 0.0053 FT/FT TO THE SOUTH-SOUTHEAST.

060120 ft


Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico East (US Feet)

PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1

Project No. 12574649
Date February 2023

GROUNDWATER GRADIENT MAP -
SEPTEMBER 2022

FIGURE 6



LEGEND

EXISTING MONITOR WELL LOCATION & DESIGNATION

EXTRACTION LOCATION & DESIGNATION

PRODUCT RECOVERY WELL LOCATION & DESIGNATION

FENCE LINE

INFERRED LNAPL THICKNESS CONTOUR (FT)

LNAPL THICKNESS

NOT DETECTED

LNAPL THICKNESS CANNOT BE DETERMINED

NOTE:

1. LNAPL THICKNESS INDICATED ARE FROM MEASUREMENTS OBTAINED ON SEPTEMBER 12, 2022.
2. RW-1, RW-2, RW-3, AND RW-4 ARE NOT INCLUDED IN CONTOURING.
3. THE FULL THICKNESS OF LNAPL AT MW-1 CANNOT BE DETERMINED DUE TO LNAPL EXTENDING PAST THE BOTTOM OF THE WELL.

060120 ft

Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico East (US Feet)

N

GHD

PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1


LIGHT NON-AQUEOUS PHASE LIQUID
THICKNESS CONTOUR MAP -
SEPTEMBER 2022

Project No. 12574649
Date February 2023

FIGURE 7

Released to Imaging: 4/11/2023 3:10:25 PM

Data Source: Image © 2018 Google - Imagery Date: November 2, 2017
Lat/Long: 32.669285° North, 103.156255° West



⊕

EXISTING MONITOR WELL LOCATION & DESIGNATION

⏏

EXTRACTION LOCATION & DESIGNATION

⚠

PRODUCT RECOVERY WELL LOCATION & DESIGNATION

B

BENZENE CONCENTRATION (MG/L)

T

TOLUENE CONCENTRATION (MG/L)

E

ETHYLBENZENE CONCENTRATION (MG/L)

X

XYLENES CONCENTRATION (MG/L)

TPH

TOTAL PETROLEUM HYDROCARBONS CONCENTRATION (MG/L)

DRO

TPH AS DIESEL RANGE ORGANICS

GRO

TPH AS GASOLINE RANGE ORGANICS

*

INDICATES DUPLICATE SAMPLE

NS-LNAPL

NOT SAMPLED DUE TO THE PRESENCE OF LIGHT NON-AQUEOUS PHASE LIQUIDS

DRY


DRY UPON GAUGING OR INSUFFICIENT WATER

LEGEND

NOTE:

1. GROUNDWATER CONCENTRATIONS INDICATED ARE FROM SAMPLES COLLECTED ON SEPTEMBER 13 & 14, 2022.

2. YELLOW SHADING INDICATES EXCEEDANCE OF NMWQCC GROUNDWATER QUALITY STANDARDS.



PHILLIPS 66 COMPANY
HOBBS, LEA COUNTY, NEW MEXICO
LINE NM 1-1

**GROUNDWATER ANALYTICAL RESULTS -
SEPTEMBER 2022**

Project No. 12574649
Date February 2023

FIGURE 8

Tables

Table 1

Page 1 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	02/27/01	3603.30	30.13	36.20	6.07	3571.96
MW-1	06/25/01	3603.30	34.92	35.23	0.31	3568.32
MW-1	09/25/01	3603.30	34.64	40.28	5.64	3567.53
MW-1	12/11/01	3603.30	34.96	40.72	5.76	3567.19
MW-1	11/05/02	3603.30	35.76	41.32	5.56	3566.43
MW-1	04/21/03	3603.30	36.33	41.52	5.19	3565.93
MW-1	06/23/03	3603.30	36.29	41.89	5.60	3565.89
MW-1	11/05/03	3603.30	36.50	41.83	5.33	3565.73
MW-1	01/19/04	3603.30	37.06	42.39	5.33	3565.17
MW-1	04/19/04	3603.30	37.29	42.07	4.78	3565.05
MW-1	07/20/04	3603.30	37.03	40.91	3.88	3565.49
MW-1	10/25/04	3603.30	34.78	35.26	0.48	3568.42
MW-1	01/24/05	3603.30	32.92	33.36	0.44	3570.29
MW-1	04/18/05	3603.30	33.32	35.54	2.22	3569.54
MW-1	07/18/05	3603.30	34.08	36.48	2.40	3568.74
MW-1	08/19/05	3603.30	34.43	37.13	2.70	3568.33
MW-1	10/17/05	3603.30	34.10	35.90	1.80	3568.84
MW-1	11/16/05	3603.30	34.19	35.78	1.59	3568.79
MW-1	11/29/05	3603.30	34.28	35.95	1.67	3568.69
MW-1	12/12/05	3603.30	34.35	36.31	1.96	3568.56
MW-1	12/21/05	3603.30	34.31	36.82	2.51	3568.49
MW-1	12/28/05	3603.30	34.44	36.75	2.31	3568.40
MW-1	01/04/06	3603.30	34.52	36.91	2.39	3568.30
MW-1	01/11/06	3603.30	34.49	36.91	2.42	3568.33
MW-1	01/16/06	3603.30	34.92	34.99	0.07	3568.37
MW-1	01/23/06	3603.30	34.79	36.51	1.72	3568.17
MW-1	02/01/06	3603.30	34.98	35.21	0.23	3568.27
MW-1	02/16/06	3603.30	35.08	35.25	0.17	3568.19
MW-1	03/06/06	3603.30	35.26	35.42	0.16	3568.01
MW-1	03/29/06	3603.30	35.49	35.56	0.07	3567.80
MW-1	04/04/06	3603.30	35.52	35.61	0.09	3567.76
MW-1	04/11/06	3603.30	35.52	35.88	0.36	3567.71
MW-1	04/17/06	3603.30	35.46	35.71	0.25	3567.79
MW-1	04/24/06	3603.30	35.33	37.23	1.90	3567.59
MW-1	05/03/06	3603.30	35.75	35.96	0.21	3567.51
MW-1	05/31/06	3603.30	35.93	36.02	0.09	3567.35
MW-1	06/09/06	3603.30	35.91	36.25	0.34	3567.32
MW-1	06/12/06	3603.30	36.02	36.13	0.11	3567.26
MW-1	06/26/06	3603.30	35.92	37.02	1.10	3567.16
MW-1	07/05/06	3603.30	35.94	37.51	1.57	3567.05
MW-1	07/10/06	3603.30	36.06	37.04	0.98	3567.04
MW-1	07/17/06	3603.30	35.96	37.97	2.01	3566.94
MW-1	07/24/06	3603.30	35.88	38.26	2.38	3566.94
MW-1	08/08/06	3603.30	35.93	38.56	2.63	3566.84
MW-1	08/14/06	3603.30	36.01	38.81	2.80	3566.73
MW-1	08/28/06	3603.30	35.99	38.83	2.84	3566.74
MW-1	09/14/06	3603.30	35.64	37.95	2.31	3567.20
MW-1	09/21/06	3603.30	35.55	37.62	2.07	3567.34
MW-1	09/25/06	3603.30	35.52	37.40	1.88	3567.40
MW-1	10/02/06	3603.30	35.49	36.70	1.21	3567.57
MW-1	10/10/06	3603.30	35.42	36.52	1.10	3567.66
MW-1	10/16/06	3603.30	35.41	35.97	0.56	3567.78
MW-1	10/23/06	3603.30	35.17	36.41	1.24	3567.88
MW-1	10/30/06	3603.30	35.45	35.54	0.09	3567.83
MW-1	11/06/06	3603.30	35.38	35.45	0.07	3567.91
MW-1	11/21/06	3603.30	35.40	35.46	0.06	3567.89
MW-1	11/28/06	3603.30	35.42	35.50	0.08	3567.86

Table 1

Page 2 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	12/05/06	3603.30	35.36	36.05	0.69	3567.80
MW-1	12/11/06	3603.30	35.49	35.54	0.05	3567.80
MW-1	12/18/06	3603.30	35.56	35.61	0.05	3567.73
MW-1	01/02/07	3603.30	35.72	35.83	0.11	3567.56
MW-1	01/08/07	3603.30	35.36	35.83	0.47	3567.85
MW-1	01/23/07	3603.30	35.47	37.26	1.79	3567.47
MW-1	02/05/07	3603.30	36.03	36.14	0.11	3567.25
MW-1	02/26/07	3603.30	36.17	36.68	0.51	3567.03
MW-1	03/05/07	3603.30	36.27	36.36	0.09	3567.01
MW-1	03/13/07	3603.30	36.22	36.91	0.69	3566.94
MW-1	03/19/07	3603.30	36.35	36.46	0.11	3566.93
MW-1	03/26/07	3603.30	36.05	36.05	0.00	3567.25
MW-1	04/02/07	3603.30	36.05	38.76	2.71	3566.71
MW-1	04/23/07	3603.30	35.93	39.09	3.16	3566.74
MW-1	05/01/07	3603.30	36.11	39.21	3.10	3566.57
MW-1	05/29/07	3603.30	36.07	39.24	3.17	3566.60
MW-1	06/04/07	3603.30	36.06	39.20	3.14	3566.61
MW-1	06/11/07	3603.30	36.04	39.20	3.16	3566.63
MW-1	06/18/07	3603.30	36.03	39.22	3.19	3566.63
MW-1	06/26/07	3603.30	35.92	39.20	3.28	3566.72
MW-1	07/09/07	3603.30	36.00	39.18	3.18	3566.66
MW-1	07/17/07	3603.30	36.00	39.20	3.20	3566.66
MW-1	07/23/07	3603.30	35.94	39.17	3.23	3566.71
MW-1	07/30/07	3603.30	35.99	39.18	3.19	3566.67
MW-1	08/08/07	3603.30	36.03	39.24	3.21	3566.63
MW-1	08/20/07	3603.30	36.11	39.32	3.21	3566.55
MW-1	08/27/07	3603.30	36.12	39.44	3.32	3566.52
MW-1	09/04/07	3603.30	36.18	39.39	3.21	3566.48
MW-1	09/10/07	3603.30	36.15	39.48	3.33	3566.48
MW-1	09/25/07	3603.30	35.99	39.11	3.12	3566.69
MW-1	10/02/07	3603.30	35.89	38.78	2.89	3566.83
MW-1	10/11/07	3603.30	35.87	38.37	2.50	3566.93
MW-1	10/22/07	3603.30	35.69	38.02	2.33	3567.14
MW-1	10/31/07	3603.30	36.10	36.73	0.63	3567.07
MW-1	11/12/07	3603.30	35.85	37.97	2.12	3567.03
MW-1	11/19/07	3603.30	35.82	37.98	2.16	3567.05
MW-1	12/05/07	3603.30	35.88	38.31	2.43	3566.93
MW-1	12/10/07	3603.30	36.00	38.40	2.40	3566.82
MW-1	12/20/07	3603.30	36.06	38.55	2.49	3566.74
MW-1	01/07/08	3603.30	36.08	39.20	3.12	3566.60
MW-1	01/28/08	3603.30	36.02	39.55	3.53	3566.57
MW-1	02/12/08	3603.30	36.38	40.12	3.74	3566.17
MW-1	02/26/08	3603.30	36.49	40.14	3.65	3566.08
MW-1	03/11/08	3603.30	36.60	39.98	3.38	3566.02
MW-1	03/17/08	3603.30	36.80	39.46	2.66	3565.97
MW-1	03/24/08	3603.30	36.67	40.22	3.55	3565.92
MW-1	03/31/08	3603.30	37.28	37.55	0.27	3565.97
MW-1	04/14/08	3603.30	37.24	38.20	0.96	3565.87
MW-1	04/21/08	3603.30	36.76	38.96	2.20	3566.10
MW-1	04/28/08	3603.30	37.25	38.66	1.41	3565.77
MW-1	05/20/08	3603.30	37.65	37.81	0.16	3565.62
MW-1	06/02/08	3603.30	37.17	40.10	2.93	3565.54
MW-1	06/09/08	3603.30	37.65	37.97	0.32	3565.59
MW-1	06/16/08	3603.30	37.40	39.62	2.22	3565.46
MW-1	06/30/08	3603.30	37.79	38.70	0.91	3565.33
MW-1	07/14/08	3603.30	37.80	38.93	1.13	3565.27
MW-1	07/21/08	3603.30	37.36	39.49	2.13	3565.51

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	08/06/08	3603.30	37.95	38.68	0.73	3565.20
MW-1	08/18/08	3603.30	37.85	39.57	1.72	3565.11
MW-1	09/09/08	3603.30	38.16	38.62	0.46	3565.05
MW-1	09/15/08	3603.30	38.18	38.22	0.04	3565.11
MW-1	09/22/08	3603.30	37.85	40.16	2.31	3564.99
MW-1	09/29/08	3603.30	38.17	38.20	0.03	3565.12
MW-1	10/07/08	3603.30	37.76	40.30	2.54	3565.03
MW-1	10/14/08	3603.30	38.14	38.16	0.02	3565.16
MW-1	10/20/08	3603.30	37.50	39.63	2.13	3565.37
MW-1	10/27/08	3603.30	38.13	38.17	0.04	3565.16
MW-1	11/10/08	3603.30	37.57	40.75	3.18	3565.09
MW-1	11/24/08	3603.30	38.16	38.21	0.05	3565.13
MW-1	12/01/08	3603.30	37.61	40.62	3.01	3565.09
MW-1	12/08/08	3603.30	38.06	38.71	0.65	3565.11
MW-1	12/24/08	3603.30	38.26	38.36	0.10	3565.02
MW-1	12/29/08	3603.30	37.97	39.78	1.81	3564.97
MW-1	01/06/09	3603.30	38.30	38.32	0.02	3565.00
MW-1	01/19/09	3603.30	37.85	41.10	3.25	3564.80
MW-1	01/26/09	3603.30	38.17	40.34	2.17	3564.70
MW-1	02/10/09	3603.30	37.86	41.81	3.95	3564.65
MW-1	02/26/09	3603.30	37.85	42.15	4.30	3564.59
MW-1	03/02/09	3603.30	37.85	42.22	4.37	3564.58
MW-1	03/09/09	3603.30	38.48	38.56	0.08	3564.80
MW-1	03/16/09	3603.30	38.10	41.10	3.00	3564.60
MW-1	03/24/09	3603.30	38.55	38.60	0.05	3564.74
MW-1	03/30/09	3603.30	38.14	41.00	2.86	3564.59
MW-1	04/06/09	3603.30	38.35	41.18	2.83	3564.38
MW-1	04/14/09	3603.30	38.64	38.70	0.06	3564.65
MW-1	04/20/09	3603.30	37.94	40.78	2.84	3564.79
MW-1	04/28/09	3603.30	38.70	38.75	0.05	3564.59
MW-1	05/11/09	3603.30	38.69	38.76	0.07	3564.60
MW-1	05/26/09	3603.30	38.34	41.07	2.73	3564.41
MW-1	06/01/09	3603.30	38.20	42.00	3.80	3564.34
MW-1	06/02/09	3603.30	38.56	40.04	1.48	3564.44
MW-1	06/09/09	3603.30	38.27	41.75	3.48	3564.33
MW-1	06/15/09	3603.30	38.18	42.50	4.32	3564.26
MW-1	06/29/09	3603.30	38.13	42.92	4.79	3564.21
MW-1	07/06/09	3603.30	38.15	43.25	5.10	3564.13
MW-1	07/14/09	3603.30	38.05	43.17	5.12	3564.23
MW-1	07/20/09	3603.30	38.91	38.90	0.01	3564.39
MW-1	07/27/09	3603.30	38.20	41.77	3.57	3564.39
MW-1	08/03/09	3603.30	38.93	39.10	0.17	3564.34
MW-1	08/04/09	3603.30	38.90	38.89	0.01	3564.40
MW-1	08/12/09	3603.30	38.24	42.05	3.81	3564.30
MW-1	08/24/09	3603.30	38.91	38.96	0.05	3564.38
MW-1	08/31/09	3603.30	38.15	41.80	3.65	3564.42
MW-1	09/08/09	3603.30	38.79	39.00	0.21	3564.47
MW-1	09/16/09	3603.30	38.08	42.60	4.52	3564.32
MW-1	09/28/09	3603.30	38.71	38.82	0.11	3564.57
MW-1	10/05/09	3603.30	38.90	39.10	0.20	3564.36
MW-1	10/12/09	3603.30	38.26	41.75	3.49	3564.34
MW-1	10/26/09	3603.30	38.18	42.56	4.38	3564.24
MW-1	11/03/09	3603.30	38.90	39.00	0.10	3564.38
MW-1	11/10/09	3603.30	38.35	41.88	3.53	3564.24
MW-1	11/23/09	3603.30	38.95	39.00	0.05	3564.34
MW-1	11/30/09	3603.30	38.43	41.89	3.46	3564.18
MW-1	12/07/09	3603.30	38.95	39.01	0.06	3564.34

Table 1

Page 4 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	12/22/09	3603.30	38.38	42.70	4.32	3564.06
MW-1	01/04/10	3603.30	38.88	40.25	1.37	3564.15
MW-1	01/11/10	3603.30	38.54	42.30	3.76	3564.01
MW-1	01/18/10	3603.30	39.15	39.17	0.02	3564.15
MW-1	01/25/10	3603.30	38.61	42.20	3.59	3563.97
MW-1	02/01/10	3603.30	39.23	39.30	0.07	3564.06
MW-1	02/08/10	3603.30	38.65	42.27	3.62	3563.93
MW-1	02/22/10	3603.30	39.24	39.30	0.06	3564.05
MW-1	03/01/10	3603.30	38.70	42.27	3.57	3563.89
MW-1	03/08/10	3603.30	39.25	39.29	0.04	3564.04
MW-1	03/22/10	3603.30	38.58	43.00	4.42	3563.84
MW-1	03/29/10	3603.30	38.74	42.25	3.51	3563.86
MW-1	04/05/10	3603.30	39.27	39.33	0.06	3564.02
MW-1	04/13/10	3603.30	38.69	42.83	4.14	3563.78
MW-1	04/19/10	3603.30	39.33	39.35	0.02	3563.97
MW-1	04/26/10	3603.30	38.75	42.54	3.79	3563.79
MW-1	05/03/10	3603.30	39.37	39.42	0.05	3563.92
MW-1	05/14/10	3603.30	38.60	39.73	1.13	3564.47
MW-1	05/20/10	3603.30	39.39	39.46	0.07	3563.90
MW-1	05/27/10	3603.30	38.76	43.00	4.24	3563.69
MW-1	06/01/10	3603.30	38.93	42.30	3.37	3563.70
MW-1	06/07/10	3603.30	39.45	39.51	0.06	3563.84
MW-1	06/15/10	3603.30	38.82	43.25	4.43	3563.59
MW-1	06/28/10	3603.30	39.50	39.60	0.10	3563.78
MW-1	07/06/10	3603.30	38.83	43.08	4.25	3563.62
MW-1	07/13/10	3603.30	38.45	42.48	4.03	3564.04
MW-1	07/19/10	3603.30	38.38	41.80	3.42	3564.24
MW-1	07/26/10	3603.30	38.20	41.68	3.48	3564.40
MW-1	07/27/10	3603.30	38.16	41.58	3.42	3564.46
MW-1	07/28/10	3603.30	38.04	41.63	3.59	3564.54
MW-1	08/09/10	3603.30	38.02	41.00	2.98	3564.68
MW-1	08/16/10	3603.30	37.95	40.60	2.65	3564.82
MW-1	08/30/10	3603.30	37.85	40.28	2.43	3564.96
MW-1	09/08/10	3603.30	38.21	38.70	0.49	3564.99
MW-1	09/13/10	3603.30	38.07	38.13	0.06	3565.22
MW-1	09/20/10	3603.30	37.76	39.98	2.22	3565.10
MW-1	09/27/10	3603.30	37.75	40.11	2.36	3565.08
MW-1	10/04/10	3603.30	37.75	40.50	2.75	3565.00
MW-1	10/12/10	3603.30	38.13	38.20	0.07	3565.16
MW-1	10/19/10	3603.30	37.81	40.50	2.69	3564.95
MW-1	10/25/10	3603.30	37.76	40.61	2.85	3564.97
MW-1	11/01/10	3603.30	37.87	41.40	3.53	3564.72
MW-1	11/09/10	3603.30	37.89	41.00	3.11	3564.79
MW-1	11/22/10	3603.30	37.99	41.40	3.41	3564.63
MW-1	12/06/10	3603.30	38.55	38.68	0.13	3564.72
MW-1	01/03/11	3603.30	38.18	42.12	3.94	3564.33
MW-1	01/17/11	3603.30	38.72	39.80	1.08	3564.36
MW-1	01/29/11	3603.30	38.41	43.10	4.69	3563.95
MW-1	01/31/11	3603.30	38.78	40.28	1.50	3564.22
MW-1	02/07/11	3603.30	38.80	40.30	1.50	3564.20
MW-1	02/15/11	3603.30	38.86	40.87	2.01	3564.04
MW-1	03/01/11	3603.30	38.81	41.66	2.85	3563.92
MW-1	03/07/11	3603.30	38.73	42.40	3.67	3563.84
MW-1	03/21/11	3603.30	38.39	42.80	4.41	3564.03
MW-1	03/28/11	3603.30	38.75	43.33	4.58	3563.63
MW-1	07/29/11	3603.30	39.16	44.28	5.12	3563.12
MW-1	08/04/11	3603.30	39.11	44.45	5.34	3563.12

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	08/11/11	3603.30	39.15	44.51	5.36	3563.08
MW-1	08/16/11	3603.30	39.16	44.56	5.40	3563.06
MW-1	09/14/11	3603.30	39.33	44.56	5.23	3562.92
MW-1	10/10/11	3603.30	39.45	44.66	5.21	3562.81
MW-1	11/18/11	3603.30	39.56	44.96	5.40	3562.66
MW-1	01/06/12	3603.30	39.75	45.14	5.39	3562.47
MW-1	01/26/12	3603.30	39.81	45.23	5.42	3562.41
MW-1	02/23/12	3603.30	39.92	45.41	5.49	3562.28
MW-1	03/29/12	3603.30	40.16	44.98	4.82	3562.18
MW-1	04/19/12	3603.30	40.19	42.58	2.39	3562.63
MW-1	05/29/12	3603.30	40.37	45.53	5.16	3561.90
MW-1	06/07/12	3603.30	40.40	45.55	5.15	3561.87
MW-1	09/20/12	3603.30	40.45	46.10	5.65	3561.72
MW-1	11/15/12	3603.30	40.69	46.23	5.54	3561.50
MW-1	11/29/12	3603.30	41.03	44.35	3.32	3561.61
MW-1	12/20/12	3603.30	40.95	45.35	4.40	3561.47
MW-1	02/26/13	3603.30	41.13	45.64	4.51	3561.27
MW-1	03/07/13	3603.30	41.09	45.16	4.07	3561.40
MW-1	03/14/13	3603.30	41.27	44.08	2.81	3561.47
MW-1	04/10/13	3603.30	41.27	44.47	3.20	3561.39
MW-1	05/09/13	3603.30	41.38	45.29	3.91	3561.14
MW-1	06/07/13	3603.30	41.37	45.71	4.34	3561.06
MW-1	07/02/13	3603.30	41.35	46.04	4.69	3561.01
MW-1	07/22/13	3603.30	41.75	45.47	3.72	3560.81
MW-1	08/22/13	3603.30	42.30	42.55	0.25	3560.95
MW-1	09/19/13	3603.30	42.36	42.46	0.10	3560.92
MW-1	10/03/13	3603.30	42.37	42.59	0.22	3560.89
MW-1	11/27/13	3603.30	42.47	42.58	0.11	3560.81
MW-1	01/21/14	3603.30	42.53	42.94	0.41	3560.69
MW-1	02/13/14	3603.30	42.55	43.45	0.90	3560.57
MW-1	03/10/14	3603.30	42.46	44.43	1.97	3560.45
MW-1	03/24/14	3603.30	42.40	44.97	2.57	3560.39
MW-1	04/28/14	3603.30	42.54	44.87	2.33	3560.29
MW-1	06/09/14	3603.30	43.01	43.32	0.31	3560.23
MW-1	07/28/14	3603.30	43.02	44.51	1.49	3559.98
MW-1	08/19/14	3603.30	43.29	43.67	0.38	3559.93
MW-1	10/01/14	3603.30	42.94	46.43	3.49	3559.66
MW-1	11/24/14	3603.30	42.36	47.69	5.33	3559.87
MW-1	01/08/15	3603.30	42.18	47.30	5.12	3560.10
MW-1	03/09/15	3603.30	42.35	47.38	5.03	3559.94
MW-1	04/22/15	3603.30	42.49	47.70	5.21	3559.77
MW-1	04/24/15	3603.30	43.10	44.31	1.21	3559.96
MW-1	05/13/15	3603.30	43.25	44.04	0.79	3559.89
MW-1	05/27/15	3603.30	43.00	45.56	2.56	3559.79
MW-1	06/08/15	3603.30	43.19	43.83	0.64	3559.98
MW-1	06/24/15	3603.30	42.89	45.36	2.47	3559.92
MW-1	07/07/15	3603.30	42.84	45.28	2.44	3559.97
MW-1	07/08/15	3603.30	43.00	44.34	1.34	3560.03
MW-1	07/29/15	3603.30	42.75	45.60	2.85	3559.98
MW-1	08/18/15	3603.30	42.52	46.53	4.01	3559.98
MW-1	09/29/15	3603.30	42.38	46.92	4.54	3560.01
MW-1	11/20/15	3603.30	42.28	46.72	4.44	3560.13
MW-1	02/04/16	3603.30	42.17	45.40	3.23	3560.48
MW-1	03/03/16	3603.30	42.32	45.08	2.76	3560.43
MW-1	03/23/16	3603.30	42.59	45.20	2.61	3560.19
MW-1	04/14/16	3603.30	42.55	45.20	2.65	3560.22
MW-1	05/19/16	3603.30	42.17	45.09	2.92	3560.55

Table 1

Page 6 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-1	06/16/16	3603.30	42.90	45.31	2.41	3559.92
MW-1	07/27/16	3603.30	43.11	45.28	2.17	3559.76
MW-1	07/28/16	3603.30	43.11	45.28	2.17	3559.76
MW-1	09/15/16	3603.30	43.12	45.31	2.19	3559.74
MW-1	09/19/16	3603.30	43.12	45.31	2.19	3559.74
MW-1	10/20/16	3603.30	42.71	46.41	3.70	3559.85
MW-1	12/15/16	3603.30	42.82	45.51	2.69	3559.94
MW-1	03/22/17	3603.30	42.42	45.25	2.83	3560.31
MW-1	09/19/17	3603.30	43.07	45.46	2.39	3559.75
MW-1	10/19/17	3603.30	42.94	45.17	2.23	3559.91
MW-1	11/15/17	3603.30	42.75	45.48	2.73	3560.00
MW-1	03/20/18	3603.30	43.04	46.40	3.36	3559.59
MW-1	06/04/18	3603.30	43.40	46.97	3.57	3559.19
MW-1	09/17/18	3603.30	43.45	48.77	5.32	3558.79
MW-1	03/20/19	3603.30	43.58	49.11	5.53	3558.61
MW-1	09/16/19	3603.30	44.10	49.58	5.48	3558.10
MW-1	03/16/20	3603.30	44.34	49.15	4.81	3558.00
MW-1	09/01/20	3603.30	44.68	49.10	4.42	3557.74
MW-1	09/15/20	3603.30	44.74	49.10	4.36	3557.69
MW-1	03/31/21	3603.30	45.58	NM	NM	NM
MW-1	09/07/21	3603.30	46.02	NM	NM	NM
MW-1	04/06/22	3603.30	46.02	49.51	3.49	3556.58
MW-1	09/12/22	3603.30	46.47	--	2.83	--
MW-2 (NIW-1)	02/27/01	3601.57	--	32.16	--	3569.41
MW-2 (NIW-1)	06/25/01	3601.57	--	32.60	--	3568.97
MW-2 (NIW-1)	09/25/01	3601.57	--	33.12	--	3568.45
MW-2 (NIW-1)	12/11/01	3601.57	--	33.51	--	3568.06
MW-2 (NIW-1)	05/20/02	3601.57	--	33.75	--	3567.82
MW-2 (NIW-1)	03/22/17	3601.57	--	40.35	--	3561.22
MW-2 (NIW-1)	09/19/17	3601.57	--	40.92	--	3560.65
MW-2 (NIW-1)	03/06/18	PLUGGED AND ABANDONED				
MW-3	02/27/01	3602.77	33.88	38.93	5.05	3567.88
MW-3	06/25/01	3602.77	35.23	39.44	4.21	3566.70
MW-3	09/25/01	3602.77	35.79	40.41	4.62	3566.06
MW-3	12/11/01	3602.77	36.12	40.83	4.71	3565.71
MW-3	11/05/02	3602.77	36.82	41.26	4.44	3565.06
MW-3	04/21/03	3602.77	37.14	41.52	4.38	3564.75
MW-3	06/23/03	3602.77	36.77	37.93	1.16	3565.77
MW-3	11/05/03	3602.77	38.01	42.31	4.30	3563.90
MW-3	01/19/04	3602.77	38.36	42.68	4.32	3563.55
MW-3	04/19/04	3602.77	38.31	42.08	3.77	3563.71
MW-3	07/20/04	3602.77	38.01	41.09	3.08	3564.14
MW-3	10/25/04	3602.77	--	35.38	--	3567.39
MW-3	01/24/05	3602.77	33.51	35.22	1.71	3568.92
MW-3	04/18/05	3602.77	34.21	36.20	1.99	3568.16
MW-3	07/18/05	3602.77	35.15	37.30	2.15	3567.19
MW-3	08/19/05	3602.77	35.43	37.93	2.50	3566.84
MW-3	09/15/05	3602.77	35.30	37.05	1.75	3567.12
MW-3	09/29/05	3602.77	35.40	35.65	0.25	3567.32
MW-3	10/11/05	3602.77	35.26	35.86	0.60	3567.39
MW-3	10/17/05	3602.77	35.17	35.86	0.69	3567.46
MW-3	11/03/05	3602.77	35.16	35.68	0.52	3567.51
MW-3	11/16/05	3602.77	35.29	35.83	0.54	3567.37
MW-3	11/22/05	3602.77	35.23	35.82	0.59	3567.42
MW-3	11/29/05	3602.77	35.40	35.85	0.45	3567.28

Table 1

Page 7 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3	12/28/05	3602.77	35.72	35.87	0.15	3567.02
MW-3	01/04/06	3602.77	35.75	36.13	0.38	3566.94
MW-3	01/11/06	3602.77	35.76	36.03	0.27	3566.96
MW-3	01/16/06	3602.77	35.81	36.24	0.43	3566.87
MW-3	01/23/06	3602.77	35.81	36.37	0.56	3566.85
MW-3	02/01/06	3602.77	36.00	36.10	0.10	3566.75
MW-3	02/16/06	3602.77	36.12	36.27	0.15	3566.62
MW-3	03/06/06	3602.77	36.29	36.49	0.20	3566.44
MW-3	03/29/06	3602.77	36.48	36.70	0.22	3566.25
MW-3	04/04/06	3602.77	36.51	36.76	0.25	3566.21
MW-3	04/11/06	3602.77	36.55	36.88	0.33	3566.15
MW-3	04/17/06	3602.77	36.57	36.89	0.32	3566.14
MW-3	04/24/06	3602.77	36.54	37.06	0.52	3566.13
MW-3	05/03/06	3602.77	36.72	36.91	0.19	3566.01
MW-3	05/31/06	3602.77	36.86	37.54	0.68	3565.77
MW-3	06/09/06	3602.77	36.90	37.70	0.80	3565.71
MW-3	06/12/06	3602.77	37.06	37.21	0.15	3565.68
MW-3	06/26/06	3602.77	37.03	37.91	0.88	3565.56
MW-3	07/05/06	3602.77	37.08	38.04	0.96	3565.50
MW-3	07/10/06	3602.77	37.09	38.08	0.99	3565.48
MW-3	07/17/06	3602.77	37.14	38.14	1.00	3565.43
MW-3	07/24/06	3602.77	37.15	37.71	0.56	3565.51
MW-3	08/08/06	3602.77	37.30	37.58	0.28	3565.41
MW-3	08/14/06	3602.77	37.42	37.50	0.08	3565.33
MW-3	08/28/06	3602.77	37.29	37.68	0.39	3565.40
MW-3	09/14/06	3602.77	36.82	37.10	0.28	3565.89
MW-3	09/21/06	3602.77	36.70	36.74	0.04	3566.06
MW-3	09/25/06	3602.77	35.51	35.56	0.05	3567.25
MW-3	10/02/06	3602.77	35.51	35.50	0.01	3567.26
MW-3	10/10/06	3602.77	36.44	36.43	0.01	3566.33
MW-3	10/16/06	3602.77	36.39	36.40	0.01	3566.38
MW-3	10/23/06	3602.77	36.26	36.25	0.01	3566.51
MW-3	10/30/06	3602.77	36.31	36.30	0.01	3566.46
MW-3	11/06/06	3602.77	36.26	36.27	0.01	3566.51
MW-3	11/21/06	3602.77	36.29	36.30	0.01	3566.48
MW-3	11/28/06	3602.77	36.29	36.30	0.01	3566.48
MW-3	12/05/06	3602.77	36.34	36.35	0.01	3566.43
MW-3	12/11/06	3602.77	36.38	36.39	0.01	3566.39
MW-3	12/18/06	3602.77	36.45	36.47	0.02	3566.32
MW-3	01/02/07	3602.77	36.63	36.65	0.02	3566.14
MW-3	01/08/07	3602.77	36.68	36.69	0.01	3566.09
MW-3	01/23/07	3602.77	36.70	36.73	0.03	3566.06
MW-3	02/05/07	3602.77	36.94	37.02	0.08	3565.81
MW-3	02/26/07	3602.77	37.11	37.27	0.16	3565.63
MW-3	03/05/07	3602.77	37.17	37.40	0.23	3565.55
MW-3	03/13/07	3602.77	37.24	37.51	0.27	3565.48
MW-3	03/19/07	3602.77	37.26	37.59	0.33	3565.44
MW-3	03/26/07	3602.77	37.40	37.42	0.02	3565.37
MW-3	04/02/07	3602.77	37.39	37.59	0.20	3565.34
MW-3	04/23/07	3602.77	37.31	37.79	0.48	3565.36
MW-3	05/01/07	3602.77	37.46	37.96	0.50	3565.21
MW-3	05/29/07	3602.77	37.36	38.11	0.75	3565.26
MW-3	06/04/07	3602.77	37.34	37.98	0.64	3565.30
MW-3	06/11/07	3602.77	37.37	37.73	0.36	3565.33
MW-3	06/18/07	3602.77	37.41	37.72	0.31	3565.30
MW-3	06/26/07	3602.77	37.32	37.82	0.50	3565.35
MW-3	07/09/07	3602.77	37.32	38.00	0.68	3565.31

Table 1

Page 8 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3	07/17/07	3602.77	37.37	37.69	0.32	3565.34
MW-3	07/23/07	3602.77	37.32	37.81	0.49	3565.35
MW-3	07/30/07	3602.77	37.37	37.73	0.36	3565.33
MW-3	08/08/07	3602.77	37.38	37.85	0.47	3565.30
MW-3	08/20/07	3602.77	37.46	38.01	0.55	3565.20
MW-3	08/27/07	3602.77	37.48	38.11	0.63	3565.16
MW-3	09/04/07	3602.77	37.68	37.91	0.23	3565.04
MW-3	09/10/07	3602.77	37.71	37.77	0.06	3565.05
MW-3	09/25/07	3602.77	37.29	37.55	0.26	3565.43
MW-3	10/02/07	3602.77	37.20	37.30	0.10	3565.55
MW-3	10/11/07	3602.77	37.06	37.14	0.08	3565.69
MW-3	10/22/07	3602.77	36.86	37.01	0.15	3565.88
MW-3	10/31/07	3602.77	36.94	37.02	0.08	3565.81
MW-3	11/12/07	3602.77	36.97	37.07	0.10	3565.78
MW-3	11/19/07	3602.77	37.01	37.16	0.15	3565.73
MW-3	12/05/07	3602.77	37.13	37.30	0.17	3565.61
MW-3	12/10/07	3602.77	37.20	37.40	0.20	3565.53
MW-3	12/20/07	3602.77	37.30	37.61	0.31	3565.41
MW-3	01/02/08	3602.77	37.49	37.81	0.32	3565.22
MW-3	01/07/08	3602.77	37.50	37.77	0.27	3565.22
MW-3	01/28/08	3602.77	37.49	37.95	0.46	3565.19
MW-3	02/12/08	3602.77	37.76	38.22	0.46	3564.92
MW-3	02/26/08	3602.77	37.89	38.42	0.53	3564.77
MW-3	03/11/08	3602.77	37.94	38.76	0.82	3564.67
MW-3	03/17/08	3602.77	37.95	38.86	0.91	3564.64
MW-3	03/24/08	3602.77	38.00	39.07	1.07	3564.56
MW-3	03/31/08	3602.77	38.00	39.19	1.19	3564.53
MW-3	04/14/08	3602.77	38.07	39.48	1.41	3564.42
MW-3	04/21/08	3602.77	37.85	39.35	1.50	3564.62
MW-3	04/28/08	3602.77	38.12	39.76	1.64	3564.32
MW-3	05/20/08	3602.77	38.55	38.55	0.00	3564.22
MW-3	06/02/08	3602.77	38.43	39.55	1.12	3564.12
MW-3	06/09/08	3602.77	38.72	38.72	0.00	3564.05
MW-3	06/16/08	3602.77	38.56	39.55	0.99	3564.01
MW-3	06/30/08	3602.77	38.64	39.89	1.25	3563.88
MW-3	07/14/08	3602.77	38.80	39.46	0.66	3563.84
MW-3	07/21/08	3602.77	38.49	39.65	1.16	3564.05
MW-3	08/06/08	3602.77	38.99	39.04	0.05	3563.77
MW-3	08/18/08	3602.77	38.80	40.41	1.61	3563.65
MW-3	09/09/08	3602.77	39.12	39.18	0.06	3563.64
MW-3	09/15/08	3602.77	38.97	40.05	1.08	3563.58
MW-3	09/22/08	3602.77	39.14	39.15	0.01	3563.63
MW-3	09/29/08	3602.77	38.89	40.23	1.34	3563.61
MW-3	10/07/08	3602.77	38.97	39.71	0.74	3563.65
MW-3	10/14/08	3602.77	38.80	40.77	1.97	3563.58
MW-3	10/20/08	3602.77	38.44	40.42	1.98	3563.93
MW-3	10/27/08	3602.77	39.05	39.06	0.01	3563.72
MW-3	11/10/08	3602.77	38.56	41.20	2.64	3563.68
MW-3	11/24/08	3602.77	39.01	39.03	0.02	3563.76
MW-3	12/01/08	3602.77	38.65	40.84	2.19	3563.68
MW-3	12/08/08	3602.77	39.02	39.03	0.01	3563.75
MW-3	12/24/08	3602.77	38.74	41.38	2.64	3563.50
MW-3	12/29/08	3602.77	38.18	38.22	0.04	3564.58
MW-3	01/06/09	3602.77	38.98	40.62	1.64	3563.46
MW-3	01/19/09	3602.77	39.09	40.23	1.14	3563.45
MW-3	01/26/09	3602.77	39.36	39.42	0.06	3563.40
MW-3	02/10/09	3602.77	39.08	41.08	2.00	3563.29

Table 1

Page 9 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3	02/26/09	3602.77	39.44	39.56	0.12	3563.31
MW-3	03/02/09	3602.77	39.43	39.57	0.14	3563.31
MW-3	03/09/09	3602.77	39.29	40.53	1.24	3563.23
MW-3	03/16/09	3602.77	39.50	39.67	0.17	3563.24
MW-3	03/24/09	3602.77	39.30	40.67	1.37	3563.20
MW-3	03/30/09	3602.77	39.38	40.63	1.25	3563.14
MW-3	04/14/09	3602.77	39.57	39.73	0.16	3563.17
MW-3	04/20/09	3602.77	39.15	40.29	1.14	3563.39
MW-3	04/28/09	3602.77	39.61	39.84	0.23	3563.11
MW-3	05/11/09	3602.77	39.65	39.85	0.20	3563.08
MW-3	05/26/09	3602.77	39.58	40.28	0.70	3563.05
MW-3	06/01/09	3602.77	39.47	41.05	1.58	3562.98
MW-3	06/02/09	3602.77	39.18	41.10	1.92	3563.21
MW-3	06/09/09	3602.77	39.42	41.70	2.28	3562.89
MW-3	06/15/09	3602.77	39.38	41.75	2.37	3562.92
MW-3	06/29/09	3602.77	39.42	42.00	2.58	3562.83
MW-3	07/06/09	3602.77	38.15	43.25	5.10	3563.60
MW-3	07/14/09	3602.77	38.05	43.17	5.12	3563.70
MW-3	07/20/09	3602.77	38.91	38.90	0.01	3563.86
MW-3	07/27/09	3602.77	39.49	40.88	1.39	3563.00
MW-3	08/03/09	3602.77	39.78	39.88	0.10	3562.97
MW-3	08/04/09	3602.77	39.81	39.86	0.05	3562.95
MW-3	08/12/09	3602.77	39.51	40.95	1.44	3562.97
MW-3	08/24/09	3602.77	39.72	39.71	0.01	3563.05
MW-3	08/31/09	3602.77	39.33	41.05	1.72	3563.10
MW-3	09/08/09	3602.77	39.60	39.85	0.25	3563.12
MW-3	09/16/09	3602.77	38.08	42.60	4.52	3563.79
MW-3	09/28/09	3602.77	39.65	39.73	0.08	3563.10
MW-3	10/05/09	3602.77	39.43	40.98	1.55	3563.03
MW-3	10/12/09	3602.77	39.79	39.78	0.01	3562.98
MW-3	10/26/09	3602.77	39.49	41.33	1.84	3562.91
MW-3	11/03/09	3602.77	39.84	39.88	0.04	3562.92
MW-3	11/10/09	3602.77	38.68	38.53	0.15	3564.12
MW-3	11/23/09	3602.77	39.87	39.96	0.09	3562.88
MW-3	11/30/09	3602.77	39.76	40.56	0.80	3562.85
MW-3	12/07/09	3602.77	39.88	40.03	0.15	3562.86
MW-3	12/22/09	3602.77	39.77	41.05	1.28	3562.74
MW-3	01/04/10	3602.77	39.99	40.06	0.07	3562.77
MW-3	01/11/10	3602.77	40.05	40.08	0.03	3562.71
MW-3	01/18/10	3602.77	39.93	40.66	0.73	3562.69
MW-3	01/25/10	3602.77	39.96	40.69	0.73	3562.66
MW-3	02/01/10	3602.77	39.23	39.30	0.07	3563.53
MW-3	02/08/10	3602.77	40.04	40.71	0.67	3562.60
MW-3	02/22/10	3602.77	40.16	40.26	0.10	3562.59
MW-3	03/01/10	3602.77	40.06	40.85	0.79	3562.55
MW-3	03/08/10	3602.77	40.11	40.26	0.15	3562.63
MW-3	03/22/10	3602.77	40.00	41.30	1.30	3562.51
MW-3	03/29/10	3602.77	41.18	41.27	0.09	3561.57
MW-3	04/05/10	3602.77	40.08	40.87	0.79	3562.53
MW-3	04/13/10	3602.77	40.25	40.35	0.10	3562.50
MW-3	04/19/10	3602.77	40.14	40.81	0.67	3562.50
MW-3	04/26/10	3602.77	40.15	40.91	0.76	3562.47
MW-3	05/03/10	3602.77	40.28	40.45	0.17	3562.46
MW-3	05/14/10	3602.77	40.14	41.16	1.02	3562.43
MW-3	05/20/10	3602.77	40.27	40.54	0.27	3562.45
MW-3	05/27/10	3602.77	40.30	40.50	0.20	3562.43
MW-3	06/01/10	3602.77	40.23	40.91	0.68	3562.40

Table 1

Page 10 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3	06/07/10	3602.77	40.34	40.58	0.24	3562.38
MW-3	06/15/10	3602.77	40.35	40.65	0.30	3562.36
MW-3	06/28/10	3602.77	40.40	40.65	0.25	3562.32
MW-3	07/06/10	3602.77	40.26	41.21	0.95	3562.32
MW-3	07/13/10	3602.77	39.79	40.81	1.02	3562.78
MW-3	07/19/10	3602.77	--	39.81	--	3562.96
MW-3	07/26/10	3602.77	39.38	40.29	0.91	3563.21
MW-3	07/27/10	3602.77	39.45	39.56	0.11	3563.30
MW-3	07/28/10	3602.77	39.40	39.75	0.35	3563.30
MW-3	08/09/10	3602.77	39.08	39.93	0.85	3563.52
MW-3	08/16/10	3602.77	39.09	39.30	0.21	3563.64
MW-3	08/30/10	3602.77	38.89	39.30	0.41	3563.80
MW-3	09/08/10	3602.77	38.91	39.07	0.16	3563.83
MW-3	09/13/10	3602.77	38.85	39.09	0.24	3563.87
MW-3	09/20/10	3602.77	38.83	39.09	0.26	3563.89
MW-3	09/27/10	3602.77	38.83	39.24	0.41	3563.86
MW-3	10/04/10	3602.77	38.95	39.20	0.25	3563.77
MW-3	10/12/10	3602.77	38.99	39.14	0.15	3563.75
MW-3	10/19/10	3602.77	38.97	39.50	0.53	3563.69
MW-3	10/25/10	3602.77	38.99	39.63	0.64	3563.65
MW-3	11/01/10	3602.77	39.17	39.30	0.13	3563.57
MW-3	11/09/10	3602.77	39.22	39.35	0.13	3563.52
MW-3	11/22/10	3602.77	39.20	40.04	0.84	3563.40
MW-3	12/06/10	3602.77	--	39.51	--	3563.26
MW-3	01/03/11	3602.77	39.49	40.82	1.33	3563.01
MW-3	01/10/11	3602.77	39.80	39.90	0.10	3562.95
MW-3	01/29/11	3602.77	39.80	40.30	0.50	3562.87
MW-3	01/31/11	3602.77	39.91	40.06	0.15	3562.83
MW-3	02/07/11	3602.77	39.90	40.08	0.18	3562.83
MW-3	02/15/11	3602.77	40.02	40.26	0.24	3562.70
MW-3	03/01/11	3602.77	40.11	40.31	0.20	3562.62
MW-3	03/07/11	3602.77	40.17	40.38	0.21	3562.56
MW-3	03/21/11	3602.77	40.24	40.56	0.32	3562.47
MW-3	03/28/11	3602.77	40.31	40.63	0.32	3562.40
MW-3	07/29/11	3602.77	40.73	42.22	1.49	3561.74
MW-3	08/04/11	3602.77	39.86	41.63	1.77	3562.56
MW-3	08/11/11	3602.77	40.62	42.80	2.18	3561.71
MW-3	08/16/11	3602.77	40.76	42.95	2.19	3561.57
MW-3	09/14/11	3602.77	40.67	42.83	2.16	3561.67
MW-3	10/10/11	3602.77	40.75	42.83	2.08	3561.60
MW-3	11/18/11	3602.77	40.36	42.32	1.96	3562.02
MW-3	01/06/12	3602.77	41.52	41.89	0.37	3561.18
MW-3	01/26/12	3602.77	41.60	41.92	0.32	3561.11
MW-3	02/23/12	3602.77	41.69	42.19	0.50	3560.98
MW-3	03/29/12	3602.77	41.66	42.84	1.18	3560.87
MW-3	04/19/12	3602.77	41.58	42.90	1.32	3560.93
MW-3	05/29/12	3602.77	41.95	42.86	0.91	3560.64
MW-3	06/07/12	3602.77	41.90	42.04	0.14	3560.84
MW-3	09/20/12	3602.77	42.25	42.51	0.26	3560.47
MW-3	11/15/12	3602.77	42.42	42.99	0.57	3560.24
MW-3	11/29/12	3602.77	42.46	43.00	0.54	3560.20
MW-3	12/20/12	3602.77	42.54	42.99	0.45	3560.14
MW-3	02/26/13	3602.77	42.35	42.98	0.63	3560.29
MW-3	03/14/13	3602.77	42.37	43.03	0.66	3560.27
MW-3	05/09/13	3602.77	42.51	42.99	0.48	3560.16
MW-3	06/07/13	3602.77	42.62	43.02	0.40	3560.07
MW-3	07/02/13	3602.77	42.60	43.03	0.43	3560.08

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-3	07/22/13	3602.77	42.75	43.00	0.25	3559.97
MW-3	08/22/13	3602.77	DRY	DRY	DRY	DRY
MW-3	09/19/13	3602.77	42.83	43.00	0.17	3559.91
MW-3	10/03/13	3602.77	DRY	DRY	DRY	DRY
MW-3	11/27/13	3602.77	--	42.88	--	3559.89
MW-3	01/21/14	3602.77	NM	NM	NM	NM
MW-3	02/13/14	3602.77	DRY	DRY	DRY	DRY
MW-3	03/10/14	3602.77	DRY	DRY	DRY	DRY
MW-3	03/24/14	3602.77	DRY	DRY	DRY	DRY
MW-3	04/28/14	3602.77	DRY	DRY	DRY	DRY
MW-3	06/09/14	3602.77	DRY	DRY	DRY	DRY
MW-3	07/28/14	3602.77	DRY	DRY	DRY	DRY
MW-3	08/19/14	3602.77	DRY	DRY	DRY	DRY
MW-3	10/01/14	3602.77	DRY	DRY	DRY	DRY
MW-3	11/24/14	3602.77	DRY	DRY	DRY	DRY
MW-3	01/08/15	3602.77	DRY	DRY	DRY	DRY
MW-3	03/09/15	3602.77	DRY	DRY	DRY	DRY
MW-3	04/22/15	3602.77	DRY	DRY	DRY	DRY
MW-3	04/24/15	3602.77	DRY	DRY	DRY	DRY
MW-3	05/13/15	3602.77	DRY	DRY	DRY	DRY
MW-3	06/08/15	3602.77	DRY	DRY	DRY	DRY
MW-3	07/07/15	3602.77	--	43.10	--	3559.67
MW-3	07/08/15	3602.77	DRY	DRY	DRY	DRY
MW-3	07/29/15	3602.77	DRY	DRY	DRY	DRY
MW-3	08/18/15	3602.77	DRY	DRY	DRY	DRY
MW-3	09/29/15	3602.77	DRY	DRY	DRY	DRY
MW-3	11/20/15	3602.77	DRY	DRY	DRY	DRY
MW-3	02/04/16	3602.77	DRY	DRY	DRY	DRY
MW-3	03/03/16	3602.77	DRY	DRY	DRY	DRY
MW-3	03/23/16	3602.77	DRY	DRY	DRY	DRY
MW-3	04/14/16	3602.77	DRY	DRY	DRY	DRY
MW-3	05/19/16	3602.77	DRY	DRY	DRY	DRY
MW-3	06/16/16	3602.77	DRY	DRY	DRY	DRY
MW-3	07/27/16	3602.77	DRY	DRY	DRY	DRY
MW-3	09/15/16	3602.77	DRY	DRY	DRY	DRY
MW-3	09/19/16	3602.77	DRY	DRY	DRY	DRY
MW-3	10/20/16	3602.77	DRY	DRY	DRY	DRY
MW-3	12/15/16	3602.77	DRY	DRY	DRY	DRY
MW-3	03/22/17	3602.77	DRY	DRY	DRY	DRY
MW-3	09/19/17	3602.77	DRY	DRY	DRY	DRY
MW-3	10/19/17	3602.77	DRY	DRY	DRY	DRY
MW-3	11/15/17	3602.77	DRY	DRY	DRY	DRY
MW-3	03/06/18	PLUGGED AND ABANDONED				
MW-4	02/27/01	3601.70	32.41	36.13	3.72	3568.55
MW-4	06/25/01	3601.70	33.17	36.90	3.73	3567.78
MW-4	09/25/01	3601.70	33.63	37.38	3.75	3567.32
MW-4	12/11/01	3601.70	34.03	37.59	3.56	3566.96
MW-4	11/05/02	3601.70	34.82	38.51	3.69	3566.14
MW-4	04/21/03	3601.70	35.22	38.78	3.56	3565.77
MW-4	06/23/03	3601.70	35.34	38.73	3.39	3565.68
MW-4	11/05/03	3601.70	35.96	38.86	2.90	3565.16
MW-4	01/19/04	3601.70	36.32	38.99	2.67	3564.85
MW-4	04/19/04	3601.70	36.36	38.90	2.54	3564.83
MW-4	07/20/04	3601.70	36.14	37.59	1.45	3565.27
MW-4	10/25/04	3601.70	34.25	34.26	0.01	3567.45
MW-4	01/24/05	3601.70	32.24	32.25	0.01	3569.46

Table 1

Page 12 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4	04/18/05	3601.70	32.59	32.58	0.01	3569.11
MW-4	07/18/05	3601.70	33.28	33.64	0.36	3568.35
MW-4	08/18/05	3601.70	33.57	34.04	0.47	3568.04
MW-4	09/15/05	3601.70	33.51	33.98	0.47	3568.10
MW-4	09/29/05	3601.70	33.38	33.78	0.40	3568.24
MW-4	10/11/05	3601.70	33.25	33.67	0.42	3568.37
MW-4	10/17/05	3601.70	33.21	33.61	0.40	3568.41
MW-4	11/03/05	3601.70	33.24	33.45	0.21	3568.42
MW-4	11/16/05	3601.70	33.32	33.46	0.14	3568.35
MW-4	11/22/05	3601.70	33.31	33.43	0.12	3568.37
MW-4	11/29/05	3601.70	33.37	33.63	0.26	3568.28
MW-4	12/06/05	3601.70	33.38	33.64	0.26	3568.27
MW-4	12/12/05	3601.70	33.43	33.74	0.31	3568.21
MW-4	12/21/05	3601.70	33.50	33.88	0.38	3568.12
MW-4	12/28/05	3601.70	33.54	33.98	0.44	3568.07
MW-4	01/04/06	3601.70	33.62	34.17	0.55	3567.97
MW-4	01/10/06	3601.70	33.62	34.03	0.41	3568.00
MW-4	01/11/06	3601.70	33.61	34.03	0.42	3568.01
MW-4	01/16/06	3601.70	33.64	34.18	0.54	3567.95
MW-4	01/23/06	3601.70	33.69	33.96	0.27	3567.96
MW-4	02/01/06	3601.70	33.80	34.05	0.25	3567.85
MW-4	02/16/06	3601.70	33.91	34.14	0.23	3567.74
MW-4	03/06/06	3601.70	34.04	34.33	0.29	3567.60
MW-4	03/29/06	3601.70	34.23	34.51	0.28	3567.41
MW-4	04/04/06	3601.70	34.25	34.56	0.31	3567.39
MW-4	04/11/06	3601.70	34.31	34.64	0.33	3567.32
MW-4	04/17/06	3601.70	34.34	34.69	0.35	3567.29
MW-4	04/24/06	3601.70	34.33	34.73	0.40	3567.29
MW-4	05/03/06	3601.70	34.44	34.86	0.42	3567.18
MW-4	05/31/06	3601.70	34.63	35.18	0.55	3566.96
MW-4	06/09/06	3601.70	34.68	35.25	0.57	3566.91
MW-4	06/12/06	3601.70	34.72	35.24	0.52	3566.88
MW-4	06/26/06	3601.70	34.82	35.37	0.55	3566.77
MW-4	07/05/06	3601.70	34.88	35.41	0.53	3566.71
MW-4	07/10/06	3601.70	34.90	35.45	0.55	3566.69
MW-4	07/17/06	3601.70	34.94	35.53	0.59	3566.64
MW-4	07/24/06	3601.70	34.89	35.51	0.62	3566.69
MW-4	08/08/06	3601.70	35.02	35.58	0.56	3566.57
MW-4	08/14/06	3601.70	35.15	35.33	0.18	3566.51
MW-4	08/28/06	3601.70	35.18	35.19	0.01	3566.52
MW-4	09/14/06	3601.70	34.83	34.84	0.01	3566.87
MW-4	09/21/06	3601.70	34.71	34.72	0.01	3566.99
MW-4	09/25/06	3601.70	34.67	34.68	0.01	3567.03
MW-4	10/02/06	3601.70	34.58	34.59	0.01	3567.12
MW-4	10/10/06	3601.70	34.50	34.53	0.03	3567.19
MW-4	10/16/06	3601.70	34.44	34.48	0.04	3567.25
MW-4	10/23/06	3601.70	34.30	34.43	0.13	3567.37
MW-4	10/30/06	3601.70	34.38	34.41	0.03	3567.31
MW-4	11/06/06	3601.70	34.36	34.39	0.03	3567.33
MW-4	11/21/06	3601.70	34.33	34.36	0.03	3567.36
MW-4	11/28/06	3601.70	34.33	34.37	0.04	3567.36
MW-4	12/05/06	3601.70	34.36	34.40	0.04	3567.33
MW-4	12/11/06	3601.70	34.40	34.44	0.04	3567.29
MW-4	12/18/06	3601.70	34.44	34.52	0.08	3567.24
MW-4	01/02/07	3601.70	34.55	34.65	0.10	3567.13
MW-4	01/08/07	3601.70	34.59	34.69	0.10	3567.09
MW-4	01/23/07	3601.70	34.55	34.70	0.15	3567.12

Table 1

Page 13 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4	02/05/07	3601.70	34.81	34.97	0.16	3566.86
MW-4	02/26/07	3601.70	34.95	35.32	0.37	3566.68
MW-4	03/05/07	3601.70	35.06	35.43	0.37	3566.57
MW-4	03/13/07	3601.70	35.05	35.50	0.45	3566.56
MW-4	03/19/07	3601.70	35.08	35.58	0.50	3566.52
MW-4	03/26/07	3601.70	35.14	35.57	0.43	3566.47
MW-4	04/02/07	3601.70	35.21	35.40	0.19	3566.45
MW-4	04/23/07	3601.70	35.17	35.19	0.02	3566.53
MW-4	05/01/07	3601.70	35.32	35.35	0.03	3566.37
MW-4	05/29/07	3601.70	35.33	35.46	0.13	3566.34
MW-4	06/04/07	3601.70	35.35	35.36	0.01	3566.35
MW-4	06/11/07	3601.70	35.34	35.37	0.03	3566.35
MW-4	06/18/07	3601.70	35.34	35.39	0.05	3566.35
MW-4	06/26/07	3601.70	35.23	35.31	0.08	3566.45
MW-4	07/09/07	3601.70	35.27	35.41	0.14	3566.40
MW-4	07/17/07	3601.70	35.28	35.41	0.13	3566.39
MW-4	07/23/07	3601.70	35.26	35.44	0.18	3566.40
MW-4	07/30/07	3601.70	35.27	35.45	0.18	3566.39
MW-4	08/08/07	3601.70	35.28	35.52	0.24	3566.37
MW-4	08/20/07	3601.70	35.35	35.60	0.25	3566.30
MW-4	08/27/07	3601.70	35.37	35.66	0.29	3566.27
MW-4	09/04/07	3601.70	35.41	35.70	0.29	3566.23
MW-4	09/10/07	3601.70	35.40	35.70	0.30	3566.24
MW-4	09/25/07	3601.70	35.28	35.56	0.28	3566.36
MW-4	10/02/07	3601.70	35.19	35.46	0.27	3566.46
MW-4	10/11/07	3601.70	35.10	35.46	0.36	3566.53
MW-4	10/22/07	3601.70	34.89	35.29	0.40	3566.73
MW-4	10/31/07	3601.70	34.99	35.31	0.32	3566.65
MW-4	11/12/07	3601.70	--	35.01	--	3566.69
MW-4	11/19/07	3601.70	35.02	35.04	0.02	3566.68
MW-4	12/05/07	3601.70	35.09	35.26	0.17	3566.58
MW-4	12/10/07	3601.70	35.12	35.33	0.21	3566.54
MW-4	12/20/07	3601.70	35.24	35.46	0.22	3566.42
MW-4	01/02/08	3601.70	35.38	35.56	0.18	3566.28
MW-4	01/07/08	3601.70	35.40	35.60	0.20	3566.26
MW-4	01/28/08	3601.70	35.34	35.60	0.26	3566.31
MW-4	02/12/08	3601.70	35.63	35.87	0.24	3566.02
MW-4	02/26/08	3601.70	35.71	35.96	0.25	3565.94
MW-4	03/11/08	3601.70	35.80	36.06	0.26	3565.85
MW-4	03/17/08	3601.70	35.85	36.08	0.23	3565.80
MW-4	03/24/08	3601.70	35.88	36.13	0.25	3565.77
MW-4	03/31/08	3601.70	35.42	36.17	0.75	3566.13
MW-4	04/14/08	3601.70	35.99	36.29	0.30	3565.65
MW-4	04/21/08	3601.70	35.80	36.09	0.29	3565.84
MW-4	04/28/08	3601.70	36.10	36.38	0.28	3565.54
MW-4	05/20/08	3601.70	36.21	36.44	0.23	3565.44
MW-4	06/02/08	3601.70	36.30	36.55	0.25	3565.35
MW-4	06/09/08	3601.70	36.38	36.57	0.19	3565.28
MW-4	06/16/08	3601.70	36.41	36.62	0.21	3565.25
MW-4	06/30/08	3601.70	36.56	36.67	0.11	3565.12
MW-4	07/14/08	3601.70	36.59	36.77	0.18	3565.07
MW-4	07/21/08	3601.70	36.37	36.58	0.21	3565.29
MW-4	08/06/08	3601.70	36.71	36.89	0.18	3564.95
MW-4	08/18/08	3601.70	36.78	36.93	0.15	3564.89
MW-4	09/09/08	3601.70	36.86	37.04	0.18	3564.80
MW-4	09/15/08	3601.70	36.87	37.06	0.19	3564.79
MW-4	09/22/08	3601.70	36.89	37.10	0.21	3564.77

Table 1

Page 14 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4	09/29/08	3601.70	36.90	37.10	0.20	3564.76
MW-4	10/07/08	3601.70	36.87	37.10	0.23	3564.78
MW-4	10/14/08	3601.70	36.89	37.08	0.19	3564.77
MW-4	10/20/08	3601.70	36.50	36.82	0.32	3565.14
MW-4	10/27/08	3601.70	36.86	37.13	0.27	3564.79
MW-4	11/10/08	3601.70	36.80	37.02	0.22	3564.86
MW-4	11/24/08	3601.70	36.79	37.00	0.21	3564.87
MW-4	12/01/08	3601.70	36.80	37.11	0.31	3564.84
MW-4	12/08/08	3601.70	36.81	37.17	0.36	3564.82
MW-4	12/24/08	3601.70	36.90	37.29	0.39	3564.72
MW-4	12/29/08	3601.70	36.92	37.37	0.45	3564.69
MW-4	01/06/09	3601.70	36.96	37.46	0.50	3564.64
MW-4	01/19/09	3601.70	36.96	37.44	0.48	3564.64
MW-4	01/26/09	3601.70	37.03	37.85	0.82	3564.51
MW-4	02/10/09	3601.70	37.03	37.95	0.92	3564.49
MW-4	02/26/09	3601.70	37.07	38.03	0.96	3564.44
MW-4	03/02/09	3601.70	37.08	38.09	1.01	3564.42
MW-4	03/09/09	3601.70	37.09	38.25	1.16	3564.38
MW-4	03/16/09	3601.70	--	37.30	--	3564.40
MW-4	03/24/09	3601.70	37.26	37.31	0.05	3564.43
MW-4	03/30/09	3601.70	37.30	37.39	0.09	3564.38
MW-4	04/06/09	3601.70	37.30	37.45	0.15	3564.37
MW-4	04/14/09	3601.70	37.31	37.60	0.29	3564.33
MW-4	04/20/09	3601.70	37.03	37.48	0.45	3564.58
MW-4	04/28/09	3601.70	37.30	37.94	0.64	3564.27
MW-4	05/11/09	3601.70	37.25	38.37	1.12	3564.23
MW-4	05/26/09	3601.70	37.27	38.60	1.33	3564.16
MW-4	06/01/09	3601.70	37.30	38.66	1.36	3564.13
MW-4	06/02/09	3601.70	37.30	39.60	2.30	3563.94
MW-4	06/09/09	3601.70	37.46	37.69	0.23	3564.19
MW-4	06/15/09	3601.70	37.47	37.63	0.16	3564.20
MW-4	06/29/09	3601.70	37.40	38.40	1.00	3564.10
MW-4	07/06/09	3601.70	37.54	37.76	0.22	3564.12
MW-4	07/14/09	3601.70	37.54	37.84	0.30	3564.10
MW-4	07/20/09	3601.70	37.57	37.83	0.26	3564.08
MW-4	07/27/09	3601.70	37.39	38.06	0.67	3564.18
MW-4	08/03/09	3601.70	37.57	37.81	0.24	3564.08
MW-4	08/04/09	3601.70	37.58	37.85	0.27	3564.07
MW-4	08/12/09	3601.70	37.55	37.75	0.20	3564.11
MW-4	08/24/09	3601.70	37.37	38.42	1.05	3564.12
MW-4	08/31/09	3601.70	37.48	37.65	0.17	3564.19
MW-4	09/08/09	3601.70	37.43	37.73	0.30	3564.21
MW-4	09/16/09	3601.70	37.28	38.38	1.10	3564.20
MW-4	09/28/09	3601.70	37.49	37.58	0.09	3564.19
MW-4	10/05/09	3601.70	37.36	38.34	0.98	3564.14
MW-4	10/12/09	3601.70	37.55	37.70	0.15	3564.12
MW-4	10/26/09	3601.70	37.42	38.45	1.03	3564.07
MW-4	11/03/09	3601.70	37.60	37.72	0.12	3564.08
MW-4	11/10/09	3601.70	37.50	38.37	0.87	3564.03
MW-4	11/23/09	3601.70	37.67	37.77	0.10	3564.01
MW-4	11/30/09	3601.70	37.56	38.36	0.80	3563.98
MW-4	12/07/09	3601.70	37.70	37.79	0.09	3563.98
MW-4	12/22/09	3601.70	37.75	37.82	0.07	3563.94
MW-4	01/04/10	3601.70	37.69	38.42	0.73	3563.86
MW-4	01/11/10	3601.70	37.72	38.38	0.66	3563.85
MW-4	01/18/10	3601.70	37.84	37.88	0.04	3563.85
MW-4	01/25/10	3601.70	37.80	38.37	0.57	3563.79

Table 1

Page 15 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4	02/01/10	3601.70	37.90	37.91	0.01	3563.80
MW-4	02/08/10	3601.70	37.86	38.30	0.44	3563.75
MW-4	02/22/10	3601.70	37.94	38.01	0.07	3563.75
MW-4	03/01/10	3601.70	37.91	38.29	0.38	3563.71
MW-4	03/08/10	3601.70	37.95	38.05	0.10	3563.73
MW-4	03/22/10	3601.70	37.93	38.34	0.41	3563.69
MW-4	03/29/10	3601.70	37.99	38.13	0.14	3563.68
MW-4	04/05/10	3601.70	37.97	38.34	0.37	3563.66
MW-4	04/13/10	3601.70	38.05	38.14	0.09	3563.63
MW-4	04/19/10	3601.70	38.03	38.34	0.31	3563.61
MW-4	04/26/10	3601.70	38.04	38.40	0.36	3563.59
MW-4	05/03/10	3601.70	38.08	38.25	0.17	3563.59
MW-4	05/14/10	3601.70	38.10	38.37	0.27	3563.55
MW-4	05/20/10	3601.70	38.10	38.39	0.29	3563.54
MW-4	05/27/10	3601.70	38.11	38.45	0.34	3563.52
MW-4	06/01/10	3601.70	38.14	38.35	0.21	3563.52
MW-4	06/07/10	3601.70	38.16	38.40	0.24	3563.49
MW-4	06/15/10	3601.70	38.17	38.45	0.28	3563.47
MW-4	06/28/10	3601.70	38.22	38.45	0.23	3563.43
MW-4	07/06/10	3601.70	38.16	38.50	0.34	3563.47
MW-4	07/13/10	3601.70	37.66	38.45	0.79	3563.88
MW-4	07/19/10	3601.70	37.68	37.67	0.01	3564.02
MW-4	07/26/10	3601.70	37.54	37.63	0.09	3564.14
MW-4	07/27/10	3601.70	37.50	37.60	0.10	3564.18
MW-4	07/28/10	3601.70	37.49	37.59	0.10	3564.19
MW-4	08/09/10	3601.70	--	37.32	--	3564.38
MW-4	08/16/10	3601.70	37.28	37.27	0.01	3564.42
MW-4	08/30/10	3601.70	--	37.08	--	3564.62
MW-4	09/08/10	3601.70	--	37.02	--	3564.68
MW-4	09/13/10	3601.70	36.99	36.98	0.01	3564.71
MW-4	09/20/10	3601.70	--	36.98	--	3564.72
MW-4	09/27/10	3601.70	--	36.95	--	3564.75
MW-4	10/04/10	3601.70	--	36.96	--	3564.74
MW-4	10/12/10	3601.70	--	36.99	--	3564.71
MW-4	10/19/10	3601.70	--	37.03	--	3564.67
MW-4	10/25/10	3601.70	--	37.02	--	3564.68
MW-4	11/01/10	3601.70	--	37.11	--	3564.59
MW-4	11/09/10	3601.70	--	37.05	--	3564.65
MW-4	11/22/10	3601.70	--	37.25	--	3564.45
MW-4	12/06/10	3601.70	--	37.35	--	3564.35
MW-4	01/03/11	3601.70	37.50	38.09	0.59	3564.08
MW-4	01/17/11	3601.70	37.56	38.40	0.84	3563.97
MW-4	01/29/11	3601.70	37.62	38.47	0.85	3563.91
MW-4	01/31/11	3601.70	37.68	38.53	0.85	3563.85
MW-4	02/07/11	3601.70	37.73	38.54	0.81	3563.81
MW-4	02/15/11	3601.70	37.80	38.57	0.77	3563.75
MW-4	03/01/11	3601.70	37.98	38.07	0.09	3563.70
MW-4	03/07/11	3601.70	38.03	38.11	0.08	3563.65
MW-4	03/21/11	3601.70	38.12	38.20	0.08	3563.56
MW-4	03/28/11	3601.70	38.16	38.31	0.15	3563.51
MW-4	07/29/11	3601.70	38.66	38.70	0.04	3563.03
MW-4	08/04/11	3601.70	38.70	38.80	0.10	3562.98
MW-4	08/11/11	3601.70	38.72	38.77	0.05	3562.97
MW-4	08/16/11	3601.70	38.79	38.80	0.01	3562.91
MW-4	09/14/11	3601.70	38.88	38.94	0.06	3562.81
MW-4	10/10/11	3601.70	38.97	39.44	0.47	3562.64
MW-4	11/18/11	3601.70	39.02	40.90	1.88	3562.30

Table 1

Page 16 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4	01/06/12	3601.70	39.10	40.88	1.78	3562.24
MW-4	01/26/12	3601.70	39.14	41.25	2.11	3562.14
MW-4	02/23/12	3601.70	39.23	41.41	2.18	3562.03
MW-4	03/29/12	3601.70	39.47	41.48	2.01	3561.83
MW-4	04/19/12	3601.70	39.59	41.39	1.80	3561.75
MW-4	05/29/12	3601.70	39.84	41.28	1.44	3561.57
MW-4	06/07/12	3601.70	39.78	41.21	1.43	3561.63
MW-4	09/20/12	3601.70	39.92	41.36	1.44	3561.49
MW-4	11/15/12	3601.70	40.10	41.57	1.47	3561.31
MW-4	11/29/12	3601.70	40.15	41.62	1.47	3561.26
MW-4	12/20/12	3601.70	40.23	41.64	1.41	3561.19
MW-4	02/26/13	3601.70	40.42	41.48	1.06	3561.07
MW-4	03/07/13	3601.70	40.52	41.35	0.83	3561.01
MW-4	03/14/13	3601.70	40.52	41.32	0.80	3561.02
MW-4	04/10/13	3601.70	40.50	41.49	0.99	3561.00
MW-4	05/09/13	3601.70	40.72	41.64	0.92	3560.80
MW-4	06/07/13	3601.70	40.82	41.80	0.98	3560.68
MW-4	07/02/13	3601.70	40.84	41.75	0.91	3560.68
MW-4	07/22/13	3601.70	--	41.19	--	3560.51
MW-4	08/22/13	3601.70	--	41.16	--	3560.54
MW-4	09/19/13	3601.70	--	41.21	--	3560.49
MW-4	10/03/13	3601.70	--	41.20	--	3560.50
MW-4	11/27/13	3601.70	--	41.33	--	3560.37
MW-4	01/21/14	3601.70	--	41.41	--	3560.29
MW-4	02/13/14	3601.70	--	41.48	--	3560.22
MW-4	03/10/14	3601.70	--	41.73	--	3559.97
MW-4	03/24/14	3601.70	--	41.81	--	3559.89
MW-4	04/28/14	3601.70	--	41.68	--	3560.02
MW-4	06/09/14	3601.70	--	41.84	--	3559.86
MW-4	07/28/14	3601.70	--	42.02	--	3559.68
MW-4	08/19/14	3601.70	--	42.11	--	3559.59
MW-4	10/01/14	3601.70	--	42.24	--	3559.46
MW-4	11/24/14	3601.70	--	41.97	--	3559.73
MW-4	01/08/15	3601.70	--	41.87	--	3559.83
MW-4	03/10/15	3601.70	--	41.92	--	3559.78
MW-4	04/22/15	3601.70	--	42.02	--	3559.68
MW-4	04/24/15	3601.70	--	42.13	--	3559.57
MW-4	05/13/15	3601.70	--	42.17	--	3559.53
MW-4	06/08/15	3601.70	--	42.16	--	3559.54
MW-4	07/07/15	3601.70	42.05	42.06	0.01	3559.65
MW-4	07/08/15	3601.70	--	42.05	--	3559.65
MW-4	07/29/15	3601.70	--	42.11	--	3559.59
MW-4	08/18/15	3601.70	--	42.00	--	3559.70
MW-4	09/29/15	3601.70	--	41.89	--	3559.81
MW-4	11/20/15	3601.70	--	41.86	--	3559.84
MW-4	02/04/16	3601.70	--	41.55	--	3560.15
MW-4	03/03/16	3601.70	--	41.60	--	3560.10
MW-4	03/23/16	3601.70	--	41.90	--	3559.80
MW-4	04/14/16	3601.70	--	41.82	--	3559.88
MW-4	05/19/16	3601.70	--	41.97	--	3559.73
MW-4	06/16/16	3601.70	--	42.11	--	3559.59
MW-4	07/27/16	3601.70	--	42.30	--	3559.40
MW-4	09/15/16	3601.70	--	42.33	--	3559.37
MW-4	09/19/16	3601.70	--	42.33	--	3559.37
MW-4	10/20/16	3601.70	--	42.12	--	3559.37
MW-4	12/15/16	3601.70	--	42.21	--	3559.37
MW-4	03/22/17	3601.70	40.21	40.95	0.74	3561.34

Table 1

Page 17 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-4	09/19/17	3601.70	42.19	42.55	0.36	3559.80
MW-4	10/19/17	3601.70	42.06	42.54	0.48	3559.80
MW-4	11/15/17	3601.70	41.92	42.51	0.59	3559.80
MW-4	03/06/18	PLUGGED AND ABANDONED				
MW-5	02/27/01	3601.54	32.36	37.92	5.56	3568.07
MW-5	06/25/01	3601.54	32.95	38.21	5.26	3567.54
MW-5	09/25/01	3601.54	34.44	39.66	5.22	3566.06
MW-5	12/11/01	3601.54	33.84	38.94	5.10	3566.68
MW-5	11/05/02	3601.54	34.71	39.18	4.47	3565.94
MW-5	04/21/03	3601.54	35.34	39.98	4.64	3565.27
MW-5	06/23/03	3601.54	35.43	39.55	4.12	3565.29
MW-5	11/05/03	3601.54	35.88	39.35	3.47	3564.97
MW-5	01/19/04	3601.54	37.11	40.36	3.25	3563.78
MW-5	04/19/04	3601.54	37.20	40.37	3.17	3563.71
MW-5	07/20/04	3601.54	36.90	40.40	3.50	3563.94
MW-5	10/25/04	3601.54	34.96	34.99	0.03	3566.57
MW-5	01/24/05	3601.54	33.08	33.37	0.29	3568.40
MW-5	04/18/05	3601.54	33.53	33.71	0.18	3567.97
MW-5	07/18/05	3601.54	34.16	34.71	0.55	3567.27
MW-5	09/15/05	3601.54	34.75	35.25	0.50	3566.69
MW-5	10/17/05	3601.54	34.09	34.48	0.39	3567.37
MW-5	11/16/05	3601.54	34.27	34.60	0.33	3567.20
MW-5	11/22/05	3601.54	34.22	34.59	0.37	3567.25
MW-5	12/06/05	3601.54	34.39	34.78	0.39	3567.07
MW-5	12/12/05	3601.54	34.44	34.92	0.48	3567.00
MW-5	12/21/05	3601.54	34.58	35.09	0.51	3566.86
MW-5	12/28/05	3601.54	34.88	34.92	0.04	3566.65
MW-5	01/04/06	3601.54	34.65	35.19	0.54	3566.78
MW-5	01/11/06	3601.54	34.70	34.89	0.19	3566.80
MW-5	01/16/06	3601.54	34.70	35.27	0.57	3566.73
MW-5	01/23/06	3601.54	34.78	34.84	0.06	3566.75
MW-5	02/01/06	3601.54	34.93	34.94	0.01	3566.61
MW-5	02/16/06	3601.54	34.93	35.71	0.78	3566.45
MW-5	03/06/06	3601.54	35.14	35.18	0.04	3566.39
MW-5	03/29/06	3601.54	35.33	35.37	0.04	3566.20
MW-5	04/04/06	3601.54	35.37	35.41	0.04	3566.16
MW-5	04/11/06	3601.54	35.40	35.51	0.11	3566.12
MW-5	04/17/06	3601.54	35.46	35.51	0.05	3566.07
MW-5	04/24/06	3601.54	35.33	36.23	0.90	3566.03
MW-5	05/03/06	3601.54	35.58	35.62	0.04	3565.95
MW-5	05/31/06	3601.54	35.76	35.80	0.04	3565.77
MW-5	06/09/06	3601.54	35.85	35.95	0.10	3565.67
MW-5	06/12/06	3601.54	35.89	35.96	0.07	3565.64
MW-5	06/26/06	3601.54	35.89	36.45	0.56	3565.54
MW-5	07/05/06	3601.54	35.91	36.73	0.82	3565.47
MW-5	07/10/06	3601.54	36.05	36.17	0.12	3565.47
MW-5	07/17/06	3601.54	36.07	36.15	0.08	3565.45
MW-5	07/24/06	3601.54	35.92	36.96	1.04	3565.41
MW-5	08/08/06	3601.54	36.17	36.34	0.17	3565.34
MW-5	08/14/06	3601.54	36.22	36.29	0.07	3565.31
MW-5	08/28/06	3601.54	36.22	36.41	0.19	3565.28
MW-5	09/14/06	3601.54	35.14	36.66	1.52	3566.10
MW-5	09/21/06	3601.54	35.67	35.96	0.29	3565.81
MW-5	09/25/06	3601.54	35.66	35.72	0.06	3565.87
MW-5	10/02/06	3601.54	35.56	35.86	0.30	3565.92
MW-5	10/10/06	3601.54	35.56	35.62	0.06	3565.97

Table 1

Page 18 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-5	10/16/06	3601.54	35.45	35.66	0.21	3566.05
MW-5	10/23/06	3601.54	35.29	35.78	0.49	3566.15
MW-5	10/30/06	3601.54	35.42	35.43	0.01	3566.12
MW-5	11/06/06	3601.54	35.36	35.85	0.49	3566.08
MW-5	11/21/06	3601.54	35.34	35.35	0.01	3566.20
MW-5	11/28/06	3601.54	35.33	35.89	0.56	3566.10
MW-5	12/05/06	3601.54	35.40	35.41	0.01	3566.14
MW-5	12/11/06	3601.54	35.40	36.02	0.62	3566.02
MW-5	12/18/06	3601.54	35.52	35.53	0.01	3566.02
MW-5	01/02/07	3601.54	35.56	36.38	0.82	3565.82
MW-5	01/08/07	3601.54	35.66	35.68	0.02	3565.88
MW-5	01/23/07	3601.54	35.51	36.56	1.05	3565.82
MW-5	02/05/07	3601.54	35.76	37.06	1.30	3565.52
MW-5	02/26/07	3601.54	36.08	36.16	0.08	3565.44
MW-5	03/05/07	3601.54	35.92	37.32	1.40	3565.34
MW-5	03/13/07	3601.54	36.10	36.62	0.52	3565.34
MW-5	03/19/07	3601.54	36.20	36.27	0.07	3565.33
MW-5	03/26/07	3601.54	36.53	36.87	0.34	3564.94
MW-5	04/02/07	3601.54	36.60	36.99	0.39	3564.86
MW-5	04/23/07	3601.54	36.12	37.58	1.46	3565.13
MW-5	05/01/07	3601.54	36.33	37.17	0.84	3565.04
MW-5	05/29/07	3601.54	36.42	36.99	0.57	3565.01
MW-5	06/04/07	3601.54	36.31	36.82	0.51	3565.13
MW-5	06/11/07	3601.54	36.30	36.81	0.51	3565.14
MW-5	06/18/07	3601.54	36.16	37.70	1.54	3565.07
MW-5	06/26/07	3601.54	36.25	36.79	0.54	3565.18
MW-5	07/09/07	3601.54	36.31	36.50	0.19	3565.19
MW-5	07/17/07	3601.54	36.29	36.82	0.53	3565.14
MW-5	07/23/07	3601.54	36.11	37.68	1.57	3565.12
MW-5	07/30/07	3601.54	36.33	36.50	0.17	3565.18
MW-5	08/08/07	3601.54	36.33	36.62	0.29	3565.15
MW-5	08/20/07	3601.54	36.42	36.62	0.20	3565.08
MW-5	08/27/07	3601.54	36.23	38.00	1.77	3564.96
MW-5	09/04/07	3601.54	36.47	36.66	0.19	3565.03
MW-5	09/10/07	3601.54	36.47	36.64	0.17	3565.04
MW-5	09/25/07	3601.54	36.11	37.71	1.60	3565.11
MW-5	10/02/07	3601.54	36.26	36.36	0.10	3565.26
MW-5	10/11/07	3601.54	35.96	37.46	1.50	3565.28
MW-5	10/22/07	3601.54	35.77	37.20	1.43	3565.48
MW-5	10/31/07	3601.54	36.04	36.12	0.08	3565.48
MW-5	11/12/07	3601.54	35.88	37.28	1.40	3565.38
MW-5	11/19/07	3601.54	36.07	36.14	0.07	3565.46
MW-5	12/05/07	3601.54	35.94	37.68	1.74	3565.25
MW-5	12/10/07	3601.54	36.21	36.31	0.10	3565.31
MW-5	12/20/07	3601.54	36.06	37.91	1.85	3565.11
MW-5	01/07/08	3601.54	36.47	36.61	0.14	3565.04
MW-5	01/28/08	3601.54	36.10	38.50	2.40	3564.96
MW-5	02/12/08	3601.54	36.40	38.92	2.52	3564.64
MW-5	02/26/08	3601.54	36.81	36.97	0.16	3564.70
MW-5	03/11/08	3601.54	36.59	39.12	2.53	3564.44
MW-5	03/17/08	3601.54	36.92	39.13	2.21	3564.18
MW-5	03/24/08	3601.54	36.67	38.99	2.32	3564.41
MW-5	03/31/08	3601.54	37.00	37.23	0.23	3564.49
MW-5	04/14/08	3601.54	36.75	39.44	2.69	3564.25
MW-5	04/21/08	3601.54	36.55	39.15	2.60	3564.47
MW-5	04/28/08	3601.54	36.98	38.65	1.67	3564.23
MW-5	05/20/08	3601.54	36.89	39.92	3.03	3564.04

Table 1

Page 19 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-5	06/02/08	3601.54	37.10	39.46	2.36	3563.97
MW-5	06/09/08	3601.54	37.87	38.10	0.23	3563.62
MW-5	06/16/08	3601.54	37.20	39.77	2.57	3563.83
MW-5	06/30/08	3601.54	37.97	38.25	0.28	3563.51
MW-5	07/14/08	3601.54	37.30	40.43	3.13	3563.61
MW-5	07/21/08	3601.54	37.05	40.27	3.22	3563.85
MW-5	08/06/08	3601.54	38.03	38.92	0.89	3563.33
MW-5	08/18/08	3601.54	38.22	38.37	0.15	3563.29
MW-5	09/09/08	3601.54	37.52	40.66	3.14	3563.39
MW-5	09/15/08	3601.54	38.30	38.36	0.06	3563.23
MW-5	09/22/08	3601.54	37.56	40.67	3.11	3563.36
MW-5	09/29/08	3601.54	38.02	38.04	0.02	3563.52
MW-5	10/07/08	3601.54	37.49	40.69	3.20	3563.41
MW-5	10/14/08	3601.54	38.00	38.01	0.01	3563.54
MW-5	10/20/08	3601.54	37.18	40.30	3.12	3563.74
MW-5	10/27/08	3601.54	37.98	37.99	0.01	3563.56
MW-5	11/10/08	3601.54	37.40	40.68	3.28	3563.48
MW-5	11/24/08	3601.54	37.98	37.99	0.01	3563.56
MW-5	12/01/08	3601.54	37.43	40.63	3.20	3563.47
MW-5	12/08/08	3601.54	38.00	38.01	0.01	3563.54
MW-5	12/24/08	3601.54	37.56	40.72	3.16	3563.35
MW-5	12/29/08	3601.54	38.12	38.14	0.02	3563.42
MW-5	01/06/09	3601.54	37.38	40.75	3.37	3563.49
MW-5	01/19/09	3601.54	37.64	40.72	3.08	3563.28
MW-5	01/26/09	3601.54	38.26	38.31	0.05	3563.27
MW-5	02/10/09	3601.54	37.72	40.85	3.13	3563.19
MW-5	02/26/09	3601.54	38.26	38.29	0.03	3563.27
MW-5	03/02/09	3601.54	37.80	40.71	2.91	3563.16
MW-5	03/09/09	3601.54	38.31	38.34	0.03	3563.22
MW-5	03/16/09	3601.54	37.85	40.75	2.90	3563.11
MW-5	03/24/09	3601.54	38.36	38.41	0.05	3563.17
MW-5	03/30/09	3601.54	39.82	40.72	0.90	3561.54
MW-5	04/06/09	3601.54	38.41	38.46	0.05	3563.12
MW-5	04/14/09	3601.54	37.88	40.68	2.80	3563.10
MW-5	04/20/09	3601.54	37.59	40.37	2.78	3563.39
MW-5	04/28/09	3601.54	38.48	38.58	0.10	3563.04
MW-5	05/11/09	3601.54	38.50	38.60	0.10	3563.02
MW-5	05/26/09	3601.54	38.51	38.70	0.19	3562.99
MW-5	06/01/09	3601.54	38.54	38.61	0.07	3562.99
MW-5	06/02/09	3601.54	38.74	38.80	0.06	3562.79
MW-5	06/09/09	3601.54	38.00	40.57	2.57	3563.03
MW-5	06/15/09	3601.54	38.58	38.85	0.27	3562.91
MW-5	06/29/09	3601.54	38.02	40.50	2.48	3563.02
MW-5	07/06/09	3601.54	38.65	38.66	0.01	3562.89
MW-5	07/14/09	3601.54	38.06	40.49	2.43	3562.99
MW-5	07/20/09	3601.54	38.87	38.88	0.01	3562.67
MW-5	07/27/09	3601.54	37.94	40.33	2.39	3563.12
MW-5	08/03/09	3601.54	38.98	39.04	0.06	3562.55
MW-5	08/04/09	3601.54	38.78	38.79	0.01	3562.76
MW-5	08/12/09	3601.54	38.03	40.05	2.02	3563.11
MW-5	08/24/09	3601.54	38.74	38.75	0.01	3562.80
MW-5	08/31/09	3601.54	38.95	40.45	1.50	3562.29
MW-5	09/08/09	3601.54	39.10	39.25	0.15	3562.41
MW-5	09/16/09	3601.54	39.91	40.40	0.49	3561.53
MW-5	09/28/09	3601.54	38.60	38.67	0.07	3562.93
MW-5	10/05/09	3601.54	38.85	38.86	0.01	3562.69
MW-5	10/12/09	3601.54	38.00	40.40	2.40	3563.06

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-5	10/26/09	3601.54	38.05	40.40	2.35	3563.02
MW-5	11/03/09	3601.54	38.07	40.39	2.32	3563.01
MW-5	11/10/09	3601.54	38.92	38.93	0.01	3562.62
MW-5	11/23/09	3601.54	38.10	40.38	2.28	3562.98
MW-5	11/30/09	3601.54	38.69	38.71	0.02	3562.85
MW-5	12/07/09	3601.54	38.07	40.40	2.33	3563.00
MW-5	12/22/09	3601.54	38.38	40.19	1.81	3562.80
MW-5	01/04/10	3601.54	38.22	40.40	2.18	3562.88
MW-5	01/11/10	3601.54	38.26	40.38	2.12	3562.86
MW-5	01/18/10	3601.54	38.28	40.40	2.12	3562.84
MW-5	01/25/10	3601.54	38.29	40.40	2.11	3562.83
MW-5	02/01/10	3601.54	38.33	40.41	2.08	3562.79
MW-5	02/08/10	3601.54	38.36	40.42	2.06	3562.77
MW-5	02/22/10	3601.54	38.39	40.42	2.03	3562.74
MW-5	03/01/10	3601.54	38.40	40.42	2.02	3562.74
MW-5	03/08/10	3601.54	38.92	38.93	0.01	3562.62
MW-5	03/22/10	3601.54	39.04	39.11	0.07	3562.49
MW-5	03/29/10	3601.54	38.47	40.39	1.92	3562.69
MW-5	04/05/10	3601.54	38.46	40.38	1.92	3562.70
MW-5	04/13/10	3601.54	38.50	40.42	1.92	3562.66
MW-5	04/19/10	3601.54	38.50	40.40	1.90	3562.66
MW-5	04/20/10	3601.54	39.51	39.80	0.29	3561.97
MW-5	04/26/10	3601.54	38.51	40.38	1.87	3562.66
MW-5	05/03/10	3601.54	39.21	39.26	0.05	3562.32
MW-5	05/14/10	3601.54	38.34	40.40	2.06	3562.79
MW-5	05/20/10	3601.54	39.56	40.10	0.54	3561.87
MW-5	05/27/10	3601.54	39.25	39.30	0.05	3562.28
MW-5	06/01/10	3601.54	38.62	40.38	1.76	3562.57
MW-5	06/07/10	3601.54	39.30	39.38	0.08	3562.22
MW-5	06/15/10	3601.54	38.67	40.44	1.77	3562.52
MW-5	06/28/10	3601.54	39.38	39.44	0.06	3562.15
MW-5	07/06/10	3601.54	38.66	40.40	1.74	3562.53
MW-5	07/13/10	3601.54	38.26	40.42	2.16	3562.85
MW-5	07/19/10	3601.54	38.90	39.26	0.36	3562.57
MW-5	07/26/10	3601.54	38.09	40.39	2.30	3562.99
MW-5	07/27/10	3601.54	38.45	38.98	0.53	3562.98
MW-5	07/28/10	3601.54	37.50	40.06	2.56	3563.53
MW-5	08/09/10	3601.54	38.58	39.03	0.45	3562.87
MW-5	08/16/10	3601.54	39.89	40.05	0.16	3561.62
MW-5	08/30/10	3601.54	37.80	40.05	2.25	3563.29
MW-5	09/08/10	3601.54	38.60	38.65	0.05	3562.93
MW-5	09/13/10	3601.54	37.74	39.57	1.83	3563.43
MW-5	09/20/10	3601.54	37.70	39.80	2.10	3563.42
MW-5	09/27/10	3601.54	38.28	38.70	0.42	3563.18
MW-5	10/04/10	3601.54	38.32	38.60	0.28	3563.16
MW-5	10/12/10	3601.54	37.73	39.82	2.09	3563.39
MW-5	10/19/10	3601.54	38.39	38.80	0.41	3563.07
MW-5	10/25/10	3601.54	37.75	40.00	2.25	3563.34
MW-5	11/01/10	3601.54	37.82	40.17	2.35	3563.25
MW-5	11/09/10	3601.54	37.82	40.40	2.58	3563.20
MW-5	11/22/10	3601.54	38.68	39.12	0.44	3562.77
MW-5	12/06/10	3601.54	38.22	39.45	1.23	3563.07
MW-5	01/03/11	3601.54	38.14	40.40	2.26	3562.95
MW-5	01/10/11	3601.54	38.21	40.45	2.24	3562.88
MW-5	01/17/11	3601.54	38.25	40.44	2.19	3562.85
MW-5	01/29/11	3601.54	38.23	40.45	2.22	3562.87
MW-5	01/31/11	3601.54	38.29	40.40	2.11	3562.83

Table 1

Page 21 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-5	02/07/11	3601.54	38.19	39.70	1.51	3563.05
MW-5	02/15/11	3601.54	38.33	40.42	2.09	3562.79
MW-5	03/01/11	3601.54	38.45	40.47	2.02	3562.69
MW-5	03/07/11	3601.54	38.48	40.45	1.97	3562.67
MW-5	03/21/11	3601.54	39.14	39.56	0.42	3562.32
MW-5	03/28/11	3601.54	39.20	39.71	0.51	3562.24
MW-5	07/29/11	3601.54	39.00	40.32	1.32	3562.28
MW-5	08/04/11	3601.54	38.97	40.35	1.38	3562.29
MW-5	08/11/11	3601.54	39.41	40.13	0.72	3561.99
MW-5	09/14/11	3601.54	39.65	40.48	0.83	3561.72
MW-5	10/10/11	3601.54	39.23	40.38	1.15	3562.08
MW-5	11/18/11	3601.54	39.42	40.37	0.95	3561.93
MW-5	01/06/12	3601.54	39.80	40.38	0.58	3561.62
MW-5	01/26/12	3601.54	39.90	40.36	0.46	3561.55
MW-5	02/23/12	3601.54	39.96	40.38	0.42	3561.50
MW-5	03/29/12	3601.54	39.18	39.45	0.27	3562.31
MW-5	04/19/12	3601.54	39.88	39.92	0.04	3561.65
MW-5	05/29/12	3601.54	40.02	40.46	0.44	3561.43
MW-5	06/07/12	3601.54	40.28	40.44	0.16	3561.23
MW-5	09/20/12	3601.54	40.29	40.54	0.25	3561.20
MW-5	11/29/12	3601.54	40.46	40.58	0.12	3561.06
MW-5	02/26/13	3601.54	DRY	DRY	DRY	DRY
MW-5	03/14/13	3601.54	DRY	DRY	DRY	DRY
MW-5	05/09/13	3601.54	DRY	DRY	DRY	DRY
MW-5	06/07/13	3601.54	DRY	DRY	DRY	DRY
MW-5	07/02/13	3601.54	DRY	DRY	DRY	DRY
MW-5	07/22/13	3601.54	DRY	DRY	DRY	DRY
MW-5	08/22/13	3601.54	DRY	DRY	DRY	DRY
MW-5	09/19/13	3601.54	DRY	DRY	DRY	DRY
MW-5	10/03/13	3601.54	DRY	DRY	DRY	DRY
MW-5	11/27/13	3601.54	DRY	DRY	DRY	DRY
MW-5	01/21/14	3601.54	NM	NM	NM	NM
MW-5	02/13/14	3601.54	DRY	DRY	DRY	DRY
MW-5	03/10/14	3601.54	DRY	DRY	DRY	DRY
MW-5	03/24/14	3601.54	DRY	DRY	DRY	DRY
MW-5	04/28/14	3601.54	DRY	DRY	DRY	DRY
MW-5	06/09/14	3601.54	DRY	DRY	DRY	DRY
MW-5	07/28/14	3601.54	DRY	DRY	DRY	DRY
MW-5	08/19/14	3601.54	DRY	DRY	DRY	DRY
MW-5	10/01/14	3601.54	DRY	DRY	DRY	DRY
MW-5	11/24/14	3601.54	DRY	DRY	DRY	DRY
MW-5	01/08/15	3601.54	DRY	DRY	DRY	DRY
MW-5	03/09/15	3601.54	DRY	DRY	DRY	DRY
MW-5	04/24/15	3601.54	DRY	DRY	DRY	DRY
MW-5	05/13/15	3601.54	DRY	DRY	DRY	DRY
MW-5	06/08/15	3601.54	DRY	DRY	DRY	DRY
MW-5	07/29/15	3601.54	DRY	DRY	DRY	DRY
MW-5	08/18/15	3601.54	DRY	DRY	DRY	DRY
MW-5	09/29/15	3601.54	DRY	DRY	DRY	DRY
MW-5	11/20/15	3601.54	DRY	DRY	DRY	DRY
MW-5	02/04/16	3601.54	DRY	DRY	DRY	DRY
MW-5	03/03/16	3601.54	DRY	DRY	DRY	DRY
MW-5	03/23/16	3601.54	DRY	DRY	DRY	DRY
MW-5	04/14/16	3601.54	DRY	DRY	DRY	DRY
MW-5	05/19/16	3601.54	DRY	DRY	DRY	DRY
MW-5	06/16/16	3601.54	DRY	DRY	DRY	DRY
MW-5	07/27/16	3601.54	DRY	DRY	DRY	DRY

Table 1

Page 22 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-5	09/15/16	3601.54	DRY	DRY	DRY	DRY
MW-5	09/19/16	3601.54	DRY	DRY	DRY	DRY
MW-5	10/20/16	3601.54	DRY	DRY	DRY	DRY
MW-5	12/15/16	3601.54	DRY	DRY	DRY	DRY
MW-5	03/22/17	3601.54	DRY	DRY	DRY	DRY
MW-5	09/19/17	3601.54	DRY	DRY	DRY	DRY
MW-5	10/19/17	3601.54	DRY	DRY	DRY	DRY
MW-5	11/15/17	3601.54	DRY	DRY	DRY	DRY
MW-5	03/06/18	PLUGGED AND ABANDONED				
MW-6	02/27/01	3599.83	31.31	35.80	4.49	3567.62
MW-6	06/25/01	3599.83	33.02	33.12	0.10	3566.79
MW-6	09/25/01	3599.83	32.83	37.11	4.28	3566.14
MW-6	12/11/01	3599.83	33.18	37.34	4.16	3565.82
MW-6	11/05/02	3599.83	34.00	38.22	4.22	3564.99
MW-6	04/21/03	3599.83	34.30	38.23	3.93	3564.74
MW-6	11/05/03	3599.83	35.06	39.15	4.09	3563.95
MW-6	01/19/04	3599.83	35.36	39.48	4.12	3563.65
MW-6	04/19/04	3599.83	35.40	39.15	3.75	3563.68
MW-6	07/20/04	3599.83	35.16	38.24	3.08	3564.05
MW-6	10/25/04	3599.83	33.22	34.38	1.16	3566.38
MW-6	12/08/04	3599.83	32.08	33.33	1.25	3567.50
MW-6	01/24/05	3599.83	31.39	32.53	1.14	3568.21
MW-6	02/14/05	3599.83	31.56	32.61	1.05	3568.06
MW-6	04/18/05	3599.83	31.78	32.98	1.20	3567.81
MW-6	07/18/05	3599.83	32.49	34.04	1.55	3567.03
MW-6	08/18/05	3599.83	32.79	34.47	1.68	3566.70
MW-6	09/29/05	3599.83	32.69	33.66	0.97	3566.95
MW-6	10/17/05	3599.83	32.57	33.38	0.81	3567.10
MW-6	11/03/05	3599.83	32.55	33.53	0.98	3567.08
MW-6	12/21/05	3599.83	32.78	33.62	0.84	3566.88
MW-6	12/28/05	3599.83	32.88	33.93	1.05	3566.74
MW-6	01/04/06	3599.83	32.92	34.05	1.13	3566.68
MW-6	01/10/06	3599.83	33.06	33.17	0.11	3566.75
MW-6	01/11/06	3599.83	32.99	33.51	0.52	3566.74
MW-6	01/16/06	3599.83	33.12	33.23	0.11	3566.69
MW-6	01/23/06	3599.83	33.09	33.20	0.11	3566.72
MW-6	02/01/06	3599.83	33.21	33.29	0.08	3566.60
MW-6	02/16/06	3599.83	33.32	33.43	0.11	3566.49
MW-6	03/06/06	3599.83	33.35	33.65	0.30	3566.42
MW-6	03/29/06	3599.83	33.62	33.77	0.15	3566.18
MW-6	04/04/06	3599.83	33.67	33.84	0.17	3566.13
MW-6	04/11/06	3599.83	33.70	33.99	0.29	3566.07
MW-6	04/17/06	3599.83	33.75	33.86	0.11	3566.06
MW-6	04/24/06	3599.83	33.70	34.13	0.43	3566.04
MW-6	05/03/06	3599.83	33.82	34.18	0.36	3565.94
MW-6	05/31/06	3599.83	34.01	34.47	0.46	3565.73
MW-6	06/09/06	3599.83	34.08	34.45	0.37	3565.68
MW-6	06/12/06	3599.83	34.10	34.55	0.45	3565.64
MW-6	06/26/06	3599.83	34.17	34.87	0.70	3565.52
MW-6	07/05/06	3599.83	34.21	35.01	0.80	3565.46
MW-6	07/10/06	3599.83	34.25	35.01	0.76	3565.43
MW-6	07/17/06	3599.83	34.28	35.12	0.84	3565.38
MW-6	07/24/06	3599.83	34.21	35.07	0.86	3565.45
MW-6	08/08/06	3599.83	34.37	35.01	0.64	3565.33
MW-6	08/14/06	3599.83	34.45	35.06	0.61	3565.26
MW-6	08/28/06	3599.83	34.46	35.11	0.65	3565.24

Table 1

Page 23 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-6	09/14/06	3599.83	34.15	34.41	0.26	3565.63
MW-6	09/21/06	3599.83	34.05	34.32	0.27	3565.73
MW-6	09/25/06	3599.83	34.04	34.23	0.19	3565.75
MW-6	10/02/06	3599.83	33.91	34.21	0.30	3565.86
MW-6	10/10/06	3599.83	33.84	34.15	0.31	3565.93
MW-6	10/16/06	3599.83	33.81	34.00	0.19	3565.98
MW-6	10/23/06	3599.83	33.65	33.96	0.31	3566.12
MW-6	10/30/06	3599.83	33.79	33.87	0.08	3566.02
MW-6	11/06/06	3599.83	33.76	33.87	0.11	3566.05
MW-6	11/21/06	3599.83	33.74	33.82	0.08	3566.07
MW-6	11/28/06	3599.83	33.72	33.84	0.12	3566.09
MW-6	12/05/06	3599.83	33.76	33.94	0.18	3566.03
MW-6	12/11/06	3599.83	33.76	33.81	0.05	3566.06
MW-6	12/18/06	3599.83	33.86	33.94	0.08	3565.95
MW-6	01/02/07	3599.83	33.97	34.10	0.13	3565.83
MW-6	01/08/07	3599.83	34.01	34.13	0.12	3565.80
MW-6	01/23/07	3599.83	33.90	34.41	0.51	3565.83
MW-6	02/05/07	3599.83	34.23	34.47	0.24	3565.55
MW-6	02/26/07	3599.83	34.33	34.78	0.45	3565.41
MW-6	03/05/07	3599.83	34.35	35.09	0.74	3565.33
MW-6	03/13/07	3599.83	34.38	35.31	0.93	3565.26
MW-6	03/19/07	3599.83	34.42	35.35	0.93	3565.22
MW-6	03/26/07	3599.83	34.45	35.43	0.98	3565.18
MW-6	04/02/07	3599.83	34.55	35.20	0.65	3565.15
MW-6	04/23/07	3599.83	34.44	35.34	0.90	3565.21
MW-6	05/01/07	3599.83	34.60	35.54	0.94	3565.04
MW-6	05/29/07	3599.83	34.64	35.57	0.93	3565.00
MW-6	06/04/07	3599.83	34.74	34.90	0.16	3565.06
MW-6	06/11/07	3599.83	34.73	34.87	0.14	3565.07
MW-6	06/18/07	3599.83	34.78	34.78	0.00	3565.05
MW-6	06/26/07	3599.83	34.65	34.78	0.13	3565.15
MW-6	07/09/07	3599.83	34.65	34.93	0.28	3565.12
MW-6	07/17/07	3599.83	34.66	34.99	0.33	3565.10
MW-6	07/23/07	3599.83	34.63	35.04	0.41	3565.12
MW-6	07/30/07	3599.83	34.73	34.72	0.01	3565.10
MW-6	08/08/07	3599.83	34.73	34.72	0.01	3565.10
MW-6	08/20/07	3599.83	34.76	34.94	0.18	3565.03
MW-6	08/27/07	3599.83	34.78	35.06	0.28	3564.99
MW-6	09/04/07	3599.83	34.80	35.16	0.36	3564.96
MW-6	09/10/07	3599.83	34.83	35.01	0.18	3564.96
MW-6	09/25/07	3599.83	34.67	35.13	0.46	3565.07
MW-6	10/02/07	3599.83	--	34.67	--	3565.16
MW-6	10/11/07	3599.83	34.45	35.29	0.84	3565.21
MW-6	10/22/07	3599.83	34.23	35.24	1.01	3565.40
MW-6	10/31/07	3599.83	34.46	34.51	0.05	3565.36
MW-6	11/12/07	3599.83	34.28	35.41	1.13	3565.32
MW-6	11/19/07	3599.83	34.47	34.55	0.08	3565.34
MW-6	12/05/07	3599.83	34.34	35.77	1.43	3565.20
MW-6	12/10/07	3599.83	34.65	34.66	0.01	3565.18
MW-6	12/20/07	3599.83	34.50	35.84	1.34	3565.06
MW-6	01/02/08	3599.83	34.68	35.73	1.05	3564.94
MW-6	01/07/08	3599.83	34.74	35.59	0.85	3564.92
MW-6	01/28/08	3599.83	34.63	35.69	1.06	3564.99
MW-6	02/12/08	3599.83	35.04	35.35	0.31	3564.73
MW-6	02/26/08	3599.83	35.16	35.31	0.15	3564.64
MW-6	03/11/08	3599.83	35.08	36.32	1.24	3564.50
MW-6	03/17/08	3599.83	35.27	35.37	0.10	3564.54

Table 1

Page 24 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-6	03/24/08	3599.83	35.18	36.26	1.08	3564.43
MW-6	03/31/08	3599.83	35.35	35.55	0.20	3564.44
MW-6	04/14/08	3599.83	35.15	37.14	1.99	3564.28
MW-6	04/21/08	3599.83	34.91	37.19	2.28	3564.46
MW-6	04/28/08	3599.83	35.20	37.51	2.31	3564.17
MW-6	05/20/08	3599.83	35.28	37.90	2.62	3564.03
MW-6	06/02/08	3599.83	35.34	38.08	2.74	3563.94
MW-6	06/09/08	3599.83	35.69	36.37	0.68	3564.00
MW-6	06/16/08	3599.83	35.79	36.15	0.36	3563.97
MW-6	06/30/08	3599.83	35.50	38.30	2.80	3563.77
MW-6	07/14/08	3599.83	35.49	36.53	1.04	3564.13
MW-6	07/21/08	3599.83	35.41	37.87	2.46	3563.93
MW-6	08/06/08	3599.83	35.92	37.15	1.23	3563.66
MW-6	08/18/08	3599.83	35.77	38.51	2.74	3563.51
MW-6	09/09/08	3599.83	36.21	36.57	0.36	3563.55
MW-6	09/15/08	3599.83	35.90	38.44	2.54	3563.42
MW-6	09/22/08	3599.83	36.24	36.68	0.44	3563.50
MW-6	09/29/08	3599.83	36.26	36.66	0.40	3563.49
MW-6	10/07/08	3599.83	36.26	36.65	0.39	3563.49
MW-6	10/14/08	3599.83	36.22	36.97	0.75	3563.46
MW-6	10/20/08	3599.83	35.53	38.48	2.95	3563.71
MW-6	10/27/08	3599.83	36.20	36.98	0.78	3563.47
MW-6	11/10/08	3599.83	36.13	36.90	0.77	3563.55
MW-6	11/24/08	3599.83	36.00	36.88	0.88	3563.65
MW-6	12/01/08	3599.83	35.74	39.24	3.50	3563.39
MW-6	12/08/08	3599.83	35.74	39.33	3.59	3563.37
MW-6	12/24/08	3599.83	35.82	39.48	3.66	3563.28
MW-6	12/29/08	3599.83	35.85	39.55	3.70	3563.24
MW-6	01/06/09	3599.83	36.45	36.49	0.04	3563.37
MW-6	01/19/09	3599.83	35.92	39.56	3.64	3563.18
MW-6	01/26/09	3599.83	36.61	36.65	0.04	3563.21
MW-6	02/10/09	3599.83	36.00	39.74	3.74	3563.08
MW-6	02/26/09	3599.83	36.62	36.61	0.01	3563.21
MW-6	03/02/09	3599.83	36.20	38.97	2.77	3563.08
MW-6	03/09/09	3599.83	--	36.66	--	3563.17
MW-6	03/16/09	3599.83	36.17	39.50	3.33	3562.99
MW-6	03/24/09	3599.83	--	36.68	--	3563.15
MW-6	03/30/09	3599.83	36.20	39.35	3.15	3563.00
MW-6	04/06/09	3599.83	--	36.71	--	3563.12
MW-6	04/14/09	3599.83	36.24	39.51	3.27	3562.94
MW-6	04/20/09	3599.83	35.97	39.24	3.27	3563.21
MW-6	04/28/09	3599.83	36.74	36.85	0.11	3563.07
MW-6	05/11/09	3599.83	--	36.80	--	3563.03
MW-6	05/26/09	3599.83	36.26	40.00	3.74	3562.82
MW-6	06/01/09	3599.83	36.88	36.92	0.04	3562.94
MW-6	06/02/09	3599.83	37.30	37.70	0.40	3562.45
MW-6	06/09/09	3599.83	36.79	37.40	0.61	3562.92
MW-6	06/15/09	3599.83	36.75	37.49	0.74	3562.93
MW-6	06/29/09	3599.83	36.38	39.80	3.42	3562.77
MW-6	07/06/09	3599.83	36.85	37.51	0.66	3562.85
MW-6	07/14/09	3599.83	36.89	37.41	0.52	3562.84
MW-6	07/20/09	3599.83	36.92	37.49	0.57	3562.80
MW-6	07/27/09	3599.83	36.42	37.24	0.82	3563.25
MW-6	08/03/09	3599.83	36.67	38.85	2.18	3562.72
MW-6	08/04/09	3599.83	36.92	37.53	0.61	3562.79
MW-6	08/12/09	3599.83	36.88	37.50	0.62	3562.83
MW-6	08/24/09	3599.83	36.82	37.57	0.75	3562.86

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-6	08/31/09	3599.83	36.81	37.53	0.72	3562.88
MW-6	09/08/09	3599.83	36.56	39.02	2.46	3562.78
MW-6	09/16/09	3599.83	36.78	37.48	0.70	3562.91
MW-6	09/28/09	3599.83	36.80	37.52	0.72	3562.89
MW-6	10/05/09	3599.83	36.59	38.83	2.24	3562.79
MW-6	10/12/09	3599.83	36.84	37.60	0.76	3562.84
MW-6	10/26/09	3599.83	36.46	39.77	3.31	3562.71
MW-6	11/03/09	3599.83	36.91	37.62	0.71	3562.78
MW-6	11/10/09	3599.83	36.92	37.64	0.72	3562.77
MW-6	11/23/09	3599.83	36.90	37.65	0.75	3562.78
MW-6	11/30/09	3599.83	36.98	37.37	0.39	3562.77
MW-6	12/07/09	3599.83	36.95	37.91	0.96	3562.69
MW-6	12/22/09	3599.83	37.06	37.74	0.68	3562.63
MW-6	01/04/10	3599.83	36.87	39.14	2.27	3562.51
MW-6	01/11/10	3599.83	36.79	39.60	2.81	3562.48
MW-6	01/18/10	3599.83	37.11	37.88	0.77	3562.57
MW-6	01/25/10	3599.83	36.84	39.48	2.64	3562.46
MW-6	02/01/10	3599.83	37.20	37.90	0.70	3562.49
MW-6	02/08/10	3599.83	37.11	38.43	1.32	3562.46
MW-6	02/22/10	3599.83	37.28	37.95	0.67	3562.42
MW-6	03/01/10	3599.83	37.28	37.93	0.65	3562.42
MW-6	03/08/10	3599.83	37.28	37.95	0.67	3562.42
MW-6	03/22/10	3599.83	37.30	37.96	0.66	3562.40
MW-6	03/29/10	3599.83	37.29	38.09	0.80	3562.38
MW-6	04/05/10	3599.83	37.32	38.12	0.80	3562.35
MW-6	04/13/10	3599.83	37.35	38.17	0.82	3562.32
MW-6	04/19/10	3599.83	37.32	38.22	0.90	3562.33
MW-6	04/20/10	3599.83	37.45	37.62	0.17	3562.35
MW-6	04/26/10	3599.83	37.12	39.38	2.26	3562.26
MW-6	05/03/10	3599.83	37.50	37.72	0.22	3562.29
MW-6	05/14/10	3599.83	37.13	39.63	2.50	3562.20
MW-6	05/20/10	3599.83	37.46	37.99	0.53	3562.26
MW-6	05/27/10	3599.83	37.55	37.76	0.21	3562.24
MW-6	06/01/10	3599.83	37.27	39.26	1.99	3562.16
MW-6	06/07/10	3599.83	37.60	37.81	0.21	3562.19
MW-6	06/15/10	3599.83	37.25	39.57	2.32	3562.12
MW-6	06/28/10	3599.83	37.51	38.81	1.30	3562.06
MW-6	07/06/10	3599.83	37.27	39.12	1.85	3562.19
MW-6	07/13/10	3599.83	36.65	38.29	1.64	3562.85
MW-6	07/19/10	3599.83	36.88	37.40	0.52	3562.85
MW-6	07/26/10	3599.83	36.67	37.88	1.21	3562.92
MW-6	07/27/10	3599.83	36.80	36.83	0.03	3563.02
MW-6	07/28/10	3599.83	36.74	37.17	0.43	3563.00
MW-6	08/09/10	3599.83	36.46	37.85	1.39	3563.09
MW-6	08/16/10	3599.83	36.43	37.58	1.15	3563.17
MW-6	08/30/10	3599.83	36.35	37.09	0.74	3563.33
MW-6	09/08/10	3599.83	36.27	37.15	0.88	3563.38
MW-6	09/13/10	3599.83	36.35	36.62	0.27	3563.43
MW-6	09/20/10	3599.83	36.35	36.62	0.27	3563.43
MW-6	09/27/10	3599.83	36.20	37.30	1.10	3563.41
MW-6	10/04/10	3599.83	36.35	36.65	0.30	3563.42
MW-6	10/12/10	3599.83	36.19	37.67	1.48	3563.34
MW-6	10/19/10	3599.83	36.43	36.75	0.32	3563.34
MW-6	10/25/10	3599.83	36.20	37.80	1.60	3563.31
MW-6	11/01/10	3599.83	36.51	36.79	0.28	3563.26
MW-6	11/09/10	3599.83	36.55	36.81	0.26	3563.23
MW-6	11/22/10	3599.83	36.66	36.83	0.17	3563.14

Table 1

Page 26 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-6	12/06/10	3599.83	36.42	38.69	2.27	3562.96
MW-6	01/03/11	3599.83	36.59	39.29	2.70	3562.70
MW-6	01/10/11	3599.83	37.06	37.15	0.09	3562.75
MW-6	01/17/11	3599.83	36.95	38.26	1.31	3562.62
MW-6	01/29/11	3599.83	37.05	38.08	1.03	3562.57
MW-6	01/31/11	3599.83	36.92	39.02	2.10	3562.49
MW-6	02/07/11	3599.83	36.91	39.47	2.56	3562.41
MW-6	02/15/11	3599.83	37.35	37.68	0.33	3562.41
MW-6	03/01/11	3599.83	37.38	37.66	0.28	3562.39
MW-6	03/07/11	3599.83	37.42	38.07	0.65	3562.28
MW-6	03/21/11	3599.83	37.50	38.87	1.37	3562.06
MW-6	03/28/11	3599.83	37.44	41.37	3.93	3561.60
MW-6	07/29/11	3599.83	37.18	41.12	3.94	3561.86
MW-6	08/04/11	3599.83	37.48	41.44	3.96	3561.56
MW-6	08/11/11	3599.83	37.51	41.49	3.98	3561.52
MW-6	09/14/11	3599.83	37.63	41.70	4.07	3561.39
MW-6	10/10/11	3599.83	37.72	41.93	4.21	3561.27
MW-6	11/18/11	3599.83	37.86	41.96	4.10	3561.15
MW-6	01/06/12	3599.83	38.07	42.13	4.06	3560.95
MW-6	01/26/12	3599.83	38.14	42.13	3.99	3560.89
MW-6	02/23/12	3599.83	38.24	42.29	4.05	3560.78
MW-6	03/29/12	3599.83	38.33	42.47	4.14	3560.67
MW-6	04/19/12	3599.83	38.41	42.61	4.20	3560.58
MW-6	05/29/12	3599.83	38.62	42.86	4.24	3560.36
MW-6	06/07/12	3599.83	38.87	41.29	2.42	3560.48
MW-6	09/20/12	3599.83	38.80	42.73	3.93	3560.24
MW-6	11/15/12	3599.83	38.72	42.64	3.92	3560.33
MW-6	11/29/12	3599.83	39.03	42.93	3.90	3560.02
MW-6	12/20/12	3599.83	39.11	43.03	3.92	3559.94
MW-6	02/26/13	3599.83	39.27	43.02	3.75	3559.81
MW-6	03/07/13	3599.83	39.26	43.04	3.78	3559.81
MW-6	03/14/13	3599.83	39.29	43.14	3.85	3559.77
MW-6	04/10/13	3599.83	39.35	42.98	3.63	3559.75
MW-6	05/09/13	3599.83	39.48	42.97	3.49	3559.65
MW-6	06/07/13	3599.83	39.57	42.99	3.42	3559.58
MW-6	07/02/13	3599.83	39.53	43.26	3.73	3559.55
MW-6	07/22/13	3599.83	40.11	42.00	1.89	3559.34
MW-6	08/22/13	3599.83	39.84	42.74	2.90	3559.41
MW-6	09/19/13	3599.83	40.38	41.11	0.73	3559.30
MW-6	10/03/13	3599.83	40.39	41.29	0.90	3559.26
MW-6	11/27/13	3599.83	40.41	41.85	1.44	3559.13
MW-6	01/21/14	3599.83	40.45	42.34	1.89	3559.00
MW-6	02/13/14	3599.83	40.74	40.95	0.21	3559.05
MW-6	03/10/14	3599.83	40.82	41.01	0.19	3558.97
MW-6	03/24/14	3599.83	40.88	41.01	0.13	3558.92
MW-6	04/28/14	3599.83	40.97	41.00	0.03	3558.85
MW-6	06/09/14	3599.83	40.98	42.03	1.05	3558.64
MW-6	07/28/14	3599.83	41.29	41.47	0.18	3558.50
MW-6	08/19/14	3599.83	41.32	41.49	0.17	3558.48
MW-6	10/01/14	3599.83	41.23	42.70	1.47	3558.31
MW-6	11/24/14	3599.83	40.73	42.68	1.95	3558.71
MW-6	01/08/15	3599.83	40.58	42.78	2.20	3558.81
MW-6	03/09/15	3599.83	40.57	42.74	2.17	3558.83
MW-6	04/21/15	3599.83	41.12	41.89	0.77	3558.56
MW-6	04/22/15	3599.83	41.25	41.82	0.57	3558.47
MW-6	04/24/15	3599.83	41.28	42.16	0.88	3558.37
MW-6	05/13/15	3599.83	40.90	42.73	1.83	3558.56

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-6	06/08/15	3599.83	40.82	42.78	1.96	3558.62
MW-6	07/07/15	3599.83	40.71	42.75	2.04	3558.71
MW-6	07/08/15	3599.83	40.73	42.75	2.02	3558.70
MW-6	07/29/15	3599.83	40.70	42.75	2.05	3558.72
MW-6	08/18/15	3599.83	40.69	42.75	2.06	3558.73
MW-6	09/29/15	3599.83	40.69	42.75	2.06	3558.73
MW-6	11/20/15	3599.83	40.60	41.91	1.31	3558.97
MW-6	02/04/16	3599.83	40.64	42.70	2.06	3558.78
MW-6	03/03/16	3599.83	40.77	42.56	1.79	3558.70
MW-6	03/23/16	3599.83	40.70	42.80	2.10	3558.71
MW-6	04/14/16	3599.83	40.84	42.66	1.82	3558.63
MW-6	05/19/16	3599.83	40.90	42.70	1.80	3558.57
MW-6	06/16/16	3599.83	41.18	42.71	1.53	3558.34
MW-6	07/27/16	3599.83	41.37	42.80	1.43	3558.17
MW-6	09/15/16	3599.83	41.39	42.82	1.43	3558.15
MW-6	09/19/16	3599.83	41.39	42.82	1.43	3558.15
MW-6	10/20/16	3599.83	40.98	42.69	1.71	3558.51
MW-6	12/15/16	3599.83	41.07	42.69	1.62	3558.44
MW-6	03/22/17	3599.83	40.69	42.65	1.96	3558.75
MW-6	09/19/17	3599.83	41.18	42.73	1.55	3558.34
MW-6	10/19/17	3599.83	41.54	42.32	0.78	3558.13
MW-6	11/15/17	3599.83	41.50	41.51	0.01	3558.33
MW-6	03/06/18	PLUGGED AND ABANDONED				
MW-7 (SVE-6)	02/27/01	3602.11	33.60	39.35	5.75	3567.36
MW-7 (SVE-6)	06/25/01	3602.11	34.69	40.34	5.65	3566.29
MW-7 (SVE-6)	09/25/01	3602.11	35.14	40.83	5.69	3565.83
MW-7 (SVE-6)	12/11/01	3602.11	35.49	41.23	5.74	3565.47
MW-7 (SVE-6)	11/05/02	3602.11	36.67	42.25	5.58	3564.32
MW-7 (SVE-6)	04/21/03	3602.11	36.98	42.41	5.43	3564.04
MW-7 (SVE-6)	06/23/03	3602.11	37.21	42.02	4.81	3563.94
MW-7 (SVE-6)	11/05/03	3602.11	38.10	41.49	3.39	3563.33
MW-7 (SVE-6)	01/19/04	3602.11	38.79	39.63	0.84	3563.15
MW-7 (SVE-6)	04/19/04	3602.11	38.69	39.78	1.09	3563.20
MW-7 (SVE-6)	07/20/04	3602.11	37.98	41.40	3.42	3563.45
MW-7 (SVE-6)	10/25/04	3602.11	35.81	36.77	0.96	3566.11
MW-7 (SVE-6)	01/24/05	3602.11	34.03	34.75	0.72	3567.94
MW-7 (SVE-6)	04/18/05	3602.11	34.50	35.86	1.36	3567.34
MW-7 (SVE-6)	07/18/05	3602.11	35.27	37.59	2.32	3566.38
MW-7 (SVE-6)	08/19/05	3602.11	35.55	38.09	2.54	3566.05
MW-7 (SVE-6)	09/15/05	3602.11	35.71	36.40	0.69	3566.26
MW-7 (SVE-6)	09/29/05	3602.11	35.64	35.92	0.28	3566.41
MW-7 (SVE-6)	10/11/05	3602.11	35.34	36.64	1.30	3566.51
MW-7 (SVE-6)	10/17/05	3602.11	35.47	35.87	0.40	3566.56
MW-7 (SVE-6)	10/20/05	3602.11	35.29	36.22	0.93	3566.63
MW-7 (SVE-6)	11/03/05	3602.11	35.25	36.62	1.37	3566.59
MW-7 (SVE-6)	11/16/05	3602.11	35.49	36.20	0.71	3566.48
MW-7 (SVE-6)	12/06/05	3602.11	35.51	36.77	1.26	3566.35
MW-7 (SVE-6)	12/21/05	3602.11	35.62	36.97	1.35	3566.22
MW-7 (SVE-6)	12/28/05	3602.11	35.87	36.28	0.41	3566.16
MW-7 (SVE-6)	01/04/06	3602.11	35.77	36.10	0.33	3566.27
MW-7 (SVE-6)	01/11/06	3602.11	35.84	36.64	0.80	3566.11
MW-7 (SVE-6)	01/16/06	3602.11	36.02	36.12	0.10	3566.07
MW-7 (SVE-6)	01/23/06	3602.11	35.91	36.70	0.79	3566.04
MW-7 (SVE-6)	02/01/06	3602.11	36.10	36.43	0.33	3565.94
MW-7 (SVE-6)	02/16/06	3602.11	36.22	36.53	0.31	3565.83
MW-7 (SVE-6)	03/06/06	3602.11	36.40	36.54	0.14	3565.68

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (SVE-6)	03/29/06	3602.11	36.55	36.84	0.29	3565.50
MW-7 (SVE-6)	04/04/06	3602.11	36.62	36.70	0.08	3565.47
MW-7 (SVE-6)	04/11/06	3602.11	36.65	36.82	0.17	3565.43
MW-7 (SVE-6)	04/17/06	3602.11	36.58	37.47	0.89	3565.35
MW-7 (SVE-6)	04/24/06	3602.11	36.52	37.86	1.34	3565.32
MW-7 (SVE-6)	05/03/06	3602.11	36.83	37.00	0.17	3565.25
MW-7 (SVE-6)	05/31/06	3602.11	36.89	37.90	1.01	3565.02
MW-7 (SVE-6)	06/09/06	3602.11	36.94	37.98	1.04	3564.96
MW-7 (SVE-6)	06/12/06	3602.11	37.14	37.43	0.29	3564.91
MW-7 (SVE-6)	06/26/06	3602.11	37.12	37.79	0.67	3564.86
MW-7 (SVE-6)	07/05/06	3602.11	37.13	38.10	0.97	3564.79
MW-7 (SVE-6)	07/10/06	3602.11	37.27	37.57	0.30	3564.78
MW-7 (SVE-6)	07/17/06	3602.11	37.31	37.91	0.60	3564.68
MW-7 (SVE-6)	07/24/06	3602.11	37.06	38.58	1.52	3564.75
MW-7 (SVE-6)	08/08/06	3602.11	37.15	38.92	1.77	3564.61
MW-7 (SVE-6)	08/14/06	3602.11	37.24	38.84	1.60	3564.55
MW-7 (SVE-6)	08/28/06	3602.11	37.18	39.27	2.09	3564.51
MW-7 (SVE-6)	09/14/06	3602.11	36.71	38.76	2.05	3564.99
MW-7 (SVE-6)	09/21/06	3602.11	36.65	38.43	1.78	3565.10
MW-7 (SVE-6)	09/25/06	3602.11	36.86	37.43	0.57	3565.14
MW-7 (SVE-6)	10/02/06	3602.11	36.55	37.82	1.27	3565.31
MW-7 (SVE-6)	10/10/06	3602.11	36.54	37.56	1.02	3565.37
MW-7 (SVE-6)	10/16/06	3602.11	36.54	37.56	1.02	3565.37
MW-7 (SVE-6)	10/23/06	3602.11	36.31	37.63	1.32	3565.54
MW-7 (SVE-6)	10/30/06	3602.11	36.60	37.11	0.51	3565.41
MW-7 (SVE-6)	11/06/06	3602.11	36.62	36.91	0.29	3565.43
MW-7 (SVE-6)	11/21/06	3602.11	36.61	37.00	0.39	3565.42
MW-7 (SVE-6)	11/28/06	3602.11	36.37	37.32	0.95	3565.55
MW-7 (SVE-6)	12/05/06	3602.11	36.44	37.46	1.02	3565.47
MW-7 (SVE-6)	12/11/06	3602.11	36.72	36.96	0.24	3565.34
MW-7 (SVE-6)	12/18/06	3602.11	36.80	37.10	0.30	3565.25
MW-7 (SVE-6)	01/02/07	3602.11	36.90	37.38	0.48	3565.11
MW-7 (SVE-6)	01/08/07	3602.11	37.00	37.20	0.20	3565.07
MW-7 (SVE-6)	01/23/07	3602.11	36.62	38.29	1.67	3565.16
MW-7 (SVE-6)	02/05/07	3602.11	37.23	37.42	0.19	3564.84
MW-7 (SVE-6)	02/26/07	3602.11	36.97	39.06	2.09	3564.72
MW-7 (SVE-6)	03/05/07	3602.11	37.10	39.02	1.92	3564.63
MW-7 (SVE-6)	03/13/07	3602.11	37.02	39.61	2.59	3564.57
MW-7 (SVE-6)	03/19/07	3602.11	37.64	37.68	0.04	3564.46
MW-7 (SVE-6)	03/26/07	3602.11	37.12	39.72	2.60	3564.47
MW-7 (SVE-6)	04/02/07	3602.11	37.14	39.94	2.80	3564.41
MW-7 (SVE-6)	04/23/07	3602.11	37.05	40.09	3.04	3564.45
MW-7 (SVE-6)	05/01/07	3602.11	37.17	40.37	3.20	3564.30
MW-7 (SVE-6)	05/29/07	3602.11	37.14	40.55	3.41	3564.29
MW-7 (SVE-6)	06/04/07	3602.11	37.12	40.57	3.45	3564.30
MW-7 (SVE-6)	06/11/07	3602.11	37.17	40.03	2.86	3564.37
MW-7 (SVE-6)	06/18/07	3602.11	37.61	38.18	0.57	3564.39
MW-7 (SVE-6)	06/26/07	3602.11	37.20	39.37	2.17	3564.48
MW-7 (SVE-6)	07/09/07	3602.11	37.56	38.56	1.00	3564.35
MW-7 (SVE-6)	07/17/07	3602.11	37.27	39.22	1.95	3564.45
MW-7 (SVE-6)	07/23/07	3602.11	37.09	40.24	3.15	3564.39
MW-7 (SVE-6)	07/30/07	3602.11	37.50	38.00	0.50	3564.51
MW-7 (SVE-6)	08/08/07	3602.11	37.42	38.57	1.15	3564.46
MW-7 (SVE-6)	08/20/07	3602.11	37.36	39.41	2.05	3564.34
MW-7 (SVE-6)	08/27/07	3602.11	37.26	40.27	3.01	3564.25
MW-7 (SVE-6)	09/04/07	3602.11	37.74	38.06	0.32	3564.31
MW-7 (SVE-6)	09/10/07	3602.11	37.75	38.06	0.31	3564.30

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (SVE-6)	09/25/07	3602.11	37.12	39.95	2.83	3564.42
MW-7 (SVE-6)	10/02/07	3602.11	37.47	37.67	0.20	3564.60
MW-7 (SVE-6)	10/11/07	3602.11	36.98	39.46	2.48	3564.63
MW-7 (SVE-6)	10/22/07	3602.11	36.80	39.20	2.40	3564.83
MW-7 (SVE-6)	10/31/07	3602.11	37.35	37.46	0.11	3564.74
MW-7 (SVE-6)	11/12/07	3602.11	36.89	39.24	2.35	3564.75
MW-7 (SVE-6)	11/19/07	3602.11	37.49	37.53	0.04	3564.61
MW-7 (SVE-6)	12/05/07	3602.11	36.98	39.64	2.66	3564.60
MW-7 (SVE-6)	12/10/07	3602.11	37.45	37.55	0.10	3564.64
MW-7 (SVE-6)	12/20/07	3602.11	37.11	39.86	2.75	3564.45
MW-7 (SVE-6)	01/02/08	3602.11	37.31	39.81	2.50	3564.30
MW-7 (SVE-6)	01/07/08	3602.11	37.67	39.30	1.63	3564.11
MW-7 (SVE-6)	01/28/08	3602.11	37.19	40.51	3.32	3564.26
MW-7 (SVE-6)	02/12/08	3602.11	37.69	39.83	2.14	3563.99
MW-7 (SVE-6)	02/26/08	3602.11	38.08	38.95	0.87	3563.86
MW-7 (SVE-6)	03/11/08	3602.11	37.91	39.58	1.67	3563.87
MW-7 (SVE-6)	03/17/08	3602.11	38.17	39.11	0.94	3563.75
MW-7 (SVE-6)	03/24/08	3602.11	38.30	39.30	1.00	3563.61
MW-7 (SVE-6)	03/31/08	3602.11	38.33	39.25	0.92	3563.60
MW-7 (SVE-6)	04/14/08	3602.11	38.49	39.23	0.74	3563.47
MW-7 (SVE-6)	04/21/08	3602.11	37.66	41.13	3.47	3563.76
MW-7 (SVE-6)	04/28/08	3602.11	38.64	39.24	0.60	3563.35
MW-7 (SVE-6)	05/20/08	3602.11	38.02	41.98	3.96	3563.30
MW-7 (SVE-6)	06/02/08	3602.11	38.14	42.19	4.05	3563.16
MW-7 (SVE-6)	06/09/08	3602.11	38.19	42.18	3.99	3563.12
MW-7 (SVE-6)	06/16/08	3602.11	38.15	42.16	4.01	3563.16
MW-7 (SVE-6)	06/30/08	3602.11	38.25	42.20	3.95	3563.07
MW-7 (SVE-6)	07/14/08	3602.11	38.31	42.17	3.86	3563.03
MW-7 (SVE-6)	07/21/08	3602.11	38.09	41.92	3.83	3563.25
MW-7 (SVE-6)	08/06/08	3602.11	38.39	42.19	3.80	3562.96
MW-7 (SVE-6)	08/18/08	3602.11	38.50	42.02	3.52	3562.91
MW-7 (SVE-6)	09/09/08	3602.11	38.88	41.25	2.37	3562.76
MW-7 (SVE-6)	09/15/08	3602.11	39.24	40.31	1.07	3562.66
MW-7 (SVE-6)	09/22/08	3602.11	39.25	40.28	1.03	3562.65
MW-7 (SVE-6)	09/29/08	3602.11	39.25	40.31	1.06	3562.65
MW-7 (SVE-6)	10/07/08	3602.11	39.25	40.37	1.12	3562.64
MW-7 (SVE-6)	10/14/08	3602.11	38.61	42.25	3.64	3562.77
MW-7 (SVE-6)	10/20/08	3602.11	38.21	40.00	1.79	3563.54
MW-7 (SVE-6)	11/10/08	3602.11	38.61	42.23	3.62	3562.78
MW-7 (SVE-6)	11/24/08	3602.11	38.50	42.20	3.70	3562.87
MW-7 (SVE-6)	12/01/08	3602.11	38.69	41.81	3.12	3562.80
MW-7 (SVE-6)	12/08/08	3602.11	39.18	40.77	1.59	3562.61
MW-7 (SVE-6)	12/24/08	3602.11	38.90	41.61	2.71	3562.67
MW-7 (SVE-6)	12/29/08	3602.11	39.37	40.97	1.60	3562.42
MW-7 (SVE-6)	01/06/09	3602.11	39.41	40.81	1.40	3562.42
MW-7 (SVE-6)	01/19/09	3602.11	38.70	42.26	3.56	3562.70
MW-7 (SVE-6)	01/26/09	3602.11	39.39	40.18	0.79	3562.56
MW-7 (SVE-6)	02/10/09	3602.11	39.11	41.58	2.47	3562.51
MW-7 (SVE-6)	02/26/09	3602.11	38.84	41.58	2.74	3562.72
MW-7 (SVE-6)	03/02/09	3602.11	38.95	42.20	3.25	3562.51
MW-7 (SVE-6)	03/09/09	3602.11	38.86	42.20	3.34	3562.58
MW-7 (SVE-6)	03/16/09	3602.11	38.91	42.22	3.31	3562.54
MW-7 (SVE-6)	03/24/09	3602.11	38.87	40.45	1.58	3562.92
MW-7 (SVE-6)	03/30/09	3602.11	39.00	42.25	3.25	3562.46
MW-7 (SVE-6)	04/06/09	3602.11	39.00	42.19	3.19	3562.47
MW-7 (SVE-6)	04/14/09	3602.11	38.96	42.15	3.19	3562.51
MW-7 (SVE-6)	04/20/09	3602.11	38.68	42.00	3.32	3562.77

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (SVE-6)	04/28/09	3602.11	40.02	40.04	0.02	3562.09
MW-7 (SVE-6)	05/11/09	3602.11	40.06	40.42	0.36	3561.98
MW-7 (SVE-6)	05/26/09	3602.11	39.27	42.00	2.73	3562.29
MW-7 (SVE-6)	06/01/09	3602.11	39.11	42.00	2.89	3562.42
MW-7 (SVE-6)	06/02/09	3602.11	39.10	41.95	2.85	3562.44
MW-7 (SVE-6)	06/09/09	3602.11	39.07	41.95	2.88	3562.46
MW-7 (SVE-6)	06/15/09	3602.11	39.76	40.05	0.29	3562.29
MW-7 (SVE-6)	06/29/09	3602.11	39.10	41.90	2.80	3562.45
MW-7 (SVE-6)	07/06/09	3602.11	40.00	40.04	0.04	3562.10
MW-7 (SVE-6)	07/14/09	3602.11	39.15	41.90	2.75	3562.41
MW-7 (SVE-6)	07/20/09	3602.11	39.20	41.92	2.72	3562.37
MW-7 (SVE-6)	07/27/09	3602.11	39.04	42.00	2.96	3562.48
MW-7 (SVE-6)	08/03/09	3602.11	39.18	41.91	2.73	3562.38
MW-7 (SVE-6)	08/04/09	3602.11	39.19	41.92	2.73	3562.37
MW-7 (SVE-6)	08/12/09	3602.11	39.12	40.90	1.78	3562.63
MW-7 (SVE-6)	08/24/09	3602.11	39.88	40.40	0.52	3562.13
MW-7 (SVE-6)	08/31/09	3602.11	39.84	40.51	0.67	3562.14
MW-7 (SVE-6)	09/08/09	3602.11	39.95	40.47	0.52	3562.06
MW-7 (SVE-6)	09/16/09	3602.11	40.11	40.22	0.11	3561.98
MW-7 (SVE-6)	09/28/09	3602.11	39.92	39.96	0.04	3562.18
MW-7 (SVE-6)	10/12/09	3602.11	40.00	40.55	0.55	3562.00
MW-7 (SVE-6)	10/26/09	3602.11	39.13	41.77	2.64	3562.45
MW-7 (SVE-6)	11/03/09	3602.11	40.21	40.38	0.17	3561.87
MW-7 (SVE-6)	11/10/09	3602.11	39.17	41.75	2.58	3562.42
MW-7 (SVE-6)	11/23/09	3602.11	40.10	40.58	0.48	3561.91
MW-7 (SVE-6)	11/30/09	3602.11	39.24	41.75	2.51	3562.37
MW-7 (SVE-6)	12/07/09	3602.11	39.27	41.76	2.49	3562.34
MW-7 (SVE-6)	12/22/09	3602.11	39.30	41.75	2.45	3562.32
MW-7 (SVE-6)	01/04/10	3602.11	39.35	41.80	2.45	3562.27
MW-7 (SVE-6)	01/11/10	3602.11	39.36	41.68	2.32	3562.29
MW-7 (SVE-6)	01/18/10	3602.11	39.39	42.00	2.61	3562.20
MW-7 (SVE-6)	01/25/10	3602.11	39.40	41.80	2.40	3562.23
MW-7 (SVE-6)	02/01/10	3602.11	39.44	41.75	2.31	3562.21
MW-7 (SVE-6)	02/08/10	3602.11	39.46	41.80	2.34	3562.18
MW-7 (SVE-6)	02/22/10	3602.11	39.52	41.75	2.23	3562.14
MW-7 (SVE-6)	03/01/10	3602.11	39.53	41.75	2.22	3562.14
MW-7 (SVE-6)	03/08/10	3602.11	39.53	41.75	2.22	3562.14
MW-7 (SVE-6)	03/22/10	3602.11	39.55	41.75	2.20	3562.12
MW-7 (SVE-6)	03/29/10	3602.11	40.40	40.59	0.19	3561.67
MW-7 (SVE-6)	04/05/10	3602.11	40.40	40.66	0.26	3561.66
MW-7 (SVE-6)	04/13/10	3602.11	39.62	41.75	2.13	3562.06
MW-7 (SVE-6)	04/19/10	3602.11	39.83	41.75	1.92	3561.90
MW-7 (SVE-6)	04/20/10	3602.11	40.72	40.79	0.07	3561.38
MW-7 (SVE-6)	04/26/10	3602.11	39.62	41.72	2.10	3562.07
MW-7 (SVE-6)	05/03/10	3602.11	40.73	40.76	0.03	3561.37
MW-7 (SVE-6)	05/14/10	3602.11	39.30	42.20	2.90	3562.23
MW-7 (SVE-6)	05/20/10	3602.11	40.70	40.87	0.17	3561.38
MW-7 (SVE-6)	05/27/10	3602.11	40.59	40.73	0.14	3561.49
MW-7 (SVE-6)	06/01/10	3602.11	40.55	40.80	0.25	3561.51
MW-7 (SVE-6)	06/07/10	3602.11	39.74	40.78	1.04	3562.16
MW-7 (SVE-6)	06/15/10	3602.11	40.65	40.91	0.26	3561.41
MW-7 (SVE-6)	06/28/10	3602.11	40.73	40.82	0.09	3561.36
MW-7 (SVE-6)	07/06/10	3602.11	40.68	40.82	0.14	3561.40
MW-7 (SVE-6)	07/13/10	3602.11	39.39	41.80	2.41	3562.24
MW-7 (SVE-6)	07/19/10	3602.11	39.38	41.80	2.42	3562.25
MW-7 (SVE-6)	07/26/10	3602.11	39.18	41.90	2.72	3562.39
MW-7 (SVE-6)	07/27/10	3602.11	39.50	40.48	0.98	3562.41

Table 1

Page 31 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (SVE-6)	07/28/10	3602.11	39.14	41.78	2.64	3562.44
MW-7 (SVE-6)	08/09/10	3602.11	39.00	41.75	2.75	3562.56
MW-7 (SVE-6)	08/16/10	3602.11	38.98	41.77	2.79	3562.57
MW-7 (SVE-6)	08/30/10	3602.11	39.18	40.44	1.26	3562.68
MW-7 (SVE-6)	09/08/10	3602.11	39.10	40.16	1.06	3562.80
MW-7 (SVE-6)	09/13/10	3602.11	38.80	41.43	2.63	3562.78
MW-7 (SVE-6)	09/20/10	3602.11	38.68	41.48	2.80	3562.87
MW-7 (SVE-6)	09/27/10	3602.11	39.42	40.50	1.08	3562.47
MW-7 (SVE-6)	10/04/10	3602.11	39.43	40.60	1.17	3562.45
MW-7 (SVE-6)	10/12/10	3602.11	38.76	41.42	2.66	3562.82
MW-7 (SVE-6)	10/19/10	3602.11	38.78	41.78	3.00	3562.73
MW-7 (SVE-6)	10/25/10	3602.11	38.75	41.77	3.02	3562.76
MW-7 (SVE-6)	11/01/10	3602.11	38.85	41.80	2.95	3562.67
MW-7 (SVE-6)	11/09/10	3602.11	40.10	40.09	0.01	3562.01
MW-7 (SVE-6)	11/22/10	3602.11	38.94	41.75	2.81	3562.61
MW-7 (SVE-6)	12/06/10	3602.11	40.25	40.26	0.01	3561.86
MW-7 (SVE-6)	01/03/11	3602.11	39.18	41.74	2.56	3562.42
MW-7 (SVE-6)	01/10/11	3602.11	39.17	41.74	2.57	3562.43
MW-7 (SVE-6)	01/17/11	3602.11	39.30	41.77	2.47	3562.32
MW-7 (SVE-6)	01/29/11	3602.11	39.36	41.75	2.39	3562.27
MW-7 (SVE-6)	01/31/11	3602.11	39.40	41.75	2.35	3562.24
MW-7 (SVE-6)	02/07/11	3602.11	39.49	41.75	2.26	3562.17
MW-7 (SVE-6)	02/15/11	3602.11	39.57	41.75	2.18	3562.10
MW-7 (SVE-6)	03/01/11	3602.11	39.67	41.78	2.11	3562.02
MW-7 (SVE-6)	03/07/11	3602.11	39.70	41.38	1.68	3562.07
MW-7 (SVE-6)	03/21/11	3602.11	39.71	41.78	2.07	3561.99
MW-7 (SVE-6)	03/28/11	3602.11	40.43	41.66	1.23	3561.43
MW-7 (SVE-6)	07/29/11	3602.11	40.36	41.62	1.26	3561.50
MW-7 (SVE-6)	08/04/11	3602.11	40.34	41.63	1.29	3561.51
MW-7 (SVE-6)	08/11/11	3602.11	40.28	41.63	1.35	3561.56
MW-7 (SVE-6)	09/14/11	3602.11	40.39	41.62	1.23	3561.47
MW-7 (SVE-6)	10/10/11	3602.11	40.48	41.62	1.14	3561.40
MW-7 (SVE-6)	11/18/11	3602.11	40.68	41.62	0.94	3561.24
MW-7 (SVE-6)	01/06/12	3602.11	40.82	41.63	0.81	3561.13
MW-7 (SVE-6)	01/26/12	3602.11	40.93	41.63	0.70	3561.04
MW-7 (SVE-6)	02/23/12	3602.11	41.02	41.65	0.63	3560.96
MW-7 (SVE-6)	03/29/12	3602.11	38.39	41.74	3.35	3563.05
MW-7 (SVE-6)	04/19/12	3602.11	41.27	41.69	0.42	3560.76
MW-7 (SVE-6)	05/29/12	3602.11	41.43	41.68	0.25	3560.63
MW-7 (SVE-6)	06/07/12	3602.11	41.42	41.68	0.26	3560.64
MW-7 (SVE-6)	09/20/12	3602.11	41.55	41.68	0.13	3560.53
MW-7 (SVE-6)	11/29/12	3602.11	41.74	41.79	0.05	3560.36
MW-7 (SVE-6)	02/26/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/14/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	05/09/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	06/07/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	07/02/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	07/22/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	08/22/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	09/19/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	10/03/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	11/27/13	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	01/21/14	3602.11	NM	NM	NM	NM
MW-7 (SVE-6)	02/13/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/10/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/24/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	04/28/14	3602.11	DRY	DRY	DRY	DRY

Table 1

Page 32 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-7 (SVE-6)	06/09/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	07/28/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	08/19/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	10/01/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	11/24/14	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	01/08/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/09/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	04/24/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	05/13/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	06/08/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	07/29/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	08/18/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	09/29/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	11/20/15	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	02/04/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/03/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/23/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	04/14/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	05/19/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	06/16/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	07/27/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	09/15/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	09/19/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	10/20/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	12/15/16	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/22/17	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	09/19/17	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	10/19/17	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	11/15/17	3602.11	DRY	DRY	DRY	DRY
MW-7 (SVE-6)	03/06/18	PLUGGED AND ABANDONED				
MW-8	02/27/01	3598.87	31.17	34.36	3.19	3567.06
MW-8	06/25/01	3598.87	31.93	35.59	3.66	3566.21
MW-8	09/25/01	3598.87	32.33	36.18	3.85	3565.77
MW-8	12/11/01	3598.87	32.63	36.71	4.08	3565.42
MW-8	11/05/02	3598.87	33.86	38.34	4.48	3564.11
MW-8	04/21/03	3598.87	34.22	38.64	4.42	3563.77
MW-8	06/23/03	3598.87	34.31	37.21	2.90	3563.98
MW-8	11/05/03	3598.87	34.43	39.85	5.42	3563.36
MW-8	01/19/04	3598.87	35.13	40.16	5.03	3562.73
MW-8	04/19/04	3598.87	35.20	39.41	4.21	3562.83
MW-8	07/20/04	3598.87	34.96	38.65	3.69	3563.17
MW-8	10/25/04	3598.87	32.93	35.70	2.77	3565.39
MW-8	01/24/05	3598.87	31.29	33.20	1.91	3567.20
MW-8	04/18/05	3598.87	31.67	33.44	1.77	3566.85
MW-8	07/18/05	3598.87	32.42	33.28	0.86	3566.28
MW-8	08/19/05	3598.87	32.68	34.64	1.96	3565.80
MW-8	09/15/05	3598.87	--	32.88	--	3565.99
MW-8	09/29/05	3598.87	32.61	34.59	1.98	3565.86
MW-8	10/11/05	3598.87	32.68	32.93	0.25	3566.14
MW-8	10/17/05	3598.87	32.56	33.49	0.93	3566.12
MW-8	11/03/05	3598.87	32.50	33.71	1.21	3566.13
MW-8	11/16/05	3598.87	32.62	33.65	1.03	3566.04
MW-8	11/29/05	3598.87	32.63	33.77	1.14	3566.01
MW-8	12/21/05	3598.87	32.69	33.83	1.14	3565.95
MW-8	12/28/05	3598.87	32.80	33.92	1.12	3565.85
MW-8	01/04/06	3598.87	32.84	34.11	1.27	3565.78

Table 1

Page 33 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8	01/11/06	3598.87	32.88	33.83	0.95	3565.80
MW-8	01/16/06	3598.87	33.05	33.31	0.26	3565.77
MW-8	01/23/06	3598.87	33.04	33.44	0.40	3565.75
MW-8	02/01/06	3598.87	33.11	33.55	0.44	3565.67
MW-8	02/16/06	3598.87	33.24	33.52	0.28	3565.57
MW-8	03/06/06	3598.87	33.37	33.65	0.28	3565.44
MW-8	03/29/06	3598.87	33.56	33.75	0.19	3565.27
MW-8	04/04/06	3598.87	33.61	33.71	0.10	3565.24
MW-8	04/11/06	3598.87	33.67	33.81	0.14	3565.17
MW-8	04/17/06	3598.87	33.71	33.74	0.03	3565.15
MW-8	04/24/06	3598.87	33.64	34.11	0.47	3565.14
MW-8	05/03/06	3598.87	33.79	33.98	0.19	3565.04
MW-8	05/31/06	3598.87	34.00	34.07	0.07	3564.86
MW-8	06/09/06	3598.87	34.06	34.14	0.08	3564.79
MW-8	06/12/06	3598.87	34.10	34.13	0.03	3564.76
MW-8	06/26/06	3598.87	34.17	34.26	0.09	3564.68
MW-8	07/05/06	3598.87	34.23	34.34	0.11	3564.62
MW-8	07/10/06	3598.87	34.26	34.36	0.10	3564.59
MW-8	07/17/06	3598.87	34.30	34.41	0.11	3564.55
MW-8	07/24/06	3598.87	34.25	34.39	0.14	3564.59
MW-8	08/08/06	3598.87	34.39	34.49	0.10	3564.46
MW-8	08/14/06	3598.87	34.45	34.54	0.09	3564.40
MW-8	08/28/06	3598.87	34.46	34.67	0.21	3564.37
MW-8	09/14/06	3598.87	34.05	34.71	0.66	3564.69
MW-8	09/21/06	3598.87	33.95	34.61	0.66	3564.79
MW-8	09/25/06	3598.87	33.91	34.58	0.67	3564.83
MW-8	10/02/06	3598.87	33.80	34.56	0.76	3564.92
MW-8	10/10/06	3598.87	33.71	34.57	0.86	3564.99
MW-8	10/16/06	3598.87	33.76	33.98	0.22	3565.07
MW-8	10/23/06	3598.87	33.61	33.95	0.34	3565.19
MW-8	10/30/06	3598.87	33.76	33.79	0.03	3565.10
MW-8	11/06/06	3598.87	33.76	33.77	0.01	3565.11
MW-8	11/21/06	3598.87	33.65	34.13	0.48	3565.12
MW-8	11/28/06	3598.87	33.67	34.05	0.38	3565.12
MW-8	12/05/06	3598.87	33.67	34.12	0.45	3565.11
MW-8	12/11/06	3598.87	33.81	33.82	0.01	3565.06
MW-8	12/18/06	3598.87	33.74	34.38	0.64	3565.00
MW-8	01/02/07	3598.87	33.97	34.26	0.29	3564.84
MW-8	01/08/07	3598.87	34.05	34.06	0.01	3564.82
MW-8	01/23/07	3598.87	33.90	34.33	0.43	3564.88
MW-8	02/05/07	3598.87	34.12	34.72	0.60	3564.63
MW-8	02/26/07	3598.87	34.34	34.52	0.18	3564.49
MW-8	03/05/07	3598.87	34.43	34.56	0.13	3564.41
MW-8	03/13/07	3598.87	34.42	34.64	0.22	3564.41
MW-8	03/19/07	3598.87	34.52	34.70	0.18	3564.31
MW-8	03/26/07	3598.87	34.55	34.64	0.09	3564.30
MW-8	04/02/07	3598.87	34.62	35.02	0.40	3564.17
MW-8	04/23/07	3598.87	34.50	34.75	0.25	3564.32
MW-8	05/01/07	3598.87	34.65	34.87	0.22	3564.18
MW-8	05/29/07	3598.87	34.68	35.14	0.46	3564.10
MW-8	06/04/07	3598.87	34.69	35.02	0.33	3564.11
MW-8	06/11/07	3598.87	34.62	35.08	0.46	3564.16
MW-8	06/18/07	3598.87	34.73	35.15	0.42	3564.06
MW-8	06/26/07	3598.87	34.57	35.10	0.53	3564.19
MW-8	07/09/07	3598.87	34.81	35.28	0.47	3563.97
MW-8	07/17/07	3598.87	34.60	35.33	0.73	3564.12
MW-8	07/23/07	3598.87	34.56	35.41	0.85	3564.14

Table 1

Page 34 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8	07/30/07	3598.87	34.64	35.33	0.69	3564.09
MW-8	08/08/07	3598.87	34.60	35.48	0.88	3564.09
MW-8	08/20/07	3598.87	34.67	35.56	0.89	3564.02
MW-8	08/27/07	3598.87	34.68	35.67	0.99	3563.99
MW-8	09/04/07	3598.87	34.84	35.73	0.89	3563.85
MW-8	09/10/07	3598.87	34.97	35.64	0.67	3563.77
MW-8	09/25/07	3598.87	34.64	35.40	0.76	3564.08
MW-8	10/02/07	3598.87	34.61	35.46	0.85	3564.09
MW-8	10/11/07	3598.87	34.48	35.33	0.85	3564.22
MW-8	10/22/07	3598.87	34.26	35.34	1.08	3564.39
MW-8	10/31/07	3598.87	34.46	35.42	0.96	3564.22
MW-8	11/12/07	3598.87	34.38	34.92	0.54	3564.38
MW-8	11/19/07	3598.87	34.49	35.15	0.66	3564.25
MW-8	12/05/07	3598.87	34.59	35.24	0.65	3564.15
MW-8	12/10/07	3598.87	34.68	35.39	0.71	3564.05
MW-8	12/20/07	3598.87	34.71	35.00	0.29	3564.10
MW-8	01/02/08	3598.87	34.76	35.21	0.45	3564.02
MW-8	01/07/08	3598.87	34.79	35.44	0.65	3563.95
MW-8	01/28/08	3598.87	34.65	35.49	0.84	3564.05
MW-8	02/12/08	3598.87	34.95	35.91	0.96	3563.73
MW-8	02/26/08	3598.87	35.13	35.61	0.48	3563.64
MW-8	03/11/08	3598.87	35.20	35.31	0.11	3563.65
MW-8	03/17/08	3598.87	35.23	35.42	0.19	3563.60
MW-8	03/24/08	3598.87	35.27	35.49	0.22	3563.56
MW-8	03/31/08	3598.87	35.30	35.63	0.33	3563.50
MW-8	04/14/08	3598.87	35.37	35.85	0.48	3563.40
MW-8	04/21/08	3598.87	35.14	35.71	0.57	3563.62
MW-8	04/28/08	3598.87	35.56	35.56	0.00	3563.31
MW-8	05/20/08	3598.87	35.60	36.25	0.65	3563.14
MW-8	06/02/08	3598.87	35.75	35.76	0.01	3563.12
MW-8	06/09/08	3598.87	35.80	36.26	0.46	3562.98
MW-8	06/16/08	3598.87	35.90	35.89	0.01	3562.97
MW-8	06/30/08	3598.87	35.73	36.93	1.20	3562.90
MW-8	07/14/08	3598.87	36.20	36.23	0.03	3562.66
MW-8	07/21/08	3598.87	35.71	36.32	0.61	3563.04
MW-8	08/06/08	3598.87	36.03	36.85	0.82	3562.68
MW-8	08/18/08	3598.87	36.11	37.02	0.91	3562.58
MW-8	09/09/08	3598.87	36.26	36.88	0.62	3562.49
MW-8	09/15/08	3598.87	36.33	36.64	0.31	3562.48
MW-8	09/22/08	3598.87	36.30	36.67	0.37	3562.50
MW-8	09/29/08	3598.87	36.47	36.57	0.10	3562.38
MW-8	10/07/08	3598.87	36.02	37.45	1.43	3562.56
MW-8	10/14/08	3598.87	36.24	37.00	0.76	3562.48
MW-8	10/20/08	3598.87	35.65	37.27	1.62	3562.90
MW-8	10/27/08	3598.87	35.88	38.35	2.47	3562.50
MW-8	11/10/08	3598.87	35.75	39.30	3.55	3562.41
MW-8	11/24/08	3598.87	35.90	38.90	3.00	3562.37
MW-8	12/01/08	3598.87	35.66	39.59	3.93	3562.42
MW-8	12/08/08	3598.87	36.04	37.54	1.50	3562.53
MW-8	12/24/08	3598.87	36.38	36.65	0.27	3562.44
MW-8	12/29/08	3598.87	36.32	36.81	0.49	3562.45
MW-8	01/06/09	3598.87	36.48	36.51	0.03	3562.38
MW-8	01/19/09	3598.87	35.92	38.98	3.06	3562.34
MW-8	01/26/09	3598.87	36.60	36.81	0.21	3562.23
MW-8	02/10/09	3598.87	35.95	39.43	3.48	3562.22
MW-8	02/26/09	3598.87	36.48	36.60	0.12	3562.37
MW-8	03/02/09	3598.87	36.52	36.72	0.20	3562.31

Table 1

Page 35 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8	03/09/09	3598.87	36.13	38.79	2.66	3562.21
MW-8	03/16/09	3598.87	36.58	36.76	0.18	3562.25
MW-8	03/24/09	3598.87	36.14	39.00	2.86	3562.16
MW-8	03/30/09	3598.87	36.70	36.71	0.01	3562.17
MW-8	04/06/09	3598.87	36.24	38.70	2.46	3562.14
MW-8	04/14/09	3598.87	36.65	36.93	0.28	3562.16
MW-8	04/20/09	3598.87	35.99	38.58	2.59	3562.36
MW-8	04/28/09	3598.87	36.68	36.95	0.27	3562.14
MW-8	05/11/09	3598.87	36.68	37.02	0.34	3562.12
MW-8	05/26/09	3598.87	36.80	37.05	0.25	3562.02
MW-8	06/01/09	3598.87	36.74	37.04	0.30	3562.07
MW-8	06/02/09	3598.87	36.90	36.91	0.01	3561.97
MW-8	06/09/09	3598.87	36.50	38.47	1.97	3561.98
MW-8	06/15/09	3598.87	36.95	36.94	0.01	3561.92
MW-8	06/29/09	3598.87	36.35	39.55	3.20	3561.88
MW-8	07/06/09	3598.87	36.71	38.05	1.34	3561.89
MW-8	07/14/09	3598.87	36.58	38.52	1.94	3561.90
MW-8	07/20/09	3598.87	36.42	39.71	3.29	3561.79
MW-8	07/27/09	3598.87	36.20	40.04	3.84	3561.90
MW-8	08/03/09	3598.87	36.34	40.39	4.05	3561.72
MW-8	08/04/09	3598.87	36.37	40.33	3.96	3561.71
MW-8	08/12/09	3598.87	36.88	37.70	0.82	3561.83
MW-8	08/24/09	3598.87	36.79	37.55	0.76	3561.93
MW-8	08/31/09	3598.87	36.80	37.66	0.86	3561.90
MW-8	09/08/09	3598.87	36.44	39.24	2.80	3561.87
MW-8	09/16/09	3598.87	36.85	37.76	0.91	3561.84
MW-8	09/28/09	3598.87	37.12	37.14	0.02	3561.75
MW-8	10/12/09	3598.87	36.73	38.34	1.61	3561.82
MW-8	10/26/09	3598.87	36.33	41.00	4.67	3561.61
MW-8	11/03/09	3598.87	37.81	38.82	1.01	3560.86
MW-8	11/10/09	3598.87	36.47	39.67	3.20	3561.76
MW-8	11/23/09	3598.87	37.45	37.76	0.31	3561.36
MW-8	11/30/09	3598.87	36.55	40.58	4.03	3561.51
MW-8	12/07/09	3598.87	36.73	38.70	1.97	3561.75
MW-8	12/22/09	3598.87	38.01	38.02	0.01	3560.86
MW-8	01/04/10	3598.87	36.55	40.38	3.83	3561.55
MW-8	01/11/10	3598.87	36.53	40.64	4.11	3561.52
MW-8	01/18/10	3598.87	38.02	38.03	0.01	3560.85
MW-8	01/25/10	3598.87	36.70	39.91	3.21	3561.53
MW-8	02/01/10	3598.87	36.63	40.68	4.05	3561.43
MW-8	02/08/10	3598.87	36.63	40.77	4.14	3561.41
MW-8	02/22/10	3598.87	--	38.17	--	3560.70
MW-8	03/01/10	3598.87	36.82	40.03	3.21	3561.41
MW-8	03/08/10	3598.87	--	38.18	--	3560.69
MW-8	03/22/10	3598.87	36.76	40.71	3.95	3561.32
MW-8	03/29/10	3598.87	--	38.20	--	3560.67
MW-8	04/05/10	3598.87	36.92	40.05	3.13	3561.32
MW-8	04/13/10	3598.87	--	38.26	--	3560.61
MW-8	04/19/10	3598.87	37.04	39.83	2.79	3561.27
MW-8	04/26/10	3598.87	37.03	39.43	2.40	3561.36
MW-8	05/03/10	3598.87	--	38.20	--	3560.67
MW-8	05/14/10	3598.87	36.98	40.44	3.46	3561.20
MW-8	05/20/10	3598.87	38.11	38.12	0.01	3560.76
MW-8	05/27/10	3598.87	37.10	39.85	2.75	3561.22
MW-8	06/01/10	3598.87	--	38.11	--	3560.76
MW-8	06/07/10	3598.87	37.28	39.12	1.84	3561.22
MW-8	06/15/10	3598.87	38.02	38.40	0.38	3560.77

Table 1

Page 36 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8	06/28/10	3598.87	37.29	39.63	2.34	3561.11
MW-8	07/13/10	3598.87	36.22	38.91	2.69	3562.11
MW-8	07/19/10	3598.87	37.39	37.73	0.34	3561.41
MW-8	07/26/10	3598.87	36.48	38.24	1.76	3562.04
MW-8	07/27/10	3598.87	36.78	36.81	0.03	3562.08
MW-8	07/28/10	3598.87	36.61	37.02	0.41	3562.18
MW-8	08/09/10	3598.87	36.30	38.35	2.05	3562.16
MW-8	08/16/10	3598.87	37.40	37.42	0.02	3561.47
MW-8	08/30/10	3598.87	36.16	37.93	1.77	3562.36
MW-8	09/08/10	3598.87	37.17	37.18	0.01	3561.70
MW-8	09/13/10	3598.87	36.19	37.15	0.96	3562.49
MW-8	09/20/10	3598.87	36.65	36.66	0.01	3562.22
MW-8	09/27/10	3598.87	36.15	37.35	1.20	3562.48
MW-8	10/04/10	3598.87	36.92	36.93	0.01	3561.95
MW-8	10/12/10	3598.87	36.18	37.56	1.38	3562.41
MW-8	10/19/10	3598.87	37.00	37.01	0.01	3561.87
MW-8	10/25/10	3598.87	36.24	37.35	1.11	3562.41
MW-8	11/01/10	3598.87	36.76	37.36	0.60	3561.99
MW-8	11/09/10	3598.87	36.86	36.87	0.01	3562.01
MW-8	11/22/10	3598.87	36.33	38.25	1.92	3562.16
MW-8	12/06/10	3598.87	37.53	37.56	0.03	3561.33
MW-8	01/03/11	3598.87	36.50	39.50	3.00	3561.77
MW-8	01/17/11	3598.87	36.98	37.50	0.52	3561.79
MW-8	01/29/11	3598.87	36.65	39.68	3.03	3561.61
MW-8	01/31/11	3598.87	36.88	38.60	1.72	3561.65
MW-8	02/07/11	3598.87	36.66	40.23	3.57	3561.50
MW-8	02/15/11	3598.87	36.91	39.12	2.21	3561.52
MW-8	03/01/11	3598.87	37.32	37.57	0.25	3561.50
MW-8	03/07/11	3598.87	37.42	37.43	0.01	3561.45
MW-8	03/21/11	3598.87	37.51	37.93	0.42	3561.28
MW-8	03/28/11	3598.87	37.65	37.68	0.03	3561.21
MW-8	07/29/11	3598.87	37.98	39.55	1.57	3560.58
MW-8	08/04/11	3598.87	37.60	39.90	2.30	3560.81
MW-8	08/11/11	3598.87	37.91	38.00	0.09	3560.94
MW-8	08/16/11	3598.87	37.91	38.19	0.28	3560.90
MW-8	09/14/11	3598.87	38.04	38.22	0.18	3560.79
MW-8	10/10/11	3598.87	38.03	39.12	1.09	3560.62
MW-8	11/18/11	3598.87	37.88	41.08	3.20	3560.35
MW-8	01/06/12	3598.87	38.12	41.40	3.28	3560.09
MW-8	01/26/12	3598.87	38.16	41.65	3.49	3560.01
MW-8	02/23/12	3598.87	38.23	41.64	3.41	3559.96
MW-8	03/29/12	3598.87	39.39	41.74	2.35	3559.01
MW-8	04/19/12	3598.87	38.61	41.90	3.29	3559.60
MW-8	05/29/12	3598.87	38.94	39.91	0.97	3559.74
MW-8	09/20/12	3598.87	39.09	41.03	1.94	3559.39
MW-8	11/15/12	3598.87	39.33	41.13	1.80	3559.18
MW-8	11/29/12	3598.87	39.46	41.91	2.45	3558.92
MW-8	12/20/12	3598.87	39.40	41.07	1.67	3559.14
MW-8	02/26/13	3598.87	39.67	41.49	1.82	3558.84
MW-8	03/07/13	3598.87	39.65	41.31	1.66	3558.89
MW-8	03/14/13	3598.87	39.86	41.97	2.11	3558.59
MW-8	04/10/13	3598.87	39.77	41.42	1.65	3558.77
MW-8	05/09/13	3598.87	39.99	41.63	1.64	3558.55
MW-8	06/07/13	3598.87	39.96	41.62	1.66	3558.58
MW-8	07/02/13	3598.87	39.81	41.43	1.62	3558.74
MW-8	07/22/13	3598.87	--	40.29	--	3558.58
MW-8	08/22/13	3598.87	--	40.32	--	3558.55

Table 1

Page 37 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-8	09/19/13	3598.87	--	40.41	--	3558.46
MW-8	10/03/13	3598.87	--	40.37	--	3558.50
MW-8	11/27/13	3598.87	40.53	40.55	0.02	3558.34
MW-8	01/21/14	3598.87	--	40.71	--	3558.16
MW-8	02/13/14	3598.87	--	40.70	--	3558.17
MW-8	03/10/14	3598.87	--	40.78	--	3558.09
MW-8	03/24/14	3598.87	--	40.81	--	3558.06
MW-8	04/28/14	3598.87	--	40.97	--	3557.90
MW-8	06/09/14	3598.87	--	41.01	--	3557.86
MW-8	07/28/14	3598.87	--	41.14	--	3557.73
MW-8	08/19/14	3598.87	--	41.31	--	3557.56
MW-8	10/01/14	3598.87	41.33	41.44	0.11	3557.52
MW-8	11/24/14	3598.87	41.15	41.46	0.31	3557.66
MW-8	01/08/15	3598.87	41.19	41.88	0.69	3557.54
MW-8	03/09/15	3598.87	41.12	41.89	0.77	3557.60
MW-8	04/21/15	3598.87	41.12	41.89	0.77	3557.60
MW-8	04/22/15	3598.87	--	41.31	--	3557.56
MW-8	04/24/15	3598.87	--	41.38	--	3557.49
MW-8	05/13/15	3598.87	41.40	41.60	0.20	3557.43
MW-8	05/27/15	3598.87	41.39	41.75	0.36	3557.41
MW-8	06/08/15	3598.87	41.42	41.89	0.47	3557.36
MW-8	06/24/15	3598.87	41.39	41.98	0.59	3557.36
MW-8	07/07/15	3598.87	41.44	42.01	0.57	3557.32
MW-8	07/08/15	3598.87	41.43	42.00	0.57	3557.33
MW-8	07/29/15	3598.87	41.40	42.00	0.60	3557.35
MW-8	08/18/15	3598.87	41.40	42.04	0.64	3557.34
MW-8	09/29/15	3598.87	41.44	42.04	0.60	3557.31
MW-8	11/20/15	3598.87	41.40	42.04	0.74	3557.42
MW-8	02/04/16	3598.87	41.00	41.71	0.71	3557.73
MW-8	03/03/16	3598.87	--	41.04	--	3557.83
MW-8	03/23/16	3598.87	--	41.60	--	3557.27
MW-8	04/14/16	3598.87	--	41.22	--	3557.65
MW-8	05/19/16	3598.87	41.33	41.34	0.01	3557.54
MW-8	06/16/16	3598.87	41.41	41.81	0.40	3557.38
MW-8	07/27/16	3598.87	--	41.40	--	3557.47
MW-8	09/15/16	3598.87	--	41.42	--	3557.45
MW-8	09/19/16	3598.87	--	41.42	--	3557.45
MW-8	10/20/16	3598.87	41.29	41.93	0.64	3557.45
MW-8	12/15/16	3598.87	41.28	41.92	0.64	3557.46
MW-8	03/22/17	3598.87	--	41.06	--	3557.81
MW-8	09/19/17	3598.87	41.30	41.95	0.65	3557.44
MW-8	10/19/17	3598.87	41.28	41.90	0.62	3557.47
MW-8	11/15/17	3598.87	41.26	41.90	0.64	3557.48
MW-8	03/06/18	PLUGGED AND ABANDONED				
MW-9 (NW-4)	02/27/01	3601.05	--	34.80	--	3566.25
MW-9 (NW-4)	06/25/01	3601.05	35.11	35.78	0.67	3565.81
MW-9 (NW-4)	09/25/01	3601.05	35.19	37.54	2.35	3565.39
MW-9 (NW-4)	06/23/03	3601.05	34.55	38.80	4.25	3565.65
MW-9 (NW-4)	04/22/15	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	05/13/15	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	06/08/15	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	07/07/15	3601.05	40.36	40.37	0.01	3560.69
MW-9 (NW-4)	07/08/15	3601.05	40.36	40.37	0.01	3560.69
MW-9 (NW-4)	08/18/15	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	09/29/15	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	11/20/15	3601.05	DRY	DRY	DRY	DRY

Table 1

Page 38 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-9 (NW-4)	02/04/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	03/03/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	03/23/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	04/14/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	05/19/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	06/16/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	07/27/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	09/15/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	09/19/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	10/20/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	12/15/16	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	03/22/17	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	09/19/17	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	10/19/17	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	11/15/17	3601.05	DRY	DRY	DRY	DRY
MW-9 (NW-4)	03/06/18	PLUGGED AND ABANDONED				
MW-10 (NIW-5)	02/27/01	3602.96	--	36.27	--	3566.69
MW-10 (NIW-5)	06/25/01	3602.96	--	36.69	--	3566.27
MW-10 (NIW-5)	09/25/01	3602.96	--	37.13	--	3565.83
MW-10 (NIW-5)	12/11/01	3602.96	--	37.49	--	3565.47
MW-10 (NIW-5)	05/20/02	3602.96	--	37.87	--	3565.09
MW-10 (NIW-5)	03/22/17	3602.96	--	37.87	--	3565.09
MW-10 (NIW-5)	09/19/17	3602.96	DRY	DRY	DRY	DRY
MW-10 (NIW-5)	03/06/18	PLUGGED AND ABANDONED				
MW-11	02/27/01	3600.67	--	32.13	--	3568.54
MW-11	06/25/01	3600.67	--	32.56	--	3568.11
MW-11	09/25/01	3600.67	--	32.99	--	3567.68
MW-11	12/11/01	3600.67	--	33.33	--	3567.34
MW-11	05/20/02	3600.67	--	33.83	--	3566.84
MW-11	03/22/17	3600.67	--	33.83	--	3566.84
MW-11	09/19/17	3600.67	DRY	DRY	DRY	DRY
MW-11	03/06/18	PLUGGED AND ABANDONED				

Table 1

Page 39 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-12 (NIW-2)	02/27/01	3599.35	--	31.82	--	3567.53
MW-12 (NIW-2)	06/25/01	3599.35	--	32.23	--	3567.12
MW-12 (NIW-2)	09/25/01	3599.35	--	32.63	--	3566.72
MW-12 (NIW-2)	12/11/01	3599.35	--	32.94	--	3566.41
MW-12 (NIW-2)	05/20/02	3599.35	--	33.46	--	3565.89
MW-12 (NIW-2)	03/22/17	3599.35	--	33.46	--	3565.89
MW-12 (NIW-2)	09/19/17	3599.35	DRY	DRY	DRY	DRY
MW-12 (NIW-2)	03/06/18	PLUGGED AND ABANDONED				
MW-13	02/27/01	3601.67	--	36.44	--	3565.23
MW-13	06/25/01	3601.67	--	36.83	--	3564.84
MW-13	09/25/01	3601.67	--	37.23	--	3564.44
MW-13	12/11/01	3601.67	--	37.57	--	3564.10
MW-13	05/20/02	3601.67	--	38.04	--	3563.63
MW-13	08/28/02	3601.67	--	38.30	--	3563.37
MW-13	08/29/02	3601.67	--	38.30	--	3563.37
MW-13	11/07/02	3601.67	--	38.49	--	3563.18
MW-13	11/22/02	3601.67	--	38.45	--	3563.22
MW-13	11/29/02	3601.67	--	38.44	--	3563.23
MW-13	12/17/02	3601.67	--	38.37	--	3563.30
MW-13	12/18/02	3601.67	--	38.40	--	3563.27
MW-13	01/14/03	3601.67	--	38.39	--	3563.28
MW-13	02/24/03	3601.67	--	38.54	--	3563.13
MW-13	02/25/03	3601.67	--	38.52	--	3563.15
MW-13	04/03/03	3601.67	--	38.55	--	3563.12
MW-13	03/14/03	3601.67	--	38.57	--	3563.10
MW-13	04/23/03	3601.67	--	38.65	--	3563.02
MW-13	07/14/03	3601.67	--	38.95	--	3562.72
MW-13	10/15/03	3601.67	--	39.35	--	3562.32
MW-13	01/19/04	3601.67	--	39.37	--	3562.30
MW-13	04/19/04	3601.67	--	39.75	--	3561.92
MW-13	07/03/04	3601.67	--	38.63	--	3563.04
MW-13	07/20/04	3601.67	--	39.51	--	3562.16
MW-13	10/25/04	3601.67	--	37.97	--	3563.70
MW-13	11/03/04	3601.67	--	38.63	--	3563.04
MW-13	01/24/05	3601.67	--	36.03	--	3565.64
MW-13	04/18/05	3601.67	--	36.17	--	3565.50
MW-13	07/18/05	3601.67	--	36.86	--	3564.81
MW-13	10/17/05	3601.67	--	36.92	--	3564.75
MW-13	11/03/05	3601.67	--	36.98	--	3564.69
MW-13	11/10/05	3601.67	--	36.98	--	3564.69
MW-13	11/16/05	3601.67	--	37.02	--	3564.65
MW-13	11/22/05	3601.67	37.01	37.00	0.01	3564.66
MW-13	11/29/05	3601.67	--	37.05	--	3564.62
MW-13	12/06/05	3601.67	--	37.05	--	3564.62
MW-13	12/12/05	3601.67	--	37.10	--	3564.57
MW-13	12/21/05	3601.67	--	37.16	--	3564.51
MW-13	01/04/06	3601.67	--	37.25	--	3564.42
MW-13	01/23/06	3601.67	--	37.31	--	3564.36
MW-13	04/24/06	3601.67	--	37.90	--	3563.77
MW-13	07/24/06	3601.67	--	38.42	--	3563.25
MW-13	10/23/06	3601.67	--	37.94	--	3563.73
MW-13	01/23/07	3601.67	--	38.23	--	3563.44
MW-13	04/23/07	3601.67	--	38.73	--	3562.94
MW-13	07/23/07	3601.67	--	38.91	--	3562.76
MW-13	10/22/07	3601.67	--	38.70	--	3562.97
MW-13	01/28/08	3601.67	--	39.03	--	3562.64

Table 1

Page 40 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-13	04/21/08	3601.67	--	39.36	--	3562.31
MW-13	07/21/08	3601.67	--	39.79	--	3561.88
MW-13	10/20/08	3601.67	--	40.05	--	3561.62
MW-13	01/19/09	3601.67	--	40.18	--	3561.49
MW-13	04/20/09	3601.67	--	40.46	--	3561.21
MW-13	07/27/09	3601.67	--	40.80	--	3560.87
MW-13	10/26/09	3601.67	--	40.93	--	3560.74
MW-13	01/25/10	3601.67	--	41.19	--	3560.48
MW-13	10/10/11	3601.67	DRY	DRY	DRY	DRY
MW-13	02/26/13	3601.67	DRY	DRY	DRY	DRY
MW-13	07/22/13	3601.67	DRY	DRY	DRY	DRY
MW-13	03/24/14	3601.67	DRY	DRY	DRY	DRY
MW-13	07/28/14	3601.67	DRY	DRY	DRY	DRY
MW-13	03/10/15	3601.67	DRY	DRY	DRY	DRY
MW-13	07/29/15	3601.67	DRY	DRY	DRY	DRY
MW-13	03/22/17	3601.67	DRY	DRY	DRY	DRY
MW-13	09/19/17	3601.67	DRY	DRY	DRY	DRY
MW-13	03/06/18	PLUGGED AND ABANDONED				
MW-14	09/19/17	3601.93	41.97	43.65	1.68	3559.62
MW-14	03/19/18	3601.93	41.91	44.50	2.59	3559.50
MW-14	06/04/18	3601.93	42.23	45.41	3.18	3559.06
MW-14	09/17/18	3601.93	42.66	45.50	2.84	3558.70
MW-14	03/20/19	3601.93	42.82	45.61	2.79	3558.55
MW-14	09/16/19	3601.93	43.37	46.06	2.69	3558.02
MW-14	03/16/20	3601.93	43.78	45.33	1.55	3557.84
MW-14	09/01/20	3601.93	44.19	45.27	1.08	3557.52
MW-14	09/15/20	3601.93	44.23	45.37	1.14	3557.47
MW-14	03/31/21	3601.93	45.06	46.41	1.35	3556.60
MW-14	09/07/21	3601.93	45.11	48.66	3.55	3556.11
MW-14	04/06/22	3601.93	45.03	48.13	3.10	3556.28
MW-14	09/12/22	3601.93	45.48	50.02	4.54	3555.54
MW-15	09/19/17	3601.97	43.40	45.00	1.60	3558.25
MW-15	03/19/18	3601.97	43.01	48.56	5.55	3557.85
MW-15	06/04/18	3601.97	43.23	48.83	5.60	3557.62
MW-15	09/17/18	3601.97	43.66	49.21	5.55	3557.20
MW-15	03/20/19	3601.97	43.75	49.50	5.75	3557.07
MW-15	09/16/19	3601.97	44.22	50.05	5.83	3556.58
MW-15	03/16/20	3601.97	44.47	50.37	5.90	3556.32
MW-15	09/01/20	3601.97	44.79	50.68	5.89	3556.00
MW-15	09/15/20	3601.97	44.89	50.35	5.46	3555.99
MW-15	03/31/21	3601.97	45.58	51.44	5.86	3555.22
MW-15	09/07/21	3601.97	46.20	52.04	5.84	3554.60
MW-15	04/06/22	3601.97	46.03	52.18	6.15	3554.71
MW-15	09/12/22	3601.97	46.49	52.68	6.19	3554.24

Table 1

Page 41 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-16	09/19/17	3601.54	42.80	45.73	2.93	3558.16
MW-16	03/19/18	3601.54	42.60	47.85	5.25	3557.89
MW-16	06/04/18	3601.54	42.82	48.23	5.41	3557.64
MW-16	09/17/18	3601.54	43.20	48.72	5.52	3557.24
MW-16	03/20/19	3601.54	43.33	49.50	6.17	3556.98
MW-16	09/16/19	3601.54	43.80	49.67	5.87	3556.57
MW-16	03/16/20	3601.54	44.04	49.99	5.95	3556.31
MW-16	09/01/20	3601.54	44.36	50.37	6.01	3555.98
MW-16	09/15/20	3601.54	44.49	49.80	5.31	3555.99
MW-16	03/31/21	3601.54	45.14	51.28	6.14	3555.17
MW-16	09/07/21	3601.54	45.59	51.90	6.31	3554.69
MW-16	04/05/22	3601.54	45.77	50.75	4.98	3554.77
MW-16	09/12/22	3601.54	46.06	52.38	6.32	3554.22
MW-17	09/19/17	3598.99	40.56	40.96	0.40	3558.35
MW-17	03/19/18	3598.99	40.20	44.14	3.94	3558.01
MW-17	06/04/18	3598.99	40.38	44.57	4.19	3557.77
MW-17	09/17/18	3598.99	40.74	45.26	4.52	3557.35
MW-17	03/20/19	3598.99	40.90	45.46	4.56	3557.18
MW-17	09/16/19	3598.99	41.37	45.98	4.61	3556.70
MW-17	03/16/20	3598.99	41.73	45.40	3.67	3556.53
MW-17	07/15/20	3598.99	42.43	42.53	0.10	3556.54
MW-17	08/31/20	3598.99	42.33	43.94	1.61	3556.34
MW-17	09/15/20	3598.99	42.51	42.23	0.28	3556.54
MW-17	03/31/21	3598.99	42.92	46.02	3.10	3555.45
MW-17	09/07/21	3598.99	43.30	47.19	3.89	3554.91
MW-17	04/05/22	3598.99	43.34	46.78	3.44	3554.96
MW-17	09/12/22	3598.99	43.67	47.94	4.27	3554.47
MW-18	09/19/17	3598.88	--	40.20	--	3558.68
MW-18	03/19/18	3598.88	--	40.35	--	3558.53
MW-18	06/04/18	3598.88	--	40.59	--	3558.29
MW-18	09/17/18	3598.88	--	40.95	--	3557.93
MW-18	03/20/19	3598.88	--	41.07	--	3557.81
MW-18	09/16/19	3598.88	--	41.66	--	3557.22
MW-18	03/16/20	3598.88	--	41.88	--	3557.00
MW-18	09/15/20	3598.88	--	42.25	--	3556.63
MW-18	03/31/21	3598.88	--	42.96	--	3555.92
MW-18	09/07/21	3598.88	--	43.41	--	3555.47
MW-18	04/05/22	3598.88	--	43.42	--	3555.46
MW-18	09/12/22	3598.88	--	43.86	--	3555.02
MW-19	09/19/17	3601.25	--	41.51	--	3559.74
MW-19	03/19/18	3601.25	41.53	43.12	1.59	3559.40
MW-19	06/04/18	3601.25	41.75	43.51	1.76	3559.15
MW-19	09/17/18	3601.25	42.04	44.29	2.25	3558.76
MW-19	03/20/19	3601.25	42.18	44.61	2.43	3558.58
MW-19	09/16/19	3601.25	42.7	45.24	2.54	3558.04
MW-19	03/16/20	3601.25	42.89	45.65	2.76	3557.81
MW-19	09/01/20	3601.25	43.19	46.25	3.06	3557.45
MW-19	09/15/20	3601.25	43.5	44.81	1.31	3557.49
MW-19	03/31/21	3601.25	44.07	47.08	3.01	3556.58
MW-19	09/07/21	3601.25	44.51	47.32	2.81	3556.18
MW-19	04/06/22	3601.25	44.45	47.50	3.05	3556.19
MW-19	09/12/22	3601.25	44.94	48.04	3.10	3555.69

Table 1

Page 42 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-20	09/19/17	3600.85	--	49.50	--	3551.35
MW-20	03/19/18	3600.85	--	44.58	--	3556.27
MW-20	06/04/18	3600.85	--	44.81	--	3556.04
MW-20	09/17/18	3600.85	--	45.13	--	3555.72
MW-20	03/20/19	3600.85	--	44.33	--	3556.52
MW-20	09/16/19	3600.85	45.77	45.80	0.03	3555.07
MW-20	03/16/20	3600.85	45.41	46.86	1.45	3555.15
MW-20	08/31/20	3600.85	46.14	47.50	1.36	3554.44
MW-20	09/15/20	3600.85	46.18	47.45	1.27	3554.42
MW-20	03/31/21	3600.85	44.23	46.32	2.09	3556.20
MW-20	04/05/22	3600.85	47.48	47.90	0.42	3553.29
MW-20	09/07/21	3600.85	47.28	48.49	1.21	3553.33
MW-20	09/12/22	3600.85	47.75	49.34	1.59	3552.78
MW-21	09/19/17	3600.33	--	37.87	--	3562.46
MW-21	03/19/18	3600.33	--	44.06	--	3556.27
MW-21	06/04/18	3600.33	--	44.26	--	3556.07
MW-21	09/17/18	3600.33	--	44.56	--	3555.77
MW-21	03/20/19	3600.33	--	44.76	--	3555.57
MW-21	09/16/19	3600.33	--	45.22	--	3555.11
MW-21	03/16/20	3600.33	--	45.46	--	3554.87
MW-21	08/31/20	3600.33	--	45.78	--	3554.55
MW-21	09/15/20	3600.33	--	45.85	--	3554.48
MW-21	04/01/21	3600.33	--	46.42	--	3553.91
MW-21	09/07/21	3600.33	--	46.93	--	3553.40
MW-21	04/05/22	3600.33	--	46.95	--	3553.38
MW-21	09/12/22	3600.33	--	47.37	--	3552.96
MW-22	03/19/18	3601.49	--	40.88	--	3560.61
MW-22	06/04/18	3601.49	--	41.24	--	3560.25
MW-22	09/17/18	3601.49	--	41.57	--	3559.92
MW-22	03/20/19	3601.49	--	41.65	--	3559.84
MW-22	09/16/19	3601.49	--	42.33	--	3559.16
MW-22	03/16/20	3601.49	--	42.53	--	3558.96
MW-22	09/15/20	3601.49	--	42.98	--	3558.51
MW-22	04/01/21	3601.49	--	43.90	--	3557.59
MW-22	09/07/21	3601.49	--	44.23	--	3557.26
MW-22	04/05/22	3602.49	--	44.14	--	3558.35
MW-22	09/12/22	3602.49	--	44.72	--	3557.77
MW-23	03/19/18	3602.28	42.89	46.50	3.61	3558.67
MW-23	06/04/18	3602.28	42.85	48.30	5.45	3558.34
MW-23	09/17/18	3602.28	43.21	48.87	5.66	3557.94
MW-23	03/20/19	3602.28	43.36	48.94	5.58	3557.80
MW-23	09/16/19	3602.28	43.88	49.54	5.66	3557.27
MW-23	03/16/20	3602.28	44.11	49.84	5.73	3557.02
MW-23	09/01/20	3602.28	44.45	50.11	5.66	3556.70
MW-23	09/02/20	3602.28	45.24	45.47	0.23	3556.99
MW-23	09/15/20	3602.28	44.74	48.74	4.00	3556.74
MW-23	04/01/21	3602.28	45.27	51.18	5.91	3555.83
MW-23	09/07/21	3602.28	45.63	51.88	6.25	3555.40
MW-23	04/06/22	3602.28	45.67	51.77	6.10	3555.39
MW-23	09/12/22	3602.28	46.15	52.46	6.31	3554.87

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-24	03/19/18	3599.36	40.11	44.17	4.06	3558.44
MW-24	06/04/18	3599.36	40.27	44.95	4.68	3558.15
MW-24	09/17/18	3599.36	40.62	45.71	5.09	3557.72
MW-24	03/20/19	3599.36	40.77	45.90	5.13	3557.56
MW-24	09/16/19	3599.36	41.28	46.35	5.07	3557.07
MW-24	03/16/20	3599.36	41.55	46.25	4.70	3556.87
MW-24	09/01/20	3599.36	41.92	46.24	4.32	3556.58
MW-24	09/15/20	3599.36	41.19	44.98	3.79	3557.41
MW-24	04/01/21	3599.36	42.68	47.39	4.71	3555.74
MW-24	09/07/21	3599.36	43.15	47.88	4.73	3555.26
MW-24	04/05/22	3599.36	43.19	47.85	4.66	3555.24
MW-24	09/14/22	3599.36	43.62	47.99	4.37	3554.87
MW-25	03/19/18	3602.44	44.69	48.67	3.98	3556.95
MW-25	06/04/18	3602.44	44.64	44.95	0.31	3557.74
MW-25	09/17/18	3602.44	45.04	50.71	5.67	3556.27
MW-25	03/20/19	3602.44	45.17	50.96	5.79	3556.11
MW-25	09/16/19	3602.44	45.62	51.49	5.87	3555.65
MW-25	03/16/20	3602.44	45.9	51.72	5.82	3555.38
MW-25	07/15/20	3602.44	48.87	53.91	5.04	3552.56
MW-25	09/01/20	3602.44	49.62	49.95	0.33	3552.75
MW-25	09/15/20	3602.44	49.38	52.09	2.71	3552.52
MW-25	03/30/21	3602.44	49.58	55.03	5.45	3551.77
MW-25	09/07/21	3602.44	50.05	55.05	5.00	3551.39
MW-25	04/06/22	3602.44	NM	NM	NM	NM
MW-25	09/14/22	3602.44	47.92	53.66	5.74	3553.37
MW-26	03/19/18	3601.17	42.98	48.24	5.26	3557.14
MW-26	06/04/18	3601.17	43.16	48.75	5.59	3556.89
MW-26	09/17/18	3601.17	43.51	49.16	5.65	3556.53
MW-26	03/20/19	3601.17	43.7	49.33	5.63	3556.34
MW-26	09/16/19	3601.17	44.16	49.75	5.59	3555.89
MW-26	03/16/20	3601.17	44.44	49.89	5.45	3555.64
MW-26	08/31/20	3601.17	44.78	49.95	5.17	3555.36
MW-26	09/15/20	3601.17	44.92	49.49	4.57	3555.34
MW-26	03/30/21	3601.17	45.50	50.79	5.29	3554.61
MW-26	09/07/21	3601.17	46.02	51.33	5.31	3554.09
MW-26	09/12/22	3601.17	46.51	51.76	5.25	3553.61
MW-27	03/19/18	3598.65	40.79	42.47	1.68	3557.52
MW-27	06/04/18	3598.65	40.86	43.42	2.56	3557.28
MW-27	09/17/18	3598.65	41.07	44.68	3.61	3556.86
MW-27	03/20/19	3598.65	41.24	45.23	3.99	3556.61
MW-27	09/16/19	3598.65	41.65	45.86	4.21	3556.16
MW-27	03/16/20	3598.65	47.00	45.50	1.50	3551.95
MW-27	08/31/20	3598.65	42.55	44.10	1.55	3555.79
MW-27	09/15/20	3598.65	42.60	44.23	1.63	3555.72
MW-27	03/30/21	3598.65	43.20	45.37	2.17	3555.02
MW-27	09/07/21	3598.65	43.71	46.03	2.32	3554.48
MW-27	04/05/22	3598.65	44.01	44.05	0.04	3554.63
MW-27	09/12/22	3598.65	44.41	45.16	0.75	3554.09

Table 1

Page 44 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-28	03/19/18	3598.89	--	41.03	--	3557.86
MW-28	06/04/18	3598.89	--	41.25	--	3557.64
MW-28	09/17/18	3598.89	--	41.55	--	3557.34
MW-28	03/20/19	3598.89	--	41.75	--	3557.14
MW-28	09/16/19	3598.89	--	42.26	--	3556.63
MW-28	03/16/20	3598.89	--	42.46	--	3556.43
MW-28	09/15/20	3598.89	--	42.85	--	3556.04
MW-28	04/01/21	3598.89	--	43.51	--	3555.38
MW-28	09/07/21	3598.89	--	43.95	--	3554.94
MW-28	04/05/22	3599.89	--	43.97	--	3555.92
MW-28	09/12/22	3599.89	--	44.41	--	3555.48
MW-29	03/19/18	3602.19	--	46.87	--	3555.32
MW-29	06/04/18	3602.19	--	47.05	--	3555.14
MW-29	09/17/18	3602.19	--	47.35	--	3554.84
MW-29	03/20/19	3602.19	--	47.59	--	3554.60
MW-29	09/16/19	3602.19	--	48.02	--	3554.17
MW-29	03/16/20	3602.19	--	48.27	--	3553.92
MW-29	08/31/20	3602.19	--	48.58	--	3553.61
MW-29	09/15/20	3602.19	--	48.65	--	3553.54
MW-29	04/01/21	3602.19	--	49.21	--	3552.98
MW-29	09/07/21	3602.19	--	49.69	--	3552.50
MW-29	04/05/22	3603.19	--	49.81	--	3553.38
MW-29	09/12/22	3603.19	--	50.21	--	3552.98
MW-30	03/19/18	3601.68	--	45.20	--	3556.48
MW-30	06/04/18	3601.68	--	46.40	--	3555.28
MW-30	09/17/18	3601.68	--	46.68	--	3555.00
MW-30	03/20/19	3601.68	--	46.90	--	3554.78
MW-30	09/16/19	3601.68	--	47.35	--	3554.33
MW-30	03/16/20	3601.68	--	47.60	--	3554.08
MW-30	08/31/20	3601.68	--	47.92	--	3553.76
MW-30	09/15/20	3601.68	--	47.98	--	3553.70
MW-30	04/01/21	3601.68	--	48.52	--	3553.16
MW-30	09/07/21	3601.68	--	49.00	--	3552.68
MW-30	04/05/22	3602.68	--	49.12	--	3553.56
MW-30	09/12/22	3602.68	--	49.51	--	3553.17
MW-31	03/19/18	3600.67	--	45.06	--	3555.61
MW-31	06/04/18	3600.67	--	45.25	--	3555.42
MW-31	09/17/18	3600.67	--	45.55	--	3555.12
MW-31	03/20/19	3600.67	--	45.75	--	3554.92
MW-31	09/16/19	3600.67	--	46.20	--	3554.47
MW-31	03/16/20	3600.67	--	46.45	--	3554.22
MW-31	08/31/20	3600.67	--	46.77	--	3553.90
MW-31	09/15/20	3600.67	--	46.81	--	3553.86
MW-31	04/01/21	3600.67	--	47.39	--	3553.28
MW-31	09/07/21	3600.67	--	47.81	--	3552.86
MW-31	04/05/22	3601.67	--	47.95	--	3553.72
MW-31	09/12/22	3601.67	--	48.33	--	3553.34

Table 1

Page 45 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-32	03/19/18	3600.06	--	44.22	--	3555.84
MW-32	06/04/18	3600.06	--	44.39	--	3555.67
MW-32	09/17/18	3600.06	--	44.70	--	3555.36
MW-32	03/20/19	3600.06	--	44.90	--	3555.16
MW-32	09/16/19	3600.06	--	45.33	--	3554.73
MW-32	03/16/20	3600.06	--	45.58	--	3554.48
MW-32	08/31/20	3600.06	--	45.89	--	3554.17
MW-32	09/15/20	3600.06	--	45.95	--	3554.11
MW-32	04/01/21	3600.06	--	46.50	--	3553.56
MW-32	09/07/21	3600.06	--	46.93	--	3553.13
MW-32	04/05/22	3601.06	--	47.07	--	3553.99
MW-32	09/12/22	3601.06	--	47.44	--	3553.62
MW-33	03/19/18	3599.74	--	43.76	--	3555.98
MW-33	06/04/18	3599.74	--	43.94	--	3555.80
MW-33	09/17/18	3599.74	--	44.23	--	3555.51
MW-33	03/20/19	3599.74	--	44.44	--	3555.30
MW-33	09/16/19	3599.74	--	44.87	--	3554.87
MW-33	03/16/20	3599.74	--	45.12	--	3554.62
MW-33	08/31/20	3599.74	--	45.40	--	3554.34
MW-33	09/15/20	3599.74	--	45.49	--	3554.25
MW-33	04/01/21	3599.74	--	46.03	--	3553.71
MW-33	09/07/21	3599.74	--	46.45	--	3553.29
MW-33	04/05/22	3600.74	--	46.58	--	3554.16
MW-33	09/12/22	3600.74	--	46.94	--	3553.80
MW-34	09/16/19	3603.07	--	45.11	--	3557.96
MW-34	03/16/20	3603.07	--	45.35	--	3557.72
MW-34	09/15/20	3603.07	--	45.79	--	3557.28
MW-34	04/01/21	3603.07	--	46.65	--	3556.42
MW-34	09/07/21	3603.07	--	47.02	--	3556.05
MW-34	04/05/22	3604.07	--	46.96	--	3557.11
MW-34	09/12/22	3604.07	--	47.49	--	3556.58
MW-35	09/16/19	3603.17	--	46.29	--	3556.88
MW-35	03/16/20	3603.17	46.41	47.66	1.25	3556.51
MW-35	09/15/20	3603.17	46.72	47.21	0.49	3556.35
MW-35	03/30/21	3603.17	47.35	49.56	2.21	3555.38
MW-35	09/07/21	3603.17	47.80	50.73	2.93	3554.78
MW-35	04/05/22	3603.17	47.57	51.62	4.05	3554.79
MW-35	09/12/22	3603.17	48.09	52.13	4.04	3554.27
MW-36	09/16/19	3603.44	47.32	49.57	2.25	3555.67
MW-36	03/16/20	3603.44	47.44	50.75	3.31	3555.34
MW-36	08/31/20	3603.44	47.87	50.31	2.44	3555.09
MW-36	09/02/20	3603.44	48.21	48.30	0.09	3555.22
MW-36	09/15/20	3603.45	48.07	49.45	1.38	3555.10
MW-36	03/30/21	3603.45	48.52	51.57	3.05	3554.32
MW-36	09/07/21	3603.45	49.07	51.92	2.85	3553.81
MW-36	04/05/22	3603.45	49.08	51.97	2.89	3553.79
MW-36	09/12/22	3603.45	49.6	52.29	2.69	3553.31

Table 1

Page 46 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MW-37	09/16/19	3603.62	--	48.66	--	3554.96
MW-37	03/16/20	3603.62	--	48.92	--	3554.70
MW-37	08/31/20	3603.62	--	49.25	--	3554.37
MW-37	09/15/20	3603.61	--	49.25	--	3554.36
MW-37	04/01/21	3603.61	--	49.92	--	3553.69
MW-37	09/07/21	3603.61	--	50.42	--	3553.19
MW-37	04/05/22	3604.61	--	50.49	--	3554.12
MW-37	09/12/22	3604.61	--	50.91	--	3553.70
MW-38	08/31/20	3603.27	--	48.90	--	3554.37
MW-38	09/15/20	3603.27	--	48.93	--	3554.34
MW-38	04/01/21	3603.27	--	49.59	--	3553.68
MW-38	09/07/21	3603.27	--	50.13	--	3553.14
MW-38	04/05/22	3604.27	--	50.16	--	3554.11
MW-38	09/12/22	3604.27	--	50.61	--	3553.66
MW-39	08/31/20	3604.25	--	49.14	--	3555.11
MW-39	09/15/20	3604.25	--	49.19	--	3555.06
MW-39	04/01/21	3604.25	--	49.89	--	3554.36
MW-39	09/07/21	3604.25	--	50.41	--	3553.84
MW-39	04/05/22	3605.25	--	50.42	--	3554.83
MW-39	09/12/22	3605.25	--	50.88	--	3554.37
SV-1	02/27/01	3602.16	NM	NM	NM	NM
SV-1	06/25/01	3602.16	NM	NM	NM	NM
SV-1	09/25/01	3602.16	NM	NM	NM	NM
SV-1	12/11/01	3602.16	NM	NM	NM	NM
SV-1	10/25/04	3602.16	DRY	DRY	DRY	DRY
SV-1	01/24/05	3602.16	DRY	DRY	DRY	DRY
SV-1	04/18/05	3602.16	DRY	DRY	DRY	DRY
SV-1	07/18/05	3602.16	DRY	DRY	DRY	DRY
SV-1	10/17/05	3602.16	DRY	DRY	DRY	DRY
SV-1	01/23/06	3602.16	DRY	DRY	DRY	DRY
SV-1	05/29/12	3602.16	--	22.97	--	3579.19
SV-1	03/22/17	3602.16	--	23.01	--	3579.15
SV-1	09/19/17	3602.16	NM	NM	NM	NM
SV-1	03/06/18	PLUGGED AND ABANDONED				
SVE-2 (SV-2)	02/27/01	3601.17	32.06	37.03	4.97	3568.12
SVE-2 (SV-2)	06/25/01	3601.17	32.67	37.28	4.61	3567.58
SVE-2 (SV-2)	09/25/01	3601.17	33.46	37.75	4.29	3566.85
SVE-2 (SV-2)	12/11/01	3601.17	33.74	37.69	3.95	3566.64
SVE-2 (SV-2)	11/05/02	3601.17	35.58	39.06	3.48	3564.89
SVE-2 (SV-2)	04/21/03	3601.17	35.65	39.33	3.68	3564.78
SVE-2 (SV-2)	11/05/03	3601.17	35.02	--	--	--
SVE-2 (SV-2)	04/18/05	3601.17	33.45	34.29	0.84	3567.55
SVE-2 (SV-2)	07/18/05	3601.17	34.17	35.27	1.10	3566.78
SVE-2 (SV-2)	10/17/05	3601.17	34.14	34.86	0.72	3566.89
SVE-2 (SV-2)	01/23/06	3601.17	34.58	35.71	1.13	3566.36
SVE-2 (SV-2)	04/24/06	3601.17	35.17	39.90	4.73	3565.05
SVE-2 (SV-2)	03/22/17	3601.17	DRY	DRY	DRY	DRY
SVE-2 (SV-2)	09/19/17	3601.17	NM	NM	NM	NM
SVE-2 (SV-2)	03/06/18	PLUGGED AND ABANDONED				

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
MP-1	02/27/01	3601.87	NM	NM	NM	NM
MP-1	06/25/01	3601.87	NM	NM	NM	NM
MP-1	09/25/01	3601.87	NM	NM	NM	NM
MP-1	12/11/01	3601.87	NM	NM	NM	NM
MP-1	10/25/04	3601.87	DRY	DRY	DRY	DRY
MP-1	01/24/05	3601.87	DRY	DRY	DRY	DRY
MP-1	04/18/05	3601.87	DRY	DRY	DRY	DRY
MP-1	07/18/05	3601.87	DRY	DRY	DRY	DRY
MP-1	10/17/05	3601.87	DRY	DRY	DRY	DRY
MP-1	01/23/06	3601.87	DRY	DRY	DRY	DRY
MP-1	04/24/06	3601.87	--	22.93	--	3578.94
MP-1	05/29/12	3601.87	--	22.95	--	3578.92
MP-1	03/22/17	3601.87	--	22.97	--	3578.90
MP-1	09/19/17	3601.87	NM	NM	NM	NM
MP-1	03/06/18	PLUGGED AND ABANDONED				
MP-2	02/27/01	3601.87	NM	NM	NM	NM
MP-2	06/25/01	3601.87	33.15	37.66	4.51	3567.82
MP-2	09/25/01	3601.87	NM	NM	NM	NM
MP-2	12/11/01	3601.87	NM	NM	NM	NM
MP-2	03/22/17	3601.87	DRY	DRY	DRY	DRY
MP-2	09/19/17	3601.87	NM	NM	NM	NM
MP-2	03/06/18	PLUGGED AND ABANDONED				
IW-2	06/05/02	3597.87	--	32.94	--	3564.93
IW-2	06/07/02	3597.87	--	32.99	--	3564.88
IW-2	06/08/02	3597.87	--	32.96	--	3564.91
IW-2	08/28/02	3597.87	--	32.27	--	3565.60
IW-2	08/29/02	3597.87	--	32.23	--	3565.64
IW-2	10/25/02	3597.87	--	32.46	--	3565.41
IW-2	11/06/02	3597.87	--	32.45	--	3565.42
IW-2	01/14/03	3597.87	--	32.41	--	3565.46
IW-2	02/26/03	3597.87	--	32.48	--	3565.39
IW-2	04/23/03	3597.87	--	32.49	--	3565.38
IW-2	06/23/03	3597.87	--	32.88	--	3564.99
IW-2	07/14/03	3597.87	--	32.95	--	3564.92
IW-2	10/15/03	3597.87	--	33.31	--	3564.56
IW-2	01/19/04	3597.87	--	33.65	--	3564.22
IW-2	04/19/04	3597.87	--	33.79	--	3564.08
IW-2	07/20/04	3597.87	--	33.57	--	3564.30
IW-2	10/25/04	3597.87	--	31.92	--	3565.95
IW-2	01/24/05	3597.87	--	30.56	--	3567.31
IW-2	04/18/05	3597.87	--	30.44	--	3567.43
IW-2	07/18/05	3597.87	--	30.84	--	3567.03
IW-2	10/17/05	3597.87	--	30.96	--	3566.91
IW-2	10/19/05	3597.87	30.85	30.87	0.02	3567.02
IW-2	11/03/05	3597.87	--	30.91	--	3566.96
IW-2	11/10/05	3597.87	30.94	30.95	0.01	3566.93
IW-2	11/16/05	3597.87	--	30.98	--	3566.89
IW-2	11/22/05	3597.87	--	30.96	--	3566.91
IW-2	12/06/05	3597.87	--	30.98	--	3566.89
IW-2	12/12/05	3597.87	--	31.02	--	3566.85
IW-2	12/21/05	3597.87	--	31.05	--	3566.82
IW-2	01/04/06	3597.87	--	31.14	--	3566.73
IW-2	01/11/06	3597.87	--	31.16	--	3566.71
IW-2	01/23/06	3597.87	--	31.16	--	3566.71
IW-2	04/24/06	3597.87	--	31.69	--	3566.18

Table 1

Page 48 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-2	07/24/06	3597.87	--	32.14	--	3565.73
IW-2	10/23/06	3597.87	34.95	34.96	0.01	3562.92
IW-2	01/23/07	3597.87	--	32.09	--	3565.78
IW-2	04/23/07	3597.87	--	32.50	--	3565.37
IW-2	07/23/07	3597.87	32.75	32.76	0.01	3565.12
IW-2	10/22/07	3597.87	--	32.75	--	3565.12
IW-2	01/28/08	3597.87	32.90	32.91	0.01	3564.97
IW-2	04/21/08	3597.87	--	33.17	--	3564.70
IW-2	07/21/08	3597.87	--	33.60	--	3564.27
IW-2	10/21/08	3597.87	--	33.92	--	3563.95
IW-2	01/19/09	3597.87	34.07	34.08	0.01	3563.80
IW-2	04/20/09	3597.87	--	34.35	--	3563.52
IW-2	07/27/09	3597.87	34.69	34.70	0.01	3563.18
IW-2	10/26/09	3597.87	--	34.89	--	3562.98
IW-2	01/25/10	3597.87	--	35.10	--	3562.77
IW-2	04/26/10	3597.87	--	35.35	--	3562.52
IW-2	07/26/10	3597.87	--	34.91	--	3562.96
IW-2	10/25/10	3597.87	--	34.55	--	3563.32
IW-2	01/24/11	3597.87	--	35.30	--	3562.57
IW-2	10/10/11	3597.87	--	36.19	--	3561.68
IW-2	05/29/12	3597.87	--	37.00	--	3560.87
IW-2	02/26/13	3597.87	--	37.84	--	3560.03
IW-2	07/22/13	3597.87	--	38.25	--	3559.62
IW-2	03/24/14	3597.87	--	38.82	--	3559.05
IW-2	07/28/14	3597.87	--	39.22	--	3558.65
IW-2	03/10/15	3597.87	--	39.52	--	3558.35
IW-2	07/29/15	3597.87	--	39.41	--	3558.46
IW-2	03/23/16	3597.87	--	39.38	--	3558.49
IW-2	09/19/16	3597.87	--	40.19	--	3557.68
IW-2	03/22/17	3597.87	--	39.64	--	3558.23
IW-2	09/19/17	3597.87	--	39.94	--	3557.93
IW-2	03/06/18	PLUGGED AND ABANDONED				
IW-3	06/05/02	3597.30	--	32.85	--	3564.45
IW-3	06/07/02	3597.30	--	32.89	--	3564.41
IW-3	06/08/02	3597.30	--	32.88	--	3564.42
IW-3	08/28/02	3597.30	--	33.02	--	3564.28
IW-3	08/29/02	3597.30	--	33.01	--	3564.29
IW-3	10/25/02	3597.30	--	33.20	--	3564.10
IW-3	11/06/02	3597.30	--	33.23	--	3564.07
IW-3	01/14/03	3597.30	--	33.20	--	3564.10
IW-3	02/26/03	3597.30	--	33.28	--	3564.02
IW-3	04/23/03	3597.30	--	33.28	--	3564.02
IW-3	06/23/03	3597.30	--	33.78	--	3563.52
IW-3	07/14/03	3597.30	--	33.85	--	3563.45
IW-3	10/15/03	3597.30	--	34.05	--	3563.25
IW-3	01/19/04	3597.30	--	34.34	--	3562.96
IW-3	04/19/04	3597.30	--	34.18	--	3563.12
IW-3	07/20/04	3597.30	--	33.99	--	3563.31
IW-3	10/25/04	3597.30	--	31.94	--	3565.36
IW-3	01/24/05	3597.30	--	31.41	--	3565.89
IW-3	04/18/05	3597.30	--	31.37	--	3565.93
IW-3	07/18/05	3597.30	--	31.81	--	3565.49
IW-3	10/17/05	3597.30	--	31.92	--	3565.38
IW-3	10/19/05	3597.30	33.90	33.91	0.01	3563.40
IW-3	11/03/05	3597.30	32.00	32.01	0.01	3565.30
IW-3	11/10/05	3597.30	31.99	32.00	0.01	3565.31

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-3	11/16/05	3597.30	33.03	33.04	0.01	3564.27
IW-3	11/22/05	3597.30	--	32.03	--	3565.27
IW-3	12/06/05	3597.30	--	32.06	--	3565.24
IW-3	12/12/05	3597.30	--	32.08	--	3565.22
IW-3	12/21/05	3597.30	--	32.12	--	3565.18
IW-3	01/04/06	3597.30	--	32.20	--	3565.10
IW-3	01/11/06	3597.30	--	32.22	--	3565.08
IW-3	01/23/06	3597.30	--	32.46	--	3564.84
IW-3	04/24/06	3597.30	32.69	32.71	0.02	3564.61
IW-3	07/24/06	3597.30	33.02	33.04	0.02	3564.28
IW-3	10/23/06	3597.30	33.88	33.89	0.01	3563.42
IW-3	01/23/07	3597.30	--	33.11	--	3564.19
IW-3	04/23/07	3597.30	--	33.50	--	3563.80
IW-3	07/23/07	3597.30	--	33.78	--	3563.52
IW-3	10/22/07	3597.30	--	33.80	--	3563.50
IW-3	01/28/08	3597.30	33.89	33.90	0.01	3563.41
IW-3	04/21/08	3597.30	--	34.18	--	3563.12
IW-3	07/21/08	3597.30	--	34.54	--	3562.76
IW-3	10/20/08	3597.30	--	34.82	--	3562.48
IW-3	01/19/09	3597.30	--	35.00	--	3562.30
IW-3	04/20/09	3597.30	35.24	35.25	0.01	3562.06
IW-3	07/27/09	3597.30	--	35.57	--	3561.73
IW-3	10/26/09	3597.30	--	35.76	--	3561.54
IW-3	01/25/10	3597.30	--	36.00	--	3561.30
IW-3	04/26/10	3597.30	--	36.24	--	3561.06
IW-3	07/26/10	3597.30	--	35.56	--	3561.74
IW-3	10/25/10	3597.30	--	35.40	--	3561.90
IW-3	01/24/11	3597.30	--	36.14	--	3561.16
IW-3	10/10/11	3597.30	--	37.03	--	3560.27
IW-3	05/29/12	3597.30	--	37.84	--	3559.46
IW-3	02/26/13	3597.30	--	38.60	--	3558.70
IW-3	07/22/13	3597.30	--	39.55	--	3557.75
IW-3	03/24/14	3597.30	--	39.55	--	3557.75
IW-3	07/28/14	3597.30	--	39.92	--	3557.38
IW-3	03/10/15	3597.30	--	40.65	--	3556.65
IW-3	07/29/15	3597.30	--	40.29	--	3557.01
IW-3	03/23/16	3597.30	--	40.75	--	3556.55
IW-3	09/19/16	3597.30	--	41.21	--	3556.09
IW-3	03/22/17	3597.30	--	40.54	--	3556.76
IW-3	09/19/17	3597.30	--	40.83	--	3556.47
IW-3	03/06/18	PLUGGED AND ABANDONED				
IW-4	06/05/02	3596.13	--	32.12	--	3564.01
IW-4	06/07/02	3596.13	--	32.14	--	3563.99
IW-4	06/08/02	3596.13	--	32.17	--	3563.96
IW-4	08/28/02	3596.13	--	32.45	--	3563.68
IW-4	08/29/02	3596.13	--	32.41	--	3563.72
IW-4	10/25/02	3596.13	--	32.62	--	3563.51
IW-4	11/06/02	3596.13	--	32.68	--	3563.45
IW-4	01/14/03	3596.13	--	32.63	--	3563.50
IW-4	02/26/03	3596.13	--	32.71	--	3563.42
IW-4	04/23/03	3596.13	--	32.74	--	3563.39
IW-4	06/23/03	3596.13	--	33.03	--	3563.10
IW-4	07/14/03	3596.13	--	32.45	--	3563.68
IW-4	10/15/03	3596.13	--	33.49	--	3562.64
IW-4	01/19/04	3596.13	--	33.79	--	3562.34
IW-4	04/19/04	3596.13	--	33.85	--	3562.28

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-4	07/20/04	3596.13	--	33.60	--	3562.53
IW-4	10/25/04	3596.13	--	32.10	--	3564.03
IW-4	01/24/05	3596.13	--	30.59	--	3565.54
IW-4	04/18/05	3596.13	--	30.60	--	3565.53
IW-4	07/18/05	3596.13	--	31.13	--	3565.00
IW-4	10/17/05	3596.13	--	31.28	--	3564.85
IW-4	10/19/05	3596.13	31.23	31.25	0.02	3564.90
IW-4	11/03/05	3596.13	--	31.22	--	3564.91
IW-4	11/10/05	3596.13	--	31.33	--	3564.80
IW-4	11/16/05	3596.13	--	31.36	--	3564.77
IW-4	11/22/05	3596.13	31.24	31.25	0.01	3564.89
IW-4	12/06/05	3596.13	--	31.39	--	3564.74
IW-4	12/12/05	3596.13	31.42	31.43	0.01	3564.71
IW-4	12/21/05	3596.13	--	31.47	--	3564.66
IW-4	01/04/06	3596.13	--	31.45	--	3564.68
IW-4	01/11/06	3596.13	31.57	31.58	0.01	3564.56
IW-4	01/23/06	3596.13	--	31.63	--	3564.50
IW-4	04/24/06	3596.13	32.10	32.11	0.01	3564.03
IW-4	07/24/06	3596.13	32.58	32.59	0.01	3563.55
IW-4	10/23/06	3596.13	32.25	32.27	0.02	3563.88
IW-4	01/23/07	3596.13	--	32.50	--	3563.63
IW-4	04/23/07	3596.13	32.93	32.96	0.03	3563.19
IW-4	07/23/07	3596.13	33.15	33.21	0.06	3562.97
IW-4	10/22/07	3596.13	33.05	33.07	0.02	3563.08
IW-4	01/28/08	3596.13	33.27	33.28	0.01	3562.86
IW-4	04/21/08	3596.13	--	33.59	--	3562.54
IW-4	07/21/08	3596.13	--	33.98	--	3562.15
IW-4	10/20/08	3596.13	--	34.28	--	3561.85
IW-4	01/19/09	3596.13	34.39	34.40	0.01	3561.74
IW-4	04/20/09	3596.13	--	34.67	--	3561.46
IW-4	07/27/09	3596.13	--	35.00	--	3561.13
IW-4	10/26/09	3596.13	--	35.15	--	3560.98
IW-4	01/25/10	3596.13	--	35.37	--	3560.76
IW-4	04/26/10	3596.13	--	35.61	--	3560.52
IW-4	07/26/10	3596.13	--	35.11	--	3561.02
IW-4	10/25/10	3596.13	--	34.75	--	3561.38
IW-4	01/24/11	3596.13	--	35.54	--	3560.59
IW-4	10/10/11	3596.13	--	36.39	--	3559.74
IW-4	05/29/12	3596.13	--	37.22	--	3558.91
IW-4	02/26/13	3596.13	DRY	DRY	DRY	DRY
IW-4	07/22/13	3596.13	DRY	DRY	DRY	DRY
IW-4	03/24/14	3596.13	DRY	DRY	DRY	DRY
IW-4	07/28/14	3596.13	DRY	DRY	DRY	DRY
IW-4	03/10/15	3596.13	NM	NM	NM	NM
IW-4	07/29/15	3596.13	DRY	DRY	DRY	DRY
IW-4	03/23/16	3596.13	DRY	DRY	DRY	DRY
IW-4	09/19/16	3596.13	DRY	DRY	DRY	DRY
IW-4	03/22/17	3596.13	DRY	DRY	DRY	DRY
IW-4	09/19/17	3596.13	DRY	DRY	DRY	DRY
IW-4	03/06/18	PLUGGED AND ABANDONED				

Table 1

Page 51 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-5	06/05/02	3599.89	--	36.85	--	3563.04
IW-5	06/07/02	3599.89	--	36.83	--	3563.06
IW-5	06/08/02	3599.89	--	36.83	--	3563.06
IW-5	08/28/02	3599.89	--	37.01	--	3562.88
IW-5	08/29/02	3599.89	--	37.06	--	3562.83
IW-5	10/25/02	3599.89	--	37.22	--	3562.67
IW-5	11/06/02	3599.89	--	37.19	--	3562.70
IW-5	01/14/03	3599.89	--	37.15	--	3562.74
IW-5	02/26/03	3599.89	--	37.25	--	3562.64
IW-5	04/23/03	3599.89	--	37.26	--	3562.63
IW-5	06/23/03	3599.89	--	37.60	--	3562.29
IW-5	07/14/03	3599.89	--	37.61	--	3562.28
IW-5	10/15/03	3599.89	--	36.94	--	3562.95
IW-5	01/19/04	3599.89	--	38.29	--	3561.60
IW-5	04/19/04	3599.89	--	38.46	--	3561.43
IW-5	07/20/04	3599.89	--	38.24	--	3561.65
IW-5	10/25/04	3599.89	--	36.86	--	3563.03
IW-5	01/24/05	3599.89	--	34.91	--	3564.98
IW-5	04/18/05	3599.89	--	34.98	--	3564.91
IW-5	07/18/05	3599.89	--	35.66	--	3564.23
IW-5	10/17/05	3599.89	--	35.78	--	3564.11
IW-5	10/19/05	3599.89	34.73	34.75	0.02	3565.16
IW-5	11/03/05	3599.89	--	37.78	--	3562.11
IW-5	11/10/05	3599.89	--	35.79	--	3564.10
IW-5	11/16/05	3599.89	--	35.82	--	3564.07
IW-5	11/22/05	3599.89	35.80	35.81	0.01	3564.09
IW-5	12/06/05	3599.89	--	35.86	--	3564.03
IW-5	12/12/05	3599.89	--	35.91	--	3563.98
IW-5	12/21/05	3599.89	--	35.95	--	3563.94
IW-5	01/04/06	3599.89	--	36.04	--	3563.85
IW-5	01/11/06	3599.89	--	36.09	--	3563.80
IW-5	01/23/06	3599.89	34.10	34.13	0.03	3565.78
IW-5	04/24/06	3599.89	--	36.68	--	3563.21
IW-5	07/24/06	3599.89	37.20	37.21	0.01	3562.69
IW-5	10/23/06	3599.89	36.75	36.76	0.01	3563.14
IW-5	01/23/07	3599.89	--	37.02	--	3562.87
IW-5	04/23/07	3599.89	37.51	37.51	0.00	3562.38
IW-5	07/23/07	3599.89	37.70	37.70	0.00	3562.19
IW-5	10/22/07	3599.89	37.50	37.50	0.00	3562.39
IW-5	01/28/08	3599.89	37.80	37.81	0.01	3562.09
IW-5	04/21/08	3599.89	--	38.14	--	3561.75
IW-5	07/21/08	3599.89	--	38.55	--	3561.34
IW-5	10/20/08	3599.89	--	38.82	--	3561.07
IW-5	01/19/09	3599.89	38.92	38.93	0.01	3560.97
IW-5	04/20/09	3599.89	39.19	39.20	0.01	3560.70
IW-5	07/27/09	3599.89	--	39.55	--	3560.34
IW-5	10/26/09	3599.89	--	39.68	--	3560.21
IW-5	01/25/10	3599.89	--	39.91	--	3559.98
IW-5	04/26/10	3599.89	--	40.19	--	3559.70
IW-5	07/26/10	3599.89	--	39.59	--	3560.30
IW-5	10/25/10	3599.89	--	39.25	--	3560.64
IW-5	01/24/11	3599.89	--	39.97	--	3559.92
IW-5	10/10/11	3599.89	--	40.94	--	3558.95
IW-5	05/29/12	3599.89	--	41.75	--	3558.14
IW-5	03/24/14	3599.89	NM	NM	NM	NM
IW-5	07/28/14	3599.89	DRY	DRY	DRY	DRY
IW-5	03/10/15	3599.89	NM	NM	NM	NM

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-5	07/29/15	3599.89	DRY	DRY	DRY	DRY
IW-5	03/23/16	3599.89	DRY	DRY	DRY	DRY
IW-5	09/19/16	3599.89	DRY	DRY	DRY	DRY
IW-5	03/22/17	3599.89	DRY	DRY	DRY	DRY
IW-5	09/19/17	3599.89	DRY	DRY	DRY	DRY
IW-5	03/06/18	PLUGGED AND ABANDONED				
IW-6	06/05/02	3599.71	--	36.45	--	3563.26
IW-6	06/07/02	3599.71	--	36.48	--	3563.23
IW-6	06/08/02	3599.71	--	36.48	--	3563.23
IW-6	08/28/02	3599.71	--	36.54	--	3563.17
IW-6	08/29/02	3599.71	--	36.52	--	3563.19
IW-6	10/25/02	3599.71	--	36.75	--	3562.96
IW-6	11/06/02	3599.71	--	36.68	--	3563.03
IW-6	01/14/03	3599.71	--	36.56	--	3563.15
IW-6	02/26/03	3599.71	--	36.50	--	3563.21
IW-6	04/23/03	3599.71	--	36.52	--	3563.19
IW-6	06/23/03	3599.71	--	37.15	--	3562.56
IW-6	07/14/03	3599.71	--	37.21	--	3562.50
IW-6	10/15/03	3599.71	--	36.74	--	3562.97
IW-6	01/19/04	3599.71	--	37.90	--	3561.81
IW-6	04/19/04	3599.71	--	37.93	--	3561.78
IW-6	07/20/04	3599.71	--	37.67	--	3562.04
IW-6	10/25/04	3599.71	--	35.57	--	3564.14
IW-6	01/24/05	3599.71	--	33.54	--	3566.17
IW-6	04/18/05	3599.71	--	33.93	--	3565.78
IW-6	07/18/05	3599.71	--	34.88	--	3564.83
IW-6	10/17/05	3599.71	--	34.86	--	3564.85
IW-6	10/19/05	3599.71	34.85	34.86	0.01	3564.86
IW-6	11/03/05	3599.71	--	34.84	--	3564.87
IW-6	11/10/05	3599.71	--	34.86	--	3564.85
IW-6	11/16/05	3599.71	--	34.91	--	3564.80
IW-6	11/22/05	3599.71	--	34.89	--	3564.82
IW-6	12/06/05	3599.71	--	34.99	--	3564.72
IW-6	12/12/05	3599.71	--	35.06	--	3564.65
IW-6	12/21/05	3599.71	--	35.15	--	3564.56
IW-6	01/04/06	3599.71	--	35.27	--	3564.44
IW-6	01/11/06	3599.71	--	35.31	--	3564.40
IW-6	01/23/06	3599.71	--	35.36	--	3564.35
IW-6	04/24/06	3599.71	36.03	36.04	0.01	3563.68
IW-6	07/24/06	3599.71	--	36.62	--	3563.09
IW-6	10/23/06	3599.71	35.85	35.86	0.01	3563.86
IW-6	01/23/07	3599.71	36.25	36.26	0.01	3563.46
IW-6	04/23/07	3599.71	36.84	36.83	0.01	3562.87
IW-6	07/23/07	3599.71	36.97	36.96	0.01	3562.74
IW-6	10/22/07	3599.71	--	36.52	--	3563.19
IW-6	01/28/08	3599.71	37.05	37.07	0.02	3562.66
IW-6	04/21/08	3599.71	DRY	DRY	DRY	DRY
IW-6	07/21/08	3599.71	DRY	DRY	DRY	DRY
IW-6	10/20/08	3599.71	DRY	DRY	DRY	DRY
IW-6	01/19/09	3599.71	DRY	DRY	DRY	DRY
IW-6	04/20/09	3599.71	DRY	DRY	DRY	DRY
IW-6	07/27/09	3599.71	DRY	DRY	DRY	DRY
IW-6	10/26/09	3599.71	DRY	DRY	DRY	DRY
IW-6	01/25/10	3599.71	DRY	DRY	DRY	DRY
IW-6	07/26/10	3599.71	DRY	DRY	DRY	DRY
IW-6	10/25/10	3599.71	DRY	DRY	DRY	DRY

Table 1

Page 53 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-6	01/24/11	3599.71	DRY	DRY	DRY	DRY
IW-6	10/10/11	3599.71	DRY	DRY	DRY	DRY
IW-6	05/29/12	3599.71	DRY	DRY	DRY	DRY
IW-6	02/26/13	3599.71	DRY	DRY	DRY	DRY
IW-6	07/22/13	3599.71	DRY	DRY	DRY	DRY
IW-6	03/24/14	3599.71	DRY	DRY	DRY	DRY
IW-6	07/28/14	3599.71	DRY	DRY	DRY	DRY
IW-6	03/10/15	3599.71	NM	NM	NM	NM
IW-6	07/29/15	3599.71	NM	NM	NM	NM
IW-6	03/23/16	3599.71	NM	NM	NM	NM
IW-6	09/19/16	3599.71	NM	NM	NM	NM
IW-6	03/22/17	3599.71	DRY	DRY	DRY	DRY
IW-6	09/19/17	3599.71	DRY	DRY	DRY	DRY
IW-6	03/06/18	PLUGGED AND ABANDONED				
IW-7	06/05/02	3600.64	--	35.70	--	3564.94
IW-7	06/07/02	3600.64	--	35.77	--	3564.87
IW-7	06/08/02	3600.64	--	35.81	--	3564.83
IW-7	08/28/02	3600.64	--	36.03	--	3564.61
IW-7	08/29/02	3600.64	--	36.07	--	3564.57
IW-7	10/25/02	3600.64	--	36.25	--	3564.39
IW-7	11/06/02	3600.64	--	35.94	--	3564.70
IW-7	01/14/03	3600.64	--	35.95	--	3564.69
IW-7	02/26/03	3600.64	--	35.42	--	3565.22
IW-7	04/23/03	3600.64	--	35.90	--	3564.74
IW-7	06/23/03	3600.64	--	36.66	--	3563.98
IW-7	07/14/03	3600.64	--	36.75	--	3563.89
IW-7	10/15/03	3600.64	--	36.86	--	3563.78
IW-7	01/19/04	3600.64	--	37.50	--	3563.14
IW-7	04/19/04	3600.64	--	37.36	--	3563.28
IW-7	07/20/04	3600.64	--	37.06	--	3563.58
IW-7	10/25/04	3600.64	--	34.00	--	3566.64
IW-7	01/24/05	3600.64	--	32.36	--	3568.28
IW-7	04/18/05	3600.64	--	33.07	--	3567.57
IW-7	07/18/05	3600.64	--	34.15	--	3566.49
IW-7	10/17/05	3600.64	--	33.99	--	3566.65
IW-7	10/19/05	3600.64	33.95	33.96	0.01	3566.69
IW-7	11/03/05	3600.64	--	33.95	--	3566.69
IW-7	11/10/05	3600.64	33.97	33.98	0.01	3566.67
IW-7	11/16/05	3600.64	--	34.05	--	3566.59
IW-7	11/22/05	3600.64	--	34.03	--	3566.61
IW-7	11/29/05	3600.64	--	34.15	--	3566.49
IW-7	12/06/05	3600.64	--	35.05	--	3565.59
IW-7	12/12/05	3600.64	34.26	34.29	0.03	3566.37
IW-7	12/21/05	3600.64	34.37	34.40	0.03	3566.26
IW-7	01/04/06	3600.64	34.52	34.56	0.04	3566.11
IW-7	01/11/06	3600.64	34.56	34.59	0.03	3566.07
IW-7	01/23/06	3600.64	34.66	34.72	0.06	3565.97
IW-7	04/24/06	3600.64	35.37	35.42	0.05	3565.26
IW-7	07/24/06	3600.64	35.97	36.00	0.03	3564.66
IW-7	10/23/06	3600.64	--	34.97	--	3565.67
IW-7	01/23/07	3600.64	35.47	35.49	0.02	3565.17
IW-7	04/23/07	3600.64	36.14	36.13	0.01	3564.50
IW-7	07/23/07	3600.64	36.18	36.17	0.01	3564.46
IW-7	10/22/07	3600.64	--	35.60	--	3565.04
IW-7	01/28/08	3600.64	36.30	36.33	0.03	3564.33
IW-7	04/21/08	3600.64	--	36.83	--	3563.81

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
IW-7	07/21/08	3600.64	--	37.35	--	3563.29
IW-7	10/20/08	3600.64	--	37.47	--	3563.17
IW-7	01/19/09	3600.64	37.61	37.62	0.01	3563.03
IW-7	04/20/09	3600.64	37.97	37.98	0.01	3562.67
IW-7	07/27/09	3600.64	--	38.35	--	3562.29
IW-7	10/26/09	3600.64	--	38.37	--	3562.27
IW-7	01/25/10	3600.64	--	38.66	--	3561.98
IW-7	04/26/10	3600.64	--	38.89	--	3561.75
IW-7	07/26/10	3600.64	--	38.07	--	3562.57
IW-7	10/25/10	3600.64	--	37.65	--	3562.99
IW-7	01/24/11	3600.64	--	38.58	--	3562.06
IW-7	10/10/11	3600.64	--	39.81	--	3560.83
IW-7	05/29/12	3600.64	--	40.31	--	3560.33
IW-7	02/26/13	3600.64	DRY	DRY	DRY	DRY
IW-7	07/22/13	3600.64	DRY	DRY	DRY	DRY
IW-7	03/24/14	3600.64	DRY	DRY	DRY	DRY
IW-7	07/28/14	3600.64	DRY	DRY	DRY	DRY
IW-7	03/10/15	3601.64	DRY	DRY	DRY	DRY
IW-7	07/29/15	3600.64	DRY	DRY	DRY	DRY
IW-7	03/23/16	3601.64	DRY	DRY	DRY	DRY
IW-7	09/19/16	3600.64	DRY	DRY	DRY	DRY
IW-7	03/22/17	3601.64	DRY	DRY	DRY	DRY
IW-7	09/19/17	3601.64	DRY	DRY	DRY	DRY
IW-7	03/06/18	PLUGGED AND ABANDONED				
SVE-1	08/28/02	3598.68	--	32.63	--	3566.05
SVE-1	08/29/02	3598.68	--	32.60	--	3566.08
SVE-1	10/25/02	3598.68	--	32.60	--	3566.08
SVE-1	11/06/02	3598.68	--	32.80	--	3565.88
SVE-1	11/22/02	3598.68	--	32.75	--	3565.93
SVE-1	11/29/02	3598.68	--	32.73	--	3565.95
SVE-1	12/18/02	3598.68	--	32.82	--	3565.86
SVE-1	01/14/03	3598.68	--	32.61	--	3566.07
SVE-1	02/24/03	3598.68	--	32.78	--	3565.90
SVE-1	02/25/03	3598.68	--	32.79	--	3565.89
SVE-1	02/26/03	3598.68	--	32.80	--	3565.88
SVE-1	02/27/03	3598.68	--	32.80	--	3565.88
SVE-1	02/28/03	3598.68	--	32.80	--	3565.88
SVE-1	03/14/03	3598.68	--	32.79	--	3565.89
SVE-1	04/03/03	3598.68	--	32.78	--	3565.90
SVE-1	04/07/03	3598.68	--	32.90	--	3565.78
SVE-1	04/11/03	3598.68	--	32.89	--	3565.79
SVE-1	04/23/03	3598.68	--	32.91	--	3565.77
SVE-1	06/23/03	3598.68	--	33.21	--	3565.47
SVE-1	07/14/03	3598.68	--	33.31	--	3565.37
SVE-1	10/15/03	3598.68	--	33.56	--	3565.12
SVE-1	01/19/04	3598.68	--	34.04	--	3564.64
SVE-1	04/19/04	3598.68	--	34.00	--	3564.68
SVE-1	07/20/04	3598.68	--	33.75	--	3564.93
SVE-1	10/25/04	3598.68	--	31.74	--	3566.94
SVE-1	01/24/05	3598.68	--	30.01	--	3568.67
SVE-1	04/18/05	3598.68	--	30.24	--	3568.44
SVE-1	07/18/05	3598.68	--	30.86	--	3567.82
SVE-1	10/17/05	3598.68	--	30.88	--	3567.80
SVE-1	11/03/05	3598.68	30.90	30.91	0.01	3567.78
SVE-1	11/10/05	3598.68	--	30.92	--	3567.76
SVE-1	11/16/05	3598.68	--	29.70	--	3568.98

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
SVE-1	11/22/05	3598.68	--	30.94	--	3567.74
SVE-1	12/06/05	3598.68	--	31.00	--	3567.68
SVE-1	12/12/05	3598.68	--	31.06	--	3567.62
SVE-1	12/21/05	3598.68	--	31.12	--	3567.56
SVE-1	01/04/06	3598.68	--	31.22	--	3567.46
SVE-1	01/23/06	3598.68	--	31.17	--	3567.51
SVE-1	04/24/06	3598.68	--	31.88	--	3566.80
SVE-1	07/24/06	3598.68	--	32.44	--	3566.24
SVE-1	10/23/06	3598.68	--	31.95	--	3566.73
SVE-1	01/23/07	3598.68	--	32.17	--	3566.51
SVE-1	04/23/07	3598.68	--	32.70	--	3565.98
SVE-1	07/23/07	3598.68	--	32.86	--	3565.82
SVE-1	10/22/07	3598.68	32.66	32.67	0.01	3566.02
SVE-1	01/28/08	3598.68	32.95	32.96	0.01	3565.73
SVE-1	04/21/08	3598.68	--	33.38	--	3565.30
SVE-1	07/21/08	3598.68	--	33.87	--	3564.81
SVE-1	10/21/08	3598.68	--	34.14	--	3564.54
SVE-1	01/19/09	3598.68	--	34.25	--	3564.43
SVE-1	04/20/09	3598.68	--	34.59	--	3564.09
SVE-1	07/27/09	3598.68	--	34.98	--	3563.70
SVE-1	10/26/09	3598.68	--	35.03	--	3563.65
SVE-1	01/25/10	3598.68	--	35.30	--	3563.38
SVE-1	04/26/10	3598.68	--	35.54	--	3563.14
SVE-1	07/26/10	3598.68	--	34.70	--	3563.98
SVE-1	10/25/10	3598.68	--	34.47	--	3564.21
SVE-1	01/24/11	3598.68	--	35.34	--	3563.34
SVE-1	05/29/12	3598.68	DRY	DRY	DRY	DRY
SVE-1	02/26/13	3598.68	DRY	DRY	DRY	DRY
SVE-1	07/22/13	3598.68	DRY	DRY	DRY	DRY
SVE-1	03/24/14	3598.68	DRY	DRY	DRY	DRY
SVE-1	07/28/14	3598.68	DRY	DRY	DRY	DRY
SVE-1	03/10/15	3599.68	DRY	DRY	DRY	DRY
SVE-1	07/29/15	3598.68	DRY	DRY	DRY	DRY
SVE-1	03/23/16	3599.68	DRY	DRY	DRY	DRY
SVE-1	09/19/16	3598.68	DRY	DRY	DRY	DRY
SVE-1	03/22/17	3599.68	DRY	DRY	DRY	DRY
SVE-1	09/19/17	3599.68	DRY	DRY	DRY	DRY
SVE-1	03/06/18	PLUGGED AND ABANDONED				
SVE-5	10/25/02	3600.54	35.92	38.82	2.90	3564.04
SVE-5	11/07/02	3600.54	35.57	40.80	5.23	3563.92
SVE-5	11/22/02	3600.54	DRY	DRY	DRY	DRY
SVE-5	02/26/03	3600.54	30.54	36.30	5.76	3568.85
SVE-5	11/05/03	3600.54	36.54	40.58	4.04	3563.19
SVE-5	01/19/04	3600.54	36.81	39.84	3.03	3563.12
SVE-5	04/19/04	3600.54	36.87	40.56	3.69	3562.93
SVE-5	07/20/04	3600.54	36.66	40.32	3.66	3563.15
SVE-5	10/25/04	3600.54	35.20	35.23	0.03	3565.33
SVE-5	01/24/05	3600.54	33.38	33.50	0.12	3567.14
SVE-5	04/18/05	3600.54	33.67	33.84	0.17	3566.84
SVE-5	07/18/05	3600.54	34.18	35.71	1.53	3566.05
SVE-5	09/29/05	3600.54	--	34.41	--	3566.13
SVE-5	10/17/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	11/03/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	11/10/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	11/16/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	11/22/05	3600.54	DRY	DRY	DRY	DRY

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
SVE-5	11/29/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	12/06/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	12/12/05	3600.54	DRY	DRY	DRY	DRY
SVE-5	01/23/06	3600.54	DRY	DRY	DRY	DRY
SVE-5	04/24/06	3600.54	26.41	26.42	0.01	3574.13
SVE-5	05/29/12	3600.54	DRY	DRY	DRY	DRY
SVE-5	04/22/15	3600.54	DRY	DRY	DRY	DRY
SVE-5	03/22/17	3600.54	DRY	DRY	DRY	DRY
SVE-5	09/19/17	3600.54	NM	NM	NM	NM
SVE-5	03/06/18	PLUGGED AND ABANDONED				
EW-1	06/07/02	3598.57	30.73	34.33	3.60	3567.12
EW-1	11/22/02	3598.57	30.65	37.82	7.17	3566.49
EW-1	05/29/12	3598.57	36.14	41.53	5.39	3561.35
EW-1	02/26/13	3598.57	36.83	42.40	5.57	3560.63
EW-1	03/07/13	3598.57	37.19	40.01	2.82	3560.82
EW-1	03/14/13	3598.57	37.11	37.12	0.01	3561.46
EW-1	04/10/13	3598.57	37.18	40.90	3.72	3560.65
EW-1	05/09/13	3598.57	37.33	40.92	3.59	3560.52
EW-1	06/07/13	3598.57	37.42	41.21	3.79	3560.39
EW-1	07/02/13	3598.57	37.41	41.07	3.66	3560.43
EW-1	07/22/13	3598.57	37.88	39.36	1.48	3560.39
EW-1	08/22/13	3598.57	38.10	38.58	0.48	3560.37
EW-1	09/19/13	3598.57	38.15	38.53	0.38	3560.34
EW-1	10/03/13	3598.57	38.15	38.75	0.60	3560.30
EW-1	11/27/13	3597.57	38.12	39.40	1.28	3559.19
EW-1	01/21/14	3598.57	38.24	39.60	1.36	3560.06
EW-1	02/13/14	3598.57	38.5	38.57	0.07	3560.06
EW-1	03/10/14	3598.57	38.3	40.14	1.84	3559.90
EW-1	03/24/14	3598.57	38.37	40.21	1.84	3559.83
EW-1	04/28/14	3598.57	38.44	39.98	1.54	3559.82
EW-1	06/09/14	3598.57	38.89	39.90	1.01	3559.48
EW-1	07/28/14	3598.57	38.83	40.28	1.45	3559.45
EW-1	08/19/14	3598.57	39.09	39.29	0.20	3559.44
EW-1	10/01/14	3598.57	38.58	43.21	4.63	3559.06
EW-1	11/24/14	3598.57	38.26	43.31	5.05	3559.30
EW-1	01/08/15	3598.57	38.14	42.90	4.76	3559.48
EW-1	03/10/15	3598.57	38.22	43.15	4.93	3559.36
EW-1	04/21/15	3598.57	38.32	43.56	5.24	3559.20
EW-1	04/22/15	3598.57	38.99	39.54	0.55	3559.47
EW-1	04/24/15	3598.57	39.11	39.41	0.30	3559.40
EW-1	05/13/15	3598.57	39.14	39.41	0.27	3559.38
EW-1	06/08/15	3598.57	38.86	40.89	2.03	3559.30
EW-1	06/24/15	3598.57	38.54	42.37	3.83	3559.26
EW-1	07/07/15	3598.57	39.09	39.64	0.55	3559.37
EW-1	07/08/15	3598.57	39.06	39.24	0.18	3559.47
EW-1	07/29/15	3598.57	38.42	42.63	4.21	3559.31
EW-1	08/18/15	3598.57	38.32	43.03	4.71	3559.31
EW-1	09/29/15	3598.57	38.27	42.95	4.68	3559.36
EW-1	11/20/15	3598.57	38.20	42.76	4.56	3559.46
EW-1	02/04/16	3598.57	38.22	40.81	2.59	3559.83
EW-1	03/03/16	3598.57	38.51	39.61	1.10	3559.84
EW-1	03/23/16	3598.57	38.70	39.50	0.80	3559.71
EW-1	04/14/16	3598.57	38.76	39.45	0.69	3559.67
EW-1	05/19/16	3598.57	38.97	39.48	0.51	3559.50
EW-1	06/16/16	3598.57	38.92	40.53	1.61	3559.33
EW-1	07/27/16	3598.57	39.30	39.45	0.15	3559.24

Table 1

Page 57 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
EW-1	09/15/16	3598.57	39.34	39.51	0.17	3559.20
EW-1	09/19/16	3598.57	39.34	39.51	0.17	3559.20
EW-1	10/20/16	3598.57	38.57	42.82	4.25	3559.15
EW-1	12/15/16	3598.57	38.62	42.82	4.20	3559.11
EW-1	03/22/17	3598.57	38.20	42.36	4.16	3559.54
EW-1	09/19/17	3598.57	38.75	42.85	4.10	3559.00
EW-1	10/19/17	3598.57	38.58	45.22	6.64	3558.66
EW-1	11/15/17	3598.57	38.47	43.05	4.58	3559.18
EW-1	03/20/18	3598.57	38.75	43.83	5.08	3558.80
EW-1	09/17/18	3598.57	39.75	42.36	2.61	3558.30
EW-1	03/20/19	3598.57	39.55	44.45	4.90	3558.04
EW-1	09/16/19	3598.57	40.03	44.49	4.46	3557.65
EW-1	03/16/20	3598.57	40.26	44.42	4.16	3557.48
EW-1	09/01/20	3598.57	40.51	44.44	3.93	3557.27
EW-1	09/15/20	3598.57	40.56	--	--	DRY
EW-1	03/31/21	3598.57	41.38	44.42	3.04	3556.58
EW-1	09/07/21	3598.57	41.79	44.35	2.56	3556.27
EW-1	04/05/22	3598.57	41.80	44.45	2.65	3556.24
EW-1	09/12/22	3598.57	--	Dry	--	--
EW-2	09/19/02	3597.95	--	33.60	--	3564.35
EW-2	10/03/02	3597.95	--	33.61	--	3564.34
EW-2	10/23/02	3597.95	--	33.71	--	3564.24
EW-2	10/24/02	3597.95	--	33.73	--	3564.22
EW-2	10/25/02	3597.95	--	33.74	--	3564.21
EW-2	11/15/02	3597.95	--	33.83	--	3564.12
EW-2	11/29/02	3597.95	--	33.83	--	3564.12
EW-2	12/18/02	3597.95	33.6	33.65	0.05	3564.34
EW-2	04/03/03	3597.95	31.23	33.65	2.42	3566.24
EW-2	03/13/03	3597.95	33.59	33.80	0.21	3564.32
EW-2	04/07/03	3597.95	33.53	35.40	1.87	3564.05
EW-2	06/23/03	3597.95	29.02	33.62	4.60	3568.01
EW-2	06/24/03	3597.95	33.50	33.51	0.01	3564.45
EW-2	04/24/06	3597.95	32.98	33.25	0.27	3564.92
EW-2	05/29/12	3597.95	37.72	41.45	3.73	3559.48
EW-2	03/24/14	3597.95	NM	NM	NM	NM
EW-2	07/28/14	3597.95	39.89	43.25	3.36	3557.39
EW-2	03/10/15	3597.95	NM	NM	NM	NM
EW-2	04/22/15	3597.95	39.99	43.54	3.55	3557.25
EW-2	06/08/15	3597.95	40.19	43.76	3.57	3557.05
EW-2	07/07/15	3597.95	40.14	43.74	3.60	3557.09
EW-2	07/08/15	3597.95	40.15	43.74	3.59	3557.08
EW-2	07/29/15	3597.95	40.10	43.70	3.60	3557.13
EW-2	08/18/15	3597.95	40.14	43.90	3.76	3557.06
EW-2	09/29/15	3597.95	40.17	43.06	2.89	3557.20
EW-2	11/20/15	3597.95	40.12	43.74	3.62	3557.11
EW-2	02/04/16	3597.95	39.92	43.58	3.66	3557.30
EW-2	03/03/16	3597.95	39.93	43.79	3.86	3557.25
EW-2	03/23/16	3597.95	40.00	43.80	3.80	3557.19
EW-2	04/14/16	3597.95	40.05	43.84	3.79	3557.14
EW-2	05/19/16	3597.95	40.17	44.02	3.85	3557.01
EW-2	06/16/16	3597.95	40.23	44.08	3.85	3556.95
EW-2	07/27/16	3597.95	40.35	44.30	3.95	3556.81
EW-2	09/15/16	3597.95	40.39	44.37	3.98	3556.76
EW-2	09/19/16	3597.95	40.39	44.37	3.98	3556.76
EW-2	10/20/16	3597.95	40.31	44.32	4.01	3556.84
EW-2	12/15/16	3597.95	40.47	44.36	3.89	3556.70

Table 1

Page 58 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
EW-2	03/22/17	3597.95	40.09	44.12	4.03	3557.05
EW-2	09/19/17	3597.95	40.50	44.98	4.48	3556.55
EW-2	10/19/17	3597.95	40.46	44.95	4.49	3556.59
EW-2	11/15/17	3597.95	40.20	44.90	4.70	3556.81
EW-2	03/19/18	3597.95	40.58	45.24	4.66	3556.44
EW-2	09/17/18	3597.95	41.12	45.27	4.15	3556.00
EW-2	03/20/19	3597.95	41.41	45.63	4.22	3555.70
EW-2	09/16/19	3597.95	41.82	46.07	4.25	3555.28
EW-2	03/16/20	3597.95	42.05	45.40	3.35	3555.23
EW-2	09/01/20	3597.95	42.38	46.62	4.24	3554.72
EW-2	09/15/20	3597.95	42.40	46.63	4.23	3554.70
EW-2	03/31/21	3597.95	43.01	47.20	4.19	3554.10
EW-2	09/07/21	3597.95	43.51	47.62	4.11	3553.62
EW-2	04/06/22	3597.95	43.62	47.70	4.08	3553.51
EW-2	09/12/22	3597.95	44.02	47.97	3.95	3553.14
RW-1	12/13/10	3602.53	37.87	38.53	0.66	3564.53
RW-1	12/15/10	3602.53	37.86	38.64	0.78	3564.51
RW-1	01/03/11	3602.53	37.86	39.75	1.89	3564.29
RW-1	01/04/11	3602.53	38.12	38.42	0.30	3564.35
RW-1	01/10/11	3602.53	38.17	38.45	0.28	3564.30
RW-1	01/17/11	3602.53	38.17	38.67	0.50	3564.26
RW-1	01/24/11	3602.53	38.08	39.49	1.41	3564.17
RW-1	01/31/11	3602.53	38.05	40.09	2.04	3564.07
RW-1	02/07/11	3602.53	38.03	40.53	2.50	3564.00
RW-1	02/14/11	3602.53	38.04	40.89	2.85	3563.92
RW-1	02/15/11	3602.53	38.21	39.94	1.73	3563.97
RW-1	07/29/11	3602.53	38.61	43.15	4.54	3563.01
RW-1	08/04/11	3602.53	38.59	43.45	4.86	3562.97
RW-1	08/11/11	3602.53	38.83	42.34	3.51	3563.00
RW-1	08/16/11	3602.53	38.69	43.25	4.56	3562.93
RW-1	09/14/11	3602.53	39.49	39.67	0.18	3563.00
RW-1	10/10/11	3602.53	39.89	43.78	3.89	3561.86
RW-1	11/18/11	3602.53	39.51	41.17	1.66	3562.69
RW-1	01/06/12	3602.53	39.28	43.80	4.52	3562.35
RW-1	01/26/12	3602.53	39.53	42.84	3.31	3562.34
RW-1	02/23/12	3602.53	39.77	42.22	2.45	3562.27
RW-1	03/29/12	3602.53	40.24	40.60	0.36	3562.22
RW-1	04/19/12	3602.53	40.03	42.14	2.11	3562.08
RW-1	09/20/12	3602.53	40.62	40.19	0.43	3562.00
RW-1	11/15/12	3602.53	40.48	43.42	2.94	3561.46
RW-1	11/29/12	3602.53	40.91	41.22	0.31	3561.56
RW-1	12/20/12	3602.53	40.44	44.29	3.85	3561.32
RW-1	02/26/13	3602.53	40.41	45.81	5.40	3561.04
RW-1	03/14/13	3602.53	41.25	41.30	0.05	3561.27
RW-1	05/09/13	3602.53	40.90	44.71	3.81	3560.87
RW-1	06/07/13	3602.53	40.77	46.11	5.34	3560.69
RW-1	07/02/13	3602.53	40.73	46.04	5.31	3560.74
RW-1	07/22/13	3602.53	40.92	46.17	5.25	3560.56

Table 1

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
RW-1	08/22/13	3602.53	41.74	42.15	0.41	3560.71
RW-1	09/19/13	3602.53	41.76	41.98	0.22	3560.73
RW-1	10/03/13	3602.53	41.79	42.11	0.32	3560.68
RW-1	11/27/13	3602.53	41.6	44.03	2.43	3560.44
RW-1	01/21/14	3602.53	41.25	46.46	5.21	3560.24
RW-1	02/13/14	3602.53	41.35	46.29	4.94	3560.19
RW-1	03/10/14	3602.53	41.38	46.70	5.32	3560.09
RW-1	03/24/14	3602.53	41.48	46.73	5.25	3560.00
RW-1	04/28/14	3602.53	41.73	45.53	3.80	3560.04
RW-1	06/09/14	3602.53	41.98	45.29	3.31	3559.89
RW-1	07/28/14	3602.53	41.94	46.84	4.90	3559.61
RW-1	08/19/14	3602.53	42.32	45.11	2.79	3559.65
RW-1	10/01/14	3602.53	42.01	47.70	5.69	3559.38
RW-1	11/24/14	3602.53	41.77	47.22	5.45	3559.67
RW-1	01/08/15	3602.53	41.62	46.79	5.17	3559.88
RW-1	03/10/15	3602.53	41.73	47.00	5.27	3559.75
RW-1	04/22/15	3602.53	41.86	47.42	5.56	3559.56
RW-1	04/24/15	3602.53	42.50	44.01	1.51	3559.73
RW-1	05/13/15	3602.53	41.96	47.49	5.53	3559.46
RW-1	05/27/15	3602.53	42.04	47.05	5.01	3559.49
RW-1	06/08/15	3602.53	42.65	43.25	0.60	3559.76
RW-1	06/24/15	3602.53	42.28	45.04	2.76	3559.70
RW-1	07/07/15	3602.53	41.99	46.58	4.59	3559.62
RW-1	07/08/15	3602.53	42.56	43.23	0.67	3559.84
RW-1	07/29/15	3602.53	41.87	46.70	4.83	3559.69
RW-1	08/18/15	3602.53	41.83	46.78	4.95	3559.71
RW-1	09/29/15	3602.53	41.78	46.65	4.87	3559.78
RW-1	11/20/15	3602.53	41.71	46.31	4.60	3559.90
RW-1	02/04/16	3602.53	41.50	45.59	4.09	3560.21
RW-1	03/03/16	3602.53	42.09	42.69	0.60	3560.32
RW-1	03/23/16	3602.53	42.30	45.20	2.90	3559.65
RW-1	04/14/16	3602.53	42.38	42.48	0.10	3560.13
RW-1	05/19/16	3602.53	42.55	42.69	0.14	3559.95
RW-1	06/16/16	3602.53	42.39	44.60	2.21	3559.70
RW-1	07/27/16	3602.53	42.87	42.91	0.04	3559.65
RW-1	09/15/16	3602.53	42.92	42.96	0.04	3559.60
RW-1	09/19/16	3602.53	42.92	42.96	0.04	3559.60
RW-1	10/20/16	3602.53	42.05	46.45	4.40	3559.60
RW-1	12/15/16	3602.53	42.10	46.42	4.32	3559.57
RW-1	03/22/17	3602.53	41.75	45.52	3.77	3560.03
RW-1	09/19/17	3602.53	42.40	45.70	3.30	3559.47
RW-1	10/19/17	3602.53	42.54	44.06	1.52	3559.69
RW-1	11/15/17	3602.53	42.64	42.65	0.01	3559.89
RW-1	03/20/18	3602.43	43.33	47.08	3.75	3558.35
RW-1	09/17/18	3602.43	42.91	48.04	5.13	3558.49
RW-1	03/20/19	3602.43	45.93	46.03	0.10	3556.48
RW-1	09/16/19	3602.43	45.78	50.58	4.80	3555.69
RW-1	03/16/20	3602.43	45.57	51.27	5.70	3555.72
RW-1	07/15/20	3602.43	46.29	47.76	1.47	3555.85
RW-1	08/31/20	3602.43	45.52	45.95	0.43	3556.82
RW-1	09/15/20	3602.43	46.73	46.74	0.01	3555.70
RW-1	12/17/20	3603.43	46.99	47.11	0.12	3556.42
RW-1	03/31/21	3603.43	47.45	47.50	0.05	3555.97
RW-1	09/07/21	3604.10	47.81	47.82	0.01	3556.28
RW-1	04/06/22	3604.10	48.83	49.38	0.55	3555.16
RW-1	09/12/22	3604.10	48.30	48.31	0.01	3555.79

Table 1

Page 60 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
RW-2	12/13/10	3602.04	37.55	40.74	3.19	3563.85
RW-2	12/15/10	3602.04	37.55	40.94	3.39	3563.81
RW-2	01/03/11	3602.04	37.61	41.70	4.09	3563.61
RW-2	01/04/11	3602.04	37.62	41.69	4.07	3563.61
RW-2	01/10/11	3602.04	37.72	41.40	3.68	3563.58
RW-2	01/17/11	3602.04	37.84	40.98	3.14	3563.57
RW-2	01/24/11	3602.04	37.72	41.97	4.25	3563.47
RW-2	01/31/11	3602.04	37.78	42.00	4.22	3563.42
RW-2	02/07/11	3602.04	37.78	42.35	4.57	3563.35
RW-2	02/14/11	3602.04	37.82	42.52	4.70	3563.28
RW-2	02/15/11	3602.04	37.98	41.60	3.62	3563.34
RW-2	07/29/11	3602.04	38.86	41.90	3.04	3562.57
RW-2	08/04/11	3602.04	38.80	42.40	3.60	3562.52
RW-2	08/11/11	3602.04	38.78	42.75	3.97	3562.47
RW-2	08/16/11	3602.04	38.90	42.16	3.26	3562.49
RW-2	09/14/11	3602.04	39.52	39.62	0.10	3562.50
RW-2	10/10/11	3602.04	38.96	43.49	4.53	3562.17
RW-2	11/18/11	3602.04	39.04	43.98	4.94	3562.01
RW-2	01/06/12	3602.04	39.19	44.35	5.16	3561.82
RW-2	01/26/12	3602.04	39.46	43.27	3.81	3561.82
RW-2	02/23/12	3602.04	39.78	42.22	2.44	3561.77
RW-2	03/29/12	3602.04	40.26	40.14	0.12	3561.80
RW-2	04/19/12	3602.04	40.33	40.47	0.14	3561.68
RW-2	09/20/12	3602.04	40.02	44.61	4.59	3561.10
RW-2	11/15/12	3602.04	40.59	42.86	2.27	3561.00
RW-2	11/29/12	3602.04	40.94	41.07	0.13	3561.07
RW-2	12/20/12	3602.04	41.00	41.23	0.23	3560.99
RW-2	02/26/13	3602.04	40.60	44.70	4.10	3560.62
RW-2	03/14/13	3602.04	40.68	44.55	3.87	3560.59
RW-2	04/10/13	3602.04	41.30	41.41	0.11	3560.72
RW-2	05/09/13	3602.04	41.44	41.56	0.12	3560.58
RW-2	06/07/13	3602.04	41.52	41.68	0.16	3560.49
RW-2	07/02/13	3602.04	41.43	41.53	0.10	3560.59
RW-2	07/22/13	3602.04	41.49	42.99	1.50	3560.25
RW-2	08/22/13	3602.04	41.59	42.75	1.16	3560.22
RW-2	09/19/13	3602.04	41.32	44.57	3.25	3560.07
RW-2	10/03/13	3602.04	41.32	44.65	3.33	3560.05
RW-2	11/27/13	3602.04	41.42	44.63	3.21	3559.98
RW-2	01/21/14	3602.04	41.25	46.46	5.21	3559.75
RW-2	02/13/14	3602.04	41.35	46.29	4.94	3559.70
RW-2	03/10/14	3602.04	41.38	46.70	5.32	3559.60
RW-2	03/24/14	3602.04	41.48	46.73	5.25	3559.51
RW-2	04/28/14	3602.04	41.73	45.53	3.80	3559.55
RW-2	06/09/14	3602.04	41.98	45.29	3.31	3559.40
RW-2	07/28/14	3602.04	41.94	46.84	4.90	3559.12
RW-2	08/19/14	3602.04	42.32	45.11	2.79	3559.16
RW-2	10/01/14	3602.04	42.01	47.70	5.69	3558.89
RW-2	11/24/14	3602.04	42.2	45.03	2.83	3559.27
RW-2	01/08/15	3602.04	41.96	45.12	3.16	3559.45
RW-2	03/10/15	3602.04	42.05	45.08	3.03	3559.38
RW-2	04/21/15	3602.04	42.21	45.24	3.03	3559.22
RW-2	04/24/15	3602.04	42.33	45.28	2.95	3559.12
RW-2	05/13/15	3602.04	42.72	43.37	0.65	3559.19
RW-2	05/27/15	3602.04	42.50	44.50	2.00	3559.14
RW-2	06/08/15	3602.04	42.59	44.00	1.41	3559.17
RW-2	06/24/15	3602.04	42.42	44.64	2.22	3559.18
RW-2	07/07/15	3602.04	42.38	44.62	2.24	3559.21

Table 1

Page 61 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
RW-2	07/08/15	3602.04	42.71	42.76	0.05	3559.32
RW-2	07/29/15	3602.04	42.40	44.58	2.18	3559.20
RW-2	08/18/15	3602.04	42.28	44.73	2.45	3559.27
RW-2	09/29/15	3602.04	42.21	44.88	2.67	3559.30
RW-2	11/20/15	3602.04	42.04	44.66	2.62	3559.48
RW-2	02/04/16	3602.04	42.04	43.32	1.28	3559.74
RW-2	03/03/16	3602.04	42.09	43.56	1.47	3559.66
RW-2	03/23/16	3602.04	42.02	44.60	2.58	3559.50
RW-2	04/14/16	3602.04	42.10	44.73	2.63	3559.41
RW-2	05/19/16	3602.04	42.35	44.43	2.08	3559.27
RW-2	06/16/16	3602.04	42.47	44.40	1.93	3559.18
RW-2	07/27/16	3602.04	42.62	44.71	2.09	3559.00
RW-2	09/15/16	3602.04	42.63	44.73	2.10	3558.99
RW-2	09/19/16	3602.04	42.63	44.73	2.10	3558.99
RW-2	10/20/16	3602.04	42.48	44.65	2.17	3559.13
RW-2	12/15/16	3602.04	42.71	44.71	2.00	3558.93
RW-2	03/22/17	3602.04	42.00	44.86	2.86	3559.47
RW-2	09/19/17	3602.04	42.68	44.62	1.94	3558.97
RW-2	10/19/17	3602.04	42.69	43.89	1.20	3559.11
RW-2	11/15/17	3602.04	42.76	42.78	0.02	3559.28
RW-2	03/20/18	3602.04	42.81	44.82	2.01	3558.83
RW-2	09/17/18	3602.04	43.60	44.56	0.96	3558.25
RW-2	03/20/19	3602.04	45.91	46.75	0.84	3555.96
RW-2	09/16/19	3602.04	46.44	47.02	0.58	3555.48
RW-2	03/16/20	3602.04	46.72	47.13	0.41	3555.24
RW-2	07/15/20	3602.04	46.44	46.54	0.10	3555.58
RW-2	08/31/20	3602.04	46.58	46.60	0.02	3555.46
RW-2	09/15/20	3602.04	46.70	46.91	0.21	3555.30
RW-2	12/17/20	3603.04	--	47.99	--	3555.05
RW-2	03/31/21	3603.04	47.43	47.44	0.01	3555.61
RW-2	09/07/21	3603.04	48.82	48.84	0.02	3554.22
RW-2	04/06/22	3603.04	47.05	47.63	0.58	3555.87
RW-2	09/12/22	3603.04	48.31	48.33	0.02	3554.73
RW-3	12/13/10	3601.34	37.27	38.42	1.15	3563.84
RW-3	12/15/10	3601.34	37.24	38.70	1.46	3563.81
RW-3	01/03/11	3601.34	37.25	39.78	2.53	3563.58
RW-3	01/04/11	3601.34	37.25	39.75	2.50	3563.59
RW-3	01/10/11	3601.34	37.63	37.91	0.28	3563.65
RW-3	01/17/11	3601.34	37.68	37.82	0.14	3563.63
RW-3	01/24/11	3601.34	37.50	39.24	1.74	3563.49
RW-3	01/31/11	3601.34	37.52	39.43	1.91	3563.44
RW-3	02/07/11	3601.34	37.58	39.69	2.11	3563.34
RW-3	02/14/11	3601.34	37.53	40.09	2.56	3563.30
RW-3	02/15/11	3601.34	37.76	38.76	1.00	3563.38
RW-3	07/29/11	3601.34	38.52	39.61	1.09	3562.60
RW-3	08/04/11	3601.34	38.96	40.07	1.11	3562.16
RW-3	08/11/11	3601.34	38.67	39.17	0.50	3562.57
RW-3	08/16/11	3601.34	38.70	39.15	0.45	3562.55
RW-3	09/14/11	3601.34	38.89	38.90	0.01	3562.45
RW-3	10/10/11	3601.34	38.93	39.39	0.46	3562.32
RW-3	11/18/11	3601.34	39.12	39.26	0.14	3562.19
RW-3	01/06/12	3601.34	39.14	40.34	1.20	3561.96
RW-3	01/26/12	3601.34	39.39	39.41	0.02	3561.95
RW-3	02/23/12	3601.34	39.49	39.51	0.02	3561.85
RW-3	03/29/12	3601.34	39.63	39.65	0.02	3561.71
RW-3	04/19/12	3601.34	39.69	39.73	0.04	3561.64

Table 1

Page 62 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
RW-3	09/20/12	3601.34	39.50	43.33	3.83	3561.07
RW-3	11/15/12	3601.34	39.81	42.98	3.17	3560.90
RW-3	11/29/12	3601.34	--	40.23	--	3561.11
RW-3	12/20/12	3601.34	40.38	40.49	0.11	3560.94
RW-3	02/26/13	3601.34	40.25	42.40	2.15	3560.66
RW-3	03/14/13	3601.34	40.61	40.69	0.08	3560.71
RW-3	04/10/13	3601.34	40.68	40.71	0.03	3560.65
RW-3	05/09/13	3601.34	40.77	40.85	0.08	3560.55
RW-3	06/07/13	3601.34	40.89	41.00	0.11	3560.43
RW-3	07/02/13	3601.34	40.79	40.88	0.09	3560.53
RW-3	07/22/13	3601.34	41.05	41.14	0.09	3560.27
RW-3	08/22/13	3601.34	41.10	41.19	0.09	3560.22
RW-3	09/19/13	3601.34	41.16	41.24	0.08	3560.16
RW-3	10/03/13	3601.34	41.18	41.19	0.01	3560.16
RW-3	11/27/13	3601.34	41.25	41.45	0.20	3560.05
RW-3	01/21/14	3601.34	41.37	41.54	0.17	3559.94
RW-3	02/13/14	3601.34	41.27	42.64	1.37	3559.80
RW-3	03/10/14	3601.34	41.45	41.99	0.54	3559.78
RW-3	03/24/14	3601.34	41.6	41.80	0.20	3559.70
RW-3	04/28/14	3601.34	41.69	41.70	0.01	3559.65
RW-3	06/09/14	3601.34	41.81	41.91	0.10	3559.51
RW-3	07/28/14	3601.34	41.62	44.20	2.58	3559.20
RW-3	08/19/14	3601.34	41.68	44.20	2.52	3559.16
RW-3	10/01/14	3601.34	41.85	44.27	2.42	3559.01
RW-3	11/24/14	3601.34	41.57	44.38	2.81	3559.21
RW-3	01/08/15	3601.34	41.38	44.49	3.11	3559.34
RW-3	03/10/15	3601.34	41.43	44.56	3.13	3559.28
RW-3	04/21/15	3601.34	41.58	44.64	3.06	3559.15
RW-3	04/24/15	3601.34	41.68	44.71	3.03	3559.05
RW-3	05/13/15	3601.34	41.77	44.52	2.75	3559.02
RW-3	06/08/15	3601.34	41.77	44.49	2.72	3559.03
RW-3	06/24/15	3601.34	41.71	44.46	2.75	3559.08
RW-3	07/07/15	3601.34	41.71	44.33	2.62	3559.11
RW-3	07/08/15	3601.34	41.70	44.36	2.66	3559.11
RW-3	07/29/15	3601.34	41.70	44.18	2.48	3559.14
RW-3	08/18/15	3601.34	41.63	44.33	2.70	3559.17
RW-3	09/29/15	3601.34	41.58	44.44	2.86	3559.19
RW-3	11/20/15	3601.34	41.44	44.42	2.98	3559.30
RW-3	02/04/16	3601.34	41.15	44.50	3.35	3559.52
RW-3	03/03/16	3601.34	41.26	44.34	3.08	3559.46
RW-3	03/23/16	3601.34	41.59	42.90	1.31	3559.49
RW-3	04/14/16	3601.34	41.88	41.90	0.02	3559.46
RW-3	05/19/16	3601.34	42.03	42.09	0.06	3559.30
RW-3	06/16/16	3601.34	42.00	43.13	1.13	3559.11
RW-3	07/27/16	3601.34	42.30	43.43	1.13	3558.81
RW-3	09/15/16	3601.34	42.35	43.50	1.15	3558.76
RW-3	09/19/16	3601.34	42.35	43.50	1.15	3558.76
RW-3	10/20/16	3601.34	41.85	44.26	2.41	3559.01
RW-3	12/15/16	3601.34	41.98	44.33	2.35	3558.89
RW-3	03/22/17	3601.34	41.40	44.32	2.92	3559.36
RW-3	09/19/17	3601.34	41.01	44.48	3.47	3559.64
RW-3	10/19/17	3601.34	41.96	44.17	2.21	3558.94
RW-3	11/15/17	3601.34	42.16	42.18	0.02	3559.18
RW-3	03/20/18	3601.34	42.17	44.33	2.16	3558.74
RW-3	09/17/18	3601.34	42.90	44.44	1.54	3558.13
RW-3	03/20/19	3601.34	45.31	45.42	0.11	3556.01
RW-3	09/16/19	3601.34	45.72	46.42	0.70	3555.48

Table 1

Page 63 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
RW-3	03/16/20	3601.34	46.01	46.46	0.45	3555.24
RW-3	07/15/20	3601.34	44.75	44.77	0.02	3556.59
RW-3	08/31/20	3601.34	45.90	45.91	0.01	3555.44
RW-3	09/15/20	3601.34	47.77	51.61	3.84	3552.80
RW-3	12/17/20	3601.34	46.21	46.74	0.53	3555.02
RW-3	03/31/21	3601.34	45.54	45.60	0.06	3555.79
RW-3	09/07/21	3601.34	47.10	47.15	0.05	3554.23
RW-3	04/05/22	3601.34	46.38	47.05	0.67	3554.83
RW-3	09/12/22	3601.34	47.54	48.04	0.50	3553.70
RW-4	12/13/10	3602.30	37.58	40.58	3.00	3564.12
RW-4	12/15/10	3602.30	37.59	40.98	3.39	3564.03
RW-4	01/03/11	3602.30	37.56	42.28	4.72	3563.80
RW-4	01/04/11	3602.30	37.71	41.49	3.78	3563.83
RW-4	01/10/11	3602.30	37.98	40.24	2.26	3563.87
RW-4	01/17/11	3602.30	38.39	38.43	0.04	3563.90
RW-4	01/24/11	3602.30	37.88	41.28	3.40	3563.74
RW-4	01/31/11	3602.30	38.22	39.69	1.47	3563.79
RW-4	02/07/11	3602.30	38.02	41.29	3.27	3563.63
RW-4	02/14/11	3602.30	37.95	42.09	4.14	3563.52
RW-4	02/15/11	3602.30	38.44	39.17	0.73	3563.71
RW-4	07/29/11	3602.30	38.96	41.89	2.93	3562.75
RW-4	08/04/11	3602.30	38.83	42.60	3.77	3562.72
RW-4	08/11/11	3602.30	39.31	40.25	0.94	3562.80
RW-4	08/16/11	3602.30	39.40	39.89	0.49	3562.80
RW-4	09/14/11	3602.30	39.59	39.62	0.03	3562.70
RW-4	10/10/11	3602.30	39.43	41.28	1.85	3562.50
RW-4	11/18/11	3602.30	39.82	39.94	0.12	3562.46
RW-4	01/06/12	3602.30	40.01	40.17	0.16	3562.26
RW-4	01/26/12	3602.30	40.08	40.27	0.19	3562.18
RW-4	02/23/12	3602.30	40.21	40.27	0.06	3562.08
RW-4	03/29/12	3602.30	40.34	40.50	0.16	3561.93
RW-4	04/19/12	3602.30	40.11	42.13	2.02	3561.79
RW-4	09/20/12	3602.30	40.76	40.97	0.21	3561.50
RW-4	11/15/12	3602.30	40.45	44.11	3.66	3561.12
RW-4	11/29/12	3602.30	40.86	42.00	1.14	3561.21
RW-4	12/20/12	3602.30	41.05	41.47	0.42	3561.17
RW-4	02/26/13	3602.30	40.75	44.38	3.63	3560.82
RW-4	03/14/13	3602.30	40.79	44.36	3.57	3560.80
RW-4	04/10/13	3602.30	40.90	44.21	3.31	3560.74
RW-4	05/09/13	3602.30	41.18	43.49	2.31	3560.66
RW-4	06/07/13	3602.30	41.62	41.72	0.10	3560.66
RW-4	07/02/13	3602.30	41.17	42.48	1.31	3560.87
RW-4	07/22/13	3602.30	41.75	42.02	0.27	3560.50
RW-4	08/22/13	3602.30	41.45	44.18	2.73	3560.30
RW-4	09/19/13	3602.30	41.46	44.27	2.81	3560.28
RW-4	10/03/13	3602.30	41.50	44.32	2.82	3560.24
RW-4	11/27/13	3602.30	41.9	42.59	0.69	3560.26
RW-4	01/21/14	3602.30	41.73	44.23	2.50	3560.07
RW-4	02/13/14	3602.30	42.17	42.18	0.01	3560.13
RW-4	03/10/14	3602.30	42.07	43.22	1.15	3560.00
RW-4	03/24/14	3602.30	42.2	43.04	0.84	3559.93
RW-4	04/28/14	3602.30	42.39	42.46	0.07	3559.90
RW-4	06/09/14	3602.30	42.23	44.12	1.89	3559.69
RW-4	07/28/14	3602.30	42.61	43.52	0.91	3559.51
RW-4	08/19/14	3602.30	42.79	42.91	0.12	3559.49
RW-4	10/01/14	3602.30	42.72	44.19	1.47	3559.29

Table 1

Page 64 of 64

**Groundwater Elevation Data
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Monitoring Well ID	Sample Date	Casing Elevation (ft-amsl)	Depth to LNAPL (ft-bgs)	Depth to Water (ft-btoc)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft-amsl)
RW-4	11/24/14	3602.30	42.40	44.39	1.99	3559.50
RW-4	01/08/15	3602.30	42.14	44.66	2.52	3559.66
RW-4	03/10/15	3602.30	42.11	45.51	3.40	3559.51
RW-4	04/21/15	3602.30	42.18	45.82	3.64	3559.39
RW-4	04/22/15	3602.30	42.26	45.68	3.42	3559.36
RW-4	04/24/15	3602.30	42.59	44.32	1.73	3559.36
RW-4	05/13/15	3602.30	42.88	42.94	0.06	3559.41
RW-4	05/27/15	3602.30	42.68	43.93	1.25	3559.37
RW-4	06/08/15	3602.30	42.85	42.88	0.03	3559.44
RW-4	06/24/15	3602.30	42.59	43.97	1.38	3559.43
RW-4	07/07/15	3602.30	42.78	42.80	0.02	3559.52
RW-4	07/08/15	3602.30	42.73	42.93	0.20	3559.53
RW-4	07/29/15	3602.30	42.44	44.10	1.66	3559.53
RW-4	08/18/15	3602.30	42.42	44.28	1.86	3559.51
RW-4	09/29/15	3602.30	42.33	44.41	2.08	3559.55
RW-4	11/20/15	3602.30	42.16	44.68	2.52	3559.64
RW-4	02/04/16	3602.30	41.74	45.32	3.58	3559.84
RW-4	03/03/16	3602.30	42.34	42.51	0.17	3559.93
RW-4	03/23/16	3602.30	42.43	42.64	0.21	3559.83
RW-4	04/14/16	3602.30	42.50	42.56	0.06	3559.79
RW-4	05/19/16	3602.30	42.48	44.05	1.57	3559.51
RW-4	06/16/16	3602.30	42.61	44.21	1.60	3559.37
RW-4	07/27/16	3602.30	42.83	43.91	1.08	3559.25
RW-4	09/15/16	3602.30	42.89	42.95	0.06	3559.40
RW-4	09/19/16	3602.30	42.89	42.95	0.06	3559.40
RW-4	10/20/16	3602.30	42.63	44.12	1.49	3559.37
RW-4	12/15/16	3602.30	42.81	44.27	1.46	3559.20
RW-4	03/22/17	3602.30	42.12	44.41	2.29	3559.72
RW-4	09/19/17	3602.30	42.85	44.11	1.26	3559.20
RW-4	10/19/17	3602.30	42.74	43.90	1.16	3559.33
RW-4	11/15/17	3602.30	42.78	42.79	0.01	3559.52
RW-4	03/20/18	3602.30	42.94	44.39	1.45	3559.07
RW-4	09/17/18	3602.30	43.70	44.33	0.63	3558.47
RW-4	03/20/19	3602.30	43.57	46.32	2.75	3558.18
RW-4	09/16/19	3602.30	43.73	49.11	5.38	3557.49
RW-4	03/16/20	3602.30	43.91	49.69	5.78	3557.23
RW-4	07/15/20	3602.30	47.45	52.85	5.40	3553.77
RW-4	08/31/20	3602.30	47.53	52.64	5.11	3553.75
RW-4	09/15/20	3602.30	47.77	51.61	3.84	3553.76
RW-4	12/17/20	3602.30	47.87	53.40	5.53	3553.32
RW-4	03/31/21	3602.30	48.36	53.63	5.27	3552.89
RW-4	09/07/21	3602.30	48.88	53.00	4.12	3552.60
RW-4	04/06/22	3602.30	47.13	47.15	0.02	3555.17
RW-4	09/12/22	3602.30	49.88	50.12	0.24	3552.37

Notes:

ft - feet

ft-bgs - feet below ground surface

ft-amsl = feet above mean sea level

LNAPL = Light non-aqueous phase liquid

-- = not detected

DRY = indicates well was observed dry during gauging

NM = not measured

Groundwater elevations in wells containing LNAPL were corrected with an assumption of specific gravity for LNAPL of 0.80.

Data from April-July 2011 is missing due to transition of the Site from Tetra Tech to GHD

Table 2

Page 1 of 10

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
MW-2	07/16/99	0.0036	0.0027	0.0013	0.00050	0.0081	<2.0	<2.0
MW-2	10/20/99	0.0042	0.0025	0.0013	0.0013	0.0093	<2.0	<2.0
MW-2	01/13/00	0.0019	0.00050	<0.005	<0.005	0.0024	<2.0	<2.0
MW-2	04/06/00	0.0043	0.0041	0.0014	<0.002	0.0098	<1.0	<1.0
MW-2	08/01/00	0.0017	0.0015	0.00072	<0.002	0.0039	<1.0	<1.0
MW-2	11/15/00	0.052	0.036	0.0078	0.0094	0.11	0.64	<0.52
MW-2	03/06/01	0.0073	0.0050	0.0014	0.0021	0.016	0.14	<0.56
MW-2	06/26/01	0.0049	0.0032	0.0010	<0.002	0.0091	0.18	<0.56
MW-2	09/25/01	0.018	0.0074	0.0014	0.0021	0.029	0.20	<0.56
MW-2	12/12/01	0.0036	0.0029	<0.001	0.0016	0.0081	<0.10	0.12
MW-2	05/20/02	0.0037	0.0020	<0.001	0.0018	0.0075	<0.10	0.12
MW-2	03/24/17	<0.005	<0.005	<0.005	<0.015	<0.015	<0.50	2.2
MW-3	07/16/99	<0.005	<0.005	<0.005	<0.005	<0.005	<2.0	<2.0
MW-3	10/20/99	0.0026	0.0010	<0.005	<0.005	0.0036	<2.0	<2.0
MW-3	01/13/00	0.020	0.016	0.0092	0.020	0.065	<2.0	<2.0
MW-3	04/06/00	3.8	3.8	0.91	1.10	9.61	<1.0	<1.0
MW-4	07/16/99	0.72	1.1	0.26	0.28	2.36	3.0	3.0
MW-4	03/10/15	0.0191	<0.001	0.0197	<0.003	0.0388	2.2	427
MW-4	03/24/16	0.0349	0.0019	0.0910	0.0699	0.1977	2.4	226
MW-8	07/28/14	5.4	0.11	1.3	0.17	6.98	16.4	171
MW-8	03/24/16	9.02	0.17	2.47	1.68	13.34	44.7	
MW-9	07/16/99	<0.005	<0.005	<0.005	<0.005	<0.005	<2.0	<2.0
MW-9	10/20/99	0.0028	<0.005	<0.005	<0.005	0.0028	<2.0	<2.0
MW-9	01/13/00	0.11	0.0020	0.020	0.015	0.15	<2.0	<2.0
MW-9	04/06/00	2.7	0.87	0.50	0.46	4.53	0.37	0.37
MW-9	08/01/00	3.4	1.1	0.52	0.27	5.29	1.1	1.1
MW-9	11/15/00	4.2	0.12	0.46	0.14	4.92	16.0	0.73
MW-9	03/06/01	4.3	0.37	0.92	0.21	5.8	20.0	<0.56
MW-10	07/16/99	0.0018	<0.005	<0.005	<0.005	0.0018	<2.0	<2.0
MW-10	10/20/99	0.0038	0.0023	<0.005	<0.005	0.0061	<2.0	<2.0
MW-10	01/13/00	0.0020	0.0010	0.0025	0.0020	0.0075	<2.0	<2.0
MW-10	04/06/00	0.0027	0.0072	0.00069	<0.002	0.011	<1.0	<1.0
MW-10	08/01/00	0.040	0.0012	0.0027	0.010	0.054	<1.0	<1.0
MW-10	11/15/00	2.0	0.018	0.31	0.21	2.54	9.0	0.78
MW-10	03/06/01	4.4	0.0078	0.12	0.19	4.72	17.0	0.57
MW-10	06/26/01	5.6	1.3	0.67	<0.04	7.57	31.0	2.4
MW-10	09/25/01	5.9	1.2	0.76	0.57	8.43	26.0	<0.53
MW-10	12/12/01	7.1	1.56	0.87	0.66	10.17	23.5	1.35
MW-10	05/20/02	9.0	1.17	1.1	0.64	11.91	26.4	1.4
MW-11	10/20/99	<0.005	<0.005	0.0012	0.0013	0.0025	<2.0	<2.0
MW-11	01/13/00	<0.005	<0.005	<0.005	<0.005	<0.005	<2.0	<2.0
MW-11	04/06/00	<0.005	<0.005	<0.005	<0.002	<0.005	<1.0	<1.0
MW-11	08/01/00	<0.005	<0.005	<0.005	<0.002	<0.005	<1.0	<1.0
MW-11	11/15/00	<0.005	<0.005	<0.005	<0.002	<0.005	<0.10	2.0
MW-11	03/06/01	0.00064	0.0011	<0.005	<0.002	0.0017	<0.10	<0.56
MW-11	06/26/01	<0.005	<0.005	<0.005	<0.002	<0.005	<0.10	<0.53
MW-11	09/25/01	0.0013	<0.005	<0.005	<0.002	0.0013	<0.10	<0.54
MW-11	12/12/01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-11	05/20/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
MW-12	10/20/99	0.0011	<0.005	<0.005	<0.005	0.0011	<2.0	<2.0
MW-12	01/13/00	<0.005	<0.005	<0.005	<0.005	<0.005	<2.0	<2.0
MW-12	04/06/00	<0.005	<0.005	<0.005	<0.002	<0.005	<1.0	<1.0
MW-12	08/01/00	<0.005	<0.005	<0.005	<0.002	<0.005	<1.0	<1.0
MW-12	11/15/00	<0.005	<0.005	<0.005	<0.002	<0.005	<0.10	<0.56
MW-12	03/06/01	0.00085	0.00063	<0.005	<0.002	0.0015	<0.10	<0.56
MW-12	06/26/01	<0.005	<0.005	<0.005	<0.002	<0.002	<0.10	<0.53
MW-12	09/25/01	0.0028	0.00053	<0.5	<0.002	0.0033	<0.10	<0.52
MW-12	12/12/01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-12	05/20/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
MW-13	06/04/00	<0.005	<0.005	<0.005	<0.002	<0.005	<1.0	<1.0
MW-13	01/08/00	<0.005	<0.005	<0.005	<0.002	<0.005	<1.0	<1.0
MW-13	11/15/00	<0.005	<0.005	<0.005	<0.002	<0.005	<0.10	0.57
MW-13	06/01/03	<0.5	0.0013	<0.005	<0.002	0.0013	<0.10	<0.55
MW-13	06/26/01	<0.005	<0.005	<0.005	<0.002	<0.005	<0.10	<0.5
MW-13	09/25/01	0.022	0.0034	0.0025	<0.002	0.03	0.15	<0.5
MW-13	12/01/01	0.44	<0.001	<0.001	0.020	0.46	1.24	0.13
MW-13	05/20/02	<0.001	<0.001	<0.001	0.033	0.033	0.54	0.18
MW-13	08/29/02	<5.00	0.0010	<0.001	0.0013	0.0023	0.15	0.13
MW-13	01/15/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.12
MW-13	04/23/03	<0.001	<0.001	0.0052	<0.001	0.0052	0.12	<0.10
MW-13	07/14/03	<0.001	<0.001	0.014	<0.001	0.014	0.13	<0.10
MW-13	10/16/03	<0.001	<0.001	0.021	<0.003	0.02	<0.10	<0.048
MW-13	10/26/04	0.014	<0.001	0.30	<0.003	0.31	1.2	3.0
MW-13	01/25/05	1.0	<0.001	1.4	<0.003	2.40	4.7	0.79
MW-13	04/19/05	1.4	<0.001	0.78	<0.003	2.18	4.9	0.90
MW-13	07/19/05	1.2	<0.001	0.54	<0.003	1.74	4.2	0.69
MW-13	10/18/05	0.36	<0.001	0.43	0.0068	0.80	2.1	0.88
MW-13	01/24/06	1.1	<0.001	0.46	<0.003	1.56	4.7	1.1
MW-13	04/25/06	5.3	<0.001	0.64	<0.003	5.94	14	1.1
MW-13 Duplicate	04/25/06	3.7	<0.001	0.47	<0.003	4.17	11	1.0
MW-13	07/25/06	5.9	<0.001	0.46	<0.003	6.36	16	1.7
MW-13 Duplicate	07/25/06	5.4	<0.001	0.49	<0.003	5.89	16	1.6
MW-13	10/24/06	5.7	<0.001	0.61	<0.003	6.31	14	1.5
MW-13 Duplicate	10/24/06	5.2	<0.001	0.65	<0.003	5.85	12	1.3
MW-13	01/24/07	6.2	<0.001	0.72	<0.003	6.92	16	1.5
MW-13 Duplicate	01/24/07	5.8	<0.001	0.68	<0.003	6.48	17	1.5
MW-13	04/24/07	5.1	<0.001	0.43	0.011	5.54	1.3	1.1
MW-13 Duplicate	04/24/07	5.3	<0.001	0.43	0.010	5.74	1.3	1.0
MW-13	07/24/07	5.7	<0.001	0.61	<0.003	6.31	0.54	1.7
MW-13 Duplicate	07/24/07	5.4	<0.001	0.59	<0.003	5.99	0.58	1.6
MW-13	10/23/07	5.1	<0.001	0.59	<0.003	5.69	1.1	1.5
MW-13 Duplicate	10/23/07	5.5	<0.001	0.62	<0.003	6.12	1.1	1.3
MW-13	01/29/08	5.6	<0.05	0.60	<0.05	6.20	0.65	1.5
MW-13 Duplicate	01/29/08	5.7	<0.025	0.63	<0.025	6.33	0.97	1.5
MW-13	04/22/08	7.5	<0.025	0.73	<0.025	8.23	18	0.80
MW-13 Duplicate	04/22/08	7.1	<0.025	0.66	<0.025	7.76	17	0.77
MW-13	07/22/08	5.5	<0.025	0.40	<0.025	5.90	14	0.92
MW-13	01/20/09	5.6	<0.005	0.39	0.025	6.02	15	0.96
MW-13 Duplicate	01/20/09	5.8	<0.001	0.089	0.0048	5.89	17	0.65
MW-13	04/21/09	4.6	<0.001	0.12	0.0065	4.73	11	0.45
MW-13	07/29/09	2.1	<0.001	0.0020	<0.001	2.10	5.8	1.7
MW-13	10/27/09	0.56	<0.001	0.0041	0.0014	0.57	1.6	0.47
MW-13	01/26/10	0.25	<0.001	0.0038	0.0077	0.26	0.95	0.43
MW-13	07/27/10	0.089	<0.001	0.010	0.0054	0.10	0.41	0.51
MW-13	10/26/10	0.27	<0.001	0.052	0.031	0.35	0.90	0.18

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
MW-18	09/20/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	<0.45
MW-18	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	<0.49
MW-18	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	<0.45
MW-18 Duplicate	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	<0.45
MW-18	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-18	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-18	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-18 Duplicate	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-18	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-18	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-18	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-18	04/07/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-18	09/14/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-20	09/20/17	3.20	0.01400	0.850	1.100	5.16	15.2	1.5
MW-20	03/20/18	1.79	0.0971	0.552	0.568	1.22	11.1	2.3
MW-20 Duplicate	03/20/18	1.79	0.0957	0.548	0.558	1.20	10.7	2.8
MW-20	09/21/18	3.19	0.218	0.928	1.25	5.59	17.30	2.1
MW-20	03/21/19	2.08	0.0621	0.482	0.485	3.11	<25.0	1.4
MW-20 Duplicate	03/21/19	2.38	0.0868	0.518	0.573	3.56	10.9	1.4
MW-21	09/20/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	<0.45
MW-21 Duplicate	09/20/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	<0.45
MW-21	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.49
MW-21	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-21	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.69
MW-21	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-21	03/18/20	<0.001	<0.001	0.0086	<0.003	<0.003	<0.50	<0.45
MW-21	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-21	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.77
MW-21 Duplicate	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-21	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-21 Duplicate	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-21	04/07/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-21 Duplicate	04/07/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-21	09/14/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-21 Duplicate	09/14/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-22	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.49
MW-22	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-22	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.71
MW-22	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-22	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-22	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-22	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-22	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-22	04/07/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-22	09/14/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-28	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.49
MW-28	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-28	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-28	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-28	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-28	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-28	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-28	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-28 Duplicate	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-28	04/07/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-28	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
MW-29	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.49
MW-29	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-29	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.66
MW-29	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-29	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-29	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-29	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.68
MW-29	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.48
MW-29	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	.49
MW-29	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.51
MW-30	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.67
MW-30	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.69
MW-30	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	1.2
MW-30	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.83
MW-30	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.81
MW-30 Duplicate	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.67
MW-30	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.52
MW-30	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.79
MW-30	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.72
MW-30	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.68
MW-30	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.55
MW-31	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.52
MW-31	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-31	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.52
MW-31	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-31	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-31	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-31	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-31	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-31	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-31	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-32	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.49
MW-32	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-32	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.58
MW-32	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-32	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-32	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-32	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-32	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-32	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-32	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-33	03/20/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.52
MW-33	09/21/18	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-33	03/21/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-33	09/17/19	<0.001	<0.001	0.0018	<0.003	<0.003	<0.50	<0.48
MW-33 Duplicate	09/17/19	<0.005	<0.005	<0.005	<0.015	<0.015	<2.5	<0.45
MW-33	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-33	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-33	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-33	09/09/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-33	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-33	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
MW-34	09/17/19	0.0045	0.0221	0.0201	0.0442	0.0000	<0.50	<0.48
MW-34	03/18/20	0.0013	0.0074	0.016	0.033	0.0000	<0.50	<0.45
MW-34	09/17/20	0.0017	0.0059	0.027	0.061	0.0956	<0.50	<0.45
MW-34 Duplicate	09/17/20	<0.0010	0.0016	0.0079	0.017	0.0275	<0.50	<0.45
	04/01/21	<0.001	<0.001	0.0042	0.0071	0.0113	<0.50	<0.48
MW-34	09/08/21	<0.001	<0.001	0.0013	0.0033	0.0046	<0.50	<0.48
MW-34	04/06/22	<0.001	<0.001	0.0024	0.0069	0.0093	<0.50	<0.48
MW-34	09/14/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
MW-35	09/17/19	2.57	1.19	1.48	1.19	0.0000	26.8	18.5
MW-37	09/17/19	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.70
MW-37	03/18/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-37	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.53
MW-37	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-37	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-37	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-37	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-38	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-38	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-38	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-38	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-38	09/13/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-39	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
MW-39 Duplicate	09/17/20	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
	04/01/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-39	09/08/21	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-39	04/06/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.48
MW-39	09/14/22	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
EW-1	11/15/02	7.46	5.13	1.59	1.59	15.77	21.4	NA
EW-1	11/22/02	9.34	6.15	2.27	2.21	19.97	15.3	NA
EW-1	04/24/03	4.41	2.50	0.95	0.79	8.66	13.1	2.56
EW-1	07/14/03	2.59	2.16	0.41	0.47	5.63	6.0	1.56
EW-1	10/16/03	2.80	1.80	0.69	0.68	5.97	11	460
EW-2	11/15/02	2.16	1.39	0.31	0.49	4.35	8.88	NA
EW-2	11/22/02	2.11	2.34	0.88	1.28	6.61	11.3	NA
EW-2	04/24/03	3.08	2.68	0.54	0.89	7.19	6.1	<1.0
EW-2	07/14/03	1.76	1.79	0.20	0.56	4.31	2.92	<2.0
EW-2	10/16/03	2.8	2.6	0.44	0.72	6.56	12	0.88
EW-2	10/16/03	2.8	2.6	0.44	0.72	6.56	12	0.88
EW-2	07/20/05	4.5	1.5	0.46	0.64	7.1	21	2.6
EW-2	01/24/06	6.4	2.3	0.91	0.89	10.5	34	4.9
EW-2	04/25/06	6.8	2.6	0.84	0.95	11.19	32	960
EW-2	10/24/06	4.8	1.3	0.88	1.10	8.08	23	67
EW-2	01/24/07	5.2	0.22	0.76	0.93	7.11	21	130
EW-2	04/24/07	2.6	0.054	0.40	0.57	3.62	12	1600
EW-2	07/24/07	3.2	0.15	0.72	1.00	5.07	17	130
EW-2	10/23/07	3.5	0.028	0.54	0.49	4.56	15	26
EW-2	01/29/08	3.1	0.026	0.52	0.61	4.26	12	45
EW-2	04/22/08	2.4	<0.01	0.39	0.43	3.22	9.2	100
EW-2	07/22/08	1.4	<0.005	0.23	0.24	1.87	6.1	31
EW-2	10/21/08	1.0	0.018	0.36	0.37	1.73	--	19
EW-2	01/20/09	1.1	0.0010	0.28	0.28	1.66	5.1	4.8

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
IW-2	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-2	01/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-2	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-2	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-2	10/15/03	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	<0.048
IW-2	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	<0.048
IW-2	04/20/04	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	<0.20
IW-2	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	<0.048
IW-2	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	<0.048
IW-2	01/25/05	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	0.062
IW-2	04/19/05	<0.001	<0.001	0.0013	<0.003	0.0013	<0.10	5.20
IW-2	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.001	<0.10	0.16
IW-2	10/18/05	0.019	<0.001	0.018	0.012	0.049	1.8	25
IW-2	01/24/06	0.020	0.063	0.088	0.14	0.31	2.0	71
IW-2	04/25/06	0.0028	0.0050	0.013	0.015	0.036	0.83	15
IW-2	07/25/06	0.0040	<0.001	0.054	0.075	0.13	1.6	37
IW-2	10/24/06	0.003 F	<0.001	0.021 F	0.016	0.040	0.91	68
IW-2	01/24/07	0.0018	<0.001	0.0070	0.0031	0.012	0.46	59
IW-2	04/24/07	<0.001	<0.001	0.0061	<0.003	0.0061	0.45	32
IW-2	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.003	0.23	29
IW-2	10/23/07	<0.001	<0.001	0.019	0.0050	0.024	2.5	200
IW-2	01/29/08	<0.001	<0.001	<0.001	<0.001	<0.001	0.27	37
IW-2	04/22/08	<0.001	<0.001	<0.001	<0.001	<0.001	0.25	44
IW-2	07/22/08	<0.001	0.0012	0.0020	0.0087	0.012	1.9	77
IW-2	10/21/08	<0.001	<0.001	<0.001	0.0014	0.0014	--	58
IW-2	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	6.8
IW-2	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.11	0.85
IW-2	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	3.9
IW-2	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	1.5
IW-2	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	1.2
IW-2	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.77
IW-2	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	0.24	6.5
IW-2	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	1.1
IW-2	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	7.0
IW-2	04/20/11	<0.001	<0.001	<0.001	<0.003	<0.003	0.26	33.1
IW-2	10/11/11	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	13.6
IW-2	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.003	5.13	31.6
IW-2	02/26/13	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	5.8
IW-2 Duplicate	02/26/13	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	6.2
IW-2	07/23/13	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
IW-2 Duplicate	07/23/13	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50
IW-2	03/24/14	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	1.5
IW-2 Duplicate	03/24/14	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	5.5
IW-2	07/28/14	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	3.4
IW-2	03/10/15	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	240
IW-2	07/31/15	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	2.9
IW-2 Duplicate	07/31/15	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	4.6
IW-2	03/24/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	30.2
IW-2 Duplicate	03/24/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	31.3
IW-2	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.51	22.1
IW-2 Duplicate	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	19.4
IW-2	03/24/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	7.8
IW-2 Duplicate	03/24/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	31.3
IW-2	09/20/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	14.6
IW-3	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-3	01/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-3	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-3	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-3	10/15/03	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.048
IW-3	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.048

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
IW-3	04/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.20
IW-3	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.061
IW-3	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.072
IW-3	01/25/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.048
IW-3	04/19/05	0.0015	0.0024	0.0050	0.0074	0.016	0.27	14
IW-3	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	1.1
IW-3	10/18/05	0.0062	<0.001	0.013	0.011	0.030	1.4	180
IW-3	01/24/06	0.017	0.0080	0.014	0.0093	0.048	1.6	87
IW-3	04/25/06	0.0060	<0.001	0.010	0.0051	0.021	1.3	64
IW-3	07/25/06	0.0030	<0.001	0.0060	0.0042	0.013	0.91	18
IW-3	10/24/06	0.0024 F	<0.001	0.0074 F	<0.003	0.0098	0.58	53
IW-3	01/24/07	0.0018	<0.001	<0.001	<0.003	0.0018	4.1	67
IW-3	04/24/07	0.0028	<0.001	0.013	0.0037	0.020	1.4	96
IW-3	07/24/07	0.0030	<0.001	<0.001	0.0035	0.0065	1.1	23
IW-3	10/23/07	0.0021	<0.001	0.014	0.0034	0.020	1.2	62
IW-3	01/29/08	<0.001	<0.001	<0.001	0.0011	0.0011	0.71	41
IW-3	04/22/08	<0.001	<0.001	<0.001	0.0011	0.0011	0.46	58
IW-3	07/22/08	<0.001	<0.001	<0.001	0.0012	0.0012	0.28	82
IW-3	10/21/08	<0.001	<0.001	<0.001	0.0010	0.0010	--	0.60
IW-3	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	1.0
IW-3	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.39
IW-3	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.11	0.43
IW-3	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.42
IW-3	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.22
IW-3	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.23
IW-3	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.80
IW-3	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
IW-3	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.86
IW-3	04/20/11	<0.001	<0.001	<0.001	<0.003	<0.001	<0.05	0.40
IW-3	10/11/11	<0.001	<0.001	<0.001	<0.003	<0.001	<0.5	<0.5
IW-3	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.001	<0.05	<0.5
IW-3	02/26/13	<0.001	<0.001	<0.001	<0.003	<0.001	<0.50	<0.50
IW-3	07/23/13	<0.001	<0.001	<0.001	<0.003	<0.001	<0.50	<0.50
IW-3	03/24/14	<0.001	<0.001	<0.001	<0.003	<0.001	<0.50	0.51
IW-3	07/28/14	<0.001	<0.001	<0.001	<0.003	<0.001	<0.50	<0.45
IW-3	03/10/15	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	0.69
IW-3 Duplicate	03/10/15	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	5.8
IW-3	07/31/15	<0.001	<0.001	<0.001	<0.003	<0.003	<0.51	<0.45
IW-3	03/24/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.45
IW-3	09/22/16	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	2.0
IW-3	03/24/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	3.9
IW-3	9/20/17	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	1.2
IW-4	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-4	01/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-4	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-4	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-4	10/16/03	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.048
IW-4	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.048
IW-4	04/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.20
IW-4	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.048
IW-4	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.082
IW-4	01/25/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.31
IW-4	04/19/05	0.0026	0.0030	0.0054	0.0082	0.019	0.33	10
IW-4	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	1.1
IW-4	10/18/05	0.032	0.0015	0.0026	0.014	0.050	0.98	70
IW-4	01/24/06	0.017	0.0022	0.0019	0.0093	0.030	0.79	35
IW-4	04/25/06	0.013	0.0010	0.0084	0.010	0.032	1.20	56
IW-4	07/25/06	0.0061	<0.001	0.011	0.0090	0.026	1.40	52
IW-4	10/24/06	0.0042 F	<0.001	0.00082 F	0.0078	0.0078	1.50	120
IW-4	01/24/07	0.0026	<0.001	<0.001	0.0072	0.010	1.40	0.10

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
IW-4	04/24/07	0.0021	<0.001	0.0098	0.0046	0.017	0.88	88
IW-4	07/24/07	0.0035	0.011	0.0066	0.0079	0.029	0.52	26
IW-4	10/23/07	0.0018	<0.001	0.0051	<0.003	0.0069	0.57	53
IW-4	01/29/08	0.0012	<0.001	<0.001	<1.0	0.0012	0.42	51
IW-4	04/22/08	<0.001	<0.001	<0.001	0.0013	0.0013	0.51	51
IW-4	07/22/08	<0.001	<0.001	<0.001	0.0011	0.0011	0.32	55
IW-4	10/21/08	<0.001	0.0013	<0.001	0.0026	0.0039	--	9.4
IW-4	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.23	18
IW-4	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.16	5.2
IW-4	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.36	12
IW-4	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.17	8.1
IW-4	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	0.17	5.2
IW-4	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	14
IW-4	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	7.9
IW-4	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	8.2
IW-4	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	79
IW-4	04/20/11	<0.001	0.00048	<0.001	<0.003	0.00048	0.48	112
IW-4	10/11/11	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	31.3
IW-4	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.003	1.63	19.9
IW-5	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-5	01/15/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-5	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-5	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-5	10/16/03	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.086
IW-5	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	16
IW-5	04/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.25
IW-5	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	2.7
IW-5	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.048
IW-5	01/25/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.43
IW-5	04/19/05	0.0011	0.0012	0.0014	<0.003	0.0037	<0.10	2.0
IW-5	07/19/05	0.0019	<0.001	<0.001	<0.003	0.0019	<0.10	0.22
IW-5	10/18/05	0.020	<0.001	0.0055	0.0097	0.035	0.89	70
IW-5	01/24/06	0.0041	0.0031	0.0029	0.0062	0.016	0.55	4.5
IW-5	04/25/06	0.0018	<0.001	0.0084	0.010	0.020	1.2	56
IW-5	07/25/06	0.0027	<0.001	0.0074	0.0037	0.014	0.96	99
IW-5	10/24/06	0.0026	<0.001	0.012	0.0030	0.018	0.89	130
IW-5	01/24/07	0.0016	<0.001	<0.001	<0.003	0.0016	2.1	48
IW-5	04/24/07	0.0015	<0.001	0.0059	<0.003	0.0074	0.59	48
IW-5	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.003	0.33	8.5
IW-5	10/23/07	<0.001	<0.001	0.0046	<0.003	0.0046	0.44	42
IW-5	01/29/08	<0.001	<0.001	<0.001	0.0014	0.0014	0.36	4.9
IW-5	04/22/08	0.020	<0.001	<0.001	0.0015	0.022	0.51	54
IW-5	07/22/08	0.16	0.0016	0.0015	0.0021	0.17	0.95	66
IW-5	10/21/08	0.23	0.0013	<0.001	0.0032	0.23	--	22
IW-5	01/20/09	<0.001	<0.001	<0.001	0.0011	0.0011	0.30	15
IW-5	04/21/09	<0.001	<0.001	<0.001	0.0056	0.0056	0.36	18
IW-5	07/28/09	0.0015	<0.001	<0.001	0.0014	0.0029	0.34	18
IW-5	10/27/09	0.0015	<0.001	<0.001	0.0010	0.0025	0.36	5.5
IW-5	01/26/10	0.0035	0.0016	<0.001	0.0011	0.0062	0.47	3.5
IW-5	04/27/10	0.0014	0.0012	<0.001	<0.001	0.0026	0.39	3.4
IW-5	07/27/10	<0.001	0.0012	<0.001	0.0017	0.0029	0.34	2.9
IW-5	10/26/10	0.0012	0.0011	<0.001	0.0014	0.0037	0.27	12
IW-5	01/25/11	<0.001	1.3	<0.001	0.0015	1.3	0.38	22
IW-5	04/20/11	0.0023	<0.001	0.00055	<0.003	0.0029	0.83	6.12
IW-5	10/11/11	<0.001	<0.001	<0.001	<0.003	<0.003	<0.5	7.4
IW-5	05/31/12	<0.001	<0.001	<0.001	<0.003	<0.003	0.71	38.9

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
IW-6	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	7.62
IW-6	01/15/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-6	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-6	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-6	10/16/03	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.15
IW-6	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	11
IW-6	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	1.4
IW-6	01/25/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.76
IW-6	04/19/05	0.0031	0.0030	0.0047	<0.003	0.011	0.19	2.0
IW-6	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	3.4
IW-6	10/18/05	0.0071	<0.001	0.0044	0.017	0.029	0.88	110
IW-6	01/24/06	0.0033	0.0028	<0.001	0.012	0.018	0.71	48
IW-6	10/24/06	0.0021 F	<0.001	0.0084 F	0.0068	0.017	0.87	61
IW-7	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-7	01/15/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-7	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-7	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
IW-7	10/16/03	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.64
IW-7	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	0.15	40
IW-7	04/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	1.7
IW-7	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	18
IW-7	10/26/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	3.3
IW-7	01/25/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.21
IW-7	04/19/05	0.0014	0.0042	0.0087	0.0067	0.02	0.55	2.1
IW-7	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.003	0.10	0.30
IW-7	10/18/05	0.0085	0.0037	0.0067	0.035	0.054	2.3	360
IW-7	01/24/06	0.0064	0.0053	0.0061	0.030	0.048	1.4	41
IW-7	04/25/06	0.0055	<0.001	0.023	0.030	0.059	2.7	330
IW-7	07/25/06	0.0043	<0.001	0.0086	0.013	0.026	1.4	110
IW-7	10/24/06	0.0032 F	<0.001	0.012 F	0.013	0.013	1.1	44
IW-7	01/24/07	0.0018	<0.001	<0.001	0.0066	0.008	0.95	57
IW-7	04/24/07	<0.001	<0.001	0.011	0.0055	0.017	1.2	67
IW-7	07/24/07	0.0014	<0.001	<0.001	<0.003	0.0014	0.42	4.8
IW-7	10/23/07	<0.001	<0.001	0.0045	<0.003	0.0045	0.37	19
IW-7	01/29/08	<0.001	<0.001	<0.001	<1.0	<1.0	0.27	58
IW-7	04/22/08	<0.001	<0.001	<0.001	0.0011	0.0011	0.38	68
IW-7	07/22/08	<0.001	<0.001	<0.001	0.0018	0.0018	4.4	70
IW-7	10/21/08	<0.001	<0.001	<0.001	0.0011	0.0011	--	14
IW-7	01/20/09	<0.001	<0.001	<0.001	0.0012	0.0012	0.38	32
IW-7	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.12	6.5
IW-7	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.13	6.2
IW-7	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.17	20
IW-7 Duplicate	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.001	0.14	20
IW-7	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	0.24	20
IW-7 Duplicate	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	0.27	43
IW-7	04/27/10	<0.001	<0.001	<0.001	0.0014	0.0014	0.51	85
IW-7 Duplicate	04/27/10	<0.001	<0.001	<0.001	0.0014	0.0014	0.52	86
IW-7	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	23
IW-7 Duplicate	07/27/10	<0.001	<0.001	<0.001	0.0012	0.0012	0.25	36
IW-7	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	6.1
IW-7 Duplicate	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	2.3
IW-7	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	20
IW-7 Duplicate	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.001	0.10	17
IW-7	04/20/11	<0.001	<0.001	<0.001	<0.003	<0.003	0.43	120
IW-7	10/11/11	<0.002	<0.001	<0.001	<0.003	<0.003	<0.5	NA

Table 2

Groundwater Analytical Data - BTEX, TPH-GRO and TPH-DRO
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)	TPH-GRO (mg/L)	TPH-DRO (mg/L)
NMWQCC groundwater		0.005	1.00	0.70	0.62		ne	ne
SVE-1	08/29/02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1	01/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1	04/23/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1	10/16/03	<0.001	<0.001	<0.001	<3.0	<3.0	<0.10	<0.048
SVE-1	01/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.055
SVE-1	04/20/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.20
SVE-1	07/21/04	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.059
SVE-1	10/26/04	0.079	0.0028	<0.001	<0.003	0.082	0.32	0.099
SVE-1	01/25/05	0.062	0.0034	0.0019	0.012	0.079	0.41	0.34
SVE-1	04/19/05	0.054	0.0014	0.0017	0.0077	0.065	0.21	0.048
SVE-1	07/19/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.32
SVE-1	10/18/05	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.31
SVE-1	01/24/06	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.10
SVE-1	04/25/06	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.069
SVE-1	07/25/06	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.049
SVE-1	10/24/06	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.049
SVE-1	01/24/07	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.049
SVE-1	04/24/07	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.050
SVE-1	07/24/07	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	0.12
SVE-1	10/23/07	<0.001	<0.001	<0.001	<0.003	<0.003	<0.10	<0.050
SVE-1	01/29/08	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1	04/22/08	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1	07/22/08	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.10
SVE-1 Duplicate	07/22/08	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.11
SVE-1	10/21/08	<0.001	<0.001	<0.001	<0.001	<0.001	--	<0.05
SVE-1 Duplicate	10/21/08	<0.001	<0.001	<0.001	<0.001	<0.001	--	<0.05
SVE-1	01/20/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.064
SVE-1	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-1 Duplicate	04/21/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.099
SVE-1	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-1 Duplicate	07/28/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.24
SVE-1	10/27/09	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-1	01/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-1	04/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.15
SVE-1	07/27/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	0.19
SVE-1	10/26/10	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.05
SVE-1	01/25/11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.10	<0.20
SVE-1	04/20/11	<0.001	<0.001	<0.001	<0.003	<0.003	<0.05	0.082
SVE-1	10/11/11	<0.001	<0.001	<0.001	<0.003	<0.003	<0.50	<0.50

Notes:

NMWQCC = New Mexico Water Quality Control Commission

mg/L = milligrams per liter

< = analyte was not detected at or above the reported detection limit.

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

Shaded/bolded values exceed their respective NMWQCC Standard for Groundwater

F= reported value estimated due to an interference

ne = not established

na = not analyzed

-- = no data available

Table 3

Page 1 of 8

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
MW-2	07/16/99	28	--	--	--
MW-2	10/20/99	180	--	--	--
MW-2	01/13/00	200	--	--	--
MW-2	04/06/00	190	--	--	--
MW-2	08/01/00	180	--	--	--
MW-2	11/15/00	170	--	--	--
MW-2	03/06/01	160	--	--	--
MW-2	06/26/01	170	--	--	--
MW-2	09/25/01	150	--	--	--
MW-2	12/12/01	151	--	--	--
MW-2	05/20/02	137	590	3.09	0.098
MW-3	07/16/99	170	--	--	--
MW-3	10/20/99	120	--	--	--
MW-3	01/13/00	160	--	--	--
MW-3	04/06/00	170	--	--	--
MW-4	07/16/99	190	--	--	--
MW-9	07/16/99	140	--	--	--
MW-9	10/20/99	110	--	--	--
MW-9	01/13/00	130	--	--	--
MW-9	04/06/00	140	--	--	--
MW-9	08/01/00	140	--	--	--
MW-9	11/15/00	140	--	--	--
MW-9	03/06/01	130	--	--	--
MW-10	07/16/99	100	--	--	--
MW-10	10/20/99	120	--	--	--
MW-10	01/13/00	170	--	--	--
MW-10	04/06/00	210	--	--	--
MW-10	08/01/00	160	--	--	--
MW-10	11/15/00	200	--	--	--
MW-10	03/06/01	180	--	--	--
MW-10	06/26/01	170	--	--	--
MW-10	09/25/01	170	--	--	--
MW-10	12/12/01	169	--	--	--
MW-10	05/20/02	164	594	1.87	0.303
MW-11	10/20/99	120	--	--	--
MW-11	01/13/00	140	--	--	--
MW-11	04/06/00	120	--	--	--
MW-11	08/01/00	110	--	--	--
MW-11	11/15/00	110	--	--	--
MW-11	03/06/01	100	--	--	--
MW-11	06/26/01	110	--	--	--
MW-11	09/25/01	150	--	--	--
MW-11	12/12/01	100	--	--	--
MW-11	05/20/02	96	1,280	3.43	0.051

Table 3

Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
MW-12	10/20/99	140	--	--	--
MW-12	01/13/00	140	--	--	--
MW-12	04/06/00	130	--	--	--
MW-12	08/01/00	120	--	--	--
MW-12	11/15/00	120	--	--	--
MW-12	03/06/01	91	--	--	--
MW-12	06/26/01	120	--	--	--
MW-12	09/25/01	110	--	--	--
MW-12	12/12/01	109	--	--	--
MW-12	05/20/02	100	845	11.7	0.106
MW-13	06/04/00	56	--	--	--
MW-13	01/08/00	71	--	--	--
MW-13	11/15/00	86	--	--	--
MW-13	06/01/03	110	--	--	--
MW-13	06/26/01	120	--	--	--
MW-13	09/25/01	110	--	--	--
MW-13	12/01/12	114	--	--	--
MW-13	05/20/02	111	905	1.2	0.018
MW-13	08/29/02	106	--	5.72	--
MW-13	01/15/03	113	--	--	--
MW-13	04/23/03	406	--	0.351	--
MW-13	07/14/03	125	--	--	--
MW-13	10/16/03	120	--	--	--
MW-13	10/26/04	120	--	--	--
MW-13	01/25/05	130	--	--	--
MW-13	04/19/05	117	--	--	--
MW-13 Duplicate	04/19/05	103	--	--	--
MW-13	07/19/05	116	--	--	--
MW-13 Duplicate	07/19/05	115	--	--	--
MW-13	10/18/05	108	--	--	--
MW-13 Duplicate	10/18/05	106	--	--	--
MW-13	01/24/06	109	--	--	--
MW-13 Duplicate	01/24/06	115	--	--	--
MW-13	04/25/06	107	--	1.4	0.11
MW-13 Duplicate	04/25/06	109	--	1.7	0.11
MW-13	07/25/06	69.2	--	--	--
MW-13 Duplicate	07/25/06	69.7	--	--	--
MW-13	10/24/06	80.7	--	--	--
MW-13 Duplicate	10/24/06	69.5	--	--	--
MW-13	01/24/07	63.9	--	--	--
MW-13 Duplicate	01/24/07	67.1	--	--	--
MW-13	04/24/07	55.9	--	2.7	0.16
MW-13 Duplicate	04/24/07	56	--	2.8	0.17
MW-13	07/24/07	63.6	--	--	--
MW-13 Duplicate	07/24/07	63.6	--	--	--
MW-13	10/23/07	75.8	--	--	--
MW-13 Duplicate	10/23/07	80.7	--	--	--
MW-13	01/29/08	70	--	--	--
MW-13 Duplicate	01/29/08	73.1	--	--	--
MW-13	04/22/08	37.3	--	4.6	0.177
MW-13 Duplicate	04/22/08	39.3	--	4.5	0.177
MW-13	07/22/08	33.5	--	--	--

Table 3

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
MW-13	01/20/09	77.5	--	--	--
MW-13 Duplicate	01/20/09	79.8	--	--	--
MW-13	10/27/09	180	--	--	--
MW-13	01/26/10	163	--	--	--
MW-13	07/27/10	149	--	--	--
MW-13	10/26/10	172	--	--	--
EW-1	07/16/03	172	--	--	--
EW-1	10/16/03	147	--	0.22	--
EW-2	07/16/03	160	--	--	--
EW-2	10/16/03	164	--	--	--
EW-2	07/20/05	110	--	0.22	--
EW-2	01/24/06	74.5	--	--	--
EW-2	04/25/06	52.7	--	0.48	0.044
EW-2	10/24/06	56.3	--	--	--
EW-2	01/24/07	38.5	--	--	--
EW-2	04/24/07	77.6	--	8.7	0.22
EW-2	07/24/07	52.9	--	--	--
EW-2	10/23/07	55.1	--	--	--
EW-2	01/29/08	70.2	--	--	--
EW-2	04/22/08	79.1	--	0.26	0.0299
EW-2	07/22/08	123	--	--	--
EW-2	10/21/08	68.6	--	--	--
EW-2	01/20/09	113	--	--	--
IW-2	08/29/02	86	--	6.55	--
IW-2	01/14/03	132	--	--	--
IW-2	04/23/03	152	--	0.089	--
IW-2	07/14/03	171	--	--	--
IW-2	10/15/03	103	--	--	--
IW-2	01/20/04	97	--	--	--
IW-2	04/20/04	99.4	--	--	--
IW-2	07/21/04	121	--	--	--
IW-2	10/26/04	146	--	--	--
IW-2	01/25/05	158	--	--	--
IW-2	04/19/05	146	--	--	--
IW-2	07/19/05	125	--	--	--
IW-2	10/18/05	107	--	--	--
IW-2	01/24/06	105	--	--	--
IW-2	04/25/06	110	--	0.69	0.13
IW-2	07/25/06	68.9	--	--	--
IW-2	10/24/06	80.8	--	--	--
IW-2	01/24/07	83.9	--	--	--
IW-2	04/24/07	82.0	--	0.33	--
IW-2	07/24/07	71.5	--	--	--
IW-2	10/23/07	77.5	--	--	--
IW-2	01/29/08	78.4	--	--	--
IW-2	04/22/08	83.3	--	0.28	0.00606
IW-2	07/22/08	74.1	--	--	--
IW-2	10/21/08	73.8	--	--	--
IW-2	01/20/09	78.2	--	--	--
IW-2	04/21/09	66.6	--	0.183	0.00994

Table 3

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
IW-2	07/28/09	68.3	--	--	--
IW-2	10/27/09	80.5	--	--	--
IW-2	01/26/10	71.7	--	--	--
IW-2	04/27/10	67.2	--	0.113	0.00516
IW-2	07/27/10	86	--	--	--
IW-2	10/26/10	90.1	--	--	--
IW-2	01/25/11	74.5	--	--	--
IW-2	04/20/11	71.4	--	0.268	<0.0015
IW-2	10/11/11	82.7	--	--	--
IW-2	05/31/12	71.7	--	--	--
IW-2	02/26/13	71.1	--	1.93	0.008
IW-2 Duplicate	02/26/13	71.3	--	1.97	0.008
IW-2	07/23/13	74.0	--	--	--
IW-2 Duplicate	07/23/13	72.0	--	--	--
IW-2	03/24/14	79.1	--	--	--
IW-2 Duplicate	03/24/14	79.7	--	--	--
IW-3	08/29/02	82	--	8.28	--
IW-3	01/14/03	94.6	--	--	--
IW-3	04/23/03	115	--	1.47	--
IW-3	07/14/03	161	--	--	--
IW-3	10/15/03	99.1	--	--	--
IW-3	01/20/04	89.3	--	--	--
IW-3	04/20/04	91.5	--	--	--
IW-3	07/21/04	148	--	--	--
IW-3	10/26/04	90.2	--	--	--
IW-3	01/25/05	158	--	--	--
IW-3	04/19/05	148	--	--	--
IW-3	07/19/05	124	--	--	--
IW-3	10/18/05	106	--	--	--
IW-3	01/24/06	97.7	--	--	--
IW-3	04/25/06	103	--	0.68	0.21
IW-3	07/25/06	87.8	--	--	--
IW-3	10/24/06	91.4	--	--	--
IW-3	01/24/07	90.7	--	--	--
IW-3	04/24/07	93.1	--	0.60	0.074
IW-3	07/24/07	89.7	--	--	--
IW-3	10/23/07	89.9	--	--	--
IW-3	01/29/08	87.4	--	--	--
IW-3	04/22/08	97.2	--	0.41	0.0336
IW-3	07/22/08	79.5	--	--	--
IW-3	10/21/08	73.7	--	--	--
IW-3	01/20/09	87.5	--	--	--
IW-3	04/21/09	80.8	--	0.16	0.0210
IW-3	07/28/09	78.1	--	--	--
IW-3	10/27/09	98.6	--	--	--
IW-3	01/26/10	79	--	--	--
IW-3	04/27/10	75	--	0.0503	0.0155
IW-3	07/27/10	46.4	--	--	--
IW-3	10/26/10	90.0	--	--	--
IW-3	01/25/11	75.9	--	--	--
IW-3	04/20/11	73.3	--	<0.1	<0.015
IW-3	10/11/11	78.9	--	--	--

Table 3

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
IW-3	05/31/12	72.1	--	--	--
IW-3	02/26/13	70.9	--	11.4	0.137
IW-3	07/23/13	52.2	--	--	--
IW-3	03/24/14	72.6	--	--	--
IW-4	08/29/02	99.5	--	2.45	--
IW-4	01/14/03	111	--	--	--
IW-4	04/23/03	153	--	0.221	--
IW-4	07/14/03	4.0	--	--	--
IW-4	10/16/03	141	--	--	--
IW-4	01/20/04	114	--	--	--
IW-4	04/20/04	101	--	--	--
IW-4	07/21/04	125	--	--	--
IW-4	10/26/04	139	--	--	--
IW-4	01/25/05	154	--	--	--
IW-4	04/19/05	147	--	--	--
IW-4	07/09/05	125	--	--	--
IW-4	10/18/05	108	--	--	--
IW-4	01/24/06	115	--	--	--
IW-4	04/25/06	131	--	3.0	0.44
IW-4	07/25/06	41	--	--	--
IW-4	10/24/06	56.6	--	--	--
IW-4	01/24/07	53.7	--	--	--
IW-4	04/24/07	56.2	--	0.87	0.23
IW-4	07/24/07	51.4	--	--	--
IW-4	10/23/07	41.1	--	--	--
IW-4	01/29/08	34.7	--	--	--
IW-4	04/22/08	54.5	--	0.36	0.102
IW-4	07/22/08	46.7	--	--	--
IW-4	10/21/08	55.1	--	--	--
IW-4	01/20/09	66.3	--	--	--
IW-4	04/21/09	67.1	--	0.527	0.0661
IW-4	07/28/09	72.2	--	--	--
IW-4	10/27/09	93.4	--	--	--
IW-4	01/26/10	72.7	--	--	--
IW-4	04/27/10	86.9	--	0.241	0.0637
IW-4	07/27/10	56.9	--	--	--
IW-4	10/26/10	94.3	--	--	--
IW-4	01/25/11	81.8	--	--	--
IW-4	04/20/11	81.1	--	0.178	0.0303
IW-4	10/11/11	96	--	--	--
IW-4	05/31/12	85	--	--	--
IW-5	08/29/02	90	--	3.33	--
IW-5	01/15/03	117	--	--	--
IW-5	04/23/03	156	--	2.13	--
IW-5	07/14/03	160	--	--	--
IW-5	10/16/03	166	--	--	--
IW-5	01/20/04	140	--	--	--
IW-5	04/20/04	124	--	--	--
IW-5	07/21/04	138	--	--	--
IW-5	10/26/04	128	--	--	--
IW-5	01/25/05	156	--	--	--

Table 3

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
IW-5	04/19/05	147	--	--	--
IW-5	07/19/05	124	--	--	--
IW-5	10/18/05	110	--	--	--
IW-5	01/24/06	131	--	--	--
IW-5	04/25/06	141	--	1.3	0.32
IW-5	07/25/06	93	--	--	--
IW-5	10/24/06	129	--	--	--
IW-5	01/24/07	131	--	--	--
IW-5	04/24/07	138	--	1.0	0.14
IW-5	07/24/07	133	--	--	--
IW-5	10/23/07	129	--	--	--
IW-5	01/29/08	135	--	--	--
IW-5	04/22/08	166	--	1.7	0.112
IW-5	07/22/08	111	--	--	--
IW-5	10/21/08	105	--	--	--
IW-5	01/20/09	144	--	--	--
IW-5	04/21/09	134	--	2.65	0.110
IW-5	07/28/09	97.9	--	--	--
IW-5	10/27/09	62.2	--	--	--
IW-5	01/26/10	75.4	--	--	--
IW-5	04/27/10	85.5	--	3.34	0.110
IW-5	07/27/11	96.7	--	--	--
IW-5	10/26/10	137	--	--	--
IW-5	01/25/11	147	--	--	--
IW-5	04/20/11	136	--	3.05	0.124
IW-5	10/11/11	132	--	--	--
IW-5	05/31/12	274	--	--	--
IW-6	08/29/02	92	--	7.16	--
IW-6	01/15/03	100	--	--	--
IW-6	04/23/03	132	--	0.27	--
IW-6	07/14/03	120	--	--	--
IW-6	10/16/04	165	--	--	--
IW-6	01/20/04	138	--	--	--
IW-6	10/26/04	76.6	--	--	--
IW-6	01/25/05	156	--	--	--
IW-6	04/19/05	145	--	--	--
IW-6	07/19/05	123	--	--	--
IW-6	10/18/05	110	--	--	--
IW-6	01/24/06	115	--	--	--
IW-6	10/24/06	160	--	--	--
IW-7	08/29/02	161	--	18.6	--
IW-7	01/15/03	142	--	--	--
IW-7	04/23/03	152	--	0.524	--
IW-7	07/14/03	140	--	--	--
IW-7	10/16/03	165	--	--	--
IW-7	01/20/04	138	--	--	--
IW-7	04/20/04	160	--	--	--
IW-7	07/21/04	142	--	--	--
IW-7 Duplicate	07/21/04	139	--	--	--
IW-7	10/26/04	125	--	--	--
IW-7	01/25/05	155	--	--	--

Table 3

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
IW-7 Duplicate	01/25/05	157	--	--	--
IW-7	04/19/05	131	--	--	--
IW-7	09/15/07	125	--	--	--
IW-7	10/18/05	107	--	--	--
IW-7	01/24/06	102	--	--	--
IW-7	04/25/06	105	--	0.23	0.31
IW-7	07/25/06	87	--	--	--
IW-7	10/24/06	88.7	--	--	--
IW-7	01/24/07	91.9	--	--	--
IW-7	04/24/07	92.6	--	0.45	0.055
IW-7	07/24/07	85.9	--	--	--
IW-7	10/23/07	81.9	--	--	--
IW-7	01/29/08	89.4	--	--	--
IW-7	04/22/08	107	--	0.772	0.0407
IW-7	07/22/08	72.7	--	--	--
IW-7	10/21/08	69.5	--	--	--
IW-7	01/20/09	83.2	--	--	--
IW-7	04/21/09	71.4	--	0.746	0.0347
IW-7	07/28/09	74.7	--	--	--
IW-7	10/27/09	88.8	--	--	--
IW-7 Duplicate	10/27/09	84.8	--	--	--
IW-7	01/26/10	79.4	--	--	--
IW-7 Duplicate	01/26/10	71	--	--	--
IW-7	04/27/10	71.6	--	0.194	0.0452
IW-7 Duplicate	04/27/10	73.6	--	0.147	0.0446
IW-7	07/27/10	68.2	--	--	--
IW-7 Duplicate	07/27/10	68.2	--	--	--
IW-7	10/26/10	73.2	--	--	--
IW-7 Duplicate	10/26/10	82.2	--	--	--
IW-7	01/25/11	61.8	--	--	--
IW-7 Duplicate	01/25/11	62.8	--	--	--
IW-7	04/20/11	60.3	--	0.21	0.0356
IW-7	10/11/11	72.1	--	--	--
SVE-1	08/29/02	96.5	--	--	--
SVE-1	01/14/03	122	--	--	--
SVE-1	04/23/03	123	--	2.27	--
SVE-1	07/14/03	117	--	--	--
SVE-1	10/16/03	113	--	--	--
SVE-1	01/20/04	105	--	--	--
SVE-1	04/20/04	109	--	--	--
SVE-1	07/21/04	103	--	--	--
SVE-1	10/26/04	52.7	--	--	--
SVE-1	01/25/04	73.9	--	--	--
SVE-1	04/19/05	97.2	--	--	--
SVE-1	07/19/05	102	--	--	--
SVE-1	10/18/05	96.5	--	--	--
SVE-1	01/24/06	109	--	--	--
SVE-1	04/25/06	140	--	--	0.018
SVE-1	07/25/06	112	--	--	--
SVE-1	10/24/06	117	--	--	--
SVE-1	01/24/07	121	--	--	--
SVE-1	04/24/07	124	--	--	--

Table 3

**Historical Groundwater Analytical Data - Chloride, Total Hardness, Iron and Manganese
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico**

Well ID	Sample Date	Chloride (mg/L)	Total Hardness (mg/L)	Iron (mg/L)	Manganese (mg/L)
NMWQCC groundwater quality		250	NE	1.0	0.2
SVE-1	07/24/07	120	--	--	--
SVE-1	10/23/07	121	--	--	--
SVE-1	01/29/08	120	--	--	--
SVE-1	04/22/08	86.8	--	<0.02	<0.005
SVE-1	07/22/08	124	--	--	--
SVE-1 Duplicate	07/22/08	124.0	--	--	--
SVE-1	10/21/08	113	--	--	--
SVE-1 Duplicate	10/21/08	105	--	--	--
SVE-1	01/20/09	137	--	--	--
SVE-1	04/21/09	114	--	0.0734	0.00928
SVE-1 Duplicate	04/21/09	118	--	0.756	0.0109
SVE-1	07/28/09	113	--	--	--
SVE-1 Duplicate	07/28/09	114	--	--	--
SVE-1	10/27/09	133	--	--	--
SVE-1	01/26/10	126	--	--	--
SVE-1	04/27/10	118	--	0.0416	0.00876
SVE-1	07/27/10	17.2	--	--	--
SVE-1	10/26/10	63.1	--	--	--
SVE-1	01/25/11	124	--	--	--
SVE-1	04/20/11	120	--	0.306	0.145
SVE-1	10/11/11	125	--	--	--

Notes:

NMWQCC = New Mexico Water Quality Control Commission

mg/L = milligrams per liter

NE = Not Established

< = analyte was not detected at or above the reported detection limit.

-- = no data available

Shaded/bolded values exceed their respective NMWQCC Standard for Ground Water.

Table 4

Historical Groundwater Analytical Data - Metals and Polyaromatic Hydrocarbons
Phillips 66 Company
Line NM 1-1
Hobbs, Lea County, New Mexico

Metal Analytes																		
Well ID	Sample Date	Aluminum (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Boron (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	Mercury (mg/L)	Molybdenum (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Zinc (mg/L)
NMWQCC groundwater quality standards		5.0	0.1	1.0	0.75	0.01	0.05	0.05	1.0	1.0	0.05	0.2	0.002	1.0	0.2	0.05	0.05	10
IW-2	4/20/2011	<0.2	0.00970	<0.2	0.174	<0.004	<0.01	<0.05	<0.025	0.268	0.0171	<0.015	<0.0002	<0.010	<0.04	<0.005	<0.01	<0.02
IW-2	2/26/2013	na	0.0261	0.229	0.168	<0.005	0.0811	<0.005	<0.01	1.93	<0.005	0.008	<0.0002	<0.02	0.0072	<0.015	<0.007	<0.50
IW-2 Duplicate	2/26/2013	na	0.030	0.23	0.172	<0.005	0.0278	<0.005	<0.01	1.97	<0.005	0.008	<0.0002	<0.02	0.0053	<0.015	<0.007	<0.50
IW-3	4/20/2011	<0.2	0.0060	<0.2	0.186	<0.004	<0.01	<0.05	<0.025	<0.1	0.0153	<0.015	<0.0002	<0.010	<0.04	<0.005	<0.01	<0.02
IW-3	2/26/2013	na	0.0374	0.303	0.201	<0.005	0.159	0.0135	0.0309	11.4	0.0064	0.137	<0.0002	<0.02	0.147	<0.015	<0.007	0.0805
IW-4	4/20/2011	<0.2	0.0230	0.205	0.166	<0.004	<0.01	<0.05	<0.025	0.178	0.0157	0.0303	<0.0002	<0.010	<0.04	<0.005	<0.01	<0.02
IW-5	4/20/2011	<0.2	0.0284	0.881	0.344	<0.004	<0.01	<0.05	<0.025	3.05	0.015	0.124	<0.0002	0.0226	<0.04	<0.005	<0.01	<0.02
IW-7	4/20/2011	<0.2	0.0369	<0.2	0.281	<0.004	<0.01	<0.05	<0.025	0.210	0.0151	0.0356	<0.0002	<0.0002	<0.04	<0.005	<0.01	<0.02
IW-7 Duplicate	4/20/2011	<0.2	0.0364	<0.2	0.286	<0.004	<0.01	<0.05	<0.025	0.212	0.0176	0.0358	<0.0002	0.0310	<0.04	<0.005	<0.01	<0.02
SVE-1	4/20/2011	<0.2	<0.005	0.367	0.236	<0.004	<0.01	<0.005	<0.005	0.3060	0.0154	0.14500	<0.0002	<0.01	<0.04	<0.005	<0.01	<0.02

PAH Analytes																		
Well ID	Sample Date	2-Methylnaphthalene (ug/L)	Acenaphthene (ug/L)	Acenaphthylene (ug/L)	Anthracene (ug/L)	Benzo(a)anthracene (ug/L)	Benzo(a)pyrene (ug/L)	Benzo(b)fluoranthene (ug/L)	Benzo(g,h,i)perylene (ug/L)	Benzo(k)fluoranthene (ug/L)	Chrysene (ug/L)	Dibenz(a,h)anthracene (ug/L)	Fluoranthene (ug/L)	Fluorene (ug/L)	Indeo(1,2,3-cd)pyrene (ug/L)	Naphthalene (ug/L)	Phenanthrene (ug/L)	Pyrene (ug/L)
NMWQCC groundwater quality standards		30	ne	ne	ne	ne	0.70	ne	ne	ne	ne	ne	ne	ne	ne	30	ne	ne
IW-2	4/20/2011	<0.21	<0.21	<0.21	<0.21	0.13	<0.21	<0.21	<0.21	<0.21	0.23	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21
IW-2	2/26/2013	na	<0.10	<0.10	0.26	<0.10	<0.10	<0.10	0.11	<0.10	0.32	0.15	0.15	<0.10	0.14	<0.50	<0.50	0.23
IW-2 Duplicate	2/26/2013	na	<0.10	<0.10	0.37	<0.10	<0.10	<0.10	<0.10	<0.10	0.50	<0.10	0.23	<0.10	<0.10	<0.50	<0.50	0.33
IW-3	4/20/2011	<0.051	<0.051	<0.051	<0.051	<0.051	<0.71	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051
IW-3	2/26/2013	na	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.50	<0.50	<0.10
IW-4	4/20/2011	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
IW-5	4/20/2011	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	1.6	<0.21
IW-7	4/20/2011	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
IW-7 Duplicate	4/20/2011	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
SVE-1	4/20/2011	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23

Notes:
mg/L = Milligrams per liter
µg/L = Micrograms per liter
NMWQCC = New Mexico Water Quality Control Commission
<= analyte was not detected at or above the reported detection level.
na = not analyzed
ne = not established
Shaded/bolded values exceed their respective WQCC Standard for Ground Water provided in 20.6.2.3103 NMAC.
Duplicate = duplicate sample

Appendix A

Laboratory Analytical Reports

April 25, 2022

David Bonga
GHD Services, Inc.
14998 West 6th Ave
Suite 800
Golden, CO 80401

RE: Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

Dear David Bonga:

Enclosed are the analytical results for sample(s) received by the laboratory on April 12, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Kansas City

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jamie Church
jamie.church@pacelabs.com
314-838-7223
Project Manager

Enclosures

cc: Christopher Knight, GHD Services, Inc.
Angela McManus, Pace Analytical
Charles Neligh, GHD, Services Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Pace Analytical Services Kansas

9608 Loiret Boulevard, Lenexa, KS 66219

Missouri Inorganic Drinking Water Certification #: 10090

Arkansas Drinking Water

Arkansas Certification #: 20-020-0

Arkansas Drinking Water

Illinois Certification #: 2000302021-3

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212020-2

Oklahoma Certification #: 9205/9935

Florida: Cert E871149 SEKS WET

Texas Certification #: T104704407-21-15

Utah Certification #: KS000212019-9

Illinois Certification #: 004592

Kansas Field Laboratory Accreditation: # E-92587

Missouri SEKS Micro Certification: 10070

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60397608001	MW-18	Water	04/07/22 11:05	04/12/22 09:30
60397608002	MW-21	Water	04/07/22 11:25	04/12/22 09:30
60397608003	MW-22	Water	04/07/22 10:45	04/12/22 09:30
60397608004	MW-28	Water	04/07/22 10:15	04/12/22 09:30
60397608005	MW-29	Water	04/06/22 13:05	04/12/22 09:30
60397608006	MW-30	Water	04/06/22 13:20	04/12/22 09:30
60397608007	MW-31	Water	04/06/22 13:34	04/12/22 09:30
60397608008	MW-32	Water	04/06/22 13:50	04/12/22 09:30
60397608009	MW-33	Water	04/06/22 14:05	04/12/22 09:30
60397608010	MW-34	Water	04/06/22 14:45	04/12/22 09:30
60397608011	MW-37	Water	04/06/22 13:50	04/12/22 09:30
60397608012	MW-38	Water	04/06/22 12:30	04/12/22 09:30
60397608013	MW-39	Water	04/06/22 12:16	04/12/22 09:30
60397608014	DUP-01	Water	04/06/22 00:00	04/12/22 09:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60397608001	MW-18	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608002	MW-21	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608003	MW-22	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608004	MW-28	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608005	MW-29	EPA 8015B	WFG	3	PASI-K
		EPA 8260	AML	9	PASI-K
60397608006	MW-30	EPA 8015B	WFG	3	PASI-K
		EPA 8260	AML	9	PASI-K
60397608007	MW-31	EPA 8015B	WFG	3	PASI-K
		EPA 8260	AML	9	PASI-K
60397608008	MW-32	EPA 8015B	WFG	3	PASI-K
		EPA 8260	AML	9	PASI-K
60397608009	MW-33	EPA 8015B	WFG	3	PASI-K
		EPA 8260	AML	9	PASI-K
60397608010	MW-34	EPA 8015B	WFG	3	PASI-K
		EPA 8260	AML	9	PASI-K
60397608011	MW-37	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608012	MW-38	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608013	MW-39	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K
60397608014	DUP-01	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC	9	PASI-K

PASI-K = Pace Analytical Services - Kansas City

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-18	Lab ID: 60397608001		Collected: 04/07/22 11:05		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
	Pace Analytical Services - Kansas City							
	TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 09:11	
	Surrogates							
	p-Terphenyl (S)	52	%	30-115	1	04/14/22 21:39	04/15/22 09:11	92-94-4
n-Tetracosane (S)	43	%	30-110	1	04/14/22 21:39	04/15/22 09:11	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
	Pace Analytical Services - Kansas City							
	Benzene	ND	mg/L	0.0010	1		04/19/22 18:04	71-43-2
	Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 18:04	100-41-4
	Toluene	ND	mg/L	0.0010	1		04/19/22 18:04	108-88-3
	TPH-GRO	ND	mg/L	0.50	1		04/19/22 18:04	
	Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 18:04	1330-20-7
	Surrogates							
	Toluene-d8 (S)	99	%	80-120	1		04/19/22 18:04	2037-26-5
	4-Bromofluorobenzene (S)	97	%	80-120	1		04/19/22 18:04	460-00-4
	1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		04/19/22 18:04	2199-69-1
	Preservation pH	1.0		0.10	1		04/19/22 18:04	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 5 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-21		Lab ID: 60397608002		Collected: 04/07/22 11:25		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 09:19			
Surrogates									
p-Terphenyl (S)	67	%	30-115	1	04/14/22 21:39	04/15/22 09:19	92-94-4		
n-Tetracosane (S)	52	%	30-110	1	04/14/22 21:39	04/15/22 09:19	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 17:49	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 17:49	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 17:49	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 17:49			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 17:49	1330-20-7		
Surrogates									
Toluene-d8 (S)	102	%	80-120	1		04/19/22 17:49	2037-26-5		
4-Bromofluorobenzene (S)	97	%	80-120	1		04/19/22 17:49	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		04/19/22 17:49	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 17:49			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 6 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-22	Lab ID: 60397608003	Collected: 04/07/22 10:45	Received: 04/12/22 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
	TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 09:27	
	Surrogates							
	p-Terphenyl (S)	62	%	30-115	1	04/14/22 21:39	04/15/22 09:27	92-94-4
	n-Tetracosane (S)	47	%	30-110	1	04/14/22 21:39	04/15/22 09:27	646-31-1
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
	Benzene	ND	mg/L	0.0010	1		04/19/22 17:35	71-43-2
	Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 17:35	100-41-4
	Toluene	ND	mg/L	0.0010	1		04/19/22 17:35	108-88-3
	TPH-GRO	ND	mg/L	0.50	1		04/19/22 17:35	
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 17:35	1330-20-7	
Surrogates								
Toluene-d8 (S)	102	%	80-120	1		04/19/22 17:35	2037-26-5	
4-Bromofluorobenzene (S)	97	%	80-120	1		04/19/22 17:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		04/19/22 17:35	2199-69-1	
Preservation pH	1.0		0.10	1		04/19/22 17:35		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 7 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-28		Lab ID: 60397608004		Collected: 04/07/22 10:15		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 09:35			
Surrogates									
p-Terphenyl (S)	63	%	30-115	1	04/14/22 21:39	04/15/22 09:35	92-94-4		
n-Tetracosane (S)	57	%	30-110	1	04/14/22 21:39	04/15/22 09:35	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 17:20	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 17:20	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 17:20	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 17:20			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 17:20	1330-20-7		
Surrogates									
Toluene-d8 (S)	101	%	80-120	1		04/19/22 17:20	2037-26-5		
4-Bromofluorobenzene (S)	96	%	80-120	1		04/19/22 17:20	460-00-4		
1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		04/19/22 17:20	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 17:20			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 8 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

Sample: MW-29		Lab ID: 60397608005		Collected: 04/06/22 13:05		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	0.49	mg/L	0.48	1	04/14/22 21:39	04/15/22 10:08		H2	
Surrogates									
p-Terphenyl (S)	67	%	30-115	1	04/14/22 21:39	04/15/22 10:08	92-94-4		
n-Tetracosane (S)	66	%	30-110	1	04/14/22 21:39	04/15/22 10:08	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 18:35	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 18:35	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 18:35	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 18:35			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 18:35	1330-20-7		
Surrogates									
Toluene-d8 (S)	116	%	80-120	1		04/19/22 18:35	2037-26-5		
4-Bromofluorobenzene (S)	110	%	80-120	1		04/19/22 18:35	460-00-4		
1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		04/19/22 18:35	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 18:35			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 9 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

Sample: MW-30		Lab ID: 60397608006		Collected: 04/06/22 13:20		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	0.68	mg/L	0.48	1	04/14/22 21:39	04/15/22 10:16		H2	
Surrogates									
p-Terphenyl (S)	64	%	30-115	1	04/14/22 21:39	04/15/22 10:16	92-94-4		
n-Tetracosane (S)	60	%	30-110	1	04/14/22 21:39	04/15/22 10:16	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 18:50	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 18:50	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 18:50	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 18:50			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 18:50	1330-20-7		
Surrogates									
Toluene-d8 (S)	117	%	80-120	1		04/19/22 18:50	2037-26-5		
4-Bromofluorobenzene (S)	108	%	80-120	1		04/19/22 18:50	460-00-4		
1,2-Dichlorobenzene-d4 (S)	102	%	80-120	1		04/19/22 18:50	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 18:50			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 10 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

Sample: MW-31		Lab ID: 60397608007		Collected: 04/06/22 13:34		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 10:25		H2	
Surrogates									
p-Terphenyl (S)	68	%	30-115	1	04/14/22 21:39	04/15/22 10:25	92-94-4		
n-Tetracosane (S)	62	%	30-110	1	04/14/22 21:39	04/15/22 10:25	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 19:05	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 19:05	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 19:05	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 19:05			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 19:05	1330-20-7		
Surrogates									
Toluene-d8 (S)	117	%	80-120	1		04/19/22 19:05	2037-26-5		
4-Bromofluorobenzene (S)	109	%	80-120	1		04/19/22 19:05	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		04/19/22 19:05	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 19:05			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 11 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-32		Lab ID: 60397608008		Collected: 04/06/22 13:50		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 10:33		H2	
Surrogates									
p-Terphenyl (S)	63	%	30-115	1	04/14/22 21:39	04/15/22 10:33	92-94-4		
n-Tetracosane (S)	48	%	30-110	1	04/14/22 21:39	04/15/22 10:33	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 19:20	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 19:20	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 19:20	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 19:20			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 19:20	1330-20-7		
Surrogates									
Toluene-d8 (S)	121	%	80-120	1		04/19/22 19:20	2037-26-5	S0	
4-Bromofluorobenzene (S)	111	%	80-120	1		04/19/22 19:20	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		04/19/22 19:20	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 19:20			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 12 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-33		Lab ID: 60397608009		Collected: 04/06/22 14:05		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 10:41		H2	
Surrogates									
p-Terphenyl (S)	67	%	30-115	1	04/14/22 21:39	04/15/22 10:41	92-94-4		
n-Tetracosane (S)	59	%	30-110	1	04/14/22 21:39	04/15/22 10:41	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 19:35	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/19/22 19:35	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 19:35	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 19:35			
Xylene (Total)	ND	mg/L	0.0030	1		04/19/22 19:35	1330-20-7		
Surrogates									
Toluene-d8 (S)	117	%	80-120	1		04/19/22 19:35	2037-26-5		
4-Bromofluorobenzene (S)	110	%	80-120	1		04/19/22 19:35	460-00-4		
1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		04/19/22 19:35	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 19:35			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 13 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-34		Lab ID: 60397608010		Collected: 04/06/22 14:45		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 21:39	04/15/22 10:49		H2	
Surrogates									
p-Terphenyl (S)	66	%	30-115	1	04/14/22 21:39	04/15/22 10:49	92-94-4		
n-Tetracosane (S)	61	%	30-110	1	04/14/22 21:39	04/15/22 10:49	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/19/22 19:51	71-43-2		
Ethylbenzene	0.0024	mg/L	0.0010	1		04/19/22 19:51	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/19/22 19:51	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/19/22 19:51			
Xylene (Total)	0.0069	mg/L	0.0030	1		04/19/22 19:51	1330-20-7		
Surrogates									
Toluene-d8 (S)	118	%	80-120	1		04/19/22 19:51	2037-26-5		
4-Bromofluorobenzene (S)	112	%	80-120	1		04/19/22 19:51	460-00-4		
1,2-Dichlorobenzene-d4 (S)	101	%	80-120	1		04/19/22 19:51	2199-69-1		
Preservation pH	1.0		0.10	1		04/19/22 19:51			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 14 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

Sample: MW-37		Lab ID: 60397608011		Collected: 04/06/22 13:50		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.45	1	04/14/22 15:26	04/15/22 13:09		H2	
Surrogates									
p-Terphenyl (S)	78	%	30-115	1	04/14/22 15:26	04/15/22 13:09	92-94-4		
n-Tetracosane (S)	79	%	30-110	1	04/14/22 15:26	04/15/22 13:09	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/20/22 13:03	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/20/22 13:03	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/20/22 13:03	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/20/22 13:03			
Xylene (Total)	ND	mg/L	0.0030	1		04/20/22 13:03	1330-20-7		
Surrogates									
Toluene-d8 (S)	98	%	80-120	1		04/20/22 13:03	2037-26-5		
4-Bromofluorobenzene (S)	100	%	80-120	1		04/20/22 13:03	460-00-4		
1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		04/20/22 13:03	2199-69-1		
Preservation pH	1.0		0.10	1		04/20/22 13:03			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 15 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-38		Lab ID: 60397608012		Collected: 04/06/22 12:30		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.45	1	04/14/22 15:26	04/15/22 13:17		H2	
Surrogates									
p-Terphenyl (S)	80	%	30-115	1	04/14/22 15:26	04/15/22 13:17	92-94-4		
n-Tetracosane (S)	79	%	30-110	1	04/14/22 15:26	04/15/22 13:17	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/20/22 13:17	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/20/22 13:17	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/20/22 13:17	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/20/22 13:17			
Xylene (Total)	ND	mg/L	0.0030	1		04/20/22 13:17	1330-20-7		
Surrogates									
Toluene-d8 (S)	99	%	80-120	1		04/20/22 13:17	2037-26-5		
4-Bromofluorobenzene (S)	101	%	80-120	1		04/20/22 13:17	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		04/20/22 13:17	2199-69-1		
Preservation pH	1.0		0.10	1		04/20/22 13:17			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 16 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: MW-39		Lab ID: 60397608013		Collected: 04/06/22 12:16		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	04/14/22 15:26	04/15/22 13:26		H2	
Surrogates									
p-Terphenyl (S)	94	%	30-115	1	04/14/22 15:26	04/15/22 13:26	92-94-4		
n-Tetracosane (S)	89	%	30-110	1	04/14/22 15:26	04/15/22 13:26	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/20/22 13:32	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/20/22 13:32	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/20/22 13:32	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/20/22 13:32			
Xylene (Total)	ND	mg/L	0.0030	1		04/20/22 13:32	1330-20-7		
Surrogates									
Toluene-d8 (S)	100	%	80-120	1		04/20/22 13:32	2037-26-5		
4-Bromofluorobenzene (S)	100	%	80-120	1		04/20/22 13:32	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		04/20/22 13:32	2199-69-1		
Preservation pH	1.0		0.10	1		04/20/22 13:32			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 17 of 30

ANALYTICAL RESULTS

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Sample: DUP-01		Lab ID: 60397608014		Collected: 04/06/22 00:00		Received: 04/12/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.45	1	04/14/22 15:26	04/15/22 13:34		H2	
Surrogates									
p-Terphenyl (S)	83	%	30-115	1	04/14/22 15:26	04/15/22 13:34	92-94-4		
n-Tetracosane (S)	92	%	30-110	1	04/14/22 15:26	04/15/22 13:34	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		04/20/22 13:46	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		04/20/22 13:46	100-41-4		
Toluene	ND	mg/L	0.0010	1		04/20/22 13:46	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		04/20/22 13:46			
Xylene (Total)	ND	mg/L	0.0030	1		04/20/22 13:46	1330-20-7		
Surrogates									
Toluene-d8 (S)	99	%	80-120	1		04/20/22 13:46	2037-26-5		
4-Bromofluorobenzene (S)	101	%	80-120	1		04/20/22 13:46	460-00-4		
1,2-Dichlorobenzene-d4 (S)	101	%	80-120	1		04/20/22 13:46	2199-69-1		
Preservation pH	1.0		0.10	1		04/20/22 13:46			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 18 of 30

QUALITY CONTROL DATA

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

QC Batch:	782040	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60397608005, 60397608006, 60397608007, 60397608008, 60397608009, 60397608010

METHOD BLANK: 3118964 Matrix: Water
Associated Lab Samples: 60397608005, 60397608006, 60397608007, 60397608008, 60397608009, 60397608010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	04/19/22 09:40	
Ethylbenzene	mg/L	ND	0.0010	04/19/22 09:40	
Toluene	mg/L	ND	0.0010	04/19/22 09:40	
TPH-GRO	mg/L	ND	0.50	04/19/22 09:25	
Xylene (Total)	mg/L	ND	0.0030	04/19/22 09:40	
1,2-Dichlorobenzene-d4 (S)	%	101	80-120	04/19/22 09:40	
4-Bromofluorobenzene (S)	%	111	80-120	04/19/22 09:40	
Toluene-d8 (S)	%	112	80-120	04/19/22 09:40	

LABORATORY CONTROL SAMPLE: 3118965

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.019	95	80-120	
Ethylbenzene	mg/L	0.02	0.020	101	80-120	
Toluene	mg/L	0.02	0.019	95	80-120	
TPH-GRO	mg/L	4	4.4	110	60-120	
Xylene (Total)	mg/L	0.06	0.063	105	80-120	
1,2-Dichlorobenzene-d4 (S)	%			98	80-120	
4-Bromofluorobenzene (S)	%			106	80-120	
Toluene-d8 (S)	%			97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3118966 3118967

Parameter	Units	60397867002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	mg/L	0.0029	0.02	0.02	0.016	0.014	65	55	20-155	14	25	
Ethylbenzene	mg/L	ND	0.02	0.02	0.015	0.011	77	54	20-160	36	25	R1
Toluene	mg/L	ND	0.02	0.02	0.016	0.010	78	50	25-150	42	25	R1
Xylene (Total)	mg/L	ND	0.06	0.06	0.049	0.032	82	53	15-160	43	30	RS
1,2-Dichlorobenzene-d4 (S)	%						100	101	80-120		10	
4-Bromofluorobenzene (S)	%						109	106	80-120		10	
Toluene-d8 (S)	%						98	104	80-120		10	
Preservation pH		1.0			1.0	1.0				0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 19 of 30

QUALITY CONTROL DATA

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

QC Batch: 782074 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV MO GRO Oxygenates
Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60397608001, 60397608002, 60397608003, 60397608004

METHOD BLANK: 3119120 Matrix: Water
Associated Lab Samples: 60397608001, 60397608002, 60397608003, 60397608004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	04/19/22 16:07	
Ethylbenzene	mg/L	ND	0.0010	04/19/22 16:07	
Toluene	mg/L	ND	0.0010	04/19/22 16:07	
TPH-GRO	mg/L	ND	0.50	04/19/22 16:07	
Xylene (Total)	mg/L	ND	0.0030	04/19/22 16:07	
1,2-Dichlorobenzene-d4 (S)	%	100	80-120	04/19/22 16:07	
4-Bromofluorobenzene (S)	%	97	80-120	04/19/22 16:07	
Toluene-d8 (S)	%	102	80-120	04/19/22 16:07	

LABORATORY CONTROL SAMPLE: 3119121

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.020	102	80-120	
Ethylbenzene	mg/L	0.02	0.020	99	80-120	
Toluene	mg/L	0.02	0.021	104	80-120	
TPH-GRO	mg/L	4	4.1	101	60-120	
Xylene (Total)	mg/L	0.06	0.058	97	80-120	
1,2-Dichlorobenzene-d4 (S)	%			99	80-120	
4-Bromofluorobenzene (S)	%			97	80-120	
Toluene-d8 (S)	%			102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3119122 3119123

Parameter	Units	60397865004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	mg/L	0.045	0.02	0.02	0.070	0.070	126	128	20-155	1	25	
Ethylbenzene	mg/L	0.031	0.02	0.02	0.058	0.057	130	129	20-160	0	25	
Toluene	mg/L	0.0018	0.02	0.02	0.022	0.022	102	103	25-150	1	25	
Xylene (Total)	mg/L	0.011	0.06	0.06	0.069	0.070	96	98	15-160	2	30	
1,2-Dichlorobenzene-d4 (S)	%						99	99	80-120		10	
4-Bromofluorobenzene (S)	%						96	97	80-120		10	
Toluene-d8 (S)	%						101	101	80-120		10	
Preservation pH		1.0			1.0	1.0				0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 20 of 30

QUALITY CONTROL DATA

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

QC Batch:	782312	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60397608011, 60397608012, 60397608013, 60397608014

METHOD BLANK: 3119941 Matrix: Water
Associated Lab Samples: 60397608011, 60397608012, 60397608013, 60397608014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	04/20/22 12:33	
Ethylbenzene	mg/L	ND	0.0010	04/20/22 12:33	
Toluene	mg/L	ND	0.0010	04/20/22 12:33	
TPH-GRO	mg/L	ND	0.50	04/20/22 12:33	
Xylene (Total)	mg/L	ND	0.0030	04/20/22 12:33	
1,2-Dichlorobenzene-d4 (S)	%	100	80-120	04/20/22 12:33	
4-Bromofluorobenzene (S)	%	101	80-120	04/20/22 12:33	
Toluene-d8 (S)	%	99	80-120	04/20/22 12:33	

LABORATORY CONTROL SAMPLE: 3119942

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.022	109	80-120	
Ethylbenzene	mg/L	0.02	0.020	102	80-120	
Toluene	mg/L	0.02	0.020	98	80-120	
TPH-GRO	mg/L	4	4.4	109	60-120	
Xylene (Total)	mg/L	0.06	0.063	105	80-120	
1,2-Dichlorobenzene-d4 (S)	%			100	80-120	
4-Bromofluorobenzene (S)	%			103	80-120	
Toluene-d8 (S)	%			100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 21 of 30

QUALITY CONTROL DATA

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

QC Batch:	781303	Analysis Method:	EPA 8015B
QC Batch Method:	EPA 3510C	Analysis Description:	EPA 8015B
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60397608001, 60397608002, 60397608003, 60397608004, 60397608005, 60397608006, 60397608007, 60397608008, 60397608009, 60397608010

METHOD BLANK: 3116086 Matrix: Water
Associated Lab Samples: 60397608001, 60397608002, 60397608003, 60397608004, 60397608005, 60397608006, 60397608007, 60397608008, 60397608009, 60397608010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/L	ND	0.50	04/15/22 08:55	
n-Tetracosane (S)	%	61	30-110	04/15/22 08:55	
p-Terphenyl (S)	%	55	30-115	04/15/22 08:55	

LABORATORY CONTROL SAMPLE: 3116087

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	12.5	7.8	62	25-110	
n-Tetracosane (S)	%			63	30-110	
p-Terphenyl (S)	%			69	30-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 22 of 30

QUALITY CONTROL DATA

Project: 12574649 P66 LINE NM-1
 Pace Project No.: 60397608

QC Batch:	781305	Analysis Method:	EPA 8015B
QC Batch Method:	EPA 3510C	Analysis Description:	EPA 8015B
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60397608011, 60397608012, 60397608013, 60397608014

METHOD BLANK: 3116092 Matrix: Water
 Associated Lab Samples: 60397608011, 60397608012, 60397608013, 60397608014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/L	ND	0.50	04/15/22 12:53	
n-Tetracosane (S)	%	83	30-110	04/15/22 12:53	
p-Terphenyl (S)	%	75	30-115	04/15/22 12:53	

LABORATORY CONTROL SAMPLE: 3116093

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	12.5	10.7	85	25-110	
n-Tetracosane (S)	%			97	30-110	
p-Terphenyl (S)	%			90	30-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 23 of 30

QUALIFIERS

Project: 12574649 P66 LINE NM-1
Pace Project No.: 60397608

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

H2	Extraction or preparation conducted outside EPA method holding time.
R1	RPD value was outside control limits.
RS	The RPD value in one of the constituent analytes was outside the control limits.
S0	Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 24 of 30

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 12574649 P66 LINE NM-1

Pace Project No.: 60397608

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60397608001	MW-18	EPA 3510C	781303	EPA 8015B	781547
60397608002	MW-21	EPA 3510C	781303	EPA 8015B	781547
60397608003	MW-22	EPA 3510C	781303	EPA 8015B	781547
60397608004	MW-28	EPA 3510C	781303	EPA 8015B	781547
60397608005	MW-29	EPA 3510C	781303	EPA 8015B	781547
60397608006	MW-30	EPA 3510C	781303	EPA 8015B	781547
60397608007	MW-31	EPA 3510C	781303	EPA 8015B	781547
60397608008	MW-32	EPA 3510C	781303	EPA 8015B	781547
60397608009	MW-33	EPA 3510C	781303	EPA 8015B	781547
60397608010	MW-34	EPA 3510C	781303	EPA 8015B	781547
60397608011	MW-37	EPA 3510C	781305	EPA 8015B	781548
60397608012	MW-38	EPA 3510C	781305	EPA 8015B	781548
60397608013	MW-39	EPA 3510C	781305	EPA 8015B	781548
60397608014	DUP-01	EPA 3510C	781305	EPA 8015B	781548
60397608001	MW-18	EPA 8260	782074		
60397608002	MW-21	EPA 8260	782074		
60397608003	MW-22	EPA 8260	782074		
60397608004	MW-28	EPA 8260	782074		
60397608005	MW-29	EPA 8260	782040		
60397608006	MW-30	EPA 8260	782040		
60397608007	MW-31	EPA 8260	782040		
60397608008	MW-32	EPA 8260	782040		
60397608009	MW-33	EPA 8260	782040		
60397608010	MW-34	EPA 8260	782040		
60397608011	MW-37	EPA 8260	782312		
60397608012	MW-38	EPA 8260	782312		
60397608013	MW-39	EPA 8260	782312		
60397608014	DUP-01	EPA 8260	782312		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 04/25/2022 12:19 PM

Page 25 of 30

DC#_Title: ENV-FRM-LENE-0010_Sample Co
(SCUR_ESI)

Revision: 3

Effective Date: 01/12/2022

Issued By: Lenexa

Client Name:

Courier: FedEx ☒ UPS ☐ VIA ☐ Clay ☐ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐Tracking #: 5719 6178 4895 Pace Shipping Label Used? Yes ☐ No ☒Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☐ None ☐ Other ☐Thermometer Used: T301 Type of Ice: Wet ☒ Blue ☐ None ☐

Cooler Temperature (°C): As-read 1.9 Corr. Factor -1.0 Corrected 0.9

Date and initials of person
examining contents: VLB 4/13/22

Temperature should be above freezing to 6°C

Chain of Custody present:	☒ Yes ☐ No ☐ N/A	
Chain of Custody relinquished:	☒ Yes ☐ No ☐ N/A	
Samples arrived within holding time:	☒ Yes ☐ No ☐ N/A	
Short Hold Time analyses (<72hr):	☐ Yes ☒ No ☐ N/A	
Rush Turn Around Time requested:	☐ Yes ☒ No ☐ N/A	
Sufficient volume:	☒ Yes ☐ No ☐ N/A	
Correct containers used:	☒ Yes ☐ No ☐ N/A	
Pace containers used:	☒ Yes ☐ No ☐ N/A	
Containers intact:	☒ Yes ☐ No ☐ N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	☐ Yes ☐ No ☒ N/A	
Filtered volume received for dissolved tests?	☐ Yes ☐ No ☒ N/A	
Sample labels match COC: Date / time / ID / analyses	☒ Yes ☐ No ☐ N/A	
Samples contain multiple phases? Matrix: WT	☐ Yes ☒ No ☐ N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) LOT#:	☐ Yes ☐ No ☒ N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	☐ Yes ☐ No	
Potassium iodide test strip turns blue/purple? (Preserve)	☐ Yes ☐ No	
Trip Blank present:	☐ Yes ☒ No ☐ N/A	
Headspace in VOA vials (>6mm):	☐ Yes ☒ No ☐ N/A	
Samples from USDA Regulated Area: State:	☐ Yes ☐ No ☒ N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	☐ Yes ☐ No ☒ N/A	

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

Temp Log: Record start and finish times
when unpacking cooler, if >20 min, recheck
sample temps.

Start: 1450 Start:

End: 1500 End:

Temp: Temp:

Project Manager Review:

Date:

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]

DRAFT 2.2+0-2.2

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]

Def $2 \cdot 2 + 0 = 2 \cdot 2$

DC# Title: ENV-FRM-LENE-0001 Sample Container Count
Revision: 3 | Effective Date: | Issued by: Lenexa

Client:

GHD

Profile #

13804, 1

Site:

Notes

COC line Item	Matrix	VG9H	DG9H	DG9Q	VG9U	DG9U	DG9M	DG9B	BG1U	AG1H	AG1U	AG2U	AG3S	AG4U	AG5U	JG5U	WGKU	WGDU	BP1U	BP2U	BP3U	BP1N	BP3N	BP3F	BP3S	BP3C	BP3Z	WPDU	ZPLC	Other
1	PM	PM																												
2	PM	PM																												
3	PM	PM																												
4	PM	PM																												
5	PM	PM																												
6	PM	PM																												
7	PM	PM																												
8	PM	PM																												
9	PM	PM																												
10	PM	PM																												
11	PM	PM																												
12	PM	PM																												

Container Codes

Glass			Plastic			Misc.		
DG9B	40mL bisulfate clear vial	WGKU	8oz clear soil jar	BP1C	1L NaOH plastic	I	Wipe/Swab	
DG9H	40mL HCl amber vial	WGKU	4oz clear soil jar	BP1N	1L HNO3 plastic	SP5T	120mL Coliform Na Thiosulfate	
DG9M	40mL MeOH clear vial	WG2U	2oz clear soil jar	BP1S	1L H2SO4 plastic	ZPLC	Ziploc Bag	
DG9Q	40mL TSP amber vial	JG5U	4oz unpreserved amber wide	BP1U	1L unpreserved plastic	AF	Air Filter	
DG9S	40mL H2SO4 amber vial	AG0U	100mL unores amber glass	BP1Z	1L NaOH, Zn Acetate	C	Air Cassettes	
DG9T	40mL Na Thio amber vial	AG1H	1L HCl amber glass	BP2C	500mL NaOH plastic	R	Terracore Kit	
DG9U	40mL amber unpreserved	AG1S	1L H2SO4 amber glass	BP2N	500mL HNO3 plastic	U	Summa Can	
VG9H	40mL HCl clear vial	AG1T	1L Na Thiosulfate clear/amber glass	BP2S	500mL H2SO4 plastic			
VG9T	40mL Na Thio. clear vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic			
VG9U	40mL unpreserved clear vial	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Acetate			
BG1S	1liter H2SO4 clear glass	AG2S	500mL H2SO4 amber glass	BP3C	250mL NaOH plastic			
BG1U	1liter unpres glass	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic - field filtered	WT	Water	
BG3H	250mL HCL Clear glass	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	SL	Solid	
BG3U	250mL Unpres Clear glass	AG3U	250mL unpres amber glass	BP3U	250mL unpreserved plastic	NAL	Non-aqueous Liquid	
WGDU	16oz clear soil jar	AG4U	125mL unpres amber glass	BP3S	250mL H2SO4 plastic	OL	Oil	
		AG5U	100mL unpres amber glass	BP3Z	250mL NaOH, Zn Acetate	WP	Wipe	
				BP4U	125mL unpreserved plastic	DW	Drinking Water	
				BP4N	125mL HNO3 plastic			
				BP4S	125mL H2SO4 plastic			
				WPDU	16oz unpreserved plastic			

Work Order Number:

100397608

DC# Title: ENV-FRM-LENE-0001_Sample Container Count
Revision: 3 | Effective Date: | Issued by: Lexexa

Client:

Profile #

Site:

Notes

COC line item	Matrix	VG9H	DG9H	DG9Q	VG9U	DG9U	DG9M	DG9B	BG1U	AG1H	AG1U	AG2U	AG3S	AG4U	AG5U	JGFU	WGKU	WGDU	BP1U	BP2U	BP3U	BP1N	BP3N	BP3F	BP3S	BP3C	BP3Z	WPDU	ZPLC	Other
1	Matrix	↗												↘																
2		↗																												
3		↗																												
4		↗																												
5		↗																												
6																														
7																														
8																														
9																														
10																														
11																														
12																														

Container Codes

Glass		Plastic		Misc.	
DG9B	40mL bisulfate clear vial	WGKU	8oz clear soil jar	BP1C	1L NaOH plastic
DG9H	40mL HCl amber vial	WGKU	4oz clear soil jar	BP1N	1L HNO3 plastic
DG9M	40mL MeOH clear vial	WG2U	2oz clear soil jar	BP1S	1L H2SO4 plastic
DG9Q	40mL TSP amber vial	JGFU	4oz unpreserved amber wide	BP1U	1L unpreserved plastic
DG9S	40mL H2SO4 amber vial	AG0U	100mL unores amber glass	BP1Z	1L NaOH, Zn Acetate
DG9T	40mL Na Thio amber vial	AG1H	1L HCl amber glass	BP2C	500mL NaOH plastic
DG9U	40mL amber unpreserved	AG1S	1L H2SO4 amber glass	BP2N	500mL HNO3 plastic
VG9H	40mL HCl clear vial	AG1T	1L Na Thiosulfate clear/amber glass	BP2S	500mL H2SO4 plastic
VG9T	40mL Na Thio. clear vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
VG9U	40mL unpreserved clear vial	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Acetate
BG1S	1liter H2SO4 clear glass	AG2S	500mL H2SO4 amber glass	BP3C	250mL NaOH plastic
BG1U	1liter unpres glass	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic - field filtered
BG3H	250mL HCL Clear glass	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
BG3U	250mL Unpres Clear glass	AG3U	250mL unpres amber glass	BP3U	250mL unpreserved plastic
WGDU	16oz clear soil jar	AG4U	125mL unpres amber glass	BP3S	250mL H2SO4 plastic
		AG5U	100mL unpres amber glass	BP3Z	250mL NaOH, Zn Acetate
				BP4U	125mL unpreserved plastic
				BP4N	125mL HNO3 plastic
				BP4S	125mL H2SO4 plastic
				WPDU	16oz unpreserved plastic

Work Order Number:

60397608

September 27, 2022

David Bonga
GHD Services, Inc.
14998 West 6th Ave
Suite 800
Golden, CO 80401

RE: Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

Dear David Bonga:

Enclosed are the analytical results for sample(s) received by the laboratory on September 15, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Kansas City

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jamie Church
jamie.church@pacelabs.com
314-838-7223
Project Manager

Enclosures

cc: Paulette Guzman, Pace Analytical Services, Inc.
Christopher Knight, GHD Services, Inc.
Angela McManus, Pace Analytical Services, Inc.
Charles Neligh, GHD, Services Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

Pace Analytical Services Kansas

9608 Loiret Boulevard, Lenexa, KS 66219
Missouri Inorganic Drinking Water Certification #: 10090
Arkansas Drinking Water
Arkansas Certification #: 22-031-0
Arkansas Drinking Water
Illinois Certification #: 2000302021-3
Iowa Certification #: 118
Kansas/NELAP Certification #: E-10116
Louisiana Certification #: 03055

Nevada Certification #: KS000212020-2
Oklahoma Certification #: 9205/9935
Florida: Cert E871149 SEKS WET
Texas Certification #: T104704407-21-15
Utah Certification #: KS000212019-9
Illinois Certification #: 004592
Kansas Field Laboratory Accreditation: # E-92587
Missouri SEKS Micro Certification: 10070

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60410587001	MW-28-091322	Water	09/13/22 12:00	09/15/22 08:50
60410587002	MW-33-091322	Water	09/13/22 12:30	09/15/22 08:50
60410587003	MW-32-091322	Water	09/13/22 13:00	09/15/22 08:50
60410587004	MW-31-091322	Water	09/13/22 13:30	09/15/22 08:50
60410587005	MW-30-091322	Water	09/13/22 14:00	09/15/22 08:50
60410587006	MW-29-091322	Water	09/13/22 14:30	09/15/22 08:50
60410587007	MW-37-091322	Water	09/13/22 15:00	09/15/22 08:50
60410587008	MW-38-091322	Water	09/13/22 15:30	09/15/22 08:50
60410587009	MW-39-091422	Water	09/14/22 11:30	09/15/22 08:50
60410587010	MW-34-091422	Water	09/14/22 12:00	09/15/22 08:50
60410587011	MW-22-091422	Water	09/14/22 12:30	09/15/22 08:50
60410587012	MW-18-091422	Water	09/14/22 13:00	09/15/22 08:50
60410587013	MW-21-091422	Water	09/14/22 13:30	09/15/22 08:50
60410587014	DUP-091422	Water	09/14/22 00:00	09/15/22 08:50
60410587015	TRIP-1	Water	09/13/22 08:00	09/15/22 08:50
60410587016	TRIP-2	Water	09/13/22 08:00	09/15/22 08:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60410587001	MW-28-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	HM1, PGH	9	PASI-K
60410587002	MW-33-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	HM1, PGH	9	PASI-K
60410587003	MW-32-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	HM1, PGH	9	PASI-K
60410587004	MW-31-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	HM1, PGH	9	PASI-K
60410587005	MW-30-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587006	MW-29-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587007	MW-37-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587008	MW-38-091322	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587009	MW-39-091422	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587010	MW-34-091422	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587011	MW-22-091422	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587012	MW-18-091422	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587013	MW-21-091422	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587014	DUP-091422	EPA 8015B	WFG	3	PASI-K
		EPA 8260	CSC, PGH	9	PASI-K
60410587015	TRIP-1	EPA 8260	CSC, PGH	9	PASI-K
60410587016	TRIP-2	EPA 8260	CSC, PGH	9	PASI-K

PASI-K = Pace Analytical Services - Kansas City

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-28-091322		Lab ID: 60410587001		Collected: 09/13/22 12:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 09:36			
Surrogates									
p-Terphenyl (S)	66	%	30-115	1	09/20/22 14:34	09/21/22 09:36	92-94-4		
n-Tetracosane (S)	64	%	30-110	1	09/20/22 14:34	09/21/22 09:36	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/22/22 03:52	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/22/22 03:52	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/22/22 03:52	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 01:45			
Xylene (Total)	ND	mg/L	0.0030	1		09/22/22 03:52	1330-20-7		
Surrogates									
Toluene-d8 (S)	102	%	80-120	1		09/22/22 03:52	2037-26-5		
4-Bromofluorobenzene (S)	100	%	80-120	1		09/22/22 03:52	460-00-4		
1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		09/22/22 03:52	2199-69-1		
Preservation pH	1.0		0.10	1		09/22/22 03:52			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 5 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-33-091322		Lab ID: 60410587002		Collected: 09/13/22 12:30		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C								
	Pace Analytical Services - Kansas City								
	TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 09:44		
	Surrogates								
	p-Terphenyl (S)	71	%	30-115	1	09/20/22 14:34	09/21/22 09:44	92-94-4	
n-Tetracosane (S)	70	%	30-110	1	09/20/22 14:34	09/21/22 09:44	646-31-1		
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260								
	Pace Analytical Services - Kansas City								
	Benzene	ND	mg/L	0.0010	1		09/22/22 04:07	71-43-2	
	Ethylbenzene	ND	mg/L	0.0010	1		09/22/22 04:07	100-41-4	
	Toluene	ND	mg/L	0.0010	1		09/22/22 04:07	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/21/22 01:59			
Xylene (Total)	ND	mg/L	0.0030	1		09/22/22 04:07	1330-20-7		
Surrogates									
	Toluene-d8 (S)	99	%	80-120	1		09/22/22 04:07	2037-26-5	
	4-Bromofluorobenzene (S)	98	%	80-120	1		09/22/22 04:07	460-00-4	
	1,2-Dichlorobenzene-d4 (S)	100	%	80-120	1		09/22/22 04:07	2199-69-1	
	Preservation pH	1.0		0.10	1		09/22/22 04:07		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 6 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-32-091322		Lab ID: 60410587003		Collected: 09/13/22 13:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 09:52			
Surrogates									
p-Terphenyl (S)	73	%	30-115	1	09/20/22 14:34	09/21/22 09:52	92-94-4		
n-Tetracosane (S)	72	%	30-110	1	09/20/22 14:34	09/21/22 09:52	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/22/22 04:23	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/22/22 04:23	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/22/22 04:23	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 02:12			
Xylene (Total)	ND	mg/L	0.0030	1		09/22/22 04:23	1330-20-7		
Surrogates									
Toluene-d8 (S)	102	%	80-120	1		09/22/22 04:23	2037-26-5		
4-Bromofluorobenzene (S)	98	%	80-120	1		09/22/22 04:23	460-00-4		
1,2-Dichlorobenzene-d4 (S)	101	%	80-120	1		09/22/22 04:23	2199-69-1		
Preservation pH	1.0		0.10	1		09/22/22 04:23			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 7 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-31-091322		Lab ID: 60410587004		Collected: 09/13/22 13:30		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 10:00			
Surrogates									
p-Terphenyl (S)	66	%	30-115	1	09/20/22 14:34	09/21/22 10:00	92-94-4		
n-Tetracosane (S)	65	%	30-110	1	09/20/22 14:34	09/21/22 10:00	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/22/22 04:39	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/22/22 04:39	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/22/22 04:39	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 02:26			
Xylene (Total)	ND	mg/L	0.0030	1		09/22/22 04:39	1330-20-7		
Surrogates									
Toluene-d8 (S)	102	%	80-120	1		09/22/22 04:39	2037-26-5		
4-Bromofluorobenzene (S)	99	%	80-120	1		09/22/22 04:39	460-00-4		
1,2-Dichlorobenzene-d4 (S)	102	%	80-120	1		09/22/22 04:39	2199-69-1		
Preservation pH	1.0		0.10	1		09/22/22 04:39			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 8 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-30-091322		Lab ID: 60410587005		Collected: 09/13/22 14:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	0.55	mg/L	0.50	1	09/20/22 14:34	09/21/22 10:09			
Surrogates									
p-Terphenyl (S)	67	%	30-115	1	09/20/22 14:34	09/21/22 10:09	92-94-4		
n-Tetracosane (S)	64	%	30-110	1	09/20/22 14:34	09/21/22 10:09	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/26/22 20:34	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/26/22 20:34	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/26/22 20:34	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 02:40			
Xylene (Total)	ND	mg/L	0.0030	1		09/26/22 20:34	1330-20-7		
Surrogates									
Toluene-d8 (S)	95	%	80-120	1		09/26/22 20:34	2037-26-5		
4-Bromofluorobenzene (S)	104	%	80-120	1		09/26/22 20:34	460-00-4		
1,2-Dichlorobenzene-d4 (S)	97	%	80-120	1		09/26/22 20:34	2199-69-1		
Preservation pH	1.0		0.10	1		09/26/22 20:34			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 9 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-29-091322	Lab ID: 60410587006	Collected: 09/13/22 14:30	Received: 09/15/22 08:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
	TPH-DRO	0.51	mg/L	0.48	1	09/20/22 14:34	09/21/22 10:17	
	Surrogates							
	p-Terphenyl (S)	63	%	30-115	1	09/20/22 14:34	09/21/22 10:17	92-94-4
	n-Tetracosane (S)	60	%	30-110	1	09/20/22 14:34	09/21/22 10:17	646-31-1
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
	Benzene	ND	mg/L	0.0010	1		09/26/22 20:19	71-43-2
	Ethylbenzene	ND	mg/L	0.0010	1		09/26/22 20:19	100-41-4
	Toluene	ND	mg/L	0.0010	1		09/26/22 20:19	108-88-3
	TPH-GRO	ND	mg/L	0.50	1		09/21/22 02:53	
Xylene (Total)	ND	mg/L	0.0030	1		09/26/22 20:19	1330-20-7	
Surrogates								
Toluene-d8 (S)	97	%	80-120	1		09/26/22 20:19	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-120	1		09/26/22 20:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		09/26/22 20:19	2199-69-1	
Preservation pH	1.0		0.10	1		09/26/22 20:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 10 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-37-091322		Lab ID: 60410587007		Collected: 09/13/22 15:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.48	1	09/20/22 14:34	09/21/22 10:41			
Surrogates									
p-Terphenyl (S)	65	%	30-115	1	09/20/22 14:34	09/21/22 10:41	92-94-4		
n-Tetracosane (S)	63	%	30-110	1	09/20/22 14:34	09/21/22 10:41	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/26/22 20:05	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/26/22 20:05	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/26/22 20:05	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 03:07			
Xylene (Total)	ND	mg/L	0.0030	1		09/26/22 20:05	1330-20-7		
Surrogates									
Toluene-d8 (S)	98	%	80-120	1		09/26/22 20:05	2037-26-5		
4-Bromofluorobenzene (S)	100	%	80-120	1		09/26/22 20:05	460-00-4		
1,2-Dichlorobenzene-d4 (S)	97	%	80-120	1		09/26/22 20:05	2199-69-1		
Preservation pH	1.0		0.10	1		09/26/22 20:05			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 11 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-38-091322		Lab ID: 60410587008		Collected: 09/13/22 15:30		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.45	1	09/20/22 14:34	09/21/22 10:50			
Surrogates									
p-Terphenyl (S)	64	%	30-115	1	09/20/22 14:34	09/21/22 10:50	92-94-4		
n-Tetracosane (S)	60	%	30-110	1	09/20/22 14:34	09/21/22 10:50	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/26/22 19:50	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/26/22 19:50	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/26/22 19:50	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 03:21			
Xylene (Total)	ND	mg/L	0.0030	1		09/26/22 19:50	1330-20-7		
Surrogates									
Toluene-d8 (S)	97	%	80-120	1		09/26/22 19:50	2037-26-5		
4-Bromofluorobenzene (S)	100	%	80-120	1		09/26/22 19:50	460-00-4		
1,2-Dichlorobenzene-d4 (S)	98	%	80-120	1		09/26/22 19:50	2199-69-1		
Preservation pH	1.0		0.10	1		09/26/22 19:50			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 12 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-39-091422	Lab ID: 60410587009		Collected: 09/14/22 11:30		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
	TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 10:58	
	Surrogates							
	p-Terphenyl (S)	57	%	30-115	1	09/20/22 14:34	09/21/22 10:58	92-94-4
	n-Tetracosane (S)	54	%	30-110	1	09/20/22 14:34	09/21/22 10:58	646-31-1
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
	Benzene	ND	mg/L	0.0010	1		09/27/22 06:12	71-43-2
	Ethylbenzene	ND	mg/L	0.0010	1		09/27/22 06:12	100-41-4
	Toluene	ND	mg/L	0.0010	1		09/27/22 06:12	108-88-3
	TPH-GRO	ND	mg/L	0.50	1		09/21/22 03:34	
Xylene (Total)	ND	mg/L	0.0030	1		09/27/22 06:12	1330-20-7	
Surrogates								
Toluene-d8 (S)	98	%	80-120	1		09/27/22 06:12	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-120	1		09/27/22 06:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	80-120	1		09/27/22 06:12	2199-69-1	
Preservation pH	1.0		0.10	1		09/27/22 06:12		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 13 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-34-091422	Lab ID: 60410587010	Collected: 09/14/22 12:00	Received: 09/15/22 08:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C							
	Pace Analytical Services - Kansas City							
	TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 11:06	
	Surrogates							
	p-Terphenyl (S)	70	%	30-115	1	09/20/22 14:34	09/21/22 11:06	92-94-4
n-Tetracosane (S)	68	%	30-110	1	09/20/22 14:34	09/21/22 11:06	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
	Pace Analytical Services - Kansas City							
	Benzene	ND	mg/L	0.0010	1		09/27/22 05:58	71-43-2
	Ethylbenzene	ND	mg/L	0.0010	1		09/27/22 05:58	100-41-4
	Toluene	ND	mg/L	0.0010	1		09/27/22 05:58	108-88-3
TPH-GRO	ND	mg/L	0.50	1		09/21/22 03:48		
Xylene (Total)	ND	mg/L	0.0030	1		09/27/22 05:58	1330-20-7	
Surrogates								
Toluene-d8 (S)	98	%	80-120	1		09/27/22 05:58	2037-26-5	
4-Bromofluorobenzene (S)	100	%	80-120	1		09/27/22 05:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	80-120	1		09/27/22 05:58	2199-69-1	
Preservation pH	1.0		0.10	1		09/27/22 05:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 14 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-22-091422		Lab ID: 60410587011		Collected: 09/14/22 12:30		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 11:14			
Surrogates									
p-Terphenyl (S)	72	%	30-115	1	09/20/22 14:34	09/21/22 11:14	92-94-4		
n-Tetracosane (S)	67	%	30-110	1	09/20/22 14:34	09/21/22 11:14	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/27/22 05:44	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/27/22 05:44	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/27/22 05:44	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 04:01			
Xylene (Total)	ND	mg/L	0.0030	1		09/27/22 05:44	1330-20-7		
Surrogates									
Toluene-d8 (S)	98	%	80-120	1		09/27/22 05:44	2037-26-5		
4-Bromofluorobenzene (S)	99	%	80-120	1		09/27/22 05:44	460-00-4		
1,2-Dichlorobenzene-d4 (S)	95	%	80-120	1		09/27/22 05:44	2199-69-1		
Preservation pH	1.0		0.10	1		09/27/22 05:44			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 15 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-18-091422		Lab ID: 60410587012		Collected: 09/14/22 13:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics		Analytical Method: EPA 8015B Preparation Method: EPA 3510C Pace Analytical Services - Kansas City							
TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 11:22			
Surrogates									
p-Terphenyl (S)	69	%	30-115	1	09/20/22 14:34	09/21/22 11:22	92-94-4		
n-Tetracosane (S)	65	%	30-110	1	09/20/22 14:34	09/21/22 11:22	646-31-1		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260 Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/27/22 05:29	71-43-2		
Ethylbenzene	ND	mg/L	0.0010	1		09/27/22 05:29	100-41-4		
Toluene	ND	mg/L	0.0010	1		09/27/22 05:29	108-88-3		
TPH-GRO	ND	mg/L	0.50	1		09/21/22 04:15			
Xylene (Total)	ND	mg/L	0.0030	1		09/27/22 05:29	1330-20-7		
Surrogates									
Toluene-d8 (S)	99	%	80-120	1		09/27/22 05:29	2037-26-5		
4-Bromofluorobenzene (S)	101	%	80-120	1		09/27/22 05:29	460-00-4		
1,2-Dichlorobenzene-d4 (S)	98	%	80-120	1		09/27/22 05:29	2199-69-1		
Preservation pH	1.0		0.10	1		09/27/22 05:29			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 16 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: MW-21-091422	Lab ID: 60410587013	Collected: 09/14/22 13:30	Received: 09/15/22 08:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015B Diesel Range Organics	Analytical Method: EPA 8015B		Preparation Method: EPA 3510C					
	Pace Analytical Services - Kansas City							
	TPH-DRO	ND	mg/L	0.45	1	09/20/22 14:34	09/21/22 11:31	
	Surrogates							
	p-Terphenyl (S)	70	%	30-115	1	09/20/22 14:34	09/21/22 11:31	92-94-4
n-Tetracosane (S)	67	%	30-110	1	09/20/22 14:34	09/21/22 11:31	646-31-1	
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
	Pace Analytical Services - Kansas City							
	Benzene	ND	mg/L	0.0010	1		09/27/22 05:15	71-43-2
	Ethylbenzene	ND	mg/L	0.0010	1		09/27/22 05:15	100-41-4
	Toluene	ND	mg/L	0.0010	1		09/27/22 05:15	108-88-3
TPH-GRO	ND	mg/L	0.50	1		09/21/22 04:29		
Xylene (Total)	ND	mg/L	0.0030	1		09/27/22 05:15	1330-20-7	
Surrogates								
Toluene-d8 (S)	99	%	80-120	1		09/27/22 05:15	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-120	1		09/27/22 05:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	80-120	1		09/27/22 05:15	2199-69-1	
Preservation pH	1.0		0.10	1		09/27/22 05:15		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 17 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: DUP-091422		Lab ID: 60410587014		Collected: 09/14/22 00:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015B Diesel Range Organics	Analytical Method: EPA 8015B Preparation Method: EPA 3510C								
	Pace Analytical Services - Kansas City								
	TPH-DRO	ND	mg/L	0.50	1	09/20/22 14:34	09/21/22 11:39		
	Surrogates								
	p-Terphenyl (S)	58	%	30-115	1	09/20/22 14:34	09/21/22 11:39	92-94-4	
n-Tetracosane (S)	56	%	30-110	1	09/20/22 14:34	09/21/22 11:39	646-31-1		
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260								
	Pace Analytical Services - Kansas City								
	Benzene	ND	mg/L	0.0010	1		09/27/22 05:00	71-43-2	
	Ethylbenzene	ND	mg/L	0.0010	1		09/27/22 05:00	100-41-4	
	Toluene	ND	mg/L	0.0010	1		09/27/22 05:00	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/21/22 04:42			
Xylene (Total)	ND	mg/L	0.0030	1		09/27/22 05:00	1330-20-7		
Surrogates									
	Toluene-d8 (S)	98	%	80-120	1		09/27/22 05:00	2037-26-5	
	4-Bromofluorobenzene (S)	100	%	80-120	1		09/27/22 05:00	460-00-4	
	1,2-Dichlorobenzene-d4 (S)	98	%	80-120	1		09/27/22 05:00	2199-69-1	
	Preservation pH	1.0		0.10	1		09/27/22 05:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 18 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: TRIP-1	Lab ID: 60410587015		Collected: 09/13/22 08:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
	Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/26/22 19:36	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/26/22 19:36	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/26/22 19:36	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/21/22 01:17		
Xylene (Total)	ND	mg/L	0.0030	1		09/26/22 19:36	1330-20-7	
Surrogates								
Toluene-d8 (S)	99	%	80-120	1		09/26/22 19:36	2037-26-5	
4-Bromofluorobenzene (S)	100	%	80-120	1		09/26/22 19:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	80-120	1		09/26/22 19:36	2199-69-1	
Preservation pH	1.0		0.10	1		09/26/22 19:36		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 19 of 33

ANALYTICAL RESULTS

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Sample: TRIP-2	Lab ID: 60410587016		Collected: 09/13/22 08:00		Received: 09/15/22 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV GRO and Oxygenates	Analytical Method: EPA 8260							
	Pace Analytical Services - Kansas City							
Benzene	ND	mg/L	0.0010	1		09/26/22 19:21	71-43-2	
Ethylbenzene	ND	mg/L	0.0010	1		09/26/22 19:21	100-41-4	
Toluene	ND	mg/L	0.0010	1		09/26/22 19:21	108-88-3	
TPH-GRO	ND	mg/L	0.50	1		09/21/22 01:31		
Xylene (Total)	ND	mg/L	0.0030	1		09/26/22 19:21	1330-20-7	
Surrogates								
Toluene-d8 (S)	100	%	80-120	1		09/26/22 19:21	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-120	1		09/26/22 19:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	80-120	1		09/26/22 19:21	2199-69-1	
Preservation pH	1.0		0.10	1		09/26/22 19:21		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 20 of 33

QUALITY CONTROL DATA

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

QC Batch:	808544	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City
Associated Lab Samples:	60410587001, 60410587002, 60410587003, 60410587004, 60410587005, 60410587006, 60410587007, 60410587008, 60410587009, 60410587010, 60410587011, 60410587012, 60410587013, 60410587014, 60410587015, 60410587016		

METHOD BLANK: 3216235 Matrix: Water

Associated Lab Samples: 60410587001, 60410587002, 60410587003, 60410587004, 60410587005, 60410587006, 60410587007, 60410587008, 60410587009, 60410587010, 60410587011, 60410587012, 60410587013, 60410587014, 60410587015, 60410587016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/L	ND	0.50	09/21/22 00:50	

LABORATORY CONTROL SAMPLE: 3216236

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/L	4	4.4	110	60-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 21 of 33

QUALITY CONTROL DATA

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

QC Batch:	808812	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60410587001, 60410587002, 60410587003, 60410587004

METHOD BLANK: 3217211 Matrix: Water
Associated Lab Samples: 60410587001, 60410587002, 60410587003, 60410587004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	09/21/22 23:23	
Ethylbenzene	mg/L	ND	0.0010	09/21/22 23:23	
Toluene	mg/L	ND	0.0010	09/21/22 23:23	
Xylene (Total)	mg/L	ND	0.0030	09/21/22 23:23	
1,2-Dichlorobenzene-d4 (S)	%	102	80-120	09/21/22 23:23	
4-Bromofluorobenzene (S)	%	101	80-120	09/21/22 23:23	
Toluene-d8 (S)	%	101	80-120	09/21/22 23:23	

LABORATORY CONTROL SAMPLE: 3217212

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.017	86	80-120	
Ethylbenzene	mg/L	0.02	0.017	86	80-120	
Toluene	mg/L	0.02	0.017	87	80-120	
Xylene (Total)	mg/L	0.06	0.052	87	80-120	
1,2-Dichlorobenzene-d4 (S)	%			98	80-120	
4-Bromofluorobenzene (S)	%			99	80-120	
Toluene-d8 (S)	%			102	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 22 of 33

QUALITY CONTROL DATA

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

QC Batch:	809358	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60410587009, 60410587010, 60410587011, 60410587012, 60410587013, 60410587014

METHOD BLANK: 3219306 Matrix: Water
Associated Lab Samples: 60410587009, 60410587010, 60410587011, 60410587012, 60410587013, 60410587014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	09/27/22 04:46	
Ethylbenzene	mg/L	ND	0.0010	09/27/22 04:46	
Toluene	mg/L	ND	0.0010	09/27/22 04:46	
Xylene (Total)	mg/L	ND	0.0030	09/27/22 04:46	
1,2-Dichlorobenzene-d4 (S)	%	97	80-120	09/27/22 04:46	
4-Bromofluorobenzene (S)	%	103	80-120	09/27/22 04:46	
Toluene-d8 (S)	%	98	80-120	09/27/22 04:46	

LABORATORY CONTROL SAMPLE: 3219307

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.020	98	80-120	
Ethylbenzene	mg/L	0.02	0.019	97	80-120	
Toluene	mg/L	0.02	0.020	102	80-120	
Xylene (Total)	mg/L	0.06	0.060	100	80-120	
1,2-Dichlorobenzene-d4 (S)	%			96	80-120	
4-Bromofluorobenzene (S)	%			101	80-120	
Toluene-d8 (S)	%			98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3219308 3219309

Parameter	Units	60411134003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	mg/L	0.14	0.02	0.02	0.26	0.23	612	471	80-120	12	25	M1
Ethylbenzene	mg/L	0.0016	0.02	0.02	0.021	0.020	95	94	80-120	1	25	
Toluene	mg/L	0.0023	0.02	0.02	0.022	0.021	98	94	80-120	3	25	
Xylene (Total)	mg/L	0.0070	0.06	0.06	0.066	0.065	99	97	80-120	1	30	
1,2-Dichlorobenzene-d4 (S)	%						97	98	80-120		10	
4-Bromofluorobenzene (S)	%						103	101	80-120		10	
Toluene-d8 (S)	%						98	98	80-120		10	
Preservation pH		1.0			1.0	1.0				0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 23 of 33

QUALITY CONTROL DATA

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

QC Batch:	809560	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60410587005, 60410587006, 60410587007, 60410587008, 60410587015, 60410587016

METHOD BLANK: 3220041 Matrix: Water
Associated Lab Samples: 60410587005, 60410587006, 60410587007, 60410587008, 60410587015, 60410587016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/L	ND	0.0010	09/26/22 19:07	
Ethylbenzene	mg/L	ND	0.0010	09/26/22 19:07	
Toluene	mg/L	ND	0.0010	09/26/22 19:07	
Xylene (Total)	mg/L	ND	0.0030	09/26/22 19:07	
1,2-Dichlorobenzene-d4 (S)	%	98	80-120	09/26/22 19:07	
4-Bromofluorobenzene (S)	%	103	80-120	09/26/22 19:07	
Toluene-d8 (S)	%	99	80-120	09/26/22 19:07	

LABORATORY CONTROL SAMPLE: 3220042

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.02	0.020	101	80-120	
Ethylbenzene	mg/L	0.02	0.020	99	80-120	
Toluene	mg/L	0.02	0.020	99	80-120	
Xylene (Total)	mg/L	0.06	0.061	101	80-120	
1,2-Dichlorobenzene-d4 (S)	%			98	80-120	
4-Bromofluorobenzene (S)	%			102	80-120	
Toluene-d8 (S)	%			97	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 24 of 33

QUALITY CONTROL DATA

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

QC Batch:	808464	Analysis Method:	EPA 8015B
QC Batch Method:	EPA 3510C	Analysis Description:	EPA 8015B
		Laboratory:	Pace Analytical Services - Kansas City

Associated Lab Samples: 60410587001, 60410587002, 60410587003, 60410587004, 60410587005, 60410587006, 60410587007, 60410587008, 60410587009, 60410587010, 60410587011, 60410587012, 60410587013, 60410587014

METHOD BLANK: 3215911 Matrix: Water
Associated Lab Samples: 60410587001, 60410587002, 60410587003, 60410587004, 60410587005, 60410587006, 60410587007, 60410587008, 60410587009, 60410587010, 60410587011, 60410587012, 60410587013, 60410587014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/L	ND	0.50	09/21/22 09:19	
n-Tetracosane (S)	%	63	30-110	09/21/22 09:19	
p-Terphenyl (S)	%	68	30-115	09/21/22 09:19	

LABORATORY CONTROL SAMPLE: 3215912

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	12.5	6.2	50	25-110	
n-Tetracosane (S)	%			64	30-110	
p-Terphenyl (S)	%			67	30-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 25 of 33

QUALIFIERS

Project: 12574649 P66 AOC3374-LINE NM-1
Pace Project No.: 60410587

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 808544

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 26 of 33

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60410587001	MW-28-091322	EPA 3510C	808464	EPA 8015B	808710
60410587002	MW-33-091322	EPA 3510C	808464	EPA 8015B	808710
60410587003	MW-32-091322	EPA 3510C	808464	EPA 8015B	808710
60410587004	MW-31-091322	EPA 3510C	808464	EPA 8015B	808710
60410587005	MW-30-091322	EPA 3510C	808464	EPA 8015B	808710
60410587006	MW-29-091322	EPA 3510C	808464	EPA 8015B	808710
60410587007	MW-37-091322	EPA 3510C	808464	EPA 8015B	808710
60410587008	MW-38-091322	EPA 3510C	808464	EPA 8015B	808710
60410587009	MW-39-091422	EPA 3510C	808464	EPA 8015B	808710
60410587010	MW-34-091422	EPA 3510C	808464	EPA 8015B	808710
60410587011	MW-22-091422	EPA 3510C	808464	EPA 8015B	808710
60410587012	MW-18-091422	EPA 3510C	808464	EPA 8015B	808710
60410587013	MW-21-091422	EPA 3510C	808464	EPA 8015B	808710
60410587014	DUP-091422	EPA 3510C	808464	EPA 8015B	808710
60410587001	MW-28-091322	EPA 8260	808544		
60410587001	MW-28-091322	EPA 8260	808812		
60410587002	MW-33-091322	EPA 8260	808544		
60410587002	MW-33-091322	EPA 8260	808812		
60410587003	MW-32-091322	EPA 8260	808544		
60410587003	MW-32-091322	EPA 8260	808812		
60410587004	MW-31-091322	EPA 8260	808544		
60410587004	MW-31-091322	EPA 8260	808812		
60410587005	MW-30-091322	EPA 8260	808544		
60410587005	MW-30-091322	EPA 8260	809560		
60410587006	MW-29-091322	EPA 8260	808544		
60410587006	MW-29-091322	EPA 8260	809560		
60410587007	MW-37-091322	EPA 8260	808544		
60410587007	MW-37-091322	EPA 8260	809560		
60410587008	MW-38-091322	EPA 8260	808544		
60410587008	MW-38-091322	EPA 8260	809560		
60410587009	MW-39-091422	EPA 8260	808544		
60410587009	MW-39-091422	EPA 8260	809358		
60410587010	MW-34-091422	EPA 8260	808544		
60410587010	MW-34-091422	EPA 8260	809358		
60410587011	MW-22-091422	EPA 8260	808544		
60410587011	MW-22-091422	EPA 8260	809358		
60410587012	MW-18-091422	EPA 8260	808544		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 27 of 33

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 12574649 P66 AOC3374-LINE NM-1

Pace Project No.: 60410587

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60410587012	MW-18-091422	EPA 8260	809358		
60410587013	MW-21-091422	EPA 8260	808544		
60410587013	MW-21-091422	EPA 8260	809358		
60410587014	DUP-091422	EPA 8260	808544		
60410587014	DUP-091422	EPA 8260	809358		
60410587015	TRIP-1	EPA 8260	808544		
60410587015	TRIP-1	EPA 8260	809560		
60410587016	TRIP-2	EPA 8260	808544		
60410587016	TRIP-2	EPA 8260	809560		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 09/27/2022 04:03 PM

Page 28 of 33



DC#_Title: ENV-FRM-LENE-0009_Sample Cond



60410587

Revision: 2

Effective Date: 01/12/2022

Issued By: Lenexa

Client Name: GHD Services IncCourier: FedEx ☒ UPS ☐ VIA ☐ Clay ☐ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐Tracking #: 5645 8496 1692/1681 Pace Shipping Label Used? Yes ☐ No ☒Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐Thermometer Used: T299 Type of Ice: Wet Blue ☐ None ☐Cooler Temperature (°C): As-read 1.2 1.4 Corr. Factor 0.0 Corrected 1.2 1.4Date and initials of person examining contents: LT 9/17/22

Temperature should be above freezing to 6°C

Chain of Custody present:	☒ Yes ☐ No ☐ N/A	
Chain of Custody relinquished:	☒ Yes ☐ No ☐ N/A	
Samples arrived within holding time:	☒ Yes ☐ No ☐ N/A	
Short Hold Time analyses (<72hr):	☐ Yes ☒ No ☐ N/A	
Rush Turn Around Time requested:	☐ Yes ☒ No ☐ N/A	
Sufficient volume:	☒ Yes ☐ No ☐ N/A	
Correct containers used:	☒ Yes ☐ No ☐ N/A	
Pace containers used:	☒ Yes ☐ No ☐ N/A	
Containers intact:	☒ Yes ☐ No ☐ N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	☐ Yes ☐ No ☒ N/A	
Filtered volume received for dissolved tests?	☐ Yes ☐ No ☒ N/A	
Sample labels match COC: Date / time / ID / analyses	☒ Yes ☐ No ☐ N/A	
Samples contain multiple phases? Matrix: <u>wt</u>	☐ Yes ☒ No ☐ N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) LOT#:	☐ Yes ☐ No ☒ N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	☐ Yes ☐ No	
Potassium iodide test strip turns blue/purple? (Preserve)	☐ Yes ☐ No	
Trip Blank present:	☒ Yes ☐ No ☐ N/A	
Headspace in VOA vials (>6mm):	☐ Yes ☒ No ☐ N/A	
Samples from USDA Regulated Area: State:	☐ Yes ☐ No ☒ N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	☐ Yes ☐ No ☒ N/A	

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: _____

Date: _____

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	GHD Services, Inc.	Report To:	David Bonga	Attention:	
Address:	14998 West 6th Ave, Suite 800 Golden, CO 80401	Copy To:	Christopher Knight	Company Name:	GHD
E-mail:	christopher.knight@ghd.com	Purchase Order #:		Address:	
Phone:	512-506-8803	Project Name:	12574649 P66 AOC 3374 - Line NM 1-1	Pace Quote:	
Requested Due Date:		Pace Profile #:	13804	Pace Project Manager:	Jamie Church
		Project #:	13804		Line 1
				Regulatory Agency	
				State / Location	
				NM	

[illegible]

Space Analytical
www.spaceanalytical.com

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 2 of 2[illegible]

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS					
		Joe Minter / CHD		9-14-22	16:30	N Campbell		9-15-22	0850	Y	Y	Y	Y	Y	Y

Date Facility Code: 075017-PH-LineNM1

Page 31 of 33

DC# Title: ENV-FRM-LENE-0001_Sample Container Count
Revision: 3 | Effective Date: | Issued by: Lenexa

Client: GHD Services Inc

Profile #

13804 Line 1

Site: 12574649 P66 AOL 3374-Line NM 1-1

Notes

[illegible]

Container Codes

	Glass	Plastic	Misc.
DG9B	40mL bisulfate clear vial	BP1C	I Wipe/Swab
DG9H	40mL HCl amber vial	BP1N	120mL Coliform Na Thiosulfate
DG9M	40mL MeOH clear vial	BP1S	Ziploc Bag
DG9Q	40mL TSP amber vial	BP1U	Air Filter
DG9S	40mL H ₂ SO ₄ amber vial	BP1Z	C Air Cassettes
DG9T	40mL Na Thio amber vial	BP2C	R Terracore Kit
DG9U	40mL amber unpreserved	BP2N	U Summa Can
VG9H	40mL HCl clear vial	BP2S	
VG9T	40mL Na Thio. clear vial	BP2U	
VG9U	40mL unpreserved clear vial	BP2Z	
BG1S	1liter H ₂ SO ₄ clear glass	BP3C	Matrix
BG1U	1liter unpres glass	BP3F	WT Water
BG3H	250mL HCL Clear glass	BP3N	SL Solid
BG3U	250mL Unpres Clear glass	BP3U	NAL Non-aqueous Liquid
WWGDU	16oz clear soil jar	BP3S	OL OIL
		BP3Z	WP Wipe
		BP4U	DW Drinking Water
		BP4N	
		BP4S	
		WPDI	

Work Order Number:

190410587

DC#_Title: ENV-FRM-LENE-0001_Sample Container Count
Revision: 3 | Effective Date: | Issued by: Lenexa

Client: GHD Services Inc

Profile #

13804 Line 1

Site: 12574649 Pole AOC 3374 - Line NM 1-1

Notes

COC Line Item	Matrix	VG9H	DG9H	DG9Q	VG9U	DG9U	DG9M	DG9B	BG1U	AG1H	AG1U	AG2U	AG3S	AG4U	AG5U	JGFU	WGKU	WGDU	BP1U	BP2U	BP3U	BP1N	BP3N	BP3F	BP3S	BP3C	BP3Z	WPDU	ZPLC	Other
1	WT	3												2																
2																														
3																														
4																														
5																														
6																														
7																														
8																														
9																														
10																														
11																														
12																														

Container Codes

Glass		Plastic		Misc.	
DG9B	40mL bisulfate clear vial	WGKU	8oz clear soil jar	BP1C	1L NaOH plastic
DG9H	40mL HCl amber vial	WGKU	4oz clear soil jar	BP1N	1L HNO3 plastic
DG9M	40mL MeOH clear vial	WG2U	2oz clear soil jar	BP1S	1L H2SO4 plastic
DG9Q	40mL TSP amber vial	JGFU	4oz unpreserved amber wide	BP1U	1L unpreserved plastic
DG9S	40mL H2SO4 amber vial	AG0U	100mL unres amber glass	BP1Z	1L NaOH, Zn Acetate
DG9T	40mL Na Thio amber vial	AG1H	1L HCl amber glass	BP2C	500mL NaOH plastic
DG9U	40mL amber unpreserved	AG1S	1L H2SO4 amber glass	BP2N	500mL HNO3 plastic
VG9H	40mL HCl clear vial	AG1T	1L Na Thiosulfate clear/amber glass	BP2S	500mL H2SO4 plastic
VG9T	40mL Na Thio. clear vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
VG9U	40mL unpreserved clear vial	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Acetate
BG1S	1liter H2SO4 clear glass	AG2S	500mL H2SO4 amber glass	BP3C	250mL NaOH plastic
BG1U	1liter unpres glass	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic - field filtered
BG3H	250mL HCl Clear glass	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
BG3U	250mL Unpres Clear glass	AG3U	250mL unpres amber glass	BP3U	250mL unpreserved plastic
WGDU	16oz clear soil jar	AG4U	125mL unpres amber glass	BP3S	250mL H2SO4 plastic
		AG5U	100mL unpres amber glass	BP3Z	250mL NaOH, Zn Acetate
				BP4U	125mL unpreserved plastic
				BP4N	125mL HNO3 plastic
				BP4S	125mL H2SO4 plastic
				WPDU	16oz unpreserved plastic

Work Order Number:

125010587



ghd.com

➔ The Power of Commitment

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 186971

COMMENTS

Operator: PHILLIPS PETROLEUM CO 4001 Penbrook Odessa, TX 79762	OGRID: 17643
	Action Number: 186971
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

COMMENTS

Created By	Comment	Comment Date
csmith	Incorrect Site Conditions of Approval Attached. Returned to Review for Correct COA's	4/11/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 186971

CONDITIONS

Operator: PHILLIPS PETROLEUM CO 4001 Penbrook Odessa, TX 79762	OGRID:
	17643
	Action Number: 186971
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Review of 2022 Groundwater Monitoring and Remediation Report: Content satisfactory 1. Continue removal of LNAPL and dissolved-phase hydrocarbons. 2. Continue conducting semiannual groundwater monitoring and annual reporting. 3. Continue utilizing NET systems for LNAPL recovery. 4. Submit 2023 Groundwater Monitoring and Remediation Report to the OCD no later than April 1, 2024.	4/11/2023