

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>51-100</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico  
Oil Conservation Division

Page 4

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental ProfessionalSignature: Dale Woodall Date: 3/20/2023email: dale.woodall@dm.com Telephone: 575-748-1839**OCD Only**Received by: Jocelyn Harimon Date: 03/20/2023

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 3/20/2023

email: dale.woodall@dvn.com Telephone: 575-748-1839

### OCD Only

Received by: Jocelyn Harimon Date: 03/20/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_



**Pima Environmental Services**  
**5614 N. Lovington Highway**  
**Hobbs, NM 88240**  
**575-964-7740**

March 15, 2023

NMOCD District 2  
 811 S. First Street  
 Artesia, NM 88210

**Re: Site Assessment, Remediation, and Closure Report**  
**Parseltongue 15 10 State Com 20H**  
**API No. 30-025-48503**  
**GPS: Latitude 32.298789 Longitude -103.564521**  
**UL -- M, 15, T23S, R33E**  
**Lea County, NM**  
**NMOCD Ref. No. NAPP2220652462**

Pima Environmental Services, LLC. (Pima) has been contracted by Devon Energy Production Company, LP (Devon) to perform a spill assessment, remediation activities, and submit this closure report for a drilling mud release that occurred at the Parseltongue 15 10 State Com 20H (Parseltongue). The initial C-141 was submitted on January 3, 2023 (Appendix C). This incident was assigned Incident ID NAPP2220652462 by the New Mexico Oil Conservation Division (NMOCD).

#### Site Characterization

The Parseltongue is located approximately twenty-four (24) miles southwest of Eunice, NM. This spill site is in Unit M, Section 15, Township 23S, Range 33E, Latitude 32.298789 Longitude -103.564521, Lea County, NM. Figure 1 references a Location Map.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is made up of Interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits. The soil in this area is made up of Pyote loamy fine sands, 0 to 3 percent slopes according to the United States Department of Agriculture Natural Resources Conservation Service soil survey (Appendix B). The drainage class in this area is well drained. There is a low potential for karst geology to be present around the Parseltongue (Figure 3).

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is 400 feet below grade surface (BGS). According to the United States Geological Survey (USGS), the nearest groundwater is 120 feet BGS. The closest waterway is Salt Playa located approximately 8.62 miles to the east of this location. See Appendix A for referenced water surveys.

Table 1 NMAC and Closure Criteria 19.15.29

Depth to Groundwater (Appendix A)	Constituent & Limits				
	Chlorides	Total TPH	GRO+DRO	BTEX	Benzene
<50'	600 mg/kg	100 mg/kg		50 mg/kg	10 mg/kg
51-100'	10,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
>100'	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg

Reference Figure 2 for a Topographic Map.

Parseltongue 15 10 State Com 20H|Devon Energy

**Release Information**

**NAPP2220652462:** On July 25, 2022, while relogging and circulating bottoms up through 2 full open chokes, driller experienced an excessive loss although there were slight returns at shakers. All valves were in proper position. While building mud, solids control tech noticed mud had pooled up off edge of location which had come out of panic line. The released fluids were calculated to be approximately 49 barrels (bbls) of drilling mud. A vacuum truck was able to recover approximately 47 bbls of standing fluid.

**Remediation Activities, Site Assessment, and Soil Sampling Results**

On January 13, 2023, Pima mobilized personnel to the site to begin collecting soil samples from spill area. The laboratory results of this sampling event can be found in the following data table. A Site Map can be found in Figure 4.

1-13-23 Soil Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <50')								
DEVON ENERGY - PARSELTONGUE 15 10 STATE COM 20H								
Sample Date: 1/13/2023		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
S-1	1'	ND	ND	ND	140	ND	140	ND
	2'	ND	ND	ND	ND	ND	0	ND
S-2	1'	ND	ND	ND	137	ND	137	ND
	2'	ND	ND	ND	ND	ND	0	ND
S-3	1'	ND	ND	ND	55	ND	55	ND
	2'	ND	ND	ND	ND	ND	0	ND
S-4	1'	ND	ND	ND	ND	ND	0	25.5
	2'	ND	ND	ND	ND	ND	0	ND
S-5	1'	ND	ND	ND	63.8	ND	63.8	251
	2'	ND	ND	ND	26.3	ND	26.3	74.6
	3'	ND	ND	ND	ND	ND	0	ND
SW-1	6"	ND	ND	ND	ND	ND	0	ND
SW-2	6"	ND	ND	ND	ND	ND	0	ND
SW-3	6"	ND	ND	ND	ND	ND	0	ND
SW-4	6"	ND	ND	ND	ND	ND	0	ND
BG 1	6"	ND	ND	ND	ND	ND	0	ND
BG 2	6"	ND	ND	ND	ND	ND	0	ND

ND- Analyte Not Detected

On February 28, 2023, the Devon Construction Department mobilized personnel and equipment to begin immediate remediation activities. They began excavating the area to a depth of 2' BGS. The contaminated soil 35 cubic yards were hauled to an approved, lined disposal facility and clean backfill material was brought in.

On March 6, 2023, after sending a 48-hour notification (Appendix C), Pima returned to the site to collect confirmation samples of the excavation. The results of this sampling event can be found in the following table. A Confirmation Sample Map can be found in Figure 5.

3-6-23 Confirmation Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <50')								
DEVON ENERGY - PARSELTONGUE 15 10 STATE COM 20H								
Sample Date: 3/6/2023		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
CS1	2'	ND	ND	ND	ND	ND	0	ND
CS2	2'	ND	ND	ND	ND	ND	0	ND
CS3	2'	ND	ND	ND	ND	ND	0	ND
CS4	2'	ND	ND	ND	ND	ND	0	ND
CSW-1	2'	ND	ND	ND	ND	ND	0	ND
CSW-2	2'	ND	ND	ND	ND	ND	0	ND
CSW-3	2'	ND	ND	ND	ND	ND	0	ND
CSW-4	2'	ND	ND	ND	ND	ND	0	ND
CSW-5	2'	ND	ND	ND	ND	ND	0	ND

ND- Analyte Not Detected

Complete laboratory reports can be found in Appendix E.

Based on the sample results, the bottoms and sidewalls were below NMOCD Closure Criteria 19.15.29 NMAC. The contaminated material was removed then transported to an NMOCD approved disposal site. The excavation was then backfilled with clean like material, machine compacted and returned to its previous state. See Appendix D for Photographic Documentation.

#### **Closure Request**

After careful review, Pima requests that this incident, NAPP2220652462 be closed. Devon has complied with the applicable closure requirements set forth in rule 19.15.19.12 NMAC.

Should you have any questions or need additional information, please feel free to contact Gio Gomez at 806-782-1151 or [gio@pimaoil.com](mailto:gio@pimaoil.com).

Respectfully,



Gio Gomez

Project Manager

Pima Environmental Services, LLC

#### **Attachments**

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Site Map
- 5- Confirmation Sample Map

Appendices:

- Appendix A – Referenced Water Surveys
- Appendix B – Soil Survey and Geological Data
- Appendix C – C-141 Form and 48 Hour Notification
- Appendix D – Photographic Documentation
- Appendix E – Laboratory Reports



Pima Environmental Services

**Figures:**

1-Location Map

2-Topographic Map

3-Karst Map

4-Site Map



5-Confirmation Site Map




# Parseltongue 15-10 State Com 20H

Devon Energy  
API:  
Lea County, NM  
Location Map

## Legend

-  24 Miles SW of Eunice, NM
-  Parseltongue 15-10- State Com 20H







# Parseltongue 15-10 State Com 20H

Devon Energy  
PI: 30-025-48503  
Lea County, NM  
Topographic Map

Legend

 Parseltongue 15-10 State Com 20H









# Parseltongue 15-10 State Com 20H

Devon Energy  
API: 30-025-48503  
Lea County, NM  
Karst Map

## Legend

-  High Karst
-  Low Karst
-  Medium Karst
-  Parseltongue 15-10 State Com 20H

Oil Center

Parseltongue 15-10- State Com 20H

128

128

128

Google Earth



10 mi




# Parseltongue 15-10 State Com 20H

Devon Energy  
API: 30-025-48503  
Lea County, NM  
Site Map

## Legend

- Backgrounds/Sidewalls
- Parseltongue 15-10 St Com 20H
- Sample
- Spill Area



Parseltongue 15-10 St Com 20H

Google Earth



90 ft



# Parseltongue 15-10 State Com 20H

Devon Energy  
API: N/A  
Lea County, NM  
Confirmation Sample Map

## Legend

- Confirmation Samples
- Confirmation Sidewalls
- Parseltongue 15-10 St Com 20H

CSW1  
CS1  
CSW2  
CS3  
CS4  
CSW4  
CSW3

Parseltongue 15-10 St Com 20H



200 ft

Google Earth





Pima Environmental Services

**Appendix A**

Water Surveys:

OSE

USGS

Surface Water Map



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,  
O=orphaned,  
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
<a href="#">C 04664 POD1</a>		CUB	LE	4	1	4	15	23S	33E	635784	3574818	725	55		
<a href="#">C 03582 POD1</a>		C	LE	4	1	1	14	23S	33E	636583	3575666	1870	590		
<a href="#">C 02278</a>		CUB	LE	3	4	2	28	23S	33E	634484	3571989*	2559	650	400	250
<a href="#">C 02277</a>		CUB	LE	2	3	4	20	23S	33E	632663	3572970*	2902	550	400	150
<a href="#">C 02280</a>		CUB	LE	3	2	4	28	23S	33E	634489	3571586*	2949	650	400	250
<a href="#">C 02281</a>		CUB	LE	3	4	4	28	23S	33E	634495	3571183*	3341	545	400	145
<a href="#">C 02283</a>		CUB	LE	4	2	2	26	23S	33E	637896	3572431*	3410	325	225	100
<a href="#">C 02282</a>		CUB	LE	3	1	1	25	23S	33E	638098	3572436*	3572	325	225	100
<a href="#">C 02279</a>		CUB	LE	3	4	3	28	23S	33E	633691	3571173*	3597	650	400	250
<a href="#">C 02284</a>		CUB	LE	4	2	4	26	23S	33E	637907	3571626*	3950	325	225	100
<a href="#">C 04353 POD1</a>		CUB	ED	4	2	2	24	23S	33E	639474	3574098	4335	603	330	273
<a href="#">C 02275</a>		CUB	LE	3	3	2	19	23S	33E	630843	3573557*	4404	650	400	250
<a href="#">C 02276</a>		CUB	LE	3	1	4	19	23S	33E	630848	3573154*	4499	650	400	250
<a href="#">C 04595 POD1</a>		CUB	LE	4	3	3	34	23S	33E	635150	3569564	4894	55		

Average Depth to Water: **345 feet**

Minimum Depth: **225 feet**

Maximum Depth: **400 feet**

Record Count: 14

**UTMNAD83 Radius Search (in meters):**

**Easting (X):** 635154.1

**Northing (Y):** 3574459.17

**Radius:** 5000

\*UTM location was derived from PLSS - see Help

---

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

---

1/19/23 9:56 AM

WATER COLUMN/ AVERAGE DEPTH TO  
WATER

3/15/23, 2:42 PM


nmwrrs.ose.state.nm.us

/ReportDispatcher?type=PODGHTML&name=PodGroundSummaryHTML.jrxml&basin=C&nbr=04664&su...



# New Mexico Office of the State Engineer

## Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)							
		(quarters are smallest to largest)						(NAD83 UTM in meters)	
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
NA	C 04664 POD1	4	1	4	15	23S	33E	635784	3574818 
x									
Driller License:	1249	Driller Company:				ATKINS ENGINEERING ASSOC. INC.			
Driller Name:	JACKIE D ATKINS								
Drill Start Date:	09/07/2022	Drill Finish Date:				09/07/2022	Plug Date:	09/13/2022	
Log File Date:	09/26/2022	PCW Rev Date:					Source:		
Pump Type:		Pipe Discharge Size:					Estimated Yield:		
Casing Size:		Depth Well:				55 feet	Depth Water:		
x									

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/15/23 2:42 PM

POINT OF DIVERSION SUMMARY





[USGS Home](#)  
[Contact USGS](#)  
[Search USGS](#)

## National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- See the [Water Data for the Nation Blog](#) for the latest news and updates.

Groundwater levels for the Nation



Important: [Next Generation Monitoring Location Page](#)

### Search Results -- 1 sites found

site\_no list =

- 321611103321601

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

### USGS 321611103321601 23S.33E.26.42100

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°16'28.0", Longitude 103°32'15.6" NAD83

Land-surface elevation 3,641 feet above NAVD88

The depth of the well is 190 feet below land surface.

This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Chinle Formation (231CHNL) local aquifer.


#### Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)   [FOIA](#)   [Privacy](#)   [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

**Title: Groundwater for USA: Water Levels**

**URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>**



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2023-01-19 11:46:24 EST

0.63 0.49 nadww01



# Parseltongue 15 10 State Com 20H

Devon Energy  
API: 30-025-48503  
Lea County, NM  
Surface Water Map


## Legend



8.62 Miles



Parseltongue 15-10- State Com 20H





Pima Environmental Services

**Appendix B**

Soil Survey & Geological Data

FEMA Flood Map

Wetlands Map



Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

---

## Lea County, New Mexico

### PU—Pyote and Maljamar fine sands

#### Map Unit Setting

*National map unit symbol:* dmqq

*Elevation:* 3,000 to 3,900 feet

*Mean annual precipitation:* 10 to 12 inches

*Mean annual air temperature:* 60 to 62 degrees F

*Frost-free period:* 190 to 205 days

*Farmland classification:* Not prime farmland

#### Map Unit Composition

*Pyote and similar soils:* 46 percent

*Maljamar and similar soils:* 44 percent

*Minor components:* 10 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Pyote

##### Setting

*Landform:* Plains

*Landform position (three-dimensional):* Rise

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Sandy eolian deposits derived from sedimentary rock

##### Typical profile

*A - 0 to 30 inches:* fine sand

*Bt - 30 to 60 inches:* fine sandy loam

##### Properties and qualities

*Slope:* 0 to 3 percent

*Depth to restrictive feature:* More than 80 inches

*Drainage class:* Well drained

*Runoff class:* Negligible

*Capacity of the most limiting layer to transmit water (Ksat):* High  
(2.00 to 6.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum content:* 5 percent

*Gypsum, maximum content:* 1 percent

*Maximum salinity:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

*Sodium adsorption ratio, maximum:* 2.0

*Available water supply, 0 to 60 inches:* Low (about 5.1 inches)

##### Interpretive groups

*Land capability classification (irrigated):* 6e

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

---

*Land capability classification (nonirrigated): 7s*  
*Hydrologic Soil Group: A*  
*Ecological site: R070BD003NM - Loamy Sand*  
*Hydric soil rating: No*

## **Description of Maljamar**

### **Setting**

*Landform: Plains*  
*Landform position (three-dimensional): Rise*  
*Down-slope shape: Linear*  
*Across-slope shape: Linear*  
*Parent material: Sandy eolian deposits derived from sedimentary rock*

### **Typical profile**

*A - 0 to 24 inches: fine sand*  
*Bt - 24 to 50 inches: sandy clay loam*  
*Bkm - 50 to 60 inches: cemented material*

### **Properties and qualities**

*Slope: 0 to 3 percent*  
*Depth to restrictive feature: 40 to 60 inches to petrocalcic*  
*Drainage class: Well drained*  
*Runoff class: Very low*  
*Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)*  
*Depth to water table: More than 80 inches*  
*Frequency of flooding: None*  
*Frequency of ponding: None*  
*Calcium carbonate, maximum content: 5 percent*  
*Gypsum, maximum content: 1 percent*  
*Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)*  
*Sodium adsorption ratio, maximum: 2.0*  
*Available water supply, 0 to 60 inches: Low (about 5.6 inches)*

### **Interpretive groups**

*Land capability classification (irrigated): 6e*  
*Land capability classification (nonirrigated): 7e*  
*Hydrologic Soil Group: B*  
*Ecological site: R070BD003NM - Loamy Sand*  
*Hydric soil rating: No*

## **Minor Components**

### **Kermit**

*Percent of map unit: 10 percent*  
*Ecological site: R070BC022NM - Sandhills*

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

---

*Hydric soil rating:* No

## Data Source Information


Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 19, Sep 8, 2022

# National Flood Hazard Layer FIRMette



103°34'11"W 32°18'11"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS

Without Base Flood Elevation (BFE)  
Zone A, V, A99

With BFE or Depth Zone AE, AO, AH, VE, AR

Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X

Future Conditions 1% Annual Chance Flood Hazard Zone X

Area with Reduced Flood Risk due to Levee. See Notes. Zone X

Area with Flood Risk due to Levee Zone D

OTHER AREAS

NO SCREEN Area of Minimal Flood Hazard Zone X

Effective LOMRs

Area of Undetermined Flood Hazard Zone D

GENERAL STRUCTURES

Channel, Culvert, or Storm Sewer

Levee, Dike, or Floodwall

OTHER FEATURES

Cross Sections with 1% Annual Chance Water Surface Elevation  
20.2  
17.5

Coastal Transect

Base Flood Elevation Line (BFE)

Limit of Study

Jurisdiction Boundary

Coastal Transect Baseline

Profile Baseline

Hydrographic Feature

MAP PANELS

Digital Data Available

No Digital Data Available

Unmapped


The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards


The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 3/10/2023 at 10:57 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.





# Wetlands Map



January 19, 2023

## Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Pima Environmental Services

**Appendix C**

C-141 Form

48-Hour Notification

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party Devon Energy Production Company	OGRID 6137
Contact Name Dale Woodall	Contact Telephone 575-748-1838
Contact email dale.woodall@dvn.com	Incident # (assigned by OCD)
Contact mailing address 205 E. Bender Road # 150; Hobbs, NM 88240	

### Location of Release Source

Latitude 32.298789 Longitude -103.564521  
(NAD 83 in decimal degrees to 5 decimal places)

Site Name PARSELTONGUE 15 10 STATE COM #020H	Site Type Oil Well
Date Release Discovered 7-25-2022	API# (if applicable) 30-025-48503

Unit Letter	Section	Township	Range	County
M	15	23S	33E	LEA

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input checked="" type="checkbox"/> Other (describe)	Volume/Weight Released (provide units) <b>49 BBLS DRILLING MUD</b>	Volume/Weight Recovered (provide units) <b>47 BBLS DRILLING MUD</b>

Cause of Release While relogging gamma and circulating bottoms up through 2 full open chokes, driller experienced an excessive loss although there were slight returns at shakers. Choke manifold valves were double checked to ensure mud was not getting forced downhole. All valves were in proper position. Operations moved toward building mud and LCM pills suspecting losses were downhole. While building mud, solids control tech noticed mud had pooled up off of edge of location which had came out of panic line. It is suspected that trash (casing shavings) may have prevented valve from fully closing. The spill covered an area of approximately 90 feet x 90 feet. It is estimated through spill calculator that 49 bbl. spilled onto ground across lease road and into pasture. Cleanup process consisted of vac trucks and squeegees. Estimated recovery was approximately 47 bbl.

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?  <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? <b>MORE than 25 bbls</b>
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? <b>notice given by Dale Woodall, email to OCD and via portal.</b>	

### Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:     	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <b>Dale Woodall</b>	Title: <b>Environmental Professional</b>
Signature: <u>Dale Woodall</u>	Date: <b>1/3/2023</b>
email: <b>dale.woodall@dvn.com</b>	Telephone: <b>575-748-1838</b>
<b><u>OCD Only</u></b>	
Received by: <b>Jocelyn Harimon</b>	Date: <b>03/14/2023</b>

**Spill Volume(Bbls) Calculator***Inputs in blue , Outputs in red***Contaminated Soil measurement**

Length(Ft)	Width(Ft)	Depth (in)
<u>0</u>	<u>0.000</u>	<u>0.000</u>
Cubic Feet of Soil Impacted		<u>0.000</u>
Barrels of Soil Impacted		<u>0.00</u>
Soil Type		Clay/Sand
Barrels of Oil Assuming 100% Saturation		<u>0.00</u>
Saturation	Damp no fluid when squeezed	
Estimated Barrels of Oil Released		0.00
Free Standing Fluid Only		
Length(Ft)	Width(Ft)	Depth (inches)
<u>90</u>	<u>90.000</u>	<u>0.410</u>
Standing fluid		<u>49.222</u>
<b><u>Total fluids spilled</u></b>		<b><u>49.222</u></b>

**Instructions**

1. Input spill area measurements in feet, if less than one foot use converter below.

2. Select a soil type from the drop down menu.

3. Select a saturation level from the drop down menu.

(For data gathering instructions see appendix tab)

**Inches to Feet Converter**

	Inches	Feet
Length		90.000
Width		90.000
Height	0.41	0.034



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 196644

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 196644
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimon	None	3/14/2023

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>51-100</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico  
Oil Conservation Division

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional  
Signature: *Dale Woodall* Date: 3/20/2023  
email: dale.woodall@dv.com Telephone: 575-748-1839

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	nAPP2220652462
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 3/20/2023

email: dale.woodall@dvn.com Telephone: 575-748-1839

### OCD Only

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Jennifer Nobui Date: 04/21/2023

Printed Name: Jennifer Nobui Title: Environmental Specialist A





Gio PimaOil <gio@pimaoil.com>

---

## Parseltongue 15 10 St Com 20H Confirmation samples

1 message

---

Gio PimaOil <gio@pimaoil.com>

Thu, Mar 2, 2023 at 11:26 AM

To: ocdonline@state.nm.us, Tom Pima Oil <tom@pimaoil.com>

*Good Afternoon,*

*Pima Environmental would like to notify you that we will begin collecting confirmation samples at the Parseltongue 15 10 St Com 20H for incident NAPP2200652462. Pima personnel are scheduled to be on site for this sampling event at approximately 7:00 a.m. on Sunday, March 5, 2023. If you have any questions or concerns, please let me know. Thank you*

--

Gio Gomez

Project Manager

cell-806-782-1151

Office- 575-964-7740

Pima Environmental Services, LLC.



Pima Environmental Services

## **Appendix D**

Photographic Documentation



**SITE PHOTOGRAPHS**  
**DEVON ENERGY – LINER INSPECTION**  
**PARSELTONGUE 15 10 STATE COM 20H**

Site Assessment












Excavation







Post Excavation





Pima Environmental Services

## **Appendix E**

Laboratory Reports



Report to:  
Tom Bynum



5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Parsel Tongue 15-10 St Com 20H

Work Order: E301083

Job Number: 01058-0007

Received: 1/17/2023

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
1/23/23

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.  
Envirotech Inc, holds the NM SDWA certification for data reported. (Lab #NM00979)

Date Reported: 1/23/23

Tom Bynum  
PO Box 247  
Plains, TX 79355-0247



Project Name: Parsel Tongue 15-10 St Com 20H  
Workorder: E301083  
Date Received: 1/17/2023 8:10:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 1/17/2023 8:10:00AM, under the Project Name: Parsel Tongue 15-10 St Com 20H.

The analytical test results summarized in this report with the Project Name: Parsel Tongue 15-10 St Com 20H apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

**Alexa Michaels**  
Sample Custody Officer  
Office: 505-632-1881  
[labadmin@envirotech-inc.com](mailto:labadmin@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**  
**Lynn Jarboe**  
Technical Representative/Client Services  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**West Texas Midland/Odessa Area**  
**Rayny Hagan**  
Technical Representative  
Office: 505-421-LABS(5227)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)



## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
S1 - 1'	6
S1 - 2'	7
S2 - 1'	8
S2 - 2'	9
S3 - 1'	10
S3 - 2'	11
S4 - 1'	12
S4 - 2'	13
S5 - 1'	14
S5 - 2'	15
S5 - 3'	16
SW1	17
SW2	18
SW3	19
SW4	20
BG1	21
BG2	22
QC Summary Data	23
QC - Volatile Organic Compounds by EPA 8260B	23
QC - Nonhalogenated Organics by EPA 8015D - GRO	24

Table of Contents (continued)

QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	25
QC - Anions by EPA 300.0/9056A	26
Definitions and Notes	27
Chain of Custody etc.	28

## Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	01/23/23 08:39

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
S1 - 1'	E301083-01A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S1 - 2'	E301083-02A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S2 - 1'	E301083-03A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S2 - 2'	E301083-04A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S3 - 1'	E301083-05A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S3 - 2'	E301083-06A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S4 - 1'	E301083-07A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S4 - 2'	E301083-08A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S5 - 1'	E301083-09A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S5 - 2'	E301083-10A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
S5 - 3'	E301083-11A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
SW1	E301083-12A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
SW2	E301083-13A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
SW3	E301083-14A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
SW4	E301083-15A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
BG1	E301083-16A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.
BG2	E301083-17A	Soil	01/13/23	01/17/23	Glass Jar, 2 oz.



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S1 - 1'

E301083-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.6 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.6 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	140	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		104 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	





## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S1 - 2'

E301083-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		105 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		108 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.3 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		105 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		108 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.3 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		109 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S2 - 1'

E301083-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0500	2	01/17/23	01/18/23	
Ethylbenzene	ND	0.0500	2	01/17/23	01/18/23	
Toluene	ND	0.0500	2	01/17/23	01/18/23	
o-Xylene	ND	0.0500	2	01/17/23	01/18/23	
p,m-Xylene	ND	0.100	2	01/17/23	01/18/23	
Total Xylenes	ND	0.0500	2	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		101 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		111 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		90.9 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	40.0	2	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		101 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		111 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		90.9 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	137	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		106 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S2 - 2'

E301083-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		104 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.1 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		104 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.1 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		107 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S3 - 1'

E301083-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		104 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.0 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		104 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.0 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	55.0	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		114 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	





## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S3 - 2'

E301083-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		108 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S4 - 1'

E301083-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		102 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		117 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		90.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		102 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		117 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		90.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		109 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	25.5	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S4 - 2'

E301083-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		102 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.6 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		102 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		114 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.6 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		108 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S5 - 1'

E301083-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		104 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		107 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.9 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		104 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		107 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		91.9 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	63.8	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		106 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	251	20.0	1	01/18/23	01/18/23	





## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S5 - 2'

E301083-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		112 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.8 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		112 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.8 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	26.3	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		104 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	74.6	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

S5 - 3'

E301083-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		102 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		102 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		102 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

## SW1

## E301083-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.4 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.4 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		109 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

## SW2

## E301083-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		105 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		93.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		105 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		93.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		110 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/18/23	





## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

## SW3

## E301083-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		107 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		107 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.5 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/18/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/18/23	
Surrogate: n-Nonane		111 %	50-200	01/18/23	01/18/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/19/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

## SW4

## E301083-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		116 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.4 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		116 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.4 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/19/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/19/23	
Surrogate: n-Nonane		109 %	50-200	01/18/23	01/19/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/19/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

## BG1

## E301083-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		108 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		93.3 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		103 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		108 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		93.3 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/19/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/19/23	
Surrogate: n-Nonane		110 %	50-200	01/18/23	01/19/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/19/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
1/23/2023 8:39:42AM

## BG2

## E301083-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organic Compounds by EPA 8260B</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Benzene	ND	0.0250	1	01/17/23	01/18/23	
Ethylbenzene	ND	0.0250	1	01/17/23	01/18/23	
Toluene	ND	0.0250	1	01/17/23	01/18/23	
o-Xylene	ND	0.0250	1	01/17/23	01/18/23	
p,m-Xylene	ND	0.0500	1	01/17/23	01/18/23	
Total Xylenes	ND	0.0250	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		106 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.9 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2303025
Gasoline Range Organics (C6-C10)	ND	20.0	1	01/17/23	01/18/23	
Surrogate: Bromofluorobenzene		106 %	70-130	01/17/23	01/18/23	
Surrogate: 1,2-Dichloroethane-d4		109 %	70-130	01/17/23	01/18/23	
Surrogate: Toluene-d8		92.9 %	70-130	01/17/23	01/18/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2303046
Diesel Range Organics (C10-C28)	ND	25.0	1	01/18/23	01/19/23	
Oil Range Organics (C28-C36)	ND	50.0	1	01/18/23	01/19/23	
Surrogate: n-Nonane		111 %	50-200	01/18/23	01/19/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2303028
Chloride	ND	20.0	1	01/18/23	01/19/23	





## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	1/23/2023 8:39:42AM

## Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2303025-BLK1)

Prepared: 01/17/23 Analyzed: 01/18/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.511		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.534		0.500		107	70-130			
Surrogate: Toluene-d8	0.457		0.500		91.3	70-130			

## LCS (2303025-BS1)

Prepared: 01/17/23 Analyzed: 01/18/23

Benzene	2.35	0.0250	2.50		94.1	70-130			
Ethylbenzene	2.18	0.0250	2.50		87.2	70-130			
Toluene	2.19	0.0250	2.50		87.8	70-130			
o-Xylene	2.26	0.0250	2.50		90.3	70-130			
p,m-Xylene	4.49	0.0500	5.00		89.7	70-130			
Total Xylenes	6.74	0.0250	7.50		89.9	70-130			
Surrogate: Bromofluorobenzene	0.519		0.500		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.554		0.500		111	70-130			
Surrogate: Toluene-d8	0.462		0.500		92.3	70-130			

## Matrix Spike (2303025-MS1)

Source: E301083-01

Prepared: 01/17/23 Analyzed: 01/18/23

Benzene	2.35	0.0250	2.50	ND	94.2	48-131			
Ethylbenzene	2.20	0.0250	2.50	ND	88.2	45-135			
Toluene	2.22	0.0250	2.50	ND	88.6	48-130			
o-Xylene	2.32	0.0250	2.50	ND	92.9	43-135			
p,m-Xylene	4.56	0.0500	5.00	ND	91.2	43-135			
Total Xylenes	6.88	0.0250	7.50	ND	91.8	43-135			
Surrogate: Bromofluorobenzene	0.521		0.500		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.568		0.500		114	70-130			
Surrogate: Toluene-d8	0.463		0.500		92.5	70-130			

## Matrix Spike Dup (2303025-MSD1)

Source: E301083-01

Prepared: 01/17/23 Analyzed: 01/18/23

Benzene	2.29	0.0250	2.50	ND	91.5	48-131	2.84	23	
Ethylbenzene	2.13	0.0250	2.50	ND	85.2	45-135	3.44	27	
Toluene	2.14	0.0250	2.50	ND	85.6	48-130	3.42	24	
o-Xylene	2.25	0.0250	2.50	ND	89.8	43-135	3.44	27	
p,m-Xylene	4.38	0.0500	5.00	ND	87.6	43-135	4.00	27	
Total Xylenes	6.63	0.0250	7.50	ND	88.4	43-135	3.81	27	
Surrogate: Bromofluorobenzene	0.534		0.500		107	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.551		0.500		110	70-130			
Surrogate: Toluene-d8	0.463		0.500		92.6	70-130			



## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	<b>Reported:</b>
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	1/23/2023 8:39:42AM

## Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2303025-BLK1)

Prepared: 01/17/23 Analyzed: 01/18/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.511		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.534		0.500		107	70-130			
Surrogate: Toluene-d8	0.457		0.500		91.3	70-130			

## LCS (2303025-BS2)

Prepared: 01/17/23 Analyzed: 01/18/23

Gasoline Range Organics (C6-C10)	42.9	20.0	50.0		85.8	70-130			
Surrogate: Bromofluorobenzene	0.519		0.500		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.572		0.500		114	70-130			
Surrogate: Toluene-d8	0.464		0.500		92.7	70-130			

## Matrix Spike (2303025-MS2)

Source: E301083-01

Prepared: 01/17/23 Analyzed: 01/18/23

Gasoline Range Organics (C6-C10)	43.7	20.0	50.0	ND	87.3	70-130			
Surrogate: Bromofluorobenzene	0.520		0.500		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.549		0.500		110	70-130			
Surrogate: Toluene-d8	0.455		0.500		90.9	70-130			

## Matrix Spike Dup (2303025-MSD2)

Source: E301083-01

Prepared: 01/17/23 Analyzed: 01/18/23

Gasoline Range Organics (C6-C10)	42.5	20.0	50.0	ND	84.9	70-130	2.77	20	
Surrogate: Bromofluorobenzene	0.518		0.500		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.547		0.500		109	70-130			
Surrogate: Toluene-d8	0.465		0.500		92.9	70-130			



## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	<b>Reported:</b>
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	1/23/2023 8:39:42AM

## Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2303046-BLK1)

Prepared: 01/18/23 Analyzed: 01/18/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	53.6		50.0		107	50-200			

## LCS (2303046-BS1)

Prepared: 01/18/23 Analyzed: 01/18/23

Diesel Range Organics (C10-C28)	270	25.0	250		108	38-132			
Surrogate: n-Nonane	53.9		50.0		108	50-200			

## Matrix Spike (2303046-MS1)

Source: E301083-10

Prepared: 01/18/23 Analyzed: 01/18/23

Diesel Range Organics (C10-C28)	299	25.0	250	26.3	109	38-132			
Surrogate: n-Nonane	51.6		50.0		103	50-200			

## Matrix Spike Dup (2303046-MSD1)

Source: E301083-10

Prepared: 01/18/23 Analyzed: 01/18/23

Diesel Range Organics (C10-C28)	344	25.0	250	26.3	127	38-132	14.1	20	
Surrogate: n-Nonane	52.9		50.0		106	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	1/23/2023 8:39:42AM

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2303028-BLK1)					Prepared: 01/18/23 Analyzed: 01/18/23				
Chloride	ND	20.0							
LCS (2303028-BS1)					Prepared: 01/18/23 Analyzed: 01/18/23				
Chloride	250	20.0	250		100	90-110			
Matrix Spike (2303028-MS1)					Source: E301083-01		Prepared: 01/18/23 Analyzed: 01/18/23		
Chloride	260	20.0	250	ND	104	80-120			
Matrix Spike Dup (2303028-MSD1)					Source: E301083-01		Prepared: 01/18/23 Analyzed: 01/18/23		
Chloride	261	20.0	250	ND	104	80-120	0.190	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.





Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	01/23/23 08:39

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.

## Project Information

## Chain of Custody

Page 1 of 2

Client: Pima Environmental Services					Bill To		Lab Use Only				TAT				EPA Program	
Project: <u>Paseo Tongue 15-10 St com 20H</u>					Attention: <u>Devon</u>		Lab WO# <u>E 301083</u>		Job Number <u>01058-0007</u>		1D	2D	3D	Standard	CWA	SDWA
Project Manager: <u>Tom Bynum</u>					Address:		Analysis and Method								RCRA	
Address: <u>5614 N. Lovington Hwy.</u>					City, State, Zip											
City, State, Zip: <u>Hobbs, NM, 88240</u>					Phone:		State								NM CO UT AZ TX	
Phone: <u>580-748-1613</u>					Email:											
Email: <u>tom@pimaoil.com</u>					Pima Project # <u>1-233</u>		Remarks									
Report due by:																
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/PRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX			
9:20	1/13/23	S	1	S1-1'	1							X				
9:25				S1-2'	2											
9:30				S2-1'	3											
9:35				S2-2'	4											
9:40				S3-1'	5											
9:45				S3-2'	6											
9:50				S4-1'	7											
9:55				S4-2'	8											
10:00				S5-1'	9											
10:05				S5-2'	10											
Additional Instructions: <u>Bill to Devon: 137758.01 DRL</u>																
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.										Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 5 °C on subsequent days.						
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Lab Use Only								
<u>AB</u>		<u>1-16-23</u>	<u>2:00</u>	<u>Michelle Cuyals</u>		<u>1-16-23</u>	<u>1435</u>	Received on ice: <u>Y</u> / N								
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	T1 _____ T2 _____ T3 _____								
<u>Michelle Cuyals</u>		<u>1-16-23</u>	<u>1730</u>	<u>Lorenz Leu</u>		<u>1-16-23</u>	<u>1805</u>									
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	AVG Temp °C <u>4</u>								
<u>Lorenz Leu</u>		<u>1-16-23</u>	<u>2400</u>	<u>Christen Chater</u>		<u>1/17/23</u>	<u>8:10</u>									
Sample Matrix: <u>S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other</u>										Container Type: <u>g - glass, p - poly/plastic, ag - amber glass, v - VOA</u>						
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																



## Project Information

## Chain of Custody

Page 2 of 2

Client: Pima Environmental Services					Bill To		Lab Use Only		TAT				EPA Program			
Project: <u>Paseo Tongue 15-10 St com 204</u>					Attention: <u>Devon</u>		Lab WO# <u>E301083</u>		Job Number <u>010580007</u>		1D	2D	3D	Standard	CWA	SDWA
Project Manager: <u>Tom Bynum</u>					Address:									X		
Address: <u>5614 N. Lovington Hwy.</u>					City, State, Zip											RCRA
City, State, Zip <u>Hobbs, NM, 88240</u>					Phone:											
Phone: <u>580-748-1613</u>					Email:											
Email: <u>tom@pimaoil.com</u>					Pima Project # <u>1-233</u>											
Report due by:																

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0		BGDOC NM	BGDOC TX		State	NM	CO	UT	AZ	TX	Remarks
10:10	1/13/23	S	1	S5-3	11								X									
10:15				SW1	12																	
10:20				SW2	13																	
10:25				SW3	14																	
10:30				SW4	15																	
10:35				BG1	16																	
10:40				BG2	17																	

**Additional Instructions:** Bill to Devon: 137758.01 DRL

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: Audriana Benavidez

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.

Relinquished by: (Signature) <u>AB</u>	Date <u>1-16-23</u>	Time <u>2:00</u>	Received by: (Signature) <u>Michelle Kuyk</u>	Date <u>1-16-23</u>	Time <u>1435</u>	Lab Use Only Received on ice: <u>Y</u> / N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>
Relinquished by: (Signature) <u>Michelle Kuyk</u>	Date <u>1-16-23</u>	Time <u>1730</u>	Received by: (Signature) <u>Lorenz Fen</u>	Date <u>1-16-23</u>	Time <u>1815</u>	
Relinquished by: (Signature) <u>Lorenz Fen</u>	Date <u>1-16-23</u>	Time <u>2400</u>	Received by: (Signature) <u>Carla Kuyk</u>	Date <u>1/17/23</u>	Time <u>8:10</u>	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other \_\_\_\_\_

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

## Envirotech Analytical Laboratory

Printed: 1/17/2023 9:28:40AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	01/17/23 08:10	Work Order ID:	E301083
Phone:	(575) 631-6977	Date Logged In:	01/16/23 16:16	Logged In By:	Caitlin Christian
Email:	tom@pimaoil.com	Due Date:	01/23/23 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.



Report to:  
Tom Bynum



5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Parsel Tongue 15-10 St Com 20H

Work Order: E303033

Job Number: 01058-0007

Received: 3/10/2023

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
3/13/23

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 3/13/23



Tom Bynum  
PO Box 247  
Plains, TX 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Workorder: E303033  
Date Received: 3/10/2023 8:15:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/10/2023 8:15:00AM, under the Project Name: Parsel Tongue 15-10 St Com 20H.

The analytical test results summarized in this report with the Project Name: Parsel Tongue 15-10 St Com 20H apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

**Alexa Michaels**  
Sample Custody Officer  
Office: 505-632-1881  
[labadmin@envirotech-inc.com](mailto:labadmin@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**  
**Lynn Jarboe**  
Technical Representative/Client Services  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**West Texas Midland/Odessa Area**  
**Rayny Hagan**  
Technical Representative  
Office: 505-421-LABS(5227)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
CS1 - 2'	5
CS2 - 2'	6
CS3 - 2'	7
CS4 - 2'	8
CSW-1	9
CSW-2	10
CSW-3	11
CSW-4	12
CSW-5	13
QC Summary Data	14
QC - Volatile Organics by EPA 8021B	14
QC - Nonhalogenated Organics by EPA 8015D - GRO	15
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	16
QC - Anions by EPA 300.0/9056A	17
Definitions and Notes	18
Chain of Custody etc.	19

## Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	<b>Reported:</b> 03/13/23 14:44
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
CS1 - 2'	E303033-01A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CS2 - 2'	E303033-02A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CS3 - 2'	E303033-03A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CS4 - 2'	E303033-04A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CSW-1	E303033-05A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CSW-2	E303033-06A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CSW-3	E303033-07A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CSW-4	E303033-08A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.
CSW-5	E303033-09A	Soil	03/06/23	03/10/23	Glass Jar, 2 oz.





## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CS1 - 2'

## E303033-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.0 %	70-130		03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.8 %	70-130		03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
	99.5 %	50-200		03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CS2 - 2'

## E303033-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		88.8 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		94.5 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CS3 - 2'

## E303033-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		87.1 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		96.0 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CS4 - 2'

## E303033-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		102 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		88.5 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		88.4 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	





## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CSW-1

## E303033-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		88.2 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		97.0 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CSW-2

E303033-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		86.7 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		101 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CSW-3

E303033-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		103 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		86.2 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		100 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CSW-4

E303033-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		105 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		87.9 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		89.3 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Parsel Tongue 15-10 St Com 20H  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
3/13/2023 2:44:58PM

## CSW-5

E303033-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Benzene	ND	0.0250	1	03/09/23	03/10/23	
Ethylbenzene	ND	0.0250	1	03/09/23	03/10/23	
Toluene	ND	0.0250	1	03/09/23	03/10/23	
o-Xylene	ND	0.0250	1	03/09/23	03/10/23	
p,m-Xylene	ND	0.0500	1	03/09/23	03/10/23	
Total Xylenes	ND	0.0250	1	03/09/23	03/10/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		105 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2310053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/09/23	03/10/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		84.5 %	70-130	03/09/23	03/10/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KM		Batch: 2310059
Diesel Range Organics (C10-C28)	ND	25.0	1	03/10/23	03/10/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/10/23	03/10/23	
<i>Surrogate: n-Nonane</i>						
		97.7 %	50-200	03/10/23	03/10/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2310056
Chloride	ND	20.0	1	03/10/23	03/10/23	





## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	<b>Reported:</b>
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	3/13/2023 2:44:58PM

## Volatile Organics by EPA 8021B

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2310053-BLK1)

Prepared: 03/09/23 Analyzed: 03/10/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.36		8.00		105	70-130			

## LCS (2310053-BS1)

Prepared: 03/09/23 Analyzed: 03/10/23

Benzene	4.93	0.0250	5.00		98.6	70-130			
Ethylbenzene	4.98	0.0250	5.00		99.5	70-130			
Toluene	5.11	0.0250	5.00		102	70-130			
o-Xylene	5.16	0.0250	5.00		103	70-130			
p,m-Xylene	10.1	0.0500	10.0		101	70-130			
Total Xylenes	15.2	0.0250	15.0		102	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.43		8.00		105	70-130			

## LCS Dup (2310053-BS1)

Prepared: 03/09/23 Analyzed: 03/10/23

Benzene	5.30	0.0250	5.00		106	70-130	7.17	20	
Ethylbenzene	5.39	0.0250	5.00		108	70-130	7.96	20	
Toluene	5.51	0.0250	5.00		110	70-130	7.60	20	
o-Xylene	5.58	0.0250	5.00		112	70-130	7.79	20	
p,m-Xylene	10.9	0.0500	10.0		109	70-130	7.94	20	
Total Xylenes	16.5	0.0250	15.0		110	70-130	7.89	20	
Surrogate: 4-Bromochlorobenzene-PID	8.33		8.00		104	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	3/13/2023 2:44:58PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2310053-BLK1) Prepared: 03/09/23 Analyzed: 03/10/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.61		8.00		82.7	70-130			

LCS (2310053-BS2) Prepared: 03/09/23 Analyzed: 03/10/23

Gasoline Range Organics (C6-C10)	45.9	20.0	50.0		91.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.93		8.00		86.6	70-130			

LCS Dup (2310053-BSD2) Prepared: 03/09/23 Analyzed: 03/10/23

Gasoline Range Organics (C6-C10)	45.8	20.0	50.0		91.7	70-130	0.101	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.87		8.00		85.8	70-130			



## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	<b>Reported:</b>
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	3/13/2023 2:44:58PM

## Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2310059-BLK1)

Prepared: 03/10/23 Analyzed: 03/10/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	48.0		50.0		96.1	50-200			

## LCS (2310059-BS1)

Prepared: 03/10/23 Analyzed: 03/10/23

Diesel Range Organics (C10-C28)	228	25.0	250		91.3	38-132			
Surrogate: n-Nonane	48.1		50.0		96.3	50-200			

## Matrix Spike (2310059-MS1)

Source: E303033-05

Prepared: 03/10/23 Analyzed: 03/10/23

Diesel Range Organics (C10-C28)	248	25.0	250	ND	99.2	38-132			
Surrogate: n-Nonane	48.9		50.0		97.7	50-200			

## Matrix Spike Dup (2310059-MSD1)

Source: E303033-05

Prepared: 03/10/23 Analyzed: 03/10/23

Diesel Range Organics (C10-C28)	251	25.0	250	ND	100	38-132	1.27	20	
Surrogate: n-Nonane	46.6		50.0		93.1	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	3/13/2023 2:44:58PM

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2310056-BLK1)					Prepared: 03/10/23 Analyzed: 03/10/23				
Chloride	ND	20.0							
LCS (2310056-BS1)					Prepared: 03/10/23 Analyzed: 03/10/23				
Chloride	253	20.0	250		101	90-110			
Matrix Spike (2310056-MS1)					Source: E303033-01		Prepared: 03/10/23 Analyzed: 03/10/23		
Chloride	255	20.0	250	ND	102	80-120			
Matrix Spike Dup (2310056-MSD1)					Source: E303033-01		Prepared: 03/10/23 Analyzed: 03/10/23		
Chloride	253	20.0	250	ND	101	80-120	0.844	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Parsel Tongue 15-10 St Com 20H	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	03/13/23 14:44

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





## Project Information

## Chain of Custody

Page 1 of 1

Client: Pima Environmental Services				Bill To		Lab Use Only		TAT				EPA Program			
Project: PARSELTON Gue 15-10 ST				Attention:		Lab WO# E303033		Job Number 0058-0007		1D	2D	3D	Standard	CWA	SDWA
Project Manager: Tom Bynum				Address:											
Address: 5614 N. Lovington Hwy.				City, State, Zip											
City, State, Zip Hobbs, NM, 88240				Phone:											RCRA
Phone: 580-748-1613				Email:											
Email: tom@pimaoil.com				Pima Project # 233											
Report due by:															

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX	Remarks
8:00	3/6/23	S		CS1-2'	1									
8:05				CS2-2'	2									
8:10				CS3-2'	3									
8:15				CS4-2'	4									
8:20				CSW-1	5									
8:25				CSW-2	6									
8:30				CSW-3	7									
8:35				CSW-4	8									
8:40				CSW-5	9									

**Additional Instructions:** Bill to Devon # 137758.01 DRL

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.


Relinquished by: (Signature) Don Gormel Date 3/9/23 Time 1415 Received by: (Signature) Michelle Gormel Date 3-9-23 Time 1415

Relinquished by: (Signature) Michelle Gormel Date 3-9-23 Time 1715 Received by: (Signature) Lorenzo Fen Date 3-9-23 Time 1800

Relinquished by: (Signature) Lorenzo Fen Date 3-9-23 Time 2345 Received by: (Signature) Anten Chote Date 3/10/23 Time 8:15

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



## Envirotech Analytical Laboratory

Printed: 3/10/2023 8:57:35AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	03/10/23 08:15	Work Order ID:	E303033
Phone:	(575) 631-6977	Date Logged In:	03/09/23 15:21	Logged In By:	Caitlin Christian
Email:	tom@pimaoil.com	Due Date:	03/11/23 07:00 (0 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: na

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 198598

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 198598
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Closure Report Approved.	4/21/2023