MANLEY GAS TESTING, INC.

		ODECCA TEVAC 70760
P.O. DRAWER 193 OFFICE(432)367-3024	FAX(432)367-116	ODESSA, TEXAS 79760 6 E-MAIL: MANLEYGAST@AOL.COM
CHARGE 45 - 1 REC. NO 0 TEST NUMBER 11847 SAMPLE TYPE SPOT		DATE SAMPLED 10-22-21 DATE RUN 10-22-21 FROM EFF. DATE 10-01-21 TO EFF. DATE 10-31-21
STATION NO		FLO-CAL ID
SAMPLE NAME WDDU - MEXIC RECEIVED FROM SCOUT ENERGY LOCATION ODESSA TEXAS		GAS
FLOWING PRESSURE	14 PSIG	FLOWING TEMPERATURE 68 F
SAMPLED BY: WS		ANALYZED BY JT
	FRACTIONAL ANAL LATED @ 14.730 F	
MOL%	GPM (REAL)	
HYDROGEN SULFIDE 0.5000 NITROGEN 4.4315 CARBON DIOXIDE 1.8389 METHANE 51.1622 ETHANE 16.9898 PROPANE 14.2783 ISO-BUTANE 1.2613 NOR-BUTANE 5.2584 ISO-PENTANE 0.8990 NOR-PENTANE 1.6158 HEXANES + 1.7648	4.575 3.960 0.416 1.669 0.331 0.590 0.776	H2S PPMV = 5000 'Z' FACTOR (DRY) = 0.9931 'Z' FACTOR (WET) = 0.9926
TOTALS 100.0000	12.317	
CALCULATED SPECIFIC GRAVI	TIES	CALCULATED GROSS HEATING VALUES
IDEAL, DRY 1.0041 IDEAL, WET 0.9974 REAL, DRY 1.0107 REAL, WET 1.0044		BTU/CF - IDEAL, DRY 1584.1 BTU/CF - IDEAL, WET 1556.4 BTU/CF - REAL, DRY 1595.1 BTU/CF - REAL, WET 1568.0

DISTRIBUTION AND REMARKS:

J. POOLE(P)

LOCAL USE ONLY

ANALYZED BY: JT

APPROVED: mww

- Released to Imaging: 5/4/2023 9:07:09 AM

MANLEY GAS TESTING, INC.

P.O. DRAWER 193 OFFICE(432)367-3024	FAX(432)367-1166	ODESSA, TEXAS 79760 E-MAIL: MANLEYGAST@AOL.COM
CHARGE 45 - 1 REC. NO 0 TEST NUMBER 11848 SAMPLE TYPE SPOT		DATE SAMPLED 10-22-21 DATE RUN 10-22-21 FROM EFF. DATE 10-01-21 TO EFF. DATE 10-31-21
STATION NO		FLO-CAL ID
SAMPLE NAME WDDU - WDDU RECEIVED FROM SCOUT ENERGY LOCATION ODESSA TEXAS		
FLOWING PRESSURE	12 PSIG F	LOWING TEMPERATURE 70 F
SAMPLED BY: WS	A	NNALYZED BY JT
CALCU	FRACTIONAL ANALY	SIS SIA AND 60F
MOL%	GPM (REAL)	
HYDROGEN SULFIDE 1.0000 NITROGEN 3.5195 CARBON DIOXIDE 1.3309 METHANE 51.5502 ETHANE 15.7217 PROPANE 14.8367 ISO-BUTANE 1.5067 NOR-BUTANE 5.7888 ISO-PENTANE 1.1579 NOR-PENTANE 1.5359 HEXANES + 2.0517 TOTALS 100.0006	4.234 4.116 9.497 1.838 9.0.426 9.561 9.901	H2S PPMV = 10000 'Z' FACTOR (DRY) = 0.9927 'Z' FACTOR (WET) = 0.9922
CALCULATED SPECIFIC GRAV	TIES	CALCULATED GROSS HEATING VALUES
IDEAL, DRY 1.0202 IDEAL, WET 1.0132 REAL, DRY 1.0273 REAL, WET 1.0208		BTU/CF - IDEAL, DRY 1626.9 BTU/CF - IDEAL, WET 1598.4 BTU/CF - REAL, DRY 1638.9 BTU/CF - REAL, WET 1611.0
DISTRIBUTION AND REMARKS:		
J. POOLE(P)		
LOCAL USE ONLY		
ANALYZED BY: JT		APPROVED:



13800 Montfort Dr, Ste. 100 Dallas, TX 75240 972-277-1397 www.scoutep.com

May 4, 2023

EMNRD 1220 South St. Francis Drive Santa Fe, NM 87505

RE: Flaring Calculations or Specific Justification for the Volumes.

Scout Energy Management LLC would like to report a flaring event that started at 9:00 a.m. Wednesday 19, 2023 and ended at 8:59 p.m. Thursday 20, 2023. Calculations were not done as all volumes are true meter readings and are listed below:

• 04/21/2023 = WDDU = 231 mcf/d - reported

If there are any questions or concerns, please do not hesitate to contact our office.

Regards,

Lee Ellison
lellison@scoutep.com
(972) 325-1096
13800 Montfort Drive, Ste.100
Dallas, TX 75240



13800 Montfort Dr, Ste. 100 Dallas, TX 75240 972-277-1397 www.scoutep.com

May 4, 2023

Application for Exception to Statewide Rule 19.15.27.G.(a).

Re: Statewide Rule Exception Request Documentation

Scout Energy Management LLC. (760218)

West Dollarhide Unit, Fristo, State BB & L, Erwin,


Lea County, New Mexico

Scout Energy Management LLC. is submitting a request to flare casinghead gas at the following lease facilities: The leases above will be flaring for 7 to possibly 10 days, commencing date Friday 04/21/2023 at 9:00 a.m. through end date Saturday 04/22/2023. The flaring is due to our gas purchaser, Targa Midstream, shutting down their system for repairs. Scout has worked through multiple options to get the gas offloaded to another purchaser and determined that it will not be economically viable. Flaring for all leases documented is necessary for Scout to produce recoverable oil from wells.

If there are any questions or concerns, please do not hesitate to contact our office.

Regards,

Lee Ellison
lellison@scoutep.com
(972) 497-2863
13800 Montfort Drive, Ste.100
Dallas, TX 75240





September 19, 2022

<u>Certified Mail No. 7016 2070 0000 6771 3311</u> <u>Return Receipt Requested</u>

Glenda De Leon Sr Environmental Specialist Scout Energy Management LLC 13800 Montfort Drive Suite 100 Dallas, TX 75240 Air Quality General Permit GCP-O&G 9731 Agency Interest No. 40625 - PRN20220001 West Dollarhide Drinkard Unit Central Battery AIRS No. 350252292

Dear Glenda De Leon:

This letter is in response to your air quality General Construction Permit - Oil & Gas (GCP-O&G) application dated August 22, 2022 for an oil and gas facility in New Mexico. The application was received by the Department on September 2, 2022.

A review has been completed and the information provided is sufficient to issue your permit in accordance with 20.2.72.220 NMAC and the GCP-O&G conditions. Construction or modification may commence 7.4 mi NE of Jal in Lea County at latitude and longitude decimal degrees: 32.179444, -103.087611, as represented in the application.

Attached is a copy of your permit registration and the GCP-O&G Permit. The GCP-O&G Permit includes the terms and conditions for operation as well as emission and compliance requirements. This facility will be subject to periodic emissions inventory reporting per 20.2.73.300 NMAC.

Pursuant to 20.2.75.11 NMAC, the Department will assess an annual fee for this facility. This regulation set the fee amount at \$1,500 through 2004 and requires it to be adjusted annually for the Consumer Price Index on January 1. The current fee amount is available by contacting the Department or can be found on the Department's website. The AQB will invoice the permittee for the annual fee amount at the beginning of each calendar year. This fee does not apply to sources which are assessed an annual fee in accordance with 20.2.71 NMAC. For sources that satisfy the definition of "small business" in subsection F of 20.2.75.7 NMAC, this annual fee will be divided by two.

All fees shall be remitted in the form of a corporate check, certified check, or money order made payable to the "NM Environment Department, AQB" mailed to the address shown on the invoice and shall be accompanied by the remittance slip attached to the invoice. If there is no invoice included, there is no fee balance due at this time

If you have any questions, please contact me at 505-269-2718 or joseph.kimbrell@state.nm.us. Sincerely,

Air Permit Specialist, Advanced Major Source Permits Section Air Quality Bureau

cc via email: Rebecca McBride, Montrose Environmental, rmcbride@montrose-env.com

Glenda De Leon, Scout Energy Management LLC, glenda.deleon@scoutep.com



State of New Mexico Environment Department

Air Quality Bureau

525 Camino de los Marquez, Suite 1 Santa Fe, NM 87505-1816

Telephone: (505) 476-4300 Fax: (505) 476-4375

INVOICE

Primary Billing Party:

Scout Energy Management LLC 13800 Montfort Drive Suite 100 Dallas, TX 75240 **Agency Interest:**

40625 - West Dollarhide Drinkard Unit Central Battery 7.4 mi NE of Jal Jal, NM 88252

INVOICE ID: 168450

INVOICE DATE:

00/00/0000

INVOICE DUE DATE: 00/00/0000

When you provide the check as payment you authorize the State of New Mexico to use information from your check to make a one-time electronic fund transfer from your account or to process the payment as a check transaction.

ASSESSMENTS

Air Quality, PRN20220001, Air - General Review Fee

\$4,550.00

INVOICED AMOUNT

\$4,550.00

CREDITS

Payment (09/07/2022)

Total Credits:

\$4,550.00

\$4,550.00

BALANCE DUE

\$0.00

Cut Here and Include Lower Portion with Payment

Primary Billing Party:

Scout Energy Management LLC 13800 Montfort Drive Suite 100 Dallas, TX 75240 **Agency Interest:**

40625 - West Dollarhide Drinkard Unit Central Battery

7.4 mi NE of Jal Jal, NM 88252

INVOICE ID: 168450

INVOICE DUE DATE: 00/00/0000

Please make checks payable to:

Mail payments to:

Invoice Amount:

NMED Federal Tax ID#:

85-6000565

\$0.00

New Mexico Environment Department, AQB

Air Quality Bureau

Amount Enclosed

525 Camino de los Marquez, Suite 1

Santa Fe, NM 87505-1816

Telephone: (505) 476-4300

Fax: (505) 476-4375

Released to Imaging: 5/4/2023 9:07:09 AM

August 22, 2022

Mail To:

New Mexico Environment Department Air Quality Bureau Permit Program Manager 525 Camino de los Marquez, Suite 1 Santa Fe, New Mexico, 87505

This Registration is being submitted as (check all that apply):

An initial GCP-Oil and Gas Registration Form for a new facility (Registration fee required).

Phone (505) 476-4300 Fax (505) 476-4375 www.env.nm.gov/air-quality/



For Department use only:

RECEIVED

SEP 0 2 2022

Air Quality Bureau

General Construction Permit (GCP-Oil and Gas) Registration Form Section 1

(Locating outside of Bernalillo County, Tribal Lands, and Nonattainment Areas)

An updated GCP-Oil and Gas Registration Form for a modification to an existing facility (Registration fee required).

∐ A (GCP-Oil and Gas Registration I	Form for an existing facility currently op	erating under GCP-1 or GC	CP-4 (No fee required)
		Form may be used for administrative charied, and no filing fees or permit fees ap		O&G Permit Condition
Consti	ruction Status: Not Constr	ructed Existing Permitted (or NOI)	Facility X Existing Non-	Permitted (or NOI) Facility
☐ I ac ☐ An ☐ Pro ☐ The ☐ The	original signed and notarized (of of public notice is included, Air Emission Calculation Too	ol (AECT) is included. gistration Form will establish the emissi	Oil and Gas Registration is	
	tration Fees	Initial Registration or Modifications	Small Business* Initial R	egistration or Modifications
	to 1/1/2022	\$4,320	\$2,160	
Begin	nning 1/1/2022	\$4,550	\$2,275	
	e your Check Number:9 nderstand that if a fee is require	25116 and Amount:\$4 d and is not included, the project will no		
1) C	ompany Informatio	n	AI # (if known): NA	If updating, provide Permit/NOI #: NA
1	Facility Name:	A District Annual Control Date	Plant primary SIC C	ode (4 digits): 1311
	Scout Energy - West Dollarni	de Drinkard Unit Central Battery	Plant NAIC code (6	digits): 211120
a	Facility Street Address (If no	facility street address, check here 🛛 an	d provide directions in Sect	tion 4):
2	Plant Operator Company Nan	ne: Scout Energy Management LLC	Phone/Fax: 972-277	-1397
a	Plant Operator Address: 1380	00 Montfort Drive, Suite 100, Dallas, TX	75240	
3	Plant Owner(s) name(s): Scot	ut Energy Management LLC	Phone/Fax: 972-277	·-1397

	Page 8 of	
August 22		

a													
	Bill To (Company): Scout Energ	y Management LLC		Phone/Fax: 972-27	7-1397								
4													
a													
5	□ Preparer: Rebecca McBride (Montrose Environmental Solutions) □ Consultant: Rebecca McBride (Montrose Environmental Solutions) Phone/Fax: 678-336-8550												
a	Mailing Address:												
6	Plant Operator Contact: Glenda			Phone/Fax: 972-27	7-1397								
a	Mailing Address: 13800 Montfo	rt Drive, Suite 100, Dallas, TX 75240)	E-mail: glenda.dele	eon@scoutep.c	om							
7	Air Permit Contact ¹ : Glenda De	Leon		Title: Senior Air Q	uality Specialis	st							
a	E-mail: glenda.deleon@scoutep.	com		Phone/Fax: 972-27	7-1397								
b	Mailing Address: 13800 Montfo	rt Drive, Suite 100, Dallas, TX 75240)										
	¹ The Air Permit Contact will rec	eive official correspondence from the	Depa	artment.									
8		unction with other air regulated partie			⊠ No	Yes							
0	If yes, what is the name and NO	I or permit number (if known) of the	other	facility?									
2) A	pplicability												
1		lo County, on tribal lands, or in a non			•.	No □Yes							
If you 2		re, your facility does not qualify for the state of the s				□No ⊠Yes							
	all the equipment at the facility i	s allowed in the GCP-Oil & Gas Peri	nit.)										
3		nder this GCP-Oil and Gas Registration of the GCP Oil & Gas Perm			on of	□No ⊠Yes							
4		specified in this GCP-Oil and Gas Re			he total	□No ⊠Yes							
5		the stack parameter requirements as	estab	lished in the GCP-O	il and Gas	□No ⊠Yes							
6	Equipment shall be at least 100 i	meters (m) from any stack to terrain t			ters above the	□No ⊠Yes							
7		nent at the facility meet this terrain red of any source that emits over 25 tons/y			stance	□No ⊠Yes							
,		hat emit NOx at each of the facilities.											
0	center to center distances.	Olas I and This is the list	C		1 1								
8	the nearest boundary of the Clas	m any Class I area? This is the distan s I area.	ce iro	m the nearest facility	y boundary to	□No ⊠Yes							
If you		2-8, your facility does not qualify for	this g	general construction	permit.								
3) C	Current Facility Status	S											
1	Has this facility already been con	structed? \(\sum Yes \text{No} \text{If yes, i}	is it cu	arrently operating in	New Mexico?	⊠ Yes □ No							
2	Does this facility currently have a construction permit or Notice of Intent (NOI) (20.2.72 NMAC or 20.2.73 NMAC)? Yes No If yes, the permit No. or NOI No., and whether it will remain active or not:												
3	Is this Registration in response to a Notice of Violation (NOV)? ☐ Yes ☐ No If so, provide current permit #: If yes, NOV date: NOV Tracking No.												
4	Check if facility is a:		15 :		1								
	Minor Source: Synthetic Minor Source: (SM80 = Controlled Emissions > 80 TPY of any regulated air pollutant):												
4)	Facility Location Info			a) Country	4\ T1	ion (ft).							
1	a) Latitude (decimal degrees): 32.179444	b) Longitude (decimal degrees): -103.087611		c) County: Lea	d) Elevat 3,182	11011 (1t):							
2	a) UTM Zone: ☐12 or ☐13	b) LITME (to page at 10 maters):											

2

Page 9 of 54
August 22, 2022

3	e) Specify which datum is used: NAD 27 See this link for more info. http://en.wikipedia.org/wiki/No	☐ NAD 83 ☑ WGS 84 orth_American_Datum											
4	Name and zip code of nearest New Mexico town and tribal community: Jal, 88252												
5	Detailed Driving Instructions including direction and distance from nearest NM town and tribal community (attach a road map if necessary). If there is no street address, provide public road mileage marker: From Jal, travel north on N 3rd St. Turn right on the NM-128 E and travel east for 6.5 miles. Turn left onto Dollarhide Rd. After 3.0 miles, turn left to stay on Dollarhide Rd. Turn right onto Saga Ln. After 0.9 miles, turn right and the tank battery site will be straight ahead.												
6	The facility is 7.4 (distance) miles NE (direction) of Jal (ne	earest town).											
7	Land Status of facility (check one): Private Indian/	Pueblo Government BLM Forest Service Military											
5)	Other Facility Information												
1	Enter the maximum daily and annual throughput of oil, gas, and natural gas liquids (NGL).	Oil (bbl/day): 387 (bbl/yr): 141,255 Gas (MMscf/day): 0 (MMscf/yr): 0 NGL (bbl/day): 0 (bbl/yr): 0											
2	The facility, as described in this Registration, constitutes the entire source for 20.2.70, 20.2.72, 20.2.73, or 20.2.74 NMAC applicability purposes.	□No ⊠Yes											
6) Si	ubmittal Requirements												
1	<u>punched</u> as we bind the document on top, not on the side;	istration package printed double sided 'head-to-toe' 2-hole except landscape tables, which should be head-to-head. If 'head-to-toe nbered tab separators in the hard copy submittal(s) as this facilitates											
2		r Department use. This <u>copy</u> does not need to be 2-hole punched.											
3	The entire Registration package should be submitted electronically on one compact disk (CD). Include a single PDF document of the entire Registration as submitted and the individual documents comprising the Registration. The documents should also be submitted in Microsoft Office compatible file format (Word, Excel, etc.) allowing us to access the text in the documents (copy & paste). Any documents that cannot be submitted in a Microsoft Office compatible format shall be saved as a PDF file from within the electronic document that created the file. If you are unable to provide Microsoft office compatible electronic files or internally generated PDFs of files (items that were not created electronically: i.e. brochures, maps, graphics, etc.), submit these items in hard copy format. Spreadsheets must be unlocked since we must be able to review the formulas and inputs.												
	Ensure all of these are included in both the electronic and hard copies.												
	 ⊠Word Document part of the Registration Form (Sections) ≅ Excel Document part of the Registration Form (Section) ≅ Air Emissions Calculation Tool (AECT) If there is a just Excel Spreadsheet. Justification must be provided in Section ≅ PDF of entire application 	2) tified reason for including other calculations, include the unlocked											
	To avoid errors, it is best to start with both a blank vers	sion of this form and the AECT for each application.											

Printed: 8/30/2022

Section 2 Tables

Insert Excel spreadsheet with applicable tables filled out. If applicable to the facility all tables must be filled out completely. The unit numbering system must be consistent throughout this Registration.

	Table 2-A: Regulated Emission Sources Unit and stack numbering must correspond throughout the application package. Equipment that qualifies for an exemption under 20.2.72.202.B												
	_	, .	* *	, .		nt that qualifies fo	or an exempti	on under 20.2.	72.202.B				
NMAC s	hould be included in	n Table 2-B Note: Equ	ipment options	are not au	thorized.		,		1				
				Manufact-	Requested	Date of Manufacture ²	Controlled by Unit #						
Unit Number ¹	Source Description	Manufacturer/Make /Model	Serial #	urer's Rated Capacity ³ (Specify Units)	Permitted Capacity ³ (Specify Units)	Date of Construction/ Reconstruction ²	Emissions vented to Stack #	Source Classi- fication Code (SCC)	RICE Ignition Type (CI, SI, 4SLB, 2SLB) ⁴	For Each Piece of Equipment, Check Onc			
						Unknown	VRU; FL-1			x Existing (unchanged) □ To be Removed			
TK-1	1,000 bbl Crude Oil Storage Tank	Unknown	Unknown	Unknown	42,000 gal	Unknown; Prior to 2011	N/A; FL-1	31000133	N/A	□ New/Additional □ Replacement Unit □ To Be Modified □ To be Replaced			
	1,000 bbl Crude Oil					Unknown	VRU; FL-1			x Existing (unchanged) To be Removed			
TK-2	Storage Tank	Unknown	Unknown	Unknown	42,000 gal	Unknown; Prior to 2011	N/A; FL-1	31000133	N/A	□ New/Additional □ Replacement Unit □ To Be Modified □ To be Replaced			
TTT 2	1,000 bbl Crude Oil	** 1	** 1	** 1	12 000 1	Unknown	VRU; FL-1	21000122	3.7/4	x Existing (unchanged) To be Removed			
TK-3	Storage Tank	Unknown	Unknown	Unknown	42,000 gal	Unknown; Prior to 2011	N/A; FL-1	31000133	N/A	 □ New/Additional □ To Be Modified □ To be Replaced 			
m en		** 1			126,000	Unknown	VRU; FL-1	2400040=	37/1	x Existing (unchanged) To be Removed			
T-GB	3,000 bbl Gunbarrel	Unknown	Unknown	Unknown	gal	Unknown; Prior to 2011	N/A; FL-1	31000107	N/A	 □ New/Additional □ To Be Modified □ To be Replaced 			
FF 1	FI	** 1	** 1	37/4	37/4	Unknown	N/A	21000160	3.7/4	x Existing (unchanged) To be Removed			
FL-1	Flare	Unknown	Unknown	N/A	N/A	Unknown; Prior to 2011	FL-1	31000160	N/A	 □ New/Additional □ To Be Modified □ To be Replaced 			
	Truck Loading					N/A	N/A			x Existing (unchanged) To be Removed			
LOAD	Emissions	N/A	N/A	N/A	N/A	N/A	N/A	31000199	N/A	 □ New/Additional □ Replacement Unit □ To Be Modified □ To be Replaced 			
	Fugitive					N/A	N/A			x Existing (unchanged) To be Removed			
FUG	Emissions	N/A	N/A	N/A	N/A	N/A	N/A	31088811	N/A	□ New/Additional □ Replacement Unit			
						14/21	14/21			□ To Be Modified □ To be Replaced □ Existing (unchanged) □ To be Removed			
										□ New/Additional □ Replacement Unit			
										☐ To Be Modified ☐ To be Replaced			
										 □ Existing (unchanged) □ To be Removed □ New/Additional □ Replacement Unit 			
										☐ To Be Modified ☐ To be Replaced			
										☐ Existing (unchanged) ☐ To be Removed			
								•		 □ New/Additional □ To Be Modified □ To be Replaced 			
										☐ Existing (unchanged) ☐ To be Removed			
										□ New/Additional □ Replacement Unit			
										☐ To Be Modified ☐ To be Replaced			
										 □ Existing (unchanged) □ To be Removed □ New/Additional □ Replacement Unit 			
				1						□ To Be Modified □ To be Replaced			

Unit numbers must correspond to unit numbers in the previous permit unless a complete cross reference table of all units in both permits is provided.

² Specify dates required to determine regulatory applicability.

³ To properly account for power conversion efficiencies, generator set rated capacity shall be reported as the rated capacity of the engine in horsepower, not the kilowatt capacity of the generator set.

*"4SLB" means four stroke lean burn engine, "4SRB" means four stroke rich burn engine, "2SLB" means two stroke lean burn engine, "Cl" means compression ignition, and "SI" means spark ignition

Table 2-B: Exempted Equipment (20.2.72 NMAC)

All 20.2.72 NMAC applications must list Exempted Equipment in this table. If equipment listed on this table is exempt under 20.2.72.202.B.5, include emissions calculations and emissions totals for 202.B.5 "similar functions" units, operations, and activities in Section 5, Calculations. Unit & stack numbering must be consistent throughout the application package.

Unit Number	Source Description			Date of Manufacture /Reconstruction Date of Installation /Construction	For Each Piece of Equipment, Check One			
TK-4	1,500 bbl Produced Water	Unknown	Unknown	63,000	20.2.72.202.B.5	Unknown	x Existing (unchanged) New/Additional	☐ To be Removed☐ Replacement Unit
	Storage Tank		Unknown	gal		Unknown; Prior to 2011	☐ To Be Modified	☐ To be Replaced
TK-5	1,500 bbl Produced Water	Unknown	Unknown	63,000	20.2.72.202.B.5	Unknown	x Existing (unchanged) □ New/Additional	☐ To be Removed☐ Replacement Unit
IK-J	Storage Tank	Ulkliowii	Unknown	gal		Unknown; Prior to 2011	□ To Be Modified	☐ To be Replaced
TIV. (1,000 bbl Produced Water	11.1	Unknown	42,000	20.2.72.202.B.5	Unknown	x Existing (unchanged)	☐ To be Removed
TK-6	Storage Tank	Unknown	Unknown	gal		Unknown; Prior to 2011	□ New/Additional□ To Be Modified	□ Replacement Unit□ To be Replaced
TIV 7	1,000 bbl Produced Water	11.1	Unknown	42,000	20.2.72.202.B.5	Unknown	x Existing (unchanged)	☐ To be Removed
TK-7	Storage Tank	Unknown	Unknown	gal		Unknown; Prior to 2011	□ New/Additional□ To Be Modified	□ Replacement Unit□ To be Replaced
HR-1	Unpaved Haul Roads Emissions	N/A	N/A	N/A	20.2.72.202.B.5	N/A	x Existing (unchanged) New/Additional	☐ To be Removed ☐ Replacement Unit
THCT	Onpaved Hadi Roads Emissions	14/21	N/A	N/A		N/A	☐ To Be Modified	☐ To be Replaced
							☐ Existing (unchanged)☐ New/Additional	☐ To be Removed☐ Replacement Unit
							☐ To Be Modified	☐ To be Replaced
							☐ Existing (unchanged)☐ New/Additional	□ To be Removed□ Replacement Unit
							☐ To Be Modified☐ Existing (unchanged)	☐ To be Replaced☐ To be Removed☐
							☐ New/Additional	☐ Replacement Unit
							☐ To Be Modified	☐ To be Replaced☐ To be Removed☐
							□ Existing (unchanged)□ New/Additional	☐ Replacement Unit
							☐ To Be Modified	☐ To be Replaced☐ To be Removed☐
							□ Existing (unchanged)□ New/Additional	☐ Replacement Unit
							☐ To Be Modified ☐ Existing (unchanged)	☐ To be Replaced☐ To be Removed☐
							☐ Existing (unchanged) ☐ New/Additional	☐ Replacement Unit
							☐ To Be Modified	☐ To be Replaced☐ To be Removed☐
							□ Existing (unchanged)□ New/Additional	☐ Replacement Unit
							☐ To Be Modified	☐ To be Replaced
							☐ Existing (unchanged)☐ New/Additional	☐ To be Removed☐ Replacement Unit
							☐ To Be Modified	☐ To be Replaced

¹ Specify date(s) required to determine regulatory applicability.

Table 2-C: Emissions Control Equipment

Unit and stack numbering must correspond throughout the application package. In accordance with 20.2.72.203.A(3) and (8) NMAC, 20.2.70.300.D(5)(b) and (e) NMAC, and 20.2.73.200.B(7) NMAC, the permittee shall report all control devices and list each pollutant controlled by the control device regardless if the applicant takes credit for the reduction in emissions.

Control Equipment Unit No.	Control Equipment Description	Date Installed	Controlled Pollutant(s)	Controlling Emissions for Unit Number(s) ¹	Efficiency (% Control by Weight)	Method used to Estimate Efficiency
FL-1	Flare	Unknown; Prior to 2011	VOC, HAP, H ₂ S	TK-1, TK-2, TK-3, TK-GB	95%	Conservative assumption (no specs available)
VRU	Vapor Recovery Unit	Unknown; Prior to 2011	VOC, HAP, H ₂ S	TK-1, TK-2, TK-3, TK-GB	95%	Conservative assumption (no specs available)
	ntrol device on a separate line. For each control device, list all e					

Application Date: 8/22/22

Maximum Emissions (Consider federally enforceable controls under normal operating conditions) Table 2-D:

This table must be filled out

Maximum Federally Enforceable Emissions are the emissions at maximum capacity with only federally enforceable methods of reducing emissions. Calculate the hourly emissions using the worst case hourly emissions for each pollutant. For each pollutant, calculate the annual emissions as if the facility were operating at maximum facility capacity without pollution controls for 8760 hours per year. Account for federally enforcable controls, such as an NSPS or MACT regulation. Consider federally enforceable controls due to permitting. List Hazardous Air Pollutants (HAP) in Table 2-I. Unit & stack numbering must be consistent throughout the application package. Fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or 1.41E-4).

TI!4 NI.	N	Ox	C	0	V	OC	SC)x	PM	110 ¹	PM	2.5 ¹	Н	I_2S	Le	ead
Unit No.	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
TK-1	-	-	-	1	0.21	0.92	-	ī	-	-	-	1	1.85E-04	8.11E-04	-	-
TK-2	-	-	-	1	0.21	0.92	-	-	-	-	-	1	1.85E-04	8.11E-04	-	-
TK-3	-	-	-	1	0.21	0.92	-	=	-	-	-	-	1.85E-04	8.11E-04	-	-
TK-4	-	-	-	1	2.18E-03	9.54E-03	-	-	-	-	-	-	9.52E-04	4.17E-03	-	-
TK-5	-	-	-	-	2.18E-03	9.54E-03	-	-	-	-	-	-	9.52E-04	4.17E-03	-	-
TK-6	-	-	-	-	2.19E-03	9.60E-03	-	-	-	-	-	-	9.55E-04	4.18E-03	-	-
TK-7	-	-	-	-	2.19E-03	9.60E-03	-	-	-	-	-	-	9.55E-04	4.18E-03	-	-
T-GB	-	-	-	-	0.89	3.91			-	-	-	-	1.38E-03	6.03E-03	-	-
FL-1	2.17E-02	9.51E-02	4.33E-02	0.19	8.47E-02	0.37	5.71E-04	2.50E-03	-	-	-	-	-	-	-	-
LOAD	-	-	-	-	8.41	36.83	-	-	-	-	-	-	3.39E-03	1.49E-02	-	-
FUG	-	-	-	-	0.53	2.34	-	-	-	-	-	-	2.00E-03	9.00E-03	-	-
HR-1	-	-	-	-	-	-	-	-	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	-	-	-
Totals	2.17E-02	9.51E-02	4.33E-02	0.19	10.55	46.25	5.71E-04	2.50E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.11E-02	4.90E-02	-	-

¹ Condensable Particulate Matter: Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source.

Form Revision: 7/18/2019 Table 2-D: Page 1 Printed 9/19/2022 12:25 PM

Application Date: 8/22/22

Table 2-E: Requested Allowable Emissions

Enter an allowable emission limit for each piece of equipment with either an uncontrolled emission rate greater than 1 lb/hr or 1 ton per year (tpy) or a controlled emission rate of any amount. For H2S please represent all emissions even if they are less than 1 lb/hr and 1 tpy. If selecting combustion SSM emissions, enter lb/hr and tpy values. If selecting up to 10 tpy of Malfunction VOC emissions, enter tpy values. Combustion emissions from malfunction events are **not authorized** under this permit. Fill all cells in this table with the emissions in lb/hr and tpy, or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected. Total the emissions from all equipment in the Totals row. Add additional rows as necessary. Unit & stack numbering must be consistent throughout the application package. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or 1.41E⁻⁴).

Unit No	N	Ox	C	O	V	OC	SC	Ox	PM	10^1	PM	2.5 ¹	Н	₂ S	Le	ead
Unit No.	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
TK-1	ı	-	-	-	0.21	0.92	-	-	1	-	-	-	1.85E-04	8.11E-04	-	-
TK-2	-	-	-	-	0.21	0.92	-	-	-	-	-	-	1.85E-04	8.11E-04	-	-
TK-3	-	-	-	-	0.21	0.92	-	-	-	-	-	-	1.85E-04	8.11E-04	-	-
TK-4	-	-	-	-	2.18E-03	9.54E-03	-	-	-	-	-	-		4.17E-03	-	-
TK-5	-	-	-	-	2.18E-03	9.54E-03	-	-	-	-	-	-	9.52E-04	4.17E-03	-	-
TK-6	-	-	-	-	2.19E-03	9.60E-03	-	-	-	-	-	-	9.55E-04	4.18E-03	-	-
TK-7	-	-	-	-	2.19E-03	9.60E-03	-	-	-	-	-	-		4.18E-03	-	-
T-GB	-	-	-	-	0.89	3.91	-	-	-	-	-	-	1.38E-03	6.03E-03	-	-
FL-1	2.17E-02	9.51E-02	4.33E-02	0.19	8.47E-02	3.71E-01	5.71E-04	2.50E-03	-	-	-	-	-	-	-	-
LOAD	-	-	-	-	8.41	36.83	-	-	-	-	-	-	3.39E-03	1.49E-02	-	-
FUG	-	-	-	-	0.53	2.34	-	-	-	-	-	-	2.00E-03	9.00E-03	-	-
CC) (2.20	1.0										
SSM Malfunction	N/A	- N/A	N/A	- N/A	2.28 N/A	10	N/A	- N/A	N/A	N/A	N/A	N/A	N/A	- N/A	N/A	- N/A
						Up to 10 tpy					IN/A					
Totals	-	-	-	-	12.84	56.25	-	-	-	-	-	-	1.11E-02	4.90E-02	-	-

¹ Condensable Particulate Matter: Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source.

Table 2-H: Stack Exit Conditions

Unit and stack numbering must correspond throughout the application package. Include the stack exit conditions for each unit that emits from a stack, including blowdown venting parameters and tank emissions.

Stack Type (Engine,			Height Above	Тетр.	Flow Rate	Velocity	
Turbine, Flare, ECD, or Thermal Oxidizer Etc.)	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Ground (ft)	(F)	(acfs)	(ft/sec)	Inside Diameter (ft)
Flare	TK-1, TK-2, TK-3, T-GB	Vertical	20	70	20.46	0.1	0.10

Application Date: 8/22/22

Table 2-I: Emission Rates for HAPs

HAP In the table below, report the potential emission rate for each HAP from each regulated emission unit listed in Table 1, only if the entire facility emits the HAP. For each such emission unit, HAP shall be reported to the nearest 0.1 tpy. Each facility-wide Individual HAP total and the facility-wide Total HAP shall be the sum of all HAP sources calculated to the nearest 0.1 ton per year. Use the HAP nomenclature as it appears in Section 112 (b) of the 1990 CAAA. Include tank-flashing emissions estimates of HAP in this table. For each HAP listed, fill all cells in this table with the emission numbers or a "symbol. A "-" symbol indicates that emissions of this pollutant are not expected, or the pollutant is emitted in a quantity less than the threshold amounts described above. Add additional rows as necessary.

Stack No.	Unit No.(s)	Total 1	HAPs	n-Hex x H.		Ben x H	zene IAP	2,2 Trimethy x H	ylpentane		uene IAP		enzene IAP		ylene IAP	o-Xy x H		Name Here	Pollutant • □ AP
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
ST-TK1	TK-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TK2	TK-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TK3	TK-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TK4	TK-4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TK5	TK-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TK6	TK-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TK7	TK-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ST-TGB	T-GB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
N/A	LOAD	7.85E-02	0.34	7.21E-02	0.32	-	-	-	-	-	-	-	-	-	-	-	-		
N/A	FUG	ı	ı	-	ı	ı	1	ı	-	-	-	-	-	ı	-	ı	-		
Tot	als:	7.85E-02	0.34	7.21E-02	0.32	-	-	-	-	-	-	-	-	-	-	-	-		

Table 2-J: Allowable Fuels and Fuel Sulfur for Combustion Emission Units: Specify fuel characteristics and usage. Unit and stack numbering must correspond throughout the application package. **Specify Units Fuel Source Does the Allowable Fuel Type** (purchased commercial, pipeline **Engines and Turbines:** Lower **Annual Fuel Fuel and Fuel Sulfur** Unit No. (Natural Gas, Field Gas, quality natural gas, residue gas, SO2 percentage (%) of Diesel Fuel Only: ppm Heating Usage **Content meet GCP** Propane, Diesel, ...) raw/field natural gas, process gas, or the NOx emission rate of Sulfur Value (MMSCF/y) **O&G** Condition other (except flares) (BTU/SCF) A110.A? None ☐ Yes ☐ No ☐ Yes ☐ No

Table 2-L: Tank Data

Scout Energy - West Dollarhide Drinkard Unit Central Battery

Include appropriate tank-flashing modeling input data. Unit and stack numbering must correspond throughout the application package.

Tank No.	Date Installed	Materials Stored	Roof Type	Seal Type	Capacity (bbl)	Diameter (M)	Vapor Space	Co	lor	Separator Pressure	Annual Throughput	Turn- overs
					(~~-)	()	(M)	Roof	Shell	(psia)	(gal/yr)	(per year)
TK-1	Unknown; Prior to 2011	Oil	Vertical - Fixed Roof (FX)	Welded- Mechanical Shoe	1,000	6.5532	8	Gray	Gray	26.7	1,977,570	47.09
TK-2	Unknown; Prior to 2011	Oil	Vertical - Fixed Roof (FX)	Welded- Mechanical Shoe	1,000	6.5532	8	Gray	Gray	26.7	1,977,570	47.09
TK-3	Unknown; Prior to 2011	Oil	Vertical - Fixed Roof (FX)	Welded- Mechanical Shoe Welded-	1,000	6.5532	8	Gray	Gray	26.7	1,977,570	47.09
TK-4	Unknown; Prior to 2011	Produced Water	Vertical - Fixed Roof (FX)	Mechanical Shoe	1,500	6.5532	12	Gray	Gray	26.7	18,396,000	292.00
TK-5	Unknown; Prior to 2011	Produced Water	Vertical - Fixed Roof (FX)	Welded- Mechanical Shoe Welded-	1,500	6.5532	12	Gray	Gray	26.7	18,396,000	292.00
TK-6	Unknown; Prior to 2011	Produced Water	Vertical - Fixed Roof (FX)	Mechanical Shoe	1,000	6.5532	8	Gray	Gray	26.7	18,396,000	438.00
TK-7	Unknown; Prior to 2011	Produced Water	Vertical - Fixed Roof (FX)	Welded- Mechanical Shoe	1,000	6.5532	8	Gray	Gray	26.7	18,396,000	438.00
T-GB	Unknown; Prior to 2011	Produced Water	Vertical - Fixed Roof (FX)	Welded- Mechanical Shoe	3,000	9.144	12	Gray	Gray	26.7	36,792,000	292.00

Section 3Registration Summary

<u>The Registration Summary:</u> Provide information about the registration submittal. The Registration Summary shall include a brief description of the facility and its process. In case of a modification to a facility, please describe the proposed changes.
Specify Facility Type: Check the appropriate box below:
Production Site
☐ Tank Battery
Compressor Station
☐ Natural Gas Plant
Other, please specify:
Registration Summary: Provide Registration summary here. See above instructions.
The purpose of this application is to submit a GCP for an existing tank battery located in southeastern New Mexico. The site was acquired by Scout Energy Management LLC in October 2021. The tank battery consists of three crude oil tanks, two 1,500 bbl produced water tanks, two 1,000 bbl produced water tanks, and a 3,000 bbl gunbarrel. Emissions from the crude oil tanks and gunbarrel are controlled by a vapor recovery unit (VRU). An emergency flare is also present onsite to control the emissions during VRU downtime or when the purchaser is not able to take the produced gas.
Written description of the routine operations of the facility: Include a detailed description of how each piece of equipment will be operated, how controls will be used, and the fate of both the products and waste generated.
The site operates 24/7. Oil and produced water are sent to the gunbarrel (T-GB), where the oil and produced water are separated. The crude oil is sent to the crude oil storage tanks (TK-1 through TK-3), and the produced water is sent to the produced water storage tanks (TK-4 through TK-7). From TK-4 through TK-7, the produced water is sent to Pipeline 2. From TK-1 through TK-3 the crude oil is loaded onto trucks. The emissions from the gunbarrel and crude oil storage tanks will be controlled by the VRU. The emergency flare (FL-1) will be used to control emissions from the gunbarrel and crude oil storage tanks during VRU downtime or when the purchaser is not able to take the site's produced gas.
Routine or predictable emissions during Startup, Shutdown and Maintenance (SSM): Provide an overview of how SSM emissions are accounted for in this Registration.
The tank battery is a continuous operation and emissions during SSM are expected to be minimal. However, the facility is requesting 10 tpy VOC for SSM emissions.
<u>Malfunction Emissions (M):</u> Provide an overview of how malfunction emissions are accounted for in this Registration. The permit does not authorize combustion emissions for malfunctions.
Malfunction emissions are not expected as part of normal operations. Scout Energy would work to expeditiously resolve any issues that result in malfunction emissions. However, this application requests up to 10 tpy VOC as malfunction emissions.
The permit does not authorize emissions from SSM and Malfunction to be combined as 10 TPY VOC. However, they may be permitted separately. In the allowable emissions table in Section 2, these two events are separate line items and must be kept separate.
Allowable Operations: Check the appropriate box below:
☐ Facility operates continuously (8760 hours per year)
☐ The following regulated equipment will operate less than 8760 hours per year. Add additional rows as necessary. These units are subject to Condition A108.C of the Permit.

Table A – Equipment Operating Less Than 8760 hours per year

Unit #	Requested Annual Operating Hours

Verification of Compliance with Stack Parameter Requirements:

Please use the Stack Calculator and Stack Requirements Explained Guidance on our website: All of the verification information below is required to be filled out.

www.env.nm.gov/air-quality/air-quality-oil-and-gas-gcp-application-forms/

Check the box for each type of equipment at this facility:
Engine(s)
Turbine(s)
⊠ Flares(s)
☐ Enclosed Combustion Device (s)
Heater(s)
Reboiler(s)
For each type of equipment checked above, complete the applicable section below.

Engines

- 1. Calculate the pound per hour (lb/hr) NO_x emission rate according to GCP O&G Condition A202.I Step 1 on page 15 of the GCP O&G. Enter this value in the top row of the table below.
- 2. Based on the calculated facility total NO_x emission rate, determine the minimum stack parameter requirements for engines and heaters from Table 1: Engines (page 17) of the GCP O&G and enter the minimum parameters from Table 1 (page 17) of the GCP O&G in the bottom row of the table below.
- 3. Enter the stack parameters from each engine and heater in the blank rows of the table below. Add rows as necessary.

Table B: Engine/Generator/Heater/Reboiler Stack Parameter Verification:

Calculated Facility Total NOx Emiss	sion Rate:lb	/hr		
Engine/Generator/Heater/Reboiler	Height (ft)	Temperature (°F)	Velocity (ft/s)	Diameter (ft)
Unit Number		-		
Table 1 Minimum Parameters:				
For verification, list the minimum				
parameters based on the NOx lb/hr				
emission rate from the GCP O&G				
Table 1.				

4.	Do all engines and heaters comply with the minimum stack parameters from Table 1 (page 17) of the GCP O&G?
	Yes. Skip step 5 below.
	No. Go to step 5 below.

5. For engines and heaters that do not comply with the minimum stack parameters in Table 1 of the GCP O&G, explain and demonstrate in detail how the engines and heaters will be authorized according to the steps on page 16 of the GCP O&G or Condition A203.C of the GCP O&G. Show all calculations.

Turbines

- 1. Calculate the pound per hour (lb/hr) NO_x emission rate according to GCP O&G Condition A202.I Step 1 on page 17 of the GCP O&G. Enter this value in the top row of the table below.
- 2. Based on the calculated facility total NO_x emission rate, determine the minimum stack parameter requirements for turbines and heaters from Table 2: Turbines (page 18) of the GCP O&G. Enter the minimum parameters from Table 2 (page 18) of the GCP O&G in the bottom row of the table below.
- 3. Enter the stack parameters from each turbine and heater in the blank rows of the table below. Add rows as necessary.

Table C: Turbine/Heater/Reboiler Stack Parameter Verification:

Calculated Facility Total I	NOx Emission Rate:	lb/hr		
Turbine/Heater/Reboiler	Height (ft)	Temperature (°F)	Velocity (ft/s)	Diameter (ft)
Unit Number				
Table 2 Minimum				
Parameters: For				
verification, list the				
minimum parameters				
based on the NOx lb/hr				
emission rate from the				
GCP O&G Table 2.				

4.	Do all turbines and heaters comply with the minimum stack parameters from Table 2 (page 18) of the GCP
	O&G?
	Yes. Skip step 5 below.
	No. Go to step 5 below.
5.	For turbines and heaters that do not comply with the minimum stack parameters in Table 2 of the GCP O&G,

5. For turbines and heaters that do not comply with the minimum stack parameters in Table 2 of the GCP O&G, explain and demonstrate in detail how the turbines and heaters will be authorized according to the steps on page 18 of the GCP O&G or Condition A203.C of the GCP O&G. Show all calculations.

Flares

- 1. Enter SO₂ emission rates (lb/hr) for each flare in the second column of the table below.
- 2. Based on the SO₂ emission rates, determine the minimum stack height requirements for flares from Table 3 (page 26) of the GCP O&G and enter the minimum stack height requirements for flares from Table 3 (page 26) of the GCP O&G in the last column of the table below.
- 3. Enter the stack height of each flare in the third column of the table below. Add rows as necessary.

Table D: Flare Stack Height Parameter Verification:

Flare Unit Number	SO ₂ Emission Rate (lb/hr)	G V	Table 3 Minimum Stack Height: For verification, list the minimum height parameters based on the SO2 emission rate from the GCP O&G Table 3.
FL-1	0.00057	20	6.6

4.	Do all flares comply with minimum stack height requirements? ☐ Yes ☐ No
5.	Does the flare gas contain 6% H ₂ S or less by volume (pre-combustion)? ☐ Yes. Skip step 6 below. ☐ No. Go to step 6 below.
6	Explain in detail how assist gas will be added to reduce the gas composition to 6% H ₂ S or less by volume

Enclosed Combustion Device(s) (ECD):

According to GCP	O&G Condition	A208.A, the faci	lity must meet o	ne of the following	g options if an E0	CD is installed a	it the
facility:							

Option 1:

1.	Will the ECD(s) meet the SO₂ emission limit of 0.7 lb/hr and operate with a velocity of at least one (1) foot per second? ☐ Yes. Skip Option 2 below. ☐ No. Go to Option 2 below.
Option	<u>2:</u>
2.	Will the ECD(s) meet the SO ₂ emission limit of 0.9 lb/hr and operate with a velocity of at least two (2) feet per second?
	Yes No

Section 4

Process Flow Sheet

Attach a <u>process flow sheet</u> indicating all individual equipment, all emission points, and types of control applied to those points. All units must be labeled, and the unit numbering system must be consistent throughout this Registration. Identify all sources of emissions with a vertical arrow. Label each of the different material streams (e.g. crude oil, gas, water). The process flow sheet must be a legible size.

Released to Imaging: 5/4/2023 9:07:09 AM

Section 5

Emissions Calculation Forms

The Department has developed the Air Emissions Calculation Tool (AECT), which is required to be used in the GCP-Oil and Gas Registration. If the AECT, for a piece of equipment is under development, provide alternate calculations. **Do not include alternative calculations unless there is an issue being resolved with the AECT. This will delay review of the application.** The AECT and this Registration Form may be updated as needed.

Tank Emissions Calculations: Provide the method used to estimate tank-flashing emissions, the input and output summary from simulation models and software, all calculations, documentation of any assumptions used, descriptions of sampling methods and conditions, copies of any lab sample analysis. If Pro-Max or Hysis is used, all relevant input parameters shall be reported, including separator pressure, gas throughput, and all other relevant parameters necessary for flashing calculation. The inputs must match the gas analyses information submitted. Inputs that don't match may be grounds for denial of the application submittal.

<u>SSM Calculations</u>: In this Section, provide emissions calculations for Startup, Shutdown, and Routine Maintenance (SSM) emissions listed in the Table 2, and the rational for why the others are reported as zero (or left blank).

<u>Control Devices:</u> Report all control devices and list each pollutant controlled by the control device. Indicate in this section if you chose to not take credit for the reduction in emission rates. Only uncontrolled emission rates can be considered to determine applicability unless the state or federal acts require the control. This information is necessary to determine if federally enforceable conditions are necessary for the control device, and if the control device produces its own regulated pollutants or increases emission rates of other pollutants.

<u>Calculation Details:</u> The AECT is required for all emission calculations. If the AECT is not functioning, alternative calculations may be submitted only for the portions of the AECT with issues being resolved. Utilize this section to explain in detail, on an equipment-by-equipment basis, why alternative calculations are necessary.

Explain here: The section for the Vapor Recovery Unit in the AECT is under development. However, the rest of the AECT tanks into the VRU into account when calculating emissions. Therefore, alternative calculations are not provided. Please note that the emissions summary table at the bottom of the AECT is not showing the contributions from the Oil Tanks Flash, Oil Tanks W&S, of the Gunbarrel (GBS) entries. However, the individual forms show each of these missing totals.

Fauinment Forms Submitted in this Section (add additional rows as necessary).

Equipment Forms Subm		` `	attional rows as necessary):		
		Check Box			
		to Indicate	Enter Control Device Type		
Equipment Type	Quantity	Units that	and Pollutant Controlled		
		are			
		Controlled			
Engine					
Turbine					
Tanks	7	\boxtimes	VRU and Flare – VOC, HAP, H ₂ S		
Generator					
VRU	1	\boxtimes	VOC, HAP, H ₂ S		
VRT					
ULPS					
Glycol Dehydrator					
			List all streams controlled by flare (e.g. tanks, loading, compressors,		
Flare	1	\boxtimes	VRU, facility, SSM)		
			Crude oil storage tanks (TK-1 through TK-3) and Gunbarrel (T-GB)		
Amine Unit					
Cryogenic Unit					
Fugitive Emissions	1				
Heater					

Truck Loading	1	\boxtimes	List control device or vapor balancing: None		
Enclosed Combustion Device (ECD)			List all streams controlled by the ECD		
Thermal Oxidizer (TO)			List all streams controlled by the TO		
Other	1	\boxtimes	Gunbarrel		
Other	1	\boxtimes	Unpaved haul roads		
	*0.1				

- - - - - - - - - -
For each scenario below, if there are more than one emissions unit, control device, or gas combustion scenario. Please copy and paste each applicable section and label the unit number(s) if the scenarios vary.
Vapor Recovery Tower, Ultra Low-Pressure Separator, or Flash Tower Located Upstream of Storage Vessels: If the facility contains one of the following units located upstream of the storage vessels and is used to flash and capture flashing emissions, check the appropriate box. Unit number: Vapor Recovery Tower and VRU Compressor ULPS and VRU Compressor Flash Tower and VRU Compressor
<u>Vapor Recovery Unit (VRU) located upstream of Storage Vessels:</u> Check the box below if the facility is using a VRU to capture flashing emissions prior to any storage vessels to limit the PTE of the storage vessels to below applicability thresholds of NSPS OOOO or NSPS OOOOa. A process vs control determination should be prepared for this type of VRU application. Unit number:
VRU capturing emissions prior to any storage vessel and routing directly to the sales pipeline
Vapor Recovery Unit (VRU) attached to Storage Vessels: Check the box below if this facility is using a VRU to reduce storage vessel emissions to limit the PTE to below NSPS OOOO or NSPS OOOOa applicability thresholds: Unit number:
VRU controlling Storage Vessel emissions and the facility is subject to the requirements under NSPS OOOO, 40 CFR 60.5411
VRU controlling Storage Vessel emissions and the facility is subject to the requirements under NSPS OOOOa, 40 CFR 60.5411a
Gas Combustion Scenarios: Read through the scenarios below and check the boxes next to any appropriate facility operating scenarios. Flares shall assume a destruction efficiency of 95%, unless the facility is subject to requirements for flares under 4 CFR 60.18, or a higher destruction efficiency (up to 98%) is supported by a manufacturer specification sheet (MSS) for the unit. If so, include the MSS.
A flare, vapor combustion unit (VCU), enclosed combustion device (ECD), thermal oxidizer (TO): Unit number: FL-1
Controls storage vessels in accordance with 40 CFR 60, Subpart OOOO or OOOOa. Provides a federally enforceable control for the storage vessels to limit the PTE to below applicability thresholds of 40 CFR 60, Subpart OOOO or OOOOa. Controls the glycol dehydrator Controls the amine unit
 Controls truck loading Operates only during maintenance events, such as VRU downtime, check one below: □ The emissions during VRU downtime are represented as uncontrolled VOC emissions from the compressor □ The combustion emissions during VRU downtime are represented as controlled emissions from the combustion device
Controls the facility during plant turnaround
Amine Unit: Provide the following information for each amine unit.
Design Capacity in MMscf/day
Rich Amine Flowrate in gal/min
Lean Amine Flowrate in gal/min
Mole Loading H ₂ S
Sour Gas Input in MMscf/day

Scout Energy Management LLC Scout Energy - West Dollarhide Drinkard Unit Central Battery August 22, 2022 Rev. #1.0

Glycol Dehydration Unit(s): Provide the following information for each glycol dehydration unit: Please include an extended gas analysis in Section 6 of this application.

Unit #	Glycol Pump Circulation Rate				
Voluntary Monitoring in Accordance with §40 CFR 60.5416(a): Check the box(s) to implement a program that meets the requirements of 40 CFR 60.5416(a). This monitoring program will be conducted in lieu of the monitoring requirements established in the GCP-Oil and Gas for individual equipment. Ceasing to implement this alternative monitoring must be reported in an updated Registration Form to the Department. Condition A205.B Control Device Options, Requirements, and Inspections for Tanks					
 Condition A206.B Truck Loading Control Device Inspection Condition A206.C Vapor Balancing During Truck Loading Condition A209.A Vapor Recovery Unit or Department-approved Equivalent Condition A210.B Amine Unit Control Device Inspection 					
<u>Fugitive H₂S Screening Threshold and Monitoring in accordance with Condition A212:</u> Check the box that applies.					
☐ Condition A212.A does not apply because the facility is below	ow the fugitive H ₂ S screening threshold in Condition A212, or				
Condition A212.A applies. Because the facility is above the fugitive H ₂ S screening threshold in Condition A212, or the facility is voluntarily complying with Condition A212.A, and Condition A212.A applies					

Section 6

Information Used to Determine Emissions

Check the box for each type of information submitted. This documentation is required. If applicable to the facility. Failure to include applicable supporting documentation may result in application denial. Specifications for control equipment, including control efficiency specifications and sufficient engineering data for verification of control equipment operation, including design drawings, test reports, and design parameters that affect normal operation. Engine or Generator Manufacturer specifications Catalyst Manufacturer specifications (If a catalyst is being utilized to reduce emissions, the catalyst manufacturer emission factors must be used in all emission calculations. A 25% safety factor may be applied to each pollutant. NSPS JJJJ emission factors **may not** be utilized in lieu of catalyst manufacture specifications when a catalyst is installed, and the catalysts manufacturer achieves higher control efficiency. Flare Manufacturer specifications Oil/Liquid Analysis: This data is required to match the inputs in all applicable emission calculations. For facilities that have not been constructed and a representative analysis is used it cannot be older than 1 year. For existing facilities, the gas analyses required by Condition A201.A (must be 1 year old or less). Gas Analysis (must be 1 year old or less) This data is required to match the inputs in all applicable emission calculations. Extended Gas Analysis (must be 1 year old or less) This data is required to match the inputs in all applicable emission calculations. If requesting to use a representative gas sample, include a discussion of why the sample is representative for this facility and an explanation of how it is representative (e.g., same reservoir, same similar API gravity, similar composition). If test data are used, to support emissions calculations or to establish allowable emission limits, include a copy of the complete test report. If the test data are for an emissions unit other than the one being permitted, the emission units must be identical. Test data may not be used if any difference in operating conditions of the unit being permitted and the unit represented in the test report significantly effect emission rates. ☐ Fuel specifications sheet. If computer models are used to estimate emissions, include an input summary and a detailed report, and a disk containing the input file used to run the model. For tank-flashing emissions, include a discussion of the method used to estimate tank-flashing emissions, accuracy of the model, the input and output summary from simulation models and software, all calculations, documentation of any assumptions used, descriptions of sampling methods and conditions, copies of any lab sample analysis.

Representative Gas Analysis Justification: The J&L, the source of the sample used in this application, is located less than 2 miles away from the site. They are in the same formation and reservoir.

Printed: 8/30/2022

15

Section 7

Map(s)

<u>A map</u> such as a 7.5 minute topographic quadrangle showing the exact location of the source. The map shall also include the following:

The UTM or Longitudinal coordinate system on both axes	An indicator showing which direction is north
A minimum radius around the plant of 0.8km (0.5 miles)	Access and haul roads
Topographic features of the area	Facility property boundaries
The name of the map	A graphical scale

Section 8A

Applicable State & Federal Regulations

<u>Provide a discussion demonstrating compliance with each applicable state & federal regulation</u>. All input cells should be filled in, even if the response is 'No' or 'N/A'.

In the "Justification" column, identify the criteria that are critical to the applicability determination, numbering each. For each unit listed in the "Applies to Unit No(s)" column, after each listed unit, include the lowest level citation of the applicable regulation. For each unit, list the information necessary to verify the applicability of the regulation, including date of manufacture, date of construction, size (hp), and combustion type. Doing so will provide the applicability criteria for each unit.

Applicable STATE REGULATIONS:

STATE REGU- LATIONS CITATION	Title	Federally Enforceable	Overview of Regulation	Unit(s) or Facility	Applies? (Yes or No)	JUSTIFICATION: Identify the applicability criteria, numbering each (i.e. 1. Post 7/23/84, 2. 75 m³, 3. VOL)
20.2.1 NMAC	General Provisions	Yes	General Provisions apply to Notice of Intent, Construction, and Title V permit applications.	Facility	Yes	See 20.2.1.6
20.2.3 NMAC	Ambient Air Quality Standards NMAAQS	Yes	20.2.3 NMAC is a State Implementation Plan (SIP) approved regulation that limits the maximum allowable concentration of Sulfur Compounds, Carbon Monoxide, and Nitrogen Dioxide.	Facility	Yes	This application is in compliance with 20.2.3.110 and 20.2.3.111.
20.2.7 NMAC	Excess Emissions	Yes	If your entire facility or individual pieces of equipment are subject to emissions limits in a permit or numerical emissions standards in a federal or state regulation, this applies.	Facility	Yes	20.2.7.108
20.2.38 NMAC	Hydrocarbon Storage Facility	No	Use the regulation link (left) then cut & paste applicable sections.	TK-1, TK-2, TK-3	Yes	20.2.38.112 The facility has an oil storage capacity greater than 65,000 gallons and was constructed after January 1, 1975.
20.2.61.109 NMAC	Smoke & Visible Emissions	No	Engines and heaters are Stationary Combustion Equipment. Specify units subject to this regulation.	N/A	No	Subject engines are not present at the facility.
20.2.73 NMAC	NOI & Emissions Inventory Requirements	Yes	NOI: 20.2.73.200 NMAC applies to all facilities emitting over 10 TPY of any regulated air contaminate. Thus, permitted facilities are also subject to this rule. This GCP-O&G registration also serves the purpose of meeting 20.2.73 the NMAC notification requirements.) Emissions Inventory: 20.2.73.300.A(1) NMAC applies to facilities registering under the GCP. Emission Inventory reporting is required upon request by the department per 20.2.73.300.B(4) NMAC.	Facility	Yes	Under 20.2.73.300.B(4) NMAC, the NMED is requesting emissions inventory reporting from minor sources for calendar year 2020.
20.2.77 NMAC	New Source Performance	Yes	This is a stationary source which is subject to the requirements of 40 CFR Part 60, as amended on the date of certification.	N/A	No	The facility is not subject to any subparts in 40 CFR 60.

STATE REGU- LATIONS CITATION	Title	Federally Enforceable	Overview of Regulation	Unit(s) or Facility	Applies? (Yes or No)	JUSTIFICATION: Identify the applicability criteria, numbering each (i.e. 1. Post 7/23/84, 2. 75 m³, 3. VOL)
20.2.78 NMAC	Emission Standards for HAPS	Yes	This facility emits hazardous air pollutants which are subject to the requirements of 40 CFR Part 61, as amended on the date of certification.	N/A	No	The facility is not subject to any subparts in 40 CFR 61.
20.2.82 NMAC	MACT Standards for source categories of HAPS	Yes	This regulation applies to all sources emitting hazardous air pollutants, which are subject to the requirements of 40 CFR Part 63, as amended on the date of certification.	N/A	No	The facility is not subject to any subparts in 40 CFR 63.

Applicable FEDERAL REGULATIONS (This is not an exhaustive list; add applicable regulations such as NSPS GG and KKKK):

FEDERAL REGU- LATIONS CITATION	Title	Overview of Regulation	Units(s) or Facility	Applies? (Yes or No)	JUSTIFICATION: Identify the applicability criteria, numbering each (i.e. 1. Post 7/23/84, 2. 75 m3, 3. VOL)
40 CFR 50	NAAQS	Defined as applicable at 20.2.70.7.E.11, Any national ambient air quality standard	N/A	No	No specific requirements under Part 50.
40 CFR 60, Subpart A	General Provisions	Applies if any other NSPS subpart applies.	N/A	No	The facility is not subject to any subparts in 40 CFR 60.
40 CFR 60, Subpart OOOO	Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015	If there is a standard or other requirement, then the facility is an "affected facility." Currently there are standards for: gas wells (60.5375); centrifugal compressors (60.5380); reciprocating compressors (60.5385): controllers (60.5395); storage vessels (60.5395); equipment leaks (60.5400); sweetening units (60.5405). If standards apply, list the unit number(s) and regulatory citation of the standard that applies to that unit (e.g. Centrifugal Compressors 1a-3a are subject to the standards at 60.5380(a)(1) and (2) since we use a control device to reduce emissions)	N/A	No	The facility was constructed prior to August 23, 2011. Therefore, this subpart does not apply.
40 CFR 60, Subpart OOOOa	Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015	If there is a standard or other requirement, then the facility is an "affected facility." Currently there are standards for: gas wells (60.5375a); centrifugal compressors (60.5380a); reciprocating compressors (60.5385a): controllers (60.5390a); storage vessels (60.5395a); fugitive emissions at well sites and compressor	N/A	No	The facility was constructed prior to September 18, 2015. Therefore, this subpart does not apply

FEDERAL REGU- LATIONS CITATION	Title	Overview of Regulation	Units(s) or Facility	Applies? (Yes or No)	JUSTIFICATION: Identify the applicability criteria, numbering each (i.e. 1. Post 7/23/84, 2. 75 m3, 3. VOL)
		stations (60.5397a); equipment leaks at gas plants (60.5400a); sweetening units (60.5405a).			
40 CFR 60, Subpart IIII	Standards of performance for Stationary Compression Ignition Internal Combustion Engines	See 40 CFR 60.4200(a) 1 through 4 to determine applicable category and state engine size, fuel type, and date of manufacture.	N/A	No	Subject engines are not present at the facility.
40 CFR 60, Subpart JJJJ	Standards of Performance for Stationary Spark Ignition Internal Combustion Engines	See 40 CFR 60.4230(a), 1 through 5 to determine applicable category and state engine size, fuel type, and date of manufacture.	N/A	No	Subject engines are not present at the facility.
40 CFR 63, Subpart A	General Provisions	Applies if any other subpart applies.	N/A	No	The facility is not subject to any subparts in 40 CFR 63.
40 CFR 63, Subpart HH	NESHAP for Glycol Dehydrators	See 40 CFR 63, Subpart HH	N/A	No	Subject equipment are not present at the facility.
40 CFR 63, Subpart ZZZZ	NESHAP for Stationary Reciprocating Internal Combustion Engines (RICE MACT)	Facilities are subject to this subpart if they own or operate a stationary RICE, except if the stationary RICE is being tested at a stationary RICE test cell/stand.	N/A	No	Subject engines are not present at the facility.

Section 8B Compliance Test History

To evaluate the requirement for compliance tests, you must submit a compliance test history. The table below provides an example.

Compliance Test History Table

(Modify this sample table to suit your facility and add rows as necessary)

Unit No.	Test Description	Test Date
N/A	None known.	N/A

Printed: 8/18/2022

Section 9 Proof of Public Notice

Genera	al Postin	g of Notice			
in a public	cly accessible	(DATE), I poste e and conspicuous place, vis facility is, or is proposed to	sible from the	dersigned, certify the correct copy of the a nearest public road.	nat on attached Public Notice, at the entrance of the
Signed the	is <u>22</u>	_ day of <u>August</u>			
Printed N	ame	Senior Air Quality S Title			
	An original circulation i	or copy of the actual newsp n the applicable county is a header showing the date an	paper advertis	original or copy of the	
			OR		
	stating that	from the newspaper or published advertisement was publication, and a legit	ished is attacl	ned. The affidavit in	
Signature	defun			8/22/2022_ Date	
Glenda	De Leon_	Senior Air Quality	Specialist		

Title

Released to Imaging: 5/4/2023 9:07:09 AM

Printed Name

Printed: 8/30/2022

GCP-Oil and Gas PUBLIC NOTICE EXAMPLE

20.2.72 NMAC – General Permits, Section 220.A(2)(b)ii

NOTICE

Scout Energy Management LLC announces its intent to apply to the New Mexico Environment Department for an air quality General Construction Permit, (GCP-Oil and Gas). The name of this facility is Scout Energy - West Dollarhide Drinkard Unit Central Battery. The expected date of the submittal of our Registration for an air quality permit to the Air Quality Bureau is August 24, 2022. This notice is a requirement according to New Mexico air quality regulations.

The exact initial location of the facility is/will be "UTM Zone 13, UTM Easting 680300, UTM Northing 3561930" The approximate location of this site is 7.4 miles northeast of Jal in Lea county. The standard operating schedule of this facility will be continuous.

Air emissions of any regulated air contaminant will be less than or equal to:

		Tons per year (TPY)
1.	Nitrogen Oxides (NO _x)	95
2.	Carbon Monoxide (CO)	95
3.	Volatile Organic Compounds (VOC) (stack)	95
4.	Particulate Matter (PM10)	25
5.	Particulate Matter (PM2.5)	25
6.	Sulfur Dioxide (SO ₂)	95
7.	Hydrogen Sulfide (H2S)	25
8.	Any one (1) Hazardous Air Pollutant (HAP)	<10
9.	Sum of all Hazardous Air Pollutants (HAPs)	< 25

The owner and/or operator of the Plant is:

Glenda De Leon, Scout Energy Management LLC, 13800 Montfort Drive, Suite 100, Dallas, TX 75240

If you have any questions or comments about construction or operation of above facility, and want your comments to be made as a part of the permit review process, you must submit your comments in writing to the address below:

New Mexico Environment Department Air Quality Bureau Permit Section 525 Camino de los Marquez, Suite 1 Santa Fe, New Mexico, 87505 Phone (505) 476-4300 Fax (505) 476-4375

Other comments and questions may be submitted verbally.

Please refer to the company name and site name, as used in this notice or send a copy of this notice along with your comments, since the Department may not have received the permit Registration at the time of this notice.

Attención

Este es un aviso de la oficina de Calidad del Aire del Departamento del Medio Ambiente de Nuevo México, acerca de las emisiones producidas por un establecimiento en esta área. Si usted desea información en español, por favor comuníquese con esa oficina al teléfono 505-372-8373.

Notice of Non-Discrimination

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Part 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, or if you believe that you have been

Printed: 8/30/2022

discriminated against with respect to a NMED program or activity, you may contact: Kathryn Becker, Non-Discrimination Coordinator, NMED, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@state.nm.us. You may also visit our website at https://www.env.nm.gov/non-employee-discrimination-complaint-page/ to learn how and where to file a complaint of discrimination.




Section 10 Certification

Company Name: Scout Energy Management I	LLC
	ereby certify that the information and data submitted in this Registration are nowledge and professional expertise and experience.
Signed this22 day ofAugust State ofTexas	,, upon my oath or affirmation, before a notary of the
*Signature	8/22/2022 Date
Nick Tunnell Printed Name	VP of Operations Title
Scribed and sworn before me on this 2 day of _	August , 2022 .
My authorization as a notary of the State of	Texas expires on the
Soma Bages Notary's Printed Name	SONJA BRIDGES Notary Public, State of Texas Comm. Expires 08-08-2024 Notary ID 126496834



ATTACHMENT 4 Section 7 Map





ATTACHMENT 5

Section 8A Federal Regulatory Applicability Review



SECTION 8A: POTENTIALLY APPLICABLE FEDERAL REGULATIONS

New Source Performance Standards (NSPS) [40 CFR 60]

Subpart OOOO - Standards of Performance for Crude Oil and Natural Gas Production, Transmission, and Distribution

This subpart applies to owners or operators of onshore affected facilities as defined in the subpart, for which construction, modification, or reconstruction is commenced after August 23, 2011 and on or before September 18, 2015. The facility was constructed prior to August 23, 2011. Therefore, this subpart does not apply.

Subpart OOOOa - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015

This subpart applies to owners or operators of onshore affected facilities as defined in the subpart, for which construction, modification, or reconstruction is commenced after September 18, 2015. The facility was constructed prior to September 18, 2015. Therefore, this subpart does not apply.

National Emission Standards for Hazardous Air Pollutants (NESHAPs) [40 CFR 61]

Subpart J - National Emission Standard for Equipment Leaks (Fugitive Emission Sources) of Benzene

This subpart applies to sources (pumps, compressors, etc.) in benzene service. None of the equipment meets the definition of "in benzene service" as all of the streams contain less than 10 percent by weight benzene. Therefore, this subpart does not apply.

Subpart V - National Emission Standard for Equipment Leaks (Fugitive Emission Sources)

This subpart applies to sources (pumps, compressors, etc.) in volatile hazardous air pollutant (VHAP) service. None of the equipment meets the definition of "in VHAP service" as all of the streams contain less than 10 percent by weight VHAP. Therefore, this subpart does not apply.



National Emission Standards for Hazardous Air Pollutants (NESHAPs) for Source Categories [40 CFR 63]

Subpart F - National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry

The facility is not a major source of HAP. Therefore, this subpart does not apply.

Subpart H - National Emission Standards for Organic Hazardous Air Pollutants for Equipment Leaks

This subpart applies to sources (pumps, compressors, etc.) in organic hazardous air pollutant (HAP) service 300 hours or more during the calendar year within a source subject to the provisions of a specific subpart in 40 CFR 63 Part 63 that references this subpart. None of the equipment meets the definition of "in organic HAP service" as all of the streams contain less than 5 percent by weight organic HAP. Additionally, the facility is not subject to another subpart that references this subpart. Therefore, this subpart does not apply.

Subpart HH - National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities

The facility would be considered an area source of HAP. For area sources, § 63.760(b)(2) of this subpart defines an affected sources as one that includes a triethylene glycol (TEG) dehydration unit meeting the criteria specified in § 63.760(a). A TEG dehydration unit is not present at the facility. Per § 63.760(d), the requirements of this subpart do not apply because the facility does not meet the definition of an affected source.

Subpart OO - National Emission Standards for Tanks - Level 1

This subpart only applies if another subpart references the use of this subpart for air emission control. The facility is not subject to another subpart that references this subpart. Therefore, this subpart does not apply.

Subpart TT - National Emission Standards for Equipment Leaks - Control Level 1

This subpart only applies if another subpart references the use of this subpart for air emission control. The facility is not subject to another subpart that references this subpart. Therefore, this subpart does not apply.

Subpart UU - National Emission Standards for Equipment Leaks - Control Level 2 Standards

This subpart only applies if another subpart references the use of this subpart for air emission control. The facility is not subject to another subpart that references this subpart. Therefore, this subpart does not apply.



Subpart VV - National Emission Standards for Oil-Water Separators and Organic-Water Separators

This subpart only applies if another subpart references the use of this subpart for air emission control. The facility is not subject to another subpart that references this subpart. Therefore, this subpart does not apply.

Subpart WW - National Emission Standards for Storage Vessels (Tanks) - Control Level 2

This subpart only applies if another subpart references the use of this subpart for air emission control. The facility is not subject to another subpart that references this subpart. Therefore, this subpart does not apply.

Subpart FFFF - National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing

The facility is not a major source of HAP. Therefore, this subpart does not apply.



ATTACHMENT 6 Newspaper Publication of Notice Affidavit

Affidavit of Publication

STATE OF NEW MEXICO COUNTY OF LEA

I. Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated August 17, 2022 and ending with the issue dated August 17, 2022.

Publisher

Sworn and subscribed to before me this 17th day of August 2022.

fussel

Business Manager

My commission expires January 29, 2023

(Seal)

GUSSIE BLACK Notary Public - State of New Mexico Commission # 1087526 My Comm. Expires Jan 29, 2023

This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL NOTICE August 17, 2022

Scout Energy Management LLC announces its intent to apply to the New Mexico Environment Department for an air quality General Construction Permit, (GCP-OII and Gas). The name of this facility is Scout Energy - West Dollarhide Drinkard Unit Central Battery. The expected date of the submittal of our Registration for an air quality permit to the Air Quality Bureau is August 24, 2022. This notice is a requirement according to New Mexico air quality regulations. regulations.

The exact initial location of the facility is/will be "UTM Zone 13, UTM Easting 680300, UTM Northing 3561930" The approximate location of this site is 7.4 miles northeast of Jai in Lea county. The standard operating schedule of this facility will be approximate. facility will be continuous.

Air emissions of any regulated air contaminant will be less than or equal to:

1 Nitragan Outstan (NO.4)	Tons per year (TPY)
Nitrogen Oxides (NOx)	95
2. Carbon Monoxide (CO)	95
Volatile Organic Compounds (VOC) (stack)	95
4. Particulate Matter (PM10)	25
5. Particulate Matter (PM2.5)	25
6. Sulfur Dioxide (SO2)	95
7. Hydrogen Sulfide (H2S)	25
8. Any one (1) Hazardous Air Pollutant (HAP)	. <10
Sum of all Hazardous Air Pollutants (HAPs)	< 25

The owner and/or operator of the Plant is: Glenda De Leon, Scout Energy Management LLC, 13800 Montfort Drive, Suite 100, Dallas, TX 75240

If you have any questions or comments about construction or operation of above facility, and want your comments to be made as a part of the permit review process, you must submit your comments in writing to the address below:

New Mexico Environment Department Air Quality Bureau Permit Section 525 Camino de los Marquez, Suite 1 Santa Fe, New Mexico, 87505 Phone (505) 476-4300 Fax (505) 476-4375

Other comments and questions may be submitted verbally.

Please refer to the company name and site name, as used in this notice or send a copy of this notice along with your comments, since the Department may not have received the permit Registration at the time of this notice.

Atención
Este es un aviso de la oficina de Calidad del Aire del Departamento del Medio Ambiente de Nuevo México, acerca de las emisiones producidas por un establecimiento en esta área. Si usted desea información en español, por favor comuníquese con esa oficina al teléfono 505-372-8373.

Notice of Non-Discrimination

NMED does not discriminate on the basis of race, color, national origin, disability, NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Part 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, or if you believe that you have been discriminated against with respect to a NMED program or activity, you may contact: Kathryn Becker, Non-Discrimination Coordinator, NMED, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@state.nm.us. You may also visit our website at https://www.env.nm.gov/non-employee-discrimination complaintpage/ to learn https://www.env.nm.gov/non-employee-discrimination complaintpage/ to learn how and where to file a complaint of discrimination. #37940

67117423

00269941

REBECCA McBRIDE MONTROSE ENVIRONMENTAL 400 NORTHRIDGE ROAD SUITE 400 SANDY SPRINGS, GA 30350

	HOLE	FIELD		WELL		SURFACE
WELL NAME	DIRECT	CODE	API	TYPE	COUNTY	LATITUDE
WDDU 4 DHTD	VERTICAL	U88	300251221900		LEA	32.20525
WDDU 30 DHTD	VERTICAL	U88	300251226700	OIL WELL	LEA	32.18626
WDDU 74 DHTD	VERTICAL	U88	300251235300	OIL WELL	LEA	32.16450
WDDU 81 DHTD	VERTICAL	U88	300251238500	OIL WELL	LEA	32.16183
WDDU 87 DHTD	VERTICAL	U88	300251239300	OIL WELL	LEA	32.15820
WDDU 96 DHTD	VERTICAL	U88	300253023000	OIL WELL	LEA	32.17677
WDDU 98 DHTD	VERTICAL	U88	300253087700	OIL WELL	LEA	32.18784
WDDU 100 DHTD	VERTICAL	U88	300253082200	OIL WELL	LEA	32.18405
WDDU 102 DHTD	VERTICAL	U88	300253082400	OIL WELL	LEA	32.17306
WDDU 106 DHTD	VERTICAL	U88	300253082800	OIL WELL	LEA	32.17010
WDDU 113H DHTD	IORIZONTA	U88	300253148201	OIL WELL	LEA	32.16671
WDDU 115H DHTD	IORIZONTA	U88	300253148301	OIL WELL	LEA	32.16602
WDDU 118H DHTD	IORIZONTA	U88	300253150001	OIL WELL	LEA	32.16328
WDDU 123H DHTD	IORIZONTA	U88	300253197101	OIL WELL	LEA	32.16983
WDDU 124 DHTD	VERTICAL	U88	300253236900	OIL WELL	LEA	32.16552
WDDU 125 DHTD	VERTICAL	U88	300253197200	OIL WELL	LEA	32.16950
WDDU 126H DHTD	IORIZONTA	U88	300253197301	OIL WELL	LEA	32.17312
WDDU 127 DHTD	VERTICAL	U88	300253197400	OIL WELL	LEA	32.17357
WDDU 128 DHTD	VERTICAL	U88	300253197500	OIL WELL	LEA	32.17720
WDDU 129 DHTD	VERTICAL	U88	300253201400	OIL WELL	LEA	32.17691
WDDU 136 DHTD	VERTICAL	U88	300253209000	OIL WELL	LEA	32.19487
WDDU 137 DHTD	VERTICAL	U88	300253208800	OIL WELL	LEA	32.19852
WDDU 142 DHTD	VERTICAL	U88	300253237100	OIL WELL	LEA	32.18467
WDDU 143 DHTD	VERTICAL	U88	300253244400	OIL WELL	LEA	32.19059
WDDU 145 DHTD	VERTICAL	U88	300253237300	OIL WELL	LEA	32.17347
WDDU 147 DHTD	VERTICAL	U88	300253284300	OIL WELL	LEA	32.17348
WDDU 148 DHTD	VERTICAL	U88	300253277400	OIL WELL	LEA	32.17329
WDDU 149H DHTD	IORIZONTA	U88	300253277001	OIL WELL	LEA	32.16678
WDDU 153 DHTD	VERTICAL	U88	300253340100	OIL WELL	LEA	32.16962
WDDU 158 DHTD	VERTICAL	U88	300253340500	OIL WELL	LEA	32.17662
WDDU 159 DHTD	VERTICAL	U88	300253348000	OIL WELL	LEA	32.18350
WDDU 160 DHTD	VERTICAL	U88	300253989700	OIL WELL	LEA	32.18838
WDDU 161 DHTD	VERTICAL	U88	300253989800	OIL WELL	LEA	32.18464
WDDU 162 DHTD	VERTICAL	U88	300254000400	OIL WELL	LEA	32.18458
WEST DOLLARHIDE (DRINKARD) UNI	VERTICAL	U88	300253197102	OIL WELL	LEA	32.16983

		воттомн			
	воттомн	OLE			
SURFACE	OLE	LONGITUD			
LONGTUDE	LATITUDE	E	FIELD NAME	Battery	STATUS
-103.10438	32.20525	-103.10438	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.10007	32.18626	-103.10007	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.06604	32.16450	-103.06604	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08725	32.16183	-103.08725	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.07560	32.15820	-103.07560	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09000	32.17677	-103.09000	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09103	32.18784	-103.09103	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09012	32.18405	-103.09012	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08632	32.17306	-103.08632	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08166	32.17010	-103.08166	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08663	32.16807	-103.08067	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.07766	32.16605	-103.07453	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08294	32.16325	-103.07585	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09001	32.16987	-103.08678	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.06907	32.16552	-103.06907	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.06892	32.16950	-103.06892	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.07308	32.17286	-103.06662	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.06881	32.17357	-103.06881	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.07299	32.17720	-103.07299	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.07752	32.17691	-103.07752	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09811	32.19487	-103.09811	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09844	32.19852	-103.09844	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08184	32.18467	-103.08184	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09099	32.19059	-103.09099	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08381	32.17347	-103.08381	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08862	32.17348	-103.08862	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09438	32.17329	-103.09438	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09012	32.16588	-103.08671	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.07109	32.16962	-103.07109	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08817	32.17662	-103.08817	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09260	32.18350	-103.09260	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08598	32.18838	-103.08598	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.08597	32.18464	-103.08597	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09839	32.18458	-103.09839	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE
-103.09001	32.16984	-103.09389	FLD-DOLLARHIDE PRIMARY	WDDU	ACTIVE

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 213511

DEFINITIONS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	213511
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 213511

QI	UESTIONS
Operator: SCOUT ENERGY MANAGEMENT LLC 13800 Montfort Road Dallas, TX 75240	OGRID: 330949 Action Number: 213511 Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Prerequisites	
Any messages presented in this section, will prevent submission of this application. Please resolve t	these issues before continuing with the rest of the questions.
Incident Well	[30-025-12219] WEST DOLLARHIDE DRINKARD UNIT #004
Incident Facility	Unavailable.
Determination of Reporting Requirements	
Answer all questions that apply. The Reason(s) statements are calculated based on your answers ar	nd may provide addional guidance.
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may be a major or minor release under 10.15.20.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No
F	
Equipment Involved	-
Primary Equipment Involved	Production Tank
Additional details for Equipment Involved. Please specify	Not answered.
Representative Compositional Analysis of Vented or Flared Natural Gas	
Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	52
Nitrogen (N2) percentage, if greater than one percent	4
Hydrogen Sulfide (H2S) PPM, rounded up	1
Carbon Dioxide (C02) percentage, if greater than one percent	1
Oxygen (02) percentage, if greater than one percent	0
5.735 (42) personage, it ground than one persona	<u> </u>
If you are venting and/or flaring because of Pipeline Specification, please provide the required specification.	ifications for each gas.
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (C02) percentage quality requirement	Not answered.
Oxygen (02) percentage quality requirement	Not answered.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2 Action 213511

QUESTI	ONS (continued)	
Operator: SCOUT ENERGY MANAGEMENT LLC	OGRID:	0949
13800 Montfort Road	Action Numbe	
Dallas, TX 75240	Action Type:	3511
		129] Venting and/or Flaring (C-129)
QUESTIONS		
Date(s) and Time(s)		
Date vent or flare was discovered or commenced	04/21/2023	
Time vent or flare was discovered or commenced	09:00 AM	
Time vent or flare was terminated	08:59 PM	
Cumulative hours during this event	24	
Measured or Estimated Volume of Vented or Flared Natural Gas		
Natural Gas Vented (Mcf) Details	Cause: Midstream Scheduled Maintenan 231 Mcf Recovered: 0 Mcf Lost: 231 Mc	ce Pipeline (Any) Natural Gas Vented Released: f.
Natural Gas Flared (Mcf) Details	Not answered.	
Other Released Details	Not answered.	
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this	e anneare to be a "gas only" report
lo and a gas only submoster (no. only organical and reader reported)	res, according to supplied volumes this	s appears to be a gas only report.
Venting or Flaring Resulting from Downstream Activity		
Was this vent or flare a result of downstream activity	Yes	
Was notification of downstream activity received by this operator	Yes	
Downstream OGRID that should have notified this operator	[24650] TARGA MIDSTREAM SERVICES	LLC
Date notified of downstream activity requiring this vent or flare	03/16/2023	
Time notified of downstream activity requiring this vent or flare	03:15 PM	
Steps and Actions to Prevent Waste		
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True	
Please explain reason for why this event was beyond this operator's control	unexpected pipeline repair by targa that	rendered our sales
Steps taken to limit the duration and magnitude of vent or flare	Abind newly increased of any control	
Steps taken to limit the duration and magnitude of vent of hare	third party issue out of our control	
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	third party issue out of our control	

Action 213511

ACKNOWLEDGMENTS

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	213511
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 213511

CONDITIONS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	213511
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
dfuentes	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	5/4/2023