



1115 Welsh Ave., Suite B
College Station, Texas 77840
979.324.2139
www.teamtimberwolf.com

REVIEWED**By Nelson Velez at 3:09 pm, May 10, 2023**

April 10, 2023

Mr. Nelson Velez, Environmental Specialist – Advanced
New Mexico Oil Conservation Division – District 3
1000 Rio Brazos Road
Aztec, New Mexico 87410

1. Continue further actions as stated in report.
2. Submit next quarterly report by July 31, 2023.

Re: Status Report – 1st Quarter 2023
San Juan 28-7 Unit 183M
Rio Arriba County, New Mexico
OCD Incident No. NCS1901627746

Dear Mr. Velez:

On behalf of Hilcorp Energy Company (Hilcorp), Timberwolf Environmental, LLC (Timberwolf) presents this report to document remedial activities conducted during the 1st quarter of 2023 (1Q23) at the San Juan 28-7 Unit 183M (Site).

Environmental Setting and Site Geology

The Site is situated on federal land managed by the Bureau of Land Management (BLM) in western Rio Arriba County, New Mexico (Figure 1). The area consists of sparse vegetative cover comprised primarily of scrub brush and native grasses. Area terrain is comprised of plateaus divided by canyons. The primary canyon in the area is Carrizo Canyon, which drains to the northwest into the San Juan River, approximately 19 miles from the Site (Figures 2 and 3).

The Site is situated along the rimrock of an unnamed side canyon to Carrizo Canyon. Average elevation at the Site is approximately 6,523 feet (ft) above mean sea level. The closest surface water is a first order tributary of Carrizo Creek, situated 1,500 ft southeast of the Site and 330 ft lower in elevation.

According to the U.S. Department of Agriculture – Natural Resources Conservation Service (USDA-NRCS), the Site soil consists of the Vessilla-Menefee-Orlie complex, 2 to 30 percent slopes. The surface horizon is comprised of a sandy loam, underlain by bedrock encountered between 15 to 19 inches below ground surface (bgs). Native salinity of the soil is nonsaline to very slightly saline (0.0 to 2.0 millimhos per centimeter (mmhos/cm)).



HEC-190007
April 10, 2023
Page 2

Site History

Release Event

Corrosion near the base of the former oil tank resulted in the release of approximately 150 barrels (bbls) of oil and 7 bbls of produced water. All released fluid was contained by the berm. Standing fluid was recovered; the tank was removed from service and disposed off-site. The initial investigation identified the area of the former tank battery as the primary area of concern (AOC).

Hilcorp constructed a new tank battery northeast of the original tank battery. Tanks and interconnective piping were removed from the original tank battery.

Investigation and Site Characterization

A soil investigation, conducted during March 2019, revealed the constituents of concern (COC) were: total BTEX (i.e., benzene, toluene, ethylbenzene, and xylene) and total petroleum hydrocarbons (TPH). Impacted soil was horizontally and vertically delineated; the vertical extent of impacted soil was approximately 27 ft bgs. Additionally, the soil investigation revealed that subsurface soil is unconsolidated to a depth of 10 ft below ground surface (bgs) which is underlain by sandstone. Findings of the investigation are documented in Timberwolf's report entitled: *Site Characterization Report and Remedial Action Plan*, dated May 21, 2019.

Remediation – SVE System

To remediate hydrocarbon impacted soil, a soil vapor extraction (SVE) system was designed, constructed, and installed at the Site. System start-up date was 12/18/19. The SVE system is comprised of 11 SVE wells, four vent wells, and an SVE trailer. The SVE trailer is comprised of a regenerative blower (i.e., vacuum pump), hour meter, moisture separator and filter, sampling port, and a manifold with three independent legs. Additionally, the SVE trailer is equipped with a programmable automation panel to control valves for each manifold leg. A natural gas generator powers the trailer.

The SVE system creates a treatment field of approximately 0.15 acres and treats soil to a depth of approximately 30 ft bgs for a total volume of approximately 7,021 cubic yards of soil. The SVE wells, measured radius of influence of 25 ft, and leg configurations are shown in Figure 4.

The work conducted is documented in the following reports:

- *Site Characterization Plan*, dated 03/05/19
- *Site Characterization and Remedial Action Plan*, dated 05/21/19
- *Status Report – 4th Quarter 2019*, dated 01/31/20
- *Status Report – 1st Quarter 2020*, dated 04/30/20
- *Status Report – 2nd Quarter 2020*, dated 09/03/20
- *Status Report – 3rd Quarter 2020*, dated 11/25/20
- *Status Report – 4th Quarter 2020*, dated 01/28/21
- *Status Report – 1st Quarter 2021*, dated 05/05/21
- *Status Report – 2nd Quarter 2021*, dated 07/28/21
- *Status Report – 3rd Quarter 2021*, dated 10/29/22
- *Status Report – 4th Quarter 2021*, dated 01/28/22

HEC-190007
April 10, 2023
Page 3

- *Status Report – 1st Quarter 2022*, dated 04/13/22
- *Status Report – 2nd Quarter 2022*, dated 07/14/22
- *Status Report – 3rd Quarter 2022*, dated 10/14/22
- *Status Report – 4th Quarter 2022*, dated 01/12/23

SVE System Operations

The SVE system was designed with three independent legs (i.e., Leg 1, Leg 2, and Leg 3). Legs 1 and 3 provide vacuum extraction to the deep SVE wells; Leg 2 is piped to the shallow wells. The automation panel was programmed to oscillate between Legs 1, 2, and 3 every four hours for continuous 24-hr operations. Programmed runtimes are presented in Table 1 below.

Table 1. Programmed Runtimes and Leg Configurations

Leg	SVE Wells and Location	Scheduled Runtime
Leg 1	Deep Wells SVE7, SVE8, and SVE9 Eastern side of treatment zone	4 hours
Leg 2	Shallow Wells SVE1, SVE2, SVE3, and SVE4	4 hours
Leg 3	Deep Wells SVE5, SVE6, SVE10, and SVE11 Central and Western side of treatment zone	4 hours

SVE – soil vapor extraction well

Water and condensate are collected in the moisture separator, which is fitted with a 1-inch PVC pipe to transfer fluids to an open-top tank fitted with bird netting. No water or condensate was recovered during 1Q23. SVE system runtime for 1Q23 is documented in Table 2 below.

Table 2. System Runtime – 1Q23

Date	Hour Meter
01/10/23	6,431
02/10/23	7,169
02/21/23	7,426
03/14/23	NC
03/27/23	8,228
Total Runtime	2093.1

NC – not collected due to road conditions

*Total runtime based on hour meter readings and
Cygnet remote monitoring data

The second January operation and maintenance (O&M) event and the first March O&M event were not conducted due to inclement weather which produced hazardous road conditions. Therefore, only four hour meter readings are available from 1Q23 (Table 2). System runtime between the last reading of 4Q22 (12/05/22) and 03/27/23 was 1983.1 hours; Cygnet data reveals the system runtime between 3/27/23 and 3/31/23 was 98.3 %. The available hours during this period were 2,159, yielding a runtime percentage (%) of 96.9 for 1Q23. Photographs of relevant meter readings are documented in the attached Photographic Log.

During 1Q23, Hilcorp personnel conducted four (4) operational checks and two (2) maintenance events concurrently; four (4) O&M events in total. Maintenance included repair of PVC pipes on two SVE legs. A field log of O&M events and maintenance performed is provided in the Attached Table A-1.

HEC-190007
 April 10, 2023
 Page 4

Collection and Analysis of Soil-Gas Sample

On 03/27/23, Hilcorp personnel collected a quarterly soil-gas sample utilizing a vacuum pump and Tedlar® bag. The vacuum pump was connected to the SVE systems sampling port while all three (3) legs were open. The valve on the sampling port was then opened as the pump was activated to purge ambient air from the connecting tubing and pump.

After purging, the Tedlar® bag was connected to the vacuum pump outlet using dedicated tubing, the valve on the Tedlar® bag was opened and the vacuum pump was activated to collect the SVE gas sample. Once the Tedlar® bag was filled, the valve on the bag was closed and disconnected from the tubing. The sampling port was then closed, and vacuum pump disconnected from sampling port.

The soil-gas sample (i.e., SVE-1) was transported to Hall Environmental and Analytical Laboratory (HEAL) in Albuquerque, New Mexico. HEAL analyzed the sample for volatile organic compounds (VOCs) and subcontracted other gas analyses to Energy Laboratories in Billings, Montana. All sample transfers were conducted under proper chain-of-custody protocol.

The sample was analyzed for VOCs using EPA Method 8260B, Organic Compounds (GC) by GPA 2261-95, and Gasoline Range Organics by EPA Method 8015D. The laboratory report and chain-of-custody documents are attached.

Constituents that exceeded laboratory detection limits are presented in Table 3 below; laboratory results of all constituents are documented in the Attached Table A-3.

Table 3. Quarterly Soil-Gas Analysis – 03/27/23

Constituents	SVE-1
Volatile Organic Compounds, mg/m³	
Benzene	6.2
Ethylbenzene	3.1
Toluene	67
Total Xylenes	38
TPH (GC/MS) Low Fraction (i.e., GRO)	2,300
Organic Compounds, Mol %	
Oxygen	21.65
Carbon Dioxide	0.24

mg/m³ – milligrams per cubic meter

Mol % – mole percent

TPH – total petroleum hydrocarbons

GRO – gasoline range organics

HEC-190007
 April 10, 2023
 Page 5

Mass Removal

Timberwolf used the laboratory results from a soil-gas sample (as reported in Table 3) flow rates, and runtimes to calculate constituent mass removal. Mass removal of GRO, BTEX, and associated recovered volumes for 1Q23 are presented in Table 4 below; cumulative totals are provided in the Attached Table A-2.

Table 4. Mass Removal and Associated Volume – 1Q23

Constituent	Mass Removal (kg) ¹	Total Mass Removed ² (lbs)	Recovered Volume ³ (bbl)
GRO	228.1	501.8	1.86
Benzene	0.61	1.35	NC
Toluene	6.64	14.6	0.05
Ethylbenzene	0.31	0.68	NC
Xylenes	3.77	8.29	0.03

¹Calculation = minutes ran * CFM * Concentration (mg/m³) * 1 M³/35.3147 ft³ * 1g/1000 mg * 1 kg/1000 g

²Calculation = Mass Removal in kg * 2.2 lbs/kg

³Calculation = lbs / 6.42 lb/gal / 42 gal/bbl

GRO = from TPH (GC/MS) Low Fraction (i.e., gasoline range organics)

kg – kilograms

lbs – pounds

bbl – barrel

NC – not calculated

Assumptions:

- API Gravity = 52
- Concentrations of VOCs in soil gas vapor have remained static over the quarter
- Runtime readings based on hour meter readings on 12/05/22 and 03/27/23. Cygnet remote monitoring confirmed minimal downtime between 03/27/23 and 03/31/23, with a runtime of 98.3 %.

Summary

System runtime during 1Q23 was 96.9% of total available hours during the period. Runtime hours are based on hour meter readings collected on 12/05/22 and 03/27/23. Cygnet remote monitoring system confirms operation through the quarter.

During 1Q23, no water and/or condensate were recovered. Mass removal calculations indicated the following product recovery during the quarter:

- 1.86 bbl of GRO
- 1.35 lbs of benzene
- 14.6 lbs of toluene
- 0.68 lbs of ethylbenzene
- 8.29 lbs of xylene

Further Actions – 2nd Quarter 2023

During 2Q23, the following activities are planned for the Site:

- Conduct bi-weekly Site O&M to ensure proper system function and drain any water/condensate accumulation from the moisture separator as needed
- Collect a quarterly soil vapor gas sample for laboratory analysis
- Install 4 soil borings at the Site to evaluate the remedial progress
- Prepare a 2Q23 status report

HEC-190007
April 10, 2023
Page 6

If you have any questions regarding this report, please call us at (979) 324-2139.

Sincerely,
Timberwolf Environmental, LLC



Kevin Cole
Project Manager



Jim Foster
President

Attachments: Figures
Attached Tables
Photographic Log
Laboratory Report and Chain-of-Custody Documents

cc: Kate Kaufman, Hilcorp Energy Company

Figures




Figure 1
Site Location Map

Status Report - 1st Quarter 2023


February 6, 2023



Created By:
Brett Berno
TE Project No.: HEC-190007

San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Hilcorp Energy Company
Rio Arriba County, New Mexico

Datum: NAD83
Imagery Source: ESRI
Vector Source: ESRI and TE

 Site




Figure 2
Topographic Map

Status Report - 1st Quarter 2023


February 6, 2023



Created By:
Brett Berno
TE Project No.: HEC-190007

San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Hilcorp Energy Company
Rio Arriba County, New Mexico

Datum: NAD83
Imagery Source: USGS
Quads: Gould Pass and Santos Peak
Vector Source: TE



Site




Figure 3
Aerial Map

Status Report - 1st Quarter 2023

February 6, 2023




Created By:
Brett Berno
TE Project No.: HEC-190007

0 0.25 0.5 0.75 1 Miles
1:10,000
San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Hilcorp Energy Company
Rio Arriba County, New Mexico

Datum: NAD83
Imagery Source: ESRI
Vector Source: TE

 **Site**

Treatment Area= 6,320 ft²
Assuming a 25 ft radius of influence



Legend

- Leg 1 SVE Wells (7, 8, & 9)
- Leg 2 SVE Wells (1, 2, 3, & 4)
- Leg 3 SVE Wells (5, 6, 10, & 11)
- Vent
- Leg 1
- Leg 2
- Leg 3
- ▨ Impacted Area
- SVE Trailer
- Generator
- x- Fence



Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

Figure 4
SVE System Overview

Status Report - 1st Quarter 2023

February 6, 2023



Created By:
Brett Berno
TE Project No.: HEC-190007

San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Hilcorp Energy Company
Rio Arriba County, New Mexico

Datum: NAD83
Imagery Source: ESRI
Vector Source: TE

Attached Tables

**Table A-1. Operation and Maintenance Events
Status Report - 1st Quarter 2023
San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Rio Arriba County, New Mexico**

Date	Hour Meter (hrs)	Water/Condensate Recovered (gal)	Maintenance Performed
01/10/23	6,431.2	0.00	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.
02/10/23	7,168.7	0.00	• Brandon Sinclair with Hilcorp performed SVE system O&M checks. • Cracked PVC was identified on legs 2 and 3. • Hilcorp personnel repaired leg 2 using sealing tape.
02/21/23	7,426.3	0.00	• Brandon Sinclair with Hilcorp performed SVE system O&M checks. • Hilcorp personnel sealed a leak on leg 3 using epoxy.
03/27/23	8,228.3	0.00	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.

gal – gallons

hrs – hours

**Table A-2. Cumulative Mass Removal
Status Report - 1st Quarter 2023
San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Rio Arriba County, New Mexico**

Quarter	Constituent (lbs)					Recovered Volume (bbl)
	Benzene	Toluene	Ethylbenzene	Xylene	GRO	GRO
4Q19	18.5	32.4	0.73	6.27	1,017.0	3.77
1Q20	5.01	18.01	0.48	3.65	403.5	1.50
2Q20	6.66	23.95	0.64	4.85	536.7	1.99
3Q20	14.82	53.32	1.43	10.80	1,194.7	4.43
4Q20	1.71	6.16	0.16	1.25	138.1	0.51
1Q21	22.85	82.18	2.20	16.65	1,841.4	6.83
2Q21	2.13	15.09	1.17	12.63	55.4	0.21
3Q21	2.51	17.78	1.38	14.88	65.3	0.24
4Q21	2.60	18.40	1.43	15.40	67.6	0.25
1Q22	0.44	3.60	0.32	4.84	242.4	0.90
2Q22	0.32	2.61	0.27	5.57	147.0	0.55
3Q22	2.54	3.93	17.10	2.40	684.1	2.54
4Q22	1.90	18.59	1.09	10.65	772.6	2.87
1Q23	1.35	14.6	0.68	8.29	501.8	1.86
Total	83.3	310.6	29.1	118.1	7,667.5	28.4

mass (mg) removed equation = ((CFM*volatile*runtime in minutes)/(35.3147))

lbs – pounds

bbl – barrels

Table A-3. Soil-Gas Analysis - 03/27/23
Status Report - 1st Quarter 2023
San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Rio Arriba County, New Mexico

Volatiles	SVE ($\mu\text{g}/\text{m}^3$)
Acetone	< 25,000
Benzene	6,200
Bromodichloromethane	< 2,500
Bromoform	< 2,500
Bromomethane	< 5,000
Carbon disulfide	< 25,000
Carbon tetrachloride	< 2,500
Chlorobenzene	< 2,500
Chloroethane	< 5,000
Chloroform	< 2,500
Chloromethane	< 2,500
2-Chlorotoluene	< 2,500
Cyclohexane	--
Dibromochloromethane	< 2,500
1,2-Dibromoethane	< 2,500
1,2-Dichlorobenzene	< 2,500
1,3-Dichlorobenzene	< 2,500
1,4-Dichlorobenzene	< 2,500
1,2-Dichloroethane	< 2,500
1,1-Dichloroethane	< 2,500
1,1-Dichloroethene	< 2,500
cis-1,2-Dichloroethene	< 2,500
trans-1,2-Dichloroethene	< 2,500
1,2-Dichloropropane	< 2,500
cis-1,3-Dichloropropene	< 2,500
trans-1,3-Dichloropropene	< 2,500
Ethylbenzene	3,100
Trichlorofluoromethane	< 2,500
Dichlorodifluoromethane	< 2,500
Heptane	--
Hexachloro-1,3-butadiene	< 2,500
n-Hexane	--
Isopropylbenzene	< 2,500
Methylene Chloride	< 7,500
2-Butanone (MEK)	< 25,000
4-Methyl-2-pentanone (MIBK)	< 25,000
MTBE	< 2,500
Naphthalene	< 5,000
Styrene	< 2,500
1,1,2,2-Tetrachloroethane	< 2,500
Toluene	67,000

Table A-3. Soil-Gas Analysis - 03/27/23
Status Report - 1st Quarter 2023
San Juan 28-7 Unit 183M (OCD Incident No. NCS1901627746)
Rio Arriba County, New Mexico

Volatiles	SVE ($\mu\text{g}/\text{m}^3$)
1,2,4-Trichlorobenzene	< 2,500
1,1,1-Trichloroethane	< 2,500
1,1,2-Trichloroethane	< 2,500
1,2,4-Trimethylbenzene	< 2,500
1,3,5-Trimethylbenzene	< 2,500
2,2,4-Trimethylpentane	--
Vinyl chloride	< 2,500
Total Xylene	38,000
TPH (GC/MS) Low Fraction	2,300,000
Methyl Cyclohexane	--
Oxygen	21.65 (Mol %)
Carbon Dioxide	0.24 (Mol %)
Methane	< 0.01 (Mol %)

$\mu\text{g}/\text{m}^3$ – micrograms per cubic meter (unless otherwise reported)

-- -- Analyte not reported



Mol % – mole percent

Photographic Log



1115 Welsh Ave., Suite B
College Station, TX 77840
979.324.2139
www.teamtimberwolf.com

PHOTOGRAPHIC LOG

Project No.:	HEC-190007	Client:	Hilcorp Energy Company
Project Name:	San Juan 28-7 Unit 183M	Site Location:	Rio Arriba County, New Mexico
Task Description:	Status Report – 1 st Quarter 2023	Date:	January – March, 2023
Photo No.: 1		DIRECTION 36.59821°N ACCURACY 5 m Unavailable 107.52113°W DATUM WGS84	
Direction: N/A			
Comments: View of hour meter on 01/10/23.			
Photo No.: 2		DIRECTION 36.59827°N ACCURACY 4 m 359 deg(T) 107.52120°W DATUM WGS84	
Direction: N/A			
Comments: View of hour meter on 03/27/23.			
	Blower Hours	SJ 28 7 183M	2023-03-27 08:05:06-06:00

Laboratory Data and Chain-of-Custody Documents



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

April 04, 2023

Kate Kaufman

Hilcorp Energy

PO Box 61529

Houston, TX 77208-1529

TEL: (337) 276-7676

FAX:

RE: SJ 28 7 183M

OrderNo.: 2303E00

Dear Kate Kaufman:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/29/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 2303E00

Date Reported: 4/4/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Hilcorp Energy

Client Sample ID: SVE-1

Project: SJ 28 7 183M

Collection Date: 3/27/2023 8:00:00 AM

Lab ID: 2303E00-001

Matrix: AIR

Received Date: 3/29/2023 7:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: GASOLINE RANGE							Analyst: CCM
Gasoline Range Organics (GRO)	2300	120		µg/L	25	3/29/2023 3:19:00 PM	GW9563
Surr: BFB	151	15-380		%Rec	25	3/29/2023 3:19:00 PM	GW9563
EPA METHOD 8260B: VOLATILES							Analyst: CCM
Benzene	6.2	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Toluene	67	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Ethylbenzene	3.1	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Methyl tert-butyl ether (MTBE)	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2,4-Trimethylbenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,3,5-Trimethylbenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2-Dichloroethane (EDC)	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2-Dibromoethane (EDB)	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Naphthalene	ND	5.0		µg/L	25	3/29/2023 12:49:00 PM	R95635
1-Methylnaphthalene	ND	10		µg/L	25	3/29/2023 12:49:00 PM	R95635
2-Methylnaphthalene	ND	10		µg/L	25	3/29/2023 12:49:00 PM	R95635
Acetone	ND	25		µg/L	25	3/29/2023 12:49:00 PM	R95635
Bromobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Bromodichloromethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Bromoform	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Bromomethane	ND	5.0		µg/L	25	3/29/2023 12:49:00 PM	R95635
2-Butanone	ND	25		µg/L	25	3/29/2023 12:49:00 PM	R95635
Carbon disulfide	ND	25		µg/L	25	3/29/2023 12:49:00 PM	R95635
Carbon tetrachloride	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Chlorobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Chloroethane	ND	5.0		µg/L	25	3/29/2023 12:49:00 PM	R95635
Chloroform	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Chloromethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
2-Chlorotoluene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
4-Chlorotoluene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
cis-1,2-DCE	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
cis-1,3-Dichloropropene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	25	3/29/2023 12:49:00 PM	R95635
Dibromochloromethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Dibromomethane	ND	5.0		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2-Dichlorobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,3-Dichlorobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,4-Dichlorobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Dichlorodifluoromethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1-Dichloroethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1-Dichloroethene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 1 of 5

Analytical Report

Lab Order 2303E00

Date Reported: 4/4/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Hilcorp Energy

Client Sample ID: SVE-1

Project: SJ 28 7 183M

Collection Date: 3/27/2023 8:00:00 AM

Lab ID: 2303E00-001

Matrix: AIR

Received Date: 3/29/2023 7:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8260B: VOLATILES							Analyst: CCM
1,2-Dichloropropane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,3-Dichloropropane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
2,2-Dichloropropane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1-Dichloropropene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Hexachlorobutadiene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
2-Hexanone	ND	25		µg/L	25	3/29/2023 12:49:00 PM	R95635
Isopropylbenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
4-Isopropyltoluene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
4-Methyl-2-pentanone	ND	25		µg/L	25	3/29/2023 12:49:00 PM	R95635
Methylene chloride	ND	7.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
n-Butylbenzene	ND	7.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
n-Propylbenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
sec-Butylbenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Styrene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
tert-Butylbenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1,1,2-Tetrachloroethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1,2,2-Tetrachloroethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Tetrachloroethene (PCE)	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
trans-1,2-DCE	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
trans-1,3-Dichloropropene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2,3-Trichlorobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2,4-Trichlorobenzene	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1,1-Trichloroethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,1,2-Trichloroethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Trichloroethene (TCE)	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Trichlorofluoromethane	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
1,2,3-Trichloropropane	ND	5.0		µg/L	25	3/29/2023 12:49:00 PM	R95635
Vinyl chloride	ND	2.5		µg/L	25	3/29/2023 12:49:00 PM	R95635
Xylenes, Total	38	3.8		µg/L	25	3/29/2023 12:49:00 PM	R95635
Surr: Dibromofluoromethane	101	70-130		%Rec	25	3/29/2023 12:49:00 PM	R95635
Surr: 1,2-Dichloroethane-d4	104	70-130		%Rec	25	3/29/2023 12:49:00 PM	R95635
Surr: Toluene-d8	106	70-130		%Rec	25	3/29/2023 12:49:00 PM	R95635
Surr: 4-Bromofluorobenzene	98.8	70-130		%Rec	25	3/29/2023 12:49:00 PM	R95635

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 2 of 5



ANALYTICAL SUMMARY REPORT

April 03, 2023

Hall Environmental

4901 Hawkins St NE Ste D

Albuquerque, NM 87109-4372

Work Order: B23032022

Quote ID: B15626

Project Name: Not Indicated

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 3/30/2023 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B23032022-001	2303E00-001B, SVE-1	03/27/23 8:00	03/30/23	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Not Indicated
Lab ID: B23032022-001
Client Sample ID: 2303E00-001B, SVE-1

Report Date: 04/03/23
Collection Date: 03/27/23 08:00
DateReceived: 03/30/23
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.65	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Nitrogen	78.11	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Carbon Dioxide	0.24	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Methane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Ethane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Propane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Hexanes plus	<0.01	Mol %		0.01		GPA 2261-95	03/31/23 09:22 / ikc
Propane	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
Hexanes plus	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
GPM Total	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc
GPM Pentanes plus	< 0.001	gpm		0.001		GPA 2261-95	03/31/23 09:22 / ikc

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND		1		GPA 2261-95	03/31/23 09:22 / ikc
Net BTU per cu ft @ std cond. (LHV)	ND		1		GPA 2261-95	03/31/23 09:22 / ikc
Pseudo-critical Pressure, psia	546		1		GPA 2261-95	03/31/23 09:22 / ikc
Pseudo-critical Temperature, deg R	239		1		GPA 2261-95	03/31/23 09:22 / ikc
Specific Gravity @ 60/60F	0.999		0.001		D3588-81	03/31/23 09:22 / ikc
Air, %	98.92		0.01		GPA 2261-95	03/31/23 09:22 / ikc

- The analysis was not corrected for air contamination.

COMMENTS

-					-	03/31/23 09:22 / ikc
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis.						

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 800.233.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental

Work Order: B23032022

Report Date: 04/03/23

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-95									Batch: R399726	
Lab ID: B23032022-001ADUP 12 Sample Duplicate									Run: GCNGA-B_230331A 03/31/23 09:49	
Oxygen		21.7	Mol %	0.01				0	20	
Nitrogen		78.1	Mol %	0.01				0	20	
Carbon Dioxide		0.24	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		<0.01	Mol %	0.01					20	
Lab ID: LCS033123 11 Laboratory Control Sample									Run: GCNGA-B_230331A 03/31/23 14:34	
Oxygen		0.61	Mol %	0.01	122	70	130			
Nitrogen		6.09	Mol %	0.01	101	70	130			
Carbon Dioxide		1.00	Mol %	0.01	101	70	130			
Methane		74.6	Mol %	0.01	100	70	130			
Ethane		6.03	Mol %	0.01	100	70	130			
Propane		5.00	Mol %	0.01	101	70	130			
Isobutane		1.98	Mol %	0.01	99	70	130			
n-Butane		1.96	Mol %	0.01	98	70	130			
Isopentane		1.00	Mol %	0.01	100	70	130			
n-Pentane		0.99	Mol %	0.01	99	70	130			
Hexanes plus		0.78	Mol %	0.01	98	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

Work Order Receipt Checklist

Hall Environmental

B23032022

Login completed by: Tabitha Edwards

Date Received: 3/30/2023

Reviewed by: gmccartney

Received by: Irs

Reviewed Date: 3/31/2023

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	13.8°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:


Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

Contact and Corrective Action Comments:

None



CHAIN OF CUSTODY RECORD

PAGE: 1 OF: 1

Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975
FAX: 505-345-4107
Website: www.hallenvironmental.com

SUB CONTRACTOR: Energy Labs -Billings		COMPANY: Energy Laboratories		PHONE: (406) 869-6253		FAX: (406) 252-6069	
ADDRESS: 1120 South 27th Street				ACCOUNT #:		EMAIL:	
CITY, STATE, ZIP: Billings, MT 59107							
ITEM	SAMPLE	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	COLLECTION DATE	# CONTAINERS	ANALYTICAL COMMENTS
1	2303E00-001B	SVE-1	TEDLAR	Air	3/27/2023 8:00:00 AM	1	**3 DAY TAT** FIXED GASES <i>B23032022</i>

SPECIAL INSTRUCTIONS / COMMENTS:

Please include the LAB ID and the CLIENT SAMPLE ID on all final reports. Please e-mail results to lab@hallenvironmental.com. Please return all coolers and blue ice. Thank you.

Relinquished By: _____	Date: 3/29/2023	Time: 8:25 AM	Received By: _____	Date: _____	Time: _____	REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARDCOPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE	
Relinquished By: _____	Date: _____	Time: _____	Received By: _____	Date: _____	Time: _____	FOR LAB USE ONLY	
Relinquished By: _____	Date: _____	Time: _____	Received By: <i>Y. d. l.</i>	Date: 3/30/23	Time: 04:10	Temp of samples _____ °C Attempt to Cool? _____	
TAT: Standard <input type="checkbox"/> RUSH <input checked="" type="checkbox"/> Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/>						Comments: _____	

QC SUMMARY REPORT
Hall Environmental Analysis Laboratory, Inc.

WO#: 2303E00
04-Apr-23

Client: Hilcorp Energy
Project: SJ 28 7 183M

Sample ID: 2303E00-001adup		SampType: DUP		TestCode: EPA Method 8015D: Gasoline Range						
Client ID: SVE-1		Batch ID: GW95639		RunNo: 95639						
Prep Date:		Analysis Date: 3/29/2023		SeqNo: 3461309		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	2200	120						3.66	20	
Surr: BFB	72000		50000		144	15	380	0	0	

- Qualifiers:
- * Value exceeds Maximum Contaminant Level.
 - D Sample Diluted Due to Matrix
 - H Holding times for preparation or analysis exceeded
 - ND Not Detected at the Reporting Limit
 - PQL Practical Quantitative Limit
 - S % Recovery outside of standard limits. If undiluted results may be estimated.

- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2303E00

04-Apr-23

Client: Hilcorp Energy

Project: SJ 28 7 183M

Sample ID: 2303E00-001adup	SampType: DUP		TestCode: EPA Method 8260B: Volatiles							
Client ID: SVE-1	Batch ID: R95635		RunNo: 95635							
Prep Date:	Analysis Date: 3/29/2023		SeqNo: 3461094		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	5.8	2.5						6.46	20	
Toluene	60	2.5						11.5	20	
Ethylbenzene	2.7	2.5						12.8	20	
Methyl tert-butyl ether (MTBE)	ND	2.5						0	20	
1,2,4-Trimethylbenzene	ND	2.5						0	20	
1,3,5-Trimethylbenzene	ND	2.5						0	20	
1,2-Dichloroethane (EDC)	ND	2.5						0	20	
1,2-Dibromoethane (EDB)	ND	2.5						0	20	
Naphthalene	ND	5.0						0	20	
1-Methylnaphthalene	ND	10						0	20	
2-Methylnaphthalene	ND	10						0	20	
Acetone	ND	25						0	20	
Bromobenzene	ND	2.5						0	20	
Bromodichloromethane	ND	2.5						0	20	
Bromoform	ND	2.5						0	20	
Bromomethane	ND	5.0						0	20	
2-Butanone	ND	25						0	20	
Carbon disulfide	ND	25						0	20	
Carbon tetrachloride	ND	2.5						0	20	
Chlorobenzene	ND	2.5						0	20	
Chloroethane	ND	5.0						0	20	
Chloroform	ND	2.5						0	20	
Chloromethane	ND	2.5						0	20	
2-Chlorotoluene	ND	2.5						0	20	
4-Chlorotoluene	ND	2.5						0	20	
cis-1,2-DCE	ND	2.5						0	20	
cis-1,3-Dichloropropene	ND	2.5						0	20	
1,2-Dibromo-3-chloropropane	ND	5.0						0	20	
Dibromochloromethane	ND	2.5						0	20	
Dibromomethane	ND	5.0						0	20	
1,2-Dichlorobenzene	ND	2.5						0	20	
1,3-Dichlorobenzene	ND	2.5						0	20	
1,4-Dichlorobenzene	ND	2.5						0	20	
Dichlorodifluoromethane	ND	2.5						0	20	
1,1-Dichloroethane	ND	2.5						0	20	
1,1-Dichloroethene	ND	2.5						0	20	
1,2-Dichloropropane	ND	2.5						0	20	
1,3-Dichloropropane	ND	2.5						0	20	
2,2-Dichloropropane	ND	2.5						0	20	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 4 of 5

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2303E00

04-Apr-23

Client: Hilcorp Energy

Project: SJ 28 7 183M

Sample ID: 2303E00-001adup	SampType: DUP		TestCode: EPA Method 8260B: Volatiles							
Client ID: SVE-1	Batch ID: R95635		RunNo: 95635							
Prep Date:	Analysis Date: 3/29/2023		SeqNo: 3461094		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	2.5						0	20	
Hexachlorobutadiene	ND	2.5						0	20	
2-Hexanone	ND	25						0	20	
Isopropylbenzene	ND	2.5						0	20	
4-Isopropyltoluene	ND	2.5						0	20	
4-Methyl-2-pentanone	ND	25						0	20	
Methylene chloride	ND	7.5						0	20	
n-Butylbenzene	ND	7.5						0	20	
n-Propylbenzene	ND	2.5						0	20	
sec-Butylbenzene	ND	2.5						0	20	
Styrene	ND	2.5						0	20	
tert-Butylbenzene	ND	2.5						0	20	
1,1,1,2-Tetrachloroethane	ND	2.5						0	20	
1,1,2,2-Tetrachloroethane	ND	2.5						0	20	
Tetrachloroethene (PCE)	ND	2.5						0	20	
trans-1,2-DCE	ND	2.5						0	20	
trans-1,3-Dichloropropene	ND	2.5						0	20	
1,2,3-Trichlorobenzene	ND	2.5						0	20	
1,2,4-Trichlorobenzene	ND	2.5						0	20	
1,1,1-Trichloroethane	ND	2.5						0	20	
1,1,2-Trichloroethane	ND	2.5						0	20	
Trichloroethene (TCE)	ND	2.5						0	20	
Trichlorofluoromethane	ND	2.5						0	20	
1,2,3-Trichloropropane	ND	5.0						0	20	
Vinyl chloride	ND	2.5						0	20	
Xylenes, Total	32	3.8						15.6	20	
Surr: Dibromofluoromethane	26		25.00		104	70	130	0	0	
Surr: 1,2-Dichloroethane-d4	26		25.00		106	70	130	0	0	
Surr: Toluene-d8	27		25.00		107	70	130	0	0	
Surr: 4-Bromofluorobenzene	26		25.00		105	70	130	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Hilcorp Energy

Work Order Number: 2303E00

RcptNo: 1

Received By: Tracy Casarrubias 3/29/2023 7:35:00 AM

Completed By: Tracy Casarrubias 3/29/2023 8:20:42 AM

Reviewed By: *see 3/29/23*

Chain of Custody

1. Is Chain of Custody complete? Yes ☐ No ☒ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☐ No ☐ NA ☒
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted? _____

Checked by: *ju 3/29/23*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	N/A	Good	Yes	Morty		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 207876

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 207876
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	1. Continue further actions as stated in report. 2. Submit next quarterly report by July 31, 2023.	5/10/2023