nAPP2116940090

Incident ID District RP Facility ID Application ID

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)	
Did this release impact groundwater or surface water?	Yes X No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	Yes X No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Yes X No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No	
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No	
Are the lateral extents of the release overlying a subsurface mine?	Yes X No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	Yes X No	
Are the lateral extents of the release within a 100-year floodplain?	Yes X No	
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil		

contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 2/7/2023 1:49:22 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	Page 2 of 4	14
Incident ID	nAPP2116940090	
District RP		
Facility ID		
Application ID		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: Env. Professional	
Signature: Dals Woodall	Date: _2/7/2023	
email: _dale.woodall@dvn.com	Telephone: _(405)-318-4697	
OCD Only		
Received by:	Date:	

	Page 3 of 4	14
Incident ID	nAPP2116940090	
District RP		
Facility ID		
Application ID		

Remediation Plan

Remediation Plan Checklist: Each of the following items must be	included in the plan.	
 ✓ Detailed description of proposed remediation technique ✓ Scaled sitemap with GPS coordinates showing delineation points ✓ Estimated volume of material to be remediated ✓ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC ✓ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required) 		
1 Toposed selecture for remediation (note in remediation plan time	sinic is more than 70 days OCD approvar is required)	
<u>Deferral Requests Only</u> : Each of the following items must be con	firmed as part of any request for deferral of remediation.	
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.		
Extents of contamination must be fully delineated.		
Contamination does not cause an imminent risk to human health	, the environment, or groundwater.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: Env. Professional	
Signature: Dale Woodall	Date: _2/7/2023	
email:dale.woodall@dvn.com	Telephone: (405)-318-4697	
OCD Only		
Received by:	Date:	
Approved Approved with Attached Conditions of	Approval Denied Deferral Approved	
Signature:	Date:	

Page 4 of 414

	2111010000
Incident ID	napp2116940090
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.		
X A scaled site and sampling diagram as described in 19.15.29.11 NMAC		
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office	
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)	
□ Description of remediation activities		
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and remuman health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regular restore, reclaim, and re-vegetate the impacted surface area to the confidence with 19.15.29.13 NMAC including notification to the O	ntions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in CD when reclamation and re-vegetation are complete.	
	Title: _Env. Professional	
Signature: Dals Woodall	Date: _2/7/2023	
email: dale.woodall@dvn.com	Telephone: (405)-318-4697	
OCD Only		
Received by:	Date:	
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.	
Closure Approved by:	Date:	
Printed Name:	Title:	

of New Mexico

Incident ID	NAPP2116940090
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.	
X A scaled site and sampling diagram as described in 19.15.29.1	11 NMAC
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)
X Description of remediation activities	
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rephuman health or the environment. In addition, OCD acceptance of	ntions. The responsible party acknowledges they must substantially anditions that existed prior to the release or their final land use in
Printed Name: Dale Woodall	Title: _Env. Professional
Signature: Dals Woodall	Date: _2/7/2023
email: _dale.woodall@dvn.com	Telephone: (405)-318-4697
OCD Only	
Received by: Robert Hamlet	Date: 6/9/2023
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.
Closure Approved by: Robert Hamlet	Date: 6/9/2023
Printed Name: Robert Hamlet	Title: Environmental Specialist - Advanced



February 7, 2023 Vertex Project #: 22E-02537

Spill Closure Report: Helios 6 Federal Com 1H and 3H Battery/Hackberry 6 Federal 1 Well Pad

Unit J, Section 6, Township 19 South, Range 31 East,

API: N/A County: Eddy

Incident ID: nAPP2116940090, nAPP2219226827

Prepared For: Devon Energy Production Company

6488 Seven Rivers Highway Artesia, New Mexico 88210

New Mexico Oil Conservation Division - District 2 - Artesia

811 S. 1st Street

Artesia, New Mexico 88210

Devon Energy Production Company (Devon) retained Vertex Resource Services Inc. (Vertex) to conduct a Spill Assessment for multiple produced water releases at the same location, registered at Helios 6 Federal Com 1H and 3H Battery, and Hackberry 6 Federal 1 Battery Well Pad, (hereafter referred to as "Helios/Hackberry"). Devon submitted initial C-141 Release Notifications (Attachment 1) to New Mexico Oil Conservation Division (NMOCD) District 2 on July 7, 2021, and July 11, 2022. Incident IDs nAPP2116940090 and nAPP2219226827 were assigned to the incidents.

This letter provides a description of the release assessments and remediation activities and demonstrates that closure criteria established in Table I of 19.15.29.12 *New Mexico Administrative Code* (NMAC; New Mexico Oil Conservation Division, 2018) are being met and all applicable regulations are being followed. This document is intended to serve as a final report to obtain approval from NMOCD for the closure of these releases, with the understanding that they were reclaimed per 19.15.29.13.

Site Characterization

The site is located approximately 10 miles southeast of Loco Hills, New Mexico at 32.687850 ° N, 103.907000 ° W (Google Inc., 2022). The legal location for the site is Section 6, Township 19 South and Range 31 East in Eddy County, New Mexico. The spill area is located on Bureau of Land Management property. An aerial photograph and site schematic are included on Figure 1 (Attachment 2).

The Geological Map of New Mexico (New Mexico Bureau of Geology and Mineral Resources, 2022) indicates the site's surface geology is comprised primarily of Qp — Piedmont alluvial deposits (Holocene to lower Pleistocene). The predominant soil texture on the site is gravelly fine sandy loam. The Natural Resources Conservation Service Web Soil Survey characterizes the predominant soil texture on the site as Simona gravelly fine sandy loam. It tends to be well drained with very high runoff and very low available moisture levels in the soil profile (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

The surrounding landscape is associated with plains, uplands, fan piedmonts, and alluvial fans at elevations of 2,842 to 4,500 feet above sea level. The climate is semi-arid, with annual precipitation ranging between 8 to 13 inches. Historically, the plant community has grassland aspect, dominated by grasses with shrubs. Black grama is dominant with yucca, javalina bush, range ratany, prickly pear and mesquite. Overgrazing and extended drought can reduce grass cover (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

There is no surface water located at Helios/Hackberry. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 Mexico Administrative Code (New Mexico Oil Conservation Division, 2018), is the Pecos River located approximately 800 feet west of the site (Google Inc., 2022). There are no continuous flowing watercourses or significant watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

Incident Description

nAPP2116940090

The first release occurred on June 17, 2021, due to a pinhole leak on a water transfer line. The incident resulted in the release of approximately 91.82 barrels of produced water into the pasture north of the pad site. Approximately 73 barrels of free fluid were removed during the initial spill clean-up.

nAPP2219226827

The second release was discovered on July 9, 2022, due to equipment failure on the same pipeline as the first release. The incident resulted in the release of approximately 7 barrels of produced water into the pasture north of the pad site. Approximately 2 barrels of free fluid were removed during the initial spill clean-up.

Closure Criteria Determination

The depth to groundwater was determined by drilling a borehole permitted by the New Mexico Office of the State Engineer within a 0.5-mile radius of the site. The borehole was drilled to a depth of 105 feet, was left open as per requirements on the WR-07 Application for Permit to Drill a well With No Water Right, and an interface probe was lowered to the bottom of the borehole to investigate if groundwater may have accumulated in the 72-hour waiting period; no water was present at that time. The borehole was then plugged as per requirements on the WR-08, Well Plugging Plan of Operations. Documentation used in closure criteria determination (Attachment 4) research was included in the Characterization and Remediation Plan submitted and approved by NMOCD. The DFR associated with this site visit is included in Attachment 5.

The closure criteria determined for the site are associated with the following constituent concentration limits as presented in Table 1.

Table 1. Closure Criteria for Soils to Remediation & Reclamation Standards		
	Constituent	Limit
0-4 feet bgs (19.15.29.13)	Chloride	600 mg/kg
	TPH (GRO+DRO+MRO)	100 mg/kg
DTGW > 100 feet (19.15.29.12)	Chloride	20,000 mg/kg
	TPH (GRO+DRO+MRO)	2,500 mg/kg
	GRO+DRO	1,000 mg/kg
	BTEX	50 mg/kg
	Benzene	10 mg/kg

bgs – below ground surface

DTGW - depth to groundwater

TPH – Total petroleum hydrocarbons = gasoline range organics (GRO) + diesel range organics (DRO) + motor oil range organics (MRO)

BTEX – Benzene, toluene, ethylbenzene, and xylenes

Remedial Actions

An initial site inspection was completed for the first release on June 28, 2021, which identified the location of the impact specified in the initial C-141 Report and estimated the approximate volume of the release. The impacted area was determined to be approximately 158 feet long and 104 feet wide; the total affected area was determined to be 1,527 square feet. The DFR associated with the site inspection is included in Attachment 5.

A site inspection was conducted for the second release on November 3, 2022. More horizontal boreholes were established to ensure that the second release did not migrate further than the first release. The two releases were vertically delineated to the >100' criteria to 4 feet below ground surface (bgs) as required by NMOCD. The DFR associated with this site visit is included in Attachment 5.

Remediation efforts began on January 4, 2023, and were completed on January 20, 2023. Vertex personnel supervised the excavation of impacted soils. Field screening was completed on a total of 126 sample points and consisted of analysis using a photoionization detector (volatile hydrocarbons), Dexsil Petroflag using EPA SW-846 Method 9074 (extractable hydrocarbons) and silver nitrate titration (chlorides). Field screening results were used to identify areas requiring further remediation from those areas showing concentrations below determined closure criteria levels. Soils were removed to a depth of 4 feet bgs. Impacted soil was transported by a licensed waste hauler and disposed of at an approved waste management facility.

During excavation activities, Vertex provided three 48-hour notifications of confirmation sampling to NMOCD between December 28, 2022, and January 19, 2023 (Attachment 6), as required by Subparagraph (a) of Paragraph (1) of Subsection D 19.15.29.12 NMAC. Confirmatory composite samples were collected from the base and walls of the excavation in 200-square-foot increments. A total of 131 samples, including one background sample, were collected for laboratory analysis following NMOCD soil sampling procedures. Samples were submitted to Hall Environmental Analysis Laboratory under chain-of-custody (COC) protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Laboratory results are presented in Table 3 (Attachment 3) and laboratory data reports are included in Attachment 7. All confirmatory samples collected and analyzed were below the closure criteria for the site.

Closure Request

Vertex recommends no additional remediation action to address the releases at Helios/Hackberry. Laboratory analyses of confirmatory samples collected show final confirmatory values below the selected NMOCD closure criteria for areas where depth to groundwater is more than 100 feet bgs as presented in Table 1. There are no anticipated risks to human, ecological, or hydrological receptors at this release site.

The excavation will be backfilled with non-waste-containing, uncontaminated, earthen material, sourced locally, and placed to meet the site's existing grade to prevent water ponding and erosion. The site will then be reclaimed and seeded as required by Subsection A of 19.15.29.13 NMAC. This will take place when closure approval is received from NMOCD.

Vertex requests that these incidents (nAPP2116940090 and nAPP2219226827) be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. Devon certifies that all information in this report and the attachments are correct and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD requirements to obtain on the releases at Helios/Hackberry.

Should you have any questions or concerns, please do not hesitate to contact Chance Dixon at 575.988.1472 or cdixon@vertex.ca.

Sally Carttar, B.A.	Date
INT. ENVIRONMENTAL TECHNOLOGIST, REPORTING	
Chance Dixon, B.Sc.	Date
•	Butte
SR. ENVIRONMENTAL TECHNOLOGIST, REPORT REVIEW	

Attachments

Attachment 1. NMOCD C-141 Reports

Attachment 2. Figures

Attachment 3. Tables

Attachment 4. Closure Criteria for Soils Impacted by a Release Research Determination Documentation

Attachment 5. Daily Field Reports with Photographs

Attachment 6. Required 48-Hour Notification of Confirmatory Sampling to Regulatory Agencies

Attachment 7. Laboratory Data Reports and Chain of Custody Forms

ATTACHMENT 1

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural** Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nAPP2116940090
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Devon Energy Production Company				OGRID	6137
Contact Name Wesley Mathews				Contact	Telephone
Contact email Wesley.Mathews@dvn.com				Incident	t # (assigned by OCD)
		6488 Seven Ri		ia, NM 88210	
			Location	of Release	Course
20		24	Location	of Kelease	
Latitude 32	2.688038	31	(NAD 92 in Jo	Longitude cimal degrees to 5 de	
T					
		d Com 1H & 3H	Battery	Site Typ	^{oe} Oil
Date Release	Discovered	6/17/2021		API# (if a	applicable)
Unit Letter	Section	Township	Range	Co	ounty
	6	19S	31E		•
J	O	193	315		ddy
Surface Owne	r: State	Federal T	ribal Private (A	Vame:)
			NI-4	1	6 D. L
			Nature and	d Volume of	i Release
				calculations or speci	ific justification for the volumes provided below)
Crude Oi	1	Volume Release	ed (bbls)		Volume Recovered (bbls)
Produced	Water	Volume Release	ed (bbls) 91.82 Bl	BLS	Volume Recovered (bbls) 73 BBLS
Is the concentration of total dissolved sol in the produced water >10,000 mg/l?				` ′	Yes No
Condensate Volume Released (bbls)			ed (bbls)		Volume Recovered (bbls)
☐ Natural Gas Volume Released (Mcf)			ed (Mcf)		Volume Recovered (Mcf)
Other (describe) Volume/Weight Released (provide units)			Released (provide	e units)	Volume/Weight Recovered (provide units)
Cause of Release Pin hole leak on water transfer line.					
Thriftie leak of water transfer into.					

Page 12 of 414

Incident ID nAPP2116940090

District RP
Facility ID
Application ID

Was this a major	If YES, for what reason(s) does the respon	sible party consider this a major release?	
release as defined by 19.15.29.7(A) NMAC?	This is considered a major relea	se because it is over 25 BBLS.	
19.13.29.7(A) NWIAC:			
Yes No			
If YES, was immediate n	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?	
Immediate notice w	as given by NOR on the OCD we	bsite.	
	Initial R	esponse	
The responsible		y unless they could create a safety hazard that would result in injury	
The responsible	party must undertake the jouowing actions immediate	у итех теу соши стеше и хијегу падага тап моши техии т тјигу	
■ The source of the rele	ease has been stopped.		
	as been secured to protect human health and	the environment	
<u> </u>	•	ikes, absorbent pads, or other containment devices.	
	ecoverable materials have been removed an	•	
	d above have <u>not</u> been undertaken, explain v	vny:	
Spill was not in containment.			
D 10.15.20.0 D (4) ND	M.G.I.		
		emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred	
within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.			
I hereby certify that the info	rmation given above is true and complete to the	best of my knowledge and understand that pursuant to OCD rules and	
		cications and perform corrective actions for releases which may endanger	
public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In			
addition, OCD acceptance of and/or regulations.	of a C-141 report does not relieve the operator of	responsibility for compliance with any other federal, state, or local laws	
-	ra DoHovos	FHS Associato	
Printed Name:	a DeHoyos DeHoyas	Title: EHS Associate	
Signature: Kendra	Dettoyas	Date: 7/7/2021	
email. Kendra.Del	Hoyos@dvn.com	Telephone: 575-748-0167	
Cinaii.		receptione.	
OCD Only			
Received by: Ramona	Marcus	Date: 10/5/2021	
Received by.		Datc	

NAPP2116940090

Spil	I Volume(Bbl	s) Calculator
Inj	outs in blue, O	utputs in red
Cor	ntaminated Soil	measurement
Area (squa	re feet)	Depth(inches)
<u>7877.</u>	949	1.000
Cubic Feet of S	oil Impacted	656.496
Barrels of Soi	I Impacted	117.02
Soil Ty	ype	Clay/Sand
Barrels of water Assuming 100% Saturation		17.55
Saturation	Saturation Fluid present with shovel/backhoe	
Estimated Barrels of water Released		17.55
	Free Standing I	Fluid Only
Area (squa	re feet)	Depth(inches)
2500		2.000
Standing fluid 74.272		74.272
Total fluids spilled		91.825

Page 14 of 414

Incident ID	nAPP2116940090
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ☒ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No	
Are the lateral extents of the release overlying a subsurface mine?	Yes X No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes 🏻 No	
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No	
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		

Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 2/7/2023 1:49:22 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	Page 15 of 4	14
Incident ID	nAPP2116940090	
District RP		
Facility ID		
Application ID		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: Env. Professional	
Signature: Dals Woodall	Date: _2/7/2023	
email:dale.woodall@dvn.com	Telephone: (405)-318-4697	
OCD Only		
Received by:	Date:	

	Page 16 of 41	14
Incident ID	nAPP2116940090	
District RP		
Facility ID		
Application ID		

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.			
 ☑ Detailed description of proposed remediation technique ☑ Scaled sitemap with GPS coordinates showing delineation points ☑ Estimated volume of material to be remediated ☑ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC ☑ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required) 			
Deferral Requests Only: Each of the following items must be con	firmed as part of any request for deferral of remediation.		
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.			
Extents of contamination must be fully delineated.			
Contamination does not cause an imminent risk to human health	, the environment, or groundwater.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Printed Name: Dale Woodall	Title: Env. Professional		
Signature: Dale Woodall	Date: _2/7/2023		
email: dale.woodall@dvn.com	Telephone: (405)-318-4697		
OCD Only			
Received by:	Date:		
Approved Deferral Approved Deferral Approved			
Signature:	Date:		

Received by OCD: 2/7/2023	1:49:22 PM
Form C-141	State of New Mexico
Page 6	Oil Conservation Division

	Page 17 of 414
Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.			
X A scaled site and sampling diagram as described in 19.15.29.11 NMAC			
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office		
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)		
X Description of remediation activities			
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rer human health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regular restore, reclaim, and re-vegetate the impacted surface area to the coaccordance with 19.15.29.13 NMAC including notification to the O	nations. The responsible party acknowledges they must substantially anditions that existed prior to the release or their final land use in DCD when reclamation and re-vegetation are complete.		
email: dale.woodall@dvn.com	Telephone: (405)-318-4697		
OCD Only			
Received by:	Date:		
Received by:	Date:		
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.		
Closure Approved by:	Date:		
Printed Name:	Title:		

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party OGRI		OGRID				
Contact Name Contact		Contact Te	Γelephone			
Contact email Incid			Incident #	(assigned by OCD)	
Contact mailing address						
			Location	of Release So	ource	
Latitude				Longitude _		
			(NAD 83 in dec	cimal degrees to 5 decin	nal places)	<u> </u>
Site Name				Site Type		
Date Release	Discovered			API# (if app	licable)	
TT 1. T						
Unit Letter	Section	Township	Range	Coun	ity	
Surface Owner	r: State	☐ Federal ☐ Tr	ribal Private (A	Name:)
	_					
			Nature and	l Volume of I	Release	
-				calculations or specific		e volumes provided below)
	Crude Oil Volume Released (bbls)			Volume Reco	,	
Produced	Water	Volume Release	d (bbls)		Volume Reco	overed (bbls)
			ion of total dissolv		☐ Yes ☐ N	No
Condensa	te	Volume Release	water >10,000 mg d (bbls)	71?	Volume Reco	overed (bbls)
Natural G	Natural Gas Volume Released (Mcf)			Volume Reco		
	Other (describe) Volume/Weight Released (provide units)		e units)		ght Recovered (provide units)	
other (de	301130)	v oranie, w eight	receased (provide	o unito)	V Granner VV CI	gin necevered (provide dimes)
Cause of Rele	ease					

Received by OCD: 2/7/2023 1:49:22 PMM State of New Mexico Page 2 Oil Conservation Division

	Page 19eof 4	14
Incident ID		
District RP		
Facility ID		

Application ID

Was this a major	If YES, for what reason(s) does the respon	nsible party consider this a major release?
release as defined by 19.15.29.7(A) NMAC?		
19.13.29.7(A) NMAC:		
☐ Yes ☐ No		
If YES, was immediate no	otice given to the OCD? By whom? To wh	nom? When and by what means (phone, email, etc)?
	T ''' 1D	
	Initial R	esponse
The responsible p	party must undertake the following actions immediated	y unless they could create a safety hazard that would result in injury
	ease has been stopped.	
	s been secured to protect human health and	
Released materials ha	ave been contained via the use of berms or o	likes, absorbent pads, or other containment devices.
All free liquids and re	ecoverable materials have been removed an	d managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain	why:
Per 19.15.29.8 B. (4) NM	IAC the responsible party may commence r	emediation immediately after discovery of a release. If remediation
has begun, please attach	a narrative of actions to date. If remedial	efforts have been successfully completed or if the release occurred
within a lined containmen	nt area (see 19.15.29.11(A)(5)(a) NMAC), p	lease attach all information needed for closure evaluation.
		best of my knowledge and understand that pursuant to OCD rules and
		fications and perform corrective actions for releases which may endanger OCD does not relieve the operator of liability should their operations have
failed to adequately investig	ate and remediate contamination that pose a three	at to groundwater, surface water, human health or the environment. In
addition, OCD acceptance of and/or regulations.	f a C-141 report does not relieve the operator of	responsibility for compliance with any other federal, state, or local laws
_		Title
Kondya	Ruiz	Title:
Signature:	Junz	Date:
email:		Telephone:
OCD Only		
Received by:Jocelyn	Harimon	Date:

Sp	oill Volume(Bb	ls) Calculator
1/	nputs in blue, C	Outputs in red
Co	ontaminated Soi	l measurement
Length(Ft)	Width(Ft)	Depth(Ft)
<u>35</u>	15.000	0.500
Cubic Feet of S	Soil Impacted	<u>262.500</u>
Barrels of So	il Impacted	46.79
Soil T	уре	Clay/Sand
Barrels of Oil Assuming 100% Saturation		7.02
Saturation	Saturation Damp no fluid when squeezed	
Estimated Barrels of Oil Released		0.70
	Free Standing	Fluid Only
Length(Ft)	Width(Ft)	Depth(Ft)
<u>0</u>	0.000	0.000
Standin	g fluid	0.000
Total fluid	ds spilled	7.019

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 127694

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	127694
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimor	None	7/21/2022

Page 22 of 414

Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)	
Did this release impact groundwater or surface water?	Yes X No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No	
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes 🏻 No	
Are the lateral extents of the release within a 100-year floodplain?	Yes X No	
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil		

contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 2/7/2023 1:49:22 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	Page 23 of 4	14
Incident ID	nAPP2219226827	
District RP		
Facility ID		
Application ID		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: Env. Professional	
Signature: Dala Woodall	Date: <u>2/7/2023</u>	
email: dale.woodall@dvn.com	Telephone: (405)318-4697	
OCD Only		
Received by:	Date:	

tate of New Mexico

Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be	included in the plan.
 X Detailed description of proposed remediation technique X Scaled sitemap with GPS coordinates showing delineation points X Estimated volume of material to be remediated X Closure criteria is to Table 1 specifications subject to 19.15.29.1 X Proposed schedule for remediation (note if remediation plan times) 	2(C)(4) NMAC
Deferral Requests Only: Each of the following items must be con	firmed as part of any request for deferral of remediation
Contamination must be in areas immediately under or around prodeconstruction. Extents of contamination must be fully delineated.	
Extents of contamination must be furly defineated.	
Contamination does not cause an imminent risk to human health	, the environment, or groundwater.
I hereby certify that the information given above is true and complet rules and regulations all operators are required to report and/or file contains which may endanger public health or the environment. The acceptar liability should their operations have failed to adequately investigate surface water, human health or the environment. In addition, OCD a responsibility for compliance with any other federal, state, or local lateral contains the compliance with any other federal, state, or local lateral contains the contain	ertain release notifications and perform corrective actions for releases are of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, acceptance of a C-141 report does not relieve the operator of
Printed Name: Dale Woodall	Title: Env. Professional
Signature: Dale Woodall	Date: <u>2/7/2023</u>
email: _dale.woodall@dvn.com	Telephone: _(405)-318-4697
OCD Only	
Received by:	Date:
☐ Approved ☐ Approved with Attached Conditions of A	Approval
Signature:	Date:

Received by OCD: 2/7/2023 1:49:22 PM Form C-141 State of New Mexico Page 6 Oil Conservation Division

Incident ID nAPP2219226827


District RP
Facility ID
Application ID


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following	g items must be included in the closure report.
X A scaled site and sampling diagram as described in 19.15.29	9.11 NMAC
Note That Photographs of the remediated site prior to backfill or photomust be notified 2 days prior to liner inspection)	os of the liner integrity if applicable (Note: appropriate OCD District office
X Laboratory analyses of final sampling (Note: appropriate Ol	DC District office must be notified 2 days prior to final sampling)
X Description of remediation activities	
and regulations all operators are required to report and/or file cert may endanger public health or the environment. The acceptance should their operations have failed to adequately investigate and a human health or the environment. In addition, OCD acceptance compliance with any other federal, state, or local laws and/or regurestore, reclaim, and re-vegetate the impacted surface area to the accordance with 19.15.29.13 NMAC including notification to the Printed Name: Dale Woodall	belete to the best of my knowledge and understand that pursuant to OCD rules tain release notifications and perform corrective actions for releases which of a C-141 report by the OCD does not relieve the operator of liability remediate contamination that pose a threat to groundwater, surface water, of a C-141 report does not relieve the operator of responsibility for ulations. The responsible party acknowledges they must substantially conditions that existed prior to the release or their final land use in a OCD when reclamation and re-vegetation are complete. Title: _Env. Professsional Date: _2/7/2023 Telephone: _(405)-318-4697
OCD Only	
Received by:	Date:
	rty of liability should their operations have failed to adequately investigate and be water, human health, or the environment nor does not relieve the responsible ad/or regulations.
Closure Approved by:	Date:
Printed Name:	Title:

ATTACHMENT 2





Map Center:
Lat/Long: 32.687850, -103.907000

NAD 1983 UTM Zone 13N Date: Jan 30/23 Confirmation Schematic
Hackberry 6 Federal 1 Wellpad

_

devon

Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Background imagery from Google Earth, 2023. Features from GPS. Vertex Professional Services Ltd., 2023.

ATTACHMENT 3

Client Name: Devon Energy Production Company

Site Name: Helios 6 Fed Com 1H 3H

Project #: 21E-00580-003

Lab Report(s): 2106D66, 2107069

	Table 2. Init	ial Characteriza	tion Sam	ple/Field	Screen a	nd Labora	atory Res	ults - Dep	th to Gro	undwate	r >100 fe	et bgs	
	Sample Descrip	otion	Fi	eld Screeni	ng			Petrole	eum Hydro	carbons			
				oF!		Vol	atile			Extractable	9		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	, Total Petroleum Hydrocarbons (TPH)	Chloride
BG21-01	0	6/22/2021	(ppm) 0	(ppm)	(+/-) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND
BG21-01 BG21-01	1	6/22/2021	0		ND	ND ND	ND ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND
BG21-01 BG21-01	2	6/22/2021	0	39	ND	ND	ND	ND	ND ND	ND	ND	ND	ND
BH21-01	0.5	6/22/2021	1	_	8,188	ND	ND	ND	ND	ND	ND	ND	12,000.0
BH21-01	1	6/22/2021	1	_	7,091	—	_	_	_	_	_	_	
BH21-01	2	6/22/2021	1	_	8,083	_	_	_	_	_	_	_	_
BH21-01	3	6/22/2021	2	1,037	7,233	_	_	_	_	_	_	_	_
BH21-01	4	6/30/2021	2	_	2,411	_	_	_	_	_	_	_	
BH21-01	6	6/30/2021	1	_	9,427	_	_	_	_	_	_	_	_
BH21-01	8	6/30/2021	0	_	3,319	_	_	_	_	_	_	_	_
BH21-01	10	6/30/2021	1	_	7,468	_	_	_	_	_	_	_	_
BH21-01	11	6/30/2021	1	_	6,661	_	_	_	_	_	_	_	11,000.0
BH21-02	0.5	6/22/2021	3	_	5,590	ND	ND	ND	ND	ND	ND	ND	11,000.0
BH21-02	1	6/22/2021	1	_	8,520	_	_	_	_	_	_	_	_
BH21-02	2	6/22/2021	0	_	9,671	_	_	_	_	_	_	_	_
BH21-02	3	6/22/2021	1	57	6,289	_	_	_	_	_	_	_	_
BH21-02	3.5	6/23/2021	_	_	7,630	_	_	_	_	_	_	_	_



	Table 2. Init	tial Characteriza		-		nd Labora	atory Res				r >100 fe	et bgs	
	Sample Descri _l	ption	Fi	eld Screeni	ng			Petrole	um Hydrod				
				.oFI		Vol	atile			Extractable)		Inorganio
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	Chloride Concentration	, Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	, Total Petroleum Hydrocarbons (TPH)	Chloride
			(ppm)	(ppm)	(+/-)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BH21-02	4	6/30/2021	1	_	5,097		_		_	_	_	_	
BH21-02	6	6/30/2021	1	_	4,215	_	_		_	_	_	_	
BH21-02	8	6/30/2021	1	_	2,338	_	_		_	_	_	_	
BH21-02	12	6/30/2021	1	41	331	ND	ND	ND	ND	ND	ND	ND	150.0
BH21-03	0.5	6/22/2021	_	_	9,824	ND	ND	ND	ND	ND	ND	ND	13,000.0
BH21-03	1	6/22/2021	_	_	8,835	_	_		_	_	_	_	
BH21-03	2	6/22/2021	_	_	8,614	_	_		_	_	_	_	
BH21-03	3	6/22/2021	_	_	8,556	_	_	_	_	_	_	_	_
BH21-03	3.5	6/23/2021	_		10,366	_	_	_	-	-	_	_	_
BH21-03	4	6/28/2021	_	_	6,279	_	_	_	ı	-	1	_	_
BH21-03	5	6/28/2021	_	_	6,256	_	_	_	ı	1	-	_	_
BH21-03	7	6/28/2021	_	_	5,092	_	_	_	1	1	1	_	_
BH21-03	8	6/28/2021	_	_	5,658	_	_	_	1	1	-	_	_
BH21-03	9	6/28/2021	_	_	1,367	_	_	_	-	-	_	_	_
BH21-03	10	6/30/2021	0	_	950	_	_	_	_		_	_	_
BH21-03	11	6/30/2021	1		664	_	_	_	1		_	_	_
BH21-03	12	6/30/2021	1	44	107	ND	ND	ND	ND	ND	ND	ND	170.0
BH21-04	0.5	6/22/2021	_	_	14,605	ND	ND	ND	28	98	28	126	18,000.0
BH21-04	1	6/22/2021	_	_	6,090	_	_	_	_	_	_	_	_
BH21-04	2	6/22/2021	_	_	7,618	_	_	_	_	_	_	_	_
BH21-04	3	6/22/2021	_	_	7,257	_	_	_	_	_	_	_	_
BH21-04	3.5	6/23/2021	_	_	10,044	_	_	_	_		_	_	_
BH21-04	4	6/30/2021	0	_	2,932	_	_	_	_	_	_	_	_



	Table 2. Init	tial Characteriza	tion Sam	ple/Field	Screen a	nd Labora	atory Res	ults - Dep	th to Gro	undwate	r >100 fe	et bgs	
	Sample Descri	ption	Fi	eld Screeni	ng			Petrole	eum Hydro	carbons			
				0FI		Vol	atile			Extractable	:		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFl	(Benzene (mg/kg)	BTEX (Total)	ട്ട അ Gasoline Range Organics (GRO) ജ	ച്ച പ്പ് Diesel Range Organics (DRO) ജ	ച്ച അ Motor Oil Range Organics (MRO)	(GRO + DRO)	স্ত্র স্থি জি	(gg/gg) Chloride
BH21-04	6	6/30/2021	1	— (PP)	4,620	—	—	—	—	—	_	—	—
BH21-04	9	6/30/2021	1	_	6,410	_	_	_	_	_	_	_	_
BH21-04	11	6/30/2021	1	_	6,386	_	_	_	_	_	_	_	_
BH21-04	12	6/30/2021	1	_	6,085	_	_	_	_	_	_	_	_
BH21-04	13	6/30/2021	1	_	6,726	_	_	_	_	_	_	_	_
BH21-04	14	6/30/2021	1	_	6,560	_	_	_	_	_	_	_	_
BH21-04	15	6/30/2021	2	_	4,698	ND	ND	ND	ND	ND	ND	ND	6,700.0
BH21-05	0.5	6/23/2021	_	_	24	ND	ND	ND	ND	ND	ND	ND	ND
BH21-06	0.5	6/23/2021	_	_	71	ND	ND	ND	ND	ND	ND	ND	ND
BH21-07	0.5	6/23/2021	_	_	2,803	_	_	_	_	_	_	_	_
BH21-08	0.5	6/23/2021	_	_	28	ND	ND	ND	ND	ND	ND	ND	ND
BH21-09	0.5	6/23/2021	_	68	250	ND	ND	ND	ND	ND	ND	ND	120.0
BH21-10	0.5	6/23/2021	_	_	568	_	_	_	_	_	_	_	_
BH21-11	0.5	6/23/2021	_	_	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH21-12	0.5	6/23/2021	_	_	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH21-13	0.5	6/23/2021	_		138	ND	ND	ND	ND	ND	ND	ND	ND
BH21-14	0.5	6/23/2021	_	_	282	ND	ND	ND	ND	ND	ND	ND	330.0
BH22-01	0	11/3/2022	0	21	228	ND	ND	ND	ND	ND	ND	ND	ND
BH22-01	2	11/3/2022	0	_	135	ND	ND	ND	ND	ND	ND	ND	ND
BH22-02	0	11/3/2022	0	48	342	ND	ND	ND	ND	ND	ND	ND	ND
BH22-02	2	11/3/2022	0	_	174	ND	ND	ND	ND	ND	ND	ND	ND
BH22-03	0	11/3/2022	0	55	205	ND	ND	ND	ND	ND	ND	ND	ND



	Table 2. Init	tial Characteriza	tion Sam	ple/Field	Screen a	nd Labora	atory Res	ults - Dep	th to Gro	undwate	r >100 fe	et bgs	
	Sample Descri _l	ption	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
				OFI		Vol	atile			Extractable	9		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride
	_		(ppm)	(ppm)	(+/-)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BH22-03	2	11/3/2022	0		69	ND	ND	ND	ND	ND	ND	ND	ND
BH22-04	0	11/3/2022	0	65	310	ND	ND	ND	ND	ND	ND	ND	ND
BH22-04	2	11/3/2022	0	_	212	ND	ND	ND	ND	ND	ND	ND	130.0
BH22-05	0	11/3/2022	0	64	477	ND	ND	ND	ND	ND	ND	ND	ND
BH22-05	2	11/3/2022	0	_	255	ND	ND	ND	ND	ND	ND	ND	ND
BH22-06	0	11/3/2022	0	74	380	ND	ND	ND	ND	ND	ND	ND	ND
BH22-06	2	11/3/2022	0	_	174	ND	ND	ND	ND	ND	ND	ND	ND
BH22-07	0	11/3/2022	0	164	7,426	ND	ND	ND	ND	ND	ND	ND	9,000.0
BH22-07	2	11/3/2022	0	24	7,995	ND	ND	ND	ND	ND	ND	ND	7,000.0
BH22-07	4	11/3/2022	0	50	7,925	ND	ND	ND	14	ND	14	14	6,600.0
BH22-08	0	11/3/2022	0	124	8,455	ND	ND	ND	ND	ND	ND	ND	7,100.0
BH22-08	2	11/3/2022	0	40	8,790	ND	ND	ND	ND	ND	ND	ND	5,600.0
BH22-08	4	11/3/2022	0	25	4,550	ND	ND	ND	41	110	41	151	7,300.0

[&]quot;ND" Not Detected at the Reporting Limit

Bold and Shaded indicates exceedance outside of regulator criteria (Off-site)



[&]quot;-" indicates not analyzed/assessed

Client Name: Devon Energy Production Company

Site Name: Helios 6 Fed Com 1/Hackberry 6 Federal 1 Wellpad NMOCD Tracking #: nAPP2116940090, nAPP2219226827

Project #: 22E-02537

Lab Report(s): 2301225, 2301270, 2301321, 2301461, 2301574, 2301376, 2301522, 2301870, 2301754, 2301764, 2301711, 2301631

	T	able 3. Confirmat	ory Sampl	le Field Sci	reen and L	aboratory	Results -	Depth to	Groundwa	ter >100 f	eet bgs		
9	Sample Descrip			eld Screeni				_	eum Hydro				
			ds			Vol	atile			Extractable			Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene (mg/kg)	Barex (Total)	(GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	3) Chloride Concentration
WS23-01	0-4	01/04/2023	-	67	318	ND	ND	ND	ND	ND	ND	ND	ND
WS23-02	0-4	01/04/2023	-	191	551	ND	ND	ND	9.6	ND	9.6	9.6	110
WS23-03	0-4	01/04/2023	-	206	654	ND	ND	ND	ND	ND	ND	ND	140
WS23-14	0-4	01/06/2023	-	48	390	ND	ND	ND	ND	ND	ND	ND	320
WS23-27	0-4	01/10/2023	0	12	210	ND	ND	ND	ND	ND	ND	ND	120
WS23-29	0-4	01/10/2023	0	49	220	ND	ND	ND	ND	ND	ND	ND	140
WS23-34	0-4	01/12/2023	0	84	378	ND	ND	ND	ND	ND	ND	ND	540
WS23-39	0-4 0-4	01/13/2023	0	59 28	218 90	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	100 ND
WS23-40 WS23-41	0-4	01/13/2023 01/13/2023	0	19	170	ND ND	ND ND	ND	ND ND	ND ND	ND	ND	79
WS23-41 WS23-42	0-4	01/13/2023	0	26	488	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	170
WS23-42 WS23-43	0-4	01/20/2023	1	57	600	ND	ND	ND	ND	ND	ND	ND	ND
WS23-43	0-4	01/20/2023	1	33	578	ND	ND	ND	ND	ND	ND	ND	ND
WS23-45	0-4	01/20/2023	1	133	340	ND	ND	ND	ND	ND	ND	ND	ND
BS23-01	4	01/09/2023	0	60	7,720	ND	ND	ND	ND	ND	ND	ND	7800
BS23-02	4	01/09/2023	0	80	7,318	ND	ND	ND	ND	ND	ND	ND	8100
BS23-03	4	01/10/2023	0	35	200	ND	ND	ND	ND	ND	ND	ND	150
BS23-04	4	01/10/2023	0	120	668	ND	ND	ND	13	ND	13	13	790
BS23-05	4	01/10/2023	0	121	1,753	ND	ND	ND	24	ND	24	24	1700
BS23-06	4	01/11/2023	0	61	9,902	ND	ND	ND	ND	ND	ND	ND	7100
BS23-07	4	01/11/2023	0	24	3,426	ND	ND	ND	ND	ND	ND	ND	1900
BS23-08	4	01/11/2023	0	110	4,103	ND	ND	ND	11	ND	11	11	4200
BS23-09	4	01/11/2023	0	171	5,400	ND	ND	ND	9.6	ND	9.6	9.6	3000
BS23-10	4	01/11/2023	0	185 98	7,711	ND ND	ND	ND ND	15 ND	ND ND	15 ND	15 ND	6100
BS23-11	4	01/11/2023	0	188	6,812 8,052	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	7800 7000
BS23-12 BS23-13	4	01/11/2023	0	159	6,350	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	5600
BS23-13	4	01/11/2023 01/11/2023	0	188	8,052	ND	ND	ND	ND	ND	ND	ND	6500
BS23-14 BS23-15	4	01/11/2023	0	187	10,053	ND	ND	ND	ND	ND	ND	ND	12000
BS23-15	4	01/11/2023	0	183	9,150	ND	ND	ND	ND	ND	ND	ND	8300
BS23-17	4	01/11/2023	0	97	5,042	ND	ND	ND	ND	ND	ND	ND	4600
BS23-18	4	01/11/2023	0	150	7,661	ND	ND	ND	ND	ND	ND	ND	8500
BS23-19	4	01/11/2023	0	178	6,730	ND	ND	ND	26	67	26	93	6700
BS23-20	4	01/11/2023	0	323	7,837	ND	ND	ND	31	71	31	102	9100
BS23-21	4	01/11/2023	0	113	6,562	ND	ND	ND	11	ND	11	11	9200
BS23-22	4	01/11/2023	0	143	9,055	ND	ND	ND	ND	ND	ND	ND	6800
BS23-23	4	01/11/2023	0	190	10,039	ND	ND	ND	ND	ND	ND	ND	9000
BS23-24	4	01/11/2023	0	165	8,241	ND	ND	ND	ND	ND	ND	ND	7400
BS23-25	4	01/11/2023	0	246	9,550	ND	ND	ND	28	51	28	79	10000
BS23-26	4	01/13/2023	0	741	3,607	ND	ND	ND	73	100	73	173	3500
BS23-27	4	01/13/2023	0	675	5,880	ND	ND	ND	64	90	64	154	6000
BS23-28	4	01/16/2023	0	664	2,975	ND	ND	ND	220	260	220	480	3000
BS23-29	4	01/16/2023	0	819	3,120	ND	ND	ND	170 310	210	170 310	380	2700
BS23-30	4	01/16/2023	0	1,241 149	3,320 2,605	ND ND	ND ND	ND ND	310 12	520 ND	310 12	830 12	3000 2700
BS23-31	4	01/16/2023	0	183	2,845	ND ND	ND ND	ND ND	25	56	25	81	3600
BS23-32	4	01/16/2023	0	159	2,845 955	ND ND	ND ND	ND ND	30	48	30	78	2200
BS23-33 BS23-34	4	01/16/2023 01/16/2023	0	112	1,205	ND ND	ND ND	ND	26	ND	26	26	1200
BS23-34 BS23-35	4	01/16/2023	0	54	640	ND	ND	ND	13	ND	13	13	730
BS23-35	4	01/16/2023	0	38	1,443	ND	ND	ND	ND	ND	ND	ND	1200
BS23-30	4	01/16/2023	0	101	835	ND	ND	ND	ND	ND	ND	ND	490
BS23-38	4	01/16/2023	0	12	1,770	ND	ND	ND	ND	ND	ND	ND	1200
		. , .,											



DC22 20	4	01/16/2022	0	51	2,870	ND	ND	ND	ND	ND	ND	ND	2100
BS23-39	4	01/16/2023	0	102	1,480	ND	ND	ND ND	ND	ND ND	ND ND	ND ND	1600
BS23-40	4	01/16/2023 01/16/2023	0	40	1,090	ND	ND	ND	ND	ND	ND	ND	1200
BS23-41 BS23-42	4		0	19	433	ND	ND	ND	ND	ND	ND	ND	230
BS23-42	4	01/16/2023 01/16/2023	0	52	988	ND	ND	ND	ND	ND	ND	ND	650
BS23-44	4	01/16/2023	0	56	1,463	ND	ND	ND	ND	ND	ND	ND	1600
BS23-45	4	01/16/2023	0	49	2,393	ND	ND	ND	ND	ND	ND	ND	2200
BS23-46	4	01/16/2023	0	81	1,190	ND	ND	ND	9.6	ND	9.6	9.6	910
BS23-47	4	01/16/2023	0	26	543	ND	ND	ND	ND	ND	ND	ND	510
BS23-47	4	01/17/2023	0	248	1.255	ND	ND	ND	33	64	33	97	1100
BS23-49	4	01/17/2023	0	378	1,490	ND	ND	ND	65	100	65	165	1400
BS23-50	4	01/17/2023	0	8	1,430	ND	ND	ND	52	96	52	148	1600
BS23-51	4	01/17/2023	0	316	1,662	ND	ND	ND	39	85	39	124	1600
BS23-52	4	01/17/2023	0	482	3,633	ND	ND	ND	76	160	76	236	3100
BS23-53	4	01/17/2023	0	479	3,012	ND	ND	ND	88	160	88	248	2600
BS23-54	4	01/17/2023	0	154	2,440	ND	ND	ND	32	ND	32	32	2200
BS23-55	4	01/17/2023	0	115	1,445	ND	ND	ND	ND	ND	ND	ND	1100
BS23-56	4	01/17/2023	0	575	4,043	ND	ND	ND	180	ND	180	180	3700
BS23-57	4	01/17/2023	0	990	8,762	ND	ND	ND	150	ND	150	150	7100
BS23-58	4	01/18/2023	1	678	4,498	ND	ND	ND	180	340	180	520	9700
BS23-59	4	01/18/2023	1	769	2,385	ND	ND	ND	170	240	170	410	4500
BS23-60	4	01/18/2023	1	594	1,132	ND	ND	ND	150	240	150	390	2200
BS23-61	4	01/18/2023	2	325	5,230	ND	ND	ND	70	100	70	170	8100
BS23-62	4	01/18/2023	1	745	3,948	ND	ND	ND	310	460	310	770	4200
BS23-63	4	01/18/2023	1	919	8,920	ND	ND	ND	190	300	190	490	8700
BS23-64	4	01/18/2023	1	273	12,598	ND	ND	ND	56	81	56	137	17000
BS23-65	4	01/18/2023	1	289	9,993	ND	ND	ND	120	150	120	270	12000
BS23-66	4	01/18/2023	1	714	7,055	ND	ND	ND	160	220	160	380	6800
BS23-67	4	01/18/2023	1	926	6,900	ND	ND	ND	390	670	390	1060	5900
BS23-68	4	01/18/2023	1	1,054	5,595	ND	ND	ND	330	590	330	920	5200
BS23-69	4	01/18/2023	1	726	5,560	ND	ND	ND	390	700	390	1090	4900
BS23-70	4	01/18/2023	1	1,145	3,495	ND	ND	ND	540	890	540	1430	3300
BS23-71	4	01/18/2023	1	1,180	2,940	ND	ND	ND	390	690	390	1080	2400
BS23-72	4	01/18/2023	1	1,157	2,620	ND	ND	ND	450	570	450	1020	2700
BS23-73	4	01/18/2023	1	688	7,813	ND	ND	ND	150	240	150	390	7800
BS23-74	4	01/18/2023	1	511	10,880	ND	ND	ND	160	220	160	380	11000
BS23-75	4	01/18/2023	1	474	8,605	ND	ND	ND	66	140	66	206	7700
BS23-76	4	01/19/2023	2	267	5,753	ND	ND	ND	49	79	49	128	9800
BS23-77	4	01/19/2023	2	249	5,008	ND	ND	ND	27	ND	27	27	8200
BS23-78	4	01/19/2023	2	581	3,495	ND	ND	ND	96	140	96	236	6000
BS23-79	4	01/19/2023	2	257	3,068	ND	ND	ND	76	120	76	196	4200
BS23-80	4	01/19/2023	1	1,008	1,788	ND	ND	ND	380	600	380	980	2400
BS23-81	4	01/19/2023	2	800	1,690	ND	ND	ND	170	320	270	590	2100
BS23-82	4	01/19/2023	1	880	1,613	ND	ND	ND	200	220	200	420	1900
BS23-83	4	01/19/2023	1	485	1,108	ND	ND	ND	310	370	310	680	1300
BS23-84	4	01/19/2023	1	1,120	1,930	ND	ND	ND	540	890 ND	540	1430	2400
BS23-85	4	01/19/2023	1	660	2,073	ND	ND	ND	140	ND	140	140	3200
BS23-86	4	01/19/2023	1	231	1,498	ND	ND	ND	21	ND	21	21	1400
BS23-87	4	01/19/2023	1	390	1,573	ND	ND	ND ND	28	ND ND	28	28	1400
BS23-88	4	01/19/2023	1	152 104	1,638	ND ND	ND ND	ND ND	15	ND ND	15 10	15 10	3100 5200
BS23-89	4	01/19/2023	1	104	3,380 1,018	ND ND	ND ND	ND ND	10 ND	ND ND	ND	ND	1000
BS23-90	4	01/19/2023	2	63	1,018	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	2400
BS23-91 BS23-92	4	01/19/2023 01/19/2023	1	358	2,498	ND ND	ND ND	ND ND	ND 44	60	ND 44	104	4300
BS23-92 BS23-93	4		2	120	2,498	ND ND	ND	ND ND	13	ND	13	104	4900
BS23-93 BS23-94		01/19/2023	1	358	1,978	ND ND	ND	ND ND	80	130	80	210	2600
BS23-94 BS23-95	4	01/19/2023 01/19/2023	1	664	1,505	ND	ND	ND ND	33	ND	33	33	2100
BS23-95 BS23-96	4	01/19/2023	1	868	2,100	ND	ND	ND	470	610	470	1080	2700
BS23-96 BS23-97	4	01/19/2023	1	319	1,833	ND	ND	ND ND	63	94	63	157	2200
BS23-97 BS23-98	4	01/19/2023	1	421	1,625	ND	ND	ND	39	69	39	108	2300
BS23-98 BS23-99	4	01/19/2023	1	352	1,755	ND	ND	ND	39	80	39	119	2300
BS23-99 BS23-100	4	01/19/2023	2	92	2,258	ND	ND	ND	ND	ND	ND	ND	2800
BS23-100	4	01/20/2023	1	81	1,283	ND	ND	ND	ND	ND	ND	ND	1700
	-	02, 20, 2023		268	1,458	ND	ND	ND	20	ND	20	20	2000
	4	01/20/2023	1	200									
BS23-102	4	01/20/2023	1	440	,				39	64	39	103	1800
BS23-102 BS23-103	4	01/20/2023	1	440	1,493	ND	ND	ND	39 43	64 63	39 43	103 106	1800 2300
BS23-102 BS23-103 BS23-104	4	01/20/2023 01/20/2023	1	440 346	1,493 1,680	ND ND	ND ND	ND ND	43	63	43	106	2300
BS23-102 BS23-103	4	01/20/2023	1	440	1,493	ND	ND	ND					



BS23-107	4	01/20/2023	1	339	2,575	ND	ND	ND	40	62	40	102	2300
BS23-108	4	01/20/2023	1	251	1,600	ND	ND	ND	38	63	38	101	2200
BS23-109	4	01/20/2023	2	202	2,965	ND	ND	ND	25	ND	25	25	2900
BS23-110	4	01/20/2023	1	197	1,330	ND	1600						
BS23-111	4	01/20/2023	1	210	1,025	ND	ND	ND	21	ND	21	21	960


[&]quot;ND" Not Detected at the Reporting Limit
"-" indicates not analyzed/assessed

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)



ATTACHMENT 4







z	OSE POD N	O. (WELL NO).)		WELL TAG ID NO.		1.116-31517-251	OSE FILE NO	(S).	atrodate (d	See manas masteriorios
OCATIC	WELL OWN Devon En	NER NAME(S ergy)			,,,		PHONE (OPT	IONAL)	AP PIL	
WELL	WELL OWN 6488 7 Riv	vers Hwy	3 ADDRESS					CITY Artesia	NM 88210	STATE	ZIP
GENERAL AND WELL LOCATION	WELL LOCATIO (FROM G	PS) LO	TITUDE NGITUDE	EGREES 32 103	MINUTES 40 54	seconds 56.79 4.32	N W	* DATUM RE	Y REQUIRED: ONE TEN		Process (1819)
9.E		Manadar Vinano	NG WELL LOCATION TO		RESS AND COMMON I	ANDMAR	KS PLS	S (SECTION, TO	OWNSHJIP, RANGE) WE	IERE AVAILABLE	
	LICENSE NO	33	NAME OF LICENSED		Jason Maley				NAME OF WELL DR Visi	ILLING COMPANY on Resources, Inc	
	DRILLING S		DRILLING ENDED 12/13/22	DEPTH OF CO	MPLETED WELL (FT) 105	В		LE DEPTH (FT) 105	DEPTH WATER FIR	ST ENCOUNTERED (FT none)
S.	COMPLETE	D WELL IS:	ARTESIAN *ndd Centralizer info be	DRY HOL	E 🗌 SHALLOW	(UNCONI:	NED)		WATER LEVEL PLETED WELL	DATE STATIC	MEASURED
INFORMATION	DRILLING F	LUID: METHOD: [P	AIR ROTARY HAMI	MUD MER CABI	ADDITIVES TOOL OTHER	S - SPECIFY			CHECK INSTAL	HERE IF PITLESS ADA	PTER IS
CASING INFO	DEPTH FROM	(feet bgl)	BORE HOLE DIAM (inches)	(include e	MATERIAL AND/O GRADE each casing string, ar	nd	CONN	SING JECTION YPE ing diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
-8	0	80	6	2i	nch pvc sch 40			nead	2	S24 (10)	
2.DRILLING	80	100	6	2 i	nch pvo sch 40		th	nread	2	5.140	0.50
							• • • • • • • • • • • • • • • • • • • •				
RIAL	DEPTH FROM	(feet bgl)	BORE HOLE DIAM. (inches)		LAR SEAL MATERIA RANGE BY I tralizers for Artesian	NTERVAL			AMOUNT (cubic feet)	METHO PLACEM	
AR WATERIAL						*************************************					
2-ANNULAR					· · · · · · · · · · · · · · · · · · ·		. 184				
FOR FILE	OSE INTERI NO	NAL USE			POD NO.			WR-20		LOG (Version 09/22	2/2022)
LOCA	ATION		7,000				V	VELL TAG II) NO.	PAGE	1 OF 2

	. tedjsjamjere ". j., g e vrg	Laderday, Estimati		almoducina alema alema alema alema	together the land of the should prove the lighter	ragishtar ada	tri magrid Marmar - Taliggi	([alshij]	. Particologica de l'esterna a la	daugu 9 K. M	Nerwashneshneshe
	DEPTH (feet bgl) TO	THICKNESS (feet)	INCLUDE WAT	ND TYPE OF MATERIAL ER-BEARING CAVITIES pplemental sheets to fully	OR FRAC	CTURE ZONE	s	WAT BEARI (YES /	NG?	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	0	30	30	***************************************	red sand and white calid	hie			Y	<u>B</u>	1102
	30	40	10		fine red sand			·	Y	αÑ	
	40	50	10		red clay				Y	(Å)	······································
	50	60	10		pink sand and calichi	c			Y	(8)	
	60	70	10	P. 19969-August	red clay moist	·			Y	(1)	
	70	80	10		pink sandy calichie				Y	\(\alpha\)	
4. HYDROGROLOGIC EOG OF WYLE	80	105	25		red fine sand				Y	(B)	********
6							— - 		Y	N	
၂၀၀									У	N	or his over the sides.
ē		·	*********						Y	N	
) [0]									Y	N	- ANNE AND
EO		•					·		Y	N	······································
Ď		* : · · · · · · · · · · · · · · · · · ·							Y	N	
									Y	N	
•									Y	N	
	***************************************								Y	N	
					- x		T & WEST CONTROL OF THE SECOND		У	N	
						<u></u>			Υ	N	
		-;\ 							Y	N	
					THE PARTY BUT				Y	N	
									Y	N	
	METHOD U	SED TO ES	TIMATE YIELD	OF WATER-BEARIN	G STRATA:				AL ESTIMA		
	PUMI				THER SPECIFY:				L YIELD		,
APPENDICT	Parent Land in the land		inatara di casa di 1, a e e e e e e e e e e e e e e e e e e		And the second of the second o	Helis et a Principalis	11.01 · 1.0	Contractor		resonate de la composición dela composición de la composición de la composición de la composición de la composición dela composición de la composición dela composición dela composición de la c	ila, tamba gayar muzus da 2020-
ود	WELL TEST	r TEST I START	RESULTS - ATTA TTIME, END TIN	ACH A COPY OF DAT ME, AND A TABLE SI	TA COLLECTED DURING HOWING DISCHARGE AT	WELL '	resting, inc Wdown ovi	LUDI ER THI	NG DISCH E TESTINO	ARGE N PERIO	NETHOD, D.
RIGSUPERVISION	MISCELLA	NEOUS INF	ORMATION:		in the second part of the second second	<u> telad Sirit a is, i</u>	Helicia (Marie Control	- 1 -	100 Japan	<u> </u>	nian Zentat antar lanta (bitki est la
TE A											
CS											
22											
E	PRINT NAM	IE(S) OF DE	ULL RIG SUPER	VISOR(S) THAT PRO	VIDED ONSITE SUPERV	ISION Ó	F WELL CON	STRU	CTION OT	HER TH	AN LICENSEE:
\$											
	THE UNDER	RSIGNED H	EREBY CERTIF	IES THAT, TO THE F	BEST OF HIS OR HER KN	OWLED	GE AND BEL	IEF, T	HE FOREG	OING I	S A TRUE AND
SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:										
	A STATE OF THE CONTINUE OF A BEET DISTING.										
SIG		,,,	VIVI 1	16 1	View Miles				أمام	<i></i>	
e i		SIGNATI	IKE OF DRIVE	R / PRINT SIGNEE	MAME	.)	personal desires, of		Pry [1.]	· · · · · · · · · · · · · · · · · · ·	
r:".#64jir1		CLOCKED STORY		ATTRIBUTE OF A STREET, THE APPROXIMATION OF THE	CALTAIN	· Herence (1955 - Com	ue forizani Nasila isa	**************************************	I Congression	DATE	
	OSE INTERI	NAL USE	·····				WR-20 WEI	L RE	CORD & LO	OG (Ver	sion 09/22/2022)
	E NO.	••————		7 N TO THE SEC AS A SEC.	POD NO.		TRN NO.				
LOC	CATION			***************************************		WELL	TAG ID NO.				PAGE 2 OF 2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

	owner: Devon Energy ag address: 6488 7 Rivers Hwy		Phone No.:	
City:	Artesia	State:	New Mexico	Zin code: 80
II. W	ELL PLUGGING INFORMATION:			
1)	Name of well drilling company that pl	lugged well: Vision	Resources, Inc	
2)	New Mexico Well Driller License No.	WD 1833	Exp	piration Date: 12-31-23
3)	Well plugging activities were supervis Jason Maley	sed by the following		
4)	Date well plugging began: 12-16-2		•	_{d:} 12-16-22
5)	GPS Well Location: Latitude: Longitude:	32 deg.		
5)	Depth of well confirmed at initiation o by the following manner: tape	f plugging as:10		
7)	Static water level measured at initiation	n of plugging:d	ry ft bgl	
3)	Date well plugging plan of operations	was approved by the	State Engineer: yes	
))	Were all plugging activities consistent differences between the approved plug	with an approved ph ging plan and the we	ngging plan? yes ll as it was plugged (attach	If not, please de additional pages as need

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging <u>Material Used</u> (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
 	Barold Hale Plug	155	184,21	Plate	pare the parent , co.
					ı ,
-					
		MULTIPLY BY	AND OBTAIN		•

cubic feet x 7.4805 = gallons cubic yards x 201.97 = gallons

III. SIGNATURE:

I, Jason Maley

, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller

Date



Hackberry 6 Federal 1 Well Pad 800 Feet (



December 2, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland


Freshwater Pond


Lake

Other

Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.







7, Hackberry 6 Fed 1 Wellpad to Wetland



August 12, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Pond

Freshwater Forested/Shrub Wetland


Other

Riverine

Lake

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Active Mines in New Mexico




12/2/2022, 8:27:51 AM

Registered Mines

Aggregate, Stone etc.

Potash



Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway

> depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X

0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average

Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X

Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D

- - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLIL Levee, Dike, or Floodwall

> 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation **Coastal Transect** Base Flood Elevation Line (BFE) Limit of Study

Jurisdiction Boundary **Coastal Transect Baseline** OTHER **Profile Baseline**

FEATURES Hydrographic Feature Digital Data Available

MAP PANELS

No Digital Data Available

Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/12/2022 at 5:54 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2.000

Eddy Area, New Mexico

SG—Simona gravelly fine sandy loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5w Elevation: 2,750 to 5,000 feet

Mean annual precipitation: 8 to 16 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 230 days

Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 95 percent *Minor components*: 5 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Simona

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: gravelly fine sandy loam

H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low

to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 2.1 inches)


Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R070BD002NM - Shallow Sandy



Map Unit Description: Simona gravelly fine sandy loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Minor Components

Simona

Percent of map unit: 4 percent

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

Playa

Percent of map unit: 1 percent

Landform: Playas

Landform position (three-dimensional): Talf Down-slope shape: Concave, convex Across-slope shape: Concave, linear

Ecological site: R070BC017NM - Bottomland

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 18, Sep 8, 2022



Ecological site R070BD002NM Shallow Sandy

Accessed: 12/02/2022

General information

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Associated sites

R070BD004NM	Sandy	l
	Sandy sites often occur in association or in a complex with Shallow Sandy Sites.	

Similar sites

R070BD004NM	Sandy
	Sandy ecological sites are similar to Shallow Sandy sites in species composition and Transition pathways.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

Physiographic features

This site occures on plains, alluvial fans, uplands, or fan piedmonts. The parent material consists of mixed loamy alluvium or eolian material derived from igneous and sedimentory bedrock. The petrocalcic layer is at a depth of 10 to 25 inches and undulating.

Slopes are nearly level to undulating, usually less than 9 percent. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain(2) Fan piedmont(3) Alluvial fan
Elevation	2,842-4,500 ft
Slope	1–9%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common.

Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is from 207 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of the site. The vegetation of this site can take advantage of the moisture and the time it falls. Because of the soil profile, little moisture can be stored in the soil for any length of time. Moisture is readily available to the plants from the time it falls. Strong winds from the southwest blow from January through June which rapidly dries out the soil profile during a critical period for plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are very shallow to shallow, less than 20 inches in depth. Surface and subsurface textures are gravelly loamy sand, gravelly fine sandy loam or fine sandy loam.

An indurated calache layer occurs at depths of 6 to 25 inches and is at an average of 15 inches from the surface. Underlying material textures are very gravelly fine sandy loam, very gravelly sandy loam, gravelly fine sandy loam. Gravels are calcium carbonate concretions, calcium carbonate content ranges from 30 to 65 percent.

The indurated caliche layer typically holds water up in the profile for short periods within the root zone of plants. These soils will blow if left unprotected by vegetation.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are: Simona

Jerag

Table 4. Representative soil features

Surface texture	(1) Fine sandy loam(2) Loamy fine sand(3) Gravelly fine sandy loam
Family particle size	(1) Loamy
Drainage class	Well drained to moderately well drained
Permeability class	Moderately slow to moderate

Soil depth	7–24 in
Surface fragment cover <=3"	5–25%
Surface fragment cover >3"	0%
Available water capacity (0-40in)	1–2 in
Calcium carbonate equivalent (0-40in)	5–15%
Electrical conductivity (0-40in)	0–4 mmhos/cm
Sodium adsorption ratio (0-40in)	0
Soil reaction (1:1 water) (0-40in)	7.4–8
Subsurface fragment volume <=3" (Depth not specified)	5–25%
Subsurface fragment volume >3" (Depth not specified)	0%


Ecological dynamics

Overview

The Shallow Sandy site occurs on upland plains, and tops of low ridges and mesas, associated with Sandy, Loamy Sand, and Shallow sites. Coarse to moderately coarse soil surface textures, shallow depth (<20 inches) to an indurated caliche layer (petrocalcic horizon), and an overwhelming dominance by black grama help to distinguish this site. The historic plant community of the Shallow Sandy site is a black grama dominated grassland sparsely dotted with shrubs. Shrubs, especially mesquite and creosotebush can increase or colonize due to the dispersal of shrub seeds by livestock or wildlife. This increase in mesquite and colonization of creosotebush may be enhanced by proximity to areas with existing high shrub densities. Fire suppression, and the loss of grass cover due to overgrazing or drought may facilitate the increase and encroachment of shrubs. Persistent loss of grass cover, competition for resources by shrubs, and periods of climate with increased winter precipitation and dry summers, may initiate the transition to a shrub-dominated state.

State and transition model

Plant Communities and Transitional Pathways (diagram)



- Seed dispersal, drought, overgrazing, fire suppression.
- Prescribed fire, brush control, prescribed grazing.
- Persistent loss of grass cover, resource competition, increased winter precipitation.
- Brush control, range seeding, prescribed grazing.

State 1 Historic Climax Plant Community

Community 1.1 Historic Climax Plant Community

Grassland: This site responds well to management and is resistant to state change, due to the shallow depth to petrocalcic horizon and sandy surface textures. The sandy surface textures allow rapid water infiltration and the petrocalcic horizon helps to keep water perched and available to shallow rooted grasses. Black grama is the dominant species in the historic plant community, averaging 50 to 60 percent of the total production for this site. Bush muhly, blue grama, and dropseeds are present as sub-dominants. Typically, yucca, javalinabush, range ratany, prickly pear, and mesquite are sparsely dotted across the landscape. Leatherweed croton, cutleaf

happlopappus, wooly groundsel, and threadleaf groundsel are common forbs. Continuous heavy grazing or extended periods of drought will cause a loss of grass cover characterized by a decrease in black grama, bush muhly, blue and sideoats grama, plains bristlegrass, and Arizona cottontop. Dropseeds and or threeawns may increase and become sub-dominant to black grama. Continued loss of grass cover in conjunction with dispersal of shrub seeds and fire suppression is believed to cause the transition to a state with increased amounts of shrubs (Grass/Shrub state). Diagnosis: Black grama is the dominant grass species. Grass cover uniformly distributed. Shrubs are a minor component averaging only two to five percent canopy cover. Litter cover is high (40-50 percent of area), and litter movement is limited to smaller size class litter and short distances (<. 5m). Other grasses that could appear on this site would include: six-weeks grama, fluffgrass, false-buffalograss, hairy grama, little bluestem, bristle panicum, cane bluestem, Indian ricegrass, tridens spp., and red lovegrass. Other woody plants include: pricklypear, cholla, fourwing saltbush, catclaw mimosa, winterfat, American tarbush and mesquite. Other forbs include: globemallow, verbena, desert holly, senna, plains blackfoot, trailing fleabane, fiddleneck, deerstongue, wooly Indianwheat, and locoweed.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	
Grass/Grasslike	474	652	830
Forb	78	107	136
Shrub/Vine	48	66	84
Total	600	825	1050

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	30-35%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	40-50%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	15-25%

Figure 5. Plant community growth curve (percent production by month). NM2802, R042XC002NM-Shallow Sandy-HCPC. SD-3 Shallow Sandy - Warm season plant community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2 Grass/Shrub

Community 2.1 Grass/Shrub

Grass/Shrub: This state is characterized by the notable presence of shrubs, especially mesquite, broom snakeweed, and/or creosotebush, however grasses remain as the dominant species. Black grama is the dominant

grass species. Threeawns and or dropseeds are sub-dominant. The susceptibility of the Shallow Sandy site to shrub encroachment may be higher when located adjacent to other sites with high densities of mesquite or creosotebush. Retrogression within this site is characterized by decreases in grass cover and increasing densities of shrubs. Diagnosis: Black grama remains as the dominant grass species. Grass cover varies in response to the amount of shrub increase, ranging from uniform to patchy. Shrubs are found at increased densities relative to the grassland state, especially mesquite, creosotebush, or broom snakeweed. Transition to Grass/Shrub (1a) Historically fire may have kept mesquite and other shrubs in check by completely killing some species and disrupting seed production cycles and suppressing the establishment of shrub seedlings in others. Fire suppression combined with seed dispersal by livestock and wildlife is believed to be the factors responsible for the establishment and increase in shrubs.1, 3 Loss of grass cover due to overgrazing, prolonged periods of drought, or their combination, reduces fire fuel loads and increases the susceptibility of the site to shrub establishment. Key indicators of approach to transition: Increase in the relative abundance of dropseeds and threeawns Presence of shrub seedlings Loss of organic matter—evidenced by an increase in physical soil crusts 8 Transition back to Grassland (1b) Brush control is necessary to initiate the transition back to the grassland state. If adequate fuel loads remain, possibly the reintroduction of fire as a management tool will assist in the transition back, however, mixed results have been observed concerning the effects of fire on black grama grasslands.6 Prescribed grazing will help ensure adequate rest following brush control and will assist in the establishment and maintenance of grass cover capable of sustaining fire.

State 3 Shrub Dominated

Community 3.1 Shrub Dominated

Shrub-Dominated: Across the range of soil types included in the Shallow Sandy site, mesquite is typically the dominant shrub, but it does occur as a co-dominant or sub-dominant species with creosotebush or broom snakeweed. Mesquite tends to dominate when the Shallow Sandy site occurs as part of a complex or in association with Sandy or Loamy Sand sites. Creosotebush tends to dominate on Shallow Sandy sites that occur as part of, or adjacent to Shallow Sites. Broom snakeweed increases in response to heavy grazing, but tends to cycle in and out depending on timing of rainfall. However, once the site is dominated by shrubs and snakeweed becomes well established, it tends to remain as a major component in the shrub dominated state. Diagnosis: Mesquite, creosotebush, or snakeweed cover is high, exceeding that of grasses. Grass cover is patchy with large connected bare areas present. Black grama, threeawns, or dropseeds may be the dominant grass. Evidence of accelerated wind erosion in the form of pedestalling of plants, and soil deposition around shrub bases may be common. Transition to Shrub-Dominated (2) Persistent loss of grass cover and the resulting increased competition between shrubs and remaining grasses for dwindling resources (especially soil moisture) may drive this transition.5 Additionally periods of increased winter precipitation may facilitate periodic episodes of shrub expansion and establishment. 4 Key indicators of approach to transition: Increase in size and frequency of bare patches. Loss of grass cover in shrub interspaces. Increased signs of erosion, evidenced by pedestalling of plants, and soil and litter deposition on leeward side of plants. 7 Transition back to Grassland (3) Brush control is necessary to reduce competition from shrubs and reestablish grasses. Range seeding may be necessary if insufficient grasses remain, The benefits, and costs, will vary depending upon the degree of site degradation, and adequate precipitation following seeding.

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
Grass	/Grasslike				
1	Warm Season			413–495	
	black grama	BOER4	Bouteloua eriopoda	413–495	_
2	Warm Season	-		41–83	
	bush muhly	MUPO2	Muhlenbergia porteri	41–83	_
3	Warm Season			41–83	

	1			1	1				
	blue grama	BOGR2	Bouteloua gracilis	41–83					
4	Warm Season	25–41							
	sideoats grama	BOCU	Bouteloua curtipendula	25–41	I				
5	Warm Season	-		41–83					
	spike dropseed	SPCO4	Sporobolus contractus	41–83	I				
	sand dropseed	SPCR	Sporobolus cryptandrus	41–83	ı				
	mesa dropseed	SPFL2	Sporobolus flexuosus	41–83	I				
6	Warm Season			17–41					
	threeawn	ARIST	Aristida	17–41	-				
7	Warm Season	41–83							
	Arizona cottontop	DICA8	Digitaria californica	41–83	ı				
	plains bristlegrass	SEVU2	Setaria vulpiseta	41–83	_				
8	Warm Season			41–83					
	mat sandbur	CELO3	Cenchrus longispinus	41–83	_				
	hooded windmill grass	CHCU2	Chloris cucullata	41–83	_				
9	Other Perennial Grasses		•	25–41					
	Grass, perennial	2GP	Grass, perennial	25–41	_				
Shru	b/Vine								
10	Shrub			8–25					
	javelina bush	COER5	Condalia ericoides	8–25	_				
11	Shrub		•	8–25					
	yucca	YUCCA	Yucca	8–25	-				
12	Shrub	Shrub							
	jointfir	EPHED	Ephedra	8–25					
	littleleaf ratany	KRER	Krameria erecta	8–25	-				
13	Shrub	8–25							
	featherplume	DAFO	Dalea formosa	8–25	-				
14	Shrub								
	broom snakeweed	GUSA2	Gutierrezia sarothrae	8–25	-				
15	Other Shrubs	•		25–41					
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	25–41	_				
Forb									
16	Forb			17–41					
	leatherweed	CRPOP	Croton pottsii var. pottsii	17–41	_				
	Goodding's tansyaster	MAPIG2	Machaeranthera pinnatifida ssp. gooddingii var. gooddingii	17–41	_				
17	Forb	17–41							
	woolly groundsel	PACA15	Packera cana	17–41	_				
	threadleaf ragwort	SEFLF	Senecio flaccidus var. flaccidus	17–41	_				
18	Forb	8–25							
	whitest evening primrose	8–25	_						
19	Other Forbs		8–25						
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	8–25	_				

Animal community

This site provides habitats which support a resident animal community that is characterized by pronghorn antelope, swift fox, black-tailed jackrabbit, spotted ground squirrel, Ord's kangaroo rat, northern grasshopper mouse, coyote, horned lark, meadowlark, lark bunting, scaled quail, morning dove, side-blotched lizard, round-tailed horned lizard, marbled whiptail, prairie rattlesnake and ornate box turtle.

Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations Soil Series Hydrologic Group Jarag D Simona D

Recreational uses

This site offers recreation for hiking, horseback riding, nature observation and photography, and quail and dove hunting. During years of abundant spring moisture, this site displays a riot of color from wildflowers during May and June. A few summer and fall flowers also occur.

Wood products

The natural potential plant community of this site affords little or no wood products. Where the site has been invaded by mesquite or cholla cactus the roots and stems of these plants provide attractive material for a variety of curiosities, such as lamps and small furniture.

Other products

This site is suitable for grazing by all kinds and classes of livestock during all seasons of the year. Because of the sandy textures and shallow profile, this site will respond rapidly to management. As this site deteriorates, plants such as black grama, bush muhly, blue and sideoats grama, plains bristlegrass and Arizona cottontop, will decrease and be replaced by plants such as threeawns, mesquite, creosote bush, and broom snakeweed. This also causes a decrease in ground cover, leaving the soil to blow. This site responds best to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index Ac/AUM 100 - 76 2.5 - 3.5 75 - 51 3.2 - 4.6 50 - 26 4.5 - 7.5 25 - 0 7.6 +

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature References:

- 1. Brooks, M.L. and D.A. Pyke. 2001. Invasive plants and fire in the deserts of North America. Pages 1–14 in K.E.M. Galley and T.P. Wilson (eds.). Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species.
- 2. Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas. 1983. Water properties of caliche. J. Range Manage. 36: 723-726.
- 3. Humphrey, R.R. 1974. Fire in the deserts and desert grassland of North America. In: Kozlowski, T. T.; Ahlgren, C. E., eds. Fire and ecosystems. New York: Academic Press: 365-400.
- 4. Moir, W.H., and J. A. Ludwig. 1991. Plant succession and changing land features in desert grasslands. P. 15-18. In P.F. Ffolliott and W.T. Swank (eds.) People and the temperate region: a summary of research from the United States Man and the Biosphere Program 1991. U.S. Dept. State, Publ No. 9839, Nat. Tech. Info. Serv., U.S. Dept. Commerce, Springfield, Illinois. 63 p.
- 5. Tiedemann, A. R. and J. O. Klemmedson. 1977. Effect of mesquite trees on vegetation and soils in the desert grassland. J. Range Manage. 30: 361-367.
- 6. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, September). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/[accessed 2/10/03].
- 7. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Wind Erosion. Rangeland Sheet 10 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html
- 8. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Physical and Biological Soil Crusts. Rangeland Sheet 7 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html

Contributors

David Trujillo Don Sylvester

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.


	1
Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators


1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:
7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:

Released to Imaging: 6/9/2023 10:26:29 AM

13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:
17.	Perennial plant reproductive capability:



National Centers for Environmental Information, U.S. Coastal Relief Model. Data refreshed June, 2022., NMBGMR





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(NAD83 UTM in meters) (quarters are smallest to largest)

(In feet)

			POD												
			Sub-		Q	Q								V	Water
PO	D Number	Code	basin	County	64 1	6 4	Sec	Tws	Rng	X	Y	DistanceDept	hWellDe	pthWater C	olumn
<u>CP</u>	00767 POD1		CP	ED	3	2	35	18S	30E	599300	3619158*	3692	500		
CP	00873 POD1		CP	LE	1	1	19	19S	31E	601772	3613147*	4138	340	180	160
<u>CP</u>	00818 POD1		CP	LE	1	4	26	18S	30E	599289	3620364*	4450	240		
CP	00829 POD1		CP	LE	2	4	16	19S	31E	606165	3614009*	4917	120		
CP	00357 POD1		CP	ED	4 4	1	24	19S	30E	600667	3612631*	4932	630		
CP	00647 POD1	O	CP	ED	4 2	2	15	19S	30E	598235	3614621*	4956	200	92	108

Average Depth to Water:

136 feet

Minimum Depth:

92 feet

Maximum Depth:

180 feet

Record Count: 6

UTMNAD83 Radius Search (in meters):

Easting (X): 602448.65 **Northing (Y):** 3617230 **Radius:** 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

8/12/22 7:40 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER



Hackberry 6 Federal 1 Well Pad 800 Feet (



December 2, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond


Lake

0.1

Riverine

Other

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.





7, Hackberry 6 Fed 1 Wellpad to Wetland



August 12, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland
Freshwater Pond


Riverine

Other

Lake

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Active Mines in New Mexico




12/2/2022, 8:27:51 AM

Registered Mines

Aggregate, Stone etc.

Potash



Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X OTHER AREAS OF Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D - - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLIL Levee, Dike, or Floodwall 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation **Coastal Transect** Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary **Coastal Transect Baseline** OTHER **Profile Baseline FEATURES** Hydrographic Feature Digital Data Available No Digital Data Available MAP PANELS Unmapped

> This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The pin displayed on the map is an approximate point selected by the user and does not represent

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/12/2022 at 5:54 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Eddy Area, New Mexico

SG—Simona gravelly fine sandy loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5w Elevation: 2,750 to 5,000 feet

Mean annual precipitation: 8 to 16 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 230 days

Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 95 percent *Minor components*: 5 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Simona

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: gravelly fine sandy loam

H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low

to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 2.1 inches)


Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R070BD002NM - Shallow Sandy



Map Unit Description: Simona gravelly fine sandy loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Minor Components

Simona

Percent of map unit: 4 percent

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

Playa

Percent of map unit: 1 percent

Landform: Playas

Landform position (three-dimensional): Talf Down-slope shape: Concave, convex Across-slope shape: Concave, linear

Ecological site: R070BC017NM - Bottomland

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 18, Sep 8, 2022



Ecological site R070BD002NM Shallow Sandy

Accessed: 12/02/2022

General information

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Associated sites

R070BD004NM	Sandy	l
	Sandy sites often occur in association or in a complex with Shallow Sandy Sites.	

Similar sites

R070BD004NM	Sandy
	Sandy ecological sites are similar to Shallow Sandy sites in species composition and Transition pathways.

Table 1. Dominant plant species

Tree	Not specified		
Shrub	Not specified		
Herbaceous	Not specified		

Physiographic features

This site occures on plains, alluvial fans, uplands, or fan piedmonts. The parent material consists of mixed loamy alluvium or eolian material derived from igneous and sedimentory bedrock. The petrocalcic layer is at a depth of 10 to 25 inches and undulating.

Slopes are nearly level to undulating, usually less than 9 percent. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain(2) Fan piedmont(3) Alluvial fan
Elevation	2,842-4,500 ft
Slope	1–9%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common.

Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is from 207 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of the site. The vegetation of this site can take advantage of the moisture and the time it falls. Because of the soil profile, little moisture can be stored in the soil for any length of time. Moisture is readily available to the plants from the time it falls. Strong winds from the southwest blow from January through June which rapidly dries out the soil profile during a critical period for plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days	
Freeze-free period (average)	240 days	
Precipitation total (average)	13 in	

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are very shallow to shallow, less than 20 inches in depth. Surface and subsurface textures are gravelly loamy sand, gravelly fine sandy loam or fine sandy loam.

An indurated calache layer occurs at depths of 6 to 25 inches and is at an average of 15 inches from the surface. Underlying material textures are very gravelly fine sandy loam, very gravelly sandy loam, gravelly fine sandy loam. Gravels are calcium carbonate concretions, calcium carbonate content ranges from 30 to 65 percent.

The indurated caliche layer typically holds water up in the profile for short periods within the root zone of plants. These soils will blow if left unprotected by vegetation.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are: Simona

Jerag

Table 4. Representative soil features

Surface texture	(1) Fine sandy loam(2) Loamy fine sand(3) Gravelly fine sandy loam
Family particle size	(1) Loamy
Drainage class	Well drained to moderately well drained
Permeability class	Moderately slow to moderate

Soil depth	7–24 in
Surface fragment cover <=3"	5–25%
Surface fragment cover >3"	0%
Available water capacity (0-40in)	1–2 in
Calcium carbonate equivalent (0-40in)	5–15%
Electrical conductivity (0-40in)	0–4 mmhos/cm
Sodium adsorption ratio (0-40in)	0
Soil reaction (1:1 water) (0-40in)	7.4–8
Subsurface fragment volume <=3" (Depth not specified)	5–25%
Subsurface fragment volume >3" (Depth not specified)	0%


Ecological dynamics

Overview

The Shallow Sandy site occurs on upland plains, and tops of low ridges and mesas, associated with Sandy, Loamy Sand, and Shallow sites. Coarse to moderately coarse soil surface textures, shallow depth (<20 inches) to an indurated caliche layer (petrocalcic horizon), and an overwhelming dominance by black grama help to distinguish this site. The historic plant community of the Shallow Sandy site is a black grama dominated grassland sparsely dotted with shrubs. Shrubs, especially mesquite and creosotebush can increase or colonize due to the dispersal of shrub seeds by livestock or wildlife. This increase in mesquite and colonization of creosotebush may be enhanced by proximity to areas with existing high shrub densities. Fire suppression, and the loss of grass cover due to overgrazing or drought may facilitate the increase and encroachment of shrubs. Persistent loss of grass cover, competition for resources by shrubs, and periods of climate with increased winter precipitation and dry summers, may initiate the transition to a shrub-dominated state.

State and transition model

Plant Communities and Transitional Pathways (diagram)



- la. Seed dispersal, drought, overgrazing, fire suppression.
- 1b. Prescribed fire, brush control, prescribed grazing.
- Persistent loss of grass cover, resource competition, increased winter precipitation.
- Brush control, range seeding, prescribed grazing.

State 1 Historic Climax Plant Community

Community 1.1 Historic Climax Plant Community

Grassland: This site responds well to management and is resistant to state change, due to the shallow depth to petrocalcic horizon and sandy surface textures. The sandy surface textures allow rapid water infiltration and the petrocalcic horizon helps to keep water perched and available to shallow rooted grasses. Black grama is the dominant species in the historic plant community, averaging 50 to 60 percent of the total production for this site. Bush muhly, blue grama, and dropseeds are present as sub-dominants. Typically, yucca, javalinabush, range ratany, prickly pear, and mesquite are sparsely dotted across the landscape. Leatherweed croton, cutleaf

happlopappus, wooly groundsel, and threadleaf groundsel are common forbs. Continuous heavy grazing or extended periods of drought will cause a loss of grass cover characterized by a decrease in black grama, bush muhly, blue and sideoats grama, plains bristlegrass, and Arizona cottontop. Dropseeds and or threeawns may increase and become sub-dominant to black grama. Continued loss of grass cover in conjunction with dispersal of shrub seeds and fire suppression is believed to cause the transition to a state with increased amounts of shrubs (Grass/Shrub state). Diagnosis: Black grama is the dominant grass species. Grass cover uniformly distributed. Shrubs are a minor component averaging only two to five percent canopy cover. Litter cover is high (40-50 percent of area), and litter movement is limited to smaller size class litter and short distances (<. 5m). Other grasses that could appear on this site would include: six-weeks grama, fluffgrass, false-buffalograss, hairy grama, little bluestem, bristle panicum, cane bluestem, Indian ricegrass, tridens spp., and red lovegrass. Other woody plants include: pricklypear, cholla, fourwing saltbush, catclaw mimosa, winterfat, American tarbush and mesquite. Other forbs include: globemallow, verbena, desert holly, senna, plains blackfoot, trailing fleabane, fiddleneck, deerstongue, wooly Indianwheat, and locoweed.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	
Grass/Grasslike	474	652	830
Forb	78	107	136
Shrub/Vine	48	66	84
Total	600	825	1050

Table 6. Ground cover

Tree foliar cover	0%	
Shrub/vine/liana foliar cover	0%	
Grass/grasslike foliar cover	30-35%	
Forb foliar cover	0%	
Non-vascular plants	0%	
Biological crusts	0%	
Litter	40-50%	
Surface fragments >0.25" and <=3"	0%	
Surface fragments >3"	0%	
Bedrock	0%	
Water	0%	
Bare ground	15-25%	

Figure 5. Plant community growth curve (percent production by month). NM2802, R042XC002NM-Shallow Sandy-HCPC. SD-3 Shallow Sandy - Warm season plant community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2 Grass/Shrub

Community 2.1 Grass/Shrub

Grass/Shrub: This state is characterized by the notable presence of shrubs, especially mesquite, broom snakeweed, and/or creosotebush, however grasses remain as the dominant species. Black grama is the dominant

grass species. Threeawns and or dropseeds are sub-dominant. The susceptibility of the Shallow Sandy site to shrub encroachment may be higher when located adjacent to other sites with high densities of mesquite or creosotebush. Retrogression within this site is characterized by decreases in grass cover and increasing densities of shrubs. Diagnosis: Black grama remains as the dominant grass species. Grass cover varies in response to the amount of shrub increase, ranging from uniform to patchy. Shrubs are found at increased densities relative to the grassland state, especially mesquite, creosotebush, or broom snakeweed. Transition to Grass/Shrub (1a) Historically fire may have kept mesquite and other shrubs in check by completely killing some species and disrupting seed production cycles and suppressing the establishment of shrub seedlings in others. Fire suppression combined with seed dispersal by livestock and wildlife is believed to be the factors responsible for the establishment and increase in shrubs.1, 3 Loss of grass cover due to overgrazing, prolonged periods of drought, or their combination, reduces fire fuel loads and increases the susceptibility of the site to shrub establishment. Key indicators of approach to transition: Increase in the relative abundance of dropseeds and threeawns Presence of shrub seedlings Loss of organic matter—evidenced by an increase in physical soil crusts 8 Transition back to Grassland (1b) Brush control is necessary to initiate the transition back to the grassland state. If adequate fuel loads remain, possibly the reintroduction of fire as a management tool will assist in the transition back, however, mixed results have been observed concerning the effects of fire on black grama grasslands.6 Prescribed grazing will help ensure adequate rest following brush control and will assist in the establishment and maintenance of grass cover capable of sustaining fire.

State 3 Shrub Dominated

Community 3.1 Shrub Dominated

Shrub-Dominated: Across the range of soil types included in the Shallow Sandy site, mesquite is typically the dominant shrub, but it does occur as a co-dominant or sub-dominant species with creosotebush or broom snakeweed. Mesquite tends to dominate when the Shallow Sandy site occurs as part of a complex or in association with Sandy or Loamy Sand sites. Creosotebush tends to dominate on Shallow Sandy sites that occur as part of, or adjacent to Shallow Sites. Broom snakeweed increases in response to heavy grazing, but tends to cycle in and out depending on timing of rainfall. However, once the site is dominated by shrubs and snakeweed becomes well established, it tends to remain as a major component in the shrub dominated state. Diagnosis: Mesquite, creosotebush, or snakeweed cover is high, exceeding that of grasses. Grass cover is patchy with large connected bare areas present. Black grama, threeawns, or dropseeds may be the dominant grass. Evidence of accelerated wind erosion in the form of pedestalling of plants, and soil deposition around shrub bases may be common. Transition to Shrub-Dominated (2) Persistent loss of grass cover and the resulting increased competition between shrubs and remaining grasses for dwindling resources (especially soil moisture) may drive this transition.5 Additionally periods of increased winter precipitation may facilitate periodic episodes of shrub expansion and establishment. 4 Key indicators of approach to transition: Increase in size and frequency of bare patches. Loss of grass cover in shrub interspaces. Increased signs of erosion, evidenced by pedestalling of plants, and soil and litter deposition on leeward side of plants. 7 Transition back to Grassland (3) Brush control is necessary to reduce competition from shrubs and reestablish grasses. Range seeding may be necessary if insufficient grasses remain, The benefits, and costs, will vary depending upon the degree of site degradation, and adequate precipitation following seeding.

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
Grass	/Grasslike				
1	Warm Season			413–495	
	black grama	BOER4	Bouteloua eriopoda	413–495	_
2	Warm Season			41–83	
	bush muhly	MUPO2	Muhlenbergia porteri	41–83	_
3	Warm Season			41–83	

	1			1 1	1
	blue grama	BOGR2	Bouteloua gracilis	41–83	
4	Warm Season	25–41			
	sideoats grama	BOCU	Bouteloua curtipendula	25–41	I
5	Warm Season	41–83			
	spike dropseed	SPCO4	Sporobolus contractus	41–83	ı
	sand dropseed	SPCR	Sporobolus cryptandrus	41–83	I
	mesa dropseed	SPFL2	Sporobolus flexuosus	41–83	ı
6	Warm Season			17–41	
	threeawn	ARIST	Aristida	17–41	-
7	Warm Season			41–83	
	Arizona cottontop	DICA8	Digitaria californica	41–83	_
	plains bristlegrass	SEVU2	Setaria vulpiseta	41–83	ı
8	Warm Season			41–83	
	mat sandbur	CELO3	Cenchrus longispinus	41–83	_
	hooded windmill grass	CHCU2	Chloris cucullata	41–83	_
9	Other Perennial Grasses	-		25–41	
	Grass, perennial	2GP	Grass, perennial	25–41	_
Shru	b/Vine				
10	Shrub			8–25	
	javelina bush	COER5	Condalia ericoides	8–25	_
11	Shrub			8–25	
	yucca	YUCCA	Yucca	8–25	-
12	Shrub	•		8–25	
	jointfir	EPHED	Ephedra	8–25	_
	littleleaf ratany	KRER	Krameria erecta	8–25	_
13	Shrub			8–25	
	featherplume	DAFO	Dalea formosa	8–25	_
14	Shrub	•		8–25	
	broom snakeweed	GUSA2	Gutierrezia sarothrae	8–25	_
15	Other Shrubs	•		25–41	
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	25–41	_
Forb		•			
16	Forb			17–41	
	leatherweed	CRPOP	Croton pottsii var. pottsii	17–41	_
	Goodding's tansyaster	MAPIG2	Machaeranthera pinnatifida ssp. gooddingii var. gooddingii	17–41	-
17	Forb	-		17–41	
	woolly groundsel	PACA15	Packera cana	17–41	_
	threadleaf ragwort	SEFLF	Senecio flaccidus var. flaccidus	17–41	_
18	Forb	•		8–25	
	whitest evening primrose	OEAL	Oenothera albicaulis	8–25	_
19	Other Forbs	1	1	8–25	
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	8–25	_
	•	_	•	-	

Animal community

This site provides habitats which support a resident animal community that is characterized by pronghorn antelope, swift fox, black-tailed jackrabbit, spotted ground squirrel, Ord's kangaroo rat, northern grasshopper mouse, coyote, horned lark, meadowlark, lark bunting, scaled quail, morning dove, side-blotched lizard, round-tailed horned lizard, marbled whiptail, prairie rattlesnake and ornate box turtle.

Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations Soil Series Hydrologic Group Jarag D Simona D

Recreational uses

This site offers recreation for hiking, horseback riding, nature observation and photography, and quail and dove hunting. During years of abundant spring moisture, this site displays a riot of color from wildflowers during May and June. A few summer and fall flowers also occur.

Wood products

The natural potential plant community of this site affords little or no wood products. Where the site has been invaded by mesquite or cholla cactus the roots and stems of these plants provide attractive material for a variety of curiosities, such as lamps and small furniture.

Other products

This site is suitable for grazing by all kinds and classes of livestock during all seasons of the year. Because of the sandy textures and shallow profile, this site will respond rapidly to management. As this site deteriorates, plants such as black grama, bush muhly, blue and sideoats grama, plains bristlegrass and Arizona cottontop, will decrease and be replaced by plants such as threeawns, mesquite, creosote bush, and broom snakeweed. This also causes a decrease in ground cover, leaving the soil to blow. This site responds best to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index Ac/AUM 100 - 76 2.5 - 3.5 75 - 51 3.2 - 4.6 50 - 26 4.5 - 7.5 25 - 0 7.6 +

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature References:

- 1. Brooks, M.L. and D.A. Pyke. 2001. Invasive plants and fire in the deserts of North America. Pages 1–14 in K.E.M. Galley and T.P. Wilson (eds.). Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species.
- 2. Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas. 1983. Water properties of caliche. J. Range Manage. 36: 723-726.
- 3. Humphrey, R.R. 1974. Fire in the deserts and desert grassland of North America. In: Kozlowski, T. T.; Ahlgren, C. E., eds. Fire and ecosystems. New York: Academic Press: 365-400.
- 4. Moir, W.H., and J. A. Ludwig. 1991. Plant succession and changing land features in desert grasslands. P. 15-18. In P.F. Ffolliott and W.T. Swank (eds.) People and the temperate region: a summary of research from the United States Man and the Biosphere Program 1991. U.S. Dept. State, Publ No. 9839, Nat. Tech. Info. Serv., U.S. Dept. Commerce, Springfield, Illinois. 63 p.
- 5. Tiedemann, A. R. and J. O. Klemmedson. 1977. Effect of mesquite trees on vegetation and soils in the desert grassland. J. Range Manage. 30: 361-367.
- 6. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, September). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/[accessed 2/10/03].
- 7. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Wind Erosion. Rangeland Sheet 10 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html
- 8. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Physical and Biological Soil Crusts. Rangeland Sheet 7 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html

Contributors

David Trujillo Don Sylvester

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.


Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators

1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:
7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:

Released to Imaging: 6/9/2023 10:26:29 AM

13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:
17.	Perennial plant reproductive capability:



National Centers for Environmental Information, U.S. Coastal Relief Model. Data refreshed June, 2022., NMBGMR

Closure C	Criteria Worksheet		
	e: Hackberry 6 Fed 1 Wellpad	I	
Spill Coo		X: 32.688026	Y: -103.907163
Site Spec	ific Conditions	Value	Unit
1	Depth to Groundwater	>100	feet
2	Within 300 feet of any continuously flowing	800	Feet
	watercourse or any other significant watercourse	555	
3	Within 200 feet of any lakebed, sinkhole or playa lake	4,819	Feet
	(measured from the ordinary high-water mark)	1,015	1 000
4	Within 300 feet from an occupied residence, school,	14,148	Feet
	hospital, institution or church	11,110	
	i) Within 500 feet of a spring or a private, domestic		
5	fresh water well used by less than five households for	14,148	Feet
3	domestic or stock watering purposes, or		
	ii) Within 1000 feet of any fresh water well or spring	14,148	Feet
	Within incorporated municipal boundaries or within a		
	defined municipal fresh water field covered under a		
6	municipal ordinance adopted pursuant to Section 3-27-	No	(Y/N)
	3 NMSA 1978 as amended, unless the municipality		
	specifically approves		
7	Within 300 feet of a wetland	4,129	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
			Critical
9	Within an unstable area (Karst Man)	Low	High
9	Within an unstable area (Karst Map)	Low	Medium
			Low
10	Within a 100 year Floodylain	Lindoto masico o d	Voor
10	Within a 100-year Floodplain	Undetermined	Year
11	Soil Type	SG	Soil
	oon type		30
12	Ecological Classification	Simona	Plant
13	Geology	Qр	Age
			<50'
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	>100'	51-100'
			>100'

Closure (Criteria Worksheet			
Site Nam	e: Hackberry 6 Fed 1 Wellpad			
Spill Coo	rdinates:	X: 32.688026	Y: -103.907163	
Site Spec	ific Conditions	Value	Unit	
1	Depth to Groundwater	>100	feet	
2	Within 300 feet of any continuously flowing	800	Feet	
2	watercourse or any other significant watercourse	800		
3	Within 200 feet of any lakebed, sinkhole or playa lake	4,819	Feet	
<u> </u>	(measured from the ordinary high-water mark)	4,019	reet	
4	Within 300 feet from an occupied residence, school,	14 140	Feet	
4	hospital, institution or church	14,148	1660	
	i) Within 500 feet of a spring or a private, domestic			
5	fresh water well used by less than five households for	14,148	Feet	
3	domestic or stock watering purposes, or			
	ii) Within 1000 feet of any fresh water well or spring	14,148	Feet	
	Within incorporated municipal boundaries or within a			
	defined municipal fresh water field covered under a			
6	municipal ordinance adopted pursuant to Section 3-27-	No	(Y/N)	
	3 NMSA 1978 as amended, unless the municipality			
	specifically approves			
7	Within 300 feet of a wetland	4,129	feet	
8 Within the area overlying a subsurface mine		No	(Y/N)	
			Critical	
0	MODEL CONTRACTOR (MARCHANA)		High	
9	Within an unstable area (Karst Map)	Low	Medium	
			Low	
10	Within a 100-year Floodplain	Undetermined	Year	
11	Soil Type	SG	Soil	
	, , , , , , , , , , , , , , , , , , ,			
12	Ecological Classification	Simona	Plant	
13	Geology	Qp	Age	
	NIMAC 10 15 20 12 5 (Table 1) Clasura Critoria	>100'	<50' 51-100'	
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	>100		
			>100'	

ATTACHMENT 5



Client: Devon Energy Inspection Date: 6/21/2021

Corporation

Site Location Name: Helios 6 Fed Com 001H Report Run Date: 6/21/2021 9:19 PM

Battery

Client Contact Name: Wes Matthews API #: 30-015-38482

Client Contact Phone #: (575) 748-0176

Unique Project ID Project Owner:

Project Reference # Project Manager:

Summary of Times

Arrived at Site 6/21/2021 8:00 AM

Departed Site 6/21/2021 12:00 PM

Field Notes

15:10 Arrived on site to white line the spill for locators.

Next Steps & Recommendations


1 Characterization



Site Photos




Point of release



Viewing Direction: North


Dire

Center spill area



Northern spill area towards POR








Spill area









Viewing Direction: North

Viewing Direction: Southwest

Spill area towards southern end

Spill area


Viewing Direction: Northwest



Southern end Spill area

Southern end of spill area







Daily Site Visit Signature

Inspector: Austin Harris

Signature:



Client:	Devon Energy Corporation	Inspection Date:	11/3/2022
Site Location Name:	Hackberry 6 Fed 1 Wellpad	Report Run Date:	11/3/2022 8:06 PM
Client Contact Name:	Jim Raley	API #:	
Client Contact Phone #:	575-748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	
Summary of Times			
Arrived at Site	11/3/2022 8:45 AM		
Departed Site	11/3/2022 12:00 PM		

Field Notes

- 11:22 Arrived on site to assess the most recent release north of the pad. Line sweep was performed prior to collecting samples with a hand auger. No lines were detected in the sample areas.
 Collected BH22-01 through BH22-06 around the release area for horizontal delineation to make sure the second release did not migrate further than the release labeled as "Helios".
- 11:14 Collected and field screened BH22-07 and BH22-08 down to 4' for vertical delineation.
- **11:15** BH22-01 through BH22-06 all field screened below strictest criteria at 0-2'. BH22-07 and BH22-08 field screened above strictest criteria on chlorides with EC and titration.
- 11:15 All samples will be sent to lab for analysis.
- 11:22 The recent release does not appear to have migrated further than the original release (Helios)

Next Steps & Recommendations

1 Send samples to lab for analysis and determine DTGW



Site Photos





Sample area for BH22-01 south side of release area

Viewing Direction: West



Sample area for BH22-04 north side of release area

Viewing Direction: Northwest



Sample area for BH22-02 and BH22-03 east side of release area


Viewing Direction: Southeast



Sample area for BH22-05 and BH22-06 west side of release area









Sample area for BH22-08



Daily Site Visit Signature

Inspector: Chance Dixon

Signature:



Client:	Devon Energy Corporation	Inspection Date:	12/13/2022
Site Location Name:	Hackberry 6 Fed 1 Wellpad	Report Run Date:	12/13/2022 8:16 PM
Client Contact Name:	Wes Matthews	API #:	
Client Contact Phone #:	(575) 748-0176	•	
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	
Summary of Times			
Arrived at Site	12/13/2022 10:50 AM		
Departed Site	12/13/2022 12:15 PM		
Field Notes			

11:59 Arrived on site with Vision for DTGW borehole. Borehole was drilled to 105' on the southwest corner of the Helios 6 battery. Ran the sounder into the borehole to the bottom. No water was detected. Will run it again in 72 hours

Next Steps & Recommendations

1 Come back in 72 hours to run the sounder and remove the casing



Site Photos



Drilling rig







Daily Site Visit Signature

Inspector: Chance Dixon

Signature:



Client: **Devon Energy** Inspection Date: 12/16/2022 Corporation Hackberry 6 Fed 1 Report Run Date: 12/16/2022 10:41 PM Site Location Name: Wellpad Wes Matthews Client Contact Name: API#: Client Contact Phone #: (575) 748-0176 Unique Project ID Project Owner: Project Reference # Project Manager: **Summary of Times** Arrived at Site 12/16/2022 11:48 AM 12/16/2022 1:13 PM **Departed Site**

Field Notes

- 12:44 Arrived on site to run sounder into the DTGW borehole and P&A it.
- 12:42 Sounder was ran all the way down to the bottom of the borehole at 105' with no water detected.
- 13:13 The borehole has been plugged to the surface with bentonite

Next Steps & Recommendations

1 Begin remediation for Hackberry/Helios with >100' criteria



Site Photos



Sounder down to 105'



Borehole being filled with plugging material



Sounder down to 105'



Borehole has been plugged







Daily Site Visit Signature

Inspector: Chance Dixon

Signature:

Project Reference #

Daily Site Visit Report



Devon Energy Client: Inspection Date: 1/20/2023 Corporation 1/20/2023 11:07 PM Hackberry 6 Fed 1 Report Run Date: Site Location Name: Wellpad Wes Matthews Client Contact Name: API#: Client Contact Phone #: (575) 748-0176 **Unique Project ID** Project Owner:

 Summary of Times

 Arrived at Site
 1/20/2023 8:15 AM

 Departed Site
 1/20/2023 2:15 PM

Project Manager:

Field Notes

- **8:25** Completed safety meeting.
- 8:36 Collecting samples beginning with 100
- 9:34 Collected WS23-43 through 45
- 11:44 Recollected 43 and 44
- 13:39 Finished screening all samples, prepared them for lab

Next Steps & Recommendations

1 Await lab results and closure



Site Photos




Excavation



Viewing Direction: Southeast

East lobe of excavation



Hydrovac trenches







Viewing Direction: Southeast

West wall toward ramp





North half of excavation





North half of excavation



South half of excavation





Run on 1/20/2023 11:07 PM UTC Powered by www.krinkleldar.com Page 4 of 7





Berm and excavation



East walls of excavation



Southeast corner of the eastern lobe



South wall of excavation





Eastern lobe of excavation



North wall of excavation







Daily Site Visit Signature

Inspector: Sally Carttar

Signature:

ATTACHMENT 6



Dhugal Hanton <vertexresourcegroupusa@gmail.com>

48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

8 messages

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@state.nm.us> Cc: wesley.mathews@dvn.com, KStallings@vertex.ca

Wed, Dec 28, 2022 at 3:57 PM

AII,

Please accept this email as a notification that Vertex Resource Services has scheduled a sampling event to be conducted at the following releases.

nAPP2116940090 (Helios) nAPP2219226827 (Hackberry)

On Tuesday, January 3, 2023, Vertex will be on-site to conduct confirmation sampling. The sampling will continue through Tuesday, January 10, 2023. If you have any questions regarding this notification, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Wed, Dec 28, 2022 at 4:10 PM

To: Dhugal Hanton <vertexresourcegroupusa@gmail.com> Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov>, "Hamlet, Robert, EMNRD"

<Robert.Hamlet@emnrd.nm.gov>

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

Jocelyn Harimon • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

1220 South St. Francis Drive | Santa Fe, NM 87505

(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Sent: Wednesday, December 28, 2022 3:57 PM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov> Cc: wesley.mathews@dvn.com; KStallings@vertex.ca

Subject: [EXTERNAL] 48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

[Quoted text hidden]

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@state.nm.us> Thu, Jan 5, 2023 at 8:16 AM

All,

Vertex respectfully requests that confirmation sampling for this location be extended to Monday, January 9, 2023, through January 13, 2023. If you have any questions, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

[Quoted text hidden]

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov> To: Dhugal Hanton <vertexresourcegroupusa@gmail.com> Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov> Thu, Jan 5, 2023 at 10:00 AM

Dhugal,

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

JH

Jocelyn Harimon • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

1220 South St. Francis Drive | Santa Fe, NM 87505

(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Sent: Thursday, January 5, 2023 8:17 AM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Subject: [EXTERNAL] Re: 48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

All,

[Quoted text hidden] [Quoted text hidden]

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@emnrd.nm.gov>

Thu, Jan 12, 2023 at 11:35 AM

All,

Vertex respectfully requests that confirmation sampling for this location be extended to Monday, January 16, 2023, through January 20, 2023. If you have any questions, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

[Quoted text hidden]

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov> To: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Thu, Jan 12, 2023 at 1:13 PM

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

Jocelyn Harimon • Environmental Specialist

[Quoted text hidden]

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@state.nm.us> Thu, Jan 19, 2023 at 7:33 AM

All,

Vertex respectfully requests that confirmation sampling for this location be extended to Monday, January 23, 2023, through January 28, 2023. If you have any questions, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

On Wed, Dec 28, 2022 at 3:57 PM Dhugal Hanton <vertexresourcegroupusa@gmail.com> wrote: [Quoted text hidden]

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Thu, Jan 19, 2023 at 8:08 AM

To: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov>, "Hamlet, Robert, EMNRD"

<Robert.Hamlet@emnrd.nm.gov>

Mr. Hanton,

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

JH

Jocelyn Harimon • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

1220 South St. Francis Drive | Santa Fe, NM 87505

(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Sent: Thursday, January 19, 2023 7:33 AM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Subject: [EXTERNAL] Re: 48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

AII,

[Quoted text hidden]

[Quoted text hidden]

ATTACHMENT 7

Hall Environmental Analysis Laboratory

TEL: 505-345-3975 FAX: 505-345-4107

Website: clients.hallenvironmental.com

4901 Hawkins NE

Albuquerque, NM 87109



July 06, 2021

John Hurt

Vertex Resources Services, Inc. 3101 Boyd Drive

Carlsbad, NM 88220 TEL: (505) 506-0040

FAX

RE: Helios 6 Fed Com 1H OrderNo.: 2106D66

Dear John Hurt:

Hall Environmental Analysis Laboratory received 15 sample(s) on 6/25/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BG21-01 0-0.5'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 10:00:00 AM

 Lab ID:
 2106D66-001
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	6/29/2021 11:18:56 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	6/29/2021 11:18:56 PM
Surr: DNOP	65.1	70-130	S	%Rec	1	6/29/2021 11:18:56 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 2:20:00 PM
Surr: BFB	91.5	70-130		%Rec	1	7/1/2021 2:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 2:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 2:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 2:20:00 PM
Xylenes, Total	ND	0.097		mg/Kg	1	7/1/2021 2:20:00 PM
Surr: 4-Bromofluorobenzene	88.4	70-130		%Rec	1	7/1/2021 2:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 2:43:56 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BG21-01 1.0'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 10:10:00 AM

 Lab ID:
 2106D66-002
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	8.7		mg/Kg	1	6/29/2021 11:43:22 PM
Motor Oil Range Organics (MRO)	ND	44		mg/Kg	1	6/29/2021 11:43:22 PM
Surr: DNOP	56.1	70-130	S	%Rec	1	6/29/2021 11:43:22 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	7/1/2021 2:40:00 PM
Surr: BFB	91.4	70-130		%Rec	1	7/1/2021 2:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.025		mg/Kg	1	7/1/2021 2:40:00 PM
Toluene	ND	0.050		mg/Kg	1	7/1/2021 2:40:00 PM
Ethylbenzene	ND	0.050		mg/Kg	1	7/1/2021 2:40:00 PM
Xylenes, Total	ND	0.10		mg/Kg	1	7/1/2021 2:40:00 PM
Surr: 4-Bromofluorobenzene	88.2	70-130		%Rec	1	7/1/2021 2:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 2:56:20 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BG21-01 2.0'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 10:15:00 AM

 Lab ID:
 2106D66-003
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	6/30/2021 12:07:42 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	6/30/2021 12:07:42 AM
Surr: DNOP	58.6	70-130	S	%Rec	1	6/30/2021 12:07:42 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 3:00:00 PM
Surr: BFB	97.7	70-130		%Rec	1	7/1/2021 3:00:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 3:00:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 3:00:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 3:00:00 PM
Xylenes, Total	ND	0.097		mg/Kg	1	7/1/2021 3:00:00 PM
Surr: 4-Bromofluorobenzene	90.6	70-130		%Rec	1	7/1/2021 3:00:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 3:08:45 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-01 0-0.5'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 11:00:00 AM

 Lab ID:
 2106D66-004
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: BRM				
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	6/30/2021 12:32:06 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/30/2021 12:32:06 AM
Surr: DNOP	77.2	70-130	%Rec	1	6/30/2021 12:32:06 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/1/2021 3:20:00 PM
Surr: BFB	96.6	70-130	%Rec	1	7/1/2021 3:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/1/2021 3:20:00 PM
Toluene	ND	0.048	mg/Kg	1	7/1/2021 3:20:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/1/2021 3:20:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	7/1/2021 3:20:00 PM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	7/1/2021 3:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	12000	600	mg/Kg	200	7/1/2021 7:50:42 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-02 0-0.5'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 11:30:00 AM

 Lab ID:
 2106D66-005
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	Analyst: BRM				
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	6/30/2021 12:56:24 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	6/30/2021 12:56:24 AM
Surr: DNOP	78.8	70-130	%Rec	1	6/30/2021 12:56:24 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/1/2021 3:40:00 PM
Surr: BFB	95.8	70-130	%Rec	1	7/1/2021 3:40:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/1/2021 3:40:00 PM
Toluene	ND	0.048	mg/Kg	1	7/1/2021 3:40:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/1/2021 3:40:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	7/1/2021 3:40:00 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	7/1/2021 3:40:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	11000	590	mg/Kg	200	7/1/2021 8:03:08 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH21-03 0-0.5'

Project: Helios 6 Fed Com 1H Collection Date: 6/22/2021 1:00:00 PM

Lab ID: 2106D66-006 **Matrix:** SOIL **Received Date:** 6/25/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: BRM
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	6/30/2021 1:20:45 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/30/2021 1:20:45 AM
Surr: DNOP	84.4	70-130	%Rec	1	6/30/2021 1:20:45 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/1/2021 4:00:00 PM
Surr: BFB	96.6	70-130	%Rec	1	7/1/2021 4:00:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/1/2021 4:00:00 PM
Toluene	ND	0.048	mg/Kg	1	7/1/2021 4:00:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/1/2021 4:00:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	7/1/2021 4:00:00 PM
Surr: 4-Bromofluorobenzene	90.9	70-130	%Rec	1	7/1/2021 4:00:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	13000	600	mg/Kg	200	7/1/2021 8:15:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-04 0-0.5'

Project: Helios 6 Fed Com 1H **Collection Date:** 6/22/2021 1:30:00 PM

Lab ID: 2106D66-007 **Matrix:** SOIL **Received Date:** 6/25/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: SB
Diesel Range Organics (DRO)	28	9.7	mg/Kg	1	7/2/2021 11:52:35 AM
Motor Oil Range Organics (MRO)	98	48	mg/Kg	1	7/2/2021 11:52:35 AM
Surr: DNOP	105	70-130	%Rec	1	7/2/2021 11:52:35 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/1/2021 5:00:00 PM
Surr: BFB	94.8	70-130	%Rec	1	7/1/2021 5:00:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/1/2021 5:00:00 PM
Toluene	ND	0.048	mg/Kg	1	7/1/2021 5:00:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/1/2021 5:00:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	7/1/2021 5:00:00 PM
Surr: 4-Bromofluorobenzene	90.6	70-130	%Rec	1	7/1/2021 5:00:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	18000	1500	mg/Kg	500	7/1/2021 8:27:57 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 19

CLIENT: Vertex Resources Services, Inc.

Analytical ReportLab Order **2106D66**

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BH21-05

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 9:00:00 AM

 Lab ID:
 2106D66-008
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: BRM Diesel Range Organics (DRO) ND 9.3 mg/Kg 1 6/30/2021 2:09:21 AM Motor Oil Range Organics (MRO) ND 47 mg/Kg 1 6/30/2021 2:09:21 AM Surr: DNOP 60.6 70-130 S %Rec 1 6/30/2021 2:09:21 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: mb Gasoline Range Organics (GRO) ND 7/1/2021 5:20:00 PM 4.8 mg/Kg 1 Surr: BFB 95.5 70-130 %Rec 1 7/1/2021 5:20:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: mb Benzene ND 7/1/2021 5:20:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 7/1/2021 5:20:00 PM Ethylbenzene ND 0.048 mg/Kg 1 7/1/2021 5:20:00 PM Xylenes, Total ND 0.096 mg/Kg 1 7/1/2021 5:20:00 PM 7/1/2021 5:20:00 PM Surr: 4-Bromofluorobenzene 90.1 70-130 %Rec 1 Analyst: VP **EPA METHOD 300.0: ANIONS** Chloride ND 60 7/1/2021 5:00:25 AM ma/Ka 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-06

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 9:30:00 AM

 Lab ID:
 2106D66-009
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	6/30/2021 2:33:54 AM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	6/30/2021 2:33:54 AM
Surr: DNOP	65.9	70-130	S	%Rec	1	6/30/2021 2:33:54 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 5:40:00 PM
Surr: BFB	86.2	70-130		%Rec	1	7/1/2021 5:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 5:40:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 5:40:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 5:40:00 PM
Xylenes, Total	ND	0.096		mg/Kg	1	7/1/2021 5:40:00 PM
Surr: 4-Bromofluorobenzene	87.9	70-130		%Rec	1	7/1/2021 5:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 4:32:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-08

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 10:00:00 AM

 Lab ID:
 2106D66-010
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	6/30/2021 2:58:10 AM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/30/2021 2:58:10 AM
Surr: DNOP	68.2	70-130	S	%Rec	1	6/30/2021 2:58:10 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	7/1/2021 6:00:00 PM
Surr: BFB	94.9	70-130		%Rec	1	7/1/2021 6:00:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 6:00:00 PM
Toluene	ND	0.047		mg/Kg	1	7/1/2021 6:00:00 PM
Ethylbenzene	ND	0.047		mg/Kg	1	7/1/2021 6:00:00 PM
Xylenes, Total	ND	0.095		mg/Kg	1	7/1/2021 6:00:00 PM
Surr: 4-Bromofluorobenzene	88.2	70-130		%Rec	1	7/1/2021 6:00:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 5:09:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH21-09

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 10:15:00 AM

 Lab ID:
 2106D66-011
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	6/30/2021 3:22:25 AM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	6/30/2021 3:22:25 AM
Surr: DNOP	60.2	70-130	S	%Rec	1	6/30/2021 3:22:25 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 6:20:00 PM
Surr: BFB	96.3	70-130		%Rec	1	7/1/2021 6:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 6:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 6:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 6:20:00 PM
Xylenes, Total	ND	0.096		mg/Kg	1	7/1/2021 6:20:00 PM
Surr: 4-Bromofluorobenzene	88.9	70-130		%Rec	1	7/1/2021 6:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	120	60		mg/Kg	20	7/1/2021 6:11:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-11

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 10:30:00 AM

 Lab ID:
 2106D66-012
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	6/30/2021 3:46:40 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	6/30/2021 3:46:40 AM
Surr: DNOP	60.7	70-130	S	%Rec	1	6/30/2021 3:46:40 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 6:40:00 PM
Surr: BFB	96.1	70-130		%Rec	1	7/1/2021 6:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 6:40:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 6:40:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 6:40:00 PM
Xylenes, Total	ND	0.097		mg/Kg	1	7/1/2021 6:40:00 PM
Surr: 4-Bromofluorobenzene	91.3	70-130		%Rec	1	7/1/2021 6:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 6:23:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 19

CLIENT: Vertex Resources Services, Inc.

Analytical ReportLab Order **2106D66**

Date Reported: 7/6/2021

7/1/2021 6:36:08 PM

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BH21-12

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 11:00:00 AM

 Lab ID:
 2106D66-013
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: BRM Diesel Range Organics (DRO) ND 9.2 mg/Kg 1 6/30/2021 4:10:52 AM Motor Oil Range Organics (MRO) ND 46 mg/Kg 1 6/30/2021 4:10:52 AM Surr: DNOP 68.0 70-130 S %Rec 1 6/30/2021 4:10:52 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: mb Gasoline Range Organics (GRO) ND 7/1/2021 7:00:00 PM 4.9 mg/Kg 1 7/1/2021 7:00:00 PM Surr: BFB 93.8 70-130 %Rec 1 **EPA METHOD 8021B: VOLATILES** Analyst: mb Benzene ND 7/1/2021 7:00:00 PM 0.024 mg/Kg 1 Toluene 7/1/2021 7:00:00 PM ND 0.049 mg/Kg 1 Ethylbenzene ND 0.049 mg/Kg 1 7/1/2021 7:00:00 PM Xylenes, Total ND 0.098 mg/Kg 1 7/1/2021 7:00:00 PM 7/1/2021 7:00:00 PM Surr: 4-Bromofluorobenzene 90.8 70-130 %Rec 1 Analyst: VP **EPA METHOD 300.0: ANIONS**

ND

60

ma/Ka

20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Chloride

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-13

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 11:30:00 AM

 Lab ID:
 2106D66-014
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	8.4		mg/Kg	1	6/30/2021 4:35:15 AM
Motor Oil Range Organics (MRO)	ND	42		mg/Kg	1	6/30/2021 4:35:15 AM
Surr: DNOP	58.9	70-130	S	%Rec	1	6/30/2021 4:35:15 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 7:20:00 PM
Surr: BFB	95.8	70-130		%Rec	1	7/1/2021 7:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 7:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 7:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 7:20:00 PM
Xylenes, Total	ND	0.095		mg/Kg	1	7/1/2021 7:20:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130		%Rec	1	7/1/2021 7:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 6:48:33 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-14

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 11:45:00 AM

 Lab ID:
 2106D66-015
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	6/30/2021 4:59:21 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	6/30/2021 4:59:21 AM
Surr: DNOP	61.5	70-130	S	%Rec	1	6/30/2021 4:59:21 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 7:40:00 PM
Surr: BFB	98.2	70-130		%Rec	1	7/1/2021 7:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 7:40:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 7:40:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 7:40:00 PM
Xylenes, Total	ND	0.095		mg/Kg	1	7/1/2021 7:40:00 PM
Surr: 4-Bromofluorobenzene	90.9	70-130		%Rec	1	7/1/2021 7:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	330	60		mg/Kg	20	7/1/2021 7:00:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 19

Hall Environmental Analysis Laboratory, Inc.

2106D66 06-Jul-21

WO#:

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: MB-61035 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 61035 RunNo: 79492

Prep Date: 6/30/2021 Analysis Date: 6/30/2021 SeqNo: 2794639 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-61035 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 61035 RunNo: 79492

Prep Date: 6/30/2021 Analysis Date: 6/30/2021 SeqNo: 2794640 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.6 90 110

Sample ID: MB-61040 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 61040 RunNo: 79497

Prep Date: 6/30/2021 Analysis Date: 7/1/2021 SeqNo: 2796246 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-61040 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 61040 RunNo: 79497

Prep Date: 6/30/2021 Analysis Date: 7/1/2021 SeqNo: 2796247 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 95.8 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: **2106D66** *06-Jul-21*

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: LCS-60965 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 60965 RunNo: 79472

Prep Date: 6/28/2021 Analysis Date: 6/29/2021 SeqNo: 2793936 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Diesel Range Organics (DRO)
 44
 10
 50.00
 0
 87.9
 68.9
 141

 Surr: DNOP
 3.6
 5.000
 72.5
 70
 130

Sample ID: MB-60965 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 60965 RunNo: 79472

Prep Date: 6/28/2021 Analysis Date: 6/29/2021 SeqNo: 2793938 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 7.7 10.00 77.0 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: **2106D66**

06-Jul-21

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: mb-60961 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS** Batch ID: **60961** RunNo: **79532**

Prep Date: 6/28/2021 Analysis Date: 7/1/2021 SeqNo: 2796799 Units: mq/Kq

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 920 1000 92.3 70 130

Sample ID: Ics-60961 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 60961 RunNo: 79532

Prep Date: 6/28/2021 Analysis Date: 7/1/2021 SeqNo: 2796801 Units: mg/Kg

RPDLimit Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Gasoline Range Organics (GRO) 26 5.0 25.00 0 104 78.6 131

Surr: BFB 1100 1000 108 70 130

Sample ID: mb-60981 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 60981 RunNo: 79563

Prep Date: 6/28/2021 Analysis Date: 7/2/2021 SeqNo: 2798482 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 970 1000 96.7 70 130

Sample ID: Ics-60981 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 60981 RunNo: 79563

Prep Date: 6/28/2021 Analysis Date: 7/2/2021 SegNo: 2798484 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 1100 1000 114 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: **2106D66**

06-Jul-21

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: mb-60961	Sampl	уре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batcl	n ID: 60 9	961	F	RunNo: 7	9532				
Prep Date: 6/28/2021	Analysis D	Date: 7/	1/2021	S	SeqNo: 2	796853	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.90		1.000		90.1	70	130			
Sample ID: Ics-60961	Sampl	ype: LC	s	Tes	tCode: El	PA Method	8021B: Volat	iles		

Sample ID: Ics-60961	SampT	ype: LC	S	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: LCSS	Batcl	h ID: 60 9	961	F	RunNo: 7	9532				
Prep Date: 6/28/2021	Analysis D	Date: 7/	1/2021	9	SeqNo: 2	796855	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	1.000	0	97.5	80	120			
Toluene	0.99	0.050	1.000	0	98.6	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Xylenes, Total	3.1	0.10	3.000	0	102	80	120			
Surr: 4-Bromofluorobenzene	0.93		1.000		93.2	70	130			

Sample ID: mb-60981	SampT	ype: ME	BLK	Test	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	ID: 60	981	R	tunNo: 7 9	9563				
Prep Date: 6/28/2021	Analysis Da	ate: 7/	2/2021	S	SeqNo: 2	798540	Units: %Rec	:		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.93		1.000		92.6	70	130			

Sample ID: Ics-60981	SampT	ype: LC	s	Tes	tCode: E	PA Method	8021B: Volat	iles		
Client ID: LCSS	Batch	n ID: 60	981	F	RunNo: 7	9563				
Prep Date: 6/28/2021	Analysis D	ate: 7	/2/2021	\$	SeqNo: 2	798542	Units: %Red	3		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.93		1.000		92.5	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 19



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name:	Vertex Resources Services, Inc.	Work Order Number	210	06D66		RcptNo: 1
Received By:	Juan Rojas	6/25/2021 7:30:00 AM			flansa g	
Completed By:	Cheyenne Cason	6/25/2021 9:37:57 AM			(lend	
Reviewed By:	DAD 6.25-Z				Charles	
Chain of Cus	<u>tody</u>					
1. Is Chain of C	ustody complete?		Yes	V	No 🗌	Not Present
2. How was the	sample delivered?		Cou	ırier		
Log In						
	npt made to cool the samples?	6	Yes	V	No 🗌	NA 🗆
4. Were all samp	oles received at a temperature	of >0° C to 6.0°C	Yes	Carrie Law	No 🗸	NA 🗆
5. Sample(s) in p	proper container(s)?		Yes	Not Fr	No 🗌	
6. Sufficient sam	ple volume for indicated test(s)?	Yes	V	No 🗌	
7. Are samples (except VOA and ONG) proper	ly preserved?	Yes	V	No 🗌	
8. Was preservat	tive added to bottles?		Yes		No 🗹	NA 🗆
9. Received at le	ast 1 vial with headspace <1/4	" for AQ VOA?	Yes		No 🗌	NA 🗹
10. Were any sam	ple containers received broke	n?	Yes		No 🗸	
44						# of preserved bottles checked
	rk match bottle labels? ncies on chain of custody)		Yes	V	No 🗌	for pH:
	orrectly identified on Chain of	Custody?	Yes		No 🗌	(<2 or >12 unless noted) Adjusted?
	analyses were requested?		Yes	V	No 🗆	
	ng times able to be met? stomer for authorization.)		Yes	V	No 🗆	Checked by: T.C. 6-25-21
	ing (if applicable)					
	ified of all discrepancies with t	this order?	Yes	П	No 🗌	NA 🗸
Person I			105		140	IVA 💌
By Who		Date: Via:	7 004	oil 🗀	Dhana 🗔 Face	
Regardir		Vid.	eM	all [_]	Phone Fax	In Person
Client In	structions:					
16. Additional ren	narks:					
17. <u>Cooler Inform</u> Cooler No	TO SERVICE STATE OF THE SERVIC	eal Intact Seal No Se	eal D	ate	Signed By	

Client:	lain	Vertex	Chain-ot-Custody Record $V \circ v \in \mathcal{X}$	ecord	Turn-Around Time:	l Time: d □ Rush	X BO X			I	HALL	EN	VIR	HALL ENVIRONMENTAL	NTAL
g A	Mailing Address:	S: AN	FILL),	Project Name:	Fed	Com 114			\$	ww.ha	www.hallenvironmental.com	nment	al.com	S S S S S S S S S S S S S S S S S S S
		5			Project #: 21E	1	00580-003		4901 Hawkins NE Tel 505-345-3975	F05-345-3075	3075	Albuq	nerque	- Albuquerque, NIM 8/109 - Sov 505 345 4107	
Phone #:											A .	Analysis	s Request	lest	
or Pa	email or Fax#: QA/QC Package:	100	Dormian QVentex. Ca	44. CA	Project Manager	ager: John	Hurk		SB's	G/ti		*OS '*C		(tuesdy)	
Accreditation	Accreditation:	□ Az Cc	☐ Level 4 (Full Validation)	III validatiori)	Sampler: A	N N12	ARRIS				20170	о ^{г,} Р		⁄диəse	
□ NELAC	NELAC EDD (Tvpe)	□ Other			On Ice:	A Yes	ON 🗆					N 'EC	(AO\	919) n	
-					Cooler Temp(including cF):((including CF): U.I	-0= -0.1 (°C)	TTM (nioillo	
F	Time	Matrix	Sample Name	ne	Container Type and #	Preservative Tvpe	HEAL No.	STEXT	08:HTI प 1808	N) BOE	SAHS P	3260 (V	3) 0728	O lsto	
7	0001 12-2-9	50,1	10-1298	0-0.5'	6605 Jan	321			1						
_	1010	-	8421-01	1.01	-		3.5	-				-			
	015	£ 0	Bh21-01	2.0'			003								
-	1100		BH21-01	0-0,5			604								
-	1130		BH21-02	0-0,5			œ5								
-	1300	->	BH21'03	0-0.5'		//	CCC	1	9						
	330	>	131721-04	0-0.5'	>	>	007	0				>			
H	Time.	Relinguished by:	by.		Pocoivod hv.	Via									
	j j	i con hi ii con hi con hi con hi ii con hi con hi con hi con hi ii con hi ii	on on.		WILLIAM IN	Me.	W/W/VI (Im	Kemarks:	rks: C	Ü	Jhur	Thurt @ Verdex,	broken a	, CA	
F	Time:	Relinquished by:	ed by:	0,	Received by:	Via: 8)	Date Time				e e	1	S S	anaris werey, ca	

Client	<u> </u>	Vertex	Chain-or-Custody Record ∴ Vertex	Z Standard	ııııle. □ Rush	5 DAY		П	HALL		N	PK =	ENVIRONMENTAL
Mailing:	Mailing Address:		ON FILE	Project Name:	9	Fed Com 214	24	www.hall	www Kins N	_	vironm		100
				Project #: 2/E - 00580 - 003	1E-005	80-003	-	Tel 505-	505-345-3975		Fay 5	505-345-4107	601
Phone #:	:#:				,)				Anal	ysis R	Analysis Request	
	email or Fax#:		Perming @ Vertex. Ca	Project Manager:	ger: 7-1 H./	Hich				. ₽C		(1	
AA/QC Packe	QA/QC Package				7		1508) NMRO		SWI)S ԠO		uəsq√	
	inagin		Level 4 (rull validation)		- 1	. 0 .			S02	ď		//ţu	
Accred	Accreditation:	□ Az C	☐ Az Compliance	1		MARKIS		3082		ЛOS			
□ NELAC	FDD (Type)	Omer		Un Ice:	M Yes	ON 🗆		3/sə		_			
				Cooler Templinding CEV 7.1	nduding CF) (7	(O.) 10-0-17	1 1 1 1	ticic		-	(A		
				Container	Droconvotivo	HEALNO		r Pes (We	ls by	18 AS 19 AF,	OV) ((Sei	
Date	Time	Matrix	Sample Name	#	Type	710		808		$\overline{}$	928		
12-52-9	10900	5001	SD-12418		ICE	Cuedista Con	入			1	3		
-	0430		BH21-06	_		14 c/18/24	-			-			
	1000		80-1248			Cuclist.				-			
	1015		13421-09			Cad(1810				F			
	1030		11-12451			510 callesia							
	1100		131421-12			Cuclisia 013				-			
-	1130	/ /	13421-13		,	710 str							
>	1145	>	BH21-14	>		510	7			>			
Date:	Time:	Relinquished by:	ed by:	Received by:	Via:	/ Date Time	Remarks.	-		_	-		
				Gum	, 5			C		JAC -	1	JACKER Worket.	٠. رم
Date:	Time:	Relinquished by:	ed by:	Received by:	Via:	Date Time				aha	517	ahairis & Mitt. Ca	4.00

Hall Environmental Analysis Laboratory

TEL: 505-345-3975 FAX: 505-345-4107

Website: clients.hallenvironmental.com

4901 Hawkins NE

Albuquerque, NM 87109



July 08, 2021

Wesley Mathews Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210 TEL: (505) 350-1336

FAX

RE: Helios 6 OrderNo.: 2107069

Dear Wesley Mathews:

Hall Environmental Analysis Laboratory received 4 sample(s) on 7/2/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report Lab Order 2107069

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-01 11'

 Project:
 Helios 6
 Collection Date: 6/30/2021 9:00:00 AM

 Lab ID:
 2107069-001
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	7/6/2021 1:10:04 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/6/2021 1:10:04 PM
Surr: DNOP	102	70-130	%Rec	1	7/6/2021 1:10:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/6/2021 9:56:00 PM
Surr: BFB	98.1	70-130	%Rec	1	7/6/2021 9:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/6/2021 9:56:00 PM
Toluene	ND	0.049	mg/Kg	1	7/6/2021 9:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/6/2021 9:56:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/6/2021 9:56:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130	%Rec	1	7/6/2021 9:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	11000	600	mg/Kg	200	7/7/2021 2:22:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 8

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-02 12'

 Project:
 Helios 6
 Collection Date: 6/30/2021 10:00:00 AM

 Lab ID:
 2107069-002
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.3	mg/Kg	1	7/6/2021 1:22:22 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	7/6/2021 1:22:22 PM
Surr: DNOP	97.7	70-130	%Rec	1	7/6/2021 1:22:22 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/6/2021 10:56:00 PM
Surr: BFB	99.3	70-130	%Rec	1	7/6/2021 10:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/6/2021 10:56:00 PM
Toluene	ND	0.049	mg/Kg	1	7/6/2021 10:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/6/2021 10:56:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/6/2021 10:56:00 PM
Surr: 4-Bromofluorobenzene	93.5	70-130	%Rec	1	7/6/2021 10:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	150	60	mg/Kg	20	7/7/2021 2:22:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 8

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-03 12'

 Project:
 Helios 6
 Collection Date: 6/30/2021 11:00:00 AM

 Lab ID:
 2107069-003
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	8.9	mg/Kg	1	7/6/2021 1:34:32 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	7/6/2021 1:34:32 PM
Surr: DNOP	101	70-130	%Rec	1	7/6/2021 1:34:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/6/2021 11:16:00 PM
Surr: BFB	100	70-130	%Rec	1	7/6/2021 11:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/6/2021 11:16:00 PM
Toluene	ND	0.048	mg/Kg	1	7/6/2021 11:16:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/6/2021 11:16:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/6/2021 11:16:00 PM
Surr: 4-Bromofluorobenzene	95.9	70-130	%Rec	1	7/6/2021 11:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	170	61	mg/Kg	20	7/7/2021 2:35:16 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 8

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-04 15'

 Project:
 Helios 6
 Collection Date: 6/30/2021 12:00:00 PM

 Lab ID:
 2107069-004
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	7/6/2021 1:46:37 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	7/6/2021 1:46:37 PM
Surr: DNOP	101	70-130	%Rec	1	7/6/2021 1:46:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/6/2021 11:36:00 PM
Surr: BFB	104	70-130	%Rec	1	7/6/2021 11:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.025	mg/Kg	1	7/6/2021 11:36:00 PM
Toluene	ND	0.050	mg/Kg	1	7/6/2021 11:36:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/6/2021 11:36:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/6/2021 11:36:00 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	7/6/2021 11:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	6700	300	mg/Kg	100	7/7/2021 2:35:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2107069**

08-Jul-21

Client: Devon Energy
Project: Helios 6

Sample ID: MB-61148 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 61148 RunNo: 79587

Prep Date: 7/6/2021 Analysis Date: 7/6/2021 SeqNo: 2799455 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-61148 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 61148 RunNo: 79587

Prep Date: 7/6/2021 Analysis Date: 7/6/2021 SeqNo: 2799456 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 15 1.5 15.00 0 97.8 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 2107069 08-Jul-21

Client: Devon Energy **Project:** Helios 6

Sample ID: MB-61118 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 61118 RunNo: 79594 Prep Date: 7/3/2021 Analysis Date: 7/6/2021 SeqNo: 2799172 Units: mg/Kg Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Result

Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 10 10.00 101 70 130

Sample ID: LCS-61118 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 61118

RunNo: 79594

Prep Date: 7/3/2021 Analysis Date: 7/6/2021 SeqNo: 2799173 Units: mg/Kg

SPK value SPK Ref Val %REC Analyte PQL LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 47 10 50.00 94.7 68.9 141 Surr: DNOP 5.2 5.000 104 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2107069** *08-Jul-21*

Client: Devon Energy
Project: Helios 6

Sample ID: mb-61115 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 61115 RunNo: 79580

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799569 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1000 1000 100 70 130

Sample ID: Ics-61115 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 61115 RunNo: 79580

1100

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799571 Units: mg/Kg

1000

Qual Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Gasoline Range Organics (GRO) 24 5.0 25.00 0 95.5 78.6 131

107

70

130

Qualifiers:

Surr: BFB

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 2107069

08-Jul-21

Client: Devon Energy **Project:** Helios 6

LCSS

Sample ID: mb-61115 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 61115 RunNo: 79580

Batch ID: 61115

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799582 Units: mq/Kq

PQL SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result LowLimit HighLimit Qual Benzene ND 0.025

RunNo: 79580

Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10

Surr: 4-Bromofluorobenzene 0.95 1.000 94.5 70 130

Sample ID: Ics-61115 SampType: LCS TestCode: EPA Method 8021B: Volatiles

Client ID: Analysis Date: 7/6/2021 SeqNo: 2799584 Prep Date: 7/2/2021

Units: mg/Kg

PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 1.000 0.99 0.025 0 99.3 80 120 Benzene Toluene 0.99 0.050 1.000 0 99.0 80 120 0 100 80 Ethylbenzene 1.0 0.050 1.000 120 0 100 Xylenes, Total 3.0 0.10 3.000 80 120 Surr: 4-Bromofluorobenzene 0.92 1.000 92.2 70 130

Sample ID: 2107069-001ams SampType: MS TestCode: EPA Method 8021B: Volatiles

Client ID: BH21-01 11' Batch ID: 61115 RunNo: 79580

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799586 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 97.4 80 0.92 0.024 0.9497 120 Benzene O Toluene 0.93 0.047 0.9497 0 97.9 80 120 120 0 100 80 Ethylbenzene 0.95 0.047 0.9497 Xylenes, Total 2.9 0.095 2.849 0 101 80 120 Surr: 4-Bromofluorobenzene 93.5 0.89 0.9497 70 130

TestCode: EPA Method 8021B: Volatiles Sample ID: 2107069-001amsd SampType: MSD

BH21-01 11' Client ID: Batch ID: 61115 RunNo: 79580

Prep Date: 7/2/2021	Analysis D	nalysis Date: 7/6/2021 SeqNo: 2799588 Units: mg/K			SeqNo: 2799588		(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	0.9921	0	98.6	80	120	5.62	20	
Toluene	0.98	0.050	0.9921	0	98.4	80	120	4.81	20	
Ethylbenzene	1.0	0.050	0.9921	0	102	80	120	6.46	20	
Xylenes, Total	3.1	0.099	2.976	0	104	80	120	6.56	20	
Surr: 4-Bromofluorobenzene	0.95		0.9921		96.2	70	130	0	0	

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix


Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 8 of 8



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: Devon Energy Work Order Number: 2107069 RcptNo: 1 Received By: Juan Rojas 7/2/2021 7:30:00 AM Completed By: Cheyenne Cason 7/2/2021 8:21:01 AM Reviewed By: JR7/2/21 Chain of Custody 1. Is Chain of Custody complete? No 🗌 Yes 🗸 Not Present 2 How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? No 🗌 NA 🗌 4. Were all samples received at a temperature of >0° C to 6.0°C Yes V No NA 🗌 Sample(s) in proper container(s)? Yes V No 6. Sufficient sample volume for indicated test(s)? No 🗌 7. Are samples (except VOA and ONG) properly preserved? No _ 8. Was preservative added to bottles? No V Yes NA 🗌 9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes NA V No 🗌 10. Were any sample containers received broken? No 🗸 Yes -# of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No 🗌 for pH: (Note discrepancies on chain of custody) (<2 or >12 unless noted) Adjusted? 12. Are matrices correctly identified on Chain of Custody? No 🗌 Yes V 13. Is it clear what analyses were requested? Yes V No 14. Were all holding times able to be met? No 🗌 Yes V (If no, notify customer for authorization.) Special Handling (if applicable) Yes 15. Was client notified of all discrepancies with this order? No 🗌 NA V Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information Cooler No Condition | Seal Intact Temp °C Seal No Seal Date Signed By 1.6 Good

HALL ENVIRONMENTAL Project Name: Rush Rush	Project Manager: Sampler: CA Sampler: CA Sound Murager: Cooler Temporatema or; I.C. CA Type and # Type REE (Rethod 504.1) PAHS BY 8310 or 8270SIMS RECRA 8 Metals RECRA 9 Metals REC
	dation)



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 17, 2022

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2211297

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 18 sample(s) on 11/5/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:00:00 AM

 Lab ID:
 2211297-001
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:07:03 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/9/2022 10:07:03 PM
Surr: DNOP	96.4	21-129	%Rec	1	11/9/2022 10:07:03 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/9/2022 11:20:44 PM
Surr: BFB	88.6	37.7-212	%Rec	1	11/9/2022 11:20:44 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/9/2022 11:20:44 PM
Toluene	ND	0.049	mg/Kg	1	11/9/2022 11:20:44 PM
Ethylbenzene	ND	0.049	mg/Kg	1	11/9/2022 11:20:44 PM
Xylenes, Total	ND	0.098	mg/Kg	1	11/9/2022 11:20:44 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	11/9/2022 11:20:44 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/11/2022 10:01:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 1 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:05:00 AM

 Lab ID:
 2211297-002
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 10:17:35 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/9/2022 10:17:35 PM
Surr: DNOP	59.7	21-129	%Rec	1	11/9/2022 10:17:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/9/2022 11:44:15 PM
Surr: BFB	90.1	37.7-212	%Rec	1	11/9/2022 11:44:15 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/9/2022 11:44:15 PM
Toluene	ND	0.048	mg/Kg	1	11/9/2022 11:44:15 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/9/2022 11:44:15 PM
Xylenes, Total	ND	0.095	mg/Kg	1	11/9/2022 11:44:15 PM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	11/9/2022 11:44:15 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/11/2022 10:13:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:10:00 AM

 Lab ID:
 2211297-003
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:28:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 10:28:06 PM
Surr: DNOP	71.5	21-129	%Rec	1	11/9/2022 10:28:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/10/2022 12:07:40 AM
Surr: BFB	88.9	37.7-212	%Rec	1	11/10/2022 12:07:40 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 12:07:40 AM
Toluene	ND	0.049	mg/Kg	1	11/10/2022 12:07:40 AM
Ethylbenzene	ND	0.049	mg/Kg	1	11/10/2022 12:07:40 AM
Xylenes, Total	ND	0.098	mg/Kg	1	11/10/2022 12:07:40 AM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	11/10/2022 12:07:40 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/11/2022 10:26:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Not in Range imit Page 3 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:15:00 AM

 Lab ID:
 2211297-004
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:38:36 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 10:38:36 PM
Surr: DNOP	68.3	21-129	%Rec	1	11/9/2022 10:38:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 12:31:09 AM
Surr: BFB	86.6	37.7-212	%Rec	1	11/10/2022 12:31:09 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 12:31:09 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 12:31:09 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 12:31:09 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 12:31:09 AM
Surr: 4-Bromofluorobenzene	91.5	70-130	%Rec	1	11/10/2022 12:31:09 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 12:29:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:20:00 AM

 Lab ID:
 2211297-005
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: DGH				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 10:49:06 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/9/2022 10:49:06 PM
Surr: DNOP	75.6	21-129	%Rec	1	11/9/2022 10:49:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 12:54:34 AM
Surr: BFB	88.4	37.7-212	%Rec	1	11/10/2022 12:54:34 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 12:54:34 AM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 12:54:34 AM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 12:54:34 AM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 12:54:34 AM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	11/10/2022 12:54:34 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 1:07:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rring Limit Page 5 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:25:00 AM

 Lab ID:
 2211297-006
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:59:36 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 10:59:36 PM
Surr: DNOP	72.6	21-129	%Rec	1	11/9/2022 10:59:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 1:18:03 AM
Surr: BFB	87.0	37.7-212	%Rec	1	11/10/2022 1:18:03 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 1:18:03 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 1:18:03 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 1:18:03 AM
Xylenes, Total	ND	0.10	mg/Kg	1	11/10/2022 1:18:03 AM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	11/10/2022 1:18:03 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 1:19:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-04 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:30:00 AM

 Lab ID:
 2211297-007
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 11:10:08 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 11:10:08 PM
Surr: DNOP	66.0	21-129	%Rec	1	11/9/2022 11:10:08 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 1:41:29 AM
Surr: BFB	86.3	37.7-212	%Rec	1	11/10/2022 1:41:29 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 1:41:29 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 1:41:29 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 1:41:29 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 1:41:29 AM
Surr: 4-Bromofluorobenzene	91.2	70-130	%Rec	1	11/10/2022 1:41:29 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 1:31:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-04 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:35:00 AM

 Lab ID:
 2211297-008
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 11:20:40 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	11/9/2022 11:20:40 PM
Surr: DNOP	71.5	21-129	%Rec	1	11/9/2022 11:20:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 2:04:56 AM
Surr: BFB	86.9	37.7-212	%Rec	1	11/10/2022 2:04:56 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 2:04:56 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 2:04:56 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 2:04:56 AM
Xylenes, Total	ND	0.10	mg/Kg	1	11/10/2022 2:04:56 AM
Surr: 4-Bromofluorobenzene	91.3	70-130	%Rec	1	11/10/2022 2:04:56 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	130	60	mg/Kg	20	11/14/2022 1:44:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:40:00 AM

 Lab ID:
 2211297-009
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 11:31:11 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	11/9/2022 11:31:11 PM
Surr: DNOP	67.8	21-129	%Rec	1	11/9/2022 11:31:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 2:28:22 AM
Surr: BFB	86.9	37.7-212	%Rec	1	11/10/2022 2:28:22 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 2:28:22 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 2:28:22 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 2:28:22 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 2:28:22 AM
Surr: 4-Bromofluorobenzene	91.3	70-130	%Rec	1	11/10/2022 2:28:22 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 2:46:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:45:00 AM

 Lab ID:
 2211297-010
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 11:41:44 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 11:41:44 PM
Surr: DNOP	75.0	21-129	%Rec	1	11/9/2022 11:41:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 3:15:12 AM
Surr: BFB	87.0	37.7-212	%Rec	1	11/10/2022 3:15:12 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 3:15:12 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 3:15:12 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 3:15:12 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 3:15:12 AM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	11/10/2022 3:15:12 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	11/14/2022 2:58:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-06 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:50:00 AM

 Lab ID:
 2211297-011
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 11:40:04 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/11/2022 11:40:04 AM
Surr: DNOP	112	21-129	%Rec	1	11/11/2022 11:40:04 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 3:51:48 PM
Surr: BFB	90.3	37.7-212	%Rec	1	11/10/2022 3:51:48 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 3:51:48 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 3:51:48 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 3:51:48 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 3:51:48 PM
Surr: 4-Bromofluorobenzene	93.6	70-130	%Rec	1	11/10/2022 3:51:48 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	11/14/2022 3:11:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-06 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:55:00 AM

 Lab ID:
 2211297-012
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 3:01:53 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/14/2022 3:01:53 PM
Surr: DNOP	111	21-129	%Rec	1	11/14/2022 3:01:53 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/10/2022 5:02:03 PM
Surr: BFB	86.1	37.7-212	%Rec	1	11/10/2022 5:02:03 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	11/10/2022 5:02:03 PM
Toluene	ND	0.047	mg/Kg	1	11/10/2022 5:02:03 PM
Ethylbenzene	ND	0.047	mg/Kg	1	11/10/2022 5:02:03 PM
Xylenes, Total	ND	0.093	mg/Kg	1	11/10/2022 5:02:03 PM
Surr: 4-Bromofluorobenzene	90.8	70-130	%Rec	1	11/10/2022 5:02:03 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 3:23:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 12 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-07 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:00:00 AM

 Lab ID:
 2211297-013
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 1:07:37 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/11/2022 1:07:37 PM
Surr: DNOP	100	21-129	%Rec	1	11/11/2022 1:07:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 6:12:51 PM
Surr: BFB	89.8	37.7-212	%Rec	1	11/10/2022 6:12:51 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 6:12:51 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 6:12:51 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 6:12:51 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 6:12:51 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	11/10/2022 6:12:51 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	9000	300	mg/Kg	100	11/14/2022 3:36:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-07 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:05:00 AM

 Lab ID:
 2211297-014
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst: DGH
Diesel Range Organics (DRO)	ND	14		mg/Kg	1	11/11/2022 1:18:12 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	11/11/2022 1:18:12 PM
Surr: DNOP	132	21-129	S	%Rec	1	11/11/2022 1:18:12 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	11/10/2022 6:36:23 PM
Surr: BFB	87.8	37.7-212		%Rec	1	11/10/2022 6:36:23 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	11/10/2022 6:36:23 PM
Toluene	ND	0.047		mg/Kg	1	11/10/2022 6:36:23 PM
Ethylbenzene	ND	0.047		mg/Kg	1	11/10/2022 6:36:23 PM
Xylenes, Total	ND	0.095		mg/Kg	1	11/10/2022 6:36:23 PM
Surr: 4-Bromofluorobenzene	93.1	70-130		%Rec	1	11/10/2022 6:36:23 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	7000	300		mg/Kg	100	11/14/2022 3:48:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-07 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:10:00 AM

 Lab ID:
 2211297-015
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	14	14	mg/Kg	1	11/14/2022 4:40:12 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	11/14/2022 4:40:12 PM
Surr: DNOP	116	21-129	%Rec	1	11/14/2022 4:40:12 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	11/10/2022 6:59:54 PM
Surr: BFB	88.7	37.7-212	%Rec	1	11/10/2022 6:59:54 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	11/10/2022 6:59:54 PM
Toluene	ND	0.046	mg/Kg	1	11/10/2022 6:59:54 PM
Ethylbenzene	ND	0.046	mg/Kg	1	11/10/2022 6:59:54 PM
Xylenes, Total	ND	0.092	mg/Kg	1	11/10/2022 6:59:54 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	11/10/2022 6:59:54 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	6600	300	mg/Kg	100	11/14/2022 4:00:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:15:00 AM

 Lab ID:
 2211297-016
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 1:39:24 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/11/2022 1:39:24 PM
Surr: DNOP	107	21-129	%Rec	1	11/11/2022 1:39:24 PM
EPA METHOD 8015D: GASOLINE RANGE	į				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 7:23:14 PM
Surr: BFB	92.7	37.7-212	%Rec	1	11/10/2022 7:23:14 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 7:23:14 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 7:23:14 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 7:23:14 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 7:23:14 PM
Surr: 4-Bromofluorobenzene	97.3	70-130	%Rec	1	11/10/2022 7:23:14 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	7100	300	mg/Kg	100	11/14/2022 4:13:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 25

Analytical Report

Lab Order **2211297**Date Reported: **11/17/2022**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:20:00 AM

 Lab ID:
 2211297-017
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 1:50:01 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/11/2022 1:50:01 PM
Surr: DNOP	105	21-129	%Rec	1	11/11/2022 1:50:01 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 7:46:49 PM
Surr: BFB	89.0	37.7-212	%Rec	1	11/10/2022 7:46:49 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 7:46:49 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 7:46:49 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 7:46:49 PM
Xylenes, Total	ND	0.095	mg/Kg	1	11/10/2022 7:46:49 PM
Surr: 4-Bromofluorobenzene	92.6	70-130	%Rec	1	11/10/2022 7:46:49 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	5600	300	mg/Kg	100	11/14/2022 4:50:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:25:00 AM

 Lab ID:
 2211297-018
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	41	15	mg/Kg	1	11/14/2022 5:12:12 PM
Motor Oil Range Organics (MRO)	110	49	mg/Kg	1	11/14/2022 5:12:12 PM
Surr: DNOP	121	21-129	%Rec	1	11/14/2022 5:12:12 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 8:10:22 PM
Surr: BFB	88.4	37.7-212	%Rec	1	11/10/2022 8:10:22 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 8:10:22 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 8:10:22 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 8:10:22 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 8:10:22 PM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	11/10/2022 8:10:22 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	7300	300	mg/Kg	100	11/14/2022 5:02:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 25

Hall Environmental Analysis Laboratory, Inc.

14

2211297 17-Nov-22

WO#:

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Fed 1 Well Pad

Sample ID: MB-71445 SampType: mblk TestCode: EPA Method 300.0: Anions

PBS Client ID: Batch ID: 71445 RunNo: 92527

Prep Date: 11/11/2022 Analysis Date: 11/11/2022 SeqNo: 3328186 Units: mq/Kq

SPK value SPK Ref Val %RPD **RPDLimit** Analyte Result **PQL** %REC LowLimit HighLimit Qual

Chloride ND 1.5

Sample ID: LCS-71445 SampType: Ics TestCode: EPA Method 300.0: Anions Client ID: LCSS Batch ID: 71445 RunNo: 92527 Prep Date: 11/11/2022 Analysis Date: 11/11/2022 SeqNo: 3328187 Units: mg/Kg %RPD **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit Qual

95.6

110

Sample ID: MB-71469 TestCode: EPA Method 300.0: Anions SampType: mblk Client ID: **PBS** Batch ID: 71469 RunNo: 92581 Prep Date: Analysis Date: 11/14/2022 Units: mg/Kg 11/14/2022 SeqNo: 3329299

Analyte Result POI SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit

Chloride

Sample ID: LCS-71469 SampType: Ics TestCode: EPA Method 300.0: Anions

15.00

Client ID: LCSS Batch ID: 71469 RunNo: 92581

1.5

Prep Date: Analysis Date: 11/14/2022 SeqNo: 3329300 11/14/2022 Units: mg/Kg

Result **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte LowLimit

Chloride 15 1.5 15.00 n 96.7 90 110

Qualifiers:

Chloride

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit

POL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 19 of 25

2211297

17-Nov-22

WO#:

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Fed 1 Well Pad

Project: Hackber	rry 6 Fed 1 Well Pad		
Sample ID: LCS-71362	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics	
Client ID: LCSS	Batch ID: 71362	RunNo: 92430	
Prep Date: 11/8/2022	Analysis Date: 11/9/2022	SeqNo: 3324031 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qu	ual
Diesel Range Organics (DRO)	45 15 50.00	0 90.7 64.4 127	
Surr: DNOP	5.3 5.000	106 21 129	
Sample ID: MB-71362	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics	
Client ID: PBS	Batch ID: 71362	RunNo: 92430	
Prep Date: 11/8/2022	Analysis Date: 11/9/2022	SeqNo: 3324033 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qu	ual
Diesel Range Organics (DRO)	ND 15		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	9.5 10.00	95.2 21 129	
Sample ID: LCS-71411	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics	
Client ID: LCSS	Batch ID: 71411	RunNo: 92519	
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3325799 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qu	ual
Diesel Range Organics (DRO)	45 15 50.00	0 90.1 64.4 127	
Surr: DNOP	5.6 5.000	111 21 129	
Sample ID: MB-71411	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics	
Client ID: PBS	Batch ID: 71411	RunNo: 92519	
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3325801 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qu	ual
Diesel Range Organics (DRO)	ND 15		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	11 10.00	108 21 129	
Sample ID: LCS-71413	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics	
Client ID: LCSS	Batch ID: 71413	RunNo: 92519	
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3327399 Units: %Rec	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qu	ual
Surr: DNOP	6.1 5.000	121 21 129	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 20 of 25

Hall Environmental Analysis Laboratory, Inc.

2211297 17-Nov-22

WO#:

Client:	Vertex Resources Services, Inc.
Project:	Hackberry 6 Fed 1 Well Pad

Project:	Hackberry												
Sample ID:	MB-71413	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015M/D: Dies	sel Range	Organics			
Client ID:	PBS	Batch	n ID: 71	413	RunNo: 92519								
Prep Date:	11/10/2022	Analysis D)ate: 11	I/11/2 0 22	\$	SeqNo: 3	327400	Units: %Rec					
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: DNOP		12		10.00		117	21	129					
Sample ID:	LCS-71461	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8015M/D: Dies	sel Range	Organics			
Client ID:	LCSS	Batch	n ID: 71	461	F	RunNo: 92	2557						
Prep Date:	11/14/2022	Analysis D)ate: 1 1	1/14/2022	S	SeqNo: 3	327869	Units: %Rec					
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: DNOP		5.0		5.000		101	21	129					
Sample ID:	MB-71461	SampType: MBLK TestC				tCode: EF	de: EPA Method 8015M/D: Diesel Range Organics						
Client ID:	PBS	Batch ID: 71461			RunNo: 92557								
Prep Date:	11/14/2022	Analysis D)ate: 1 1	1/14/2022	5	SeqNo: 3	327870	Units: %Rec					
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: DNOP		9.3		10.00		92.6	21	129					
Sample ID:	2211297-012AMS	SampT	уре: м	 S	Tes	tCode: EF	PA Method	8015M/D: Dies	sel Range	Organics			
Client ID:	BH22-06 2'	Batch	n ID: 71	411	F	RunNo: 92	2557						
Prep Date:	11/10/2022	Analysis D)ate: 1 1	1/14/2022	S	SeqNo: 3	329449	Units: mg/Kg	g				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
-	Organics (DRO)	66	15	49.60	0	133	36.1	154					
Surr: DNOP		7.4		4.960		148	21	129			S		
Sample ID:	2211297-012AMSD	SampT	ype: M \$	SD	Tes	tCode: EF	PA Method	8015M/D: Dies	sel Range	Organics			
Client ID:	BH22-06 2'	Batch	n ID: 71	411	F	RunNo: 92	2557						
Prep Date:	11/10/2022	Analysis D)ate: 1 1	1/14/2022	5	SeqNo: 3	329450	Units: mg/Kg	g				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
-	Organics (DRO)	50	15	50.10	0	99.7	36.1	154	27.4	33.9			
Surr: DNOP		5.9		5.010		117	21	129	0	0			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 21 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2211297** *17-Nov-22*

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample Decomposition Sample Decomposi	Project: Hackberry	y 6 Fed 1 Well Pad										
Prep Date 117/2022	Sample ID: mb-71353	SampType: MBLK		Tes	TestCode: EPA Method 8015D: Gasoline Range							
Analyte	Client ID: PBS	Batch ID: 71353		F	RunNo: 92451							
Sample ID: Ics-71353 SampType: LCS Batch ID: 71353 RunNo: 92451 Units: mg/Kg	Prep Date: 11/7/2022	Analysis Date: 11/9/20	22	SeqNo: 3322711			Units: mg/Kg					
Sumple ID: Ics-71353 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 71353 RunNo: 92451 Units: mg/Kg	Analyte	Result PQL SPI	K value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Client ID: LCSS Batch Date 11/7/2022 Analysis Date Dat	Gasoline Range Organics (GRO) Surr: BFB		1000		93.0	37.7	212					
Prep Date 11/7/2022	Sample ID: Ics-71353	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range								
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 5.0 25.00 0 94.8 72.3 137 212 Semple ID Weight Special Sp	Client ID: LCSS	Batch ID: 71353		F	RunNo: 92	2451						
Sasoline Range Organics (GRO) 24 5.0 25.00 0 94.8 72.3 137 212	Prep Date: 11/7/2022	Analysis Date: 11/9/20)22	S	SeqNo: 33	322712	Units: mg/K	g				
Sum: BFB 1900 1900 1900 1900 37.7 212 Sample ID: mb-71393 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 71393 RunNo: 92479 Prep Date: 11/8/2022 Analysis Date: 11/10/2022 SeqNo: 3327238 Units: mg/Kg Analyse Result PD: 71393 TestCode: EPA Method 8015D: Gasoline Range Sample ID: LCS-71393 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 SeqNo: 3327239 Units: mg/Kg Analyse Result PQL SPK value SPK Ref Val	Analyte	Result PQL SP	K value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Sample ID: mb-71393 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327238 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) ND 5.0 1000 90.0 37.7 212 37.7 212 37.7 212 37.7 37.7 212 37.7 212 37.7 212 37.7 212 37.7 212 37.7 212 37.7 212 37.7 212 37.7 37.7 212 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7 37.7	Gasoline Range Organics (GRO)			0								
Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327238 Units: mg/Ky	Surr: BFB	1900	1000		190	37.7	212					
Prep Date: 11/9/2022	Sample ID: mb-71393	SampType: MBLK		Tes	tCode: EF							
Analyte	Client ID: PBS	Batch ID: 71393	F	RunNo: 92	2479							
Sample ID: LCS-71393 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 71393 RunNo: 92479	Prep Date: 11/9/2022	Analysis Date: 11/10/2	2022	5	SeqNo: 3327238 Units: m							
Surr: BFB 900 1000 90.0 37.7 212 Sample ID: LCS-71393 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327239 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val WREC LowLimit HighLimit WRPD RPDLimit Qual Gasoline Range Organics (GRO) 22 5.0 25.00 0 889.7 72.3 137 212 Sample ID: 2211297-011ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: BH22-06 0' Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327241 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val WREC LowLimit HighLimit WRPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 37.7 212 Sample ID: 2211297-011amsd Sample ID: 2211297-011amsd SampType:	Analyte	Result PQL SP	K value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Client ID: LCSS Batch ID: 71393 RunNo: 92479	Gasoline Range Organics (GRO) Surr: BFB		1000		90.0	37.7	212					
Client ID: LCSS Batch ID: 71393 RunNo: 92479	Sample ID: LCS-71393	SampType: LCS		Tes	tCode: EF	PA Method	8015D: Gasol	ine Range				
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 22 5.0 25.00 0 89.7 72.3 137 212 Sample ID: 2211297-011ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: BH22-06 0' Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327241 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range	Client ID: LCSS	Batch ID: 71393		y								
Sample Decomposition SampType: MS SampType: MS TestCode: EPA Method 8015D: Gasoline Range	Prep Date: 11/9/2022	Analysis Date: 11/10/2	2022	S	SeqNo: 33	327239	Units: mg/K	g				
Surr: BFB 1800 1000 184 37.7 212 SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: BH22-06 0' Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327241 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range	Analyte	Result PQL SPI	K value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Sample ID: 2211297-011ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: BH22-06 0' Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327241 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 TestCode: EPA Method 8015D: Gasoline Range	Gasoline Range Organics (GRO)	22 5.0	25.00	0	89.7	72.3	137					
Client ID: BH22-06 0' Batch ID: 71393 RunNo: 92479 Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327241 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 TestCode: EPA Method 8015D: Gasoline Range	Surr: BFB	1800	1000		184	37.7	212					
Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327241 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range	Sample ID: 2211297-011ams	SampType: MS		Tes	tCode: EF	PA Method	8015D: Gasol	ine Range				
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 TestCode: EPA Method 8015D: Gasoline Range	Client ID: BH22-06 0'	Batch ID: 71393		F	RunNo: 92	2479						
Gasoline Range Organics (GRO) 24 4.9 24.49 0 97.3 70 130 Surr: BFB 1900 979.4 195 37.7 212 Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range	Prep Date: 11/9/2022	Analysis Date: 11/10/2	2022	S	SeqNo: 33	327241	Units: mg/K	g				
Surr: BFB 1900 979.4 195 37.7 212 Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range	Analyte	Result PQL SP	K value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range	Gasoline Range Organics (GRO)	24 4.9	24.49	0	97.3	70	130					
•	Surr: BFB	1900	979.4		195	37.7	212					
Client ID: BH22-06 0' Batch ID: 71393 RunNo: 92479	Sample ID: 2211297-011amsd	SampType: MSD		Tes	tCode: EF	PA Method	8015D: Gasol	ine Range				
	Client ID: BH22-06 0'	Batch ID: 71393		RunNo: 92479								

Qualifiers:

Analyte

Prep Date:

Value exceeds Maximum Contaminant Level.

11/9/2022

- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.

Analysis Date: 11/10/2022

Result

B Analyte detected in the associated Method Blank

SeqNo: 3327242

LowLimit

Units: mg/Kg

HighLimit

E Above Quantitation Range/Estimated Value

%REC

- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

SPK value SPK Ref Val

Page 22 of 25

RPDLimit

Qual

%RPD

Hall Environmental Analysis Laboratory, Inc.

WO#: **2211297** *17-Nov-22*

Qual

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BH22-06 0'** Batch ID: **71393** RunNo: **92479**

Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327242 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Gasoline Range Organics (GRO) 25 5.0 24.83 0 101 70 130 5.05 20 Surr: BFB 2000 993.0 200 37.7 212 0 0

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 23 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2211297**

17-Nov-22

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: mb-71353	SampType: MBLK			Tes	tCode: EF					
Client ID: PBS	Batch ID: 71353			F	RunNo: 92451					
Prep Date: 11/7/2022	Analysis [Date: 11	/9/2022	5	SeqNo: 3322823 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.96		1.000		95.9	70	130			
Sample ID: LCC 74353	Comp	T. (20): 1 C	^	TootCodo: EDA Mathad 2024 D. Valatilas						

Sample ID: LCS-71353	Samp	Type: LCS TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batcl	n ID: 713	353	F	RunNo: 92	2451				
Prep Date: 11/7/2022	Analysis [Date: 11	/9/2022	5	SeqNo: 33	322837	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	1.000	0	94.4	80	120			
Toluene	0.96	0.050	1.000	0	96.4	80	120			
Ethylbenzene	0.97	0.050	1.000	0	96.7	80	120			
Xylenes, Total	2.9	0.10	3.000	0	97.4	80	120			
Surr: 4-Bromofluorobenzene	0.96		1.000		95.8	70	130			

Sample ID: mb-71393	Samp1	уре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batcl	n ID: 71 3	393	F	RunNo: 92							
Prep Date: 11/9/2022	Analysis D	Date: 11	/10/2022	5	SeqNo: 3327270 Units: m (Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	0.95		1.000		94.8	70	130					

Sample ID: Ics-71393	Samp	Гуре: LC	S	Tes							
Client ID: LCSS	Batcl	h ID: 713	93	F	RunNo: 92						
Prep Date: 11/9/2022	Analysis [Date: 11	/10/2022	5	SeqNo: 33	327271	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.93	0.025	1.000	0	92.9	80	120				
Toluene	0.95	0.050	1.000	0	95.4	80	120				
Ethylbenzene	0.96	0.050	1.000	0	96.1	80	120				
Xylenes, Total	2.9	0.10	3.000	0	95.7	80	120				
Surr: 4-Bromofluorobenzene	0.96		1.000		95.8	70	130				

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2211297** *17-Nov-22*

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2211297-012ams	Samp ⁻	Гуре: МЅ	;	TestCode: EPA Method 8021B: Volatiles						
Client ID: BH22-06 2'	Batch ID: 71393			F	RunNo: 92479					
Prep Date: 11/9/2022	Analysis [Date: 11	/10/2022	5	SeqNo: 33	327274	Units: mg/K	mg/Kg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	0.9843	0	98.4	68.8	120			
Toluene	1.0	0.049	0.9843	0	103	73.6	124			
Ethylbenzene	1.0	0.049	0.9843	0	104	72.7	129			
Xylenes, Total	3.1	0.098	2.953	0.01740	104	75.7	126			
Surr: 4-Bromofluorobenzene	0.92		0.9843		93.2	70	130			

Sample ID: 2211297-012ams	d Samp	Туре: МЅ	SD	TestCode: EPA Method 8021B: Volatiles						
Client ID: BH22-06 2'	Bato	h ID: 71 3	393	F	RunNo: 9					
Prep Date: 11/9/2022	Analysis	Date: 11	/10/2022	9	SeqNo: 3	327278	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.025	0.9960	0	99.7	68.8	120	2.48	20	
Toluene	1.0	0.050	0.9960	0	104	73.6	124	2.76	20	
Ethylbenzene	1.1	0.050	0.9960	0	106	72.7	129	3.26	20	
Xylenes, Total	3.2	0.10	2.988	0.01740	107	75.7	126	3.76	20	
Surr: 4-Bromofluorobenzene	0.95		0.9960		95.2	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 25



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Website: www.hallenvironmental.com Client Name: Work Order Number: 2211297 RcptNo: 1 Vertex Resources Services, Inc. Received By: 11/5/2022 2:10:00 PM **Andy Freeman** Completed By: Juan Rojas 11/7/2022 7:09:44 AM Reviewed By: WYCh 11.7.22 Chain of Custody Yes 🔽 No 🗌 Not Present 1. Is Chain of Custody complete? 2 How was the sample delivered? Courier Log In Yes 🗹 No 🗌 NA 🔲 3. Was an attempt made to cool the samples? NA 🔲 No Were all samples received at a temperature of >0° C to 6.0°C Yes 🗸 Yes 🗸 No 5. Sample(s) in proper container(s)? Yes 🗸 No 6. Sufficient sample volume for indicated test(s)? Yes 🗸 No 7. Are samples (except VOA and ONG) properly preserved? Yes 🗌 No V NA 🗌 8. Was preservative added to bottles? NA 🗸 Yes 🗍 9. Received at least 1 vial with headspace <1/4" for AQ VOA? No Yes 🗌 No 🔽 10. Were any sample containers received broken? # of preserved bottles checked No 🔲 for pH: Yes 🔽 11. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? Yes 🔽 No 12 Are matrices correctly identified on Chain of Custody? No 🗌 13. Is it clear what analyses were requested? Yes 🗸 Checked by: 74172 No 🗌 14. Were all holding times able to be met? Yes 🗸 (If no, notify customer for authorization.) Special Handling (if applicable) Yes 🗌 NA 🗹 15. Was client notified of all discrepancies with this order? No 🗌 Person Notified: Date By Whom: Via: eMail Phone Fax Regarding: Client Instructions: Additional remarks: 17. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By

2

3.5

4.4

2.8

Good

Good

Good

Chain-of-Custody Record	I urn-Around Ilme: 5-1044	HALL ENVIRONMENTAL
Client: Dyon / VSC ±6X	Standard M Rush	1
	Project Name:	www.hallenvironmental.com
Mailing Address: つい ドル	HOCKBERTY 6 FEDILUIN PAD	4901 Hawki
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22E-02537	Analysis Request
email or Fax#:	Project Manager:	*O9
QA/QC Package:	Charse Dixon	SWS Salar
☐ Standard ☐ Level 4 (Full Validation)) OS
Accreditation: A Compliance	Sampler: CD	(10/ (10
	KZ Yes [8/8; 504) 3, 10 8
□ EDD (Type)	# of Coolers: 3	od : bod : stall stall (CF
	Cooler Temp(including cF): R (°C)	MTTD estideth yy 8: 9 Md 3r, 1 3r, 1
		TEX / PHS 10 (N A HS 12 (N A HS 1
Time Matrix Sample Nan	and # Type	11 8 8 8 8 8
11/3/22 9:06 50:7 8422-01 0	402 xce -061	\ \frac{1}{2}
9:05 BHZZ-01 Z'	200-	
9:10 842-02 0'	7003	
9:15 BHZZ-02 Z'	1002	
9:20 8422-03 0'	7007	
9:25 8 HZZ-63 2'	100-	
9:30 BHZZ-04 0	F00-	
9:35 BHZZ-64 2'	7007	
0 SO-3248 04.6	600-	
Q:45 . BHZZ-05 Z	-070	
7 90-2248	110-	
	10-	
ı —	Received by: Via: Date Time	Remarks: CC: Mant Stallings
080	ulling "1422	
Date: Time: Relinquished by:	ia: Date	21-01-35, 45-01-44 2:9-01-2:8
14/21 190 alumina	11101 110 1410 1410	

Released to Imaging: 6/9/2023 10:26:29/AM may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chain-of-Custody Record	Turn-Around	Time: S-Day	24			Ì		L	>	0	Z	AF	HALL ENVIRONMENTAL	
Client:	Z-Standard	K Rush			U	\ \	A	YS	S	4	80	8	ANALYSIS LABORATORY	. >-
	Project Name:					\ \{\}	w.ha	www.hallenvironmental.com	nme	ental.c	E O			
Mailing Address: On File	Hack	Hackberry G.	G FES 1 WEIL DAD	94	4901 Hawkins NE -	wkins	뮏	Albu	dnerc	d, ent	Albuquerque, NM 87109	109		
	Project #:	91	- NO. 11 COM	_	Tel. 50	505-345-3975	3975	Fa	Fax 50	5-348	505-345-4107	_		
Phone #:	226-	225-02537	A Comment of the Comm				4	Analysis	is Re	Request	, t			
email or Fax#:	Project Manager:	ger:						[†] OS	-	(Jue				
QA/QC Package: □ Standard □ Level 4 (Full Validation)	Chonce	nce Dixon	0	208) e'a AM \ O	bCB₁²	SWIS0		PO₄, S	-	∍sdA∖tn				
Accreditation:	Sampler:	<	And the second of					' ^z OI						
		A Yes	□ No					۱ "						
ype)	# of Coolers:	K												
	Cooler Temp(Including CF):	(Including CF).	(၁့)										-	
	Container	Preservative	HEAL No.	X∃T 08:Hc		M) 80	CRA 8		مران مران مران	270 (S Otal Co				
Date Time Matrix Sample Name	Type and #	Type	2211297	حلحا	+	\rightarrow	_	_	_	_			+	+
11/3/22 10:005011 BHZZ-07 0'	20%	ICE	-03	>	1	+	_	>		\dashv			Ī	-
10:05 BHZZ-07 Z'			-014	-							=			
10:10 BHZZ-07 4'			700			-1								_
10:75 BHZZ-08 0'			700~			-							4.1	
10:20 BHZZ-08 Z		The second second	-017											-
80-2248		•	ر ا ا ا											
		Programme Company								9.5	1			
			and springer of parts				10.							-
									+	1	1	3		
			ACTION AND AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE							4 5			(1)	
Date: Time: Relinquished by:		Via:	Date Time	Remarks:	si CC	11	16000		ain	13	10	1		
W.M.	Received by:	ا ا	Date Time	_	Q.	D, 700t	11/18		Daron		100	27/0	61007101301	
		1	1	4,6.0	1-3.5									
Ma (40) adming	Callette	The same of the sa	0/4/ 27/5/11	2.4 -0	1 - 2.	~	9				E			

Released to Imaging: 6/9/2023 10:26:29 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 12, 2023

Chance Dixon

Vertex Resources Services, Inc. 3101 Boyd Drive

Carlsbad, NM 88220 TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Federal 1 OrderNo.: 2301225

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 4 sample(s) on 1/6/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Analytical ReportLab Order **2301225**

Date Reported: 1/12/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-01 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 11:30:00 AM

 Lab ID:
 2301225-001
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL ()ual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS					Analyst: DGH
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	1/10/2023 2:51:55 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	1/10/2023 2:51:55 AM
Surr: DNOP	111	21-129		%Rec	1	1/10/2023 2:51:55 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	1/9/2023 12:20:00 PM
Surr: BFB	111	37.7-212		%Rec	1	1/9/2023 12:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	1/9/2023 12:20:00 PM
Toluene	ND	0.049		mg/Kg	1	1/9/2023 12:20:00 PM
Ethylbenzene	ND	0.049		mg/Kg	1	1/9/2023 12:20:00 PM
Xylenes, Total	ND	0.099		mg/Kg	1	1/9/2023 12:20:00 PM
Surr: 4-Bromofluorobenzene	130	70-130	S	%Rec	1	1/9/2023 12:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	1/9/2023 6:40:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 8

Analytical Report

Lab Order **2301225**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 1/12/2023

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-02 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 11:35:00 AM

 Lab ID:
 2301225-002
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS					Analyst: DGH
Diesel Range Organics (DRO)	9.6	9.2		mg/Kg	1	1/10/2023 10:29:41 AM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	1/10/2023 10:29:41 AM
Surr: DNOP	130	21-129	S	%Rec	1	1/10/2023 10:29:41 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	1/9/2023 1:19:00 PM
Surr: BFB	110	37.7-212		%Rec	1	1/9/2023 1:19:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	1/9/2023 1:19:00 PM
Toluene	ND	0.049		mg/Kg	1	1/9/2023 1:19:00 PM
Ethylbenzene	ND	0.049		mg/Kg	1	1/9/2023 1:19:00 PM
Xylenes, Total	ND	0.099		mg/Kg	1	1/9/2023 1:19:00 PM
Surr: 4-Bromofluorobenzene	127	70-130		%Rec	1	1/9/2023 1:19:00 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	110	60		mg/Kg	20	1/9/2023 6:52:55 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 8

Analytical Report

Lab Order 2301225

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 1/12/2023

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-03 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 11:40:00 AM

 Lab ID:
 2301225-003
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/10/2023 3:13:13 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/10/2023 3:13:13 AM
Surr: DNOP	112	21-129	%Rec	1	1/10/2023 3:13:13 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/9/2023 2:18:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/9/2023 2:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/9/2023 2:18:00 PM
Toluene	ND	0.050	mg/Kg	1	1/9/2023 2:18:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/9/2023 2:18:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/9/2023 2:18:00 PM
Surr: 4-Bromofluorobenzene	122	70-130	%Rec	1	1/9/2023 2:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	140	61	mg/Kg	20	1/9/2023 7:05:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 8

Analytical Report Lab Order 2301225

Date Reported: 1/12/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-07 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 3:20:00 PM

 Lab ID:
 2301225-004
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/10/2023 3:23:53 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/10/2023 3:23:53 AM
Surr: DNOP	114	21-129	%Rec	1	1/10/2023 3:23:53 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/9/2023 2:38:00 PM
Surr: BFB	104	37.7-212	%Rec	1	1/9/2023 2:38:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/9/2023 2:38:00 PM
Toluene	ND	0.050	mg/Kg	1	1/9/2023 2:38:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/9/2023 2:38:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/9/2023 2:38:00 PM
Surr: 4-Bromofluorobenzene	121	70-130	%Rec	1	1/9/2023 2:38:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	860	60	mg/Kg	20	1/9/2023 7:17:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

rring Limit Page 4 of 8

Hall Environmental Analysis Laboratory, Inc.

2301225 12-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: LCS-72511 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72511 RunNo: 93837

Prep Date: 1/9/2023 Analysis Date: 1/9/2023 SeqNo: 3387328 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.3 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 8

Hall Environmental Analysis Laboratory, Inc.

Result

PQL

2301225 12-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: LCS-72502 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72502 RunNo: 93818 Units: mg/Kg Prep Date: 1/6/2023 Analysis Date: 1/9/2023 SeqNo: 3386799 Analyte PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Result LowLimit Qual Diesel Range Organics (DRO) 42 10 50.00 0 83.4 64.4 127 Surr: DNOP 5.5 5.000 111 21 129

Sample ID: MB-72502 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS Batch ID: 72502 RunNo: 93818
Prep Date: 1/6/2023 Analysis Date: 1/9/2023 SeqNo: 3386803 Units: mg/Kg

LowLimit

HighLimit

%RPD

RPDLimit

Qual

SPK value SPK Ref Val %REC

Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Analyte

Surr: DNOP 11 10.00 112 21 129

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

2301225 12-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: Ics-72494	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: LCSS	Batcl	n ID: 72 4	194	F	RunNo: 9	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	5	SeqNo: 3	386844	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	102	72.3	137			
Surr: BFB	2300		1000		230	37.7	212			S
Sample ID: mb-72494	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: PBS	Batcl	n ID: 72 4	194	F	RunNo: 9	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	5	SeqNo: 3	386845	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1100		1000		108	37.7	212			
Sample ID: 2301225-001AMS	SampT	уре: МЅ		Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: WS23-01 0-4'	D - (-)	n ID: 72 4		-	RunNo: 9:					

Sample ID: 2301225-001AMS	Sampl	ype: MS	i	I es	tCode: EF	PA Method	8015D: Gasol	ine Range		
Client ID: WS23-01 0-4'	Batch	n ID: 72 4	194	F	RunNo: 93	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	5	SeqNo: 33	386847	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	4.9	24.65	0	108	70	130			
Surr: BFB	2500		986.2		256	37.7	212			S

Sample ID: 2301225-001AMSD	SampT	ype: MS	SD	Tes	tCode: EF	PA Method	8015D: Gasol	ine Range	•	
Client ID: WS23-01 0-4'	Batch	n ID: 72 4	194	F	RunNo: 9:	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	5	SeqNo: 3	386848	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	5.0	24.95	0	100	70	130	6.24	20	
Surr: BFB	2300		998.0		234	37.7	212	0	0	S

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301225**

12-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: Ics-72494	SampT	ype: LC :	s	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 724	194	F	RunNo: 9	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	5	SeqNo: 3	386882	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	109	80	120			
Toluene	1.1	0.050	1.000	0	113	80	120			
Ethylbenzene	1.1	0.050	1.000	0	113	80	120			
Xylenes, Total	3.4	0.10	3.000	0	113	80	120			
Surr: 4-Bromofluorobenzene	1.3		1.000		128	70	130			

Sample ID: mb-72494	Samp1	Гуре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	h ID: 72 4	194	F	RunNo: 93	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	9	SeqNo: 33	386883	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.3		1.000		128	70	130			

Sample ID: 2301225-002AMS	SampT	уре: М S	;	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: WS23-02 0-4'	Batcl	n ID: 72 4	194	F	RunNo: 93	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	9	SeqNo: 33	386886	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	0.9950	0	104	68.8	120			
Toluene	1.1	0.050	0.9950	0	110	73.6	124			
Ethylbenzene	1.1	0.050	0.9950	0	111	72.7	129			
Xylenes, Total	3.3	0.10	2.985	0	112	75.7	126			
Surr: 4-Bromofluorobenzene	1.2		0.9950		121	70	130			

Sample ID: 2301225-002AMSD	SampT	SampType: MSD TestCode: EPA Method 8021B: Volatiles										
Client ID: WS23-02 0-4'	Batch	n ID: 72 4	194	F	RunNo: 93							
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	9	SeqNo: 33	3386887 Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	1.0	0.025	0.9901	0	105	68.8	120	0.839	20			
Toluene	1.1	0.050	0.9901	0	110	73.6	124	0.0478	20			
Ethylbenzene	1.1	0.050	0.9901	0	112	72.7	129	0.115	20			
Xylenes, Total	3.3	0.099	2.970	0	113	75.7	126	0.407	20			
Surr: 4-Bromofluorobenzene	1.2		0.9901		123	70	130	0	0			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 8

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name: [Devon Energy	Work Order Num	ber: 2301225		RcptNo:	1
Received By:	Juan Rojas	1/6/2023 7:45:00 A	M	Human &		
Completed By:	Sean Livingston	1/6/2023 8:01:42 A	М	Juan Engl	/	
Reviewed By:	TMC	1/4/23		Jr-111	705	
Reviewed By.	11.00	1/5/12 3				
Chain of Custo	ody					
1. Is Chain of Cus	tody complete?		Yes 🗹	No 🗌	Not Present \square	
2. How was the sa	ample delivered?		Courier			
Log In						
	t made to cool the san	nples?	Yes 🗸	No 🗌	NA 🗌	
			_	🗖		
4. Were all sample	es received at a tempe	rature of >0° C to 6.0°C	Yes 🗹	No 🗀	NA 📙	
5. Sample(s) in pr	oper container(s)?		Yes 🗹	No 🗌		
G Sufficient compl	e volume for indicated	(toet(a)2	Yes 🗸	No 🗀		
	cept VOA and ONG)		Yes 🗹	No 🗆		
	ve added to bottles?	stopetty properties.	Yes 🗌	No 🗹	NA 🗌	
·						
	st 1 vial with headspac		Yes ∐	No 🗔	NA 🗹	
O. Were any samp	ole containers received	l broken?	Yes 📙	No 🗹	# of preserved	
1. Does paperwork	match bottle labels?		Yes 🗹	No □	bottles checked for pH:	
	cies on chain of custo	dy)				>12 unless noted
	rrectly identified on Ch	· ·	Yes 🗹	No 📙	Adjusted?	
	nalyses were requeste		Yes 🗹	No 📙	Checked by:	. 1/12
_	times able to be met? tomer for authorization		Yes 🗹	No ∐ ∫	CHECKED by.	21015
Special Handlin	g (if applicable)					
	ied of all discrepancie	s with this order?	Yes 🗌	No 🗌	NA 🗹	
Person N	otified:	Date	Г			
By Whom	n:	Via:	eMail P	hone Fax	☐ In Person	
Regarding	g: [
Client Ins	tructions:					
16. Additional rem	arks:					
17. <u>Cooler Inform</u>	ation					
Cooler No	Temp °C Conditio	n Seal Intact Seal No	Seal Date	Signed By		
1	0.2 Good					

HAII FNVTRONMENTAL	ANALYSIS LABORATORY	www.hallenvironmental.com	4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975 Fax 505-345-4107	Analysis Request	†OS	bO [¢] ° ∂ DSIWS bCB,¢	280 (1.)728 ,sOV	8/s: 504 10 8 3, 10	etalio)(GF)	15E eth y 83 3 M 3t,	3081 Pe 3081 Pe 3081 Pe 3CRA 8 (C) F, E 3260 (V 3270 (S) Total Ce	7							Remarks:	Wiser Dil Deren	101 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Turn-Around Time:	□ Standard \ Rush 48 hx		HACKBANY be Frederick 1	i .	72E-02537	Project Manager:	Chance Dixon	Sampler: Mychar Bornes	✓ Yes □ No	1 309.	Cooler Temp(Including CF): 0.1+6.1 = 0.2 (°C)	Container Preservative HEAL No.	TCC 000	-	Ica					Received by: Via: Date Time F	Via: Date Til	contracted to other accredited laboratories. This serves as notice of this p
hain-of-Custody Record	Client: Dolon / Latex		Mailing Address:	1	Phone #:	email or Fax#:	QA/QC Package:	n:	NELAC	ype)		Cample Name	4 11:30 Soil	11:35 Sa)	11:40 5011	 _				Date: Time: Relinquished by:	Time:	

Released to Inangangsan Mysologings School Min



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 13, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive

Carlsbad, NM 88220 TEL: (505) 506-0040

FAX:

RE: Huckberry 6 Fed 1 OrderNo.: 2301270

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 1 sample(s) on 1/7/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report Lab Order 2301270

Date Reported: 1/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-12 0-4'

 Project:
 Huckberry 6 Fed 1
 Collection Date: 1/5/2023 11:30:00 AM

 Lab ID:
 2301270-001
 Matrix: SOIL
 Received Date: 1/7/2023 8:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (DRGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/11/2023 11:13:47 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/11/2023 11:13:47 AM
Surr: DNOP	126	21-129	%Rec	1	1/11/2023 11:13:47 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/11/2023 1:06:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/11/2023 1:06:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JR
Benzene	ND	0.025	mg/Kg	1	1/11/2023 1:06:00 PM
Toluene	ND	0.050	mg/Kg	1	1/11/2023 1:06:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/11/2023 1:06:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/11/2023 1:06:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/11/2023 1:06:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1000	60	mg/Kg	20	1/10/2023 5:39:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301270** *13-Jan-23*

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: MB-72561 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388440 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72561 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388441 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301270** *13-Jan-23*

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: LCS-72541 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72541 RunNo: 93869 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388577 **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 43 10 50.00 0 85.0 64.4 127 Surr: DNOP 5.7 5.000 113 21 129

Sample ID: MB-72541 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS Batch ID: 72541 RunNo: 93869

Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388580 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Make O'l Result (MRO) NR 50

 Motor Oil Range Organics (MRO)
 ND
 50

 Surr: DNOP
 12
 10.00
 117
 21
 129

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

1100

WO#: **2301270**

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: Ics-72532 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 72532 RunNo: 93873 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389575 **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte Result LowLimit Gasoline Range Organics (GRO) 24 5.0 25.00 0 94.8 72.3 137 Surr: BFB 2200 1000 222 37.7 212 S

Sample ID: mb-72532 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 72532 RunNo: 93873 Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389576 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) ND 5.0

110

37.7

212

1000

Surr: BFB

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301270** *13-Jan-23*

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: Ics-72532	Samp	Гуре: LC	s	Tes							
Client ID: LCSS	Batcl	h ID: 725	532	F	RunNo: 93	3873					
Prep Date: 1/10/2023	Analysis [Date: 1/1	11/2023	9	SeqNo: 33	889628	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.2	0.025	1.000	0	116	80	120				
Toluene	1.2	0.050	1.000	0	116	80	120				
Ethylbenzene	1.2	0.050	1.000	0	116	80	120				
Xylenes, Total	3.5	0.10	3.000	0	116	80	120				
Surr: 4-Bromofluorobenzene	1.3		1.000		125	70	130				

Sample ID: mb-72532	Samp	Гуре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	h ID: 72 !	532	F	RunNo: 9:	3873				
Prep Date: 1/10/2023	Analysis [Date: 1/	11/2023	9	SeqNo: 3	389629	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.3		1.000		126	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name:	Vertex Res Services, Ir		Work	Order Num	/				RcptNo	: 1
				00	34.912	7		,		
Received By:	Cheyenne	Cason	1/7/202	3 8:30:00 A	w,		Chul			
Completed By:	Cheyenne	Cason	1/7/202	3 8:51:52 A	М		Chul			
Reviewed By:										
Chain of Cus	tody									
1. Is Chain of C	ustody comp	lete?			Yes		No	V	Not Present	
2. How was the	sample deliv	ered?			Courie	<u> </u>				
<u>Log In</u>									[7]	
3. Was an attem	pt made to o	cool the samp	les?		Yes	Y	No		NA 🗌	
4. Were all samp	oles received	l at a tempera	ture of >0° C	to 6.0°C	Yes	y	No		NA 🗌	
5. Sample(s) in	proper contai	iner(s)?			Yes	~	No			
6. Sufficient sam	ple volume f	or indicated to	est(s)?		Yes [7	No [
7. Are samples (except VOA	and ONG) pro	operly preserve	ed?	Yes 🛚	/	No [
8. Was preserva	tive added to	bottles?			Yes [No [✓	NA 🗆	
9. Received at le	ast 1 vial wit	h headspace	<1/4" for AQ \	/OA?	Yes []			NA 🗹	
0. Were any sar	nple containe	ers received b	oroken?		Yes [[]		No	✓	# of preserved bottles checked	
1.Does paperwo (Note discrepa			·)		Yes 5		No [for pH:	r >12 unless noted)
2. Are matrices of		-	•		Yes 5		No [Adjusted?	
3. Is it clear wha	-		•		Yes 5		No [
14. Were all holdi (If no, notify c	-				Yes 🛚		No [Checked by:	mc 1/7/
Special Handl										
15. Was client no		=======	with this order	?	Yes		No		NA 🗹	
Person	Notified:	Г		Date						
By Who	33			Via:	eMai	<u> </u>	Phone	Fax	☐ In Person	
Regard	- 0			+= 117						
Client li	nstructions:									
16. Additional re	marks:									
17. Cooler Infor		OJ.L.	Co-U.S.	0131	015		C: 1 2		www	
Cooler No	Temp °C 3.0	Condition Good	Seal Intact Not Present	Seal No Yogi	Seal Dat	e	Signed B	y	- Company	

Released to Problem & Toylogy Toylogy Toylogy YM"



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 13, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 OrderNo.: 2301321

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 2 sample(s) on 1/10/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report Lab Order 2301321

Date Reported: 1/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-14 0-4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/6/2023 9:15:00 AM

 Lab ID:
 2301321-001
 Matrix: SOIL
 Received Date: 1/10/2023 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/11/2023 7:46:30 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/11/2023 7:46:30 PM
Surr: DNOP	109	21-129	%Rec	1	1/11/2023 7:46:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/11/2023 1:25:00 PM
Surr: BFB	104	37.7-212	%Rec	1	1/11/2023 1:25:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JR
Benzene	ND	0.024	mg/Kg	1	1/11/2023 1:25:00 PM
Toluene	ND	0.047	mg/Kg	1	1/11/2023 1:25:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/11/2023 1:25:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/11/2023 1:25:00 PM
Surr: 4-Bromofluorobenzene	118	70-130	%Rec	1	1/11/2023 1:25:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	320	60	mg/Kg	20	1/11/2023 12:40:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 6

Analytical Report Lab Order 2301321

Date Reported: 1/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: WS23-15 0-4'

Project: Hackberry 6 Fed 1 **Collection Date:** 1/6/2023 9:20:00 AM 2301321-002 Lab ID: Matrix: SOIL **Received Date:** 1/10/2023 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/11/2023 7:56:56 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/11/2023 7:56:56 PM
Surr: DNOP	103	21-129	%Rec	1	1/11/2023 7:56:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/11/2023 1:45:00 PM
Surr: BFB	103	37.7-212	%Rec	1	1/11/2023 1:45:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JR
Benzene	ND	0.025	mg/Kg	1	1/11/2023 1:45:00 PM
Toluene	ND	0.049	mg/Kg	1	1/11/2023 1:45:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/11/2023 1:45:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/11/2023 1:45:00 PM
Surr: 4-Bromofluorobenzene	118	70-130	%Rec	1	1/11/2023 1:45:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	820	60	mg/Kg	20	1/11/2023 12:53:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301321**

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: MB-72561 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388440 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72561 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388441 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301321** *13-Jan-23*

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: LCS-72541 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72541 RunNo: 93869 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388577 **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 43 10 50.00 0 85.0 64.4 127 Surr: DNOP 5.7 5.000 113 21 129

Sample ID: MB-72541 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72541 RunNo: 93869

12

Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388580 Units: mg/Kg

10.00

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

117

21

129

Qualifiers:

Surr: DNOP

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301321

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: Ics-72532 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 72532 RunNo: 93873 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389575 **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result Gasoline Range Organics (GRO) 24 5.0 25.00 0 94.8 72.3 137 Surr: BFB 2200 1000 222 37.7 212 S

Sample ID: mb-72532 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 72532 RunNo: 93873 Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389576 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) ND 5.0

Surr: BFB

1100

1000

110

37.7

212

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301321

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: Ics-72532	Samp	Гуре: LC	S	Tes						
Client ID: LCSS	Batcl	h ID: 725	532	F	RunNo: 9:	3873				
Prep Date: 1/10/2023	Analysis [Date: 1/	11/2023	9	SeqNo: 3	389628	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.2	0.025	1.000	0	116	80	120			
Toluene	1.2	0.050	1.000	0	116	80	120			
Ethylbenzene	1.2	0.050	1.000	0	116	80	120			
Xylenes, Total	3.5	0.10	3.000	0	116	80	120			
Surr: 4-Bromofluorobenzene	1.3		1.000		125	70	130			

Sample ID: mb-72532	Samp	Гуре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	h ID: 72 !	532	F	RunNo: 9:	3873				
Prep Date: 1/10/2023	Analysis [Date: 1/	11/2023	9	SeqNo: 3	389629	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.3		1.000		126	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

		website. ww	w.nanenvironmenia	i.com		
Client Name:	Vertex Resources Services, Inc.	Work Order Num	ber: 2301321		RcptNo: 1	
Received By:	Juan Rojas	1/10/2023 7:30:00	АМ	Hansy Solar		
Completed By:	Sean Livingston	1/10/2023 7:50:01	АМ	< /m	-	
Reviewed By:	JO	1/10/23		SILONY	0)	
Chain of Cus	<u>stody</u>					
1. Is Chain of C	sustody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the	sample delivered?		Courier			
<u>Log In</u>			F-3	🗖	[]	
ರ. Was an atten	npt made to cool the sample	es?	Yes 🗹	No 📙	NA 🗌	
4. Were all sam	ples received at a temperat	ure of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗌	
5. Sample(s) in	proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sam	nple volume for indicated te	st(s)?	Yes 🗹	No 🗌		
7. Are samples ((except VOA and ONG) pro	perly preserved?	Yes 🗹	No 🗌		
8. Was preserva	ative added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at le	east 1 vial with headspace <	1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🔽	
10. Were any sar	mple containers received br	oken?	Yes 🗀		# of preserved	
	ork match bottle labels? ancies on chain of custody)		Yes 🔽		oottles checked for pH: (<2 or >1	12 unless noted)
12. Are matrices	correctly identified on Chain	of Custody?	Yes 🗹	No 🗆	Adjusted?	
13. Is it clear wha	t analyses were requested?	•	Yes 🗹	No 🗌		1 1.100
	ing times able to be met? ustomer for authorization.)		Yes 🗹	No 🗆	Checked by:	12 110/13
Special Handl	ling (if applicable)				•	
15. Was client no	otified of all discrepancies w	ith this order?	Yes 🗌	No 🗌	NA 🗹	
Person	Notified:	Date				
By Who	om:	Via:	eMail F	Phone 🔲 Fax 🏻] In Person	
Regard	ling:					
	nstructions:					
16. Additional re						
17. Cooler Infor	1 6					
Cooler No	Temp °C Condition 0.0 Good	Seal Intact Seal No	Seal Date	Signed By		
L	0.0	Dates.		descense		

Received by OCD: 2/7/2023 1:49:22 PM

	MALL ENVIRONMENTAL	AINALISTS LABORALORT	www.riallenvironmental.com 4901 Hawkins NE - Albuquerque NM 87109		Analysis	\(\frac{1}{2}\)	9S '⁵Oc	82703 NO ₂ , F	10 Or 11s 3, 1	Mets: , NC (Ac	EDB (Me PAHs by RCRA 8 BF, Br S260 (VC S270 (Se otal Col])) 3	7						10-11 Heran Cc: Michael	つontracted data will be clearly notated on the analytical report.
			4901 H	Tel 50	8	(0					198:H97 3081 Pe	١.	7					ırks:	Dien	iy. Any sub
	Monada			_							1 XEILEX /	1	7			\perp		Remarks:	Ď.) possibilit
.: 0	Rush 48h		6 Page		-07537		Ca Dixon	parl	Yes 🗆 No	(0°) 0.0-0-0	tive HE	4	700					Date Time	(1 (2) Date	dited laboratories. This serves as notice of this
Turn-Around Time:	_ □ Standard	Project Name:	Hackberry	Project #:	. 327 E	Project Manager:	Charc	2	# Of Coologs	Cooler Temp(Including CF):	Container Prese Type and # Type	-	402 Jan 7.					Received by: Via:	Received by:	ontracted to other accredite
Chain-of-Custody Record	Client: Drown / Vertex		Mailing Address: 🖒 มีการ		Phone #:	email or Fax#:	QA/QC Package: □ Standard □ Level 4 (Full Validation)	1: Az Con	(90)		Date Time Matrix Sample Name	0100 0915 Sail WS23-14 0-41	01/26 09/20 Soil W528-15 0-4					Date: Time: Relinquished by:	Relinquished by:	RND NWW MWW MWW TO NOT TO TO THE Serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301376

January 17, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (575) 748-0176

FAX:

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 2 sample(s) on 1/11/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report Lab Order 2301376

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-01 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/9/2023 10:45:00 AM

 Lab ID:
 2301376-001
 Matrix: SOIL
 Received Date: 1/11/2023 7:35:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/13/2023 12:41:59 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/13/2023 12:41:59 AM
Surr: DNOP	106	69-147	%Rec	1	1/13/2023 12:41:59 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/12/2023 6:07:39 PM
Surr: BFB	101	37.7-212	%Rec	1	1/12/2023 6:07:39 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/12/2023 6:07:39 PM
Toluene	ND	0.049	mg/Kg	1	1/12/2023 6:07:39 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/12/2023 6:07:39 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/12/2023 6:07:39 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/12/2023 6:07:39 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	7800	300	mg/Kg	100	1/13/2023 11:30:59 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 6

Analytical Report Lab Order 2301376

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-02 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/9/2023 10:50:00 AM

 Lab ID:
 2301376-002
 Matrix: SOIL
 Received Date: 1/11/2023 7:35:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA				Analyst: DGH	
Diesel Range Organics (DRO)	ND	8.8	mg/Kg	1	1/13/2023 12:52:35 AM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	1/13/2023 12:52:35 AM
Surr: DNOP	107	69-147	%Rec	1	1/13/2023 12:52:35 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/12/2023 6:54:28 PM
Surr: BFB	103	37.7-212	%Rec	1	1/12/2023 6:54:28 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/12/2023 6:54:00 PM
Toluene	ND	0.050	mg/Kg	1	1/12/2023 6:54:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/12/2023 6:54:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/12/2023 6:54:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	1/12/2023 6:54:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	8100	300	mg/Kg	100	1/13/2023 11:43:24 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

2301376

WO#:

17-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72586 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72586 RunNo: 93916

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390974 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72586 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72586 RunNo: 93916

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390975 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.4 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301376

17-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72585 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 72585 RunNo: 93911

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390353 Units: %Rec

SPK value SPK Ref Val HighLimit %RPD **RPDLimit** Analyte Result %REC LowLimit Qual

Surr: DNOP 5.6 5.000 111 69 147

Sample ID: MB-72585 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72585 RunNo: 93911

Analysis Date: 1/12/2023

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390355 Units: %Rec

%REC **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val LowLimit HighLimit %RPD Qual

Surr: DNOP 10.00 106 69 147

Sample ID: LCS-72584 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72584

Prep Date: Analysis Date: 1/12/2023 SeqNo: 3391719 Units: mg/Kg 1/11/2023

SPK value SPK Ref Val Analyte Result POI %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 41 10 0 82.0 61.9 50.00

Surr: DNOP 5.3 5.000 106 69 147

Sample ID: MB-72584 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72584 RunNo: 93911

Units: mg/Kg %RPD Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit **RPDLimit** Qual

SeqNo: 3391724

Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50

1/11/2023

Surr: DNOP 11 10.00 113 69 147

Qualifiers:

Prep Date:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit PQL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

23

1900

4.8

24.22

969.0

2301376 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72577	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	Batch ID: 72577	RunNo: 93928						
Prep Date: 1/11/2023	Analysis Date: 1/12/2023	SeqNo: 3391322 Units: mg/Kg						
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual						
Gasoline Range Organics (GRO)	24 5.0 25.00	0 95.6 72.3 137						
Surr: BFB	2000 1000	195 37.7 212						
Sample ID: mb-72577	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch ID: 72577	RunNo: 93928						
Prep Date: 1/11/2023	Analysis Date: 1/12/2023	SeqNo: 3391323 Units: mg/Kg						
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual						
Gasoline Range Organics (GRO)	ND 5.0							
Surr: BFB	1000 1000	102 37.7 212						
Sample ID: 2301376-001ams	SampType: MS TestCode: EPA Method 8015D: Gasoline Range							
Client ID: BS23-01 4'	Batch ID: 72577	RunNo: 93928						
Prep Date: 1/11/2023	Analysis Date: 1/12/2023	SeqNo: 3391462 Units: mg/Kg						
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual						

Sample ID: 2301376-001AN	ISD SampT	ype: MS	SD	TestCode: EPA Method 8015D: Gasoline Range							
Client ID: BS23-01 4'	Batch	1D: 72	577	RunNo: 93928							
Prep Date: 1/11/2023	Analysis D	ate: 1/	12/2023	5	SeqNo: 3	391464	Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	19	5.0	24.78	0	78.1	70	130	16.9	20		
Surr: BFB	1800		991.1		181	37.7	212	0	0		

0

94.7

195

70

37.7

130

212

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix

Gasoline Range Organics (GRO)

Surr: BFB

- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301376**

17-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2301376-002ams	Samp	уре: МЅ	;	TestCode: EPA Method 8021B: Volatiles									
Client ID: BS23-02 4' Batch ID: 72577 RunNo: 93928													
Prep Date: 1/11/2023	Analysis [Date: 1/1	12/2023	9	SeqNo: 3	391515	Units: mg/K	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	0.83	0.024	0.9756	0	85.5	68.8	120						
Toluene	0.85	0.049	0.9756	0	86.6	73.6	124						
Ethylbenzene	0.84	0.049	0.9756	0	85.8	72.7	129						
Xylenes, Total	lenes, Total 2.5 0.098 2.927 0 86.2 75						126						
Surr: 4-Bromofluorobenzene 0.96 0.9756 98.8 70						70	130						

Sample ID: 2301376-002amsd	Samp1	ype: MS	D	Tes								
Client ID: BS23-02 4'	Batcl	n ID: 725	577	F	RunNo: 93	3928						
Prep Date: 1/11/2023	Analysis D	Date: 1/ 1	12/2023	5	SeqNo: 3	391516	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.83	0.025	0.9814	0	84.4	68.8	120	0.720	20			
Toluene	0.84	0.049	0.9814	0	85.2	73.6	124	1.04	20			
Ethylbenzene	0.84	0.049	0.9814	0	85.1	72.7	129	0.197	20			
Xylenes, Total	2.5	0.098	2.944	0	84.7	75.7	126	1.24	20			
Surr: 4-Bromofluorobenzene	0.98		0.9814		99.4	70	130	0	0			

Sample ID: LCS-72577	Samp ¹	Гуре: LC	S	TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batc	h ID: 72	577	F	RunNo: 9	3928							
Prep Date: 1/11/2023	Analysis [Date: 1/	12/2023	9	SeqNo: 3	391519	Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	0.95	0.025	1.000	0	95.2	80	120						
Toluene	0.97	0.050	1.000	0	96.9	80	120						
Ethylbenzene	0.96	0.050	1.000	0	96.1	80	120						
Xylenes, Total	2.9	0.10	3.000	0	96.7	80	120						
Surr: 4-Bromofluorobenzene	1.0		1.000		99.9	70	130						

Sample ID: mb-72577 SampType: MBLK TestCode: EPA Method 8021B: Volatiles												
Client ID: PBS	Batcl	n ID: 725	577	F	RunNo: 93	3928						
Prep Date: 1/11/2023	Analysis [Date: 1/	te: 1/12/2023 SeqNo: 3391520				Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	1.0		1.000		99.5	70	130					

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 6

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque. NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Devon Energy	Work Order Number: 23	01376		RcptNo	: 1
Received By: Tracy Casarrubias	1/11/2023 7:35:00 AM				
Completed By: Tracy Casarrubias	1/11/2023 7:52:52 AM				
Reviewed By: Six 1/11/23					
Chain of Custody					
1. Is Chain of Custody complete?	Ye	s 🗌	No 🗹	Not Present	
2. How was the sample delivered?	Co	urier			
<u>Log In</u> 3. Was an attempt made to cool the samples?	Ye	s 🗸	No 🗌	NA 🗆	
4. Were all samples received at a temperature of	of >0° C to 6.0°C Ye	s 🗸	No 🗌	na 🗆	
5. Sample(s) in proper container(s)?	Ye	s 🗸	No 🗌		
6. Sufficient sample volume for indicated test(s)	? Ye:	s 🗸	No 🗆		
7. Are samples (except VOA and ONG) properly	preserved? Yes	· 🗸	No 🗌		
8. Was preservative added to bottles?	Yes	; 🗌	No 🗹	na 🗆	
9. Received at least 1 vial with headspace <1/4	for AQ VOA? Yes	s 🗆	No 🗌	NA 🗹	
10. Were any sample containers received broker	? Ye	s 🗆	No 🗸	# of preserved	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)	Yes	s 	No 🗆	bottles checked for pH: (<2 o	r >12 unless noted)
12. Are matrices correctly identified on Chain of C	ustody? Yes	; 	No 🗆	Adjusted?	
13. Is it clear what analyses were requested?	Yes	· 🗸	No 🗌		
14. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes	; •	No 🗆	Checked by:	Jn1/11/2
Special Handling (if applicable)					
15. Was client notified of all discrepancies with the	is order? Ye	s 🗌	No 🗌	na 🗹	
Person Notified:	Date:				
By Whom:	Via: ☐ el	Mail 🗌 Phon	e 🗌 Fax	☐ In Person	
Regarding: Client Instructions:					
16. Additional remarks:					_
17. Cooler Information					
	al Intact Seal No Seal	Date Sig	ned By		

Received by OCD: 2/7/2023 1:49:22 PM

-
\sim
P4
CA
0.4
• •
0
4
-
00
7.5
C
~
9
0
< T
Ci.
3
0
CD.
CD.
9
OCD.
y OCD.
y OCD.
by OCD.
1 by OCD.
d by OCD.
d by OCD.
ed by OCD.
ved by OCD.
ived by OCD.
ived by OCD.
eived by OCD.
ceived by OCD.
ceived by OCD.
eceived by OCD.
eceived by OCD.
ceived by OCD.
eceived by OCD.

HALL ENVIRONMENTAL		www.hallenvironmental.com	ins NE - Albuquerque, NM 87109	15-3975 Fax 505-345-4107	Anal		S ԠO)d '	10 ⁵	l ,e	-V(Me OA emi	2AHs b 3CRA 8 3260 (V 3270 (S Total Co	>	>							102 101 F001 # 0/M 2012 11:00 10:00		
ı	. «		4901 Hawkins NE	Tel. 505-345-3975			s'ac)d ā					9081 P€ M) 803								s:	11:00 15:	<u>z</u>	
			49	ř			S08)						3TE) /	/>	>						Remarks:	C	Ž	
1 dill-20 odila lilile. 48-700°C	☐ Standard Kush	Project Name:	Hackberry to Fed I Well Pad	Project #:	226-02537	Project Manager:	Chance Dixon		Sampler: SPC		9e	Cooler Temp(including CF): 5.8 - Ø - 5.8 (°C)	Container Preservative HEAL No.	ì	1.1						Via: Date	110/12 July	and	1/11 / 1/
Chain-ot-Custody Record	И		on litt					☐ Level 4 (Full Validation)	☐ Az Compliance	□ Other			Matrix along S. vinter of a second se	Soil	" 8523-02 4"						Relinquished by:	Jally Cartan		
Chain	Client: Devon		Mailing Address:		Phone #:	email or Fax#:	QA/QC Package:	□ Standard	Accreditation:	□ NELAC	☐ EDD (Type)		ate Time	3 10:45	(1 10:50						Date: Time: 1260	3	Date: Time:	10/26 1/2/10



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301461

January 17, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (575) 748-0176

FAX:

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 5 sample(s) on 1/12/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-27 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 7:50:00 AM

 Lab ID:
 2301461-001
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/13/2023 1:39:17 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/13/2023 1:39:17 PM
Surr: DNOP	105	69-147	%Rec	1	1/13/2023 1:39:17 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 12:56:00 PM
Surr: BFB	101	37.7-212	%Rec	1	1/13/2023 12:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/13/2023 12:56:00 PM
Toluene	ND	0.049	mg/Kg	1	1/13/2023 12:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 12:56:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/13/2023 12:56:00 PM
Surr: 4-Bromofluorobenzene	123	70-130	%Rec	1	1/13/2023 12:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	120	60	mg/Kg	20	1/13/2023 12:45:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-03 4'

Project: Hackberry 6 Fed 1 Well Pad Collection Date: 1/10/2023 7:55:00 AM 2301461-002 Lab ID: Matrix: SOIL **Received Date:** 1/12/2023 7:35:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/13/2023 1:50:05 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 1:50:05 PM
Surr: DNOP	106	69-147	%Rec	1	1/13/2023 1:50:05 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/13/2023 1:16:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/13/2023 1:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/13/2023 1:16:00 PM
Toluene	ND	0.050	mg/Kg	1	1/13/2023 1:16:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/13/2023 1:16:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/13/2023 1:16:00 PM
Surr: 4-Bromofluorobenzene	124	70-130	%Rec	1	1/13/2023 1:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	150	60	mg/Kg	20	1/13/2023 12:57:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 2 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-04 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 8:00:00 AM

 Lab ID:
 2301461-003
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	13	9.0	mg/Kg	1	1/13/2023 2:00:57 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 2:00:57 PM
Surr: DNOP	108	69-147	%Rec	1	1/13/2023 2:00:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 1:35:00 PM
Surr: BFB	99.3	37.7-212	%Rec	1	1/13/2023 1:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/13/2023 1:35:00 PM
Toluene	ND	0.049	mg/Kg	1	1/13/2023 1:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 1:35:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/13/2023 1:35:00 PM
Surr: 4-Bromofluorobenzene	121	70-130	%Rec	1	1/13/2023 1:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	790	60	mg/Kg	20	1/13/2023 1:10:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-05 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 8:05:00 AM

 Lab ID:
 2301461-004
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Analyses	Result RL Qual U			DF	Date Analyzed		
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH		
Diesel Range Organics (DRO)	24	8.9	mg/Kg	1	1/13/2023 2:22:22 PM		
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 2:22:22 PM		
Surr: DNOP	104	69-147	%Rec	1	1/13/2023 2:22:22 PM		
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM		
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 1:55:00 PM		
Surr: BFB	102	37.7-212	%Rec	1	1/13/2023 1:55:00 PM		
EPA METHOD 8021B: VOLATILES					Analyst: CCM		
Benzene	ND	0.025	mg/Kg	1	1/13/2023 1:55:00 PM		
Toluene	ND	0.049	mg/Kg	1	1/13/2023 1:55:00 PM		
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 1:55:00 PM		
Xylenes, Total	ND	0.099	mg/Kg	1	1/13/2023 1:55:00 PM		
Surr: 4-Bromofluorobenzene	122	70-130	%Rec	1	1/13/2023 1:55:00 PM		
EPA METHOD 300.0: ANIONS					Analyst: JTT		
Chloride	1700	61	mg/Kg	20	1/13/2023 1:22:38 PM		

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-29 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 1:30:00 PM

 Lab ID:
 2301461-005
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Analyses	Result RL Qual U			DF	Date Analyzed		
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH		
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/13/2023 2:54:22 PM		
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 2:54:22 PM		
Surr: DNOP	103	69-147	%Rec	1	1/13/2023 2:54:22 PM		
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM		
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 2:15:00 PM		
Surr: BFB	104	37.7-212	%Rec	1	1/13/2023 2:15:00 PM		
EPA METHOD 8021B: VOLATILES					Analyst: CCM		
Benzene	ND	0.024	mg/Kg	1	1/13/2023 2:15:00 PM		
Toluene	ND	0.049	mg/Kg	1	1/13/2023 2:15:00 PM		
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 2:15:00 PM		
Xylenes, Total	ND	0.097	mg/Kg	1	1/13/2023 2:15:00 PM		
Surr: 4-Bromofluorobenzene	120	70-130	%Rec	1	1/13/2023 2:15:00 PM		
EPA METHOD 300.0: ANIONS					Analyst: JTT		
Chloride	140	61	mg/Kg	20	1/13/2023 1:59:51 PM		

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301461**

17-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72612 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72612 RunNo: 93954

Prep Date: 1/13/2023 Analysis Date: 1/13/2023 SeqNo: 3392167 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72612 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72612 RunNo: 93954

Prep Date: 1/13/2023 Analysis Date: 1/13/2023 SeqNo: 3392168 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.1 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 9

Hall Environmental Analysis Laboratory, Inc.

2301461 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72610	SampT	ype: LC	LCS TestCode: EPA Method 8015M/D: Diesel Range Organics				Organics			
Client ID: LCSS	Batch	1D: 72 6	510	F	RunNo: 93	3948				
Prep Date: 1/13/2023	Analysis D	ate: 1/	13/2023	5	SeqNo: 33	392044	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	40	10	50.00	0	79.8	61.9	130			
Surr: DNOP	5.3		5.000		107	69	147			

Sample ID: MB-72610 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72610 RunNo: 93948 Prep Date: Analysis Date: 1/13/2023 SeqNo: 3392046 1/13/2023 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 11 10.00 107 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 9

Hall Environmental Analysis Laboratory, Inc.

2301461 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72605	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8015D: Gaso	ine Range		
Client ID: LCSS	Batch	n ID: 726	605	RunNo: 93931						
Prep Date: 1/12/2023	Analysis D	oate: 1/1	13/2023	9	SeqNo: 33	391419	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	104	72.3	137			
Surr: BFB	2300		1000		228	37.7	212			S

Sample ID: mb-72605 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 72605 RunNo: 93931 Prep Date: 1/12/2023 Analysis Date: 1/13/2023 SeqNo: 3391577 Units: mg/Kg SPK value SPK Ref Val %REC Analyte Result PQL LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) ND Surr: BFB 1000 1000 103 37.7 212

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 8 of 9

Hall Environmental Analysis Laboratory, Inc.

2301461 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72605	Samp	Гуре: LC :	S	TestCode: EPA Method			8021B: Volati	les		
Client ID: LCSS	Batcl	h ID: 72 6	605	RunNo: 93931						
Prep Date: 1/12/2023	Analysis [Date: 1/ 1	13/2023	5	SeqNo: 33	391420	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	114	80	120			
Toluene	1.2	0.050	1.000	0	116	80	120			
Ethylbenzene	1.2	0.050	1.000	0	115	80	120			
Xylenes, Total	3.5	0.10	3.000	0	115	80	120			
Surr: 4-Bromofluorobenzene	1.2		1.000		122	70	130			

Sample ID: mb-72605	Samp ¹	Гуре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batc	h ID: 72 6	605	RunNo: 93931							
Prep Date: 1/12/2023	Analysis [Date: 1/	13/2023		SeqNo: 3	391578	Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	ND	0.025									
Toluene	ND	0.050									
Ethylbenzene	ND	0.050									
Xylenes, Total	ND	0.10									
Surr: 4-Bromofluorobenzene	1.2		1.000		122	70	130				

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 9

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name: D	evon Energy	Work Order Nun	nber: 2301461		RcptNo:	1
Received By: 7	Fracy Casarrubias	1/12/2023 7:35:00	АМ			
Completed By: 7	racy Casarrubias	1/12/2023 8:03:35	AM			
Reviewed By:	-					
Chain of Custoe	<u>dv</u>					
1. Is Chain of Custo	ody complete?		Yes 🗌	No 🗹	Not Present	
2. How was the sar	mple delivered?		Courier			
<u>Log In</u>						
3. Was an attempt	made to cool the sample	s?	Yes 🗸	No 🗌	NA 🗌	
4. Were all samples	received at a temperatu	re of >0° C to 6.0°C	Yes 🗹	No 🗌	na 🗆	
5. Sample(s) in prop	per container(s)?		Yes 🗹	No 🗌		
6. Sufficient sample	volume for indicated tes	t(s)?	Yes 🗸	No 🗌		
7. Are samples (exc	ept VOA and ONG) prop	erly preserved?	Yes 🗸	No 🗌		
Was preservative	added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at least	1 vial with headspace <	1/4" for AQ VOA?	Yes 🗌	No 🗌	NA ☑	
0. Were any sample	containers received bro	ken?	Yes	No 🗹	# of preserved	
11.Does paperwork r (Note discrepancie	match bottle labels? es on chain of custody)		Yes 🗹	No 🗌	bottles checked for pH:	>12 unless noted)
2. Are matrices corre	ectly identified on Chain	of Custody?	Yes 🗹	No 🗌	Adjusted?	
3. Is it clear what and	alyses were requested?		Yes 🗹	No 🗌		
	mes able to be met? mer for authorization.)		Yes 🗹	No 🗌	Checked by:	Pa 1-12
pecial Handling						
	d of all discrepancies wit	h this order?	Yes 🗌	No 🗌	NA 🗹	
Person Noti	ified:	Date				
By Whom:		Via:	eMail P	hone 🔲 Fax	☐ In Person	
Regarding:						
Client Instru	ictions:					
16. Additional remark	(S:					
7. Cooler Informat	The second secon					
Cooler No T		Seal Intact Seal No es	Seal Date	Signed By		

Project #: 226- 226- Project Manager: Chance Az Compliance On Ice:	Project Name: Hakkberry Lo Fed I well Project #: 22E - 02537 Project Manager: Chance Dixon Sampler: SPC On Ice: 19 Yes 100	www.hallenvironm ins NE - Albuque 45-3975 Fax 5 Analysis R
# of Coolers: 1 Cooler Temp(including CF): Container Preserva Type and # Type	1000 1000	TPH:8015D(G 8081 Pesticide PAHs by 8310 PCRA 8 Meta Pt. NO 8250 (VOA)
0	ŝ	
8523-04 4'	200	
	790	
WS23-29 0-4"	900	
Selinquished by: Refinquished by: Received by: Received by:	Via: Date Time (11/33 930 Via:course Date Time	Remarks: Direct Vill Devon WO# 1007-101901



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301522

January 19, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 20 sample(s) on 1/13/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-06 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:10:00 AM

 Lab ID:
 2301522-001
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 9:29:03 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 9:29:03 AM
Surr: DNOP	109	69-147	%Rec	1	1/17/2023 9:29:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 2:22:00 PM
Surr: BFB	99.0	37.7-212	%Rec	1	1/16/2023 2:22:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 2:22:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 2:22:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 2:22:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 2:22:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 2:22:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7100	300	mg/Kg	100	1/17/2023 10:06:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-07 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:15:00 AM

 Lab ID:
 2301522-002
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/17/2023 9:55:44 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/17/2023 9:55:44 AM
Surr: DNOP	99.9	69-147	%Rec	1	1/17/2023 9:55:44 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 3:21:00 PM
Surr: BFB	106	37.7-212	%Rec	1	1/16/2023 3:21:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 3:21:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 3:21:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 3:21:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/16/2023 3:21:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 3:21:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1900	60	mg/Kg	20	1/16/2023 8:58:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-08 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:20:00 AM

 Lab ID:
 2301522-003
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	11	9.1	mg/Kg	1	1/17/2023 10:06:16 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/17/2023 10:06:16 AM
Surr: DNOP	101	69-147	%Rec	1	1/17/2023 10:06:16 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 4:20:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	1/16/2023 4:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 4:20:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 4:20:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 4:20:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/16/2023 4:20:00 PM
Surr: 4-Bromofluorobenzene	110	70-130	%Rec	1	1/16/2023 4:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4200	150	mg/Kg	50	1/17/2023 10:18:51 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-09 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:25:00 AM

 Lab ID:
 2301522-004
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	9.6	9.3	mg/Kg	1	1/17/2023 10:16:50 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/17/2023 10:16:50 AM
Surr: DNOP	76.6	69-147	%Rec	1	1/17/2023 10:16:50 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 4:40:00 PM
Surr: BFB	109	37.7-212	%Rec	1	1/16/2023 4:40:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 4:40:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 4:40:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 4:40:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 4:40:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 4:40:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	3000	150	mg/Kg	50	1/17/2023 10:31:11 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-10 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:30:00 AM

 Lab ID:
 2301522-005
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) 15 9.8 mg/Kg 1 1/17/2023 10:27:22 AM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/17/2023 10:27:22 AM Surr: DNOP 91.0 69-147 %Rec 1 1/17/2023 10:27:22 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/16/2023 4:59:00 PM 4.9 mg/Kg 1 Surr: BFB 97.4 37.7-212 %Rec 1 1/16/2023 4:59:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/16/2023 4:59:00 PM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/16/2023 4:59:00 PM Ethylbenzene ND 0.049 mg/Kg 1 1/16/2023 4:59:00 PM Xylenes, Total ND 0.098 mg/Kg 1 1/16/2023 4:59:00 PM Surr: 4-Bromofluorobenzene 111 70-130 %Rec 1 1/16/2023 4:59:00 PM **EPA METHOD 300.0: ANIONS** Analyst: JMT Chloride mg/Kg 1/17/2023 10:43:31 AM 6100 300 100

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-11 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:35:00 AM

 Lab ID:
 2301522-006
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 10:37:57 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 10:37:57 AM
Surr: DNOP	107	69-147	%Rec	1	1/17/2023 10:37:57 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 5:19:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/16/2023 5:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 5:19:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 5:19:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 5:19:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 5:19:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 5:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7800	300	mg/Kg	100	1/17/2023 10:55:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-12 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:40:00 AM

 Lab ID:
 2301522-007
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/17/2023 10:48:50 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 10:48:50 AM
Surr: DNOP	75.8	69-147	%Rec	1	1/17/2023 10:48:50 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 5:39:00 PM
Surr: BFB	99.9	37.7-212	%Rec	1	1/16/2023 5:39:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 5:39:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 5:39:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 5:39:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 5:39:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 5:39:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7000	300	mg/Kg	100	1/17/2023 11:08:12 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-13 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:45:00 AM

 Lab ID:
 2301522-008
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/17/2023 11:10:02 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/17/2023 11:10:02 AM
Surr: DNOP	109	69-147	%Rec	1	1/17/2023 11:10:02 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 5:59:00 PM
Surr: BFB	98.0	37.7-212	%Rec	1	1/16/2023 5:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 5:59:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 5:59:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 5:59:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 5:59:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 5:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	5600	300	mg/Kg	100	1/17/2023 11:20:32 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-14 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:50:00 AM

 Lab ID:
 2301522-009
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	1/17/2023 11:20:39 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/17/2023 11:20:39 AM
Surr: DNOP	71.9	69-147	%Rec	1	1/17/2023 11:20:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 6:18:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/16/2023 6:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 6:18:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 6:18:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 6:18:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 6:18:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 6:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6500	300	mg/Kg	100	1/17/2023 11:32:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-15 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:55:00 AM

 Lab ID:
 2301522-010
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) ND 9.5 mg/Kg 1 1/17/2023 11:41:48 AM Motor Oil Range Organics (MRO) ND 48 mg/Kg 1 1/17/2023 11:41:48 AM Surr: DNOP 85.2 69-147 %Rec 1 1/17/2023 11:41:48 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/16/2023 7:17:00 PM 4.8 mg/Kg 1 Surr: BFB 96.9 37.7-212 %Rec 1 1/16/2023 7:17:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/16/2023 7:17:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/16/2023 7:17:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/16/2023 7:17:00 PM Xylenes, Total ND 0.097 mg/Kg 1 1/16/2023 7:17:00 PM Surr: 4-Bromofluorobenzene 113 70-130 %Rec 1 1/16/2023 7:17:00 PM **EPA METHOD 300.0: ANIONS** Analyst: JMT Chloride mg/Kg 1/17/2023 11:45:13 AM 12000 600 200

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-16 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 10:00:00 AM

 Lab ID:
 2301522-011
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 11:52:27 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/17/2023 11:52:27 AM
Surr: DNOP	69.4	69-147	%Rec	1	1/17/2023 11:52:27 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 7:37:00 PM
Surr: BFB	100	37.7-212	%Rec	1	1/16/2023 7:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 7:37:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 7:37:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 7:37:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 7:37:00 PM
Surr: 4-Bromofluorobenzene	115	70-130	%Rec	1	1/16/2023 7:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	8300	300	mg/Kg	100	1/17/2023 11:57:34 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-17 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 10:05:00 AM

 Lab ID:
 2301522-012
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/17/2023 1:09:48 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 1:09:48 PM
Surr: DNOP	129	69-147	%Rec	1	1/17/2023 1:09:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 7:57:00 PM
Surr: BFB	99.3	37.7-212	%Rec	1	1/16/2023 7:57:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 7:57:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 7:57:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 7:57:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 7:57:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 7:57:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4600	150	mg/Kg	50	1/17/2023 12:34:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-18 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:00:00 AM

 Lab ID:
 2301522-013
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	1/17/2023 1:20:27 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/17/2023 1:20:27 PM
Surr: DNOP	125	69-147	%Rec	1	1/17/2023 1:20:27 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 8:16:00 PM
Surr: BFB	100	37.7-212	%Rec	1	1/16/2023 8:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 8:16:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 8:16:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 8:16:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 8:16:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 8:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	8500	300	mg/Kg	100	1/17/2023 12:46:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-19 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:05:00 AM

 Lab ID:
 2301522-014
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	26	9.3	mg/Kg	1	1/17/2023 1:31:06 PM
Motor Oil Range Organics (MRO)	67	46	mg/Kg	1	1/17/2023 1:31:06 PM
Surr: DNOP	113	69-147	%Rec	1	1/17/2023 1:31:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 8:36:00 PM
Surr: BFB	101	37.7-212	%Rec	1	1/16/2023 8:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 8:36:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 8:36:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 8:36:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 8:36:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 8:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6700	300	mg/Kg	100	1/17/2023 12:59:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 14 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-20 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:10:00 AM

 Lab ID:
 2301522-015
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	31	10	mg/Kg	1	1/17/2023 1:41:47 PM
Motor Oil Range Organics (MRO)	71	50	mg/Kg	1	1/17/2023 1:41:47 PM
Surr: DNOP	99.2	69-147	%Rec	1	1/17/2023 1:41:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 8:56:00 PM
Surr: BFB	103	37.7-212	%Rec	1	1/16/2023 8:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 8:56:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 8:56:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 8:56:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 8:56:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 8:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9100	600	mg/Kg	200	1/17/2023 1:11:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 15 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-21 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:15:00 AM

 Lab ID:
 2301522-016
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 11 10 mg/Kg 1 1/17/2023 1:52:31 PM Motor Oil Range Organics (MRO) ND 50 mg/Kg 1 1/17/2023 1:52:31 PM Surr: DNOP 107 69-147 %Rec 1 1/17/2023 1:52:31 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/16/2023 9:15:00 PM 4.8 mg/Kg 1 Surr: BFB 97.9 37.7-212 %Rec 1 1/16/2023 9:15:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/16/2023 9:15:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/16/2023 9:15:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/16/2023 9:15:00 PM Xylenes, Total ND 0.095 mg/Kg 1 1/16/2023 9:15:00 PM Surr: 4-Bromofluorobenzene 116 70-130 %Rec 1 1/16/2023 9:15:00 PM **EPA METHOD 300.0: ANIONS** Analyst: JMT Chloride mg/Kg 1/17/2023 1:23:58 PM 9200 300 100

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-22 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:20:00 AM

 Lab ID:
 2301522-017
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.1	mg/Kg	1	1/17/2023 2:03:13 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/17/2023 2:03:13 PM
Surr: DNOP	109	69-147	%Rec	1	1/17/2023 2:03:13 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 9:35:00 PM
Surr: BFB	100	37.7-212	%Rec	1	1/16/2023 9:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 9:35:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 9:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 9:35:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/16/2023 9:35:00 PM
Surr: 4-Bromofluorobenzene	118	70-130	%Rec	1	1/16/2023 9:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6800	300	mg/Kg	100	1/17/2023 1:36:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 17 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-23 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:25:00 AM

 Lab ID:
 2301522-018
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 2:13:56 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 2:13:56 PM
Surr: DNOP	116	69-147	%Rec	1	1/17/2023 2:13:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 9:55:00 PM
Surr: BFB	97.7	37.7-212	%Rec	1	1/16/2023 9:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 9:55:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 9:55:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 9:55:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 9:55:00 PM
Surr: 4-Bromofluorobenzene	115	70-130	%Rec	1	1/16/2023 9:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9000	300	mg/Kg	100	1/17/2023 1:48:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-24 4'

Project: Hackberry 6 Fed 1 Well Pad Collection Date: 1/11/2023 11:30:00 AM

Lab ID: 2301522-019 **Matrix:** SOIL **Received Date:** 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	8.6	mg/Kg	1	1/17/2023 2:24:48 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	1/17/2023 2:24:48 PM
Surr: DNOP	119	69-147	%Rec	1	1/17/2023 2:24:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 10:15:00 PM
Surr: BFB	98.7	37.7-212	%Rec	1	1/16/2023 10:15:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 10:15:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 10:15:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 10:15:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 10:15:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 10:15:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7400	300	mg/Kg	100	1/17/2023 2:01:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-25 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:35:00 AM

 Lab ID:
 2301522-020
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: DGH				
Diesel Range Organics (DRO)	28	8.6	mg/Kg	1	1/17/2023 2:35:42 PM
Motor Oil Range Organics (MRO)	51	43	mg/Kg	1	1/17/2023 2:35:42 PM
Surr: DNOP	116	69-147	%Rec	1	1/17/2023 2:35:42 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 10:54:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/16/2023 10:54:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 10:54:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 10:54:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 10:54:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 10:54:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 10:54:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	10000	590	mg/Kg	200	1/17/2023 2:13:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 24

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301522**

19-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72640 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72640 RunNo: 93996

Prep Date: 1/16/2023 Analysis Date: 1/16/2023 SeqNo: 3393481 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72640 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72640 RunNo: 93996

Prep Date: 1/16/2023 Analysis Date: 1/16/2023 SeqNo: 3393482 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 95.0 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 21 of 24

Hall Environmental Analysis Laboratory, Inc.

2301522

WO#:

19-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Project: Hackberr	y o rea i	well Pa	ıa							
Sample ID: 2301522-001AMS	Samp ¹	Гуре: М	6	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS23-06 4'	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	5	SeqNo: 3	393666	Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.10	0	99.5	54.2	135			
Surr: DNOP	5.6		5.010		112	69	147			
Sample ID: LCS-72638	Samp	Гуре: LC	s	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	S	SeqNo: 3	393687	Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.8	61.9	130			
Surr: DNOP	6.0		5.000		119	69	147			
Sample ID: MB-72638	Samp ¹	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	5	SeqNo: 3	393688	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		117	69	147			
Sample ID: 2301522-001AMS	Samp	Гуре: М.	SD	Tes	tCode: El	PA Method	8015M/D: Die	esel Range	Organics	
Client ID: BS23-06 4'	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	5	SeqNo: 3	394250	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	52	9.6	48.17	0	108	54.2	135	3.98	29.2	
Surr: DNOP	5.4		4.817		112	69	147	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 24

Hall Environmental Analysis Laboratory, Inc.

2301522 19-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Sample ID:	lcs-72620	SampT	ype: LC	s	Tes	tCode: EP	A Method	8015D: Gasol	ine Range		
Client ID:	LCSS	Batch	ID: 72 6	520	F	RunNo: 93	975				
Prep Date:	1/13/2023	Analysis D	ate: 1/	16/2023	8	SeqNo: 33	93260	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
-	ge Organics (GRO)	23	5.0	25.00	0	90.4	72.3	137			
Surr: BFB		2200		1000		222	37.7	212			S
Sample ID:	mb-72620	SampT	уре: МЕ	BLK	Tes	tCode: EP	A Method	8015D: Gasol	ine Range		
Client ID:	PBS	Batch	ID: 72 6	620	F	RunNo: 93	975				
Prep Date:	1/13/2023	Analysis D	ate: 1/	16/2023	8	SeqNo: 33	93261	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
-	ge Organics (GRO)	ND	5.0								
Surr: BFB		1100		1000		108	37.7	212			
Sample ID:	2301522-001ams	SampT	ype: MS	}	Tes	tCode: EP	A Method	8015D: Gasol	ine Range		
Client ID:	BS23-06 4'	Batch	ID: 72 6	620	F	RunNo: 93	975				
Prep Date:	1/13/2023	Analysis D	ate: 1/	16/2023	5	SeqNo: 33	93263	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
0 " 0											
Gasoline Rang	e Organics (GRO)	22	4.8	23.79	0	93.6	70	130			
Surr: BFB	ge Organics (GRO)	22 2200			0	93.6 226	70 37.7	130 212			S
Surr: BFB	pe Organics (GRO) 2301522-001amsd	2200		23.79 951.5		226	37.7		ine Range		S
Surr: BFB		2200 SampT	4.8	23.79 951.5	Tes	226	37.7	212	ine Range		S
Surr: BFB Sample ID:	2301522-001amsd	2200 SampT	4.8 ype: MS	23.79 951.5 6D 620	Tes	226 tCode: EP	37.7 A Method	212	J		S
Surr: BFB Sample ID: Client ID:	2301522-001amsd BS23-06 4'	2200 SampT Batch	4.8 ype: MS	23.79 951.5 6D 620	Tes F	226 tCode: EF RunNo: 93	37.7 A Method	212 8015D: Gasol	J	RPDLimit	S Qual

226

37.7

212

Qualifiers:

Surr: BFB

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.

2200

957.9

- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 23 of 24

0

S

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301522**

19-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72620	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 72 6	520	F	RunNo: 93	3975				
Prep Date: 1/13/2023	Analysis D	Date: 1/1	16/2023	9	SeqNo: 33	393292	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	112	80	120			
Toluene	1.1	0.050	1.000	0	114	80	120			
Ethylbenzene	1.1	0.050	1.000	0	114	80	120			
Xylenes, Total	3.4	0.10	3.000	0	114	80	120			
Surr: 4-Bromofluorobenzene	1.2		1.000		119	70	130			

Sample ID: mb-72620	SampT	ype: ME	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	n ID: 72 6	620	F	RunNo: 93	3975				
Prep Date: 1/13/2023	Analysis D	Date: 1/	16/2023	5	SeqNo: 33	393293	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025		_						
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.2		1.000		119	70	130			

Sample ID: 2301522-002ams	SampT	ype: MS	;	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-07 4'	Batch	n ID: 726	520	F	RunNo: 93	3975				
Prep Date: 1/13/2023	Analysis D	Date: 1/1	16/2023	5	SeqNo: 33	393298	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.024	0.9643	0	109	68.8	120			
Toluene	1.1	0.048	0.9643	0	111	73.6	124			
Ethylbenzene	1.1	0.048	0.9643	0	112	72.7	129			
Xylenes, Total	3.2	0.096	2.893	0	112	75.7	126			
Surr: 4-Bromofluorobenzene	1.1		0.9643		114	70	130			

Sample ID: 2301522-002amsd	SampT	ype: MS	D	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-07 4'	Batch	n ID: 726	20	F	RunNo: 93	3975				
Prep Date: 1/13/2023	Analysis D	ate: 1/ 1	16/2023	5	SeqNo: 33	393299	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.024	0.9785	0	105	68.8	120	1.95	20	
Toluene	1.1	0.049	0.9785	0	109	73.6	124	0.775	20	
Ethylbenzene	1.1	0.049	0.9785	0	110	72.7	129	0.662	20	
Xylenes, Total	3.2	0.098	2.935	0	110	75.7	126	0.462	20	
Surr: 4-Bromofluorobenzene	1.1		0.9785		117	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 24

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name:	Vertex Resource Services, Inc.	es Worl	k Order Num	nber: 2301522		RcptNo: 1	
Received By:	Juan Rojas	1/13/2	023 7:40:00	AM	Humany		
Completed By:	Sean Livingsto	on 1/13/20	023 8:03:38	AM	June 1	7-6	
Reviewed By:	Jn 4131	23				yo.—	
Chain of Cus	tody						
1. Is Chain of C	ustody complete?			Yes 🗹	No 🗌	Not Present	
2. How was the	sample delivered?	•		Courier			
<u>Log In</u>					,	NA 🗆	
3. Was an atter	npt made to cool ti	ne samples?		Yes 🗹	No 🗌	NA L.J	
4. Were all samp	ples received at a	temperature of >0° C	to 6.0°C	Yes 🗹	No 🗌	na 🗆	
5. Sample(s) in	proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sam	nple volume for ind	licated test(s)?		Yes 🗹	No 🗌		
7. Are samples (except VOA and C	ONG) properly preserv	red?	Yes 🗹	No 🗌		
8. Was preserva	tive added to bottl	es?		Yes 🗌	No 🗹	NA 🗆	
9. Received at le	east 1 vial with hea	dspace <1/4" for AQ	VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any san	mple containers re	ceived broken?		Yes 🗆	No 🗹	# of preserved	
	ork match bottle la			Yes 🗹	No 🗆		2 unless noted
2. Are matrices o	correctly identified	on Chain of Custody?	,	Yes 🗹	No 🗆	Adjusted?	
	t analyses were re			Yes 🗹	No 🗌	/	1.10
	ng times able to be ustomer for author			Yes 🗹	No ∐	Checked by:	113
Special Handl	ling (if applica	ble)					
15. Was client no	otified of all discrep	pancies with this order	?	Yes 🗌	No 🗆	NA 🗹	
Person	Notified:		Date	e:			
By Who	om:		Via:	eMail	Phone 🗌 Fax	☐ In Person	
Regard							
Client I	nstructions:						
16. Additional re	marks:						
17. Cooler Infor	The same of the sa	4					
Cooler No		ondition Seal Intact	-	Seal Date	Signed By		
1	0.3 Goo	d Not Present	YOGI		The state of the s		

Chain-of-Custody Record	cord	Turn-Around Time:		HAII FNVTRONMENTAL
Client: Devon (Vertex)		☐ Standard VRush	48 hr	
		Project Name:		www.hallenvironmental.com
Mailing Address: ON Lil		Hackberry of teal New too	New tod	4901 Hawkins NE - Albuquerque, NM 87109
A		Project #:		Tel. 505-345-3975 Fax 505-345-4107
Phone #:		NE-02537		Analysis Request
email or Fax#:		Project Manager:		†OS
ige:	:	Chance Dixon		(802) VADSe
☐ Standard ☐ Level 4 (Full Validation)	Validation)			OЯ· () S0\ G (²)
on:		r: SPC		(1.40 (1.40 S8 - 28 - 28 - 28 - 28 - 28 - 28 - 28 -
□ NELAC □ Other		On Ice: Thes	□ No	OA 50° 3) or sl
☐ EDD (Type)		# of Coolers: {	509,	oide cide 31(C 31(C 0)
		Cooler Temp(including CF): U.	3-0-0. 3 (°C)	15C estii 9y 8 8 M 8 M 3r, 3r,
		Container Preservative	HEAL No.	08:H M) B Hs b AA () ()
Date Time Matrix Sample Name	Φ	Type and # Type	230122	197 808 PA PC 828 728
1/11/23 9:10 Soil BS23-06	4.	40% jar ice	Ó	>
9:15 1 8523-07	4,	7	200	
9:20 8523-08	4,		500	
	4,		F00	
9:30 8523-10	4		200	
	ť		200	
9:40 8523-12	4		₽00	
9:45 8513-13	4		3	
9:50 8523-14	4		200	
9 9:55 8523-15	4,		30	
	, 4		170	
1 10:05 1 8523-17	,4		ح)ن	
Relinquishe		Received by: Via:	Date Time	Remarks: 172
23 17:34		\exists	Z	Tiest Tail Dailon
Date: Time: Relinquish d by:		Received by: Via:	Date Time	
113 13 1900 Culum	3	- HOWILLI	1/13/23 7:40	100 T 100 T 101 D 01

Released to Imaging: 0/9/2023 10:26:29 AM Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chaing Address: ぬいいので	Turn-Around Time: Standard DRush 48 NV Project Name: Hackbury 10 Fed 1 Well Rad	<u>∰</u> ∟ ∟
	Project #:	. 4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107
Phone #:	77e-0723t	Analysis Request
email or Fax#:	Project Manager:	†O:
QA/QC Package: □ Standard □ Level 4 (Full Validation)	chance Dixon	PCB's PCB's
Accreditation: ☐ Az Compliance	8pc	28082 (1.44) (1.287) ΛΟ2ε,
□ EDD (Type)	# of Coolers:	GECGECGECGECGECGECGECGECGECGECGECGGECGG
	(including CF): 0,3-(ethoiethoe W 83° Met r, M r, M (AO)
Date Time Matrix Sample Name	Container Preservative HEAL No. Type and # Type	#####################################
1/11/23 11:00 Soil B523-18 4	400, iar ice or3	7
11:05 8523-19 4"	500	
11:10 8823-20 4'	510	
11:15 8523-21 4'	9(0	
11:20 8523-22 4'	40	
11:25 8523-23 4'	019	
11:30 6513-24 4'	510	
II:35 BS23-25 4'	CLC I	
ድ	Via: Date Ti	Remarks: 000K 2/2
2	1/18/33 July 1/18/33	
Date: Time: Relinquished by:	Via: Date	VINEG WII VEVON
1 190 Comment	1 1 1000 (20 113123 -1.40)	

Released to Imaging: 6/9/20123 10:26:29 AM Internated on the abcoratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301574

January 25, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 10 sample(s) on 1/17/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-30 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 8:05:00 AM

 Lab ID:
 2301574-001
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/18/2023 11:54:48 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/18/2023 11:54:48 AM
Surr: DNOP	89.8	69-147	%Rec	1	1/18/2023 11:54:48 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/18/2023 11:19:00 AM
Surr: BFB	96.4	37.7-212	%Rec	1	1/18/2023 11:19:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/18/2023 11:19:00 AM
Toluene	ND	0.050	mg/Kg	1	1/18/2023 11:19:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/18/2023 11:19:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/18/2023 11:19:00 AM
Surr: 4-Bromofluorobenzene	94.2	70-130	%Rec	1	1/18/2023 11:19:00 AM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	740	60	mg/Kg	20	1/17/2023 3:40:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-34 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 10:15:00 AM

 Lab ID:
 2301574-002
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/18/2023 12:05:21 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/18/2023 12:05:21 PM
Surr: DNOP	136	69-147	%Rec	1	1/18/2023 12:05:21 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 12:18:00 PM
Surr: BFB	99.4	37.7-212	%Rec	1	1/18/2023 12:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 12:18:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 12:18:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 12:18:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 12:18:00 PM
Surr: 4-Bromofluorobenzene	95.2	70-130	%Rec	1	1/18/2023 12:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	540	60	mg/Kg	20	1/17/2023 4:17:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 2 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-37 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 1:30:00 PM

 Lab ID:
 2301574-003
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 9.7 mg/Kg 1 1/18/2023 12:15:58 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/18/2023 12:15:58 PM 69-147 Surr: DNOP 117 %Rec 1 1/18/2023 12:15:58 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/18/2023 1:16:00 PM 4.8 mg/Kg 1 Surr: BFB 93.0 37.7-212 %Rec 1 1/18/2023 1:16:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/18/2023 1:16:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/18/2023 1:16:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/18/2023 1:16:00 PM Xylenes, Total ND 0.097 mg/Kg 1 1/18/2023 1:16:00 PM 1/18/2023 1:16:00 PM Surr: 4-Bromofluorobenzene 88.7 70-130 %Rec 1 Analyst: JMT **EPA METHOD 300.0: ANIONS** Chloride 730 60 1/17/2023 5:19:03 PM ma/Ka 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-38 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 1:40:00 PM

 Lab ID:
 2301574-004
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/18/2023 12:26:36 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/18/2023 12:26:36 PM
Surr: DNOP	114	69-147	%Rec	1	1/18/2023 12:26:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/18/2023 1:36:00 PM
Surr: BFB	89.1	37.7-212	%Rec	1	1/18/2023 1:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 1:36:00 PM
Toluene	ND	0.049	mg/Kg	1	1/18/2023 1:36:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/18/2023 1:36:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/18/2023 1:36:00 PM
Surr: 4-Bromofluorobenzene	89.0	70-130	%Rec	1	1/18/2023 1:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	780	60	mg/Kg	20	1/17/2023 5:31:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-39 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 1:55:00 PM

 Lab ID:
 2301574-005
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/18/2023 12:47:51 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 12:47:51 PM
Surr: DNOP	106	69-147	%Rec	1	1/18/2023 12:47:51 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 1:56:00 PM
Surr: BFB	93.8	37.7-212	%Rec	1	1/18/2023 1:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 1:56:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 1:56:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 1:56:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 1:56:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130	%Rec	1	1/18/2023 1:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	100	61	mg/Kg	20	1/17/2023 5:43:44 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-40 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 2:00:00 PM

 Lab ID:
 2301574-006
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/18/2023 12:58:28 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 12:58:28 PM
Surr: DNOP	121	69-147	%Rec	1	1/18/2023 12:58:28 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 2:15:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	1/18/2023 2:15:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 2:15:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 2:15:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 2:15:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 2:15:00 PM
Surr: 4-Bromofluorobenzene	91.4	70-130	%Rec	1	1/18/2023 2:15:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	ND	61	mg/Kg	20	1/17/2023 5:56:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-41 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 9:25:00 AM

 Lab ID:
 2301574-007
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/18/2023 1:09:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 1:09:06 PM
Surr: DNOP	101	69-147	%Rec	1	1/18/2023 1:09:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/18/2023 2:35:00 PM
Surr: BFB	90.4	37.7-212	%Rec	1	1/18/2023 2:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 2:35:00 PM
Toluene	ND	0.049	mg/Kg	1	1/18/2023 2:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/18/2023 2:35:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/18/2023 2:35:00 PM
Surr: 4-Bromofluorobenzene	92.8	70-130	%Rec	1	1/18/2023 2:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	79	60	mg/Kg	20	1/17/2023 6:08:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-42 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 11:15:00 AM

 Lab ID:
 2301574-008
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/18/2023 1:19:48 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 1:19:48 PM
Surr: DNOP	82.6	69-147	%Rec	1	1/18/2023 1:19:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 2:55:00 PM
Surr: BFB	97.4	37.7-212	%Rec	1	1/18/2023 2:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 2:55:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 2:55:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 2:55:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/18/2023 2:55:00 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	1/18/2023 2:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	170	60	mg/Kg	20	1/17/2023 6:20:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 8 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-26 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 1:25:00 PM

 Lab ID:
 2301574-009
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	73	9.5	mg/Kg	1	1/18/2023 1:30:26 PM
Motor Oil Range Organics (MRO)	100	47	mg/Kg	1	1/18/2023 1:30:26 PM
Surr: DNOP	72.0	69-147	%Rec	1	1/18/2023 1:30:26 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/18/2023 3:14:00 PM
Surr: BFB	96.0	37.7-212	%Rec	1	1/18/2023 3:14:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 3:14:00 PM
Toluene	ND	0.047	mg/Kg	1	1/18/2023 3:14:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/18/2023 3:14:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/18/2023 3:14:00 PM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	1/18/2023 3:14:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3500	150	mg/Kg	50	1/18/2023 9:01:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-27 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 1:30:00 PM

 Lab ID:
 2301574-010
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	64	10	mg/Kg	1	1/18/2023 2:23:43 PM
Motor Oil Range Organics (MRO)	90	50	mg/Kg	1	1/18/2023 2:23:43 PM
Surr: DNOP	84.2	69-147	%Rec	1	1/18/2023 2:23:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 3:34:00 PM
Surr: BFB	95.2	37.7-212	%Rec	1	1/18/2023 3:34:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 3:34:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 3:34:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 3:34:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 3:34:00 PM
Surr: 4-Bromofluorobenzene	97.4	70-130	%Rec	1	1/18/2023 3:34:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	5100	300	mg/Kg	100	1/24/2023 4:40:20 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 14

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301574**

25-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72659 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72659 RunNo: 94007

Prep Date: 1/17/2023 Analysis Date: 1/17/2023 SeqNo: 3393988 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72659 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: **LCSS** Batch ID: **72659** RunNo: **94007**

Prep Date: 1/17/2023 Analysis Date: 1/17/2023 SeqNo: 3393989 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.7 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 14

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301574**

25-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72651 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72651 RunNo: 94027 Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394468 Units: mg/Kg PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 10 0 44 50.00 88.9 61.9 130

Diesel Range Organics (DRO) 44 10 50.00 0 88.9 61.9 130
Surr: DNOP 5.6 5.000 112 69 147

Sample ID: MB-72651 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72651 RunNo: 94027

Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394470 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Meter Oil Range Organics (MRO) ND 50

 Motor Oil Range Organics (MRO)
 ND
 50

 Surr: DNOP
 11
 10.00
 108
 69
 147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 14

Hall Environmental Analysis Laboratory, Inc.

2301574

25-Jan-23

WO#:

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72649 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 72649 RunNo: 94040 Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394797 Units: mq/Kq PQL SPK value SPK Ref Val HighLimit %RPD **RPDLimit** Analyte Result %REC LowLimit Qual

25.00 Gasoline Range Organics (GRO) 21 5.0 Λ 83.7 72.3 137 Surr: BFB 2000 1000 200 37.7 212

Sample ID: mb-72649 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 72649 RunNo: 94040

Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394799 Units: mg/Kg

RPDLimit Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual

Gasoline Range Organics (GRO) ND 5.0 Surr: BFB 960 1000 96.0 37.7 212

Sample ID: 2301574-001ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range

Client ID: WS23-30 0-4' Batch ID: 72649 RunNo: 94040

Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394801 Units: mg/Kg

Result SPK value SPK Ref Val HighLimit %RPD **RPDLimit** Analyte POI %REC LowLimit Qual Gasoline Range Organics (GRO) 22 4.8 24.22 0 89.7 70 130 Surr: BFB 2000 969.0 209 37.7 212

Sample ID: 2301574-001amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: WS23-30 0-4' Batch ID: 72649 RunNo: 94040

Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394802 Units: mg/Kg

SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Result PQL LowLimit Qual Gasoline Range Organics (GRO) 24 4.9 95.4 70 8.09 24.70 130 20 Surr: BFB 2200 988.1 218 37.7 212 0 0 S

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Е Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 13 of 14

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301574 25-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72649	SampT	Гуре: LC	s	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: LCSS	Batcl	h ID: 72 6	649	R	tunNo: 94	4040				
Prep Date: 1/17/2023	Analysis [Date: 1/	18/2023	S	SeqNo: 3	395112	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	1.000	0	96.0	80	120			
Toluene	0.96	0.050	1.000	0	96.1	80	120			
Ethylbenzene	0.95	0.050	1.000	0	94.9	80	120			
Xylenes, Total	2.8	0.10	3.000	0	94.5	80	120			
Surr: 4-Bromofluorobenzene	0.95		1.000		94.5	70	130			

Sample ID: mb-72649	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	n ID: 72 0	649	F	RunNo: 9	4040				
Prep Date: 1/17/2023	Analysis D	ate: 1/	18/2023	8	SeqNo: 3	395113	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.93		1.000		93.3	70	130			

Sample ID: 2301574-002ams	Samp1	Гуре: МЅ	3	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: WS23-34 0-4'	Batcl	h ID: 72 0	649	F	RunNo: 9	4040				
Prep Date: 1/17/2023	Analysis D	Date: 1/	18/2023	S	SeqNo: 3	395116	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.024	0.9634	0	92.8	68.8	120			
Toluene	0.90	0.048	0.9634	0	93.7	73.6	124			
Ethylbenzene	0.90	0.048	0.9634	0	93.3	72.7	129			
Xylenes, Total	2.7	0.096	2.890	0	92.7	75.7	126			
Surr: 4-Bromofluorobenzene	0.89		0.9634		92.7	70	130			

Sample ID: 2301574-002ams	d SampT	ype: MS	SD	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: WS23-34 0-4'	Batch	n ID: 72 0	649	F	RunNo: 9	4040				
Prep Date: 1/17/2023	Analysis D	ate: 1/	18/2023	8	SeqNo: 3	395117	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.024	0.9615	0	92.6	68.8	120	0.488	20	
Toluene	0.90	0.048	0.9615	0	94.0	73.6	124	0.0526	20	
Ethylbenzene	0.90	0.048	0.9615	0	94.0	72.7	129	0.529	20	
Xylenes, Total	2.7	0.096	2.885	0	93.5	75.7	126	0.716	20	
Surr: 4-Bromofluorobenzene	0.89		0.9615		92.4	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 14

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

			websile: www.ne				
Client Name:	Vertex Resource Services, Inc.	s Work	Order Number	: 2301574		RcptNo	o: 1
Received By:	Juan Rojas	1/17/20	23 7:45:00 AM	l	Guara g	1	
Completed By:	Sean Livingsto	n 1/17/20	23 7:50:16 AM	I	< /	in the	
Reviewed By:	486	1.17.23			بالمبارك	750-	
Chain of Cus	tody						
1. Is Chain of C	ustody complete?			Yes 🗹	No 🗌	Not Present	
2. How was the	sample delivered?			Courier			
Log In							
	npt made to cool the	e samples?		Yes 🗹	No 🗀	NA 🗌	
4. Were all samp	oles received at a to	emperature of >0° C	to 6.0°C	Yes 🗹	No 🗌	NA 🗌	
5. Sample(s) in	proper container(s)	?		Yes 🗸	No 🗌		
6. Sufficient sam	ple volume for indi	cated test(s)?		Yes 🗹	No 🗌		
7. Are samples (except VOA and O	NG) properly preserve	ed?	Yes 🔽	No 🗌		
8. Was preserva	tive added to bottle	es?		Yes 🗌	No 🗹	NA 🗆	
9. Received at le	east 1 vial with head	dspace <1/4" for AQ \	/OA?	Yes 🗌	No 🗌	NA 🗹	
O. Were any san	nple containers rec	eived broken?		Yes	No 🗹	# of preserved	
11. Does paperwo	ork match bottle lab	els?		Yes 🗹	No 🗌	bottles checked for pH:	
	ancies on chain of o	• .		_		i e	r >12 untess noted)
		on Chain of Custody?		Yes 🗹	No 📙	Adjusted?	
	t analyses were rec	•		Yes 🗹	No ∐	The also d buy	700117
	ng times able to be ustomer for authori:			Yes 🗹	No 🗆	Checked by:	JVVIIT
pecial Handl	ing (if applical	ole)					
15. Was client no	tified of all discrepa	ancies with this order	?	Yes 🗌	No 🗌	NA 🗹	
Person	Notified:		Date:				
By Who	om:		Via:] eMail	Phone Fax	: In Person	
Regardi	ing:						
Client Ir	nstructions:						
16. Additional rei	marks:						_
17. <u>Cooler Infor</u>	mation						
Cooler No		ndition Seal Intact	Seal No S	Seal Date	Signed By	revealer	
1	2.9 Good	+	Morty				

Chain-of-Custody Record	Turn-Around Time:	HALL ENVIRONMENTAL
Client: Devon (Vertex)	□ Standard \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: ON Kill	Hackberry of Fed I Well Pad	4901 Hawkins NE - Albuquerque, NM 87109
0	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22E-02537	sis Requ
email or Fax#:	Project Manager:	POS (O)
QA/QC Package: □ Standard □ Level 4 (Full Validation)	Chan	5 PCB's
□ Az Cor □ Other	Sampler: SPC On Ice: PYes D No	ON 'E
□ EDD (Type)	Morty	O(G bor 331(S 1923) S 1931(S 1931) S 1931(S 1931)
	Cooler Temp(including cF): 7-8+6-127-9 (°C)	ol 5151 Pestii by 8 8 M 8 M Br, VOV
Data Time Matrix Sample Name	Container Preservative HEAL No.	8081 FPHS (RCRA) RCRA (CD ⁺ , CD ⁺ , S270 (
23 8:05 (Dil	You just 1Ce	
1	-	
(3:30 WS 23-37 D-4'	7.003	
82-21 SM	الالال	
	500	
1 WS23-40	// I /	
Date: Time: Relinquished by: VII/13 [7:10 Sally Contre-	Received by: Via: Date Time	Remarks: Dill Devon
Date: Time: Relinquished by:	Viaz Date Tin	W0#
110/13/900 account	1 50 mile 1/3/23 FM	JCC Scartar @ Vertex.ca

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on Released to Imaging: 6/9/2023 10:26:29 AM

IAII ENVIDONMENTAI	ANALYSIS LABORATORY	t	4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975 Fax 505-345-4107	Anal	†O9	PCB's PO4, S	(NO ₂)	OA 3)26 504 13 13 13 14	O(G bor 310 Stell MO W-ir	O150 VOV 8 M 8 M 8 M	8250 (850 (CI)-, BAHs EDB (BEDB (B)))))))))))))))))))))))))))))))))))									Remarks:	Direct bill Devon	W0# 1007101301	[No/13] 1900 (COULTY) (COULTY OF Subcontracted to other accordited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
Turn-Around Time:	Standard Rush 49 MS	Project Name:	Hackberry lo Fed I well tod	Project #: 0	11E-01537	Project Manager:	Chance Dixon	r SPC	A D No	Marty	Cooler Temp(including CF): 2 (9+6.) = 7.7(C)	Container Preservative HEAL No.	100 JOJ		500		3	2		The state of the s	Via: Date Time	My 110/13 1000	Received by: Via: Via:	contracted to other accredited laboratories. This serves as notice of this po
hain-of-Custody Record			Mailing Address: ON kill		Phone #:	email or Fax#:	QA/QC Package: □ Standard □ Level 4 (Full Validation)	'	□ NELAC □ Other	□ EDD (Type)		Date Time Matrix Sample Name	1/42 9:25 Soil WS23-41 0-4"	1 11:15 WS23-42 0-4'		1 (3:30 1 8523-27 4'	*				<u>«</u>	123 4:30	Date: Time: Relinquisited by:	NV 12 1900 MMLL N

Released to Imaging: "6/9/2023 10:26:29 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 24, 2023

Chance Dixon Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220

TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2301631

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 20 sample(s) on 1/18/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-28 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:30:00 AM

 Lab ID:
 2301631-001
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	220	9.4	mg/Kg	1	1/19/2023 7:02:40 PM
Motor Oil Range Organics (MRO)	260	47	mg/Kg	1	1/19/2023 7:02:40 PM
Surr: DNOP	97.1	69-147	%Rec	1	1/19/2023 7:02:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/19/2023 10:21:45 PM
Surr: BFB	99.8	37.7-212	%Rec	1	1/19/2023 10:21:45 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/19/2023 10:21:45 PM
Toluene	ND	0.049	mg/Kg	1	1/19/2023 10:21:45 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/19/2023 10:21:45 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/19/2023 10:21:45 PM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	1/19/2023 10:21:45 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2600	150	mg/Kg	50	1/20/2023 11:24:42 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-29 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:35:00 AM

 Lab ID:
 2301631-002
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 170 9.5 mg/Kg 1 1/19/2023 8:47:31 PM Motor Oil Range Organics (MRO) 210 47 mg/Kg 1 1/19/2023 8:47:31 PM Surr: DNOP 107 69-147 %Rec 1 1/19/2023 8:47:31 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/19/2023 11:31:10 PM 4.9 mg/Kg 1 Surr: BFB 99.6 37.7-212 %Rec 1 1/19/2023 11:31:10 PM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/19/2023 11:31:10 PM 0.024 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/19/2023 11:31:10 PM Ethylbenzene ND 0.049 mg/Kg 1 1/19/2023 11:31:10 PM Xylenes, Total ND 0.098 mg/Kg 1/19/2023 11:31:10 PM 1 Surr: 4-Bromofluorobenzene 94.4 70-130 %Rec 1 1/19/2023 11:31:10 PM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 11:37:04 AM 3000 150 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-30 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:40:00 AM

 Lab ID:
 2301631-003
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst: DGH
Diesel Range Organics (DRO)	310	98		mg/Kg	10	1/19/2023 12:58:00 PM
Motor Oil Range Organics (MRO)	520	490		mg/Kg	10	1/19/2023 12:58:00 PM
Surr: DNOP	0	69-147	S	%Rec	10	1/19/2023 12:58:00 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	1/20/2023 12:40:35 AM
Surr: BFB	100	37.7-212		%Rec	1	1/20/2023 12:40:35 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.024		mg/Kg	1	1/20/2023 12:40:35 AM
Toluene	ND	0.048		mg/Kg	1	1/20/2023 12:40:35 AM
Ethylbenzene	ND	0.048		mg/Kg	1	1/20/2023 12:40:35 AM
Xylenes, Total	ND	0.096		mg/Kg	1	1/20/2023 12:40:35 AM
Surr: 4-Bromofluorobenzene	95.0	70-130		%Rec	1	1/20/2023 12:40:35 AM
EPA METHOD 300.0: ANIONS						Analyst: JTT
Chloride	3100	150		mg/Kg	50	1/20/2023 11:49:24 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-31 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:45:00 AM

 Lab ID:
 2301631-004
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	12	9.8	mg/Kg	1	1/19/2023 5:39:19 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 5:39:19 PM
Surr: DNOP	97.6	69-147	%Rec	1	1/19/2023 5:39:19 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 1:03:42 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 1:03:42 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 1:03:42 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 1:03:42 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 1:03:42 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/20/2023 1:03:42 AM
Surr: 4-Bromofluorobenzene	95.7	70-130	%Rec	1	1/20/2023 1:03:42 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2700	150	mg/Kg	50	1/20/2023 12:01:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-32 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:50:00 AM

 Lab ID:
 2301631-005
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	25	9.5	mg/Kg	1	1/19/2023 9:29:29 PM
Motor Oil Range Organics (MRO)	56	47	mg/Kg	1	1/19/2023 9:29:29 PM
Surr: DNOP	143	69-147	%Rec	1	1/19/2023 9:29:29 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 1:26:44 AM
Surr: BFB	99.8	37.7-212	%Rec	1	1/20/2023 1:26:44 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 1:26:44 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 1:26:44 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 1:26:44 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 1:26:44 AM
Surr: 4-Bromofluorobenzene	95.5	70-130	%Rec	1	1/20/2023 1:26:44 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	3400	150	mg/Kg	50	1/20/2023 12:14:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-33 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:55:00 AM

 Lab ID:
 2301631-006
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	30	8.7	mg/Kg	1	1/19/2023 5:49:52 PM
Motor Oil Range Organics (MRO)	48	43	mg/Kg	1	1/19/2023 5:49:52 PM
Surr: DNOP	129	69-147	%Rec	1	1/19/2023 5:49:52 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/20/2023 1:49:52 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 1:49:52 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 1:49:52 AM
Toluene	ND	0.047	mg/Kg	1	1/20/2023 1:49:52 AM
Ethylbenzene	ND	0.047	mg/Kg	1	1/20/2023 1:49:52 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/20/2023 1:49:52 AM
Surr: 4-Bromofluorobenzene	96.2	70-130	%Rec	1	1/20/2023 1:49:52 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	2200	59	mg/Kg	20	1/19/2023 3:42:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BS23-34 4'

Hackberry 6 Fed 1 Well Pad **Project: Collection Date:** 1/16/2023 10:00:00 AM 2301631-007 Lab ID: Matrix: SOIL **Received Date:** 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	26	9.7	mg/Kg	1	1/19/2023 6:21:07 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 6:21:07 PM
Surr: DNOP	108	69-147	%Rec	1	1/19/2023 6:21:07 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 2:13:00 AM
Surr: BFB	98.3	37.7-212	%Rec	1	1/20/2023 2:13:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 2:13:00 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 2:13:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 2:13:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 2:13:00 AM
Surr: 4-Bromofluorobenzene	93.6	70-130	%Rec	1	1/20/2023 2:13:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1200	60	mg/Kg	20	1/19/2023 3:54:30 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 7 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-35 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:05:00 AM

 Lab ID:
 2301631-008
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	13	9.8	mg/Kg	1	1/19/2023 6:41:54 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 6:41:54 PM
Surr: DNOP	104	69-147	%Rec	1	1/19/2023 6:41:54 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 2:36:02 AM
Surr: BFB	102	37.7-212	%Rec	1	1/20/2023 2:36:02 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 2:36:02 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 2:36:02 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 2:36:02 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 2:36:02 AM
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	1	1/20/2023 2:36:02 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	730	60	mg/Kg	20	1/19/2023 4:06:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-36 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:10:00 AM

 Lab ID:
 2301631-009
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/19/2023 10:01:09 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 10:01:09 PM
Surr: DNOP	124	69-147	%Rec	1	1/19/2023 10:01:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/20/2023 2:59:05 AM
Surr: BFB	101	37.7-212	%Rec	1	1/20/2023 2:59:05 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 2:59:05 AM
Toluene	ND	0.048	mg/Kg	1	1/20/2023 2:59:05 AM
Ethylbenzene	ND	0.048	mg/Kg	1	1/20/2023 2:59:05 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/20/2023 2:59:05 AM
Surr: 4-Bromofluorobenzene	95.8	70-130	%Rec	1	1/20/2023 2:59:05 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1200	60	mg/Kg	20	1/19/2023 4:19:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-37 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:15:00 AM

 Lab ID:
 2301631-010
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	8.5	mg/Kg	1	1/19/2023 10:22:18 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	1/19/2023 10:22:18 PM
Surr: DNOP	106	69-147	%Rec	1	1/19/2023 10:22:18 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 3:22:10 AM
Surr: BFB	101	37.7-212	%Rec	1	1/20/2023 3:22:10 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 3:22:10 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 3:22:10 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 3:22:10 AM
Xylenes, Total	ND	0.097	mg/Kg	1	1/20/2023 3:22:10 AM
Surr: 4-Bromofluorobenzene	96.8	70-130	%Rec	1	1/20/2023 3:22:10 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	490	60	mg/Kg	20	1/19/2023 4:31:32 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-38 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:35:00 AM

 Lab ID:
 2301631-011
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	1/19/2023 10:33:00 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/19/2023 10:33:00 PM
Surr: DNOP	115	69-147	%Rec	1	1/19/2023 10:33:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 4:08:24 AM
Surr: BFB	99.7	37.7-212	%Rec	1	1/20/2023 4:08:24 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 4:08:24 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 4:08:24 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 4:08:24 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/20/2023 4:08:24 AM
Surr: 4-Bromofluorobenzene	94.8	70-130	%Rec	1	1/20/2023 4:08:24 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1200	60	mg/Kg	20	1/19/2023 4:43:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 11 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-39 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:40:00 AM

 Lab ID:
 2301631-012
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/19/2023 10:43:40 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 10:43:40 PM
Surr: DNOP	119	69-147	%Rec	1	1/19/2023 10:43:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 4:31:33 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 4:31:33 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 4:31:33 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 4:31:33 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 4:31:33 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/20/2023 4:31:33 AM
Surr: 4-Bromofluorobenzene	94.7	70-130	%Rec	1	1/20/2023 4:31:33 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	2100	60	mg/Kg	20	1/19/2023 4:56:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 12 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-40 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:45:00 AM

 Lab ID:
 2301631-013
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/19/2023 10:54:20 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/19/2023 10:54:20 PM
Surr: DNOP	102	69-147	%Rec	1	1/19/2023 10:54:20 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 4:54:38 AM
Surr: BFB	101	37.7-212	%Rec	1	1/20/2023 4:54:38 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 4:54:38 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 4:54:38 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 4:54:38 AM
Xylenes, Total	ND	0.097	mg/Kg	1	1/20/2023 4:54:38 AM
Surr: 4-Bromofluorobenzene	95.2	70-130	%Rec	1	1/20/2023 4:54:38 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1600	60	mg/Kg	20	1/19/2023 5:08:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-41 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:50:00 AM

 Lab ID:
 2301631-014
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

		- LE &	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.3	mg/Kg	1	1/19/2023 11:04:58 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/19/2023 11:04:58 PM
Surr: DNOP	105	69-147	%Rec	1	1/19/2023 11:04:58 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/20/2023 5:17:45 AM
Surr: BFB	99.6	37.7-212	%Rec	1	1/20/2023 5:17:45 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 5:17:45 AM
Toluene	ND	0.050	mg/Kg	1	1/20/2023 5:17:45 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/20/2023 5:17:45 AM
Xylenes, Total	ND	0.10	mg/Kg	1	1/20/2023 5:17:45 AM
Surr: 4-Bromofluorobenzene	94.1	70-130	%Rec	1	1/20/2023 5:17:45 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1200	60	mg/Kg	20	1/19/2023 5:45:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 24

EPA METHOD 300.0: ANIONS

Chloride

Analytical Report Lab Order 2301631

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-42 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:55:00 AM

 Lab ID:
 2301631-015
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) ND 9.8 mg/Kg 1 1/19/2023 11:15:36 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/19/2023 11:15:36 PM Surr: DNOP 79.2 69-147 %Rec 1 1/19/2023 11:15:36 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 5:40:53 AM 4.8 mg/Kg 1 Surr: BFB 99.7 37.7-212 %Rec 1 1/20/2023 5:40:53 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 5:40:53 AM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/20/2023 5:40:53 AM Ethylbenzene ND 0.048 mg/Kg 1 1/20/2023 5:40:53 AM Xylenes, Total ND 0.097 mg/Kg 1 1/20/2023 5:40:53 AM Surr: 4-Bromofluorobenzene 95.0 70-130 %Rec 1 1/20/2023 5:40:53 AM

230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits

mg/Kg

20

60

- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 24

Analyst: CAS

1/19/2023 5:57:57 PM

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-43 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:00:00 PM

 Lab ID:
 2301631-016
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result	RL Qu	al Units	DF	Date Analyzed
RGANICS				Analyst: DGH
ND	9.4	mg/Kg	1	1/19/2023 11:26:12 PM
ND	47	mg/Kg	1	1/19/2023 11:26:12 PM
96.8	69-147	%Rec	1	1/19/2023 11:26:12 PM
				Analyst: JJP
ND	4.8	mg/Kg	1	1/20/2023 6:03:58 AM
101	37.7-212	%Rec	1	1/20/2023 6:03:58 AM
				Analyst: JJP
ND	0.024	mg/Kg	1	1/20/2023 6:03:58 AM
ND	0.048	mg/Kg	1	1/20/2023 6:03:58 AM
ND	0.048	mg/Kg	1	1/20/2023 6:03:58 AM
ND	0.096	mg/Kg	1	1/20/2023 6:03:58 AM
96.0	70-130	%Rec	1	1/20/2023 6:03:58 AM
				Analyst: CAS
650	60	mg/Kg	20	1/19/2023 6:10:18 PM
	ND 96.8 ND 101 ND ND ND ND ND ND 96.0	ND 9.4 ND 47 96.8 69-147 ND 4.8 101 37.7-212 ND 0.024 ND 0.048 ND 0.048 ND 0.096 96.0 70-130	ND 9.4 mg/Kg ND 47 mg/Kg 96.8 69-147 %Rec ND 4.8 mg/Kg 101 37.7-212 %Rec ND 0.024 mg/Kg ND 0.048 mg/Kg ND 0.048 mg/Kg ND 0.048 mg/Kg ND 0.048 mg/Kg ND 0.096 mg/Kg 96.0 70-130 %Rec	ND 9.4 mg/Kg 1 ND 47 mg/Kg 1 96.8 69-147 %Rec 1 ND 4.8 mg/Kg 1 101 37.7-212 %Rec 1 ND 0.024 mg/Kg 1 ND 0.048 mg/Kg 1 ND 0.048 mg/Kg 1 ND 0.048 mg/Kg 1 ND 0.048 mg/Kg 1 ND 0.096 mg/Kg 1 96.0 70-130 %Rec 1

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-44 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:05:00 PM

 Lab ID:
 2301631-017
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	8.9	mg/Kg	1	1/19/2023 11:36:48 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/19/2023 11:36:48 PM
Surr: DNOP	109	69-147	%Rec	1	1/19/2023 11:36:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 6:27:05 AM
Surr: BFB	99.4	37.7-212	%Rec	1	1/20/2023 6:27:05 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 6:27:05 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 6:27:05 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 6:27:05 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 6:27:05 AM
Surr: 4-Bromofluorobenzene	93.8	70-130	%Rec	1	1/20/2023 6:27:05 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1600	60	mg/Kg	20	1/19/2023 6:22:39 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-45 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:10:00 PM

 Lab ID:
 2301631-018
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	1/19/2023 11:47:23 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/19/2023 11:47:23 PM
Surr: DNOP	115	69-147	%Rec	1	1/19/2023 11:47:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/20/2023 6:50:10 AM
Surr: BFB	99.4	37.7-212	%Rec	1	1/20/2023 6:50:10 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 6:50:10 AM
Toluene	ND	0.048	mg/Kg	1	1/20/2023 6:50:10 AM
Ethylbenzene	ND	0.048	mg/Kg	1	1/20/2023 6:50:10 AM
Xylenes, Total	ND	0.097	mg/Kg	1	1/20/2023 6:50:10 AM
Surr: 4-Bromofluorobenzene	94.8	70-130	%Rec	1	1/20/2023 6:50:10 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2300	150	mg/Kg	50	1/20/2023 12:26:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-46 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:15:00 PM

 Lab ID:
 2301631-019
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	9.6	9.1	mg/Kg	1	1/19/2023 11:57:57 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/19/2023 11:57:57 PM
Surr: DNOP	122	69-147	%Rec	1	1/19/2023 11:57:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/20/2023 7:13:14 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 7:13:14 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 7:13:14 AM
Toluene	ND	0.050	mg/Kg	1	1/20/2023 7:13:14 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/20/2023 7:13:14 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/20/2023 7:13:14 AM
Surr: 4-Bromofluorobenzene	96.1	70-130	%Rec	1	1/20/2023 7:13:14 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	910	60	mg/Kg	20	1/19/2023 6:47:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-47 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:20:00 PM

 Lab ID:
 2301631-020
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	1/20/2023 12:08:30 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/20/2023 12:08:30 AM
Surr: DNOP	75.8	69-147	%Rec	1	1/20/2023 12:08:30 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/20/2023 7:36:19 AM
Surr: BFB	98.7	37.7-212	%Rec	1	1/20/2023 7:36:19 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 7:36:19 AM
Toluene	ND	0.048	mg/Kg	1	1/20/2023 7:36:19 AM
Ethylbenzene	ND	0.048	mg/Kg	1	1/20/2023 7:36:19 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/20/2023 7:36:19 AM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	1/20/2023 7:36:19 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	510	60	mg/Kg	20	1/19/2023 6:59:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 20 of 24

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301631 24-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72699 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72699 RunNo: 94086

Prep Date: 1/18/2023 Analysis Date: 1/19/2023 SeqNo: 3396794 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72699 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72699 RunNo: 94086

Prep Date: 1/18/2023 Analysis Date: 1/19/2023 SeqNo: 3396795 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.1 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 21 of 24

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301631 24-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72696	SampT	ype: LC:	s	Tes	Code: EF	A Method	8015M/D: Die	sel Range	Organics			
Client ID: LCSS	Batch	ID: 726	96	R	unNo: 9 4	1064						
Prep Date: 1/18/2023	Analysis Da	ate: 1/ 1	19/2023	S	eqNo: 33	95763	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	50	10	50.00	0	99.8	61.9	130					
Surr: DNOP	6.4		5.000		127	69	147					
Sample ID: MB-72696	SampT	уре: МВ	SLK	Tes	Code: EF	A Method	8015M/D: Die	Diesel Range Organics				
Client ID: PBS	Batch	ID: 72 6	96	R	unNo: 9 4	1064						
Prep Date: 1/18/2023	Analysis Da	ate: 1/ 1	19/2023	S	eqNo: 33	95767	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	ND	10										
Motor Oil Range Organics (MRO)	ND	50										
Surr: DNOP	12		10.00		123	69	147					
Sample ID: 2301631-001AMS	SampT	ype: MS	1	Tes	Code: FF	A Method	8015M/D: Diesel Range Organics					
				RunNo: 94064				ooago	o. game			
Client ID: BS23-28 4'	Batch	ID: 726	596	R				oor range	0. ga00			
Client ID: BS23-28 4' Prep Date: 1/18/2023	Batch Analysis Da					1064	Units: mg/K	J	o.gamee			
				S	unNo: 9 4	1064		J	RPDLimit	Qual		
Prep Date: 1/18/2023	Analysis Da	ate: 1/ 1	19/2023	S	unNo: 94 seqNo: 33	1064 196919	Units: mg/K	g	Ū	Qual S		
Prep Date: 1/18/2023 Analyte	Analysis Da	ate: 1/ 1	19/2023 SPK value	SPK Ref Val	unNo: 94 eqNo: 33 %REC	1064 396919 LowLimit	Units: mg/K	g	Ū			
Prep Date: 1/18/2023 Analyte Diesel Range Organics (DRO)	Analysis Da Result 86 3.9	ate: 1/ 1	19/2023 SPK value 43.22 4.322	SPK Ref Val 218.7	eqNo: 9 4 seqNo: 33 %REC -308 91.4	1064 196919 LowLimit 54.2 69	Units: mg/K HighLimit	g %RPD	RPDLimit			
Prep Date: 1/18/2023 Analyte Diesel Range Organics (DRO) Surr: DNOP	Analysis Dane Result 86 3.9 SampTy	ate: 1/ 1 PQL 8.6	SPK value 43.22 4.322	SPK Ref Val 218.7	eqNo: 9 4 seqNo: 33 %REC -308 91.4	1064 196919 LowLimit 54.2 69 PA Method	Units: mg/K HighLimit 135 147	g %RPD	RPDLimit			

Qualifiers:

Analyte

Surr: DNOP

Diesel Range Organics (DRO)

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

Result

130

6.1

PQL

9.8

SPK value SPK Ref Val

218.7

48.97

4.897

- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value

%REC

-177

125

LowLimit

54.2

69

- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 24

%RPD

42.4

0

HighLimit

135

147

RPDLimit

29.2

0

Qual

RS

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301631 24-Jan-23

Client: Vertex Resources Services, Inc. Hackberry 6 Fed 1 Well Pad **Project:**

Sample ID: 2301631-001ams	SampType: MS TestCode: EPA Method 8015D: Gasoline Range										
Client ID: BS23-28 4'	Batch	n ID: 72 6	592	F	RunNo: 94	4070					
Prep Date: 1/18/2023	Analysis D)ate: 1/	19/2023	5	SeqNo: 3	396115	Units: mg/K	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	22	4.9	24.53	0	87.8	70	130				
Surr: BFB	2000		981.4		205	37.7	212				
Sample ID: 2301631-001amsd	SampT	SampType: MSD TestCode: EPA Method 8015D: Gasoline Range									
Client ID: BS23-28 4'	Batch	n ID: 72 6	592	F	RunNo: 94	4070					
							Units: mg/Kg				
Prep Date: 1/18/2023	Analysis D	ate: 1/	19/2023	9	SeqNo: 3	396117	Units: mg/K	(g			
Prep Date: 1/18/2023 Analyte	Analysis D	oate: 1/ PQL	19/2023 SPK value	SPK Ref Val	SeqNo: 3: %REC	396117 LowLimit	Units: mg/K HighLimit	(g %RPD	RPDLimit	Qual	
·	•				·		· ·	•	RPDLimit 20	Qual	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD		Qual	
Analyte Gasoline Range Organics (GRO)	Result 23 2000	PQL	SPK value 24.34 973.7	SPK Ref Val	%REC 92.5 207	LowLimit 70 37.7	HighLimit 130	%RPD 4.50 0	20	Qual	
Analyte Gasoline Range Organics (GRO) Surr: BFB	Result 23 2000 SampT	PQL 4.9	SPK value 24.34 973.7	SPK Ref Val 0	%REC 92.5 207	LowLimit 70 37.7 PA Method	HighLimit 130 212	%RPD 4.50 0	20	Qual	

Sample ID: mb-72692	SampT	уре: МЕ	BLK	Tes	TestCode: EPA Method 8015D: Gasoline Range					
Client ID: PBS	Batch	n ID: 72 6	592	F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis D	Date: 1/	19/2023	9	SeqNo: 33	396144	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		103	37.7	212			

%REC

84.1

195

LowLimit

72.3

37.7

HighLimit

137

212

SPK value SPK Ref Val

25.00

1000

PQL

5.0

Result

21

1900

Qualifiers:

Analyte

Surr: BFB

Gasoline Range Organics (GRO)

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 23 of 24

%RPD

RPDLimit

Qual

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301631 24-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2301631-002ams	TestCode: EPA Method 8021B: Volatiles											
Client ID: BS23-29 4'	F											
Prep Date: 1/18/2023	Analysis [Date: 1/	19/2023	5	SeqNo: 3	396165	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.90	0.024	0.9785	0	92.1	68.8	120					
Toluene	0.94	0.049	0.9785	0.01681	94.2	73.6	124					
Ethylbenzene	0.95	0.049	0.9785	0	97.4	72.7	129					
Xylenes, Total	2.8	0.098	2.935	0.02825	95.6	75.7	126					
Surr: 4-Bromofluorobenzene	0.96		0.9785		97.8	70	130					

Sample ID: 2301631-002amsd	Tes									
Client ID: BS23-29 4'	Batch	n ID: 72 6	92	F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis D	Date: 1/2	20/2023	5	SeqNo: 33	396166	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	0.9823	0	93.3	68.8	120	1.75	20	
Toluene	0.97	0.049	0.9823	0.01681	97.4	73.6	124	3.67	20	
Ethylbenzene	0.99	0.049	0.9823	0	101	72.7	129	3.91	20	
Xylenes, Total	2.9	0.098	2.947	0.02825	99.0	75.7	126	3.81	20	
Surr: 4-Bromofluorobenzene	0.96		0.9823		97.4	70	130	0	0	

Sample ID: LCS-72692	Samp	ype: LC	S	Tes	tCode: EF	A Method	8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 72 6	92	F	RunNo: 94	1070				
Prep Date: 1/18/2023	Analysis [Date: 1/1	19/2023	5	SeqNo: 33	96187	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.025	1.000	0	88.3	80	120			
Toluene	0.92	0.050	1.000	0	91.9	80	120			
Ethylbenzene	0.93	0.050	1.000	0	93.3	80	120			
Xylenes, Total	2.8	0.10	3.000	0	93.3	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130			

Sample ID: mb-72692	Tes									
Client ID: PBS	Batch ID: 72692			F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis [Date: 1/ *	19/2023	5	SeqNo: 33	396188	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.98		1.000		97.7	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 24



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name: Vertex Resources Services, Inc.	Work Order Numbe	er: 2301631		RcptNo:	1
Received By: Juan Rojas	1/18/2023 7:20:00 AI	м	Gent Charles		
Completed By: Cheyenne Cason	1/18/2023 7:50:31 AI	VI	Chenl		
Reviewed By: Jn 118/23					
Chain of Custody					
1. Is Chain of Custody complete?		Yes \square	No 🗹	Not Present	
2. How was the sample delivered?		Courier			
Log In					
3. Was an attempt made to cool the samples	?	Yes 🗹	No 🗌	na 🗆	
4. Were all samples received at a temperatur	e of >0° C to 6.0°C	Yes 🗹	No 🗌	na 🗆	
5. Sample(s) in proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sample volume for indicated test	(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) proper	erly preserved?	Yes 🗹	No 🗌		
8. Was preservative added to bottles?		Yes 🗌	No 🗹	NA 🗌	
9. Received at least 1 vial with headspace <1	/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any sample containers received broken	ken?	Yes 🗌	No 🗹	# of preserved bottles checked	/
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	No 🗌	for pH: (<2 or	>12 unless noted)
12. Are matrices correctly identified on Chain of	f Custody?	Yes 🗹	No 🗌	Adjusted?	
13. Is it clear what analyses were requested?		Yes 🗹	No 🔲		1.
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No ∐ [Checked by:	1-18-23
Special Handling (if applicable)					
15. Was client notified of all discrepancies with	n this order?	Yes 🗌	No 🗌	NA 🗹	
Person Notified:	Date:				
By Whom:	Via:	☐ eMail ☐ l	Phone Fax	☐ In Person	
Regarding:					
Client Instructions:					
16. Additional remarks:					
Client Information not complete.					
17. Cooler Information	251				
		Cast Data	Cianad D.		
3	Seal Intact Seal No ot Present Morty	Seal Date	Signed By		

YENHWINDGIAN I I VI	ANAL	www.hallenvironmental.com	4901 Hawki	Tel. 505-345-3975 Fax 505-345-4107	Anal	*OS	bO⁴' ∂	7 S80 (1. 07S8 1, _s Ol	08/se 08/se 06/403 001 8 001 8 004/004	Cide NO NO // // // // // // // // // // // // //	ol 51 esti 3y 8 Br, VOV	8081 P BOB1 P BOB1 P BCRA CDF, I BZ60 (7 BZ60													Remarks:	MOH MOTH MANNEY COLL COLL		Or Collins
Turn-Around Time:	Standard KRush 48 W	Project Name:	Hackberry lo Fed I well Pad	Project #:	12E-01537	Project Manager:	Chance Dixon	10	On Ice:	# of Coolers: 1	Cooler Temp(including CF): 2 746 12 3	Container Preservative Type 73/53	106		003	has	Sap	900	∞ 7	800	800	000	00	1 010	Received by: Via: Date	CALADORAZA (17173)	Received by: Nia:N Date	1000 J. COLON
Chain-of-Custody Record	Client: Dayon (Vertex)	3	Mailing Address: 6N Lile		Phone #:	=ax#:	ioi	☐ Standard ☐ Level 4 (Full Validation)	Other	ype)		Date Time Matrix Sample Name	13 9:30 Soil B513-78 4'	_	BS23-30	RS22-31	B\$13-31		BS13-34	10:05 8513- 35 4'	10:10 18523-36 4'	813-37	11:35 8513-38 4'	1	Relinquished by:	1/16/23/18:33 Sally Carttan		Control of the contro

Chain-of-Custody Record	Turn-Around Time:	TATION OF THE PERSON OF THE PE
Client: Dayon (Vertex)	Standard Krush 49Nr	ANALYSTS LABORATORY
	Project Name:	www hallenvironmental com
Mailing Address: 611 Lill	Hackbarry G Fed I Well Fad	4901 Hawkins NE - Albuquerque, NM 87109
	Project #: 0	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	726-02537	Analysis Request
email or Fax#:	Project Manager:	†O9
QA/QC Package:	Chance Dixon	PO4, S
:	Sampler:	ا S80 (۱. 0728 ر ₂ 01
	On Ice: Dres D No	08/8: \$405 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10
□ EDD (Type)	# of Coolers: \ Marty	o(GF) od (
	Cooler Temp(including CF): 7. 1 to 123. (°C)	15C estic yy 8: 3 M. 3r, 3r,
Comp. Same Nomition	Container Preservative HEAL No.	TEXY 5081 Pd 5081 Pd 50RA 5 50RA 5 50RA 6 50RA 6 50
11:45 Spil	-	3 3 3 4 4 4 8 8
	_	
11	510	
12:00 18523-43 4'	016	
12:05 18523-44 4'	100	A comment of the comm
12:10 8523-45 4'	810	
	610	
1 (2:20 1 (2523-47) 41	720	
	AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	
	Section 1995 The Company of the Comp	
Date: Relinquished by:	Received by: Via: Date Time	
1/14/13/16:33 Saley Cartan	11/13	Direct Bill Devon Page 4/7
& B	Via: Via: T	108 100 + 101 301
f recognition of the state of t	ironmental may be officentized to other forced that about sort price of this po	is nossibility. Any sub-contracted data will be clearly notated on the analytical report

Released to Imaging: 6/9/2023 10:26:29 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 26, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Feb 1 Well Pad OrderNo.: 2301711

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 10 sample(s) on 1/19/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-48 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:37:00 AM

 Lab ID:
 2301711-001
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	33	9.9	mg/Kg	1	1/23/2023 3:31:33 PM
Motor Oil Range Organics (MRO)	64	50	mg/Kg	1	1/23/2023 3:31:33 PM
Surr: DNOP	90.2	69-147	%Rec	1	1/23/2023 3:31:33 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 6:28:27 AM
Surr: BFB	99.1	37.7-212	%Rec	1	1/21/2023 6:28:27 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 6:28:27 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 6:28:27 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 6:28:27 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/21/2023 6:28:27 AM
Surr: 4-Bromofluorobenzene	94.1	70-130	%Rec	1	1/21/2023 6:28:27 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	1100	60	mg/Kg	20	1/20/2023 9:17:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-49 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:37:00 AM

 Lab ID:
 2301711-002
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 65 9.8 mg/Kg 1 1/23/2023 5:46:17 PM Motor Oil Range Organics (MRO) 100 49 mg/Kg 1 1/23/2023 5:46:17 PM Surr: DNOP 105 69-147 %Rec 1 1/23/2023 5:46:17 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/21/2023 7:37:51 AM 4.9 mg/Kg 1 Surr: BFB 99.2 37.7-212 %Rec 1 1/21/2023 7:37:51 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/21/2023 7:37:51 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/21/2023 7:37:51 AM Ethylbenzene ND 0.049 mg/Kg 1 1/21/2023 7:37:51 AM Xylenes, Total ND 0.099 mg/Kg 1/21/2023 7:37:51 AM 1 Surr: 4-Bromofluorobenzene 94.4 70-130 %Rec 1 1/21/2023 7:37:51 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 9:54:22 PM 1400 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-50 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:40:00 AM

 Lab ID:
 2301711-003
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 52 9.8 mg/Kg 1 1/23/2023 6:17:35 PM Motor Oil Range Organics (MRO) 96 49 mg/Kg 1 1/23/2023 6:17:35 PM Surr: DNOP 99.8 69-147 %Rec 1 1/23/2023 6:17:35 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/21/2023 8:00:56 AM 4.9 mg/Kg 1 Surr: BFB 98.7 37.7-212 %Rec 1 1/21/2023 8:00:56 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/21/2023 8:00:56 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/21/2023 8:00:56 AM Ethylbenzene ND 0.049 mg/Kg 1 1/21/2023 8:00:56 AM Xylenes, Total ND 0.098 mg/Kg 1 1/21/2023 8:00:56 AM Surr: 4-Bromofluorobenzene 94.5 70-130 %Rec 1 1/21/2023 8:00:56 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 10:06:43 PM 1600 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BS23-51 4'

Project: Hackberry 6 Feb 1 Well Pad Collection Date: 1/17/2023 9:40:00 AM Lab ID: 2301711-004 Matrix: SOIL Received Date: 1/19/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 39 9.8 mg/Kg 1 1/23/2023 6:48:45 PM Motor Oil Range Organics (MRO) 85 49 mg/Kg 1 1/23/2023 6:48:45 PM Surr: DNOP 91.0 69-147 %Rec 1 1/23/2023 6:48:45 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/21/2023 8:24:01 AM 5.0 mg/Kg 1 Surr: BFB 98.0 37.7-212 %Rec 1 1/21/2023 8:24:01 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/21/2023 8:24:01 AM 0.025 mg/Kg 1 Toluene ND 0.050 mg/Kg 1 1/21/2023 8:24:01 AM Ethylbenzene ND 0.050 mg/Kg 1 1/21/2023 8:24:01 AM Xylenes, Total ND mg/Kg 1/21/2023 8:24:01 AM 0.099 1 Surr: 4-Bromofluorobenzene 94.4 70-130 %Rec 1 1/21/2023 8:24:01 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 10:19:04 PM 1600 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL

Reporting Limit

Page 4 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-52 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:45:00 AM

 Lab ID:
 2301711-005
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	76	9.4	mg/Kg	1	1/23/2023 7:20:04 PM
Motor Oil Range Organics (MRO)	160	47	mg/Kg	1	1/23/2023 7:20:04 PM
Surr: DNOP	94.4	69-147	%Rec	1	1/23/2023 7:20:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 8:47:04 AM
Surr: BFB	97.7	37.7-212	%Rec	1	1/21/2023 8:47:04 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/21/2023 8:47:04 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 8:47:04 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 8:47:04 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 8:47:04 AM
Surr: 4-Bromofluorobenzene	93.0	70-130	%Rec	1	1/21/2023 8:47:04 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3100	150	mg/Kg	50	1/21/2023 11:27:28 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-53 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:45:00 AM

 Lab ID:
 2301711-006
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	88	9.5	mg/Kg	1	1/23/2023 4:26:49 PM
Motor Oil Range Organics (MRO)	160	47	mg/Kg	1	1/23/2023 4:26:49 PM
Surr: DNOP	91.5	69-147	%Rec	1	1/23/2023 4:26:49 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/21/2023 9:10:08 AM
Surr: BFB	99.9	37.7-212	%Rec	1	1/21/2023 9:10:08 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 9:10:08 AM
Toluene	ND	0.050	mg/Kg	1	1/21/2023 9:10:08 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/21/2023 9:10:08 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/21/2023 9:10:08 AM
Surr: 4-Bromofluorobenzene	95.9	70-130	%Rec	1	1/21/2023 9:10:08 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2600	150	mg/Kg	50	1/21/2023 11:39:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-54 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:50:00 AM

 Lab ID:
 2301711-007
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: SB
Diesel Range Organics (DRO)	32	9.8	mg/Kg	1	1/23/2023 3:33:44 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/23/2023 3:33:44 PM
Surr: DNOP	102	69-147	%Rec	1	1/23/2023 3:33:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 10:42:34 AM
Surr: BFB	99.0	37.7-212	%Rec	1	1/21/2023 10:42:34 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 10:42:34 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 10:42:34 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 10:42:34 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 10:42:34 AM
Surr: 4-Bromofluorobenzene	95.6	70-130	%Rec	1	1/21/2023 10:42:34 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2200	60	mg/Kg	20	1/20/2023 10:56:06 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-55 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:50:00 AM

 Lab ID:
 2301711-008
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: SB Diesel Range Organics (DRO) ND 9.7 mg/Kg 1 1/23/2023 3:57:16 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/23/2023 3:57:16 PM Surr: DNOP 98.8 69-147 %Rec 1 1/23/2023 3:57:16 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/21/2023 11:51:55 AM 4.9 mg/Kg 1 Surr: BFB 101 37.7-212 %Rec 1 1/21/2023 11:51:55 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/21/2023 11:51:55 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/21/2023 11:51:55 AM Ethylbenzene ND 0.049 mg/Kg 1 1/21/2023 11:51:55 AM Xylenes, Total ND 0.098 mg/Kg 1/21/2023 11:51:55 AM 1 Surr: 4-Bromofluorobenzene 97.7 70-130 %Rec 1 1/21/2023 11:51:55 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 11:33:08 PM 1100 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-56 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:54:00 AM

 Lab ID:
 2301711-009
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: SB
Diesel Range Organics (DRO)	230	9.9	mg/Kg	1	1/23/2023 7:52:46 PM
Motor Oil Range Organics (MRO)	310	50	mg/Kg	1	1/23/2023 7:52:46 PM
Surr: DNOP	116	69-147	%Rec	1	1/23/2023 7:52:46 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 1:01:34 PM
Surr: BFB	101	37.7-212	%Rec	1	1/21/2023 1:01:34 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/21/2023 1:01:34 PM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 1:01:34 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 1:01:34 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 1:01:34 PM
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	1/21/2023 1:01:34 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3700	150	mg/Kg	50	1/21/2023 11:52:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-57 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:55:00 AM

 Lab ID:
 2301711-010
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	290	9.6	mg/Kg	1	1/24/2023 5:08:10 PM
Motor Oil Range Organics (MRO)	440	48	mg/Kg	1	1/24/2023 5:08:10 PM
Surr: DNOP	124	69-147	%Rec	1	1/24/2023 5:08:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 1:24:47 PM
Surr: BFB	101	37.7-212	%Rec	1	1/21/2023 1:24:47 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/21/2023 1:24:47 PM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 1:24:47 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 1:24:47 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 1:24:47 PM
Surr: 4-Bromofluorobenzene	96.3	70-130	%Rec	1	1/21/2023 1:24:47 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	7100	300	mg/Kg	100	1/22/2023 12:04:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 17

Hall Environmental Analysis Laboratory, Inc.

2301711

WO#:

26-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Sample ID: MB-72729 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72729 RunNo: 94097

Prep Date: 1/20/2023 Analysis Date: 1/20/2023 SeqNo: 3397311 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72729 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72729 RunNo: 94097

Prep Date: 1/20/2023 Analysis Date: 1/20/2023 SeqNo: 3397312 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.2 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711**

26-Jan-23

Client:	Vertex Resources Services, Inc
Project:	Hackberry 6 Feb 1 Well Pad

Project:	Hackberry	o red i v	WCII I a								
Sample ID:	LCS-72738	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	ID: 72 7	738	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/3	23/2023	9	SeqNo: 33	398450	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
•	Organics (DRO)	43	10	50.00	0	85.9	61.9	130			
Surr: DNOP		5.6		5.000		111	69	147			
Sample ID:	MB-72738	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	PBS	Batch	ID: 72 7	738	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/	23/2023	9	SeqNo: 33	398451	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
•	Organics (DRO)	ND	10								
-	e Organics (MRO)	ND	50								
Surr: DNOP		9.8		10.00		97.6	69	147			
Sample ID:	2301711-007AMS	SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics									
Client ID:	BS23-54 4'	Batch	ID: 72	726	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/	23/2023	9	SeqNo: 33	399089	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	55	9.7	48.45	31.80	47.0	54.2	135			S
Surr: DNOP		5.2		4.845		107	69	147			
Sample ID:	2301711-007AMSD	SampT	уре: МS	SD	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	BS23-54 4'	Batch	ID: 72 7	726	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/3	23/2023	9	SeqNo: 33	399090	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	56	9.7	48.45	31.80	49.4	54.2	135	2.13	29.2	S
Surr: DNOP		4.7		4.845		96.8	69	147	0	0	
Sample ID:	LCS-72726	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	ID: 72 7	726	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/	23/2023	5	SeqNo: 33	399135	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
								-			
Diesel Range (Organics (DRO)	41	10	50.00	0	83.0	61.9	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 17

Hall Environmental Analysis Laboratory, Inc.

9.9

2301711 26-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Surr: DNOP

Sample ID: MB-72726	SampT	уре: МВ	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: PBS	Batch	n ID: 727	726	RunNo: 94119							
Prep Date: 1/20/2023	Analysis D	oate: 1/2	23/2023	SeqNo: 3399139			Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO)	ND	10									
Motor Oil Range Organics (MRO)	ND	50									

98.5

147

69

10.00

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 13 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711 26-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Project:	Hackberry 6 Feb 1	Well Pad						
Sample ID: Ics-7271	5 Samp	Type: LCS	Tes	tCode: EPA Method	d 8015D: Gasoline Range)		
Client ID: LCSS	Bato	ch ID: 72715	F	RunNo: 94108				
Prep Date: 1/19/20	23 Analysis	Date: 1/20/2023	;	SeqNo: 3397800	Units: mg/Kg			
Analyte	Result	PQL SPK valu	e SPK Ref Val	%REC LowLimi	t HighLimit %RPD	RPDLimit	Qual	
Gasoline Range Organics		5.0 25.0		86.9 72.3				
Surr: BFB	2000	100	0	200 37.7	7 212			
Sample ID: Ics-7271	7 Samp	Type: LCS	Tes	tCode: EPA Method	d 8015D: Gasoline Range)		
Client ID: LCSS	Bato	ch ID: 72717	F	RunNo: 94108				
Prep Date: 1/19/20	23 Analysis	Date: 1/21/2023	;	SeqNo: 3397801	Units: mg/Kg			
Analyte	Result	PQL SPK valu	e SPK Ref Val	%REC LowLimi	t HighLimit %RPD	RPDLimit	Qual	
Gasoline Range Organics	(GRO) 20	5.0 25.0	0 0	80.0 72.3				
Surr: BFB	1900	100	0	191 37.7	7 212			
Sample ID: mb-7271	5 Samp	Type: MBLK	Tes	tCode: EPA Method	d 8015D: Gasoline Range		_	
Client ID: PBS	Bato	ch ID: 72715	F	RunNo: 94108				
Prep Date: 1/19/20	23 Analysis	Date: 1/20/2023	;	SeqNo: 3397803	Units: mg/Kg			
Analyte	Result	PQL SPK valu	e SPK Ref Val	%REC LowLimi	t HighLimit %RPD	RPDLimit	Qual	
Gasoline Range Organics	(GRO) ND	5.0						
Surr: BFB	1000	100	0	102 37.7	7 212			
Sample ID: mb-7271	7 Samp	Туре: МВLК	Tes	tCode: EPA Metho	d 8015D: Gasoline Range)		
Client ID: PBS	Bato	ch ID: 72717	F	RunNo: 94108				
Prep Date: 1/19/20	23 Analysis	Date: 1/21/2023	;	SeqNo: 3397804	Units: mg/Kg			
Analyte	Result	PQL SPK valu	e SPK Ref Val	%REC LowLimi	t HighLimit %RPD	RPDLimit	Qual	
Gasoline Range Organics	(GRO) ND	5.0						
Surr: BFB	1000	100	0	100 37.7	7 212			
Sample ID: 2301711	-007ams Samp	Туре: МЅ	Tes	tCode: EPA Metho	d 8015D: Gasoline Range)		
Client ID: BS23-54	4' Bato	ch ID: 72717	F	RunNo: 94108				
Prep Date: 1/19/20	23 Analysis	Date: 1/21/2023	;	SeqNo: 3397850	Units: mg/Kg			
Analyte	Result	PQL SPK valu	e SPK Ref Val	%REC LowLimi	t HighLimit %RPD	RPDLimit	Qual	
Gasoline Range Organics		4.9 24.3		86.0 70				
Surr: BFB	2000	972.	8	202 37.7	212			
Sample ID: 2301711	-007amsd Samp	Type: MSD	Tes	tCode: EPA Method	d 8015D: Gasoline Range)		
Client ID: BS23-54	4' Bato	ch ID: 72717	F	RunNo: 94108				
Prep Date: 1/19/20	23 Analysis	Date: 1/21/2023	;	SeqNo: 3397851	Units: mg/Kg			

Qualifiers:

Analyte

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.

Result

PQL

- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range

SPK value SPK Ref Val %REC LowLimit

RL Reporting Limit

Page 14 of 17

RPDLimit

Qual

%RPD

HighLimit

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301711

26-Jan-23

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Feb 1 Well Pad

Sample ID: 2301711-007amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range Client ID: BS23-54 4' Batch ID: 72717 RunNo: 94108 Prep Date: 1/19/2023 Analysis Date: 1/21/2023 SeqNo: 3397851 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) 23 5.0 24.80 92.1 70 130 8.84 20 Surr: BFB 2000 992.1 205 37.7 212 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Е Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 15 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711**

26-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Sample ID: LCS-72715	Samp ¹	Гуре: LC :	S	Tes	iles						
Client ID: LCSS	Batc	h ID: 72 7	715	F							
Prep Date: 1/19/2023	Analysis [Date: 1/2	20/2023	;	SeqNo: 3	397872	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.88	0.025	1.000	0	88.4	80	120				
Toluene	0.93	0.050	1.000	0	92.7	80	120				
Ethylbenzene	0.93	0.050	1.000	0	92.9	80	120				
Xylenes, Total	2.8	0.10	3.000	0	93.2	80	120				
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	70	130				

Sample ID: LCS-72717	Samp1	npType: LCS TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batcl	n ID: 727	' 17	F	RunNo: 94					
Prep Date: 1/19/2023	Analysis D	Date: 1/2	21/2023	SeqNo: 3397873		g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	89.1	80	120			
Toluene	0.93	0.050	1.000	0	92.9	80	120			
Ethylbenzene	0.93	0.050	1.000	0	93.1	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.2	80	120			
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	70	130			

Sample ID: mb-72715	SampT	Гуре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batcl	h ID: 72 7	715	F	RunNo: 94					
Prep Date: 1/19/2023	Analysis D	Date: 1/2	20/2023	5						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.96		1.000		96.4	70	130			

Sample ID: mb-72717	SampType: MBLK TestCode: EPA Method 8021B: Volatiles					TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch	n ID: 727	717	F	RunNo: 94							
Prep Date: 1/19/2023	Analysis D	oate: 1/2	21/2023	5	SeqNo: 3							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025		_			_					
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	0.97		1.000		96.7	70	130					

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711 26-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Sample ID: 2301711-008ams Client ID: BS23-55 4'	•	Гуре: MS h ID: 72 7			tCode: EF RunNo: 9 4		8021B: Volati	les			
Prep Date: 1/19/2023	Analysis [Date: 1/2	21/2023	5	SeqNo: 3397918			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.99	0.025	0.9950	0	99.7	68.8	120				
Toluene	1.1	0.050	0.9950	0.01657	105	73.6	124				
Ethylbenzene	1.1	0.050	0.9950	0	108	72.7	129				
Xylenes, Total	3.2	0.10	2.985	0.02814	106	75.7	126				
Surr: 4-Bromofluorobenzene 0.99 0.9950				99.4	70	130					

Sample ID: 2301711-008amsd	Samp ⁻	SampType: MSD TestCode: EPA Method 8021B: Volatiles								
Client ID: BS23-55 4'	Batc	h ID: 72 7								
Prep Date: 1/19/2023	Analysis [is Date: 1/21/2023 SeqNo: 3397919 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	0.9823	0	97.2	68.8	120	3.86	20	
Toluene	1.0	0.049	0.9823	0.01657	102	73.6	124	3.49	20	
Ethylbenzene	1.0	0.049	0.9823	0	105	72.7	129	3.86	20	
Xylenes, Total	3.1	0.098	2.947	0.02814	104	75.7	126	3.40	20	
Surr: 4-Bromofluorobenzene	0.95		0.9823	96.6 70		130	0	0		

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 17



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name:	Vertex Reso Services, In		Work	Order Numl	ber: 230	1711			RcptNo: 1			
Received By:	Juan Rojas	s	1/19/20	23 7:20:00	АМ		Hans	3	12			
Completed By:	Sean Livin	gston	1/19/20	23 8:11:30 /	AM		<	/	· · ·			
Reviewed By:	ft 1-19.	_					ے ر		700			
Chain of Cus	stody								_			
1. Is Chain of C	Custody comple	ete?			Yes	V	No		Not Present			
2. How was the	sample delive	ered?			<u>Cou</u>	rier						
Log In									_			
3. Was an atter	mpt made to co	ool the samp	oles?		Yes	V	No		NA 🗌			
4. Were all sam	ples received	at a tempera	ature of >0° C	to 6.0°C	Yes	V	No		na 🗆			
5. Sample(s) in	proper contain	ner(s)?			Yes	V	No					
6. Sufficient san	nple volume fo	or indicated t	est(s)?		Yes	V	No					
7. Are samples	(except VOA a	and ONG) pr	operly preserve	ed?	Yes	V	No [
8. Was preserva	ative added to	bottles?			Yes		No [✓	NA 🗆			
9. Received at le	east 1 vial with	n headspace	<1/4" for AQ V	'OA?	Yes		No Í		NA 🗹	761		
10. Were any sa	mple containe	rs received b	oroken?		Yes		No	✓				
									# of preserved bottles checked	1/20/23		
11. Does paperw					Yes	V	No		for pH:			
	ancies on cha							_	· ·	>12 unless noted)		
12. Are matrices			-		Yes	V		_	Adjusted?			
13. Is it clear wha			l?		Yes	~	No l		01 1 11			
14. Were all hold (If no, notify of	ling times able customer for a		•		Yes	✓	No []	Checked by:			
Special Hand	lling (if app	licable)										
15. Was client n	otified of all dis	screpancies	with this order?	>	Yes		No		NA 🗹	_		
Persor	n Notified:			Date:			U. ((A. V.))					
By Wh	iom:		THE RESERVE OF THE PERSON OF T	Via:	☐ eM	ail 🗌	Phone [Fax	☐ In Person			
Regard	ding:											
	Instructions:											
16. Additional re	emarks:											
17. Cooler Info		1										
Cooler No		Condition	Seal Intact	Seal No	Seal D	ate	Signed E	y				
1 2	1.2 2.3	Good Good	Not Present Not Present	Morty Morty	4							
<u> </u>	4.5	J000	AOL FICSCIII	iviorty					J			

Chain-of-Custody Record	Turn-Around Time:	I ATHENTED NAME AT A STATE OF THE STATE OF T
Client: Devon (Vertex)	□ Standard Rush US how	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: On File	Hackberry 6 Feb 1 Wellpad	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22E-02537	Analysis Request
email or Fax#:	Project Manager:	†OS
QA/QC Package:		s'ac SMI
☐ Standard ☐ Level 4 (Full Validation)	Chance Dixon	OF 20 PC 20
Accreditation: Az Compliance	J	(1 DIV S08277)
□ Other	Ч	OA 502-38/86 504-01 19 01 19 01 19 01 19 01 19 01 19 01 19 01
□ EDD (Type)	# of Coolers: 2	oide cide 31() //
	Cooler Temp(including cF): See fermen FS (°C)	estii Aleth by 8 By 6 Br, JOA
	Container Preservative HEAL No.	H:80 (/2 (2) (2) (3) (3) (4) (4) (5) (5) (6) (7) (6) (7) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7
Date Time Matrix Sample Name	# Type 23	808 PPA PPA 826 826 827 828
23 9:37 Soil BS 23-48 4'	402 jar j.ce 00(
9:37 1 RS23-49 4'	A STATE OF THE STA	
04:6	500	
2.6	300	
	500	
	200	
6523	too	
	yeo	
B	000	
1 9:55 1 6523-57 4'	200	
	ple 1 de la companya	
Date: Time: Relinquished by:	Received by: Via: Date Time	Remarks: 1,2-0= 1, 2 2-3-0=2-3
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Received by: Via: V Date Time	
Wars pro Comment	Journa 1/19/23 75 20	
y, sam	contracted to other accredited laboratories. This serves as notice of this	coredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 30, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2301764

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 18 sample(s) on 1/20/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-58 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:25:00 AM

 Lab ID:
 2301764-001
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: SB				
Diesel Range Organics (DRO)	180	19	mg/Kg	2	1/24/2023 3:20:43 PM
Motor Oil Range Organics (MRO)	340	97	mg/Kg	2	1/24/2023 3:20:43 PM
Surr: DNOP	117	69-147	%Rec	2	1/24/2023 3:20:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 11:41:57 AM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 11:41:57 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 11:41:57 AM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 11:41:57 AM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 11:41:57 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 11:41:57 AM
Surr: 4-Bromofluorobenzene	96.5	70-130	%Rec	1	1/23/2023 11:41:57 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	9700	300	mg/Kg	100	1/23/2023 10:38:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 1 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-59 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:29:00 AM

 Lab ID:
 2301764-002
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: SB				
Diesel Range Organics (DRO)	170	10	mg/Kg	1	1/24/2023 1:58:37 PM
Motor Oil Range Organics (MRO)	240	50	mg/Kg	1	1/24/2023 1:58:37 PM
Surr: DNOP	109	69-147	%Rec	1	1/24/2023 1:58:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 12:52:17 PM
Surr: BFB	107	37.7-212	%Rec	1	1/23/2023 12:52:17 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 12:52:17 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 12:52:17 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 12:52:17 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/23/2023 12:52:17 PM
Surr: 4-Bromofluorobenzene	99.6	70-130	%Rec	1	1/23/2023 12:52:17 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	4500	150	mg/Kg	50	1/23/2023 10:51:27 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-60 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:30:00 AM

 Lab ID:
 2301764-003
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	150	9.7	mg/Kg	1	1/24/2023 2:12:38 PM
Motor Oil Range Organics (MRO)	240	49	mg/Kg	1	1/24/2023 2:12:38 PM
Surr: DNOP	106	69-147	%Rec	1	1/24/2023 2:12:38 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/23/2023 2:02:42 PM
Surr: BFB	105	37.7-212	%Rec	1	1/23/2023 2:02:42 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/23/2023 2:02:42 PM
Toluene	ND	0.046	mg/Kg	1	1/23/2023 2:02:42 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/23/2023 2:02:42 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/23/2023 2:02:42 PM
Surr: 4-Bromofluorobenzene	96.9	70-130	%Rec	1	1/23/2023 2:02:42 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2200	60	mg/Kg	20	1/21/2023 1:12:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-61 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:33:00 AM

 Lab ID:
 2301764-004
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	70	10	mg/Kg	1	1/24/2023 5:00:11 PM
Motor Oil Range Organics (MRO)	100	50	mg/Kg	1	1/24/2023 5:00:11 PM
Surr: DNOP	121	69-147	%Rec	1	1/24/2023 5:00:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/23/2023 2:26:11 PM
Surr: BFB	106	37.7-212	%Rec	1	1/23/2023 2:26:11 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/23/2023 2:26:11 PM
Toluene	ND	0.050	mg/Kg	1	1/23/2023 2:26:11 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/23/2023 2:26:11 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/23/2023 2:26:11 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/23/2023 2:26:11 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	8100	300	mg/Kg	100	1/23/2023 11:04:18 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

propring Limit Page 4 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-62 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:35:00 AM

 Lab ID:
 2301764-005
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	310	50	mg/Kg	5	1/24/2023 5:27:55 PM
Motor Oil Range Organics (MRO)	460	250	mg/Kg	5	1/24/2023 5:27:55 PM
Surr: DNOP	107	69-147	%Rec	5	1/24/2023 5:27:55 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 2:49:43 PM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 2:49:43 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 2:49:43 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 2:49:43 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 2:49:43 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 2:49:43 PM
Surr: 4-Bromofluorobenzene	95.7	70-130	%Rec	1	1/23/2023 2:49:43 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	4200	150	mg/Kg	50	1/23/2023 11:17:10 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

orting Limit Page 5 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-63 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:36:00 AM

 Lab ID:
 2301764-006
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: SB Diesel Range Organics (DRO) 190 17 mg/Kg 2 1/24/2023 3:06:43 PM Motor Oil Range Organics (MRO) 2 300 86 mg/Kg 1/24/2023 3:06:43 PM Surr: DNOP 121 69-147 %Rec 2 1/24/2023 3:06:43 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/23/2023 3:13:14 PM 4.7 mg/Kg 1 Surr: BFB 105 37.7-212 %Rec 1 1/23/2023 3:13:14 PM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 0.024 mg/Kg 1/23/2023 3:13:14 PM 1 Toluene ND 0.047 mg/Kg 1 1/23/2023 3:13:14 PM Ethylbenzene ND 0.047 mg/Kg 1 1/23/2023 3:13:14 PM Xylenes, Total ND 0.094 mg/Kg 1 1/23/2023 3:13:14 PM Surr: 4-Bromofluorobenzene 96.6 70-130 %Rec 1 1/23/2023 3:13:14 PM **EPA METHOD 300.0: ANIONS** Analyst: CAS Chloride 8700 600 1/23/2023 11:30:02 AM ma/Ka 200

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-64 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:39:00 AM

 Lab ID:
 2301764-007
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	56	9.7	mg/Kg	1	1/24/2023 1:44:45 PM
Motor Oil Range Organics (MRO)	81	48	mg/Kg	1	1/24/2023 1:44:45 PM
Surr: DNOP	110	69-147	%Rec	1	1/24/2023 1:44:45 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/23/2023 3:36:42 PM
Surr: BFB	106	37.7-212	%Rec	1	1/23/2023 3:36:42 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/23/2023 3:36:42 PM
Toluene	ND	0.050	mg/Kg	1	1/23/2023 3:36:42 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/23/2023 3:36:42 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/23/2023 3:36:42 PM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	1/23/2023 3:36:42 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	17000	600	mg/Kg	200	1/23/2023 11:42:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-65 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:39:00 AM

 Lab ID:
 2301764-008
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	120	9.8	mg/Kg	1	1/24/2023 1:50:54 PM
Motor Oil Range Organics (MRO)	150	49	mg/Kg	1	1/24/2023 1:50:54 PM
Surr: DNOP	120	69-147	%Rec	1	1/24/2023 1:50:54 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/23/2023 4:00:09 PM
Surr: BFB	108	37.7-212	%Rec	1	1/23/2023 4:00:09 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/23/2023 4:00:09 PM
Toluene	ND	0.046	mg/Kg	1	1/23/2023 4:00:09 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/23/2023 4:00:09 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/23/2023 4:00:09 PM
Surr: 4-Bromofluorobenzene	99.3	70-130	%Rec	1	1/23/2023 4:00:09 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	12000	600	mg/Kg	200	1/23/2023 11:55:45 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-66 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:45:00 AM

 Lab ID:
 2301764-009
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	160	9.6	mg/Kg	1	1/24/2023 2:01:37 PM
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	1/24/2023 2:01:37 PM
Surr: DNOP	108	69-147	%Rec	1	1/24/2023 2:01:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 4:23:37 PM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 4:23:37 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 4:23:37 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 4:23:37 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 4:23:37 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 4:23:37 PM
Surr: 4-Bromofluorobenzene	95.2	70-130	%Rec	1	1/23/2023 4:23:37 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	6800	300	mg/Kg	100	1/23/2023 12:08:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-67 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:43:00 AM

 Lab ID:
 2301764-010
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	390	48	mg/Kg	5	1/24/2023 2:33:27 PM
Motor Oil Range Organics (MRO)	670	240	mg/Kg	5	1/24/2023 2:33:27 PM
Surr: DNOP	143	69-147	%Rec	5	1/24/2023 2:33:27 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 4:47:08 PM
Surr: BFB	106	37.7-212	%Rec	1	1/23/2023 4:47:08 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/23/2023 4:47:08 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 4:47:08 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 4:47:08 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/23/2023 4:47:08 PM
Surr: 4-Bromofluorobenzene	97.8	70-130	%Rec	1	1/23/2023 4:47:08 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	5900	300	mg/Kg	100	1/23/2023 12:21:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-68 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:50:00 AM

 Lab ID:
 2301764-011
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	330	47	mg/Kg	5	1/24/2023 2:44:10 PM
Motor Oil Range Organics (MRO)	590	240	mg/Kg	5	1/24/2023 2:44:10 PM
Surr: DNOP	144	69-147	%Rec	5	1/24/2023 2:44:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/23/2023 5:34:01 PM
Surr: BFB	102	37.7-212	%Rec	1	1/23/2023 5:34:01 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/23/2023 5:34:01 PM
Toluene	ND	0.049	mg/Kg	1	1/23/2023 5:34:01 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/23/2023 5:34:01 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/23/2023 5:34:01 PM
Surr: 4-Bromofluorobenzene	94.3	70-130	%Rec	1	1/23/2023 5:34:01 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	5200	300	mg/Kg	100	1/23/2023 12:34:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-69 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:51:00 AM

 Lab ID:
 2301764-012
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	440	49	mg/Kg	5	1/25/2023 4:00:20 PM
Motor Oil Range Organics (MRO)	510	240	mg/Kg	5	1/25/2023 4:00:20 PM
Surr: DNOP	118	69-147	%Rec	5	1/25/2023 4:00:20 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 5:57:27 PM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 5:57:27 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 5:57:27 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 5:57:27 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 5:57:27 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/23/2023 5:57:27 PM
Surr: 4-Bromofluorobenzene	96.7	70-130	%Rec	1	1/23/2023 5:57:27 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	4900	150	mg/Kg	50	1/23/2023 1:12:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-70 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:54:00 AM

 Lab ID:
 2301764-013
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) mg/Kg 540 98 10 1/24/2023 4:04:54 PM Motor Oil Range Organics (MRO) 890 490 mg/Kg 10 1/24/2023 4:04:54 PM 69-147 Surr: DNOP 0 S %Rec 10 1/24/2023 4:04:54 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/23/2023 6:20:48 PM 4.6 mg/Kg 1 Surr: BFB 105 37.7-212 %Rec 1 1/23/2023 6:20:48 PM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 0.023 mg/Kg 1/23/2023 6:20:48 PM 1 Toluene ND 0.046 mg/Kg 1 1/23/2023 6:20:48 PM Ethylbenzene ND 0.046 mg/Kg 1 1/23/2023 6:20:48 PM Xylenes, Total ND 0.091 mg/Kg 1 1/23/2023 6:20:48 PM Surr: 4-Bromofluorobenzene 97.1 70-130 %Rec 1 1/23/2023 6:20:48 PM **EPA METHOD 300.0: ANIONS** Analyst: CAS Chloride 3300 150 1/23/2023 1:25:46 PM ma/Ka 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-71 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:54:00 AM

 Lab ID:
 2301764-014
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst: DGH
Diesel Range Organics (DRO)	390	97		mg/Kg	10	1/24/2023 3:54:16 PM
Motor Oil Range Organics (MRO)	690	480		mg/Kg	10	1/24/2023 3:54:16 PM
Surr: DNOP	0	69-147	S	%Rec	10	1/24/2023 3:54:16 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	1/23/2023 6:44:10 PM
Surr: BFB	102	37.7-212		%Rec	1	1/23/2023 6:44:10 PM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.025		mg/Kg	1	1/23/2023 6:44:10 PM
Toluene	ND	0.049		mg/Kg	1	1/23/2023 6:44:10 PM
Ethylbenzene	ND	0.049		mg/Kg	1	1/23/2023 6:44:10 PM
Xylenes, Total	ND	0.099		mg/Kg	1	1/23/2023 6:44:10 PM
Surr: 4-Bromofluorobenzene	96.4	70-130		%Rec	1	1/23/2023 6:44:10 PM
EPA METHOD 300.0: ANIONS						Analyst: CAS
Chloride	2400	150		mg/Kg	50	1/23/2023 1:38:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-72 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:50:00 AM

 Lab ID:
 2301764-015
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	410	49	mg/Kg	5	1/24/2023 2:43:06 PM
Motor Oil Range Organics (MRO)	610	250	mg/Kg	5	1/24/2023 2:43:06 PM
Surr: DNOP	104	69-147	%Rec	5	1/24/2023 2:43:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 7:07:36 PM
Surr: BFB	100	37.7-212	%Rec	1	1/23/2023 7:07:36 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 7:07:36 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 7:07:36 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 7:07:36 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/23/2023 7:07:36 PM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	1/23/2023 7:07:36 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	2700	150	mg/Kg	50	1/23/2023 1:51:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-73 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 9:00:00 AM

 Lab ID:
 2301764-016
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: SB
Diesel Range Organics (DRO)	150	19	mg/Kg	2	1/24/2023 6:07:16 PM
Motor Oil Range Organics (MRO)	240	93	mg/Kg	2	1/24/2023 6:07:16 PM
Surr: DNOP	118	69-147	%Rec	2	1/24/2023 6:07:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/23/2023 7:30:55 PM
Surr: BFB	101	37.7-212	%Rec	1	1/23/2023 7:30:55 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 7:30:55 PM
Toluene	ND	0.049	mg/Kg	1	1/23/2023 7:30:55 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/23/2023 7:30:55 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/23/2023 7:30:55 PM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	1/23/2023 7:30:55 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	7800	300	mg/Kg	100	1/23/2023 2:04:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-74 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 9:03:00 AM

 Lab ID:
 2301764-017
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	160	9.5	mg/Kg	1	1/24/2023 2:19:11 PM
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	1/24/2023 2:19:11 PM
Surr: DNOP	126	69-147	%Rec	1	1/24/2023 2:19:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 7:54:13 PM
Surr: BFB	103	37.7-212	%Rec	1	1/23/2023 7:54:13 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 7:54:13 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 7:54:13 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 7:54:13 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 7:54:13 PM
Surr: 4-Bromofluorobenzene	96.2	70-130	%Rec	1	1/23/2023 7:54:13 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	11000	600	mg/Kg	200	1/23/2023 2:17:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-75 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 9:03:00 AM

 Lab ID:
 2301764-018
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	66	9.6	mg/Kg	1	1/24/2023 2:22:49 PM
Motor Oil Range Organics (MRO)	140	48	mg/Kg	1	1/24/2023 2:22:49 PM
Surr: DNOP	118	69-147	%Rec	1	1/24/2023 2:22:49 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 8:17:29 PM
Surr: BFB	103	37.7-212	%Rec	1	1/23/2023 8:17:29 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 8:17:29 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 8:17:29 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 8:17:29 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/23/2023 8:17:29 PM
Surr: 4-Bromofluorobenzene	96.3	70-130	%Rec	1	1/23/2023 8:17:29 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	7700	300	mg/Kg	100	1/23/2023 2:30:03 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72743 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72743 RunNo: 94110

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398042 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72743 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72743 RunNo: 94110

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398043 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 15 1.5 15.00 0 97.1 90 110

Sample ID: MB-72744 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **72744** RunNo: **94110**

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398072 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72744 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72744 RunNo: 94110

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398073 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 95.7 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 19 of 23

Sample ID: MB-72740

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

SampType: MBLK

WO#: **2301764** *30-Jan-23*

Client:	Vertex	Resources Services, Inc.
Project:	Hackbe	rry 6 Fed 1 Well Pad
Sample ID: LC	S-72740	SampType: LCS

Sample ID: LCS-72740	SampTy	ype: LC	S	Test	Code: EF	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID: LCSS	Batch	ID: 72 7	740	R	unNo: 94	4119				
Prep Date: 1/20/2023	Analysis Da	ate: 1/2	23/2023	S	eqNo: 3	399136	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43	10	50.00	0	86.7	61.9	130			
Surr: DNOP	5.4		5.000		108	69	147			

TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS	Batch	1D: 72	740	F	RunNo: 9	4119				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	8	SeqNo: 3	399140	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		116	69	147			

Sample ID: LCS-72755	SampType: LCS	TestCode: EPA Method	8015M/D: Diesel Range Org	ganics
Client ID: LCSS	Batch ID: 72755	RunNo: 94153		
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399719	Units: %Rec	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RP	DLimit Qual
Surr: DNOP	6.5 5.000	129 69	147	

Sample ID: LCS-72769	SampType: LCS	lestCode: EPA Method	8015M/D: Diesei Range	Organics
Client ID: LCSS	Batch ID: 72769	RunNo: 94153		
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399720	Units: %Rec	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Surr: DNOP	5.5 5.000	109 69	147	

Sample ID: MB-72755	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Org	ganics
Client ID: PBS	Batch ID: 72755	RunNo: 94153		
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399722	Units: %Rec	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RP	DLimit Qual
Surr: DNOP	13 10.00	126 69	147	

Sample ID: MB-72769	SampType: MBL	(Tes	stCode: EPA Method	8015M/D: Die	esel Rang	e Organics	
Client ID: PBS	Batch ID: 72769)	RunNo: 94153				
Prep Date: 1/23/2023	Analysis Date: 1/24/	2023	SeqNo: 3399723	Units: %Red	;		
Analyte	Result PQL S	PK value SPK Ref Val	%REC LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DMOP	11	10.00	106 60	1/17			

Surr: DNOP 11 10.00 106 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2301764-001AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BS23-58 4' Batch ID: 72740 RunNo: 94153 Prep Date: 1/20/2023 Analysis Date: 1/24/2023 SeqNo: 3400095 Units: mg/Kg PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual S

 Diesel Range Organics (DRO)
 180
 19
 48.26
 182.6
 -9.97
 54.2
 135

 Surr: DNOP
 6.9
 4.826
 144
 69
 147

Sample ID: 2301764-001AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **BS23-58 4'** Batch ID: **72740** RunNo: **94153**

Prep Date: 1/20/2023 Analysis Date: 1/24/2023 SeqNo: 3400096 Units: mg/Kg

RPDLimit Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Diesel Range Organics (DRO) 29.2 240 19 48.73 182.6 125 54.2 135 31.3 R Surr: DNOP 4.873 140 0 0 6.8 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 23

Hall Environmental Analysis Laboratory, Inc.

Analysis Date: 1/23/2023

4.7

23.56

942.5

Result

28

1100

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72733	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: LCSS	Batch	ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis Da	ate: 1/	23/2023	8	SeqNo: 3	398776	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	5.0	25.00	0	83.0	72.3	137			
Surr: BFB	2000		1000		197	37.7	212			
Sample ID: mb-72733	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	
Client ID: PBS	Batch	ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis Da	ate: 1/	23/2023	\$	SeqNo: 3	398778	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1100		1000		107	37.7	212			
Sample ID: 2301764-001ams	SampT	ype: MS	<u> </u>	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	·
Client ID: BS23-58 4'	Batch	ID: 72	733	F	RunNo: 9	4128				

Gasoline Range Organics (GRO) Surr: BFB	27 1100	4.8	23.81 952.4	0	115 120	70 37.7	130 212			
Sample ID: 2301764-001amsd	I SampT	ype: M \$	SD	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID: BS23-58 4'	Batch	1D: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	5	SeqNo: 3	398803	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

0

PQL SPK value SPK Ref Val %REC LowLimit

SeqNo: 3398802

117

121

70

37.7

Units: mg/Kg

130

212

HighLimit

Qualifiers:

Prep Date:

Analyte

Surr: BFB

1/20/2023

Gasoline Range Organics (GRO)

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 23

RPDLimit

20

0

Qual

%RPD

0.823

0

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764** *30-Jan-23*

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72733	SampT	ype: LC	s	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: LCSS	Batcl	n ID: 72 7	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	Date: 1/2	23/2023	8	SeqNo: 3	398826	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.025	1.000	0	83.1	80	120			
Toluene	0.88	0.050	1.000	0	88.2	80	120			
Ethylbenzene	0.90	0.050	1.000	0	89.6	80	120			
Xylenes, Total	2.7	0.10	3.000	0	89.7	80	120			
Surr: 4-Bromofluorobenzene	0.98		1.000		97.8	70	130			

Sample ID: mb-72733	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	n ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	S	SeqNo: 3	398828	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	70	130			

Sample ID: 2301764-002ams	s Samp⁻	Туре: М\$	3	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: BS23-59 4'	Batc	h ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis [Date: 1/	23/2023	9	SeqNo: 3	398853	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.82	0.023	0.9328	0	88.4	68.8	120			
Toluene	0.88	0.047	0.9328	0.01844	92.9	73.6	124			
Ethylbenzene	0.91	0.047	0.9328	0	97.0	72.7	129			
Xylenes, Total	2.7	0.093	2.799	0.02886	95.2	75.7	126			
Surr: 4-Bromofluorobenzene	0.94		0.9328		101	70	130			

Sample ID: 2301764-002amsd	I SampT	ype: MS	SD	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: BS23-59 4'	Batch	n ID: 72 7	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/2	23/2023	9	SeqNo: 3	398854	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.024	0.9560	0	86.8	68.8	120	0.582	20	
Toluene	0.89	0.048	0.9560	0.01844	90.7	73.6	124	0.0653	20	
Ethylbenzene	0.91	0.048	0.9560	0	95.0	72.7	129	0.331	20	
Xylenes, Total	2.7	0.096	2.868	0.02886	93.8	75.7	126	0.961	20	
Surr: 4-Bromofluorobenzene	0.96		0.9560		101	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 23



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name:	Vertex Resources Services, Inc.	Work Order Num	ber: 2301764		RcptNo: 1	
Received By:	Juan Rojas	1/20/2023 7:20:00	AM	June 9		
Completed By:	Sean Livingston	1/20/2023 7:55:37	AM	5_/_	st-	
Reviewed By:	JA 1-20-23					
Chain of Cus	tody					
1. Is Chain of C	ustody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the	sample delivered?		<u>Courier</u>			
<u>Log In</u>			_			
3. Was an atten	npt made to cool the sampl	es?	Yes 🗹	No 🗌	na 🗌	
4. Were all same	ples received at a temperat	ure of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗆	
5. Sample(s) in	proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sam	nple volume for indicated te	st(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) pro	perly preserved?	Yes 🗹	No 🗌		
8. Was preserva	itive added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at le	east 1 vial with headspace	<1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any sar	mple containers received br	oken?	Yes	No 🗹	# of preserved	
	ork match bottle labels? ancies on chain of custody)		Yes 🗹		bottles checked for pH:	2 unless noted)
	correctly identified on Chair		Yes 🗹	No 🗆	Adjusted?	
	t analyses were requested		Yes 🗹	No 🗌		1 - 1 - 5
	ng times able to be met? ustomer for authorization.)		Yes 🗹	No 🗆	Checked by:	~12012S
	ling (if applicable)			~		
15. Was client no	otified of all discrepancies v	vith this order?	Yes 🗌	No 🗌	NA 🗹	
Person	Notified:	Date:				
By Who	om:	Via:	☐ eMail ☐ F	Phone Fax	In Person	
Regard	ling:					
Client I	nstructions:					
16. Additional re	marks:					
17. Cooler Info						
Cooler No		Seal Intact Seal No	Seal Date	Signed By		
1	1.1 Good	Not Present YOGI				

	Shain	of-CL	Chain-of-Custody Record	ord	Turn-Around Time:	Time:				5	-	M	, CI	N	IATHAMMODIVINA I IAU	
Client:	TOWAL	tound (Vertex	4ex)		- □ Standard		Erkush 48hr		7 [AN	4	SIS	2 5	BO	ANALYSIS LABORATORY	Z Y
					Project Name:	io.				VVVVV	www.hallenvironmental.com	viron	letuen	mos		
Mailin	Mailing Address:	.: 20	lile		Hackber	my 6 Fe	ny 6 Fed I Well Pad	49	01 Hav	4901 Hawkins NE -	· · · · · · · · · · · · · · · · · · ·	pndnq	erque,	Albuquerque, NM 87109	60	
					Project #:	ָ ס		Te	al. 505-	Tel. 505-345-3975	12.0	Рах	505-34	505-345-4107	1	
Phone #:	;#:		Amenico Servicio Servicio		226-02537	2537					Ana	Analysis	Rednest	st		
email	email or Fax#:				Project Manager:	ıger:		- 200			708	*	(1-	(nu		
QA/QC	QA/QC Package:		☐ Level 4 (Full Validation)	alidation)	Chance	ce Dixon	Dr.		bCB _i ²	SMISC	PO4, 5			esawni		
Accre	Accreditation:	□ Az Co	☐ Az Compliance		Sampler:	SPC	The control of the co				Or	17.0.1		1252		-
□ NELAC	LAC	□ Other			On Ice:	d	□ No							(۱۔۱		
	☐ EDD (Type)_	4			# of Coolers:		9091							11116		
					Cooler Temp(including CF):	_	3-6.2=1.1 (°C)							OIIIO		
- C	0 E I	Matrix	Sample Name		Container Type and #	Preservative Type	HEAL No.	\ ≼∃ TE 08:H91	9 1808	N) BOE	ARDS THE	1) 0928	3) 0728	Total C		
1/8/	10		85-8258	4	402 1av	2	1		↓	-	_	-	-	1	i	
_	8:29	-	8523-59	7	7_	_	202					5			8	
	8:30		BS23-60	,4			203			2.4			Ī		The second	
	8:33	 	107-875	4,		N 10 1201	700			1 3 1	27			8		
	8:35		2823-62	4			300				1	11	100			
	8:36	3	8523-63	4'			ריילטיי			2		-				
	8:34		19523-64	4,			₹w			ļ			11			
	8:39		BS13- 65	4,			B		12							
	8:45		BS23-66	4,			,00°						R.	2		
	8:43		BS13-67	4,			010						-			
	8:50		801-6258	, †			1)0			77						
_	8:21	\vdash	1823-19	4'	-			_		100			100			
Date: 1/18/2	Date: Time: 1/18/23 110-72	Relinquished by	ned by:		Received by:	Via:		Remarks:	?; £	emarks:	101.00			DAA	nage 1/2	7
	2.5	James .			7/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	WANN		25	ر د د	= 4				7		
ate:	ime:	Relinquished by	ed by:		Received by:	Via:	Date	<u> </u>	π, Σ,	Wo # 100 #100 #	20.					
18 C	18/12 1910		CLAMMANA			+ rounier	- 120/23 7.20	ვ	35	Sally Certain	er to	7				

If necessary, samples submitted to Hall Environmental may be subcontracted to diperaccredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Project #: Project #: Project #:	Chain-of-Custody Record	Turn-Around Time: □ Standard transh 46 M Project Name:	5	HALL ENVIRONMENTAL ANALYSIS LABORATORY
Project #: Project #: Project #: Project #:		Hackberry Le Fed I Well		<u> </u>
Charge Compliance Compliance Compliance Container Project Manager: Container	0	Project #: U		
CVAMCE DIKON CVAM	θ#:	21E-02537		Analysis
Charles A Continue Contin	or Fax#:	Project Manager:		
Other Othe			AM\0	PO ₄ , S
Other Onlos: Dress Dros		S	7 DR	10°,
# of Coolers: Matrix Sample Name		D-Yes	O5	or 3, 1
Matrix Sample Name Type and # Type	DD (Type)	# of Coolers:	TBE Side	310 Setalg NO₃ SV-i
BS23-70		Cooler Temp(including CF): 1.3-6.2-	-IN USD	9y 8; 8 Ma 3r, 1 NOA
Soil B523-70 4' 407 jou ice	Matrix	Preservative Type	X318 08:H9T 9 1808	PAHs E CD F, E 8260 (/ 8270 (9
BS23-72 4' 014 015 115	Soil 18523-70	100	>	>
BS23-72 4'	1 BS23-71		-	
BS23-74 4' 0.14 0.14 1 1 1 1 1 1 1 1 1	8523-72		<i>h</i>	
BS23-74 4'		C		
B\$13-75 4'		Ó	L	
Received by: Secreted by: Via: Date Time Remarks: Date Time Remarks: Date Time Received by: Via: Date Time Date Time Date Time WO # 1007-101301 Date Time Date Time WO # 1007-101301 Date Time WO # 1007-101301 Date Time Dat	-	0	\ \	
Received by: Via: Date Time Remarks: MWWWW. Via: Date Time Remarks: Direct bill Devon MWWW. Via: Date Time W0 # 1007-101301 MWW. Via: Date Time W0 # 1007-101301 MW. Via: Date Time				
Received by: Via: Date Time Remarks: Date Time Remarks: Date Time Received by: Via: Date Time W0 # 100 7-101301 Date T				
Received by: Via: Date Time Remarks:				
Received by: Received by: Via: Date Time Remarks:				
Relinquished by: Salinquished by: Via: Date Time Remarks: Martan Mar		H		
Relinquistred by: Na: Date Time WO # 1007-101301	Relinquished by:	, Via:	Remarks:	
WANIMMANNIN 12013 7520 CC	Rel	Via:	# 0M	
	_	1	3/20 CC	in Cartar

serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report. Released to Imaging: 6/9/2023 10:26:29 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 30, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (575) 748-0176

FAX:

RE: Hackberry 6 Fed 1 OrderNo.: 2301754

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 24 sample(s) on 1/21/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-76 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:41:00 AM

 Lab ID:
 2301754-001
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	49	9.6	mg/Kg	1	1/25/2023 10:30:09 AM
Motor Oil Range Organics (MRO)	79	48	mg/Kg	1	1/25/2023 10:30:09 AM
Surr: DNOP	114	69-147	%Rec	1	1/25/2023 10:30:09 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/24/2023 1:13:31 PM
Surr: BFB	108	37.7-212	%Rec	1	1/24/2023 1:13:31 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 1:13:31 PM
Toluene	ND	0.050	mg/Kg	1	1/24/2023 1:13:31 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/24/2023 1:13:31 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/24/2023 1:13:31 PM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	1/24/2023 1:13:31 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9800	300	mg/Kg	100	1/25/2023 10:08:32 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-77 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:40:00 AM

 Lab ID:
 2301754-002
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	27	9.5	mg/Kg	1	1/25/2023 4:00:52 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/25/2023 4:00:52 AM
Surr: DNOP	119	69-147	%Rec	1	1/25/2023 4:00:52 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 2:24:14 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 2:24:14 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 2:24:14 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 2:24:14 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 2:24:14 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/24/2023 2:24:14 PM
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	1	1/24/2023 2:24:14 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	8200	300	mg/Kg	100	1/25/2023 10:20:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-78 4'

Project: Hackberry 6 Fed 1 **Collection Date:** 1/19/2023 8:50:00 AM 2301754-003 Lab ID: Matrix: SOIL **Received Date:** 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	96	9.4	mg/Kg	1	1/24/2023 11:08:39 AM
Motor Oil Range Organics (MRO)	140	47	mg/Kg	1	1/24/2023 11:08:39 AM
Surr: DNOP	131	69-147	%Rec	1	1/24/2023 11:08:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/24/2023 3:34:38 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 3:34:38 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 3:34:38 PM
Toluene	ND	0.050	mg/Kg	1	1/24/2023 3:34:38 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/24/2023 3:34:38 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/24/2023 3:34:38 PM
Surr: 4-Bromofluorobenzene	98.3	70-130	%Rec	1	1/24/2023 3:34:38 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6000	300	mg/Kg	100	1/25/2023 10:33:13 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 3 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-79 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:50:00 AM

 Lab ID:
 2301754-004
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: DGH
Diesel Range Organics (DRO)	76	9.6	mg/Kg	1	1/24/2023 12:44:00 PM
Motor Oil Range Organics (MRO)	120	48	mg/Kg	1	1/24/2023 12:44:00 PM
Surr: DNOP	114	69-147	%Rec	1	1/24/2023 12:44:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 3:58:04 PM
Surr: BFB	107	37.7-212	%Rec	1	1/24/2023 3:58:04 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 3:58:04 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 3:58:04 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 3:58:04 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/24/2023 3:58:04 PM
Surr: 4-Bromofluorobenzene	99.3	70-130	%Rec	1	1/24/2023 3:58:04 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4200	150	mg/Kg	50	1/25/2023 10:45:34 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-80 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:55:00 AM

 Lab ID:
 2301754-005
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: DGH
Diesel Range Organics (DRO)	380	48	mg/Kg	5	1/24/2023 9:49:00 PM
Motor Oil Range Organics (MRO)	600	240	mg/Kg	5	1/24/2023 9:49:00 PM
Surr: DNOP	114	69-147	%Rec	5	1/24/2023 9:49:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 4:21:36 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 4:21:36 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 4:21:36 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 4:21:36 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 4:21:36 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/24/2023 4:21:36 PM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	1/24/2023 4:21:36 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2400	150	mg/Kg	50	1/25/2023 10:57:54 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-81 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:56:00 AM

 Lab ID:
 2301754-006
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: DGH
Diesel Range Organics (DRO)	170	48	mg/Kg	5	1/24/2023 10:36:21 PM
Motor Oil Range Organics (MRO)	320	240	mg/Kg	5	1/24/2023 10:36:21 PM
Surr: DNOP	122	69-147	%Rec	5	1/24/2023 10:36:21 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 4:45:05 PM
Surr: BFB	108	37.7-212	%Rec	1	1/24/2023 4:45:05 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 4:45:05 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 4:45:05 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 4:45:05 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 4:45:05 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/24/2023 4:45:05 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2100	60	mg/Kg	20	1/24/2023 2:22:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-82 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:59:00 AM

 Lab ID:
 2301754-007
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: DGH
Diesel Range Organics (DRO)	200	9.6	mg/Kg	1	1/24/2023 1:31:35 PM
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	1/24/2023 1:31:35 PM
Surr: DNOP	122	69-147	%Rec	1	1/24/2023 1:31:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/24/2023 5:08:35 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 5:08:35 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 5:08:35 PM
Toluene	ND	0.050	mg/Kg	1	1/24/2023 5:08:35 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/24/2023 5:08:35 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/24/2023 5:08:35 PM
Surr: 4-Bromofluorobenzene	97.6	70-130	%Rec	1	1/24/2023 5:08:35 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1900	60	mg/Kg	20	1/24/2023 2:35:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-83 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:00:00 AM

 Lab ID:
 2301754-008
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	Analyst: DGH				
Diesel Range Organics (DRO)	310	9.5	mg/Kg	1	1/24/2023 3:30:37 PM
Motor Oil Range Organics (MRO)	370	48	mg/Kg	1	1/24/2023 3:30:37 PM
Surr: DNOP	122	69-147	%Rec	1	1/24/2023 3:30:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 5:32:03 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 5:32:03 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 5:32:03 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 5:32:03 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 5:32:03 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/24/2023 5:32:03 PM
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	1/24/2023 5:32:03 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1300	60	mg/Kg	20	1/24/2023 2:47:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rting Limit Page 8 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-84 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:04:00 AM

 Lab ID:
 2301754-009
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: DGH				
Diesel Range Organics (DRO)	540	48	mg/Kg	5	1/24/2023 11:23:40 PM
Motor Oil Range Organics (MRO)	890	240	mg/Kg	5	1/24/2023 11:23:40 PM
Surr: DNOP	118	69-147	%Rec	5	1/24/2023 11:23:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 5:55:31 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 5:55:31 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 5:55:31 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 5:55:31 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 5:55:31 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/24/2023 5:55:31 PM
Surr: 4-Bromofluorobenzene	98.9	70-130	%Rec	1	1/24/2023 5:55:31 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2400	150	mg/Kg	50	1/25/2023 11:10:14 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-85 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:05:00 AM

 Lab ID:
 2301754-010
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: DGH				
Diesel Range Organics (DRO)	140	49	mg/Kg	5	1/25/2023 12:10:55 AM
Motor Oil Range Organics (MRO)	ND	240	mg/Kg	5	1/25/2023 12:10:55 AM
Surr: DNOP	116	69-147	%Rec	5	1/25/2023 12:10:55 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 6:19:00 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 6:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 6:19:00 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 6:19:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 6:19:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 6:19:00 PM
Surr: 4-Bromofluorobenzene	98.0	70-130	%Rec	1	1/24/2023 6:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	3200	150	mg/Kg	50	1/25/2023 11:22:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-86 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:08:00 AM

 Lab ID:
 2301754-011
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: DGH				
Diesel Range Organics (DRO)	21	9.5	mg/Kg	1	1/24/2023 4:18:10 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/24/2023 4:18:10 PM
Surr: DNOP	108	69-147	%Rec	1	1/24/2023 4:18:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 7:05:53 PM
Surr: BFB	107	37.7-212	%Rec	1	1/24/2023 7:05:53 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 7:05:53 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 7:05:53 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 7:05:53 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/24/2023 7:05:53 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/24/2023 7:05:53 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1400	60	mg/Kg	20	1/24/2023 3:24:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-87 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:08:00 AM

 Lab ID:
 2301754-012
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: DGH				
Diesel Range Organics (DRO)	28	9.1	mg/Kg	1	1/24/2023 4:41:53 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/24/2023 4:41:53 PM
Surr: DNOP	84.9	69-147	%Rec	1	1/24/2023 4:41:53 PM
EPA METHOD 8015D: GASOLINE RANGE	1				Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 7:29:19 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 7:29:19 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 7:29:19 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 7:29:19 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 7:29:19 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/24/2023 7:29:19 PM
Surr: 4-Bromofluorobenzene	96.7	70-130	%Rec	1	1/24/2023 7:29:19 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1400	60	mg/Kg	20	1/24/2023 3:36:56 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-88 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:12:00 AM

 Lab ID:
 2301754-013
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: DGH				
Diesel Range Organics (DRO)	15	9.3	mg/Kg	1	1/24/2023 5:05:42 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/24/2023 5:05:42 PM
Surr: DNOP	112	69-147	%Rec	1	1/24/2023 5:05:42 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 7:52:44 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 7:52:44 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 7:52:44 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 7:52:44 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 7:52:44 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 7:52:44 PM
Surr: 4-Bromofluorobenzene	99.7	70-130	%Rec	1	1/24/2023 7:52:44 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	3100	150	mg/Kg	50	1/25/2023 11:34:56 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-89 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:12:00 AM

 Lab ID:
 2301754-014
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: DGH				
Diesel Range Organics (DRO)	10	9.7	mg/Kg	1	1/24/2023 5:29:32 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/24/2023 5:29:32 PM
Surr: DNOP	112	69-147	%Rec	1	1/24/2023 5:29:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 8:16:09 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 8:16:09 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 8:16:09 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 8:16:09 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 8:16:09 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/24/2023 8:16:09 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/24/2023 8:16:09 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	5200	150	mg/Kg	50	1/25/2023 12:11:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-90 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:14:00 AM

 Lab ID:
 2301754-015
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/24/2023 5:53:04 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/24/2023 5:53:04 PM
Surr: DNOP	117	69-147	%Rec	1	1/24/2023 5:53:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 8:39:34 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 8:39:34 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 8:39:34 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 8:39:34 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 8:39:34 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/24/2023 8:39:34 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/24/2023 8:39:34 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1000	60	mg/Kg	20	1/24/2023 4:38:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-91 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:14:00 AM

 Lab ID:
 2301754-016
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/24/2023 6:16:30 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/24/2023 6:16:30 PM
Surr: DNOP	117	69-147	%Rec	1	1/24/2023 6:16:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 9:03:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 9:03:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 9:03:00 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 9:03:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 9:03:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/24/2023 9:03:00 PM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	1/24/2023 9:03:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2400	60	mg/Kg	20	1/24/2023 4:51:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-92 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:24:00 AM

 Lab ID:
 2301754-017
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: DGH				
Diesel Range Organics (DRO)	44	9.6	mg/Kg	1	1/24/2023 6:39:51 PM
Motor Oil Range Organics (MRO)	60	48	mg/Kg	1	1/24/2023 6:39:51 PM
Surr: DNOP	104	69-147	%Rec	1	1/24/2023 6:39:51 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 9:26:20 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 9:26:20 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 9:26:20 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 9:26:20 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 9:26:20 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/24/2023 9:26:20 PM
Surr: 4-Bromofluorobenzene	96.4	70-130	%Rec	1	1/24/2023 9:26:20 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4300	150	mg/Kg	50	1/25/2023 12:24:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-93 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:24:00 AM

 Lab ID:
 2301754-018
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: DGH				
Diesel Range Organics (DRO)	13	9.6	mg/Kg	1	1/24/2023 7:27:00 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/24/2023 7:27:00 PM
Surr: DNOP	128	69-147	%Rec	1	1/24/2023 7:27:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 9:49:42 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 9:49:42 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 9:49:42 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 9:49:42 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 9:49:42 PM
Xylenes, Total	ND	0.091	mg/Kg	1	1/24/2023 9:49:42 PM
Surr: 4-Bromofluorobenzene	97.8	70-130	%Rec	1	1/24/2023 9:49:42 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4900	150	mg/Kg	50	1/25/2023 12:36:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-94 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:27:00 PM

 Lab ID:
 2301754-019
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	80	9.3	mg/Kg	1	1/24/2023 7:50:39 PM
Motor Oil Range Organics (MRO)	130	47	mg/Kg	1	1/24/2023 7:50:39 PM
Surr: DNOP	126	69-147	%Rec	1	1/24/2023 7:50:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 10:13:07 PM
Surr: BFB	101	37.7-212	%Rec	1	1/24/2023 10:13:07 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 10:13:07 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 10:13:07 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 10:13:07 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/24/2023 10:13:07 PM
Surr: 4-Bromofluorobenzene	94.6	70-130	%Rec	1	1/24/2023 10:13:07 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2600	150	mg/Kg	50	1/25/2023 12:48:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-95 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:27:00 PM

 Lab ID:
 2301754-020
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	33	10	mg/Kg	1	1/24/2023 8:37:58 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/24/2023 8:37:58 PM
Surr: DNOP	115	69-147	%Rec	1	1/24/2023 8:37:58 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 10:36:28 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 10:36:28 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 10:36:28 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 10:36:28 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 10:36:28 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/24/2023 10:36:28 PM
Surr: 4-Bromofluorobenzene	96.9	70-130	%Rec	1	1/24/2023 10:36:28 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2100	60	mg/Kg	20	1/24/2023 5:40:22 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 20 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-96 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:32:00 PM

 Lab ID:
 2301754-021
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	470	49	mg/Kg	5	1/25/2023 12:58:06 AM
Motor Oil Range Organics (MRO)	610	250	mg/Kg	5	1/25/2023 12:58:06 AM
Surr: DNOP	114	69-147	%Rec	5	1/25/2023 12:58:06 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 9:20:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	1/24/2023 9:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.023	mg/Kg	1	1/24/2023 9:20:00 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 9:20:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 9:20:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 9:20:00 PM
Surr: 4-Bromofluorobenzene	92.8	70-130	%Rec	1	1/24/2023 9:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2700	150	mg/Kg	50	1/25/2023 1:01:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-97 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:32:00 PM

 Lab ID:
 2301754-022
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	63	9.9	mg/Kg	1	1/24/2023 9:01:39 PM
Motor Oil Range Organics (MRO)	94	50	mg/Kg	1	1/24/2023 9:01:39 PM
Surr: DNOP	119	69-147	%Rec	1	1/24/2023 9:01:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 10:19:00 PM
Surr: BFB	93.6	37.7-212	%Rec	1	1/24/2023 10:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/24/2023 10:19:00 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 10:19:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 10:19:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/24/2023 10:19:00 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	1/24/2023 10:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2200	150	mg/Kg	50	1/25/2023 1:13:39 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-98 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:35:00 PM

 Lab ID:
 2301754-023
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: SB
Diesel Range Organics (DRO)	39	9.5	mg/Kg	1	1/24/2023 11:50:51 AM
Motor Oil Range Organics (MRO)	69	47	mg/Kg	1	1/24/2023 11:50:51 AM
Surr: DNOP	90.7	69-147	%Rec	1	1/24/2023 11:50:51 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 11:18:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	1/24/2023 11:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/24/2023 11:18:00 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 11:18:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 11:18:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/24/2023 11:18:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130	%Rec	1	1/24/2023 11:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	60	mg/Kg	20	1/24/2023 7:06:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-99 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:35:00 PM

 Lab ID:
 2301754-024
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	39	9.4	mg/Kg	1	1/24/2023 12:19:28 PM
Motor Oil Range Organics (MRO)	80	47	mg/Kg	1	1/24/2023 12:19:28 PM
Surr: DNOP	93.8	69-147	%Rec	1	1/24/2023 12:19:28 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 11:37:00 PM
Surr: BFB	91.2	37.7-212	%Rec	1	1/24/2023 11:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/24/2023 11:37:00 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 11:37:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 11:37:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/24/2023 11:37:00 PM
Surr: 4-Bromofluorobenzene	92.1	70-130	%Rec	1	1/24/2023 11:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	60	mg/Kg	20	1/24/2023 7:43:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 24 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301754

30-Jan-23

Client: Devon Energy **Project:** Hackberry 6 Fed 1

PBS

Client ID:

Sample ID: MB-72771 SampType: mblk

TestCode: EPA Method 300.0: Anions

Batch ID: 72771 RunNo: 94168

Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400465 Units: mq/Kq

SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result **PQL** LowLimit HighLimit Qual

Chloride ND 1.5

Sample ID: LCS-72771 SampType: Ics TestCode: EPA Method 300.0: Anions Client ID: LCSS Batch ID: 72771 RunNo: 94168

Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400466 Units: mg/Kg

RPDLimit Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Chloride 14 1.5 15.00 94.3 110

Sample ID: MB-72790 TestCode: EPA Method 300.0: Anions SampType: mblk Client ID: **PBS** Batch ID: 72790 RunNo: 94168 Prep Date: Analysis Date: 1/24/2023 SeqNo: 3400495 Units: mg/Kg 1/24/2023

Analyte Result PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit Chloride

Sample ID: LCS-72790 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72790 RunNo: 94168 Prep Date: Analysis Date: 1/24/2023 SeqNo: 3400496 1/24/2023 Units: mg/Kg

PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte Result LowLimit

Chloride 14 1.5 15.00 n 93.1 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 25 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754** *30-Jan-23*

Client: Devon Energy
Project: Hackberry 6 Fed 1

Project: Hackber	ry 6 Fed 1										
Sample ID: MB-72763	SampType:	MBLK	Tes	tCode: EF	PA Method	8015M/D: Die:	sel Range	Organics			
Client ID: PBS	Batch ID:	72763	F	RunNo: 94149							
Prep Date: 1/23/2023	Analysis Date:	1/24/2023	5	SeqNo: 3399774			Units: mg/Kg				
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	ND ′	10				-					
Motor Oil Range Organics (MRO)	ND 5	50									
Surr: DNOP	9.8	10.00		98.4	69	147					
Sample ID: LCS-72763	SampType:	LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID:	72763	F	RunNo: 94149							
Prep Date: 1/23/2023	Analysis Date:	1/24/2023	9	SeqNo: 33	399775	Units: mg/K	g				
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	42	10 50.00	0	84.3	61.9	130					
Surr: DNOP	4.5	5.000		90.2	69	147					
Sample ID: MB-72760	SampType:	MBLK	Tes	tCode: EF	PA Method	8015M/D: Die:	sel Range	Organics			
Client ID: PBS	Batch ID:	Batch ID: 72760			RunNo: 94149						
Prep Date: 1/23/2023	Analysis Date:	1/24/2023	9	SeqNo: 34	100226	Units: mg/K	g				
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	ND ′	10									
Motor Oil Range Organics (MRO)		50									
Surr: DNOP	12	10.00		122	69	147					
Sample ID: LCS-72760	SampType:	LCS	Tes	tCode: EF	PA Method	8015M/D: Die:	sel Range	Organics			
Client ID: LCSS	Batch ID:	72760	F	RunNo: 94	1149						
Prep Date: 1/23/2023	Analysis Date:	1/24/2023	S	SeqNo: 34	100227	Units: mg/K	g				
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	47	10 50.00	0	94.6	61.9	130					
Surr: DNOP	5.5	5.000		110	69	147					
Sample ID: LCS-72784	SampType:	LCS	Tes	tCode: EF	PA Method	8015M/D: Die:	sel Range	Organics			
Client ID: LCSS	Batch ID:	72784	F	RunNo: 94	1184						
Prep Date: 1/24/2023	Analysis Date:	1/25/2023	5	SeqNo: 34	101254	Units: %Rec					
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: DNOP	5.8	5.000		116	69	147					

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 26 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301754

Qual

%RPD

RPDLimit

30-Jan-23

Client: Devon Energy **Project:** Hackberry 6 Fed 1

Sample ID: MB-72784 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72784 RunNo: 94184 Prep Date: 1/24/2023 Analysis Date: 1/25/2023 SeqNo: 3401255 Units: %Rec

SPK Ref Val Analyte Result SPK value %REC LowLimit HighLimit Surr: DNOP 10 10.00 104 69 147

Sample ID: MB-72768 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402245 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 10 10.00 100 69 147

Sample ID: LCS-72768 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402246 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result POI LowLimit HighLimit Qual Diesel Range Organics (DRO) 57 10 50.00 114 61.9 130 Surr: DNOP 5.4 5.000 108 69 147

Sample ID: 2301754-003AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BS23-78 4' Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402250 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 150 8.9 44.52 96.37 129 135 54.2 Surr: DNOP 5.4 4.452 121 69 147

Sample ID: 2301754-003AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BS23-78 4' Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402251 Units: mg/Kg Analyte Result SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 230 46.95 96.37 54.2 RS 9.4 293 135 41.3 29.2 Surr: DNOP 5.2 4.695 112 69 147 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Е
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 27 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754** *30-Jan-23*

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID:	lcs-72751	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	ı	
Client ID:	LCSS	Batch	ID: 72 7	751	RunNo: 94163						
Prep Date:	1/23/2023	Analysis D	ate: 1/3	24/2023	(SeqNo: 33	399948	Units: mg/Kg			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	31	5.0	25.00	0	123	72.3	137			
Surr: BFB		1200		1000		121	37.7	212			
Sample ID:	lcs-72773	SampT	ype: LC	s	Tes	8015D: Gaso	line Range	ı			
Client ID:	LCSS	Batch	ID: 72 7	773	F	RunNo: 94	4163				
Prep Date:	1/23/2023	Analysis D	ate: 1/3	24/2023	\$	SeqNo: 33	399950	Units: %Red	;		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		1200		1000		116	37.7	212			
Sample ID:	mb-72751	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID:	PBS	Batch	i ID: 72 7	751	RunNo: 94163						
Prep Date:	1/23/2023	Analysis D	ate: 1/ 2	24/2023	SeqNo: 3399952 Units: mg/Kg						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
	e Organics (GRO)	ND	5.0								
Surr: BFB		1100		1000		109	37.7	212			
Sample ID:	mb-72773	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015D: Gasol	line Range		
Client ID:	PBS	Batch	ID: 72 7	773	F	RunNo: 94	1163				
Prep Date:	1/23/2023	Analysis D	ate: 1/ 2	25/2023	5	SeqNo: 33	399954	Units: %Red	;		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		1000		1000		102	37.7	212			
Sample ID:	2301754-001ams	SampT	уре: м .	5	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID:	BS23-76 4'	Batch	ID: 72 7	751	F	RunNo: 94	1163		_		
Prep Date:	1/23/2023	Analysis D	ate: 1/	24/2023	S	SeqNo: 33	399987	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
,	e Organics (GRO)	29	4.9	24.68	0	117	70	130			
Surr: BFB		1200		987.2		122	37.7	212			

Qualifiers:

Client ID:

Prep Date:

Surr: BFB

Analyte

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix

Gasoline Range Organics (GRO)

- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Sample ID: 2301754-001amsd

BS23-76 4'

1/23/2023

- PQL Practical Quanitative Limit

SampType: MSD

Batch ID: 72751

Analysis Date: 1/24/2023

PQL

5.0

Result

30

1200

B Analyte detected in the associated Method Blank

RunNo: 94163

%REC

119

122

SeqNo: 3399988

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

70

37.7

Units: mg/Kg
HighLimit

130

212

%RPD

2.72

0

- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

0

SPK value SPK Ref Val

24.95

998.0

Page 28 of 32

RPDLimit

20

0

Qual

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754**

30-Jan-23

Client:	Devon Energy
Project:	Hackberry 6 Fed 1

Project:	Hackberry	6 Fed 1										
Sample ID:	lcs-72758	SampT	ype: LC	s	Tes	TestCode: EPA Method 8015D: Gasoline Range						
Client ID:	LCSS	Batch	n ID: 72 7	758	F	RunNo: 94	1152					
Prep Date:	1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 34	100159	Units: mg/Kg				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
	e Organics (GRO)	27	5.0	25.00	0	106	72.3	137				
Surr: BFB		1100		1000		109	37.7	212				
Sample ID:	mb-72758	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range			
Client ID:	PBS	Batch	n ID: 72 7	758	RunNo: 94152							
Prep Date:	1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 3400160			Units: mg/Kg			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang	e Organics (GRO)	ND	5.0									
Surr: BFB		950		1000		94.8	37.7	212				
Sample ID:	2301754-021ams	SampT	уре: МЅ	3	TestCode: EPA Method 8015D: Gasoline Range							
Client ID:	BS23-96 4'	Batch	n ID: 72 7	758	RunNo: 94152							
Prep Date:	1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 34	100164	Units: mg/k	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
•	e Organics (GRO)	24	4.6	23.13	0	103	70	130				
Surr: BFB		950		925.1		103	37.7	212				
Sample ID:	2301754-021amsd	SampT	уре: МЅ	SD	Tes	tCode: EF	PA Method	8015D: Gaso	line Range			
Client ID:	BS23-96 4'	Batch	n ID: 72 7	758	F	RunNo: 94	1152					
Prep Date:	1/23/2023	Analysis D	Date: 1/2	24/2023	9	SeqNo: 34	100165	Units: mg/k	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang	e Organics (GRO)	23	4.6	23.21	0	99.3	70	130	2.96	20		
Surr: BFB		1000		928.5		111	37.7	212				

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 29 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754** *30-Jan-23*

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: LCS-72751	SampT	ype: LC	S	Tes	tCode: EF						
Client ID: LCSS	Batcl	n ID: 727	751	F	RunNo: 94						
Prep Date: 1/23/2023	Analysis D	Date: 1/2	24/2023	(SeqNo: 3400008			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.91	0.025	1.000	0	91.0	80	120				
Toluene	0.95	0.050	1.000	0	95.4	80	120				
Ethylbenzene	0.96	0.050	1.000	0	96.0	80	120				
Xylenes, Total	2.9	0.10	3.000	0	95.7	80	120				
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130				

Sample ID: LCS-72773	SampType: LCS	TestCode: EPA Method	8021B: Volatiles	
Client ID: LCSS	Batch ID: 72773	RunNo: 94163		
Prep Date: 1/23/2023	Analysis Date: 1/25/2023	SeqNo: 3400009	Units: %Rec	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qua	I
Surr: 4-Bromofluorobenzene	0.98 1.000	97.6 70	130	

Sample ID: mb-72751	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	d 8021B: Volatiles						
Client ID: PBS	Batcl	n ID: 72 7	751	F	RunNo: 94163								
Prep Date: 1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 3400010			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	ND	0.025											
Toluene	ND	0.050											
Ethylbenzene	ND	0.050											
Xylenes, Total	ND	0.10											
Surr: 4-Bromofluorobenzene	1.0		1 000		101	70	130						

Sample ID: mb-72773	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8021B: Volati	les		
Client ID: PBS	Batch	ID: 72 7	773	F	RunNo: 94	4163				
Prep Date: 1/23/2023	Analysis D	ate: 1/3	25/2023	9	SeqNo: 34	400011	Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	ი 96		1 000		95.5	70	130			

Sample ID: 2301754-002ams	s Samp	Туре: МЅ	3	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-77 4'	Batc	h ID: 72 7	751	F	RunNo: 94	1163				
Prep Date: 1/23/2023	Analysis I	Date: 1/ 2	24/2023	5	SeqNo: 34	100030	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.023	0.9363	0	88.8	68.8	120			
Toluene	0.88	0.047	0.9363	0.01662	92.5	73.6	124			
Ethylbenzene	0.91	0.047	0.9363	0	97.1	72.7	129			
Xylenes, Total	2.7	0.094	2.809	0.02836	95.1	75.7	126			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 30 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754**

30-Jan-23

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: 2301754-002ams	SampTy	/pe: MS	•	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-77 4'	Batch	ID: 727	751	F	RunNo: 94	1163				
Prep Date: 1/23/2023	Analysis Da	ate: 1/2	24/2023	5	SeqNo: 34	100030	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.93		0.9363		99.4	70	130			

Sample ID: 2301754-002amsd	Sampl	ype: MS	SD .	I es	tCode: EF	'A Method	8021B: Volati	les		
Client ID: BS23-77 4'	Batch	n ID: 727	751	F	RunNo: 94	1163				
Prep Date: 1/23/2023	Analysis D	ate: 1/2	24/2023	5	SeqNo: 34	100031	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.023	0.9355	0	88.4	68.8	120	0.568	20	
Toluene	0.88	0.047	0.9355	0.01662	92.6	73.6	124	0.0724	20	
Ethylbenzene	0.91	0.047	0.9355	0	97.2	72.7	129	0.0505	20	
Xylenes, Total	2.7	0.094	2.806	0.02836	96.1	75.7	126	0.910	20	
Surr: 4-Bromofluorobenzene	0.94		0.9355		101	70	130	0	0	

Sample ID: Ics-72758	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 727	' 58	F	RunNo: 94	1152				
Prep Date: 1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 34	100370	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.025	1.000	0	93.0	80	120			
Toluene	0.93	0.050	1.000	0	92.6	80	120			
Ethylbenzene	0.91	0.050	1.000	0	91.4	80	120			
Xylenes, Total	2.7	0.10	3.000	0	91.3	80	120			
Surr: 4-Bromofluorobenzene	0.97		1.000		97.4	70	130			

Sample ID: mb-72758	Samp1	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	n ID: 72 7	758	F	RunNo: 94	4152				
Prep Date: 1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 34	400371	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.94		1.000		93.7	70	130			

Sample ID: 230	01754-022ams	SampTy	pe: MS	1	Tes	tCode: El	PA Method	8021B: Volatil	es		
Client ID: BS2	23-97 4'	Batch	ID: 727	' 58	F	RunNo: 9	4152				
Prep Date: 1/2	23/2023	Analysis Da	ate: 1/2	24/2023	9	SeqNo: 3	400376	Units: mg/Kg	9		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 31 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754**

30-Jan-23

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: 2301754-022ams	Samp ⁻	Гуре: МЅ	1	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-97 4'	Batc	h ID: 72 7	758	F	RunNo: 94	1152				
Prep Date: 1/23/2023	Analysis [Date: 1/2	24/2023	5	SeqNo: 34	100376	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.024	0.9506	0	92.3	68.8	120			
Toluene	0.88	0.048	0.9506	0	92.6	73.6	124			
Ethylbenzene	0.87	0.048	0.9506	0	91.8	72.7	129			
Xylenes, Total	2.6	0.095	2.852	0	91.2	75.7	126			
Surr: 4-Bromofluorobenzene	0.90		0.9506		94.9	70	130			

Sample ID: 2301754-022ams	d Samp	Туре: М	SD	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-97 4'	Bato	h ID: 72 7	758	F	RunNo: 94	4152				
Prep Date: 1/23/2023	Analysis	Date: 1/3	24/2023	;	SeqNo: 34	400377	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.024	0.9533	0	98.0	68.8	120	6.29	20	
Toluene	0.93	0.048	0.9533	0	98.0	73.6	124	5.93	20	
Ethylbenzene	0.92	0.048	0.9533	0	96.9	72.7	129	5.67	20	
Xylenes, Total	2.8	0.095	2.860	0	96.6	75.7	126	6.08	20	
Surr: 4-Bromofluorobenzene	0.92		0.9533		96.2	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 32 of 32

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

Client Name:	Devon Ene	rgy	Work	Order Num	nber: 2301754		RcptNo: 1
Received By:	Juan Roja	as	1/21/20	023 10:30:0	0 AM	Hansay	
Completed By:	Juan Roja	as	1/21/20	23 10:55:1	5 AM	Hansay	
Reviewed By:	ff to	7-53				,	
Chain of Cust	ody				_		
1. Is Chain of Cu	stody comp	lete?			Yes 🗌	No 🗹	Not Present
2. How was the s	sample deliv	rered?			<u>Courier</u>		
<u>Log In</u>							
3. Was an attem	pt made to o	cool the sampl	es?		Yes 🗸	No 🗌	NA \square
1. Were all sampl	les received	at a temperat	ture of >0° C	to 6.0°C	Yes 🗹	No 🗌	NA \square
5. Sample(s) in p	roper conta	iner(s)?			Yes 🔽	No 🗌	
S. Sufficient samp	ole volume f	or indicated te	st(s)?		Yes 🗹	No 🗌	
7 _. Are samples (e	xcept VOA	and ONG) pro	perly preserve	ed?	Yes 🗹	No 🗌	
3. Was preservati	ive added to	bottles?			Yes	No 🗹	NA 🗌
). Received at lea	ast 1 vial wit	h headspace ·	<1/4" for AQ \	/OA?	Yes	No 🗌	NA 🗹
0. Were any sam	ple containe	ers received bi	oken?		Yes 🗆	No 🗹	
1. Does paperwor					Yes 🗸	No 🗌	# of preserved bottles checked for pH: (<2 or >12 upless noted
(Note discrepai 2. Are matrices co					Yes 🗹	No 🗆	Adjusted?
2. Are matrices co 3. Is it clear what	-		•		Yes ✓	No 🗆	,
4. Were all holding	g times able	to be met?			Yes 🗹	No 🗆	Checked by: Ju 421/2
pecial Handli						0	
5. Was client not			vith this order	?	Yes 🗌	No 🗌	NA 🗹
Person N	Notified:			Date		-	
By Whor	n:			Via:	eMail	Phone Fax	☐ In Person
Regardin	ng:						
Client Ins	structions:						
6. Additional rem	narks:			-			
Missing	phone numb	er and email a	address. JR 1	/21/23			
7. Cooler Inform	nation						
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By	
1	0.3	Good	No	Morty			

Chain-of-Custody Record	Turn-Around Time:	HALL ENVIDONMENTAL
Client: Destro (Vertex)	Standard W Rush 48 hC	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: 0, 6.16	Hackberry 6 Fed 1	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22 E - 02537	ysis Requ
email or Fax#:	Project Manager:	*OS
ige:	Chance Dixon	SIMS SIMS
	0	080 H
Accreditation:	On Ice:	08\s 08\s +00 8 10
□ EDD (Type)	olers:)	(S Popularian Popular
	Cooler Temp(Including CF): 0.3 C.3 (°C)	15D ethoethy y 83 Me fr, 1
	Container Preservative HEAL No.	08:H M) B Hs by R, A B, (∃ V) 08
Date Time Matrix Sample Name	# Type 23	141 808 ED RC (D) 828 828
1/19/23 8:41 BS23-76 4'	40ziar ice -oci	<i>></i>
1 8:40 BS23-77 4'	200-	
	-003	
7 PT-523 05:8	400d	
	200-	
8:56 1823-81 4'	700-	
18:59 BS23-82 H	- 007	
	-00%	
1 9:04 BS 23-84 4'	7003	
9:05 BS-23-85 U'	010-	
	/10-	
86	10- 1	
Relinquished b	Received by: Via: Date Time	Remarks: Down Daylon (410 1007 101 20)
*	Muy 181/35	
Relinquished by:	Received by: Via: Date Time	CC Sally Carttar
Paper 1900 AMMANAN	1 MINING 1 21/23 10:3	
		the second of th

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

-
Married World
_
\sim
2.3
\sim
0
-
4
-
0
54.3
\sim
-
9
\mathcal{C}^{\prime}
1
Ci.
. 4
٠.
5
C
\mathcal{C}
OCI
OCI
9
y 0C
y OC
9
by 0C
1 by OC
d by OC
ed by OC
d by OC
ved by OC
ived by OC
ved by OC
eived by OC
ceived by OC
eived by OC
eceived by OC
eceived by OC
eceived by OC
eceived by OC

J	Shain	-of-C	Chain-of-Custody Record	Record	Turn-Around Time:	Time:				1	:	Ĺ				. 4	
Client:	****	Sevon ((Vertex)		Standard	Rush	48 hr		T	Ì	A	Z S	S	2 4	ANALYSTS LABORATOR	ANALYSTS LABORATORY	
					Project Name:	ie (¦ ≶	www.hallenvironmental.com	lenvir	nme	ntal.c	Ę		
Mailing	Mailing Address:	s: BN	hile		Hackberr	my lo fa	y lo Fed I Wall Fad	4	4901 Hawkins NE	wkins	N N -	Albu	dnerd	ne, N	Albuquerque, NM 87109		
			0		Project #:	D	Contract of the Contract of th	-	Tel. 505-345-3975	5-345-	3975	Fax	× 50	505-345-4107	4107		
Phone #:	; #;				72EC	22E-02537					٩	Analysis		Request	346		
email	email or Fax#:				Project Manager:	ager:						† O:	-	(ţu			Г
QA/QC	QA/QC Package:				CAMANGO	CO DIVOID	2			SIM	OIAII	S ԠC		esd/			
□ Standard	ndard	ě	□ Level 4 (☐ Level 4 (Full Validation)	\dashv		7.1				100)d "		√,ìu∈			
Accred	Accreditation:		☐ Az Compliance		Sampler:	SPC					170	ZON	(
		□ Other	L		On Ice:	- A-Yes	No					3,	AC				
	D (Type)				# of Coolers:	_	month										
					Cooler Temp(Including CF):	O(Including CF): (0.3-0:0.3 (°C)										
			<u>El</u>		Container	Preservative	HEAL No.	H:80.	91 P	M) 8	d sH. 3 AЯ:	B '±	V) 05	C) or		Tk.	
Date	Time	Matrix	Sample Name	lame	Type and #	Type											
1/9/2	11912912	-8	B523-88	38 4'	402 lar	ice	-013	<u> </u>				>	70	į	4		
	9:12		1823- 8	89 4'	·	}	410-				10.0	Ŀ		4			
	9:14		18523-90	90 4'			-015				14						
	9.14	11	16-523-91	11 4'	201		910-					3			100	700	
	9:24)	18513-92	12 4'		4	£10-			9				Ę.		100	
	43.6	3 4	1823-93	13 4'			315-					1					
	13:27		8523-94	14 4			1010-	j.						MAN II		- N	
	13:27	-	BS23-95	15 4'			-020	-							1.00	4.00	
	13:32	1	8213	410 4.			-021	2		- 1	36.0	10			The second	200	
	(3:32		8513-	17 46			220-										
	13:35	1.0	18513-98	,7 86			-023				N 7 N 7		H				
_	13:35		8523-99	14,6	1	1 -	0-	1 1									
Date:	Time:	Relin	ned by:		Received by:	Via:	Date Time	Remarks	(S:	,	(
1/19/13	3 16:24	V	Jally Cartle	N	Chun	ano	1/20/23 700	Ö	ect	\bar{z}	7	200	<u>::</u>	NO NO	£001	Direct 1511 Levon: WO 1007101301	
Date:	Time:	Relinquished by:	ned by:		Received by:	/ Via:	Date Time	ક		7	Sally Car Har	Far					
se ae	1900	25	amer	Ž	M	20001	1000-12-12-10:30)		8	9	Page 1/2	7		
							ı										l

If necessary, samples submitted to Hall Environmental may be sebcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Released to Imaging: 6/9/2023 10:26:29 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 30, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (505) 350-1336

FAX

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2301870

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 15 sample(s) on 1/24/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-100 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:36:00 AM

 Lab ID:
 2301870-001
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/26/2023 10:41:23 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/26/2023 10:41:23 AM
Surr: DNOP	75.9	69-147	%Rec	1	1/26/2023 10:41:23 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 8:42:00 AM
Surr: BFB	96.1	37.7-212	%Rec	1	1/26/2023 8:42:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 8:42:00 AM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 8:42:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 8:42:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/26/2023 8:42:00 AM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	1/26/2023 8:42:00 AM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2800	150	mg/Kg	50	1/26/2023 12:30:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-101 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:37:00 AM

 Lab ID:
 2301870-002
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/26/2023 11:09:35 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/26/2023 11:09:35 AM
Surr: DNOP	118	69-147	%Rec	1	1/26/2023 11:09:35 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 12:02:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/26/2023 12:02:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 12:02:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 12:02:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 12:02:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 12:02:00 PM
Surr: 4-Bromofluorobenzene	99.8	70-130	%Rec	1	1/26/2023 12:02:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1700	60	mg/Kg	20	1/25/2023 4:46:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

QL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-102 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:42:00 AM

 Lab ID:
 2301870-003
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	20	8.7	mg/Kg	1	1/26/2023 11:23:22 AM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	1/26/2023 11:23:22 AM
Surr: DNOP	129	69-147	%Rec	1	1/26/2023 11:23:22 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 12:21:00 PM
Surr: BFB	96.4	37.7-212	%Rec	1	1/26/2023 12:21:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 12:21:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 12:21:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 12:21:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/26/2023 12:21:00 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/26/2023 12:21:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2000	60	mg/Kg	20	1/25/2023 4:59:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-103 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:42:00 AM

 Lab ID:
 2301870-004
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	39	9.7	mg/Kg	1	1/26/2023 12:05:35 PM
Motor Oil Range Organics (MRO)	64	48	mg/Kg	1	1/26/2023 12:05:35 PM
Surr: DNOP	114	69-147	%Rec	1	1/26/2023 12:05:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 12:41:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/26/2023 12:41:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 12:41:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 12:41:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 12:41:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/26/2023 12:41:00 PM
Surr: 4-Bromofluorobenzene	98.7	70-130	%Rec	1	1/26/2023 12:41:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1800	60	mg/Kg	20	1/25/2023 5:12:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

pH Not In Range
ng Limit Page 4 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-104 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:47:00 AM

 Lab ID:
 2301870-005
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	43	9.5	mg/Kg	1	1/26/2023 9:37:39 AM
Motor Oil Range Organics (MRO)	63	47	mg/Kg	1	1/26/2023 9:37:39 AM
Surr: DNOP	118	69-147	%Rec	1	1/26/2023 9:37:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 1:00:00 PM
Surr: BFB	97.5	37.7-212	%Rec	1	1/26/2023 1:00:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 1:00:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 1:00:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 1:00:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/26/2023 1:00:00 PM
Surr: 4-Bromofluorobenzene	99.5	70-130	%Rec	1	1/26/2023 1:00:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2300	60	mg/Kg	20	1/25/2023 5:24:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-105 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:46:00 AM

 Lab ID:
 2301870-006
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	100	9.5	mg/Kg	1	1/26/2023 10:24:52 AM
Motor Oil Range Organics (MRO)	180	47	mg/Kg	1	1/26/2023 10:24:52 AM
Surr: DNOP	130	69-147	%Rec	1	1/26/2023 10:24:52 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 1:20:00 PM
Surr: BFB	99.5	37.7-212	%Rec	1	1/26/2023 1:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 1:20:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 1:20:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 1:20:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/26/2023 1:20:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	1/26/2023 1:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	150	mg/Kg	50	1/26/2023 12:42:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-106 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:51:00 AM

 Lab ID:
 2301870-007
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	76	9.1	mg/Kg	1	1/26/2023 11:12:15 AM
Motor Oil Range Organics (MRO)	130	46	mg/Kg	1	1/26/2023 11:12:15 AM
Surr: DNOP	130	69-147	%Rec	1	1/26/2023 11:12:15 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 1:40:00 PM
Surr: BFB	96.4	37.7-212	%Rec	1	1/26/2023 1:40:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 1:40:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 1:40:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 1:40:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/26/2023 1:40:00 PM
Surr: 4-Bromofluorobenzene	96.4	70-130	%Rec	1	1/26/2023 1:40:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2200	150	mg/Kg	50	1/26/2023 12:55:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Not In Range Page 7 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-107 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:51:00 AM

 Lab ID:
 2301870-008
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	40	9.3	mg/Kg	1	1/26/2023 11:59:30 AM
Motor Oil Range Organics (MRO)	62	46	mg/Kg	1	1/26/2023 11:59:30 AM
Surr: DNOP	126	69-147	%Rec	1	1/26/2023 11:59:30 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 1:59:00 PM
Surr: BFB	98.7	37.7-212	%Rec	1	1/26/2023 1:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 1:59:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 1:59:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 1:59:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/26/2023 1:59:00 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/26/2023 1:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	150	mg/Kg	50	1/26/2023 1:07:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-108 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:55:00 AM

 Lab ID:
 2301870-009
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	38	9.3	mg/Kg	1	1/26/2023 12:19:44 PM
Motor Oil Range Organics (MRO)	63	47	mg/Kg	1	1/26/2023 12:19:44 PM
Surr: DNOP	95.2	69-147	%Rec	1	1/26/2023 12:19:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 2:19:00 PM
Surr: BFB	98.0	37.7-212	%Rec	1	1/26/2023 2:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 2:19:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 2:19:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 2:19:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/26/2023 2:19:00 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/26/2023 2:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2200	60	mg/Kg	20	1/25/2023 6:16:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-109 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:55:00 AM

 Lab ID:
 2301870-010
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	25	9.9	mg/Kg	1	1/26/2023 12:34:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/26/2023 12:34:06 PM
Surr: DNOP	104	69-147	%Rec	1	1/26/2023 12:34:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 2:38:00 PM
Surr: BFB	98.2	37.7-212	%Rec	1	1/26/2023 2:38:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 2:38:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 2:38:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 2:38:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 2:38:00 PM
Surr: 4-Bromofluorobenzene	98.3	70-130	%Rec	1	1/26/2023 2:38:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2900	150	mg/Kg	50	1/26/2023 1:20:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-110 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:58:00 AM

 Lab ID:
 2301870-011
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/26/2023 12:48:23 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/26/2023 12:48:23 PM
Surr: DNOP	93.0	69-147	%Rec	1	1/26/2023 12:48:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 3:17:00 PM
Surr: BFB	96.6	37.7-212	%Rec	1	1/26/2023 3:17:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 3:17:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 3:17:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 3:17:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/26/2023 3:17:00 PM
Surr: 4-Bromofluorobenzene	99.6	70-130	%Rec	1	1/26/2023 3:17:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1600	60	mg/Kg	20	1/25/2023 7:07:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-111 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:58:00 AM

 Lab ID:
 2301870-012
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	21	9.2	mg/Kg	1	1/26/2023 1:02:43 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/26/2023 1:02:43 PM
Surr: DNOP	118	69-147	%Rec	1	1/26/2023 1:02:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 3:37:00 PM
Surr: BFB	98.2	37.7-212	%Rec	1	1/26/2023 3:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 3:37:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 3:37:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 3:37:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 3:37:00 PM
Surr: 4-Bromofluorobenzene	97.6	70-130	%Rec	1	1/26/2023 3:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	960	60	mg/Kg	20	1/25/2023 7:20:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-43 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 11:31:00 AM

 Lab ID:
 2301870-013
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: SB Diesel Range Organics (DRO) ND 9.5 mg/Kg 1 1/26/2023 1:16:56 PM Motor Oil Range Organics (MRO) ND 47 mg/Kg 1 1/26/2023 1:16:56 PM 69-147 Surr: DNOP 120 %Rec 1 1/26/2023 1:16:56 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/26/2023 3:57:00 PM 4.8 mg/Kg 1 Surr: BFB 102 37.7-212 %Rec 1 1/26/2023 3:57:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 0.024 mg/Kg 1/26/2023 3:57:00 PM 1 Toluene ND 0.048 mg/Kg 1 1/26/2023 3:57:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/26/2023 3:57:00 PM Xylenes, Total ND 0.097 mg/Kg 1 1/26/2023 3:57:00 PM Surr: 4-Bromofluorobenzene 102 70-130 %Rec 1 1/26/2023 3:57:00 PM **EPA METHOD 300.0: ANIONS** Analyst: NAI Chloride ND 60 1/25/2023 7:33:32 PM ma/Ka 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-44 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 11:39:00 AM

 Lab ID:
 2301870-014
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/26/2023 12:24:15 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/26/2023 12:24:15 PM
Surr: DNOP	119	69-147	%Rec	1	1/26/2023 12:24:15 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 4:17:00 PM
Surr: BFB	96.7	37.7-212	%Rec	1	1/26/2023 4:17:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 4:17:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 4:17:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 4:17:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 4:17:00 PM
Surr: 4-Bromofluorobenzene	99.0	70-130	%Rec	1	1/26/2023 4:17:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	1/25/2023 7:46:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range
orting Limit Page 14 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-45 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 12:42:00 PM

 Lab ID:
 2301870-015
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	8.8	mg/Kg	1	1/26/2023 12:48:04 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	1/26/2023 12:48:04 PM
Surr: DNOP	135	69-147	%Rec	1	1/26/2023 12:48:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 4:36:00 PM
Surr: BFB	97.0	37.7-212	%Rec	1	1/26/2023 4:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 4:36:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 4:36:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 4:36:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 4:36:00 PM
Surr: 4-Bromofluorobenzene	96.5	70-130	%Rec	1	1/26/2023 4:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	1/25/2023 7:59:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 19

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870**

30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72815 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72815 RunNo: 94198

Prep Date: 1/25/2023 Analysis Date: 1/25/2023 SeqNo: 3401847 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72815 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72815 RunNo: 94198

Prep Date: 1/25/2023 Analysis Date: 1/25/2023 SeqNo: 3401848 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.0 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 16 of 19

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870**

30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72814 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72814 RunNo: 94191

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3401999 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 9.8 10.00 97.6 69 147

Sample ID: LCS-72814 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 72814 RunNo: 94191

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3402000 Units: mg/Kg

Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 10 61.9 130 59 50.00 118

Surr: DNOP 4.7 5.000 94.0 69 147

Sample ID: 2301870-001AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **BS23-100 4'** Batch ID: **72814** RunNo: **94195**

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3402860 Units: mg/Kg

Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 45 9.499 54.2 45.41 78.2 135

Surr: DNOP 4.3 4.541 94.3 69 147

Sample ID: 2301870-001AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **BS23-100 4'** Batch ID: **72814** RunNo: **94195**

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3402863 Units: mg/Kg

LowLimit %RPD Result PQL SPK value SPK Ref Val %REC HighLimit **RPDLimit** Qual Analyte Diesel Range Organics (DRO) 53 9.6 47.94 9.499 90.5 54.2 135 16.1 29.2 Surr: DNOP 4.8 4.794 99.2 69 147 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 19

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870**

30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72799 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 72799 RunNo: 94183

Prep Date: 1/24/2023 Analysis Date: 1/26/2023 SeqNo: 3401214 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 27
 5.0
 25.00
 0
 106
 72.3
 137

 Surr: BFB
 1000
 1000
 104
 37.7
 212

Sample ID: mb-72799 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 72799 RunNo: 94183

Prep Date: 1/24/2023 Analysis Date: 1/26/2023 SeqNo: 3401215 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 920 1000 91.7 37.7 212

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 19

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870** *30-Jan-23*

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72799	Sampl	Гуре: LC	s	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: LCSS	Batcl	h ID: 72 7	799	F	RunNo: 94	4183				
Prep Date: 1/24/2023	Analysis D	Date: 1/	26/2023	S	SeqNo: 34	401309	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	1.000	0	96.2	80	120			
Toluene	0.96	0.050	1.000	0	95.8	80	120			
Ethylbenzene	0.93	0.050	1.000	0	93.3	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.1	80	120			
Surr: 4-Bromofluorobenzene	0.95		1.000		94.6	70	130			

Sample ID: mb-72799	Samp1	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batcl	h ID: 72	799	F	RunNo: 9	4183				
Prep Date: 1/24/2023	Analysis D	Date: 1/	26/2023	S	SeqNo: 3	401310	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000		94.7	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 19



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

Sample Log-In Check List

Released to Imaging: 6/9/2023 10:26:29 AM

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Cli	ent Name: I	Devon Ene	rgy	Work	Order Num	ber: 23018	70		RcptN	o: 1
Red	ceived By:	Joseph Al	derette _.	1/24/20	23 2:40:00	PM		H		
Cor	npleted By:	Desiree D	ominguez	1/24/20	23 2:02:53	PM		D		
Rev	viewed By: $ {\cal S} $	31 I	24/23	\$						
<u>Cha</u>	ain of Custo	od <u>y</u>								
1. 1	s Chain of Cus	stody compl	lete?			Yes		No 🗹	Not Present 🗔	
2. ł	How was the sa	ample deliv	ered?			Courie	ŗ			
0.5	g In									
3. √	Was an attemp	t made to c	ool the samp	oles?		Yes		No 🗌	NA L	
4. v	Vere all sample	es received	at a tempera	ature of >0° C	to 6.0°C	Yes 1		No 🗌	NA 🗆	
5. 8	Sample(s) in pr	roper contai	iner(s)?			Yes 🛭		No 🗌		
6. S	Sufficient samp	le volume f	or indicated t	est(s)?		Yes 🛚		No 🗌		
7. A	re samples (e:	xcept VOA	and ONG) pr	operly preserve	ed?	Yes 🛚		No 🗌		
8. v	Vas preservati	ve added to	bottles?			Yes [No 🗹	na 🗆	
9. R	Received at lea	st 1 vial witl	h headspace	<1/4" for AQ \	OA?	Yes [No 🗌	NA 🗹	
10. V	Nere any sam	ple containe	ers received t	oroken?		Yes		No 🗹	# of preserved	/
	oes paperworl Note discrepar			<i>(</i>)		Yes 🛚		No 🗆	bottles checked for pH: (<2	or >12 unless noted)
				in of Custody?		Yes 🛚		No 🗌	Adjusted?	
13. ls	s it clear what a	analyses we	ere requested	! ?		Yes 🛚		No 🗌		4.
	Vere all holding If no, notify cus	•)		Yes 🛚		No 🗌	Checked by:	\$1 1-24-23
	cial Handliı								•	
				with this order	?	Yes [No 🗌	NA 🗹	
	Person N	lotified:			Date					
	By Whon	n:			Via:	eMail		Phone [] Fax	☐ In Person	
	Regardin	g:				-			-	
	Client Ins	structions:								
16.	Additional rem	arks:								
	COC mis	sing client i	info (on file) -	DAD 1/24/23						
17.	Cooler Inform			- Daniel State			1		1	
	Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	9	Signed By		
		0.2	Good	Not Present	Yogi					

Chain-of-Custody Record	Lurn-Around Time:	HALL ENVIRONMENTAL
Client: Devon (Vertex)	□ Standard ★ Rush 48+11W	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: Oハ 午)。	Hackberry 6 Fed 1 Well oad	4901 Hawkins NE - Albuquerque, NM 87109
-	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22 E - 02537	Analysis Request
email or Fax#:	Project Manager:	*OS
QA/QC Package:		SWS **C
☐ Standard ☐ Level 4 (Full Validation)	Chance Jixon	OSO / OSO
Accreditation: Az Compliance		(P.H. NO ₂ (1.1)
☐ NELAC ☐ Other	Se 🗆 N	OS 3,26 3,00 8 3,100 8
□ EDD (Type)	0.200	od etal
	Cooler Temp(including cF): 1.8-0.2 , 1.6 , vog., (°C)	15C estic by 83 3r, 3r,
	Container Preservative HEAL No.	H:80 81 Pd NHs b NHs b 5P, E 60 (V
Date Time Matrix Sample Name	# Type	908 908 133 449 109 109 128
1/20/23 8:36 Soil 8523 - 100 4	402 jac -001	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
1 8:37 1 BSJ3-101 4'	2007	
14 201 -ECSA 102 4'	- 603	
14 801-8228 SHS	h00-	
18:47 18523-104 4'	>00×	
-FCS8 /	- 206	
8:51 B523-106 4'	-007	
[O]	800~	
8,55 BS33-108 4'	600	
8:55 BS23-109 4'	010-	
1 8:58 BS23-110 4'	110-	
1 8:58 1 8533-111 4'	7017	
Reling	Received by: Via: Date Time	
15:24	MAMMAN 1818 915	
Date Time: Reinquished by:	Received by: Via: Date Time	WO 1007 101301
TEST DAY DESTRUCTION		CC XIII CAI MAC

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chair	Chain-of-Custody Record		the second special control	HAII ENVIDONMENTAI
Client: D	Devon (Vertex)	□ Standard ☑ Rush	48 M	ANALYSIS LABORATORY
		Project Name:	10/1	www.hallenvironmental.com
Mailing Address:	ss: ON Lile	Hackberry le	Le Fed I Well Pad	4901 Hawkins NE - Albuquerque, NM 87109
	0	Project #:		Tel. 505-345-3975 Fax 505-345-4107
Phone #:		126-02537		Anal
email or Fax#:		Project Manager:		*O\$
QA/QC Package:	: <u>o</u>	MAMICE DI	Dixon	7808) 8-8-8-9 18-8-9 18-8-9 18-8-9 18-9 18-9
□ Standard	☐ Level 4 (Full Validation)			OЯ 2017 3014 (5
Accreditation:		.		(1) (1) (1) (2) (1)
□ NELAC	□ Other	On Ice: 🗹 Yes	ON O	OS \$\ootnote{0}{0}{0}{0}{0}{0}{0}{0}{0}{0}{0}{0}{0}{
☐ EDD (Type)	(6	# of Coolers: C O.4-	.02 = 0.20 + 10d;	od etal ()
		Cooler Temp(including cF): 1,8 - 0.2 = 1.6	(00) ~ 9.7=2.0 ~	15E estic by 8 8 M 8 M 3r,
		Container Preservative	H N N	H:80 H:80 H:4 H:4 H:4 H:4 H:4 H:4 H:4 H:4 H:4 H:4
Date Time	Matrix Sample Name	Type and # Type	2301870	191 808 PAI PC (1) 828 828
1/20/2/11:31	1 Soil WS23-430-4'	403 jar 1 ce	-03	
11:39	1		410-	
12:42			- 015	
			19	
		8		

			10 m	
			=	
Date: Time:		Received by: Via:		
3	4 Sally Canta	≼	B	Direct Bill Jevor
Date: Time:	<u> </u>	Received by: Via:	1-24-23 (3:47)	1001014001
W 12 87 67	Manny			cc sally cartar

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Reference

- Google Inc. (2022). Google Earth Pro (Version 7.3.3) [Software]. Retrieved from https://earth.google.com
- New Mexico Bureau of Geology and Mineral Resources. (2022). *Interactive Geologic Map*. Retrieved from http://geoinfo.nmt.edu
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2019). *Well Log/Meter Information Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- New Mexico Water Rights Reporting System. (2019a). Water Column/Average Depth to Water Report. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html
- New Mexico Water Rights Reporting System. (2019b). *Point of Diversion Location Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html
- United States Department of Agriculture, Natural Resources Conservation Service. (2022). *Web Soil Survey*. Retrieved from https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.
- United States Department of Homeland Security, FEMA Flood Map Service Center. (2010). *Flood Map Number* 35015C1875D. Retrieved from https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20mexic o#searchresultsanchor
- United States Department of the Interior, Bureau of Land Management. (2019) New Mexico Cave/Karsts. Retrieved from https://www.blm.gov/programs/recreation/recreation-programs/caves/new-mexico
- United State Fish and Wildlife Service. (2019). *National Wetland Inventory Surface Waters and Wetland*. Retrieved from https://www.fws.gov/wetlands/data/mapper.html

Limitations

This report has been prepared for the sole benefit of Devon Energy Production Company (Devon). This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division, without the express written consent of Vertex Resource Services Inc. (Vertex) and Devon. Any use of this report by a third party, any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgment of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 183712

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	183712
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your closure report and final C-141 for Incident #NAPP2116940090 HELIOS 6 FED COM 1H & 3H BATTERY, thank you. This closure is approved.	6/9/2023