

Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>69</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill

Title: Environmental Advisor

Signature:



Date: 5-3-23

email: ABarnhill@chevron.com

Telephone: 432-687-7108

OCD Only

Received by: Jocelyn Harimon

Date: _ 05/03/2023

Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill

Title: Environmental Advisor

Signature: 

Date: 5-3-23

email: ABarnhill@chevron.com

Telephone: 432-687-7108_

OCD Only

Received by: _ Jocelyn Harimon

Date: _ 05/03/2023

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____

Date: _____



2904 W 2nd St.
Roswell, NM 88201
voice: 575.624.2420
fax: 575.624.2421
www.atkinseng.com

February 13, 2023

#Hayhurst_env_22

Mark Andersen

Permian Asset HSEQ Manager
TETRA Technologies Inc./Swiftwater Inc.
2401 N. CR 1287 Midland, TX 79701
Phone: 432.234.0179

SUBJECT: Amendment to Work Plan for the Hayhurst Pad 10 Release (nAPP2211730678), Eddy County, New Mexico

Dear Mr. Anderson,

On behalf of Atkins Engineering Associates INC. (AEA) has prepared this amendment to the NMOCD denied Site Assessment and Remediation Work plan submitted September 20th, 2022. To gain NMOCD work approval of remediation of the release of liquids related to oil and gas production activities at the Hayhurst Pad 10. The site is in Unit O, Section 26, Township 25S, Range 27E, Eddy County, New Mexico.

Table 1 summarizes release information and Site Criteria.

Table 1: Release Information and Closure Criteria			
Name	Hayhurst Pad 10	Company	Chevron U.S.A., Inc
API Number		Location	32.094581, -104.154458;
Incident Number	nAPP2211730678		
Estimated Date of Release	4/12/22	Date Reported to NMOCD	4/12/22
Landowner	State	Reported To	NMOCD District 1
Source of Release	Tetra had a pressure spike during pump operations, and then discovered that a layflat head had separated, allowing a volume of produced water to spill until crews could shut down, clamp, and make repairs on the connection.		
Released Volume	566 bbls	Released Material	Produced Water
Recovered Volume	0 bbls	Net Release	566 bbls
NMOCD Closure Criteria	51-100 feet to groundwater High Karst		

Hayhurst Pad 10
February 13, 2023

Page 2 of 4

1.0 Background

Release delineation activities were conducted by Envirotech from September 20 through 22, 2022, which included utilizing hand tools to advance soil borings in proximity of the release path to determine the horizontal and vertical extents of the release. Concurrently, hydro excavators were on-site daylighting subsurface pipelines belonging to Chevron.

NMOCD rejected the previously submitted Site Assessment and Remediation Work plan (see Appendix E) on December 23, 2022.

Because the denial was based on the remedial method and not the Site assessment performed AEA decided to amend the previously submitted work plan.

2.0 Site Information and EM Survey

Electromagnetic surveying was used to accurately define the parameters or horizontal boundaries of the shallow soil investigation and determine the validity of the previous site assessment. A Geonics Ltd. EM-38 ground conductivity meter that has been factory calibrated was used on site to collect data.

Figure 1 attached is a product of the fixed-frequency EM method used to map variations in ground conductivity to identify anomalously conductive soils and infer changes in the soil characteristics and composition. This method used portable instrumentation consisting of a transmitter coil and a receiver coil. primary magnetic field from the transmitter coil induces subsurface eddy currents, which in turn generate a secondary magnetic field that is intercepted by the receiver coil. The ratio of the primary and secondary magnetic fields is related to ground conductivity represented as ECa in mS/m.

The conductivity values are not specific values from discrete depths; they are weighted averages of conductivity between the surface and the depth of exploration of the EM field and are termed “apparent conductivities”. The apparent conductivity values obtained are in units of millisiemens per meter (mS/m). The apparent conductivity (ECa) of the soil has been related to the paste extract conductivity {ECe} by the relationship $ECa=5ECe$ (McNeill, 1986a). Table 2 (from McNeill, 1986a) illustrates this general relationship. Measurements are expressed in millisiemens/meter (mS/m).

Table 1: ECe to ECa Conversion

Soil Conductivity vs Salinity (from McNeill, 1986a)			
Salinity (NRCS)	ECe (mS/cm) (Lab)	ECa (mS/m) (EM-38)	Figure Color
NRCS Soil Background (site)	0-2	0-40	White to green
Slight	0-4	40-80	Yellow
Moderate	4-8	80-100	red
High	8-12	160-240	Purple

Hayhurst Pad 10
February 13, 2023

Page 3 of 4

The table above shows the general correlation between laboratory soil saturated paste E_{Ce} and the apparent conductivity E_{Ca} measured by an EM unit. The Electromagnetic surveying confirmed the previously submitted release area and samples.

3.0 Proposed Remediation

Comparing the delineation performed by Envirotech with the horizontal extent provided by the EM Survey conducted by AEA. AEA proposes an excavation of caliche and native soil to remediate the impacted soils. Most of the excavation will be less than two (2) feet except for sample areas TH-13 and TH-18.

Figure 1 shows the extent of the proposed excavation and existing sample locations. All laboratory results are summarized in Envirotec Table 1. Laboratory reports are included in Appendix . AEA was operating under the assumption that because the release is not on pad that all areas would be remediated to the strictest closure standards.

Figure 2 shows the large amount of intersecting underground and above ground utilities. AEA will facilitate a project 811 and will work directly with the area utility owners to remove as much contaminate mass as safety will allow.


All contaminated soil from the location will be hauled to a NMOCD approved facility (waste manifest will be available upon request).

4.0 Variance and Limitations

Atkins Engineering Associates INC. (AEA) request a sample variance request from 19.15.29.12.D.1.c. The post data collection activities outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000) via (VSP) show that closure sample collection at the five hundred (500) to eight hundred (800) square foot interval will still achieve the same 98% confidence interval as the standard two hundred square foot sampling plan. For these reasons AEA requests a closure sample interval of 500-800 square feet.

The scope of our services included: assessment sampling; verifying release stabilization; regulatory liaison; remediation; and preparing this scope of work. All work has been performed in accordance with generally accepted professional environmental consulting practices for oil and gas releases in the Permian Basin in New Mexico.

If there are any questions regarding this report, please contact Austin Weyant at 575-626-3993



Austin Weyant
Geoscientist

ATTACHMENTS:

Hayhurst Pad 10
February 13, 2023

Page 4 of 4

Figures:

Figure 1: Vicinity and Well Head Protection Map

Figure 2: Surface Water Radius Map

Figure 3: Site ECa and proposed sample locations

Tables:

Table 2: NMOCD Closure Criteria Justification


Appendices:

Appendix A: Form C141

Appendix B: NMOSE Wells Report


Appendix C: Envirotech Site Assessment

FIGURES



LEGEND

- WellGIS
- ZeusPit_EnvirotechSample



ECa mS/cm


280
260
240
220
200
180
160
140
120
100
80
60
40
20
0

JOB No. hayhurst_env_22

DATE FIELD: 12/21/22 DRAWN JAW

DATE DRAWN: 2/13/2023 REVIEW LCM

Atkins
ENGINEERING ASSOCIATES



LEGEND

- WellGIS
- ZeusPit_EnvirotechSample



0 45 90 180
Scale: 1:1,146 Feet

ECa mS/cm
280
260
240
220
200
180
160
140
120
100
80
60
40
20
0

JOB No. hayhurst_env_22

DATE FIELD: 12/21/22 DRAWN JAW

DATE DRAWN: 2/13/2023 REVIEW LCM

Atkins
ENGINEERING ASSOCIATES

LEGEND

- WellGIS
- Pipeline
- ZeusPit_EnvirotechSample




0 40 80 160
Scale: 1:1,000 Feet

JOB No. hayhurst_env_22

DATE FIELD: 12/21/22 DRAWN JAW

DATE DRAWN: 2/13/2023 REVIEW LCM



North area
Hayhurst Utilities

LEGEND

- WellGIS
- Pipeline
- ZeusPit_EnvirotechSample




0 40 80 160
Scale: 1:1,000 Feet


JOB No. hayhurst_env_22

DATE FIELD: 12/21/22 DRAWN JAW

DATE DRAWN: 2/13/2023 REVIEW LCM

Atkins
ENGINEERING ASSOCIATES





LEGEND

0 375 750 1,500
Scale: Feet



FIGURE -3
Hayhurst ECa Raw

32.0946719, -104.154604

DATE FIELD: 1/11/23 DRAWN JAW REVIEW LCM
DATE DRAWN: 1/12/2023 JOB No. hayhurst_env_22



TABLES

Table 1, Summary of Soil Analytical Results
Hayhurst Pad 10 Site Delineation
Unit O, Section 26, Township 25S, Range 27E
Eddy County, New Mexico
Incident #nAPP2211730678

Laboratory Sample ID	Date	Sample Description	EPA Method 8015			EPA Method 8021		EPA Method 300.0	
			GRO	DRO	ORO	Benzene	Total BTEX	Chlorides	
NMOCD Release Closure Criteria (Table 1 - 19.15.29.12 NMAC)			100 mg/kg			10 mg/kg	50 mg/kg	600 mg/kg	
BG-1	8/8/2022	Surface (0.0 - 0.25 ft)	N/A	N/A	N/A	N/A	N/A	<20.0	
BG-2			N/A	N/A	N/A	N/A	N/A	<20.0	
BG-3			N/A	N/A	N/A	N/A	N/A	<20.0	
GS-1			<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
GS-2			<20.0	<25.0	<50.0	<0.0250	<0.100	8,660	
GS-3			<20.0	<25.0	<50.0	<0.0250	<0.100	6,500	
GS-4			<20.0	<25.0	<50.0	<0.0250	<0.100	17,300	
GS-5			<20.0	<25.0	<50.0	<0.0250	<0.100	5,560	
GS-6			<20.0	<25.0	<50.0	<0.0250	<0.100	5,380	
TH-1 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-1 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-2 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	13,600	
TH-2 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	109	
TH-3 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	11,600	
TH-3 4'		4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-4 0"	8/10/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-4 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-5 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-5 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-6 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	12,500	
TH-6 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	214	
TH-7 0'		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	7,500	
TH-7 4'		4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-8 0"		Surface (0.0 - 0.25 ft)	<20.0	27.1	<50.0	<0.0250	<0.100	47,600	
TH-8 10"		0.83 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	7,580	
TH-9 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	12,100	
TH-9 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	120	
TH-10 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	8,460	
TH-10 4'		4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-11 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	12,700	
TH-11 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	472	
TH-12 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	8,510	
TH-12 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	1,010	
TH-13 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	8,850	
TH-13 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	499	
TH-14 0"		8/11/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	211
TH-14 2'			2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	12,400
TH-15 0"			Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	1,500
TH-15 4'	4 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	518	
TH-16 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	7,200	
TH-16 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	264	
TH-17 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	7,520	
TH-17 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	528	
TH-18 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	791	
TH-18 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	13,900	
TH-19 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	6,430	
TH-19 4'	4 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	56.9	
TH-20 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	25,800	
TH-20 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	1,090	
TH-21 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-21 2'	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0		
TH-22 0"	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	2,090		
TH-23 0"	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0		

N/A - Not Analyzed

APPENDIX A FORMS C141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Chevron USA	OGRID: 4323
Contact Name: Amy Barnhill	Contact Telephone: 432-687-7108
Contact email: ABarnhill@chevron.com	Incident # (assigned by OCD)
Contact mailing address: 6301 Deauville Blvd Midland, Tx 79706	

Location of Release Source

Latitude 32.094581 _____ Longitude -104.154458 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Hayhurst Pad 10	Site Type: Produced Water
Date Release Discovered: 4-12-22	API# (if applicable)

Unit Letter	Section	Township	Range	County
O	26	25S	27E	Eddy

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 566	Volume Recovered (bbls) 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)


Cause of Release: Tetra had a pressure spike during pump operations, and then discovered that a layflat head had separated, allowing a volume of produced water to spill until crews could shut down, clamp, and make repairs on the connection.

Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? Over 25 bbls
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? On 4-12-22 at 5:45pm Amy Barnhill e-mailed Mike Bratcher.	


Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Amy Barnhill	Title: Water Specialist
Signature: 	Date: 4-27-22
email: ABarnhill@chevron.com	Telephone: 432-687-7108
<u>OCD Only</u>	
Received by: Jocelyn Harimon	Date: 04/27/2022

Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

Spill Calculations:



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 101822

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 101822
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimon	None	4/27/2022

APPENDIX B

NMOSE WELLS REPORT



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

2019 NOV - 4 PM 4:13

STATE ENGINEER
ROSALBA A. MENDOZA

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) N/A		WELL TAG ID NO.		OSE FILE NO(S). C-4371		
	WELL OWNER NAME(S) Tetra Tech Inc. on behalf of Chevron N.A. E&P Co.				PHONE (OPTIONAL) 432-687-8130		
	WELL OWNER MAILING ADDRESS 901 W. Wall St. Suite 100				CITY Midland	STATE TX	
	WELL LOCATION (FROM GPS)		DEGREES 32	MINUTES 5	SECONDS 41.91	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							
2. DRILLING & CASING INFORMATION	LICENSE NO. WD-1456		NAME OF LICENSED DRILLER John W. White			NAME OF WELL DRILLING COMPANY White Drilling Company, Inc.	
	DRILLING STARTED 10/17/2019		DRILLING ENDED 10/17/2019		DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT) 100	
	COMPLETED WELL IS:		<input type="checkbox"/> ARTESIAN <input type="checkbox"/> DRY HOLE <input checked="" type="checkbox"/> SHALLOW (UNCONFINED)			DEPTH WATER FIRST ENCOUNTERED (FT) 69	
	DRILLING FLUID:		<input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:				
	DRILLING METHOD:		<input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:				
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)
	FROM	TO					
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT	
	FROM	TO					

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 04/30/19)

FILE NO.	C-4371	POD NO.	1	TRN NO.	660311
LOCATION	255.27E.26.433			WELL TAG ID NO.	PAGE 1 OF 2

Released to Imaging: 6/9/2023 3:07:31 PM



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER


www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) N/A		WELL TAG ID NO.		OSE FILE NO(S). C-4371		
	WELL OWNER NAME(S) Tetra Tech Inc. on behalf of Chevron N.A. E&P Co.				PHONE (OPTIONAL) 432-687-8130		
	WELL OWNER MAILING ADDRESS 901 W. Wall St. Suite 100				CITY Midland	STATE TX	ZIP 79706
	WELL LOCATION (FROM GPS)	DEGREES 32	MINUTES 5	SECONDS 41.91	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
	LONGITUDE 104	9	31.92	W	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							
2. DRILLING & CASING INFORMATION	LICENSE NO. WD-1456		NAME OF LICENSED DRILLER John W. White			NAME OF WELL DRILLING COMPANY White Drilling Company, Inc.	
	DRILLING STARTED 10/17/2019	DRILLING ENDED 10/17/2019	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT) 69		
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input type="checkbox"/> DRY HOLE <input checked="" type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) 69		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:						
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:						
	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)
3. ANNULAR MATERIAL	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT	

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 04/30/19)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 1 OF 2

	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
4. HYDROGEOLOGIC LOG OF WELL	0	5	5	Tan clayey sand	Y ✓ N	
	5	100	95	Gypsum	✓ Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
	METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00
<input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:						
5. TEST, RIG SUPERVISION	-WELL TEST TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.					
	MISCELLANEOUS INFORMATION:					
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Dallas Rader					
6. SIGNATURE	BY SIGNING BELOW, I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAS BEEN INSTALLED AND THAT THIS WELL RECORD WILL ALSO BE FILED WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMPLETION OF WELL DRILLING.					
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME				10/28/19 DATE	

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 04/30/2019)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 2 OF 2

APPENDIX C

ENVIROTECH SITE ASSESSMENT

Remediation Excavation and Closure Plan



Chevron - Hayhurst Pad 10

Incident #nAPP2211730678

Unit O, Section 26, T25S, R27E

Eddy County, New Mexico

August 24, 2022

Ms. Kayla Atkinson
SwiftWater HSEQ Specialist
2401 North County Road 1287
Midland, Texas 79707
Phone: (830) 570-5220
E-mail: katkinson@swiftwater.com



Practical Solutions for a Better Tomorrow
Arizona • Colorado • New Mexico • Texas • Utah

Table of Contents

**Tetra Technologies - Chevron
Hayhurst Pad 10 Produced Water Release Remediation Plan
Incident # nAPP2211730678
Unit O, Section 26, T25S, R27E
Eddy County, New Mexico**

LOCATION	1
BACKGROUND	1
SURFACE AND GROUND WATER.....	1
REGULATORY STANDARDS	1
SITE CHARACTERIZATION-DELINEATION.....	2
Field Screening	2
Confirmation Soil Sampling.....	2
Laboratory Analytical Results.....	2
REMEDIATION PLAN.....	3
Alternative Method	3
Site Stabilization and Restoration	3
Site Closure.....	4
Schedule	4

Figures: Figure 1, Vicinity Map
 Figure 2, Site Map

Tables: Table 1, Summary of Soil Analytical Results

Appendices: Appendix A, Siting Criteria Documentation
 Appendix B, Field Notes
 Appendix C, Site Photography
 Appendix D, Laboratory Analytical Reports
 Appendix E, SA-2000 Information

Page Left Intentionally Blank

Location

The subject site is identified as the Hayhurst Pad 10 Produced Water Spill and is located within Unit I and O, Section 26, Township 25 South, Range 27 East, Eddy County, New Mexico. The site location is further described as beginning at 32.09802, -104.15239 and terminating at 32.0946719, -104.154604; see **Figure 1, Vicinity Map**.

Background

On April 12, 2022, a release of produced water occurred at Chevron's Hayhurst Pad 10 due to a pressure spike causing a layflat head to separate. Approximately 566 barrels of produced water were released, and visible surface impact included an approximately 2,700 feet in length and averaging 20 feet in width. Crews were able to quickly shut down operations, clamp the hose, and make repairs to the connection.

Surface and Ground Water

Based on information provided by the United States Department of Agriculture Natural Resources Conservation Service (NRCS) Web Soil Survey, the soils predominant at the site is the Reeves-Reagan loams which consists of residuum weathered from gypsum.

The subject site is 4,662 feet west of a livestock tank (Apple Tank), and 1,074 feet east of a water well (C-04371). The depth to water in the water well is recorded at 69 feet on October 16, 2019. Therefore, depth to water at the subject site is estimated to be greater than 51 feet below ground surface (bgs) and less than 100 feet bgs. Additionally, the release site is located in a high karst occurrence location; therefore, the most stringent release closure criteria is applicable for any subsequent remediation efforts. Siting criteria documentation for the subject well site is provided in **Appendix A, Siting Documentation**.

Regulatory Standards

Based on the release being mostly confined to the upper 4 feet and in a high karst potential location, the closure criteria for the site were based on the following standards (*19.15.29.12 and 19.15.29.13 NMAC*):

Constituent	Method	Limit
Chloride	EPA 300.0	600 mg/kg
Total Petroleum Hydrocarbons (TPH)	EPA Method 8015D	100 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA Method 8021B	50 mg/kg
Benzene	EPA Method 8021B	10 mg/kg

Site Characterization-Delineation

Release delineation activities were conducted from August 8 through 11, 2022, which included utilizing hand tools and a trackhoe to advance test holes in proximity of the release path to determine the horizontal and vertical extents of the release.

Field Screening

To direct delineation activities, field screening for volatile organic compounds (VOCs) was conducted with a photo-ionization detector (PID) organic vapor meter (OVM). Prior to performing field screening activities, the PID-OVM was first calibrated with 100 parts per million (ppm) isobutylene gas. Soil samples were also screened in the field for TPH per United States Environmental Protection Agency (EPA) Method 418.1 using an Infracal Total Oil and Grease (TOG)/TPH Analyzer. A three-point calibration was completed prior to conducting soil screening. Field screening protocol followed the manufacture's operating procedures. Samples were also field screened for chlorides using a Hach Chloride Test Kit. Field screening results are provided in **Appendix B, Field Notes**.

Confirmation Soil Sampling

Three (3) surface soil samples were collected off-site, in undisturbed locations (BG-1, BG-2, and BG-3). The three (3) soil samples were used to provide background chloride concentrations for future remediation efforts. Additionally, six (6) surface, grab samples were collected along the central axis of the release path (GS-1 through GS-6). These samples were used to determine if VOCs and TPH could be used as indicators for the release delineation, or if chloride would be the contaminant of concern for this site. These initial samples were field screened as well as collected for laboratory analysis.

A total of twenty-three (23) test holes (TH) were excavated in proximity of the spill path. Two samples were collected for laboratory analysis from each test hole, except for TH-22 and TH-23. The sample depth was limited in these test holes due to safety restrictions from buried pipelines. All soil samples collected for laboratory analysis, were placed into an individual laboratory provided 2-ounce jar, capped head space free, and transported on ice to Envirotech Analytical Laboratory under strict chain of custody. The soil sample locations are illustrated in **Figure 2, Site Map** and in **Appendix C, Site Photography**.

Laboratory Analytical Results

The soil samples were analyzed per analytical methods referenced in 19.15.29.12 NMAC. Laboratory results indicate VOCs and TPH are below laboratory detection limits and regulatory standards throughout the spill path, at all depths analyzed. Chloride is the contaminant of concern for the subject release and concentrations ranged from <20.0 mg/kg in several samples to 47,600 mg/kg in TH-8 0". Analytical results are summarized in **Table 1, Summary of Soil Analytical Results** and **Appendix D, Laboratory Analytical Report**.

The original spill path was mapped out by Tetra Tech representatives, and the flow path was used to guide horizontal delineation efforts. Field screening and laboratory samples, correspond to the horizontal spill path originally mapped by Tetra Tech. The spill map will also be used to guide the horizontal extents of the remediation excavation.

Based on field screening and confirmation samples collected, contaminants of concern are below regulatory limits at 4 feet bgs throughout the release footprint. However, chloride above 600 mg/kg was recorded at 2 feet bgs in TH 12, 14, 18, and 20; which correspond to areas where the released fluid had ponded along the right-of-way. A majority of the remediation efforts are anticipated to be in the upper 2 feet of the release path, with sections extending to 2 to 3 feet bgs.

Remediation Plan

The spill footprint is estimated at 108,000 square feet to an average depth of 2 feet; therefore, it is estimated approximately 8,000 cubic yards of soil has been impacted. To successfully mitigate chloride contamination, and to protect public health and the environment, Tetra Tech/Chevron proposes the following remediation plan:

Based on the delineation field screening and laboratory analytical results for chloride, the contaminated soil will be removed to approximately 1.5 feet bgs along the entire spill path. Field screening using a ~~Hach Chloride Test Kit~~ will guide the excavation extents. Where chloride contamination was confirmed above regulatory standard at 2 feet bgs, excavation will continue until field screening results indicate chloride contamination has been removed.

The excavation will be deemed complete when field screening levels indicates chloride contamination is below the applicable regulatory standard. All contaminated soil will be transported off site to a NMOCD approved disposal facility.

Alternative Method

~~To expedite the remediation project, mitigate heavy truck traffic, and provide a cost effective solution, an alternative to the traditional dig and haul is proposed. Treatment of the soil utilizing soil shredding and 3 Tier Technologies SA 2000 is the proposed alternative method. Soil shredding involves excavating impacted soil; mechanically grinding the soil; adding the appropriate soil amendment for the contaminants of concern in a liquid form; and allowing the treated soil to react. In the case of chloride impacted soils, the excavation and treatment process can be completed in approximately 10 to 20 days for the subject volume of soil. Further information regarding SA 2000 is provided in Appendix E.~~

Site Stabilization and Restoration

Upon completion of the remediation excavation, an NMOCD 48-hour notice will be submitted for confirmation sampling for contaminants of concern. Chevron is requesting a variance to the 200

square foot confirmation sampling requirement for the area to be excavated, which would require over 540 base samples within the excavation footprint. Chevron proposes increasing the confirmation sampling size to 5-point composite soil samples representative of 500 square feet for the base and sidewalls of the excavation. Five-point composite soil samples will be collected and analyzed for contaminants of concern provided in *Table 1* of 19.15.29.12 NMAC. If laboratory analytical results indicate concentrations of TPH, benzene, total BTEX, and chloride are below Table 1 criteria, the site will be backfilled with non-impacted soil.

Site Closure

Upon completion of the remediation activities, Tetra Tech/Chevron will submit a Form C-141/Closure to the NMOCD, including the Closure Report Attachment Checklist. The site will be reclaimed in accordance with 19.15.29.13 NMAC.

Schedule

The proposed schedule for the remediation excavation is estimated to be 45-65 days. This schedule is dependent on the availability of transport and the distance of the disposal facility from the subject site. This does not include confirmation sampling, laboratory analysis, and closure report preparation.


Figures



**Figure 1, Vicinity Map
Figure 2, Site Map**



Practical Solutions for a Better Tomorrow



Legend

● Site Location


Figure 1, Vicinity Map

Hayhurst Pad 10
 Site Characterization/Delineation
 Section 26, Township 25S, Range 27E
 Eddy County, New Mexico
 32.0946719, -104.1546041
 Project #21016-0002



Environmental Scientists and Engineers
 5796 U.S Highway 64
 Farmington, New Mexico 87401
 505.632.0615

Date Drawn: 08/19/2022
 Drawn by: C. Todacheenie



0 32 64 128 192 256
 Feet

Legend

- Test Hole
- Background
- Grab Sample
- Spill Path

Figure 2, Site Map

Hayhurst Pad 10
 Site Characterization/Delineation
 Section 26, Township 25S, Range 27E
 Eddy County, New Mexico
 32.0946719, -104.1546041
 Project #21016-0002



Environmental Scientists and Engineers
 5796 U.S Highway 64
 Farmington, New Mexico 87401
 505.632.0615

Date Drawn: 08/19/2022
 Drawn by: C. Todacheenie

Tables

Table 1, Summary of Soil Analytical Results



Practical Solutions for a Better Tomorrow

Table 1, Summary of Soil Analytical Results
Hayhurst Pad 10 Site Delineation
Unit O, Section 26, Township 25S, Range 27E
Eddy County, New Mexico
Incident #nAPP2211730678

Laboratory Sample ID	Date	Sample Description	EPA Method 8015			EPA Method 8021		EPA Method 300.0	
			GRO	DRO	ORO	Benzene	Total BTEX	Chlorides	
NMOCD Release Closure Criteria (Table 1 - 19.15.29.12 NMAC)			100 mg/kg			10 mg/kg	50 mg/kg	600 mg/kg	
BG-1	8/8/2022	Surface (0.0 - 0.25 ft)	N/A	N/A	N/A	N/A	N/A	<20.0	
BG-2			N/A	N/A	N/A	N/A	N/A	<20.0	
BG-3			N/A	N/A	N/A	N/A	N/A	<20.0	
GS-1			<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
GS-2			<20.0	<25.0	<50.0	<0.0250	<0.100	8,660	
GS-3			<20.0	<25.0	<50.0	<0.0250	<0.100	6,500	
GS-4			<20.0	<25.0	<50.0	<0.0250	<0.100	17,300	
GS-5			<20.0	<25.0	<50.0	<0.0250	<0.100	5,560	
GS-6			<20.0	<25.0	<50.0	<0.0250	<0.100	5,380	
TH-1 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-1 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-2 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	13,600	
TH-2 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	109	
TH-3 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	11,600	
TH-3 4'		4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-4 0"	8/10/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-4 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-5 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-5 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-6 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	12,500	
TH-6 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	214	
TH-7 0'		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	7,500	
TH-7 4'		4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-8 0"		Surface (0.0 - 0.25 ft)	<20.0	27.1	<50.0	<0.0250	<0.100	47,600	
TH-8 10"		0.83 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	7,580	
TH-9 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	12,100	
TH-9 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	120	
TH-10 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	8,460	
TH-10 4'		4 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-11 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	12,700	
TH-11 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	472	
TH-12 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	8,510	
TH-12 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	1,010	
TH-13 0"		Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	8,850	
TH-13 2'		2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	499	
TH-14 0"		8/11/2022	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	211
TH-14 2'			2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	12,400
TH-15 0"			Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	1,500
TH-15 4'	4 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	518	
TH-16 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	7,200	
TH-16 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	264	
TH-17 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	7,520	
TH-17 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	528	
TH-18 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	791	
TH-18 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	13,900	
TH-19 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	6,430	
TH-19 4'	4 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	56.9	
TH-20 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	25,800	
TH-20 2'	2 feet BGS		<20.0	<25.0	<50.0	<0.0250	<0.100	1,090	
TH-21 0"	Surface (0.0 - 0.25 ft)		<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0	
TH-21 2'	2 feet BGS	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0		
TH-22 0"	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	2,090		
TH-23 0"	Surface (0.0 - 0.25 ft)	<20.0	<25.0	<50.0	<0.0250	<0.100	<20.0		

N/A - Not Analyzed

Appendix A



Siting Criteria



Practical Solutions for a Better Tomorrow

Site Name:	Chevron Hayhurst SWD			
API #:				
Lat/Long:	33.09467, -104.15460			
TRS:	Unti O Sec26 T25S R27E			
Land Jurisdiction:	State			
County:	Eddy			
Wellhead Protection Area Assessment				
Water Source Type (well/spring/stock pond)	ID	Latitude	Longitude	Distance
Distance to Nearest Significant Watercourse				
Livestock Tank - 4,662 ft				
Depth to Groundwater Determination				
Cathodic Report/Site Specific Hydrogeology				
Elevation Differential	29' Higher than site			
Water Wells	C-04371-POD1 Distance=1,076' DTW=69'(2019)			
Sensitive Receptor Determination				
<300' of any continuously flowing watercourse or any other significant watercourse	No			
<200' of any lakebed, sinkhole or playa lake (measured from the Ordinary High Water	No			
<300' of an occupied permanent residence, school, hospital, institution or church	No			
<500' of a spring or private/domestic water well used by <5 households for domestic or stock watering purposes	No			
<1000' of any water well or spring	No			
Within incorporated municipal boundaries or within a defined municipal fresh water well	No			
<300' of a wetland	No			
Within the area overlying a subsurface mine	No			
Within an unstable area	Yes			
Within a 100-year floodplain (Zone D - risk unknown)	No			
DTW Determination	≤50 <input checked="" type="checkbox"/>	50-100 <input type="checkbox"/>	>100 <input type="checkbox"/>	
Benzene	10	10	10	
BTEX (mg/kg)	50	50	50	
8015 TPH (GRO/DRO) (mg/kg)	Not Applicable	1,000	1,000	
8015 TPH (GRO/DRO/MRO) (mg/kg)	100	2,500	2,500	
Chlorides (mg/kg)	600	10,000	20,000	



Practical Solutions of a Better Tomorrow



+

32.0946719 -104.1546041

×

Q

Show search results for 32.094...

Print

Fullscreen

Layers

Measurement


Feet

Measurement Result

4,662.3 Feet

Clear

Press CTRL to enable snapping



Measurement

Feet

Measurement Result

1,076.1 Feet

Clear

Press CTRL to enable snapping





New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
NA	C 04371 POD1	3	3	4	26	25S	27E	579369	3551272

Driller License: 1456**Driller Company:** WHITE DRILLING COMPANY**Driller Name:** WHITE, JOHNNOWN.GENER**Drill Start Date:** 10/17/2019**Drill Finish Date:** 10/17/2019**Plug Date:** 10/17/2019**Log File Date:** 11/04/2019**PCW Rcv Date:****Source:** Shallow**Pump Type:****Pipe Discharge Size:****Estimated Yield:****Casing Size:****Depth Well:** 100 feet**Depth Water:** 69 feet**Water Bearing Stratifications:****Top Bottom Description**

5 100 Other/Unknown

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

National Flood Hazard Layer FIRMette



104°9'35"W 32°5'56"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/22/2022 at 4:30 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.


Appendix B



Field Notes



Practical Solutions for a Better Tomorrow

CLIENT: <u>TETRA TECH</u>		Envmtl. Spclst: <u>K. SANCHEZ</u>
CLIENT/JOB #: <u>21016-0002</u>	505-632-0615 1-800-362-1879	Onsite: <u>7:32</u> Offsite: _____
START DATE: <u>8-8-22</u>	5796 US Highway 64 Farmington, NM 87401	LAT: <u>32.0946719</u>
FINISH DATE: <u>8-11-22</u>		LONG: <u>-104.1546041</u>
Page # <u>1</u> of <u>3</u>		


LOCATION:	Name: <u>HAYHURST Pan</u>	Well #: <u>10</u>	API: _____
	County: <u>EDDY</u>	State: <u>NM</u>	HWY-MM: _____
Cause of Release: _____	Material Released: <u>PRODUCED WATER</u>	Amt. Released: <u>566 BBL</u>	
QUAD/UNIT: _____	SEC: <u>26</u>	TWP: <u>25S</u>	RNG: <u>27E</u> PM: _____
Spill Located Approximately: _____ FT.	FROM _____		
Excavation Approx: _____ FT.	X _____ FT.	X _____ FT.	Volume (cy/tons): _____
Disposal Facility: _____			
Land Use: _____	Land Owner: <u>STATE</u>		
REGULATORY AGENCY: <u>NMOCDD</u>	TPH CLOSURE STD: _____		
ADDITIONAL CLOSURE REQUIREMENTS: _____			

			VOC		TPH (Method 418.1)			Chloride	
SAMPLE NAME	TIME COLLECTED	DESCRIPTION	TIME	PID/OV ppm	TIME	READING	CALC ppm	TIME	mg/kg
BG-1	9:08	BACKGROUND 1						9:20	<32
BG-2	9:26	BACKGROUND 2						9:41	<32
BG-3	9:45	BACKGROUND 3						9:54	<32
GS-1	10:06	4" BGS	10:30	0.0	10:24	02	08	10:15	<32
GS-2	10:41	4" BGS	11:03	0.0	11:06	17	68	10:55	>6145
GS-3	11:12	4" BGS	11:34	0.0	11:30	91	364	11:20	5396
GS-4	11:44	4" BGS	12:02	0.0	11:55	46	184	11:52	76145
GS-5	12:10	4" BGS	12:30	0.0	12:24	29	116	12:20	3578
GS-6	12:44	4" BGS	13:09	0.0	13:03	09	36	13:00	4328
TH-1 0"	13:29	SURFACE	13:43	0.0	13:45	00	00	13:40	61
TH-2 2'	13:47	2' BGS	14:03	0.0	14:01	01	04	13:53	61

NOTES: Include laboratory analysis information

CS-COMPOSITE SAMPLE
GS-GRAB SAMPLE
SB-SOIL BORING
TP-TEST PIT
DU- DECISION UNIT
ST-STATION

200 STD. → 191 (10:20)

CLIENT:	TETRA TECH	 envirotech 505-632-0615 1-800-362-1879 5796 US Highway 64 Farmington, NM 87401	Envmtl. Spclst:	K. SANCHEZ
CLIENT/JOB #:	21016-0002		Site Name:	HAYHURST PAD 10
START DATE:	8-8-22		LAT	
FINISH DATE:	8-10-22		LONG	
Page #	2 of 3			

Field Screening Report

			VOC		TPH (Method 418.1)			CHLORIDE	
SAMPLE NAME	TIME COLLECTED	DESCRIPTION	TIME	PID/OV ppm	TIME	READING	CALC. ppm	TIME	mg/kg
TH-2 0"	14:30	SURFACE	14:42	0.0	14:48	6	24	14:44	26145
TH-2 2'	14:50	2' BGS	15:11	0.0	15:09	0	0	15:03	89
TH-3 0"	15:34	SURFACE	15:52	0.0	15:49	21	84	15:45	6145
TH-3 2'	15:54	2' BGS	16:20	0.0	16:13	10	40	16:08	6145
TH-3 4'	16:38	4' BGS	16:55	0.0	16:53	09	36	16:50	147
NO FIELD ACTIVITIES									
TH-4 0"	10:06	SURFACE	10:26	0.0	10:20	29	116	10:22	<32
TH-4 2'	10:29	2' BGS	10:41	0.0	10:39	24	96	10:44	<32
TH-5 0"	10:45	SURFACE						11:06	<32
TH-5 2'	10:47	2' BGS						11:09	<32
TH-6 0"	11:30	SURFACE						11:42	2638
TH-6 2'	11:33	2' BGS						11:45	255
TH-7 0"	12:02	SURFACE						12:14	6145
TH-7 2'	12:04	2' BGS						12:19	1192
TH-7 4'	12:25	4' BGS						12:45	79
TH-8 0"	13:08	SURFACE						13:22	26145
TH-8 10"	13:14	10" BGS						13:26	4808
TH-9 0"	13:53	SURFACE						14:20	26145
TH-9 2'	13:57	2' BGS						14:28	174
TH-10 0"	14:39	SURFACE						15:01	26145
TH-10 2'	14:41	2' BGS						15:05	4808
TH-10 4'	15:13	4' BGS						15:33	174
TH-11 0"	15:55	SURFACE						16:16	26145
TH-12 2'	15:57	2' BGS						16:19	88638
TH-12 0"	16:37	SURFACE						16:55	6145
TH-12 2'	16:39	2' BGS						16:58	443
TH-13 0"	17:05	SURFACE						17:22	26145
TH-13 2'	17:07	2' BGS						17:25	443

NOTES: Include laboratory analysis information

*HAD TO RECALIBRATE INFRACAL WHILE RUNNING TH-2 SAMPLES. (14:40)
 200 STD → 184 (10:16)

Revised 6/14/2021

Appendix C




Site Photography



Practical Solutions for a Better Tomorrow

Site Photography
Tetra Tech
Eddy County, New Mexico
Site Characterization/Delineation
Project #21016-0002
August 15, 2022



Picture 1: Overview of Spill Path



Picture 2: Example TH-11 @ 2'



Practical Solutions for a Better Tomorrow

Site Photography
Tetra Tech
Eddy County, New Mexico
Site Characterization/Delineation
Project #21016-0002
August 15, 2022



Picture 3: Example TH-3 @4'



Picture 4: Example BG-1

Site Photography
Tetra Tech
Eddy County, New Mexico
Site Characterization/Delineation
Project #21016-0002
August 15, 2022



Picture 5: Example TH -10 @ 4'



Practical Solutions for a Better Tomorrow

Appendix D



Laboratory Analytical Reports



Practical Solutions for a Better Tomorrow

Report to:
Greg Crabtree



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Tetra Technologies

Project Name: Hayhurst Pad 10

Work Order: E208073

Job Number: 21016-0002

Received: 8/12/2022

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
8/19/22

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.
Envirotech Inc. holds the NM SDWA certification for data reported. (Lab #NM00979)

Date Reported: 8/19/22

Greg Crabtree
6121 Indian School Road, NE
Albuquerque, NM 87110



Project Name: Hayhurst Pad 10
Workorder: E208073
Date Received: 8/12/2022 3:01:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 8/12/2022 3:01:00PM, under the Project Name: Hayhurst Pad 10.

The analytical test results summarized in this report with the Project Name: Hayhurst Pad 10 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
BG-1	6
BG-2	7
BG-3	8
GS-1	9
GS-2	10
GS-3	11
GS-4	12
GS-5	13
GS-6	14
TH-1 0"	15
TH-1 2'	16
TH-2 0"	17
TH-2 2'	18
TH-3 0"	19
TH-3 4'	20
TH-4 0"	21
TH-4 2'	22
TH-5 0"	23
TH-5 2'	24
TH-6 0"	25

Table of Contents (continued)

TH-6 2'	26
QC Summary Data	27
QC - Volatile Organic Compounds by EPA 8260B	27
QC - Nonhalogenated Organics by EPA 8015D - GRO	28
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	29
QC - Anions by EPA 300.0/9056A	30
Definitions and Notes	32
Chain of Custody etc.	33

Sample Summary

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name:	Hayhurst Pad 10	Reported: 08/19/22 14:19
	Project Number:	21016-0002	
	Project Manager:	Greg Crabtree	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BG-1	E208073-01A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
BG-2	E208073-02A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
BG-3	E208073-03A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
GS-1	E208073-04A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
GS-2	E208073-05A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
GS-3	E208073-06A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
GS-4	E208073-07A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
GS-5	E208073-08A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
GS-6	E208073-09A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-1 0"	E208073-10A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-1 2'	E208073-11A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-2 0"	E208073-12A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-2 2'	E208073-13A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-3 0"	E208073-14A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-3 4'	E208073-15A	Soil	08/08/22	08/12/22	Glass Jar, 2 oz.
TH-4 0"	E208073-16A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-4 2'	E208073-17A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-5 0"	E208073-18A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-5 2'	E208073-19A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-6 0"	E208073-20A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-6 2'	E208073-21A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.



Sample Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	
6121 Indian School Road, NE	Project Number:	21016-0002	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 2:19:12PM

BG-1

E208073-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
---------	--------	-----------------	----------	----------	----------	-------

Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: RAS		Batch: 2234018
Chloride	ND	20.0	1	08/15/22	08/16/22



Sample Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported: 8/19/2022 2:19:12PM
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	

BG-2

E208073-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: RAS		Batch: 2234018	
Chloride	ND	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported: 8/19/2022 2:19:12PM
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	

BG-3

E208073-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: RAS		Batch: 2234018	
Chloride	ND	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

GS-1

E208073-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		101 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		97.8 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		105 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		101 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		97.8 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		105 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane		78.8 %	50-200	08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

GS-2

E208073-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg	Analyst: IY		Batch: 2234017	
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: IY		Batch: 2234017	
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: JL		Batch: 2234004	
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	83.0 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2234018	
Chloride	8660	200	10	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

GS-3

E208073-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.5 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.5 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	77.5 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	6500	400	20	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

GS-4

E208073-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.1 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	92.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.1 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	92.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	77.7 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	17300	1000	50	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

GS-5

E208073-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	103 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	103 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	77.4 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	5560	400	20	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

GS-6

E208073-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg	Analyst: IY		Batch: 2234017	
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	102 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: IY		Batch: 2234017	
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	102 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: JL		Batch: 2234004	
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	73.1 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2234018	
Chloride	5380	200	10	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-1 0"
E208073-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	80.3 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-1 2'

E208073-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	77.3 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	200	10	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-2 0"
E208073-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		101 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		99.4 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		101 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		99.4 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane		73.2 %	50-200	08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	13600	400	20	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-2 2'

E208073-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	103 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	103 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	82.3 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	109	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-3 0"
E208073-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.5 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.6 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.5 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.6 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	77.7 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	11600	400	20	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-3 4'

E208073-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		100 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		97.3 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		100 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		97.3 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane		96.6 %	50-200	08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	200	10	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-4 0"
E208073-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		100 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		95.8 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		100 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		95.8 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane		94.8 %	50-200	08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-4 2'

E208073-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.0 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.0 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	85.7 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	200	10	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-5 0"
E208073-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		101 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		102 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene		101 %	70-130	08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4		102 %	70-130	08/15/22	08/16/22	
Surrogate: Toluene-d8		104 %	70-130	08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane		85.5 %	50-200	08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	20.0	1	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-5 2'

E208073-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/17/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/17/22	
Toluene	ND	0.0250	1	08/15/22	08/17/22	
o-Xylene	ND	0.0250	1	08/15/22	08/17/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/17/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/17/22	
Surrogate: Bromofluorobenzene	98.4 %	70-130		08/15/22	08/17/22	
Surrogate: 1,2-Dichloroethane-d4	96.8 %	70-130		08/15/22	08/17/22	
Surrogate: Toluene-d8	103 %	70-130		08/15/22	08/17/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/17/22	
Surrogate: Bromofluorobenzene	98.4 %	70-130		08/15/22	08/17/22	
Surrogate: 1,2-Dichloroethane-d4	96.8 %	70-130		08/15/22	08/17/22	
Surrogate: Toluene-d8	103 %	70-130		08/15/22	08/17/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	79.5 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	ND	200	10	08/15/22	08/16/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-6 0"
E208073-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/17/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/17/22	
Toluene	ND	0.0250	1	08/15/22	08/17/22	
o-Xylene	ND	0.0250	1	08/15/22	08/17/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/17/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/17/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/17/22	
Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130		08/15/22	08/17/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/17/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/17/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/17/22	
Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130		08/15/22	08/17/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/17/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	87.1 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234018
Chloride	12500	400	20	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:19:12PM

TH-6 2'

E208073-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Benzene	ND	0.0250	1	08/15/22	08/17/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/17/22	
Toluene	ND	0.0250	1	08/15/22	08/17/22	
o-Xylene	ND	0.0250	1	08/15/22	08/17/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/17/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/17/22	
Surrogate: Bromofluorobenzene		100 %	70-130	08/15/22	08/17/22	
Surrogate: 1,2-Dichloroethane-d4		97.8 %	70-130	08/15/22	08/17/22	
Surrogate: Toluene-d8		105 %	70-130	08/15/22	08/17/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234017
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/17/22	
Surrogate: Bromofluorobenzene		100 %	70-130	08/15/22	08/17/22	
Surrogate: 1,2-Dichloroethane-d4		97.8 %	70-130	08/15/22	08/17/22	
Surrogate: Toluene-d8		105 %	70-130	08/15/22	08/17/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234004
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane		79.1 %	50-200	08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	214	200	10	08/15/22	08/18/22	



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 2:19:12PM

Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2234017-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.500		0.500		99.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.498		0.500		99.5	70-130			
Surrogate: Toluene-d8	0.525		0.500		105	70-130			

LCS (2234017-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	2.48	0.0250	2.50		99.1	70-130			
Ethylbenzene	2.60	0.0250	2.50		104	70-130			
Toluene	2.51	0.0250	2.50		100	70-130			
o-Xylene	2.43	0.0250	2.50		97.1	70-130			
p,m-Xylene	4.80	0.0500	5.00		96.1	70-130			
Total Xylenes	7.23	0.0250	7.50		96.4	70-130			
Surrogate: Bromofluorobenzene	0.501		0.500		100	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.481		0.500		96.2	70-130			
Surrogate: Toluene-d8	0.525		0.500		105	70-130			

LCS Dup (2234017-BSD1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	2.56	0.0250	2.50		102	70-130	3.08	23	
Ethylbenzene	2.63	0.0250	2.50		105	70-130	0.898	27	
Toluene	2.55	0.0250	2.50		102	70-130	1.52	24	
o-Xylene	2.47	0.0250	2.50		98.8	70-130	1.71	27	
p,m-Xylene	4.90	0.0500	5.00		97.9	70-130	1.88	27	
Total Xylenes	7.37	0.0250	7.50		98.2	70-130	1.82	27	
Surrogate: Bromofluorobenzene	0.502		0.500		100	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.494		0.500		98.7	70-130			
Surrogate: Toluene-d8	0.523		0.500		105	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 8/19/2022 2:19:12PM
--	---	----------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234017-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.500		0.500		99.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.498		0.500		99.5	70-130			
Surrogate: Toluene-d8	0.525		0.500		105	70-130			

LCS (2234017-BS2)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	57.4	20.0	50.0		115	70-130			
Surrogate: Bromofluorobenzene	0.501		0.500		100	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.468		0.500		93.5	70-130			
Surrogate: Toluene-d8	0.523		0.500		105	70-130			

LCS Dup (2234017-BSD2)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	56.3	20.0	50.0		113	70-130	2.10	20	
Surrogate: Bromofluorobenzene	0.500		0.500		99.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.480		0.500		95.9	70-130			
Surrogate: Toluene-d8	0.527		0.500		105	70-130			



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 2:19:12PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234004-BLK1)					Prepared: 08/15/22 Analyzed: 08/16/22				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	39.2		50.0		78.4	50-200			

LCS (2234004-BS1)					Prepared: 08/15/22 Analyzed: 08/16/22				
Diesel Range Organics (C10-C28)	220	25.0	250		88.1	38-132			
Surrogate: n-Nonane	38.3		50.0		76.7	50-200			

Matrix Spike (2234004-MS1)					Source: E208073-11		Prepared: 08/15/22 Analyzed: 08/16/22		
Diesel Range Organics (C10-C28)	244	25.0	250	ND	97.6	38-132			
Surrogate: n-Nonane	40.3		50.0		80.5	50-200			

Matrix Spike Dup (2234004-MSD1)					Source: E208073-11		Prepared: 08/15/22 Analyzed: 08/16/22		
Diesel Range Organics (C10-C28)	224	25.0	250	ND	89.5	38-132	8.66	20	
Surrogate: n-Nonane	34.8		50.0		69.6	50-200			



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 2:19:12PM

Anions by EPA 300.0/9056A

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234018-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Chloride ND 20.0

LCS (2234018-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Chloride 250 20.0 250 100 90-110

Matrix Spike (2234018-MS1)

Source: E208073-01

Prepared: 08/15/22 Analyzed: 08/16/22

Chloride 255 20.0 250 ND 102 80-120

Matrix Spike Dup (2234018-MSD1)

Source: E208073-01

Prepared: 08/15/22 Analyzed: 08/16/22

Chloride 254 20.0 250 ND 102 80-120 0.0904 20



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 2:19:12PM

Anions by EPA 300.0/9056A

Analyst: RAS

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2234020-BLK1)					Prepared: 08/15/22 Analyzed: 08/17/22				
Chloride	ND	20.0							
LCS (2234020-BS1)					Prepared: 08/15/22 Analyzed: 08/17/22				
Chloride	245	20.0	250		97.9	90-110			
Matrix Spike (2234020-MS1)					Source: E208073-21		Prepared: 08/15/22 Analyzed: 08/18/22		
Chloride	477	200	250	214	105	80-120			
Matrix Spike Dup (2234020-MSD1)					Source: E208073-21		Prepared: 08/15/22 Analyzed: 08/18/22		
Chloride	564	200	250	214	140	80-120	16.6	20	M2

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Tetra Technologies	Project Name:	Hayhurst Pad 10	
6121 Indian School Road, NE	Project Number:	21016-0002	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	08/19/22 14:19

- M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.

Client: <u>TETRA TECH</u>				Bill To		Lab Use Only				TAT				EPA Program			
Project: <u>HAYHURST PAD 10</u>				Attention: _____		Lab WO# <u>E208073</u>		Job Number <u>21016-0002</u>		1D	2D	3D	Standard	CWA	SDWA		
Project Manager: <u>Felipe Aragon - GREG CRABTREE</u>				Address: _____		Analysis and Method											
Address: _____				City, State, Zip _____													
City, State, Zip _____				Phone: _____													
Phone: _____				Email: _____													
Email: <u>Faragon Tknight Gcrabtree Bhall Igarcia</u>																	
KSanchez Dcarter																	
Report due by: _____																	
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	8260	8270	8015 (DRO/GRO/ORO)	8021	Chlorides							
9:08	8-8-22	S	1	BG-1	1					X							
9:26				BG-2	2					X							
9:45				BG-3	3					X							
10:06				GS-1	4						X						
10:41				GS-2	5						X						
11:12				GS-3	6						X						
11:44				GS-4	7						X						
12:10				GS-5	8						X						
12:44				GS-6	9						X						
13:29				TH-1 0"	10						X						
13:47				TH-1 2'	11						X						
Additional Instructions:																	
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.											Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.						
Sampled by: <u>K. Sanchez</u>																	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Lab Use Only Received on ice: <u>Y</u> / N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>											
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time												
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time												
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____											Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA						
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																	

Client: TETRA TECH Project: HAYHURST PAB 10 Project Manager: Greg Crabtree Address: _____ City, State, Zip: _____ Phone: _____ Email: Tknight Gcrabtree Bhall Igarcia KSanchez Dcarter _____ Report due by: _____					Bill To Attention: _____ Address: _____ City, State, Zip: _____ Phone: _____ Email: _____					Lab Use Only				TAT				EPA Program															
										Lab WO# E208073	Job Number 21016-0002			1D	2D	3D	Standard	CWA	SDWA														
Analysis and Method <div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">BDGOC</div> <table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table> </div>																														State NM <input checked="" type="checkbox"/> CO <input type="checkbox"/> UT <input type="checkbox"/> AZ <input type="checkbox"/> TX <input type="checkbox"/>		RCRA <input checked="" type="checkbox"/>	
Remarks																																	
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number																												
14:30	8-8-22	S	2	TH-2 0"	12	X																											
14:50				TH-2 2'	13	X																											
15:34				TH-3 0"	14	X																											
16:38				TH-3 4'	15	X																											
10:06	8-10-22	S	2	TH-4 0"	16	X																											
10:29				TH-4 2'	17	X																											
10:45				TH-5 0"	18	X																											
10:47				TH-5 2'	19	X																											
11:30				TH-6 0"	20	X																											
11:33				TH-6 2'	21	X																											
Additional Instructions:																																	
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																																	
Relinquished by: (Signature) <u>[Signature]</u> Date <u>8-12-22</u> Time <u>15:01</u> Received by: (Signature) <u>[Signature]</u> Date <u>8/12/22</u> Time <u>15:01</u>																																	
Relinquished by: (Signature) _____ Date _____ Time _____ Received by: (Signature) _____ Date _____ Time _____																																	
Relinquished by: (Signature) _____ Date _____ Time _____ Received by: (Signature) _____ Date _____ Time _____																																	
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____ Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																																	

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.

Lab Use Only
 Received on ice: ☒ Y / ☐ N

T1 _____ T2 _____ T3 _____

AVG Temp °C 4

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Envirotech Analytical Laboratory

Printed: 8/15/2022 9:31:20AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Tetra Technologies	Date Received:	08/12/22 15:01	Work Order ID:	E208073
Phone:	(505)881-3188	Date Logged In:	08/12/22 15:42	Logged In By:	Caitlin Christian
Email:	gcrabtree@envirotech-inc.com	Due Date:	08/19/22 17:00 (5 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: Kholeton SanchezComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: na

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:
Greg Crabtree



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Tetra Technologies

Project Name: Hayhurst Pad 10

Work Order: E208074

Job Number: 21016-0002

Received: 8/12/2022

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
8/19/22

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.
Envirotech Inc. holds the NM SDWA certification for data reported. (Lab #NM00979)

Date Reported: 8/19/22



Greg Crabtree
6121 Indian School Road, NE
Albuquerque, NM 87110

Project Name: Hayhurst Pad 10
Workorder: E208074
Date Received: 8/12/2022 3:01:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 8/12/2022 3:01:00PM, under the Project Name: Hayhurst Pad 10.

The analytical test results summarized in this report with the Project Name: Hayhurst Pad 10 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
TH-7 0"	6
TH-7 4"	7
TH-8 0"	8
TH-8 10"	9
TH-9 0"	10
TH-9 2'	11
TH-10 0"	12
TH-10 4'	13
TH-11 0"	14
TH-11 2'	15
TH-12 0"	16
TH-12 2'	17
TH-13 0"	18
TH-13 2'	19
TH-14 0"	20
TH-14 2'	21
TH-15 2'	22
TH-15 4'	23
TH-16 0"	24
TH-16 2'	25

Table of Contents (continued)

QC Summary Data	26
QC - Volatile Organic Compounds by EPA 8260B	26
QC - Nonhalogenated Organics by EPA 8015D - GRO	27
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	28
QC - Anions by EPA 300.0/9056A	29
Definitions and Notes	30
Chain of Custody etc.	31

Sample Summary

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 08/19/22 09:07
--	---	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
TH-7 0"	E208074-01A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-7 4"	E208074-02A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-8 0"	E208074-03A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-8 10"	E208074-04A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-9 0"	E208074-05A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-9 2'	E208074-06A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-10 0"	E208074-07A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-10 4'	E208074-08A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-11 0"	E208074-09A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-11 2'	E208074-10A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-12 0"	E208074-11A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-12 2'	E208074-12A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-13 0"	E208074-13A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-13 2'	E208074-14A	Soil	08/10/22	08/12/22	Glass Jar, 2 oz.
TH-14 0"	E208074-15A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-14 2'	E208074-16A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-15 2'	E208074-17A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-15 4'	E208074-18A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-16 0"	E208074-19A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-16 2'	E208074-20A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-7 0"

E208074-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
<i>Surrogate: Bromofluorobenzene</i>	95.6 %	70-130		08/15/22	08/16/22	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	95.2 %	70-130		08/15/22	08/16/22	
<i>Surrogate: Toluene-d8</i>	100 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
<i>Surrogate: Bromofluorobenzene</i>	95.6 %	70-130		08/15/22	08/16/22	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	95.2 %	70-130		08/15/22	08/16/22	
<i>Surrogate: Toluene-d8</i>	100 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
<i>Surrogate: n-Nonane</i>	77.8 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	7500	200	10	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-7 4"

E208074-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.4 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.7 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.4 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.7 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	77.4 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	ND	200	10	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-8 0"

E208074-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	96.8 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	97.9 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	96.0 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	96.8 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	97.9 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	96.0 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	27.1	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	72.0 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	47600	1000	50	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-8 10"

E208074-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.3 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.7 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.3 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.7 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	71.1 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	7580	100	5	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-9 0"

E208074-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	96.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.0 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	96.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.0 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	74.0 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	12100	1000	50	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-9 2'

E208074-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	95.4 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	95.4 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	80.1 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	120	20.0	1	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-10 0"

E208074-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	92.5 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.1 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	92.5 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.1 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	79.4 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	8460	400	20	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-10 4'

E208074-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg	Analyst: IY		Batch: 2234016	
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	93.0 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	95.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: IY		Batch: 2234016	
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	93.0 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	95.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: JL		Batch: 2234003	
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	75.9 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2234019	
Chloride	ND	200	10	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-11 0"

E208074-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.9 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.9 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	72.2 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	12700	400	20	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-11 2'

E208074-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.4 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.3 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.4 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.3 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	85.0 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	472	200	10	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-12 0"

E208074-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.5 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	98.2 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.5 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	98.2 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	80.1 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	8510	200	10	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-12 2'

E208074-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	93.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.0 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.6 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	93.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.0 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.6 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	79.1 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	1010	200	10	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-13 0"

E208074-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.8 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.8 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	81.4 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	8850	400	20	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-13 2'

E208074-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	99.5 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	97.5 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	99.5 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	97.5 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	105 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	83.2 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	499	20.0	1	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-14 0"

E208074-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	98.6 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	94.6 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	98.6 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	94.6 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	104 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	82.8 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	211	40.0	2	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-14 2'

E208074-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	99.6 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	98.6 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	107 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	99.6 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	98.6 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	107 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	86.1 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	12400	400	20	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-15 2'

E208074-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.1 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	95.0 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	100 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.1 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	95.0 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	100 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	79.8 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	1500	20.0	1	08/15/22	08/17/22	



Sample Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 8/19/2022 9:07:23AM
--	---	---

TH-15 4'

E208074-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.5 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	97.7 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	99.2 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.5 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	97.7 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	99.2 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	81.7 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	518	20.0	1	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-16 0"

E208074-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	96.2 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	96.0 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	96.2 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	96.0 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	83.9 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	7200	100	5	08/15/22	08/17/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 9:07:23AM

TH-16 2'

E208074-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Benzene	ND	0.0250	1	08/15/22	08/18/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/18/22	
Toluene	ND	0.0250	1	08/15/22	08/18/22	
o-Xylene	ND	0.0250	1	08/15/22	08/18/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/18/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.6 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	99.6 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	100 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234016
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/18/22	
Surrogate: Bromofluorobenzene	97.6 %	70-130		08/15/22	08/18/22	
Surrogate: 1,2-Dichloroethane-d4	99.6 %	70-130		08/15/22	08/18/22	
Surrogate: Toluene-d8	100 %	70-130		08/15/22	08/18/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234003
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/17/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/17/22	
Surrogate: n-Nonane	83.0 %	50-200		08/15/22	08/17/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234019
Chloride	264	200	10	08/15/22	08/17/22	



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 9:07:23AM

Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2234016-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.483		0.500		96.6	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.479		0.500		95.7	70-130			
Surrogate: Toluene-d8	0.496		0.500		99.1	70-130			

LCS (2234016-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	2.41	0.0250	2.50		96.5	70-130			
Ethylbenzene	2.58	0.0250	2.50		103	70-130			
Toluene	2.43	0.0250	2.50		97.3	70-130			
o-Xylene	2.64	0.0250	2.50		106	70-130			
p,m-Xylene	5.15	0.0500	5.00		103	70-130			
Total Xylenes	7.79	0.0250	7.50		104	70-130			
Surrogate: Bromofluorobenzene	0.505		0.500		101	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.488		0.500		97.5	70-130			
Surrogate: Toluene-d8	0.506		0.500		101	70-130			

LCS Dup (2234016-BSD1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	2.40	0.0250	2.50		96.2	70-130	0.394	23	
Ethylbenzene	2.59	0.0250	2.50		104	70-130	0.445	27	
Toluene	2.44	0.0250	2.50		97.4	70-130	0.123	24	
o-Xylene	2.66	0.0250	2.50		106	70-130	0.642	27	
p,m-Xylene	5.19	0.0500	5.00		104	70-130	0.774	27	
Total Xylenes	7.85	0.0250	7.50		105	70-130	0.729	27	
Surrogate: Bromofluorobenzene	0.507		0.500		101	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.458		0.500		91.6	70-130			
Surrogate: Toluene-d8	0.508		0.500		102	70-130			



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 9:07:23AM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234016-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.483		0.500		96.6	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.479		0.500		95.7	70-130			
Surrogate: Toluene-d8	0.496		0.500		99.1	70-130			

LCS (2234016-BS2)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	44.7	20.0	50.0		89.4	70-130			
Surrogate: Bromofluorobenzene	0.488		0.500		97.5	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.473		0.500		94.6	70-130			
Surrogate: Toluene-d8	0.505		0.500		101	70-130			

LCS Dup (2234016-BSD2)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	45.7	20.0	50.0		91.4	70-130	2.15	20	
Surrogate: Bromofluorobenzene	0.491		0.500		98.2	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.464		0.500		92.7	70-130			
Surrogate: Toluene-d8	0.501		0.500		100	70-130			



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 9:07:23AM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234003-BLK1) Prepared: 08/15/22 Analyzed: 08/16/22

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	38.0		50.0		76.0	50-200			

LCS (2234003-BS1) Prepared: 08/15/22 Analyzed: 08/16/22

Diesel Range Organics (C10-C28)	218	25.0	250		87.4	38-132			
Surrogate: n-Nonane	37.5		50.0		75.0	50-200			

Matrix Spike (2234003-MS1) Source: E208074-16 Prepared: 08/15/22 Analyzed: 08/16/22

Diesel Range Organics (C10-C28)	222	25.0	250	ND	88.8	38-132			
Surrogate: n-Nonane	37.0		50.0		73.9	50-200			

Matrix Spike Dup (2234003-MSD1) Source: E208074-16 Prepared: 08/15/22 Analyzed: 08/16/22

Diesel Range Organics (C10-C28)	224	25.0	250	ND	89.5	38-132	0.765	20	
Surrogate: n-Nonane	38.3		50.0		76.6	50-200			



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 9:07:23AM

Anions by EPA 300.0/9056A

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234019-BLK1)					Prepared: 08/15/22 Analyzed: 08/17/22				
Chloride	ND	20.0							
LCS (2234019-BS1)					Prepared: 08/15/22 Analyzed: 08/17/22				
Chloride	254	20.0	250		102	90-110			
Matrix Spike (2234019-MS1)					Source: E208074-01		Prepared: 08/15/22 Analyzed: 08/17/22		
Chloride	8640	200	250	7500	456	80-120			M2
Matrix Spike Dup (2234019-MSD1)					Source: E208074-01		Prepared: 08/15/22 Analyzed: 08/17/22		
Chloride	10300	200	250	7500	NR	80-120	17.8	20	M2

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Tetra Technologies	Project Name:	Hayhurst Pad 10	
6121 Indian School Road, NE	Project Number:	21016-0002	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	08/19/22 09:07

- M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Project Information

Chain of Custody

Page 3 of 6

Client: <u>TETRA TECH</u>					Bill To		Lab Use Only		TAT				EPA Program			
Project: <u>HAYHURST PAD 10</u>					Attention:		Lab WO# <u>E208074</u>		Job Number <u>21016-0002</u>		1D	2D	3D	Standard	CWA	SDWA
Project Manager: <u>GREG CHARTRE</u>					Address:											
Address:					City, State, Zip											RCRA
City, State, Zip					Phone:											
Phone:					Email:											
Email: <u>ALL ENVIRO</u>																
Report due by:																
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0					
12:02	8-10-22	S	2	TH-7 0"	1											
12:25				TH-7 4"	2											
13:08				TH-8 0"	3											
13:14				TH-8 10"	4											
13:55				TH-9 0"	5											
13:57				TH-9 2'	6											
14:39				TH-10 0"	7											
15:13				TH-10 4'	8											
15:55				TH-11 0"	9											
15:57				TH-11 2'	10											
Additional Instructions:																
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.											Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.					
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Lab Use Only				
<u>[Signature]</u>		8-12-22		15:01		<u>[Signature]</u>		8/12/22		15:01		Received on ice: <u>Y</u> / N				
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		T1 _____ T2 _____ T3 _____				
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		AVG Temp °C <u>4</u>				
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other											Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA					
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																

Project Information

Chain of Custody

Page 4 of 6

Client: <u>TETRA TECH</u>					Bill To		Lab Use Only		TAT				EPA Program			
Project: <u>HAYHURST PAD 10</u>					Attention:		Lab WO# <u>E208074</u>		Job Number <u>21016-0002</u>		1D	2D	3D	Standard	CWA	SDWA
Project Manager: <u>GREG CRABTREE</u>					Address:		Analysis and Method						X		RCRA	
Address:					City, State, Zip											
City, State, Zip					Phone:		DRO/DRO by 8015		GRO/DRO by 8015		BTEX by 8021		VOC by 8260		Metals 6010	
Phone:					Email:		Chloride 300.0		BDGOL							
Email: <u>ALL ENVIRO</u>																
Report due by:																
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	Remarks										
16:37	8-10-22	S	1	TH-12 0"	11											
16:39	↓	↓	↓	TH-12 2'	12											
17:05	↓	↓	↓	TH-13 0"	13											
17:07	↓	↓	↓	TH-13 2'	14											
9:08	8-11-22	S	2	TH-14 0"	15											
9:10	↓	↓	↓	TH-14 2'	16											
9:44	↓	↓	↓	TH-15 2'	17											
10:09	↓	↓	↓	TH-15 4'	18											
10:40	↓	↓	↓	TH-16 0"	19											
10:44	↓	↓	↓	TH-16 2'	20											
Additional Instructions:																
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.										Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.						
Sampled by: <u>K. SANCHEZ</u>																
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Lab Use Only								
<u>[Signature]</u>		8-12-22	15:01	<u>[Signature]</u>		8/12/22	15:01	Received on ice: <u>Y</u> N								
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	T1 _____ T2 _____ T3 _____								
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	AVG Temp °C <u>4</u>								
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____										Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA						
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																

Envirotech Analytical Laboratory

Printed: 8/15/2022 9:29:43AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Tetra Technologies	Date Received:	08/12/22 15:01	Work Order ID:	E208074
Phone:	(505)881-3188	Date Logged In:	08/12/22 15:44	Logged In By:	Caitlin Christian
Email:	gcrabtree@envirotech-inc.com	Due Date:	08/19/22 17:00 (5 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: Kholeton SanchezComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: na

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:
Greg Crabtree



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Tetra Technologies

Project Name: Hayhurst Pad 10

Work Order: E208075

Job Number: 21016-0002

Received: 8/12/2022

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
8/19/22

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.
Envirotech Inc. holds the NM SDWA certification for data reported. (Lab #NM00979)

Date Reported: 8/19/22

Greg Crabtree
6121 Indian School Road, NE
Albuquerque, NM 87110



Project Name: Hayhurst Pad 10
Workorder: E208075
Date Received: 8/12/2022 3:01:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 8/12/2022 3:01:00PM, under the Project Name: Hayhurst Pad 10.

The analytical test results summarized in this report with the Project Name: Hayhurst Pad 10 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
TH-17 0"	5
TH-17 2'	6
TH-18 0"	7
TH-18 2'	8
TH-19 0"	9
TH-19 4'	10
TH-20 0"	11
TH-20 2'	12
TH-21 0"	13
TH-21 2'	14
TH-22 0"	15
TH-23 0"	16
QC Summary Data	17
QC - Volatile Organic Compounds by EPA 8260B	17
QC - Nonhalogenated Organics by EPA 8015D - GRO	18
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	19
QC - Anions by EPA 300.0/9056A	20
Definitions and Notes	21
Chain of Custody etc.	22

Sample Summary

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 08/19/22 14:16
--	---	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
TH-17 0"	E208075-01A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-17 2'	E208075-02A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-18 0"	E208075-03A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-18 2'	E208075-04A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-19 0"	E208075-05A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-19 4'	E208075-06A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-20 0"	E208075-07A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-20 2'	E208075-08A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-21 0"	E208075-09A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-21 2'	E208075-10A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-22 0"	E208075-11A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.
TH-23 0"	E208075-12A	Soil	08/11/22	08/12/22	Glass Jar, 2 oz.



Sample Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 8/19/2022 2:16:40PM
--	---	---

TH-17 0"

E208075-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.8 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.1 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.6 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.8 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.1 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	90.8 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	7520	200	10	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-17 2'

E208075-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.2 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	93.8 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.6 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	99.2 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	93.8 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.6 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	100 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	528	20.0	1	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-18 0"

E208075-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.6 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	101 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.6 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	101 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	96.6 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	791	20.0	1	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-18 2'

E208075-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.0 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	98.7 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.7 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	96.0 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	98.7 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	107 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	13900	400	20	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-19 0"

E208075-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	98.5 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	98.5 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	98.5 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	6430	1000	50	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-19 4'

E208075-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	98.5 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.5 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	98.5 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.5 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	122 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	56.9	20.0	1	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-20 0"

E208075-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.5 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	103 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.2 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	95.5 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	103 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.2 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/15/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/15/22	
Surrogate: n-Nonane	102 %	50-200		08/15/22	08/15/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	25800	2000	100	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-20 2'

E208075-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	93.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.5 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	93.8 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	97.5 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	96.0 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	1090	20.0	1	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-21 0"

E208075-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.1 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.6 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.4 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.1 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.6 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.4 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	98.8 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	ND	200	10	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-21 2'

E208075-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	96.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	96.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	88.5 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	ND	20.0	1	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-22 0"

E208075-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.0 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.8 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.3 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	97.0 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	99.8 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.3 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	95.8 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	2090	400	20	08/15/22	08/18/22	



Sample Data

Tetra Technologies
6121 Indian School Road, NE
Albuquerque NM, 87110

Project Name: Hayhurst Pad 10
Project Number: 21016-0002
Project Manager: Greg Crabtree

Reported:
8/19/2022 2:16:40PM

TH-23 0"

E208075-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Benzene	ND	0.0250	1	08/15/22	08/16/22	
Ethylbenzene	ND	0.0250	1	08/15/22	08/16/22	
Toluene	ND	0.0250	1	08/15/22	08/16/22	
o-Xylene	ND	0.0250	1	08/15/22	08/16/22	
p,m-Xylene	ND	0.0500	1	08/15/22	08/16/22	
Total Xylenes	ND	0.0250	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2234007
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/15/22	08/16/22	
Surrogate: Bromofluorobenzene	98.9 %	70-130		08/15/22	08/16/22	
Surrogate: 1,2-Dichloroethane-d4	95.1 %	70-130		08/15/22	08/16/22	
Surrogate: Toluene-d8	99.9 %	70-130		08/15/22	08/16/22	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2234005
Diesel Range Organics (C10-C28)	ND	25.0	1	08/15/22	08/16/22	
Oil Range Organics (C28-C36)	ND	50.0	1	08/15/22	08/16/22	
Surrogate: n-Nonane	96.5 %	50-200		08/15/22	08/16/22	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2234020
Chloride	ND	100	5	08/15/22	08/18/22	



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 8/19/2022 2:16:40PM
--	---	----------------------------------

Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234007-BLK1)

Prepared: 08/15/22 Analyzed: 08/15/22

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.491		0.500		98.2	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.508		0.500		102	70-130			
Surrogate: Toluene-d8	0.494		0.500		98.8	70-130			

LCS (2234007-BS1)

Prepared: 08/15/22 Analyzed: 08/15/22

Benzene	2.05	0.0250	2.50		82.1	70-130			
Ethylbenzene	2.29	0.0250	2.50		91.5	70-130			
Toluene	2.12	0.0250	2.50		84.6	70-130			
o-Xylene	2.36	0.0250	2.50		94.3	70-130			
p,m-Xylene	4.61	0.0500	5.00		92.3	70-130			
Total Xylenes	6.97	0.0250	7.50		92.9	70-130			
Surrogate: Bromofluorobenzene	0.510		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.497		0.500		99.3	70-130			
Surrogate: Toluene-d8	0.508		0.500		102	70-130			

LCS Dup (2234007-BSD1)

Prepared: 08/15/22 Analyzed: 08/16/22

Benzene	2.05	0.0250	2.50		82.0	70-130	0.0732	23	
Ethylbenzene	2.31	0.0250	2.50		92.2	70-130	0.762	27	
Toluene	2.15	0.0250	2.50		85.9	70-130	1.43	24	
o-Xylene	2.38	0.0250	2.50		95.2	70-130	0.929	27	
p,m-Xylene	4.64	0.0500	5.00		92.8	70-130	0.637	27	
Total Xylenes	7.02	0.0250	7.50		93.6	70-130	0.736	27	
Surrogate: Bromofluorobenzene	0.510		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.467		0.500		93.3	70-130			
Surrogate: Toluene-d8	0.505		0.500		101	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 8/19/2022 2:16:40PM
--	---	----------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234007-BLK1)

Prepared: 08/15/22 Analyzed: 08/15/22

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.491		0.500		98.2	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.508		0.500		102	70-130			
Surrogate: Toluene-d8	0.494		0.500		98.8	70-130			

LCS (2234007-BS2)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	44.6	20.0	50.0		89.2	70-130			
Surrogate: Bromofluorobenzene	0.496		0.500		99.2	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.483		0.500		96.6	70-130			
Surrogate: Toluene-d8	0.501		0.500		100	70-130			

LCS Dup (2234007-BSD2)

Prepared: 08/15/22 Analyzed: 08/16/22

Gasoline Range Organics (C6-C10)	42.8	20.0	50.0		85.6	70-130	4.07	20	
Surrogate: Bromofluorobenzene	0.501		0.500		100	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.481		0.500		96.1	70-130			
Surrogate: Toluene-d8	0.502		0.500		100	70-130			



QC Summary Data

Tetra Technologies 6121 Indian School Road, NE Albuquerque NM, 87110	Project Name: Hayhurst Pad 10 Project Number: 21016-0002 Project Manager: Greg Crabtree	Reported: 8/19/2022 2:16:40PM
--	---	----------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2234005-BLK1)

Prepared: 08/15/22 Analyzed: 08/15/22

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	48.1		50.0		96.2	50-200			

LCS (2234005-BS1)

Prepared: 08/15/22 Analyzed: 08/15/22

Diesel Range Organics (C10-C28)	245	25.0	250		98.2	38-132			
Surrogate: n-Nonane	39.2		50.0		78.4	50-200			

Matrix Spike (2234005-MS1)

Source: E208075-05

Prepared: 08/15/22 Analyzed: 08/15/22

Diesel Range Organics (C10-C28)	255	25.0	250	ND	102	38-132			
Surrogate: n-Nonane	40.2		50.0		80.5	50-200			

Matrix Spike Dup (2234005-MSD1)

Source: E208075-05

Prepared: 08/15/22 Analyzed: 08/15/22

Diesel Range Organics (C10-C28)	249	25.0	250	ND	99.4	38-132	2.68	20	
Surrogate: n-Nonane	40.1		50.0		80.3	50-200			



QC Summary Data

Tetra Technologies	Project Name:	Hayhurst Pad 10	Reported:
6121 Indian School Road, NE	Project Number:	21016-0002	
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	8/19/2022 2:16:40PM

Anions by EPA 300.0/9056A

Analyst: RAS

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2234020-BLK1)					Prepared: 08/15/22 Analyzed: 08/17/22				
Chloride	ND	20.0							
LCS (2234020-BS1)					Prepared: 08/15/22 Analyzed: 08/17/22				
Chloride	245	20.0	250		97.9	90-110			
Matrix Spike (2234020-MS1)					Source: E208073-21		Prepared: 08/15/22 Analyzed: 08/18/22		
Chloride	477	200	250	214	105	80-120			
Matrix Spike Dup (2234020-MSD1)					Source: E208073-21		Prepared: 08/15/22 Analyzed: 08/18/22		
Chloride	564	200	250	214	140	80-120	16.6	20	M2

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Tetra Technologies	Project Name:	Hayhurst Pad 10	
6121 Indian School Road, NE	Project Number:	21016-0002	Reported:
Albuquerque NM, 87110	Project Manager:	Greg Crabtree	08/19/22 14:16

- M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





Incident ID	nAPP2211730678
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)


Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill

Title: Environmental Advisor

Signature: 

Date: 5-3-23

email: ABarnhill@chevron.com

Telephone: 432-687-7108_

OCD Only

Received by: _ Jocelyn Harimon

Date: _ 05/03/2023

☐ Approved ☒ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral ApprovedSignature: Robert HamletDate: 6/9/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 212994

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 212994
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	The Remediation Plan is Conditionally Approved: The release will need to be remediated to the strictest closure criteria standards due to release being in a high karst area. Due to the sensitive nature of the site, the alternative sampling plan is denied. Please collect confirmation samples, representing no more than 200 ft2. All off pad areas must meet reclamation standards set forth in the OCD Spill Rule. The work will need to occur in 90 days after the work plan has been reviewed.	6/9/2023