

CARMONA RESOURCES



SITE INFORMATION

Closure Report

Myox 5 State Com 022H (01.07.23)

Eddy County, New Mexico

Incident ID: NAPP2301934442

Unit O Sec 05 T26S R28E

32.0647°, -104.1083°

Crude Oil & Produced Water Release

Point of Release: Separator Malfunction

Release Date: 01.07.23

Volume Released: 0.709 barrels of Crude Oil & 11.336 barrels of Produced Water

Volume Recovered: 0.709 barrels of Crude Oil & 10 barrels of Produced Water

CARMONA RESOURCES



Prepared for:

**Concho Operating, LLC
15 West London Road,
Loving, New Mexico 88256**

Prepared by:

**Carmona Resources, LLC
310 West Wall Street
Suite 500
Midland, Texas 79701**

310 West Wall Street, Suite 500
Midland TX, 79701
432.813.1992

TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 LINER INSPECTION ACTIVITIES

5.0 CONCLUSIONS

FIGURES

FIGURE 1 OVERVIEW FIGURE 2 TOPOGRAPHIC

FIGURE 3 SECONDARY CONTAINMENT MAP

APPENDICES

APPENDIX A PHOTOS

APPENDIX B INITIAL C-141 AND FINAL/NMOCD CORRESPONDENCE

APPENDIX C SITE CHARACTERIZATION AND GROUNDWATER

February 2, 2023

Mike Bratcher
District Supervisor
Oil Conservation Division, District 2
811 S. First Street
Artesia, New Mexico 88210

Re: Closure Report
Myox 5 State Com 022H (01.07.23)
Concho Operating, LLC
Incident ID NAPP2301934442
Site Location: Unit O, S05, T26S, R28E
(Lat 32.0647°, Long -104.1083°)
Eddy County, New Mexico

Mr. Bratcher:

On behalf of Concho Operating, LLC (COG), Carmona Resources, LLC has prepared this letter to document site activities for Myox 5 State Com 022H (01.07.23). The site is located at 32.0647 °, -104.1083° within Unit O, S05, T26S, R28E, in Eddy County, New Mexico (Figures 1 and 2).

1.0 Site information and Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on January 7, 2023, due to a separator malfunction. It resulted in approximately 11.336 barrels of produced water and approximately 0.709 barrels of crude oil released. Approximately 10 barrels of produced water and approximately 0.709 barrels of crude oil were recovered. See figure 3. The initial C-141 form is attached in Appendix B.

2.0 Site Characterization and Groundwater

The site is located within a medium karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, no known water sources are within a 0.50-mile radius of the location. The closest well is located approximately 1.63 miles South of the site in S18, T26S, R28E and was drilled in 1998. The well has a reported depth to groundwater of 16.35' feet below ground surface (ft bgs). A copy of the associated point of diversion is attached in Appendix C.

3.0 NMAC Regulatory Criteria

Per the NMCOD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg.



4.0 Liner Inspection Activities

On January 31, 2023, Carmona Resources, LLC conducted liner inspection activities to assess the liner's integrity within the facility. Before performing the liner inspection, the NMOCD division office was notified via email on January 27, 2023, per Subsection D of 19.15.29.12 NMAC. See Appendix B. Carmona Resources, LLC personnel inspected the liner visually and determined it to be intact with no integrity issues. Refer to the Photolog.

5.0 Conclusions

Based on the liner inspection throughout the facility, no further actions are required at the site. The final C-141 is attached, and COG formally requests the closure of the spill. If you have any questions regarding this report or need additional information, don't hesitate to contact us at 432-813-1992.

Sincerely,

Carmona Resources, LLC

Mike Carmona
Environmental Manager


Conner Moehring
Sr. Project Manager

FIGURES

CARMONA RESOURCES







TOPOGRAPHIC MAP
COG OPERATING, LLC
MYOX 5 STATE COM 022H (1.7.23)
EDDY COUNTY, NEW MEXICO
32.0647°, -104.1083°



FIGURE 2



SECONDARY CONTAINMENT MAP
COG OPERATING, LLC
MYOX 5 STATE COM 022H (1.7.23)
EDDY COUNTY, NEW MEXICO
32.0647°, -104.1083°



FIGURE 3

APPENDIX A

CARMONA RESOURCES



PHOTOGRAPHIC LOG

Concho Operating, LLC

Photograph No. 1

Facility: Myox 5 State Com 022H (1.7.23)

County: Eddy County, New Mexico

Description:

View West of the lined facility.



Photograph No. 2

Facility: Myox 5 State Com 022H (1.7.23)

County: Eddy County, New Mexico

Description:

View East of the lined facility.



Photograph No. 3

Facility: Myox 5 State Com 022H (1.7.23)

County: Eddy County, New Mexico


Description:

View West of the lined facility.




PHOTOGRAPHIC LOG**Concho Operating, LLC****Photograph No. 4****Facility:** Myox 5 State Com 022H (1.7.23)**County:** Eddy County, New Mexico**Description:**

View East of the lined facility.

**Photograph No. 5****Facility:** Myox 5 State Com 022H (1.7.23)**County:** Eddy County, New Mexico**Description:**

View North of the lined facility.



APPENDIX B

CARMONA RESOURCES



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped.	
<input type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: _____	Title: _____
Signature: <u>Battani Espinoza</u>	Date: _____
email: _____	Telephone: _____
<u>OCD Only</u>	
Received by: _____	Date: _____

L48 Spill Volume Estimate Form													Page 15 of 31
Received by OCD: 3/27/2023 8:33:48 AM													
Facility Name & Number:					myox 5-22 battery								
Asset Area:					Delaware Basin West								
Release Discovery Date & Time:					1/7/2023								
Release Type:					Oil Mixture								
Provide any known details about the event:					blew out 2in below dump								
Spill Calculation - On Pad Surface Pool Spill													
Convert Irregular shape into a series of rectangles	Length (ft.)	Width (ft.)	Deepest point in each of the areas (in.)	No. of boundaries of "shore" in each area	Estimated <u>Pool</u> Area (sq. ft.)	Estimated Average Depth (ft.)	Estimated volume of each pool area (bbl.)	Penetration allowance (ft.)	Total Estimated Volume of Spill (bbl.)	Percentage of Oil if Spilled Fluid is a Mixture	Total Estimated Volume of Spilled Oil (bbl.)	Total Estimated Volume of Spilled Liquid other than Oil (bbl.)	
Rectangle A	30.0	30.0	2.00	4	900.000	0.042	6.675	0.002	6.689	5.00%	0.334	6.354	
Rectangle B	24.0	20.0	3.00	4	480.000	0.063	5.340	0.003	5.357	7.00%	0.375	4.982	
Rectangle C					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle D					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle E					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle F					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle G					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle H					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle I					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Rectangle J					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		#DIV/0!	#DIV/0!	
Released to Imaging: 8/16/2023 2:50:29 PM													
Total Volume Release:									12.046		0.709	11.336	

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: Jacqueline Harimon Date: _____

email: _____ Telephone: _____

OCD OnlyReceived by: Jocelyn Harimon Date: 03/27/2023

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____

Signature: Jacqueline Harimon Date: _____

email: _____ Telephone: _____

OCD Only

Received by: Jocelyn Harimon Date: 03/27/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Shelly Wells Date: 8/16/2023

Printed Name: Shelly Wells Title: Environmental Specialist-Advanced

From: Conner Moehring
Sent: Friday, January 27, 2023 2:31 PM
To: OCD.Enviro@emnrd.nm.gov <OCD.Enviro@emnrd.nm.gov>
Cc: Mike Carmona; Jacqui.Harris@conocophillips.com
Subject: COG – Myox 5 State Com 022H (01.07.23) - Liner Inspection Notification

Good Afternoon,

On behalf of COG, Carmona Resources will conduct a liner inspection at the below-referenced site on 1/31/23 around 2:30 p.m. Mountain Time. Please let me know if you have any questions.

COG – Myox 5 State Com 022H (01.07.23)
NAPP2301934442
Eddy County, New Mexico
32.0647, -104.1083
Sec 05 T26S R28E Unit O

Conner R. Moehring
310 West Wall Street, Suite 500
Midland Texas, 79701
M: 432-813-6823
Cmoehring@carmonaresources.com

CARMONA RESOURCES



APPENDIX C

CARMONA RESOURCES



NEAREST WATER WELL

COG Operating

Legend

- 0.50 Mile Radius
- 1.63 Miles
- 2.67 Miles
- 2.74 Miles
- Myox 5 State Com 022H
- NMSEO Water Well
- USGS Water Well

Myox 5 State Com 022H

155.92 - Drilled 2021

120' - Drilled 1960

16.35' - Drilled 1998




5000 ft

MEDIUM KARST

COG Operating

Legend

-  High
-  Medium
-  Myox 5 State Com 022H (1.7.23)





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
C 01668	CUB	ED		3	3	12	26S	28E		589957	3546554*	250	100	150
C 02160	CUB	ED		4	1	2	14	26S	28E	589243	3546044*	300	120	180
C 02160 S	CUB	ED		1	1	2	14	26S	28E	589043	3546244*	300	120	180
C 02160 S2	CUB	ED		1	1	2	14	26S	28E	589043	3546244*	300	120	180
C 02160 S3	CUB	ED		2	2	1	14	26S	28E	588834	3546241*	300	120	180
C 02160 S4	CUB	ED		2	2	1	14	26S	28E	588834	3546241*	300	120	180
C 02160 S5	CUB	ED		1	1	1	14	26S	28E	588225	3546237*	300	120	180
C 02160 S6	CUB	ED		3	3	1	14	26S	28E	588232	3545635*	300	120	180
C 02160 S7	CUB	ED		3	3	1	22	26S	28E	586638	3543998*	300	120	180
C 02160 S8	CUB	ED		2	3	3	12	26S	28E	590056	3546653*	200	120	80
C 02160 S9	CUB	ED		3	3	2	02	26S	28E	589020	3548868*	300	120	180
C 02477	CUB	ED		1	1	03	26S	28E		586687	3549347*	150		
C 02478	CUB	ED		2	1	05	26S	28E		583848	3549325*	100		
C 02479	CUB	ED		4	4	10	26S	28E		587909	3546534*	200		
C 02480	CUB	ED		4	4	10	26S	28E		587909	3546534*	150		
C 02481	CUB	ED		1	1	14	26S	28E		588326	3546138*	200		
C 02894	C	ED		2	2	3	12	26S	28E	590458	3547061*	240		
C 02924	C	ED		1	3	2	11	26S	28E	589032	3547451*			
C 04022 POD1	CUB	ED		4	4	2	15	26S	28E	588082	3545647	220	175	45
C 04022 POD2	CUB	ED		2	2	2	27	26S	28E	588106	3543082	250	145	105
C 04466 POD1	CUB	ED		3	3	2	29	26S	28E	584327	3542357	96	33	63

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Average Depth to Water: 118 feet

Minimum Depth: 33 feet

Maximum Depth: 175 feet

Record Count: 21

PLSS Search:

Township: 26S **Range:** 28E



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:
Groundwater

Geographic Area:
New Mexico

GO

Click to hideNews Bulletins

- Explore the NEW [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

! Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 320230104060601

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 320230104060601 26S.28E.18.33111

Eddy County, New Mexico
Latitude 32°02'30", Longitude 104°06'06" NAD27
Land-surface elevation 3,070 feet above NAVD88
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Castile Formation (312CSTL) local aquifer.

Output formats

Table of data

Tab-separated data

Graph of data

Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement
1981-05-01			D 62610		3050.88	NGVD29	1	Z		
1981-05-01			D 62611		3052.48	NAVD88	1	Z		
1981-05-01			D 72019	17.52			1	Z		
1983-01-25			D 62610		3052.15	NGVD29	1	Z		
1983-01-25			D 62611		3053.75	NAVD88	1	Z		
1983-01-25			D 72019	16.25			1	Z		
1987-10-13			D 62610		3053.27	NGVD29	1	Z		
1987-10-13			D 62611		3054.87	NAVD88	1	Z		
1987-10-13			D 72019	15.13			1	Z		
1992-11-03			D 62610		3050.77	NGVD29	1	S		
1992-11-03			D 62611		3052.37	NAVD88	1	S		
1992-11-03			D 72019	17.63			1	S		
1998-01-22			D 62610		3052.05	NGVD29	1	S		
1998-01-22			D 62611		3053.65	NAVD88	1	S		
1998-01-22			D 72019	16.35			1	S		

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)[Feedback on this web site](#)[Automated retrievals](#)[Help](#)[Data Tips](#)[Explanation of terms](#)[Subscribe for system changes](#)[News](#)[Accessibility](#)[FOIA](#)[Privacy](#)[Policies and Notices](#)[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)**Title: Groundwater for New Mexico: Water Levels****URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>**Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2023-02-01 14:55:14 EST

0.28 0.24 nadww02



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:
Groundwater

Geographic Area:
New Mexico

GO

Click to hideNews Bulletins

- Explore the NEW [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 320309104020401

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 320309104020401 26S.28E.14.11111

Eddy County, New Mexico
Latitude 32°02'59.0", Longitude 104°03'58.7" NAD83
Land-surface elevation 2,972.00 feet above NGVD29
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measur
1978-01-13			D 62610		2849.66	NGVD29	1		Z	
1978-01-13			D 62611		2851.23	NAVD88	1		Z	
1978-01-13			D 72019	122.34			1		Z	
1983-01-25			D 62610		2844.62	NGVD29	1		Z	
1983-01-25			D 62611		2846.19	NAVD88	1		Z	
1983-01-25			D 72019	127.38			1		Z	
1987-10-14			D 62610		2865.60	NGVD29	1		Z	
1987-10-14			D 62611		2867.17	NAVD88	1		Z	
1987-10-14			D 72019	106.40			1		Z	
1993-01-05			D 62610		2871.58	NGVD29	1		S	
1993-01-05			D 62611		2873.15	NAVD88	1		S	
1993-01-05			D 72019	100.42			1		S	
1998-01-22			D 62610		2875.45	NGVD29	1		S	
1998-01-22			D 62611		2877.02	NAVD88	1		S	
1998-01-22			D 72019	96.55			1		S	

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measur
2003-01-27			D	62610	2874.98	NGVD29	1	S	USGS	
2003-01-27			D	62611	2876.55	NAVD88	1	S	USGS	
2003-01-27			D	72019	97.02		1	S	USGS	
2013-01-09	20:30 UTC		m	62610	2832.88	NGVD29	1	S	USGS	
2013-01-09	20:30 UTC		m	62611	2834.45	NAVD88	1	S	USGS	
2013-01-09	20:30 UTC		m	72019	139.12		1	S	USGS	
2021-02-24	20:05 UTC		m	62610	2816.08	NGVD29	1	V	USGS	
2021-02-24	20:05 UTC		m	62611	2817.65	NAVD88	1	V	USGS	
2021-02-24	20:05 UTC		m	72019	155.92		1	V	USGS	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level date-time accuracy	m	Date is accurate to the Minute
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	V	Calibrated electric-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)[Feedback on this web site](#)[Automated retrievals](#)[Help](#)[Data Tips](#)[Explanation of terms](#)[Subscribe for system changes](#)[News](#)

Accessibility FOIA Privacy Policies and Notices

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2023-02-01 14:58:44 EST

0.31 0.27 nadww01



New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)						(quarters are smallest to largest)		(NAD83 UTM in meters)			
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y				
C	02160 S5	1	1	1	14	26S	28E	588225	3546237*				
Driller License:				Driller Company:									
Driller Name:		HEMLER											
Drill Start Date:				Drill Finish Date:			09/01/1960		Plug Date:				
Log File Date:				PCW Rcv Date:				Source:		Shallow			
Pump Type:				Pipe Discharge Size:				Estimated Yield:					
Casing Size:				Depth Well:			300 feet		Depth Water:		120 feet		


*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.


2/1/23 1:42 PM

POINT OF DIVERSION SUMMARY

New Mexico NFHL Data



January 31, 2023



FEMA, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey,

nmflood.org is made possible through a collaboration with NMDHSEM,

This is a non-regulatory product for informational use only. Please consult your local floodplain administrator for further information.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 200892

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 200892
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	8/16/2023