District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party (OGRID			
Contact Name		Contact Te	Contact Telephone			
Contact emai	1			Incident #	(assigned by OCD))
Contact mail	ing address			1		
			Location	of Release So	ource	
Latitude			(NAD 83 in dec	Longitude _cimal degrees to 5 decim	nal places)	
Site Name				Site Type		
Date Release	Discovered			API# (if app	licable)	
Unit Letter	Section	Township	Range	Coun	ity	
Crude Oil	Material	Federal Tr	Nature and	l Volume of I		e volumes provided below)
					Volume Reco	,
	oduced Water Volume Released (bbls) Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?		Yes N			
Condensa	te	Volume Release	d (bbls)		Volume Reco	overed (bbls)
☐ Natural Gas Volume Released (Mcf)			Volume Reco	overed (Mcf)		
Other (describe) Volume/Weight Released (provide units)		Volume/Weig	ght Recovered (provide units)			
Cause of Rele	ease					

Received by OCD: 5/10/2023 2:48:14 PM1 Form C-141 State of New Mexico Oil Conservation Division Page 2

Page	Leof	41	20
		İ	

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the respon	nsible party consider this a major release?
release as defined by 19.15.29.7(A) NMAC?		
19.13.29.7(A) NMAC:		
☐ Yes ☐ No		
If YES, was immediate no	otice given to the OCD? By whom? To wh	nom? When and by what means (phone, email, etc)?
	T ''' 1D	
	Initial R	esponse
The responsible p	party must undertake the following actions immediated	y unless they could create a safety hazard that would result in injury
	ease has been stopped.	
	s been secured to protect human health and	
Released materials ha	ave been contained via the use of berms or o	likes, absorbent pads, or other containment devices.
All free liquids and re	ecoverable materials have been removed an	d managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain	why:
Per 19.15.29.8 B. (4) NM	IAC the responsible party may commence r	emediation immediately after discovery of a release. If remediation
has begun, please attach	a narrative of actions to date. If remedial	efforts have been successfully completed or if the release occurred
within a lined containmen	nt area (see 19.15.29.11(A)(5)(a) NMAC), p	lease attach all information needed for closure evaluation.
		best of my knowledge and understand that pursuant to OCD rules and
		fications and perform corrective actions for releases which may endanger OCD does not relieve the operator of liability should their operations have
failed to adequately investig	ate and remediate contamination that pose a three	at to groundwater, surface water, human health or the environment. In
addition, OCD acceptance of and/or regulations.	f a C-141 report does not relieve the operator of	responsibility for compliance with any other federal, state, or local laws
_		Title
Kondya	Ruiz	Title:
Signature:	Junz	Date:
email:		Telephone:
OCD Only		
Received by:Jocelyn	Harimon	Date:

		Bbls) Calculator , Outputs in red
Co	ntaminated S	Soil measurement
Length(Ft)	Width(Ft)	Depth(Ft)
<u>35</u>	<u>15.000</u>	0.500
Cubic Feet of	Soil Impacted	<u>262.500</u>
Barrels of So	il Impacted	<u>46.79</u>
Soil 7	ype	Clay/Sand
Barrels of Oil Assuming 100% Saturation		7.02
Saturation	Damp no fluid when squeezed	
Estimated Barrels of Oil Released		0.70
	Free Standi	ng Fluid Only
Length(Ft)	Width(Ft)	Depth(Ft)
<u>0</u>	0.000	0.000
Standing fluid		0.000
Total fluid	ds spilled	7.019

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 127694

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	127694
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimor	None	7/21/2022

Page 5 of 420

Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no taler than 20 days after the release discovery date.		
What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ☒ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes 🗓 No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	Yes X No	
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No	
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes 🏻 No	
Are the lateral extents of the release within a 100-year floodplain?	Yes X No	
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		

Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- \overline{X} Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	Page 0 0j 42
Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall Signature: Dals Woodall email: dale.woodall@dvn.com	Titler Environmental Professional Date: _5/10/2023 Telephone: _(405)318-4697	
OCD Only Received by:	Date:	

Page 7 of 420 State of New Mexico

Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.				
 ☑ Detailed description of proposed remediation technique ☑ Scaled sitemap with GPS coordinates showing delineation points ☑ Estimated volume of material to be remediated ☑ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC ☑ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required) 				
Deferral Requests Only: Each of the following items must be conj	firmed as part of any request for deferral of remediation.			
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.				
Extents of contamination must be fully delineated.				
Contamination does not cause an imminent risk to human health,	the environment, or groundwater.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: Dale Woodall	Title: Environmental Professional			
Signature: Dale Woodall	Date: <u>5/10/2023</u>			
email: dale.woodall@dvn.com	Telephone: (405)-318-4697			
OCD Only				
Received by:	Date:			
Approved Approved with Attached Conditions of A	Approval			
Signature: 1	Date:			

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Page 6 Oil Conservation Division

Application ID

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

$\overline{\mathbf{X}}$ A scaled site and sampling diagram as described in 19.15.29.1	11 NMAC
X Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)
X Description of remediation activities	
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of	nations. The responsible party acknowledges they must substantially anditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete.
Signature:	
email: dale.woodall@dvn.com	Telephone: (415)-318-4697
OCD Only	
Received by:	Date:
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.
Closure Approved by:	Date:
Closure Approved by:Printed Name:	

Page 9 of 420

Incident ID	NAPP2219226827
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

X A scaled site and sampling diagram as described in 19.15.29.11 NMAC				
Note: appropriate OCD District office must be notified 2 days prior to liner inspection)				
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)			
X Description of remediation activities				
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rephuman health or the environment. In addition, OCD acceptance of	ations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete.			
	Title			
Signature:				
Signature:email: _dale.woodall@dvn.com	Date: <u>2/6/2023</u>			
Signature:	Date: <u>2/6/2023</u>			
Signature:email: _dale.woodall@dvn.com	Date: <u>2/6/2023</u>			
Signature:email: _dale.woodall@dvn.com OCD Only Received by: Robert Hamlet Closure approval by the OCD does not relieve the responsible party	Date: 2/6/2023 Telephone: (415)-318-4697 Date: 10/5/2023 of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible			
Signature:email: _dale.woodall@dvn.com OCD Only Received by: Robert Hamlet Closure approval by the OCD does not relieve the responsible party remediate contamination that poses a threat to groundwater, surface	Date: 2/6/2023 Telephone: (415)-318-4697 Date: 10/5/2023 of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible			



May 10, 2023 Vertex Project #: 22E-02537

Spill Closure Report: Helios 6 Federal Com 1H and 3H Battery/Hackberry 6 Federal 1 Well Pad

Unit J, Section 6, Township 19 South, Range 31 East,

API: N/A County: Eddy

Incident ID: nAPP2116940090, nAPP2219226827

Prepared For: Devon Energy Production Company

6488 Seven Rivers Highway Artesia, New Mexico 88210

New Mexico Oil Conservation Division - District 2 - Artesia

811 S. 1st Street

Artesia, New Mexico 88210

Devon Energy Production Company (Devon) retained Vertex Resource Services Inc. (Vertex) to conduct a Spill Assessment for multiple produced water releases at the same location, registered at Helios 6 Federal Com 1H and 3H Battery, and Hackberry 6 Federal 1 Battery Well Pad, (hereafter referred to as "Helios/Hackberry"). Devon submitted initial C-141 Release Notifications (Attachment 1) to New Mexico Oil Conservation Division (NMOCD) District 2 on July 7, 2021, and July 11, 2022. Incident IDs nAPP2116940090 and nAPP2219226827 were assigned to the incidents.

This letter provides a description of the release assessments and remediation activities and demonstrates that closure criteria established in Table I of 19.15.29.12 *New Mexico Administrative Code* (NMAC; New Mexico Oil Conservation Division, 2018) are being met and all applicable regulations are being followed. This document is intended to serve as a final report to obtain approval from NMOCD for the closure of these releases, with the understanding that they were reclaimed per 19.15.29.13.

Site Characterization

The site is located approximately 10 miles southeast of Loco Hills, New Mexico at 32.687850 ° N, 103.907000 ° W (Google Inc., 2022). The legal location for the site is Section 6, Township 19 South and Range 31 East in Eddy County, New Mexico. The spill area is located on Bureau of Land Management property. An aerial photograph and site schematic are included on Figure 1 (Attachment 2).

The Geological Map of New Mexico (New Mexico Bureau of Geology and Mineral Resources, 2022) indicates the site's surface geology is comprised primarily of Qp — Piedmont alluvial deposits (Holocene to lower Pleistocene). The predominant soil texture on the site is gravelly fine sandy loam. The Natural Resources Conservation Service Web Soil Survey characterizes the predominant soil texture on the site as Simona gravelly fine sandy loam. It tends to be well drained with very high runoff and very low available moisture levels in the soil profile (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

Devon Energy Production Company

Helios 6 Federal Com 1H and 3H Battery/Hackberry 6 Federal 1 Well Pad

2023 Spill Assessment and Closure May 2023

The surrounding landscape is associated with plains, uplands, fan piedmonts, and alluvial fans at elevations of 2,842 to 4,500 feet above sea level. The climate is semi-arid, with annual precipitation ranging between 8 to 13 inches. Historically, the plant community has grassland aspect, dominated by grasses with shrubs. Black grama is dominant with yucca, javalina bush, range ratany, prickly pear and mesquite. Overgrazing and extended drought can reduce grass cover (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

There is no surface water located at Helios/Hackberry. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 Mexico Administrative Code (New Mexico Oil Conservation Division, 2018), is the Pecos River located approximately 800 feet west of the site (Google Inc., 2022). There are no continuous flowing watercourses or significant watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

Incident Description

nAPP2116940090

The first release occurred on June 17, 2021, due to a pinhole leak on a water transfer line. The incident resulted in the release of approximately 91.82 barrels of produced water into the pasture north of the pad site. Approximately 73 barrels of free fluid were removed during the initial spill clean-up.

nAPP2219226827

The second release was discovered on July 9, 2022, due to equipment failure on the same pipeline as the first release. The incident resulted in the release of approximately 7 barrels of produced water into the pasture north of the pad site. Approximately 2 barrels of free fluid were removed during the initial spill clean-up.

Closure Criteria Determination

The depth to groundwater was determined by drilling a borehole permitted by the New Mexico Office of the State Engineer within a 0.5-mile radius of the site. The borehole was drilled to a depth of 105 feet, was left open as per requirements on the WR-07 Application for Permit to Drill a well With No Water Right, and an interface probe was lowered to the bottom of the borehole to investigate if groundwater may have accumulated in the 72-hour waiting period; no water was present at that time. The borehole was then plugged as per requirements on the WR-08, Well Plugging Plan of Operations. Documentation used in closure criteria determination (Attachment 4) research was included in the Characterization and Remediation Plan submitted and approved by NMOCD. The DFR associated with this site visit is included in Attachment 5.

The closure criteria determined for the site are associated with the following constituent concentration limits as presented in Table 1.

Helios 6 Federal Com 1H and 3H Battery/Hackberry 6 Federal 1 Well Pad

Table 1. Closure Criteria for Soils to Remediation & Reclamation Standards			
	Constituent	Limit	
0.4 foot has (10.15.20.12)	Chloride	600 mg/kg	
0-4 feet bgs (19.15.29.13)	TPH (GRO+DRO+MRO)	100 mg/kg	
	Chloride	20,000 mg/kg	
	TPH (GRO+DRO+MRO)	2,500 mg/kg	
DTGW > 100 feet (19.15.29.12)	GRO+DRO	1,000 mg/kg	
	BTEX	50 mg/kg	
	Benzene	10 mg/kg	

bgs - below ground surface

DTGW - depth to groundwater

TPH - Total petroleum hydrocarbons = gasoline range organics (GRO) + diesel range organics (DRO) + motor oil range organics (MRO)

BTEX - Benzene, toluene, ethylbenzene, and xylenes

Remedial Actions

An initial site inspection was completed for the first release on June 28, 2021, which identified the location of the impact specified in the initial C-141 Report and estimated the approximate volume of the release. The impacted area was determined to be approximately 158 feet long and 104 feet wide; the total affected area was determined to be 1,527 square feet. The DFR associated with the site inspection is included in Attachment 5.

A site inspection was conducted for the second release on November 3, 2022. More horizontal boreholes were established to ensure that the second release did not migrate further than the first release. The two releases were vertically delineated to the >100' criteria to 4 feet below ground surface (bgs) as required by NMOCD. The DFR associated with this site visit is included in Attachment 5.

Remediation efforts began on January 4, 2023, and were completed on January 20, 2023. Vertex personnel supervised the excavation of impacted soils. Field screening was completed on a total of 126 sample points and consisted of analysis using a photoionization detector (volatile hydrocarbons), Dexsil Petroflag using EPA SW-846 Method 9074 (extractable hydrocarbons) and silver nitrate titration (chlorides). Field screening results were used to identify areas requiring further remediation from those areas showing concentrations below determined closure criteria levels. Soils were removed to a depth of 4 feet bgs. Impacted soil was transported by a licensed waste hauler and disposed of at an approved waste management facility.

During excavation activities, Vertex provided three 48-hour notifications of confirmation sampling to NMOCD between December 28, 2022, and January 19, 2023 (Attachment 6), as required by Subparagraph (a) of Paragraph (1) of Subsection D 19.15.29.12 NMAC. Confirmatory composite samples were collected from the base and walls of the excavation in 200-square-foot increments. A total of 131 samples, including one background sample, were collected for laboratory analysis following NMOCD soil sampling procedures. Samples were submitted to Hall Environmental Analysis Laboratory under chain-of-custody (COC) protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Laboratory results are presented in Table 3 (Attachment 3) and laboratory data reports are included in Attachment 7. All confirmatory samples collected and analyzed were below the closure criteria for the site.

2023 Spill Assessment and Closure May 2023

Closure Request

Vertex recommends no additional remediation action to address the releases at Helios/Hackberry. Laboratory analyses of confirmatory samples collected show final confirmatory values below the selected NMOCD closure criteria for areas where depth to groundwater is more than 100 feet bgs as presented in Table 1. There are no anticipated risks to human, ecological, or hydrological receptors at this release site.

The excavation will be backfilled with non-waste-containing, uncontaminated, earthen material, sourced locally, and placed to meet the site's existing grade to prevent water ponding and erosion. The site will then be reclaimed and seeded as required by Subsection A of 19.15.29.13 NMAC. This will take place when closure approval is received from NMOCD.

Vertex requests that these incidents (nAPP2116940090 and nAPP2219226827) be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. Devon certifies that all information in this report and the attachments are correct and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD requirements to obtain on the releases at Helios/Hackberry.

Should you have any questions or concerns, please do not hesitate to contact Chance Dixon at 575.988.1472 or cdixon@vertex.ca.

Sally Carttar	5/10/2023
Sally Carttar, B.A.	Date
INT. ENVIRONMENTAL TECHNOLOGIST, REPORTING	
Characa Dislar	5 /40 /0000
Chance Dixon	5/10/2023
Chance Dixon, B.Sc.	Date
PROJECT MANAGER, REPORT REVIEW	

Attachments

Attachment 1. NMOCD C-141 Reports

Attachment 2. Figures

Attachment 3. Tables

Attachment 4. Closure Criteria for Soils Impacted by a Release Research Determination Documentation

Attachment 5. Daily Field Reports with Photographs

Attachment 6. Required 48-Hour Notification of Confirmatory Sampling to Regulatory Agencies

Attachment 7. Laboratory Data Reports and Chain of Custody Forms

2023 Spill Assessment and Closure May 2023

Reference

- Google Inc. (2022). Google Earth Pro (Version 7.3.3) [Software]. Retrieved from https://earth.google.com
- New Mexico Bureau of Geology and Mineral Resources. (2022). *Interactive Geologic Map*. Retrieved from http://geoinfo.nmt.edu
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2019). *Well Log/Meter Information Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- New Mexico Water Rights Reporting System. (2019a). Water Column/Average Depth to Water Report. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html
- New Mexico Water Rights Reporting System. (2019b). *Point of Diversion Location Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html
- United States Department of Agriculture, Natural Resources Conservation Service. (2022). *Web Soil Survey*. Retrieved from https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.
- United States Department of Homeland Security, FEMA Flood Map Service Center. (2010). Flood Map Number 35015C1875D. Retrieved from https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20mexic o#searchresultsanchor
- United States Department of the Interior, Bureau of Land Management. (2019) New Mexico Cave/Karsts. Retrieved from https://www.blm.gov/programs/recreation/recreation-programs/caves/new-mexico
- United State Fish and Wildlife Service. (2019). *National Wetland Inventory Surface Waters and Wetland*. Retrieved from https://www.fws.gov/wetlands/data/mapper.html

Devon Energy Production Company

Helios 6 Federal Com 1H and 3H Battery/Hackberry 6 Federal 1 Well Pad

2023 Spill Assessment and Closure May 2023

Limitations

This report has been prepared for the sole benefit of Devon Energy Production Company (Devon). This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division, without the express written consent of Vertex Resource Services Inc. (Vertex) and Devon. Any use of this report by a third party, any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgment of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

ATTACHMENT 1

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

1			OGRID	D		
Contact Name Con			Contact To	t Telephone		
Contact email			Incident #	(assigned by OCD)		
Contact mail	ing address			1		
			Location	of Release So	ource	
Latitude				Longitude		
			(NAD 83 in dec	cimal degrees to 5 decir	nal places)	
Site Name				Site Type		
Date Release	Discovered			API# (if app	olicable)	
Unit Letter	Section	Township	Range	Cour	nts.	1
Omit Letter	Section	Township	Range	Cour	ity	
Surface Owner	r: State	☐ Federal ☐ Tr	ibal Private (A	Name:)
			Natura and	d Volume of 1	Ralaasa	
Crude Oil		(s) Released (Select al Volume Release		calculations or specific	Volume Reco	volumes provided below) vered (bbls)
	,			Volume Reco		
Troduced	Produced Water Volume Released (bbls) Is the concentration of total dissolved solids (TD)		ved solids (TDS)	Yes No		
in the produced water >10,000 mg/l?						
Condensa	te	Volume Release	d (bbls)		Volume Reco	vered (bbls)
Natural Gas Volume Released (Mcf)				Volume Recovered (Mcf)		
Other (describe) Volume/Weight Released (provide units)		e units)	Volume/Weight Recovered (provide units)			
Cause of Rele	ease					

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Page 2 Oil Conservation Division

Page	<i>18</i>	of	420

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the respon	nsible party consider this a major release?
☐ Yes ☐ No		
If YES, was immediate no	otice given to the OCD? By whom? To when	nom? When and by what means (phone, email, etc)?
		(4,,)
	Initial R	esponse
The responsible	party must undertake the following actions immediated	y unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
☐ The impacted area ha	s been secured to protect human health and	the environment.
Released materials ha	ave been contained via the use of berms or o	ikes, absorbent pads, or other containment devices.
☐ All free liquids and re	ecoverable materials have been removed an	d managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain	why:
has begun, please attach	a narrative of actions to date. If remedial	emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred clease attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name:		Title:
Signature: <u>Kendra</u>	DeHoyos	
email:		Telephone:
OCD Only		
Received by: Ramona !	Marcus	Date: 10/5/2021

Page 19 of 420

Incident ID	nAPP2116940090
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)			
Did this release impact groundwater or surface water?	Yes X No			
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes X No			
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes X No			
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes X No			
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No			
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes X No			
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No			
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No			
Are the lateral extents of the release overlying a subsurface mine?	Yes X No			
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes 🏻 No			
Are the lateral extents of the release within a 100-year floodplain?	Yes X No			
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No			
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil				

contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	Page 20 of 4.	20
Incident ID	nAPP2116940090	
District RP		
Facility ID		
Application ID		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: Dale Woodall	Title: _Environmental Professional			
Signature: Dala Woodall	Date: _5/10/2023			
email: dale.woodall@dvn.com Telephone: (405)-318-4697				
OCD Only				
Received by:	Date:			

ate of New Mexico

Incident ID	nAPP2116940090
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be	included in the plan.			
Detailed description of proposed remediation technique Scaled sitemap with GPS coordinates showing delineation points Estimated volume of material to be remediated Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)				
Deferral Requests Only: Each of the following items must be con-	firmed as part of any request for deferral of remediation.			
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.				
Extents of contamination must be fully delineated.				
Contamination does not cause an imminent risk to human health.	the environment, or groundwater.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: Dale Woodall	Title: _Environmental Professional			
Signature: Dale Woodall	Date: 5/10/2023			
email: dale.woodall@dvn.com	Telephone: (405)-318-4697			
OCD Only				
Received by:	Date:			
Approved Approved with Attached Conditions of A	Approval			
Signature:	Date:			

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Oil Conservation Division Page 6

X A scaled site and sampling diagram as described in 19.15.29.11 NMAC

Page 22 of 420

Incident ID	nAPP2116940090
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

Note: appropriate OCD District office must be notified 2 days prior to liner inspection)				
X Laboratory analyses of final sampling (Note: appropriate ODC	C District office must be notified 2 days prior to final sampling)			
X Description of remediation activities				
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of	tions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in			
Printed Name: Dale Woodall	Title: Manager Environment			
Signature:	Date: <u>2/6/2023</u>			
email: dale.woodall@dvn.com	Telephone: <u>(415)-318-4697</u>			
OCD Only				
Received by:	Date:			
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations.			
Closure Approved by:	Date:			
Printed Name:	Title:			

NAPP2116940090

Spill Volume(Bbls) Calculator				
Inputs in blue, Outputs in red				
Cor	ntaminated S	oil measurement		
Area (squa	re feet)	Depth(inches)		
7877.	949	1.000		
Cubic Feet of S	oil Impacted	<u>656.496</u>		
Barrels of Soi	l Impacted	117.02		
Soil T	уре	Clay/Sand		
Barrels of water Assuming 100% Saturation		17.55		
Saturation	Fluid pres	sent with shovel/backhoe		
Estimated Barrels of water Released		17.55		
	Free Standing Fluid Only			
Area (square feet)		Depth(inches)		
2500		2.000		
Standing fluid		<u>74.272</u>		
Total fluids spilled		91.825		

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party OGRID		OGRID				
Contact Nam	Contact Name Contact To			elephone		
Contact emai	Contact email Incident # (assigned by OC			(assigned by OCD)		
Contact mail	ing address			1		
			Location	of Release So	ource	
Latitude				Longitude		
			(NAD 83 in dec	cimal degrees to 5 decir	nal places)	
Site Name				Site Type		
Date Release	Discovered			API# (if app	olicable)	
Unit Letter	Section	Township	Range	Cour	nts.	1
Omit Letter	Section	Township	Range	Cour	ity	
Surface Owner	r: State	☐ Federal ☐ Tr	ibal Private (A	Name:)
			Natura and	d Volume of 1	Ralaasa	
Crude Oil		(s) Released (Select al Volume Release		calculations or specific	Volume Reco	volumes provided below) vered (bbls)
Produced		Volume Release	` '		Volume Reco	
Troduced	Is the concentration of total dissolved solids (TDS)		ved solids (TDS)	Yes No		
in the produced water >10,000 mg/l?						
Condensa	Condensate Volume Released (bbls)		Volume Recovered (bbls)			
Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)			
Other (describe) Volume/Weight Released (provide units)		e units)	Volume/Weight Recovered (provide units)			
Cause of Rele	ease					

Received by OCD: 5/10/2023 2:48:114 PMI Form C-14-1 State of New Mexico Page 2 Oil Conservation Division

	Page 25eof 4	20
Incident ID		
District RP		
Facility ID		
Application ID		

Was this a major release as defined by	If YES, for what reason(s) does the response	onsible party consider this a major release?
19.15.29.7(A) NMAC?		
☐ Yes ☐ No		
If YES, was immediate no	otice given to the OCD? By whom? To w	hom? When and by what means (phone, email, etc)?
	Initial R	esponse
The responsible p	party must undertake the following actions immediate	ely unless they could create a safety hazard that would result in injury
	ease has been stopped.	tal .
	s been secured to protect human health and	
		dikes, absorbent pads, or other containment devices.
-	ecoverable materials have been removed and above have not been varieties, even and	<u> </u>
if all the actions described	d above have <u>not</u> been undertaken, explain	wny:
		remediation immediately after discovery of a release. If remediation
has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.		
		best of my knowledge and understand that pursuant to OCD rules and
regulations all operators are	required to report and/or file certain release not	ifications and perform corrective actions for releases which may endanger
		OCD does not relieve the operator of liability should their operations have eat to groundwater, surface water, human health or the environment. In
		f responsibility for compliance with any other federal, state, or local laws
Printed Name:	0:	Title:
Signature: Kendra	. Ruiz	Date:
email:		Telephone:
		•
OCD Only		
OCD Only	11. 2	
Received by:Jocelyn	Harimon	Date:

Sp	oill Volume(E	Bbls) Calculator
1/	nputs in blue	, Outputs in red
Co	ontaminated S	Soil measurement
Length(Ft)	Width(Ft)	Depth(Ft)
<u>35</u>	<u>15.000</u>	0.500
Cubic Feet of Soil Impacted		<u>262.500</u>
Barrels of So	il Impacted	<u>46.79</u>
Soil T	уре	Clay/Sand
Barrels of Oil Assuming 100% Saturation		7.02
Saturation	Damp no fluid when squeezed	
Estimated Barrels of Oil Released		0.70
Free Standing Fluid Only		ing Fluid Only
Length(Ft)	Width(Ft)	Depth(Ft)
<u>0</u>	0.000	0.000
Standing fluid		0.000
Total fluids spilled		7.019

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 127694

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	127694
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimor	None	7/21/2022

Page 28 of 420

Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no taler than 90 days after the release discovery date.		
What is the shallowest depth to groundwater beneath the area affected by the release?	<u>>100</u> (ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ☒ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	Yes X No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Yes X No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes X No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes X No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes X No	
Are the lateral extents of the release within 300 feet of a wetland?	Yes X No	
Are the lateral extents of the release overlying a subsurface mine?	Yes X No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes 🏻 No	
Are the lateral extents of the release within a 100-year floodplain?	Yes X No	
Did the release impact areas not on an exploration, development, production, or storage site?	Yes X No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		

Characterization Report Checklist: Each of the following items must be included in the report.

- X Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- X Field data
- X Data table of soil contaminant concentration data
- X Depth to water determination
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	Page 29 0j 4.
Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall Signature: Dale Woodall email: dale.woodall@dvn.com	Titler Environmental Professional Date: _5/10/2023 Telephone: _(405)318-4697	
OCD Only Received by:	Date:	

Page 30 of 420

Incident ID	nAPP2219226827
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.		
 X Detailed description of proposed remediation technique X Scaled sitemap with GPS coordinates showing delineation points X Estimated volume of material to be remediated X Closure criteria is to Table 1 specifications subject to 19.15.29.1 X Proposed schedule for remediation (note if remediation plan times) 	2(C)(4) NMAC	
Deferral Requests Only: Each of the following items must be con-	firmed as part of any request for deferral of remediation.	
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.		
Extents of contamination must be fully delineated.		
Contamination does not cause an imminent risk to human health.	the environment, or groundwater.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: Dale Woodall	Title: Environmental Professional	
Signature: Dale Woodall	Date: _5/10/2023	
email: dale.woodall@dvn.com	Telephone: (405)-318-4697	
OCD Only		
Received by:	Date:	
☐ Approved ☐ Approved with Attached Conditions of A	Approval	
Signature:	Date:	

Received by OCD: 5/10/2023 2:48:14 PM Form C-141 State of New Mexico Oil Conservation Division Page 6

X A scaled site and sampling diagram as described in 19.15.29.11 NMAC

Page 31 of 420

Incident ID	nAPP2116940090
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.


X Photographs of the remediated site prior to backfill or photomust be notified 2 days prior to liner inspection)	os of the liner integrity if applicable (Note: appropriate OCD District office
X Laboratory analyses of final sampling (Note: appropriate OI	OC District office must be notified 2 days prior to final sampling)
X Description of remediation activities	
and regulations all operators are required to report and/or file cert may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regu	elete to the best of my knowledge and understand that pursuant to OCD rules ain release notifications and perform corrective actions for releases which of a C-141 report by the OCD does not relieve the operator of liability remediate contamination that pose a threat to groundwater, surface water, of a C-141 report does not relieve the operator of responsibility for elations. The responsible party acknowledges they must substantially conditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete.
Printed Name: Dale Woodall	Title: Manager Environment
Signature:	Date: 2/6/2023
email: dale.woodall@dvn.com	Telephone: (415)-318-4697
OCD Only	
Received by:	Date:
	ty of liability should their operations have failed to adequately investigate and e water, human health, or the environment nor does not relieve the responsible d/or regulations.
Closure Approved by:	Date:
Printed Name:	Title:
_	

ATTACHMENT 2

Released to Imaging: 10/5/2023 9:49:47 AM

Note: Background imagery from Google Earth, 2017. Feature locations from GPS, Verex Professional Services Ltd., 2022 VERSATILITY. EXPERTISE.

Date: Nov 07/22







NAD 1983 UTM Zone 13N Date: Jan 30/23



Confirmation Schematic
Hackberry 6 Federal 1 Wellpad

FIGURE:



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Background imagery from Google Earth, 2023. Features from GPS. Vertex Professional Services Ltd., 2023.

ATTACHMENT 3

Client Name: Devon Energy Production Company

Site Name: Helios 6 Fed Com 1H 3H

Project #: 21E-00580-003

Lab Report(s): 2106D66, 2107069

Table 2. Initial Characterization Sample/Field Screen and Laboratory Results - Depth to Groundwater >100 feet bgs													
	Field Screening			Petroleum Hydrocarbons									
				0FI		Vol	atile	Extractable					Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	, Total Petroleum Hydrocarbons (TPH)	Chloride
BG21-01	0	6/22/2021	(ppm) 0	(ppm)	(+/-) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND
BG21-01 BG21-01	1	6/22/2021	0		ND	ND ND	ND ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND
BG21-01 BG21-01	2	6/22/2021	0	39	ND	ND	ND ND	ND	ND ND	ND	ND	ND	ND
BH21-01	0.5	6/22/2021	1	_	8,188	ND	ND	ND	ND	ND	ND	ND	12,000.0
BH21-01	1	6/22/2021	1	_	7,091	—	_	_	_	_	_	_	
BH21-01	2	6/22/2021	1	_	8,083	_	_	_	_	_	_	_	_
BH21-01	3	6/22/2021	2	1,037	7,233	_	_	_	_	_	_	_	_
BH21-01	4	6/30/2021	2	_	2,411	_	_	_	_	_	_	_	
BH21-01	6	6/30/2021	1	_	9,427	_	_	_	_	_	_	_	_
BH21-01	8	6/30/2021	0	_	3,319	_	_	_	_	_	_	_	_
BH21-01	10	6/30/2021	1	_	7,468	_	_	_	_	_	_	_	_
BH21-01	11	6/30/2021	1	_	6,661	_	_	_	_	_	_	_	11,000.0
BH21-02	0.5	6/22/2021	3	_	5,590	ND	ND	ND	ND	ND	ND	ND	11,000.0
BH21-02	1	6/22/2021	1	_	8,520	_	_	_	_	_	_	_	_
BH21-02	2	6/22/2021	0	_	9,671	_	_	_	_	_	_	_	_
BH21-02	3	6/22/2021	1	57	6,289	_	_	_	_	_	_	_	_
BH21-02	3.5	6/23/2021	_	_	7,630	_	_	_	_	_	_	_	_



	Table 2. Init	tial Characteriza	tion Sam	ple/Field	Screen a	nd Labora	atory Res	ults - Dep	th to Gro	undwate	r >100 fe	et bgs	
:	Sample Descri _l	ption	Fi	eld Screeni	ng			Petrole	um Hydrod	arbons			
				OF!		Vol	atile			Extractable)		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	Chloride Concentration	, Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	, Total Petroleum Hydrocarbons (TPH)	Chloride
			(ppm)	(ppm)	(+/-)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BH21-02	4	6/30/2021	1	_	5,097		_		_		_	_	_
BH21-02	6	6/30/2021	1	_	4,215	_	_		_	_	_	_	_
BH21-02	8	6/30/2021	1		2,338	_	_		_	_	_	_	_
BH21-02	12	6/30/2021	1	41	331	ND	ND	ND	ND	ND	ND	ND	150.0
BH21-03	0.5	6/22/2021	_	_	9,824	ND	ND	ND	ND	ND	ND	ND	13,000.0
BH21-03	1	6/22/2021	_	_	8,835	_	_	_	_	_	_	_	_
BH21-03	2	6/22/2021	_	_	8,614	_	_	_	_	_	_	_	_
BH21-03	3	6/22/2021	_	_	8,556	_	_	_	_	_	_	_	_
BH21-03	3.5	6/23/2021	_		10,366	_	_	_	_	_	_	_	_
BH21-03	4	6/28/2021	-	_	6,279	_	_	_	-	1	-	-	-
BH21-03	5	6/28/2021		_	6,256	_	_	_	-	1	-	1	
BH21-03	7	6/28/2021	_	_	5,092	_	_	_	-	-	-	-	-
BH21-03	8	6/28/2021	_	_	5,658	_	_	_	-	_	_	_	_
BH21-03	9	6/28/2021	_	_	1,367	_	_	_	-	_	_	_	_
BH21-03	10	6/30/2021	0	_	950	_	_	_	_	_	_	_	_
BH21-03	11	6/30/2021	1	_	664	_	_	_	_	_	_	_	_
BH21-03	12	6/30/2021	1	44	107	ND	ND	ND	ND	ND	ND	ND	170.0
BH21-04	0.5	6/22/2021	_	_	14,605	ND	ND	ND	28	98	28	126	18,000.0
BH21-04	1	6/22/2021	_	_	6,090	_	_	_	_	_	_	_	_
BH21-04	2	6/22/2021	_	_	7,618	_	_	_	_	_	_	_	_
BH21-04	3	6/22/2021	_	_	7,257	_	_	_	_	_	_	_	_
BH21-04	3.5	6/23/2021	_	_	10,044	_	_	_	_		_	_	_
BH21-04	4	6/30/2021	0	_	2,932	_	_	_	_		_	_	_



	Sample Descrip	otion	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
						Vol	atile			Extractable	:		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	((mg/kg)	BTEX (Total)	ട്ട അ Gasoline Range Organics (GRO) ക	ച്ച ് Diesel Range Organics (DRO) ജ	ച്ച ജ Motor Oil Range Organics (MRO)	(gRO + DRO)	ച്ച അ Total Petroleum Hydrocarbons (TPH)	(mg/kg) (g
BH21-04	6	6/30/2021	1	_	4,620	_	_	_	-	_	_	_	_
BH21-04	9	6/30/2021	1	_	6,410	_	_	_	_	_	_	_	_
BH21-04	11	6/30/2021	1	_	6,386	_	_	_	_	_	_	_	_
BH21-04	12	6/30/2021	1	_	6,085	_	_	_	_	_	_	_	_
BH21-04	13	6/30/2021	1	_	6,726	_	_	_	1	_	-	-	_
BH21-04	14	6/30/2021	1	_	6,560	_	_	_	-	_	_	_	_
BH21-04	15	6/30/2021	2	_	4,698	ND	ND	ND	ND	ND	ND	ND	6,700.0
BH21-05	0.5	6/23/2021	_	_	24	ND	ND	ND	ND	ND	ND	ND	ND
BH21-06	0.5	6/23/2021	_	_	71	ND	ND	ND	ND	ND	ND	ND	ND
BH21-07	0.5	6/23/2021	_	_	2,803	_	_	_	_	_	_	_	_
BH21-08	0.5	6/23/2021	_	_	28	ND	ND	ND	ND	ND	ND	ND	ND
BH21-09	0.5	6/23/2021	_	68	250	ND	ND	ND	ND	ND	ND	ND	120.0
BH21-10	0.5	6/23/2021	_	_	568	_	_	_	_	_	_	_	_
BH21-11	0.5	6/23/2021	_	_	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH21-12	0.5	6/23/2021	_	_	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH21-13	0.5	6/23/2021	_		138	ND	ND	ND	ND	ND	ND	ND	ND
BH21-14	0.5	6/23/2021	_	_	282	ND	ND	ND	ND	ND	ND	ND	330.0
BH22-01	0	11/3/2022	0	21	228	ND	ND	ND	ND	ND	ND	ND	ND
BH22-01	2	11/3/2022	0	_	135	ND	ND	ND	ND	ND	ND	ND	ND
BH22-02	0	11/3/2022	0	48	342	ND	ND	ND	ND	ND	ND	ND	ND
BH22-02	2	11/3/2022	0	_	174	ND	ND	ND	ND	ND	ND	ND	ND
BH22-03	0	11/3/2022	0	55	205	ND	ND	ND	ND	ND	ND	ND	ND



	Table 2. Init	tial Characteriza	tion Sam	ple/Field	Screen a	nd Labora	atory Res	ults - Dep	th to Gro	undwate	r >100 fe	et bgs	
	Sample Descri _l	ption	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
				OFI		Vol	atile			Extractable	9		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroF	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride
	_		(ppm)	(ppm)	(+/-)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BH22-03	2	11/3/2022	0		69	ND	ND	ND	ND	ND	ND	ND	ND
BH22-04	0	11/3/2022	0	65	310	ND	ND	ND	ND	ND	ND	ND	ND
BH22-04	2	11/3/2022	0	_	212	ND	ND	ND	ND	ND	ND	ND	130.0
BH22-05	0	11/3/2022	0	64	477	ND	ND	ND	ND	ND	ND	ND	ND
BH22-05	2	11/3/2022	0	_	255	ND	ND	ND	ND	ND	ND	ND	ND
BH22-06	0	11/3/2022	0	74	380	ND	ND	ND	ND	ND	ND	ND	ND
BH22-06	2	11/3/2022	0	_	174	ND	ND	ND	ND	ND	ND	ND	ND
BH22-07	0	11/3/2022	0	164	7,426	ND	ND	ND	ND	ND	ND	ND	9,000.0
BH22-07	2	11/3/2022	0	24	7,995	ND	ND	ND	ND	ND	ND	ND	7,000.0
BH22-07	4	11/3/2022	0	50	7,925	ND	ND	ND	14	ND	14	14	6,600.0
BH22-08	0	11/3/2022	0	124	8,455	ND	ND	ND	ND	ND	ND	ND	7,100.0
BH22-08	2	11/3/2022	0	40	8,790	ND	ND	ND	ND	ND	ND	ND	5,600.0
BH22-08	4	11/3/2022	0	25	4,550	ND	ND	ND	41	110	41	151	7,300.0

[&]quot;ND" Not Detected at the Reporting Limit

Bold and Shaded indicates exceedance outside of regulator criteria (Off-site)



[&]quot;-" indicates not analyzed/assessed

Client Name: Devon Energy Production Company

Site Name: Helios 6 Fed Com 1/Hackberry 6 Federal 1 Wellpad NMOCD Tracking #: nAPP2116940090, nAPP2219226827

Project #: 22E-02537

Lab Report(s): 2301225, 2301270, 2301321, 2301461, 2301574, 2301376, 2301522, 2301870, 2301754, 2301764, 2301711, 2301631

	T	able 3. Confirmat	ory Samp	le Field Sci	reen and L	.aboratory	Results -	Depth to (Groundwa	ter >100 f	eet bgs		
9	Sample Descrip			eld Screeni		,		_	eum Hydro				
			qs			Vol	atile			Extractable)		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene (mg/kg)	Barex (Total)	(GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	3) Chloride Concentration
WS23-01	0-4	01/04/2023	-	67	318	ND	ND	ND	ND	ND	ND	ND	ND ND
WS23-02	0-4	01/04/2023	-	191	551	ND	ND	ND	9.6	ND	9.6	9.6	110
WS23-03	0-4	01/04/2023	-	206	654	ND	ND	ND	ND	ND	ND	ND	140
WS23-14	0-4	01/06/2023	-	48	390	ND	ND	ND	ND	ND	ND	ND	320
WS23-27	0-4	01/10/2023	0	12	210	ND	ND	ND	ND	ND	ND	ND	120
WS23-29	0-4	01/10/2023	0	49	220	ND	ND	ND	ND	ND	ND	ND	140
WS23-34	0-4	01/12/2023	0	84	378	ND	ND	ND	ND	ND	ND	ND	540
WS23-39	0-4	01/13/2023	0	59	218	ND	ND	ND	ND	ND	ND	ND	100
WS23-40	0-4	01/13/2023	0	28	90	ND	ND	ND	ND	ND	ND	ND	ND
WS23-41	0-4	01/13/2023	0	19	170	ND	ND	ND	ND	ND	ND	ND	79
WS23-42	0-4	01/13/2023	0	26	488	ND	ND	ND	ND	ND	ND	ND	170
WS23-43	0-4	01/20/2023	1	57 33	600 578	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
WS23-44	0-4	01/20/2023	1	133	340	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
WS23-45 BS23-01	0-4 4	01/20/2023	0	60	7,720	ND ND	ND ND	ND	ND ND	ND ND	ND	ND	7800
BS23-01 BS23-02	4	01/09/2023 01/09/2023	0	80	7,720	ND	ND	ND	ND	ND	ND	ND	8100
BS23-02 BS23-03	4	01/10/2023	0	35	200	ND	ND	ND	ND	ND	ND	ND	150
BS23-03	4	01/10/2023	0	120	668	ND	ND	ND	13	ND	13	13	790
BS23-04 BS23-05	4	01/10/2023	0	121	1,753	ND	ND	ND	24	ND	24	24	1700
BS23-06	4	01/11/2023	0	61	9,902	ND	ND	ND	ND	ND	ND.	ND.	7100
BS23-07	4	01/11/2023	0	24	3,426	ND	ND	ND	ND	ND	ND	ND	1900
BS23-08	4	01/11/2023	0	110	4,103	ND	ND	ND	11	ND	11	11	4200
BS23-09	4	01/11/2023	0	171	5,400	ND	ND	ND	9.6	ND	9.6	9.6	3000
BS23-10	4	01/11/2023	0	185	7,711	ND	ND	ND	15	ND	15	15	6100
BS23-11	4	01/11/2023	0	98	6,812	ND	ND	ND	ND	ND	ND	ND	7800
BS23-12	4	01/11/2023	0	188	8,052	ND	ND	ND	ND	ND	ND	ND	7000
BS23-13	4	01/11/2023	0	159	6,350	ND	ND	ND	ND	ND	ND	ND	5600
BS23-14	4	01/11/2023	0	188	8,052	ND	ND	ND	ND	ND	ND	ND	6500
BS23-15	4	01/11/2023	0	187	10,053	ND	ND	ND	ND	ND	ND	ND	12000
BS23-16	4	01/11/2023	0	183	9,150	ND	ND	ND	ND	ND	ND	ND	8300
BS23-17	4	01/11/2023	0	97	5,042	ND	ND	ND	ND	ND	ND	ND	4600
BS23-18	4	01/11/2023	0	150	7,661	ND	ND	ND	ND	ND	ND	ND	8500
BS23-19	4	01/11/2023	0	178	6,730	ND ND	ND	ND	26	67	26	93	6700
BS23-20	4	01/11/2023	0	323 113	7,837 6.562	ND	ND	ND	31 11	/1	31 11	102	9100
BS23-21	4	01/11/2023	0	113 143	6,562 9,055	ND ND	ND ND	ND ND	11 ND	ND ND	11 ND	11 ND	6800
BS23-22 BS23-23	4	01/11/2023 01/11/2023	0	190	10,039	ND ND	ND ND	ND	ND ND	ND ND	ND	ND ND	9000
BS23-23 BS23-24	4	01/11/2023	0	165	8,241	ND	ND	ND	ND	ND	ND	ND ND	7400
BS23-24 BS23-25	4	01/11/2023	0	246	9,550	ND	ND	ND	28	51	28	79	10000
BS23-26	4	01/13/2023	0	741	3,607	ND	ND	ND	73	100	73	173	3500
BS23-27	4	01/13/2023	0	675	5,880	ND	ND	ND	64	90	64	154	6000
BS23-28	4	01/16/2023	0	664	2,975	ND	ND	ND	220	260	220	480	3000
BS23-29	4	01/16/2023	0	819	3,120	ND	ND	ND	170	210	170	380	2700
BS23-30	4	01/16/2023	0	1,241	3,320	ND	ND	ND	310	520	310	830	3000
BS23-31	4	01/16/2023	0	149	2,605	ND	ND	ND	12	ND	12	12	2700
BS23-32	4	01/16/2023	0	183	2,845	ND	ND	ND	25	56	25	81	3600
BS23-33	4	01/16/2023	0	159	955	ND	ND	ND	30	48	30	78	2200
BS23-34	4	01/16/2023	0	112	1,205	ND	ND	ND	26	ND	26	26	1200
BS23-35	4	01/16/2023	0	54	640	ND	ND	ND	13	ND	13	13	730
BS23-36	4	01/16/2023	0	38	1,443	ND	ND	ND	ND	ND	ND	ND	1200
BS23-37	4	01/16/2023	0	101	835	ND	ND	ND	ND	ND	ND	ND	490
BS23-38	4	01/16/2023	0	12	1,770	ND	ND	ND	ND	ND	ND	ND	1200



BS23-39	4	01/16/2023	0	51	2,870	ND	ND	ND	ND	ND	ND	ND	2100
BS23-40	4	01/16/2023	0	102	1,480	ND	ND	ND	ND	ND	ND	ND	1600
BS23-41	4	01/16/2023	0	40	1,090	ND	ND	ND	ND	ND	ND	ND	1200
BS23-42	4	01/16/2023	0	19	433	ND	ND	ND	ND	ND	ND	ND	230
BS23-43	4	01/16/2023	0	52	988	ND	ND	ND	ND	ND	ND	ND	650
BS23-44	4	01/16/2023	0	56	1,463	ND	ND	ND	ND	ND	ND	ND	1600
BS23-45	4	01/16/2023	0	49	2,393	ND	ND	ND	ND 0.6	ND	ND 0.6	ND	2200
BS23-46	4	01/16/2023	0	81	1,190	ND	ND	ND	9.6	ND	9.6	9.6	910
BS23-47	4	01/16/2023	0	26 248	543	ND	ND ND	ND ND	ND 33	ND 64	ND 33	ND 97	510 1100
BS23-48 BS23-49	4	01/17/2023	0	378	1,255 1,490	ND ND	ND ND	ND ND	65	100	65	165	1400
BS23-49 BS23-50	4	01/17/2023 01/17/2023	0	8	1,430	ND	ND	ND	52	96	52	148	1600
BS23-50	4	01/17/2023	0	316	1,662	ND	ND	ND	39	85	39	124	1600
BS23-51	4	01/17/2023	0	482	3,633	ND	ND	ND	76	160	76	236	3100
BS23-53	4	01/17/2023	0	479	3,012	ND	ND	ND	88	160	88	248	2600
BS23-54	4	01/17/2023	0	154	2,440	ND	ND	ND	32	ND	32	32	2200
BS23-55	4	01/17/2023	0	115	1,445	ND	ND	ND	ND	ND	ND	ND	1100
BS23-56	4	01/17/2023	0	575	4,043	ND	ND	ND	180	ND	180	180	3700
BS23-57	4	01/17/2023	0	990	8,762	ND	ND	ND	150	ND	150	150	7100
BS23-58	4	01/18/2023	1	678	4,498	ND	ND	ND	180	340	180	520	9700
BS23-59	4	01/18/2023	1	769	2,385	ND	ND	ND	170	240	170	410	4500
BS23-60	4	01/18/2023	1	594	1,132	ND	ND	ND	150	240	150	390	2200
BS23-61	4	01/18/2023	2	325	5,230	ND	ND	ND	70	100	70	170	8100
BS23-62	4	01/18/2023	1	745	3,948	ND	ND	ND	310	460	310	770	4200
BS23-63	4	01/18/2023	1	919	8,920	ND	ND	ND	190	300	190	490	8700
BS23-64	4	01/18/2023	1	273	12,598	ND	ND	ND	56	81	56	137	17000
BS23-65	4	01/18/2023	1	289	9,993	ND	ND	ND	120	150	120	270	12000
BS23-66	4	01/18/2023	1	714	7,055	ND	ND	ND	160	220	160	380	6800
BS23-67	4	01/18/2023	1	926	6,900	ND	ND	ND	390	670	390	1060	5900
BS23-68	4	01/18/2023	1	1,054	5,595	ND	ND	ND	330	590	330	920	5200
BS23-69	4	01/18/2023	1	726	5,560	ND	ND	ND	390	700	390 540	1090	4900
BS23-70	4	01/18/2023	1	1,145 1,180	3,495 2.940	ND ND	ND ND	ND ND	540 390	890 690	390	1430 1080	3300 2400
BS23-71 BS23-72	4	01/18/2023 01/18/2023	1	1,157	2,620	ND	ND	ND	450	570	450	1020	2700
BS23-72	4	01/18/2023	1	688	7,813	ND	ND	ND	150	240	150	390	7800
BS23-74	4	01/18/2023	1	511	10,880	ND	ND	ND	160	220	160	380	11000
BS23-75	4	01/18/2023	1	474	8,605	ND	ND	ND	66	140	66	206	7700
BS23-76	4	01/19/2023	2	267	5,753	ND	ND	ND	49	79	49	128	9800
BS23-77	4	01/19/2023	2	249	5,008	ND	ND	ND	27	ND	27	27	8200
BS23-78	4	01/19/2023	2	581	3,495	ND	ND	ND	96	140	96	236	6000
BS23-79	4	01/19/2023	2	257	3,068	ND	ND	ND	76	120	76	196	4200
BS23-80	4	01/19/2023	1	1,008	1,788	ND	ND	ND	380	600	380	980	2400
BS23-81	4	01/19/2023	2	800	1,690	ND	ND	ND	170	320	270	590	2100
BS23-82	4	01/19/2023	1	880	1,613	ND	ND	ND	200	220	200	420	1900
BS23-83	4	01/19/2023	1	485	1,108	ND	ND	ND	310	370	310	680	1300
BS23-84	4	01/19/2023	1	1,120	1,930	ND	ND	ND	540	890	540	1430	2400
BS23-85	4	01/19/2023	1	660	2,073	ND	ND	ND	140	ND	140	140	3200
BS23-86	4	01/19/2023	1	231	1,498	ND	ND	ND	21	ND	21	21	1400
BS23-87	4	01/19/2023	1	390 153	1,573	ND	ND	ND	28	ND	28	28	1400
BS23-88	4	01/19/2023	1	152 104	1,638 3,380	ND ND	ND ND	ND ND	15 10	ND ND	15 10	15 10	3100 5200
BS23-89 BS23-90	4	01/19/2023 01/19/2023	1	104	1,018	ND	ND ND	ND	ND	ND ND	ND	ND	1000
BS23-90 BS23-91	4	01/19/2023	2	63	1,505	ND	ND	ND	ND	ND	ND	ND	2400
BS23-91 BS23-92	4	01/19/2023	1	358	2,498	ND	ND	ND	44	60	44	104	4300
BS23-93	4	01/19/2023	2	120	2,690	ND	ND	ND	13	ND	13	13	4900
BS23-94	4	01/19/2023	1	358	1,978	ND	ND	ND	80	130	80	210	2600
BS23-95	4	01/19/2023	1	664	1,505	ND	ND	ND	33	ND	33	33	2100
BS23-96	4	01/19/2023	1	868	2,100	ND	ND	ND	470	610	470	1080	2700
BS23-97	4	01/19/2023	1	319	1,833	ND	ND	ND	63	94	63	157	2200
BS23-98	4	01/19/2023	1	421	1,625	ND	ND	ND	39	69	39	108	2300
BS23-99	4	01/19/2023	1	352	1,755	ND	ND	ND	39	80	39	119	2300
BS23-100	4	01/20/2023	2	92	2,258	ND	ND	ND	ND	ND	ND	ND	2800
BS23-101	4	01/20/2023	1	81	1,283	ND	ND	ND	ND	ND	ND	ND	1700
BS23-102	4	01/20/2023	1	268	1,458	ND	ND	ND	20	ND	20	20	2000
BS23-103	4	01/20/2023	1	440	1,493	ND	ND	ND	39	64	39	103	1800
BS23-104	4	01/20/2023	1	346	1,680	ND	ND	ND	43	63	43	106	2300
5000 405	4	01/20/2023	1	538	3,385	ND	ND	ND	100	180	100	280	2300
BS23-105 BS23-106	4	01/20/2023	1	569	1,750	ND	ND	ND	76	130	76	206	2200



BS23-107	4	01/20/2023	1	339	2,575	ND	ND	ND	40	62	40	102	2300
BS23-108	4	01/20/2023	1	251	1,600	ND	ND	ND	38	63	38	101	2200
BS23-109	4	01/20/2023	2	202	2,965	ND	ND	ND	25	ND	25	25	2900
BS23-110	4	01/20/2023	1	197	1,330	ND	1600						
BS23-111	4	01/20/2023	1	210	1,025	ND	ND	ND	21	ND	21	21	960


[&]quot;ND" Not Detected at the Reporting Limit
"-" indicates not analyzed/assessed

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)



ATTACHMENT 4







FF st.		politicario est.	1, 1,6523531	Thumas The same	on one film (Applyon on a per constitution of the constitution of	energy (photography and a property	irtopipus illini va asa 2001. il	Arton & 10 a Wilson	::::::::::::::::::::::::::::::::::::::					
Š		OSE POD N	O. (WEL	L NO.	.)		VELL TAG ID NO.			OSE FILE N	O(S).	AESSING PROPERTY.		eden que el li Estudo que
NCILYO	2000年	WELL OWN Devon En		ME(S)				· · · · · · · · · · · · · · · · · · ·	-	PHONE (OP	TIONAL)		Participants	
LOC	1	WELL OWN		II ING	ADDRESS		- 							
ANDERE		6488 7 Riv			7.DDR.C.GO					CITY Artesia	NM 88210		ATE	ZiP
Ę		WELL		الملقد مشاه	D)	EGREES	MINUTES	SECONDS	apglijenare I	STOREGUE AND LONG TO	ettiapiilikispantyilijaa	signification()	T 20.0. 1455 PHYS. 119	Waxe toppy
GENERAL	.71.74	LOCATIO	מג	LAT	TTUDE	32	40	56.79	N	1	CY REQUIRED: ONE	TENTH O	F A SECOND	
2		। 			GITUDE	103	54	4.32	W		EQUIRED: WGS 84			
35		DESCRIPTI	ON REL	ATIN	G WELL LOCATION TO	STREET ADDRES	S AND COMMON I	LANDMARK	S PLS	S (SECTION, 1	'OWNSHJIP, RANGE) WHERE	AVAILABLE	
		LICENSE NO	<u>фран</u> Э.	Tipido)	NAME OF LICENSED	DRILLED		para er elejakan	is-II.(Sigge	siperiter of the parties of	sini makijapihikisjajininkikikijininkik	Han Vellandara	tan dipersional temperatura	uga na airi da agus agus
		18	33			J	ason Maley				NAME OF WELL		IG COMPANY esources, Inc	
		drilling s 12/1:		D	DRILLING ENDED 12/13/22	DEPTH OF COMP	LETED WELL (FT) 105	ВО		LE DEPTH (FT) 105	DEPTH WATER		COUNTERED (FT)
		COMPLETE	D WELF.	. IS:	ARTESIAN *add Centralizer info be	DRY HOLE	SHALLOW	/ (UNCONFIN	(ED)		C WATER LEVEL MPLETED WELL		DATE STATIC	MEASURED
I		DRILLING F	LUID:	—	✓ AIR	MUĎ	ADDITIVES	S - SPECIFY:	····	<u>, , , , , , , , , , , , , , , , , , , </u>		T- (mr-	<u></u>	
INFORMATION		DRILLING N	ИЕТНОС	>: [년]	ROTARY [] HAMM	MER CABLE	гоог 🛄 отнег	R – SPECIFY:			CH INS	ECK HER	E IF PITLESS ADA	PTER IS
E	Ň.	DEPTH	(feet by	gl)	BORE HOLE		ATERIAL AND/	OR	A A	SING	CASING	7		Aman kalingan nan
U G		FROM	Т	O	DIAM		GRADE h casing string, a			VECTION	INSIDE DIAN		ASING WALL THICKNESS	SLOT
CASENG					(inches)		tions of screen)	1	T d coupl	YPE ling diameter)	(inches)		(inches)	(inches)
્ય	1	0		0	6	L	ı pvc sch 40		tl	uread	2		Sch (10)	
ľŠ	1	80	10)0 	6	2 inc	n pvc sch 40		tl	read	2		5. h. 40	(28.0
ILI	4												- 4y-C-14	- K 1. C 1
2 DRILLING	#												****	
	-			<u>. </u>				-		······································				
PF	-								****					
Ŵ,	ı.												····	
	1			-,			*****	<u> </u>			<u>-</u>			
	<u> </u>													
51.14 51.14	: T		Frielight Salani		Doed the become dending beginning to the com-	LIST ANNULA	R SEAL MATERIA	AL AND GR	AVEL	DACK SIZE	ar detaile i i i seaman agració de	10 11 11 11 11 11 11 11 11 11 11 11 11 1		्टनीया का <u>च</u> ्यां विकास
		DEPTH (BORE HOLE DIAM. (inches)		RANGE BY I		(J. V 1.)L,	TACK SIZE-	AMOUN	T	METHO	
MATERIAL	1-	FROM	T(0	DIAW. (menes)	*(if using Centra	lizers for Artesian	wells- indica	te the	spacing below	(cubic fee	t)	PLACEM	IENT
Į.	-		•											
	-							·						
7	1	·											<u>-</u>	
ANNULAR	#-					·					 	·····		
	-	 												****
	id							 			<u> </u>			 i
FO:	n c	OSE INTERI	MAT IT	C17	<u> </u>						<u> </u>		<u> </u>	
FIL			YALL U	ಎಲ			POD NO.				0 WELL RECOR	D & L.O	G (Version 09/22	/2022)
		TION					TOD NO.			TRN	·—			
									V	VELL TAG I	D NO.		PAGE :	OF 2

	. tedjsjamjere ". j., g e vrg	Laderder, besit still		almoducina alema alema alema en	together the land of the should prove the lighter	ragishtar ada	tri magrid Marmar - Taliggi	([alshij]	. Particologica de l'esterna agr	daugu 9 K. M	Nerwashneshneshe
	DEPTH (feet bgl) TO	THICKNESS (feet)	INCLUDE WAT	ND TYPE OF MATERIAL ER-BEARING CAVITIES pplemental sheets to fully	OR FRAC	CTURE ZONE	s	WAT BEARI (YES /	NG?	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	0	30	30	***************************************	red sand and white calid	hie			Y	<u>B</u>	1102
	30	40	10		fine red sand			·	Y	αÑ	
	40	50	10		red clay				Y	(Å)	······································
	50	60	10		pink sand and calichi	c			Y	(8)	
	60	70	10	P. 19969-August	red clay moist	·			Y	(1)	
	70	80	10		pink sandy calichie				Y	4	
4. HYDROGROLOGIC EOG OF WYLE	80	105	25		red fine sand				Y	(B)	********
6							— - 		Y	N	
၂၀၀									У	N	or his over the below
ē		·	*********						Y	N	
) [0]									Y	N	- ANNE AND
EO		•					·		Y	N	······································
Ď		* : · · · · · · · · · · · · · · · · · ·							Y	N	
									Y	N	
•									Y	N	
	***************************************								Y	N	
					- x		T & WEST CONTROL OF THE SECOND		У	N	
						<u></u>			Υ	N	
		-;\ 							Y	N	
					THE PARTY BUT				Y	N	
		i							Y	N	
	METHOD U	SED TO ES	TIMATE YIELD	OF WATER-BEARIN	G STRATA:				AL ESTIMA		
	PUMI				THER SPECIFY:				L YIELD		,
APPENDICT	Parent Land in the land		inatara di casa di 1, a e e e e e e e e e e e e e e e e e e		And the second of the second o	Helis et a Principalis	11.21 - 1. · · · · · · · · · · · · · · · · · ·	Contractor		resonate de la composición dela composición de la composición de la composición de la composición de la composición dela composición de la composición dela composición de la composición dela composición de la c	ila, tamba gayar muzen da. et ee
ود	WELL TEST	r TEST I START	RESULTS - ATTA TTIME, END TIN	ACH A COPY OF DAT ME, AND A TABLE SI	TA COLLECTED DURING HOWING DISCHARGE AT	WELL '	resting, inc Wdown ovi	LUDI ER THI	NG DISCH E TESTINO	ARGE N PERIO	NETHOD, D.
RIGSUPERVISION	MISCELLA	NEOUS INF	ORMATION:		in the second part of the second second	<u> telad Sirit a ir. i</u>	Helicia (Marie Carlos de La Carlos de Car	- 1 =	100 Japan	<u> </u>	nian Zentat antar lanta (bitki est la
TE A											
CS											
22											
E	PRINT NAM	IE(S) OF DE	ULL RIG SUPER	VISOR(S) THAT PRO	VIDED ONSITE SUPERV	ISION Ó	F WELL CON	STRU	CTION OT	HER TH	AN LICENSEE:
\$											
	THE UNDER	RSIGNED H	EREBY CERTIF	IES THAT, TO THE F	BEST OF HIS OR HER KN	OWLED	GE AND BEL	IEF, T	HE FOREG	OING I	S A TRUE AND
SIGNATURE	CORRECT R	LECORD OF	THE ABOVE D	ESCRIBED HOLE AN	ND THAT HE OR SHE WII IPLETION OF WELL DRII	T. FILE	THIS WELL I	ECOR	D WITH T	HE STA	TE ENGINEER
			y	1	ayan manana a sa a a manana ka		•				
SIG		,,,	VIVI 1	16 1	View Miles				أمام	<i></i>	
e i		SIGNATI	IKE OF DEDICE	R / PRINT SIGNEE	MAME	.)	personal desires, of		Pry [1.]	· · · · · · · · · · · · · · · · · · ·	
r:".#64jir1		CLOCKED STORY		ATTRIBUTE OF A STREET, THE APPROXIMATION OF THE	CALTAIN	· Herence (1955 - Com	ue forizani Nasila isa	**************************************	I Congression	DATE	
	OSE INTERI	NAL USE	·····		·		WR-20 WEI	L RE	CORD & LO	OG (Ver	sion 09/22/2022)
	E NO.	••————		7 N TO THE SEC AS A SEC.	POD NO.		TRN NO.				
LOC	CATION			***************************************		WELL	TAG ID NO.				PAGE 2 OF 2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

	ENERAL / WELL OWNERSHIP:		
State	Engineer Well Number:		
well	owner:	Phone No.:	1
Maili	ng address: 6488 7 Rivers Hwy		
City:	Artesia State:		Zip code: 88210
II. W	ELL PLUGGING INFORMATION:		
1)	Name of well drilling company that plugged well:	/ision Resources, Inc	
2)	New Mexico Well Driller License No.: WD 1833	Expira	tion Date: 12-31-23
3)	Well plugging activities were supervised by the follo Jason Maley	owing well driller(s)/rig supervisor(s):
4)	Date well plugging began: 12-16-22	Date well plugging concluded:	12-16-22
5)	GPS Well Location: Latitude: 32 Longitude: 103	_deg,40min,56.79deg,54min,4.32	_ sec _ sec⊭wGS 84
6)	Depth of well confirmed at initiation of plugging as: by the following manner: tape	ft below ground level (\)	ogi),
7)	Static water level measured at initiation of plugging:	dryft bgl	-
8)	Date well plugging plan of operations was approved	by the State Engineer: yes	_
))	Were all plugging activities consistent with an appro- differences between the approved plugging plan and	ved plugging plan?yes the well as it was plugged (attach ad	If not, please described itional pages as needed):
			,

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging <u>Material Used</u> (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
 	Barold Hale Plug	155	184,21	Plate	pare the parent , co.
					ı ,
-					
		MULTIPLY BY	AND OBTAIN		•

cubic feet x 7.4605 = gallons cubic yards x 201.97 = gallons

III. SIGNATURE:

I, Jason Maley

, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller

Date



Hackberry 6 Federal 1 Well Pad 800 Feet (



December 2, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake


Other

Riverine



This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.







7, Hackberry 6 Fed 1 Wellpad to Wetland



August 12, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake


Other

Riverine

___ Othe

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Active Mines in New Mexico




12/2/2022, 8:27:51 AM

Registered Mines

Aggregate, Stone etc.

Potash



Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

Received by OCD: 5/10/2023 2:48:14 PM National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X OTHER AREAS OF Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D - - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLILL Levee, Dike, or Floodwall 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation **Coastal Transect** Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary **Coastal Transect Baseline** OTHER **Profile Baseline FEATURES** Hydrographic Feature Digital Data Available No Digital Data Available MAP PANELS Unmapped The pin displayed on the map is an approximate


This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

point selected by the user and does not represent

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/12/2022 at 5:54 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Eddy Area, New Mexico

SG—Simona gravelly fine sandy loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5w Elevation: 2,750 to 5,000 feet

Mean annual precipitation: 8 to 16 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 230 days

Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 95 percent *Minor components*: 5 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Simona

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: gravelly fine sandy loam

H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low

to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 2.1 inches)


Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R070BD002NM - Shallow Sandy



Map Unit Description: Simona gravelly fine sandy loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Minor Components

Simona

Percent of map unit: 4 percent

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

Playa

Percent of map unit: 1 percent

Landform: Playas

Landform position (three-dimensional): Talf Down-slope shape: Concave, convex Across-slope shape: Concave, linear

Ecological site: R070BC017NM - Bottomland

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 18, Sep 8, 2022



Ecological site R070BD002NM Shallow Sandy

Accessed: 12/02/2022

General information

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Associated sites

R070BD004NM	Sandy
	Sandy sites often occur in association or in a complex with Shallow Sandy Sites.

Similar sites

R070BD004NM	Sandy
	Sandy ecological sites are similar to Shallow Sandy sites in species composition and Transition pathways.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

Physiographic features

This site occures on plains, alluvial fans, uplands, or fan piedmonts. The parent material consists of mixed loamy alluvium or eolian material derived from igneous and sedimentory bedrock. The petrocalcic layer is at a depth of 10 to 25 inches and undulating.

Slopes are nearly level to undulating, usually less than 9 percent. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain(2) Fan piedmont(3) Alluvial fan
Elevation	2,842-4,500 ft
Slope	1–9%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common.

Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is from 207 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of the site. The vegetation of this site can take advantage of the moisture and the time it falls. Because of the soil profile, little moisture can be stored in the soil for any length of time. Moisture is readily available to the plants from the time it falls. Strong winds from the southwest blow from January through June which rapidly dries out the soil profile during a critical period for plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are very shallow to shallow, less than 20 inches in depth. Surface and subsurface textures are gravelly loamy sand, gravelly fine sandy loam or fine sandy loam.

An indurated calache layer occurs at depths of 6 to 25 inches and is at an average of 15 inches from the surface. Underlying material textures are very gravelly fine sandy loam, very gravelly sandy loam, gravelly fine sandy loam. Gravels are calcium carbonate concretions, calcium carbonate content ranges from 30 to 65 percent.

The indurated caliche layer typically holds water up in the profile for short periods within the root zone of plants. These soils will blow if left unprotected by vegetation.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are: Simona

Jerag

Table 4. Representative soil features

Surface texture	(1) Fine sandy loam(2) Loamy fine sand(3) Gravelly fine sandy loam
Family particle size	(1) Loamy
Drainage class	Well drained to moderately well drained
Permeability class	Moderately slow to moderate

Soil depth	7–24 in
Surface fragment cover <=3"	5–25%
Surface fragment cover >3"	0%
Available water capacity (0-40in)	1–2 in
Calcium carbonate equivalent (0-40in)	5–15%
Electrical conductivity (0-40in)	0–4 mmhos/cm
Sodium adsorption ratio (0-40in)	0
Soil reaction (1:1 water) (0-40in)	7.4–8
Subsurface fragment volume <=3" (Depth not specified)	5–25%
Subsurface fragment volume >3" (Depth not specified)	0%


Ecological dynamics

Overview

The Shallow Sandy site occurs on upland plains, and tops of low ridges and mesas, associated with Sandy, Loamy Sand, and Shallow sites. Coarse to moderately coarse soil surface textures, shallow depth (<20 inches) to an indurated caliche layer (petrocalcic horizon), and an overwhelming dominance by black grama help to distinguish this site. The historic plant community of the Shallow Sandy site is a black grama dominated grassland sparsely dotted with shrubs. Shrubs, especially mesquite and creosotebush can increase or colonize due to the dispersal of shrub seeds by livestock or wildlife. This increase in mesquite and colonization of creosotebush may be enhanced by proximity to areas with existing high shrub densities. Fire suppression, and the loss of grass cover due to overgrazing or drought may facilitate the increase and encroachment of shrubs. Persistent loss of grass cover, competition for resources by shrubs, and periods of climate with increased winter precipitation and dry summers, may initiate the transition to a shrub-dominated state.

State and transition model

Plant Communities and Transitional Pathways (diagram)



Seed dispersal, drought, overgrazing, fire suppression.

- Prescribed fire, brush control, prescribed grazing.
- 2. Persistent loss of grass cover, resource competition, increased winter precipitation.
- Brush control, range seeding, prescribed grazing.

State 1 Historic Climax Plant Community

Community 1.1 Historic Climax Plant Community

Grassland: This site responds well to management and is resistant to state change, due to the shallow depth to petrocalcic horizon and sandy surface textures. The sandy surface textures allow rapid water infiltration and the petrocalcic horizon helps to keep water perched and available to shallow rooted grasses. Black grama is the dominant species in the historic plant community, averaging 50 to 60 percent of the total production for this site. Bush muhly, blue grama, and dropseeds are present as sub-dominants. Typically, yucca, javalinabush, range ratany, prickly pear, and mesquite are sparsely dotted across the landscape. Leatherweed croton, cutleaf

happlopappus, wooly groundsel, and threadleaf groundsel are common forbs. Continuous heavy grazing or extended periods of drought will cause a loss of grass cover characterized by a decrease in black grama, bush muhly, blue and sideoats grama, plains bristlegrass, and Arizona cottontop. Dropseeds and or threeawns may increase and become sub-dominant to black grama. Continued loss of grass cover in conjunction with dispersal of shrub seeds and fire suppression is believed to cause the transition to a state with increased amounts of shrubs (Grass/Shrub state). Diagnosis: Black grama is the dominant grass species. Grass cover uniformly distributed. Shrubs are a minor component averaging only two to five percent canopy cover. Litter cover is high (40-50 percent of area), and litter movement is limited to smaller size class litter and short distances (<. 5m). Other grasses that could appear on this site would include: six-weeks grama, fluffgrass, false-buffalograss, hairy grama, little bluestem, bristle panicum, cane bluestem, Indian ricegrass, tridens spp., and red lovegrass. Other woody plants include: pricklypear, cholla, fourwing saltbush, catclaw mimosa, winterfat, American tarbush and mesquite. Other forbs include: globemallow, verbena, desert holly, senna, plains blackfoot, trailing fleabane, fiddleneck, deerstongue, wooly Indianwheat, and locoweed.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	
Grass/Grasslike	474	652	830
Forb	78	107	136
Shrub/Vine	48	66	84
Total	600	825	1050

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	30-35%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	40-50%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	15-25%

Figure 5. Plant community growth curve (percent production by month). NM2802, R042XC002NM-Shallow Sandy-HCPC. SD-3 Shallow Sandy - Warm season plant community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2 Grass/Shrub

Community 2.1 Grass/Shrub

Grass/Shrub: This state is characterized by the notable presence of shrubs, especially mesquite, broom snakeweed, and/or creosotebush, however grasses remain as the dominant species. Black grama is the dominant

grass species. Threeawns and or dropseeds are sub-dominant. The susceptibility of the Shallow Sandy site to shrub encroachment may be higher when located adjacent to other sites with high densities of mesquite or creosotebush. Retrogression within this site is characterized by decreases in grass cover and increasing densities of shrubs. Diagnosis: Black grama remains as the dominant grass species. Grass cover varies in response to the amount of shrub increase, ranging from uniform to patchy. Shrubs are found at increased densities relative to the grassland state, especially mesquite, creosotebush, or broom snakeweed. Transition to Grass/Shrub (1a) Historically fire may have kept mesquite and other shrubs in check by completely killing some species and disrupting seed production cycles and suppressing the establishment of shrub seedlings in others. Fire suppression combined with seed dispersal by livestock and wildlife is believed to be the factors responsible for the establishment and increase in shrubs.1, 3 Loss of grass cover due to overgrazing, prolonged periods of drought, or their combination, reduces fire fuel loads and increases the susceptibility of the site to shrub establishment. Key indicators of approach to transition: Increase in the relative abundance of dropseeds and threeawns Presence of shrub seedlings Loss of organic matter—evidenced by an increase in physical soil crusts 8 Transition back to Grassland (1b) Brush control is necessary to initiate the transition back to the grassland state. If adequate fuel loads remain, possibly the reintroduction of fire as a management tool will assist in the transition back, however, mixed results have been observed concerning the effects of fire on black grama grasslands.6 Prescribed grazing will help ensure adequate rest following brush control and will assist in the establishment and maintenance of grass cover capable of sustaining fire.

State 3 Shrub Dominated

Community 3.1 Shrub Dominated

Shrub-Dominated: Across the range of soil types included in the Shallow Sandy site, mesquite is typically the dominant shrub, but it does occur as a co-dominant or sub-dominant species with creosotebush or broom snakeweed. Mesquite tends to dominate when the Shallow Sandy site occurs as part of a complex or in association with Sandy or Loamy Sand sites. Creosotebush tends to dominate on Shallow Sandy sites that occur as part of, or adjacent to Shallow Sites. Broom snakeweed increases in response to heavy grazing, but tends to cycle in and out depending on timing of rainfall. However, once the site is dominated by shrubs and snakeweed becomes well established, it tends to remain as a major component in the shrub dominated state. Diagnosis: Mesquite, creosotebush, or snakeweed cover is high, exceeding that of grasses. Grass cover is patchy with large connected bare areas present. Black grama, threeawns, or dropseeds may be the dominant grass. Evidence of accelerated wind erosion in the form of pedestalling of plants, and soil deposition around shrub bases may be common. Transition to Shrub-Dominated (2) Persistent loss of grass cover and the resulting increased competition between shrubs and remaining grasses for dwindling resources (especially soil moisture) may drive this transition.5 Additionally periods of increased winter precipitation may facilitate periodic episodes of shrub expansion and establishment. 4 Key indicators of approach to transition: Increase in size and frequency of bare patches. Loss of grass cover in shrub interspaces. Increased signs of erosion, evidenced by pedestalling of plants, and soil and litter deposition on leeward side of plants. 7 Transition back to Grassland (3) Brush control is necessary to reduce competition from shrubs and reestablish grasses. Range seeding may be necessary if insufficient grasses remain, The benefits, and costs, will vary depending upon the degree of site degradation, and adequate precipitation following seeding.

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
Grass	/Grasslike				
1	Warm Season			413–495	
	black grama	BOER4	Bouteloua eriopoda	413–495	_
2	Warm Season			41–83	
	bush muhly	MUPO2	Muhlenbergia porteri	41–83	_
3	Warm Season			41–83	

	1			1 1	1
	blue grama	BOGR2	Bouteloua gracilis	41–83	_
4	Warm Season			25–41	
	sideoats grama	BOCU	Bouteloua curtipendula	25–41	I
5	Warm Season	-		41–83	
	spike dropseed	SPCO4	Sporobolus contractus	41–83	-
	sand dropseed	SPCR	Sporobolus cryptandrus	41–83	_
	mesa dropseed	SPFL2	Sporobolus flexuosus	41–83	_
6	Warm Season			17–41	
	threeawn	ARIST	Aristida	17–41	_
7	Warm Season	41–83			
	Arizona cottontop	DICA8	Digitaria californica	41–83	_
	plains bristlegrass	SEVU2	Setaria vulpiseta	41–83	_
8	Warm Season			41–83	
	mat sandbur	CELO3	Cenchrus longispinus	41–83	_
	hooded windmill grass	CHCU2	Chloris cucullata	41–83	-
9	Other Perennial Grasses	•		25–41	
	Grass, perennial	2GP	Grass, perennial	25–41	-
Shru	b/Vine	•			
10	Shrub			8–25	
	javelina bush	COER5	Condalia ericoides	8–25	
11	Shrub	-!		8–25	
	yucca	YUCCA	Yucca	8–25	_
12	Shrub			8–25	
	jointfir	EPHED	Ephedra	8–25	_
	littleleaf ratany	KRER	Krameria erecta	8–25	_
13	Shrub	_ !		8–25	
	featherplume	DAFO	Dalea formosa	8–25	_
14	Shrub			8–25	
	broom snakeweed	GUSA2	Gutierrezia sarothrae	8–25	_
15	Other Shrubs			25–41	
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	25–41	_
Forb					
16	Forb			17–41	
	leatherweed	CRPOP	Croton pottsii var. pottsii	17–41	_
	Goodding's tansyaster	MAPIG2	Machaeranthera pinnatifida ssp. gooddingii var. gooddingii	17–41	_
17	Forb			17–41	
	woolly groundsel	PACA15	Packera cana	17–41	_
	threadleaf ragwort	SEFLF	Senecio flaccidus var. flaccidus	17–41	_
18	Forb		1	8–25	
	whitest evening primrose	OEAL	Oenothera albicaulis	8–25	_
19	Other Forbs	1	1	8–25	
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	8–25	_
		•	•	•	

Animal community

This site provides habitats which support a resident animal community that is characterized by pronghorn antelope, swift fox, black-tailed jackrabbit, spotted ground squirrel, Ord's kangaroo rat, northern grasshopper mouse, coyote, horned lark, meadowlark, lark bunting, scaled quail, morning dove, side-blotched lizard, round-tailed horned lizard, marbled whiptail, prairie rattlesnake and ornate box turtle.

Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations Soil Series Hydrologic Group Jarag D Simona D

Recreational uses

This site offers recreation for hiking, horseback riding, nature observation and photography, and quail and dove hunting. During years of abundant spring moisture, this site displays a riot of color from wildflowers during May and June. A few summer and fall flowers also occur.

Wood products

The natural potential plant community of this site affords little or no wood products. Where the site has been invaded by mesquite or cholla cactus the roots and stems of these plants provide attractive material for a variety of curiosities, such as lamps and small furniture.

Other products

This site is suitable for grazing by all kinds and classes of livestock during all seasons of the year. Because of the sandy textures and shallow profile, this site will respond rapidly to management. As this site deteriorates, plants such as black grama, bush muhly, blue and sideoats grama, plains bristlegrass and Arizona cottontop, will decrease and be replaced by plants such as threeawns, mesquite, creosote bush, and broom snakeweed. This also causes a decrease in ground cover, leaving the soil to blow. This site responds best to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index Ac/AUM $100 - 76 \ 2.5 - 3.5$ $75 - 51 \ 3.2 - 4.6$ $50 - 26 \ 4.5 - 7.5$ $25 - 0 \ 7.6 +$

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature References:

- 1. Brooks, M.L. and D.A. Pyke. 2001. Invasive plants and fire in the deserts of North America. Pages 1–14 in K.E.M. Galley and T.P. Wilson (eds.). Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species.
- 2. Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas. 1983. Water properties of caliche. J. Range Manage. 36: 723-726.
- 3. Humphrey, R.R. 1974. Fire in the deserts and desert grassland of North America. In: Kozlowski, T. T.; Ahlgren, C. E., eds. Fire and ecosystems. New York: Academic Press: 365-400.
- 4. Moir, W.H., and J. A. Ludwig. 1991. Plant succession and changing land features in desert grasslands. P. 15-18. In P.F. Ffolliott and W.T. Swank (eds.) People and the temperate region: a summary of research from the United States Man and the Biosphere Program 1991. U.S. Dept. State, Publ No. 9839, Nat. Tech. Info. Serv., U.S. Dept. Commerce, Springfield, Illinois. 63 p.
- 5. Tiedemann, A. R. and J. O. Klemmedson. 1977. Effect of mesquite trees on vegetation and soils in the desert grassland. J. Range Manage. 30: 361-367.
- 6. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, September). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/[accessed 2/10/03].
- 7. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Wind Erosion. Rangeland Sheet 10 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html
- 8. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Physical and Biological Soil Crusts. Rangeland Sheet 7 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html

Contributors

David Trujillo Don Sylvester

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.


	1
Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators


1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:
7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:

Released to Imaging: 10/5/2023 9:49:47 AM

13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:
17.	Perennial plant reproductive capability:



National Centers for Environmental Information, U.S. Coastal Relief Model. Data refreshed June, 2022., NMBGMR





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(NAD83 UTM in meters) (quarters are smallest to largest)

(In feet)

			POD												
			Sub-		QQ	Q								V	Water
PO	D Number	Code	basin	County	64 1	64	Sec	Tws	Rng	X	Y	DistanceDept	hWellDe	pthWater C	olumn
CP	00767 POD1		CP	ED	3	2	35	18S	30E	599300	3619158*	3692	500		
CP	00873 POD1		CP	LE	1	1	19	19S	31E	601772	3613147*	4138	340	180	160
<u>CP</u>	00818 POD1		CP	LE	1	4	26	18S	30E	599289	3620364*	4450	240		
<u>CP</u>	00829 POD1		CP	LE	2	4	16	19S	31E	606165	3614009*	4917	120		
CP	00357 POD1		CP	ED	4 4	. 1	24	19S	30E	600667	3612631*	4932	630		
CP	00647 POD1	O	CP	ED	4 2	2	15	19S	30E	598235	3614621*	4956	200	92	108

Average Depth to Water:

136 feet

Minimum Depth:

92 feet

Maximum Depth:

180 feet

Record Count: 6

UTMNAD83 Radius Search (in meters):

Easting (X): 602448.65 **Northing (Y):** 3617230 **Radius:** 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

8/12/22 7:40 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER



Hackberry 6 Federal 1 Well Pad 800 Feet (



December 2, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland


Freshwater Pond

Lake

Other


Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.





7, Hackberry 6 Fed 1 Wellpad to Wetland



August 12, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond


Lake

Other

Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Active Mines in New Mexico




12/2/2022, 8:27:51 AM

Registered Mines

Aggregate, Stone etc.

Potash



Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

Received by OCD: 5/10/2023 2:48:14 PM National Flood Hazard Layer FIRMette





Legend SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X OTHER AREAS OF Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X

Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D

- - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLIL Levee, Dike, or Floodwall

> 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation **Coastal Transect** Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary **Coastal Transect Baseline** OTHER **Profile Baseline**

> > Hydrographic Feature

Digital Data Available No Digital Data Available

Unmapped

FEATURES

MAP PANELS

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below.

an authoritative property location.

The pin displayed on the map is an approximate point selected by the user and does not represent

The basemap shown complies with FEMA's basemap accuracy standards The flood hazard information is derived directly from the

authoritative NFHL web services provided by FEMA. This map was exported on 8/12/2022 at 5:54 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2.000

Eddy Area, New Mexico

SG—Simona gravelly fine sandy loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5w Elevation: 2,750 to 5,000 feet

Mean annual precipitation: 8 to 16 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 230 days

Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 95 percent *Minor components*: 5 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Simona

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: gravelly fine sandy loam

H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low

to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 2.1 inches)


Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R070BD002NM - Shallow Sandy



Map Unit Description: Simona gravelly fine sandy loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Minor Components

Simona

Percent of map unit: 4 percent

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

Playa

Percent of map unit: 1 percent

Landform: Playas

Landform position (three-dimensional): Talf Down-slope shape: Concave, convex Across-slope shape: Concave, linear

Ecological site: R070BC017NM - Bottomland

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 18, Sep 8, 2022



Ecological site R070BD002NM Shallow Sandy

Accessed: 12/02/2022

General information

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Associated sites

R070BD004NM	Sandy
	Sandy sites often occur in association or in a complex with Shallow Sandy Sites.

Similar sites

R070BD004NM	Sandy	ĺ
	Sandy ecological sites are similar to Shallow Sandy sites in species composition and Transition pathways.	ĺ

Table 1. Dominant plant species

Tree	Not specified		
Shrub	Not specified		
Herbaceous	Not specified		

Physiographic features

This site occures on plains, alluvial fans, uplands, or fan piedmonts. The parent material consists of mixed loamy alluvium or eolian material derived from igneous and sedimentory bedrock. The petrocalcic layer is at a depth of 10 to 25 inches and undulating.

Slopes are nearly level to undulating, usually less than 9 percent. Elevations range from 2,842 to 4,500 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain(2) Fan piedmont(3) Alluvial fan
Elevation	2,842-4,500 ft
Slope	1–9%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common.

Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity – short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is from 207 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of the site. The vegetation of this site can take advantage of the moisture and the time it falls. Because of the soil profile, little moisture can be stored in the soil for any length of time. Moisture is readily available to the plants from the time it falls. Strong winds from the southwest blow from January through June which rapidly dries out the soil profile during a critical period for plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are very shallow to shallow, less than 20 inches in depth. Surface and subsurface textures are gravelly loamy sand, gravelly fine sandy loam or fine sandy loam.

An indurated calache layer occurs at depths of 6 to 25 inches and is at an average of 15 inches from the surface. Underlying material textures are very gravelly fine sandy loam, very gravelly sandy loam, gravelly fine sandy loam. Gravels are calcium carbonate concretions, calcium carbonate content ranges from 30 to 65 percent.

The indurated caliche layer typically holds water up in the profile for short periods within the root zone of plants. These soils will blow if left unprotected by vegetation.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are:

Simona

Jerag

Table 4. Representative soil features

Surface texture	(1) Fine sandy loam(2) Loamy fine sand(3) Gravelly fine sandy loam
Family particle size	(1) Loamy
Drainage class	Well drained to moderately well drained
Permeability class	Moderately slow to moderate

Soil depth	7–24 in
Surface fragment cover <=3"	5–25%
Surface fragment cover >3"	0%
Available water capacity (0-40in)	1–2 in
Calcium carbonate equivalent (0-40in)	5–15%
Electrical conductivity (0-40in)	0–4 mmhos/cm
Sodium adsorption ratio (0-40in)	0
Soil reaction (1:1 water) (0-40in)	7.4–8
Subsurface fragment volume <=3" (Depth not specified)	5–25%
Subsurface fragment volume >3" (Depth not specified)	0%


Ecological dynamics

Overview

The Shallow Sandy site occurs on upland plains, and tops of low ridges and mesas, associated with Sandy, Loamy Sand, and Shallow sites. Coarse to moderately coarse soil surface textures, shallow depth (<20 inches) to an indurated caliche layer (petrocalcic horizon), and an overwhelming dominance by black grama help to distinguish this site. The historic plant community of the Shallow Sandy site is a black grama dominated grassland sparsely dotted with shrubs. Shrubs, especially mesquite and creosotebush can increase or colonize due to the dispersal of shrub seeds by livestock or wildlife. This increase in mesquite and colonization of creosotebush may be enhanced by proximity to areas with existing high shrub densities. Fire suppression, and the loss of grass cover due to overgrazing or drought may facilitate the increase and encroachment of shrubs. Persistent loss of grass cover, competition for resources by shrubs, and periods of climate with increased winter precipitation and dry summers, may initiate the transition to a shrub-dominated state.

State and transition model

Plant Communities and Transitional Pathways (diagram)



Seed dispersal, drought, overgrazing, fire suppression.

- Prescribed fire, brush control, prescribed grazing.
- 2. Persistent loss of grass cover, resource competition, increased winter precipitation.
- Brush control, range seeding, prescribed grazing.

State 1 Historic Climax Plant Community

Community 1.1 Historic Climax Plant Community

Grassland: This site responds well to management and is resistant to state change, due to the shallow depth to petrocalcic horizon and sandy surface textures. The sandy surface textures allow rapid water infiltration and the petrocalcic horizon helps to keep water perched and available to shallow rooted grasses. Black grama is the dominant species in the historic plant community, averaging 50 to 60 percent of the total production for this site. Bush muhly, blue grama, and dropseeds are present as sub-dominants. Typically, yucca, javalinabush, range ratany, prickly pear, and mesquite are sparsely dotted across the landscape. Leatherweed croton, cutleaf

happlopappus, wooly groundsel, and threadleaf groundsel are common forbs. Continuous heavy grazing or extended periods of drought will cause a loss of grass cover characterized by a decrease in black grama, bush muhly, blue and sideoats grama, plains bristlegrass, and Arizona cottontop. Dropseeds and or threeawns may increase and become sub-dominant to black grama. Continued loss of grass cover in conjunction with dispersal of shrub seeds and fire suppression is believed to cause the transition to a state with increased amounts of shrubs (Grass/Shrub state). Diagnosis: Black grama is the dominant grass species. Grass cover uniformly distributed. Shrubs are a minor component averaging only two to five percent canopy cover. Litter cover is high (40-50 percent of area), and litter movement is limited to smaller size class litter and short distances (<. 5m). Other grasses that could appear on this site would include: six-weeks grama, fluffgrass, false-buffalograss, hairy grama, little bluestem, bristle panicum, cane bluestem, Indian ricegrass, tridens spp., and red lovegrass. Other woody plants include: pricklypear, cholla, fourwing saltbush, catclaw mimosa, winterfat, American tarbush and mesquite. Other forbs include: globemallow, verbena, desert holly, senna, plains blackfoot, trailing fleabane, fiddleneck, deerstongue, wooly Indianwheat, and locoweed.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	
Grass/Grasslike	474	652	830
Forb	78	107	136
Shrub/Vine	48	66	84
Total	600	825	1050

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	30-35%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	40-50%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	15-25%

Figure 5. Plant community growth curve (percent production by month). NM2802, R042XC002NM-Shallow Sandy-HCPC. SD-3 Shallow Sandy - Warm season plant community.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2 Grass/Shrub

Community 2.1 Grass/Shrub

Grass/Shrub: This state is characterized by the notable presence of shrubs, especially mesquite, broom snakeweed, and/or creosotebush, however grasses remain as the dominant species. Black grama is the dominant

grass species. Threeawns and or dropseeds are sub-dominant. The susceptibility of the Shallow Sandy site to shrub encroachment may be higher when located adjacent to other sites with high densities of mesquite or creosotebush. Retrogression within this site is characterized by decreases in grass cover and increasing densities of shrubs. Diagnosis: Black grama remains as the dominant grass species. Grass cover varies in response to the amount of shrub increase, ranging from uniform to patchy. Shrubs are found at increased densities relative to the grassland state, especially mesquite, creosotebush, or broom snakeweed. Transition to Grass/Shrub (1a) Historically fire may have kept mesquite and other shrubs in check by completely killing some species and disrupting seed production cycles and suppressing the establishment of shrub seedlings in others. Fire suppression combined with seed dispersal by livestock and wildlife is believed to be the factors responsible for the establishment and increase in shrubs.1, 3 Loss of grass cover due to overgrazing, prolonged periods of drought, or their combination, reduces fire fuel loads and increases the susceptibility of the site to shrub establishment. Key indicators of approach to transition: Increase in the relative abundance of dropseeds and threeawns Presence of shrub seedlings Loss of organic matter—evidenced by an increase in physical soil crusts 8 Transition back to Grassland (1b) Brush control is necessary to initiate the transition back to the grassland state. If adequate fuel loads remain, possibly the reintroduction of fire as a management tool will assist in the transition back, however, mixed results have been observed concerning the effects of fire on black grama grasslands.6 Prescribed grazing will help ensure adequate rest following brush control and will assist in the establishment and maintenance of grass cover capable of sustaining fire.

State 3 Shrub Dominated

Community 3.1 Shrub Dominated

Shrub-Dominated: Across the range of soil types included in the Shallow Sandy site, mesquite is typically the dominant shrub, but it does occur as a co-dominant or sub-dominant species with creosotebush or broom snakeweed. Mesquite tends to dominate when the Shallow Sandy site occurs as part of a complex or in association with Sandy or Loamy Sand sites. Creosotebush tends to dominate on Shallow Sandy sites that occur as part of, or adjacent to Shallow Sites. Broom snakeweed increases in response to heavy grazing, but tends to cycle in and out depending on timing of rainfall. However, once the site is dominated by shrubs and snakeweed becomes well established, it tends to remain as a major component in the shrub dominated state. Diagnosis: Mesquite, creosotebush, or snakeweed cover is high, exceeding that of grasses. Grass cover is patchy with large connected bare areas present. Black grama, threeawns, or dropseeds may be the dominant grass. Evidence of accelerated wind erosion in the form of pedestalling of plants, and soil deposition around shrub bases may be common. Transition to Shrub-Dominated (2) Persistent loss of grass cover and the resulting increased competition between shrubs and remaining grasses for dwindling resources (especially soil moisture) may drive this transition.5 Additionally periods of increased winter precipitation may facilitate periodic episodes of shrub expansion and establishment. 4 Key indicators of approach to transition: Increase in size and frequency of bare patches. Loss of grass cover in shrub interspaces. Increased signs of erosion, evidenced by pedestalling of plants, and soil and litter deposition on leeward side of plants. 7 Transition back to Grassland (3) Brush control is necessary to reduce competition from shrubs and reestablish grasses. Range seeding may be necessary if insufficient grasses remain, The benefits, and costs, will vary depending upon the degree of site degradation, and adequate precipitation following seeding.

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
Grass	/Grasslike				
1	Warm Season			413–495	
	black grama	BOER4	Bouteloua eriopoda	413–495	_
2	Warm Season			41–83	
	bush muhly	MUPO2	Muhlenbergia porteri	41–83	_
3	Warm Season			41–83	

	1			1 1	1
	blue grama	BOGR2	Bouteloua gracilis	41–83	_
4	Warm Season	25–41			
	sideoats grama	BOCU	Bouteloua curtipendula	25–41	I
5	Warm Season	41–83			
	spike dropseed	SPCO4	Sporobolus contractus	41–83	-
	sand dropseed	SPCR	Sporobolus cryptandrus	41–83	_
	mesa dropseed	SPFL2	Sporobolus flexuosus	41–83	_
6	Warm Season			17–41	
	threeawn	ARIST	Aristida	17–41	_
7	Warm Season			41–83	
	Arizona cottontop	DICA8	Digitaria californica	41–83	_
	plains bristlegrass	SEVU2	Setaria vulpiseta	41–83	_
8	Warm Season			41–83	
	mat sandbur	CELO3	Cenchrus longispinus	41–83	_
	hooded windmill grass	CHCU2	Chloris cucullata	41–83	-
9	Other Perennial Grasses	•		25–41	
	Grass, perennial	2GP	Grass, perennial	25–41	-
Shru	b/Vine	•			
10	Shrub			8–25	
	javelina bush	COER5	Condalia ericoides	8–25	
11	Shrub	-!		8–25	
	yucca	YUCCA	Yucca	8–25	_
12	Shrub			8–25	
	jointfir	EPHED	Ephedra	8–25	_
	littleleaf ratany	KRER	Krameria erecta	8–25	_
13	Shrub	_ !		8–25	
	featherplume	DAFO	Dalea formosa	8–25	_
14	Shrub			8–25	
	broom snakeweed	GUSA2	Gutierrezia sarothrae	8–25	_
15	Other Shrubs			25–41	
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	25–41	_
Forb					
16	Forb			17–41	
	leatherweed	CRPOP	Croton pottsii var. pottsii	17–41	_
	Goodding's tansyaster	MAPIG2	Machaeranthera pinnatifida ssp. gooddingii var. gooddingii	17–41	_
17	Forb			17–41	
	woolly groundsel	PACA15	Packera cana	17–41	_
	threadleaf ragwort	SEFLF	Senecio flaccidus var. flaccidus	17–41	_
18	Forb		1	8–25	
	whitest evening primrose	OEAL	Oenothera albicaulis	8–25	_
19	Other Forbs	1	1	8–25	
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	8–25	_
		•	•	•	

Animal community

This site provides habitats which support a resident animal community that is characterized by pronghorn antelope, swift fox, black-tailed jackrabbit, spotted ground squirrel, Ord's kangaroo rat, northern grasshopper mouse, coyote, horned lark, meadowlark, lark bunting, scaled quail, morning dove, side-blotched lizard, round-tailed horned lizard, marbled whiptail, prairie rattlesnake and ornate box turtle.

Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations Soil Series Hydrologic Group Jarag D Simona D

Recreational uses

This site offers recreation for hiking, horseback riding, nature observation and photography, and quail and dove hunting. During years of abundant spring moisture, this site displays a riot of color from wildflowers during May and June. A few summer and fall flowers also occur.

Wood products

The natural potential plant community of this site affords little or no wood products. Where the site has been invaded by mesquite or cholla cactus the roots and stems of these plants provide attractive material for a variety of curiosities, such as lamps and small furniture.

Other products

This site is suitable for grazing by all kinds and classes of livestock during all seasons of the year. Because of the sandy textures and shallow profile, this site will respond rapidly to management. As this site deteriorates, plants such as black grama, bush muhly, blue and sideoats grama, plains bristlegrass and Arizona cottontop, will decrease and be replaced by plants such as threeawns, mesquite, creosote bush, and broom snakeweed. This also causes a decrease in ground cover, leaving the soil to blow. This site responds best to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index Ac/AUM 100 - 76 2.5 - 3.5 75 - 51 3.2 - 4.6 50 - 26 4.5 - 7.5 25 - 0 7.6 +

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature References:

- 1. Brooks, M.L. and D.A. Pyke. 2001. Invasive plants and fire in the deserts of North America. Pages 1–14 in K.E.M. Galley and T.P. Wilson (eds.). Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species.
- 2. Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas. 1983. Water properties of caliche. J. Range Manage. 36: 723-726.
- 3. Humphrey, R.R. 1974. Fire in the deserts and desert grassland of North America. In: Kozlowski, T. T.; Ahlgren, C. E., eds. Fire and ecosystems. New York: Academic Press: 365-400.
- 4. Moir, W.H., and J. A. Ludwig. 1991. Plant succession and changing land features in desert grasslands. P. 15-18. In P.F. Ffolliott and W.T. Swank (eds.) People and the temperate region: a summary of research from the United States Man and the Biosphere Program 1991. U.S. Dept. State, Publ No. 9839, Nat. Tech. Info. Serv., U.S. Dept. Commerce, Springfield, Illinois. 63 p.
- 5. Tiedemann, A. R. and J. O. Klemmedson. 1977. Effect of mesquite trees on vegetation and soils in the desert grassland. J. Range Manage. 30: 361-367.
- 6. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, September). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/[accessed 2/10/03].
- 7. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Wind Erosion. Rangeland Sheet 10 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html
- 8. U.S. Department of Agriculture, Natural Resources Conservation Service. 2001. Soil Quality Information Sheets. Rangeland Soil Quality—Physical and Biological Soil Crusts. Rangeland Sheet 7 [Online]. Available: http://www.statlab.iastate.edu/survey/SQI/range.html

Contributors

David Trujillo Don Sylvester

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.


Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators

1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:
7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:

Released to Imaging: 10/5/2023 9:49:47 AM

13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:
17.	Perennial plant reproductive capability:



National Centers for Environmental Information, U.S. Coastal Relief Model. Data refreshed June, 2022., NMBGMR

	Criteria Worksheet e: Hackberry 6 Fed 1 Wellpad		
	rdinates:	X: 32.688026	Y: -103.907163
•	ific Conditions	Value	Unit
1	Depth to Groundwater	>100	feet
	Within 300 feet of any continuously flowing	200	
2	watercourse or any other significant watercourse	800	Feet
3	Within 200 feet of any lakebed, sinkhole or playa lake	4.040	
	(measured from the ordinary high-water mark)	4,819	Feet
	Within 300 feet from an occupied residence, school,	14140	
4	hospital, institution or church	14,148	Feet
	i) Within 500 feet of a spring or a private, domestic		
_	fresh water well used by less than five households for	14,148	Feet
5	domestic or stock watering purposes, or		
	ii) Within 1000 feet of any fresh water well or spring	14,148	Feet
	Within incorporated municipal boundaries or within a		
	defined municipal fresh water field covered under a		
6	municipal ordinance adopted pursuant to Section 3-27-	No	(Y/N)
	3 NMSA 1978 as amended, unless the municipality		
	specifically approves		
7	Within 300 feet of a wetland	4,129	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
			Critical
•			High
9	Within an unstable area (Karst Map)	Low	Medium
			Low
10	Within a 400 years Flandalain	l la datamaia a d	Vasa
10	Within a 100-year Floodplain	Undetermined	Year
11	Soil Type	SG	Soil
	Son Type	30	3011
12	Ecological Classification	Simona	Plant
13	Geology	Qp	Age
			<50'
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	>100'	51-100'
			>100'

	Criteria Worksheet e: Hackberry 6 Fed 1 Wellpad		
	rdinates:	X: 32.688026	Y: -103.907163
•	ific Conditions	Value	Unit
1	Depth to Groundwater	>100	feet
	Within 300 feet of any continuously flowing	200	
2	watercourse or any other significant watercourse	800	Feet
3	Within 200 feet of any lakebed, sinkhole or playa lake	4.040	
	(measured from the ordinary high-water mark)	4,819	Feet
	Within 300 feet from an occupied residence, school,	14140	
4	hospital, institution or church	14,148	Feet
	i) Within 500 feet of a spring or a private, domestic		
_	fresh water well used by less than five households for	14,148	Feet
5	domestic or stock watering purposes, or		
	ii) Within 1000 feet of any fresh water well or spring	14,148	Feet
	Within incorporated municipal boundaries or within a		
	defined municipal fresh water field covered under a		
6	municipal ordinance adopted pursuant to Section 3-27-	No	(Y/N)
	3 NMSA 1978 as amended, unless the municipality		
	specifically approves		
7	Within 300 feet of a wetland	4,129	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
			Critical
•	(ver)		High
9	Within an unstable area (Karst Map)	Low	Medium
			Low
10	Within a 400 years Flandalain	l la datamaia a d	Vasa
10	Within a 100-year Floodplain	Undetermined	Year
11	Soil Type	SG	Soil
	John Type	30	3011
12	Ecological Classification	Simona	Plant
13	Geology	Qp	Age
			<50'
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	>100'	51-100'
			>100'

ATTACHMENT 5



Client: Inspection Date: 6/21/2021 **Devon Energy**

Corporation

Helios 6 Fed Com 001H Site Location Name:

Battery

Client Contact Name: Wes Matthews

Client Contact Phone #: (575) 748-0176

Unique Project ID

Project Reference #

6/21/2021 9:19 PM Report Run Date:

API#: 30-015-38482

Project Owner:

Project Manager:

Summary of Times

Arrived at Site 6/21/2021 8:00 AM

Departed Site 6/21/2021 12:00 PM

Field Notes

15:10 Arrived on site to white line the spill for locators.

Next Steps & Recommendations


1 Characterization



Site Photos



Point of release



Viewing Direction: North

Date & Time Nor. Am 21 1627/07 NOT 2023

Position - 602 2679/07 / - 603 507/02


Alliudo - 1001/07

Classon - 1002 2679/07 / - 603 507/02

Alliudo - 1001/07


Classon - 1002 2679/07 / - 603 507/02


Date of North -
Center spill area




Northern spill area towards POR











Viewing Direction: Southwest

Spill area towards southern end


Viewing Direction: North



Southern end Spill area

Southern end of spill area







Daily Site Visit Signature

Inspector: Austin Harris

Signature:



Client:	Devon Energy Corporation	Inspection Date:	11/3/2022	
Site Location Name:	Hackberry 6 Fed 1 Wellpad	Report Run Date:	11/3/2022 8:06 PM	
Client Contact Name:	Jim Raley	API #:		
Client Contact Phone #:	575-748-0176			
Unique Project ID		Project Owner:		
Project Reference #		Project Manager:		
Summary of Times				
Arrived at Site	11/3/2022 8:45 AM			
Departed Site	11/3/2022 12:00 PM			

Field Notes

- 11:22 Arrived on site to assess the most recent release north of the pad. Line sweep was performed prior to collecting samples with a hand auger. No lines were detected in the sample areas.
 Collected BH22-01 through BH22-06 around the release area for horizontal delineation to make sure the second release did not migrate further than the release labeled as "Helios".
- 11:14 Collected and field screened BH22-07 and BH22-08 down to 4' for vertical delineation.
- **11:15** BH22-01 through BH22-06 all field screened below strictest criteria at 0-2'. BH22-07 and BH22-08 field screened above strictest criteria on chlorides with EC and titration.
- 11:15 All samples will be sent to lab for analysis.
- 11:22 The recent release does not appear to have migrated further than the original release (Helios)

Next Steps & Recommendations

1 Send samples to lab for analysis and determine DTGW



Site Photos

Viewing Direction: Northeast



Sample area for BH22-01 south side of release area

Viewing Direction: Northwest

Sample area for BH22-02 and BH22-03 east side of release area

Viewing Direction: West



Sample area for BH22-04 north side of release area


Viewing Direction: Southeast



Sample area for BH22-05 and BH22-06 west side of release area









Sample area for BH22-08



Daily Site Visit Signature

Inspector: Chance Dixon

Signature:



Client:	Devon Energy Corporation	Inspection Date:	12/13/2022	
Site Location Name:	Hackberry 6 Fed 1 Wellpad	Report Run Date:	12/13/2022 8:16 PM	
Client Contact Name:	Wes Matthews	API #:		
Client Contact Phone #:	(575) 748-0176	_		
Unique Project ID		Project Owner:		
Project Reference #		Project Manager:		
Summary of Times				
Arrived at Site	12/13/2022 10:50 AM			
Departed Site	12/13/2022 12:15 PM			
Field Notes				

11:59 Arrived on site with Vision for DTGW borehole. Borehole was drilled to 105' on the southwest corner of the Helios 6 battery. Ran the sounder into the borehole to the bottom. No water was detected. Will run it again in 72 hours

Next Steps & Recommendations

1 Come back in 72 hours to run the sounder and remove the casing




Site Photos



Drilling rig



Borehole has been covered





Daily Site Visit Signature

Inspector: Chance Dixon

Signature:



Client: **Devon Energy** Inspection Date: 12/16/2022 Corporation Hackberry 6 Fed 1 Report Run Date: 12/16/2022 10:41 PM Site Location Name: Wellpad Wes Matthews Client Contact Name: API#: Client Contact Phone #: (575) 748-0176 Unique Project ID Project Owner: Project Reference # Project Manager: **Summary of Times** Arrived at Site 12/16/2022 11:48 AM 12/16/2022 1:13 PM **Departed Site**

Field Notes

- 12:44 Arrived on site to run sounder into the DTGW borehole and P&A it.
- 12:42 Sounder was ran all the way down to the bottom of the borehole at 105' with no water detected.
- 13:13 The borehole has been plugged to the surface with bentonite

Next Steps & Recommendations

1 Begin remediation for Hackberry/Helios with >100' criteria



Site Photos



Sounder down to 105'



Viewing Direction: Northeast

Description Pricts - 2
Viewing Direction: Berthyle

Sounder down to 105'



Borehole has been plugged







Daily Site Visit Signature

Inspector: Chance Dixon

Signature:

Project Reference #

Daily Site Visit Report



1/20/2023 Client: **Devon Energy** Inspection Date: Corporation 1/20/2023 11:07 PM Site Location Name: Hackberry 6 Fed 1 Report Run Date: Wellpad Wes Matthews Client Contact Name: API#: Client Contact Phone #: (575) 748-0176 Unique Project ID Project Owner:

	Summary of Times							
Arrived at Site	1/20/2023 8:15 AM							
Departed Site	1/20/2023 2:15 PM	·						

Project Manager:

Field Notes

- **8:25** Completed safety meeting.
- 8:36 Collecting samples beginning with 100
- 9:34 Collected WS23-43 through 45
- 11:44 Recollected 43 and 44
- 13:39 Finished screening all samples, prepared them for lab

Next Steps & Recommendations

1 Await lab results and closure



Site Photos




Excavation



Viewing Direction: Southeast

East lobe of excavation



Hydrovac trenches







Excavation

West wall toward ramp





North half of excavation





North half of excavation



South half of excavation



Viewing Direction: Northeast East side of excavation

Run on 1/20/2023 11:07 PM UTC Powered by www.krinkleldar.com Page 4 of 7





Berm and excavation



East walls of excavation



Southeast corner of the eastern lobe



South wall of excavation





Eastern lobe of excavation



North wall of excavation









Daily Site Visit Signature

Inspector: Sally Carttar

Signature:

ATTACHMENT 6



Dhugal Hanton <vertexresourcegroupusa@gmail.com>

48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

8 messages

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@state.nm.us> Cc: wesley.mathews@dvn.com, KStallings@vertex.ca

Wed, Dec 28, 2022 at 3:57 PM

AII,

Please accept this email as a notification that Vertex Resource Services has scheduled a sampling event to be conducted at the following releases.

nAPP2116940090 (Helios) nAPP2219226827 (Hackberry)

On Tuesday, January 3, 2023, Vertex will be on-site to conduct confirmation sampling. The sampling will continue through Tuesday, January 10, 2023. If you have any questions regarding this notification, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Wed, Dec 28, 2022 at 4:10 PM

To: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov>, "Hamlet, Robert, EMNRD"

<Robert.Hamlet@emnrd.nm.gov>

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

Jocelyn Harimon • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

1220 South St. Francis Drive | Santa Fe, NM 87505

(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Sent: Wednesday, December 28, 2022 3:57 PM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov> Cc: wesley.mathews@dvn.com; KStallings@vertex.ca

Subject: [EXTERNAL] 48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

[Quoted text hidden]

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@state.nm.us> Thu, Jan 5, 2023 at 8:16 AM

All,

Vertex respectfully requests that confirmation sampling for this location be extended to Monday, January 9, 2023, through January 13, 2023. If you have any questions, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

[Quoted text hidden]

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov> To: Dhugal Hanton <vertexresourcegroupusa@gmail.com> Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov> Thu, Jan 5, 2023 at 10:00 AM

Dhugal,

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

JH

Jocelyn Harimon • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

1220 South St. Francis Drive | Santa Fe, NM 87505

(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Sent: Thursday, January 5, 2023 8:17 AM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Subject: [EXTERNAL] Re: 48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

All,

[Quoted text hidden] [Quoted text hidden]

Dhugal Hanton <vertexresourcegroupusa@gmail.com>
To: "Enviro, OCD, EMNRD" <OCD.Enviro@emnrd.nm.gov>

Thu, Jan 12, 2023 at 11:35 AM

AII,

Vertex respectfully requests that confirmation sampling for this location be extended to Monday, January 16, 2023, through January 20, 2023. If you have any questions, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

[Quoted text hidden]

Enviro, **OCD**, **EMNRD** < OCD.Enviro@emnrd.nm.gov>
To: Dhugal Hanton < vertexresourcegroupusa@gmail.com>

Thu, Jan 12, 2023 at 1:13 PM

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

Jocelyn Harimon • Environmental Specialist

[Quoted text hidden]

Dhugal Hanton <vertexresourcegroupusa@gmail.com> To: "Enviro, OCD, EMNRD" < OCD. Enviro@state.nm.us> Thu, Jan 19, 2023 at 7:33 AM

All,

Vertex respectfully requests that confirmation sampling for this location be extended to Monday, January 23, 2023, through January 28, 2023. If you have any questions, please call me at 575-988-1472.

Thank you,

Chance Dixon B.Sc.

Sr Environmental Technologist

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

C 575.988.1472

On Wed, Dec 28, 2022 at 3:57 PM Dhugal Hanton <vertexresourcegroupusa@gmail.com> wrote: [Quoted text hidden]

Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Thu, Jan 19, 2023 at 8:08 AM

To: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov>, "Hamlet, Robert, EMNRD"

<Robert.Hamlet@emnrd.nm.gov>

Mr. Hanton,

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

JH

Jocelyn Harimon • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

1220 South St. Francis Drive | Santa Fe, NM 87505

(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>

Sent: Thursday, January 19, 2023 7:33 AM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Subject: [EXTERNAL] Re: 48-Hour Notification - Helios 6 Fed Com Battery/Hackberry 6 Federal 1 Wellpad

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

AII,

[Quoted text hidden]

[Quoted text hidden]

ATTACHMENT 7



Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

Hall Environmental Analysis Laboratory

4901 Hawkins NE

July 06, 2021

John Hurt

Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220

TEL: (505) 506-0040

FAX

RE: Helios 6 Fed Com 1H OrderNo.: 2106D66

Dear John Hurt:

Hall Environmental Analysis Laboratory received 15 sample(s) on 6/25/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BG21-01 0-0.5'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 10:00:00 AM

 Lab ID:
 2106D66-001
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	6/29/2021 11:18:56 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	6/29/2021 11:18:56 PM
Surr: DNOP	65.1	70-130	S	%Rec	1	6/29/2021 11:18:56 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 2:20:00 PM
Surr: BFB	91.5	70-130		%Rec	1	7/1/2021 2:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 2:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 2:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 2:20:00 PM
Xylenes, Total	ND	0.097		mg/Kg	1	7/1/2021 2:20:00 PM
Surr: 4-Bromofluorobenzene	88.4	70-130		%Rec	1	7/1/2021 2:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 2:43:56 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BG21-01 1.0'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 10:10:00 AM

 Lab ID:
 2106D66-002
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	Analyst: BRM					
Diesel Range Organics (DRO)	ND	8.7		mg/Kg	1	6/29/2021 11:43:22 PM
Motor Oil Range Organics (MRO)	ND	44		mg/Kg	1	6/29/2021 11:43:22 PM
Surr: DNOP	56.1	70-130	S	%Rec	1	6/29/2021 11:43:22 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	7/1/2021 2:40:00 PM
Surr: BFB	91.4	70-130		%Rec	1	7/1/2021 2:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.025		mg/Kg	1	7/1/2021 2:40:00 PM
Toluene	ND	0.050		mg/Kg	1	7/1/2021 2:40:00 PM
Ethylbenzene	ND	0.050		mg/Kg	1	7/1/2021 2:40:00 PM
Xylenes, Total	ND	0.10		mg/Kg	1	7/1/2021 2:40:00 PM
Surr: 4-Bromofluorobenzene	88.2	70-130		%Rec	1	7/1/2021 2:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 2:56:20 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BG21-01 2.0'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 10:15:00 AM

 Lab ID:
 2106D66-003
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (ORGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	6/30/2021 12:07:42 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	6/30/2021 12:07:42 AM
Surr: DNOP	58.6	70-130	S	%Rec	1	6/30/2021 12:07:42 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 3:00:00 PM
Surr: BFB	97.7	70-130		%Rec	1	7/1/2021 3:00:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 3:00:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 3:00:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 3:00:00 PM
Xylenes, Total	ND	0.097		mg/Kg	1	7/1/2021 3:00:00 PM
Surr: 4-Bromofluorobenzene	90.6	70-130		%Rec	1	7/1/2021 3:00:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 3:08:45 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-01 0-0.5'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 11:00:00 AM

 Lab ID:
 2106D66-004
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: BRM				
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	6/30/2021 12:32:06 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/30/2021 12:32:06 AM
Surr: DNOP	77.2	70-130	%Rec	1	6/30/2021 12:32:06 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/1/2021 3:20:00 PM
Surr: BFB	96.6	70-130	%Rec	1	7/1/2021 3:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/1/2021 3:20:00 PM
Toluene	ND	0.048	mg/Kg	1	7/1/2021 3:20:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/1/2021 3:20:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	7/1/2021 3:20:00 PM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	7/1/2021 3:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	12000	600	mg/Kg	200	7/1/2021 7:50:42 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-02 0-0.5'

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 11:30:00 AM

 Lab ID:
 2106D66-005
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	Analyst: BRM				
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	6/30/2021 12:56:24 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	6/30/2021 12:56:24 AM
Surr: DNOP	78.8	70-130	%Rec	1	6/30/2021 12:56:24 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/1/2021 3:40:00 PM
Surr: BFB	95.8	70-130	%Rec	1	7/1/2021 3:40:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/1/2021 3:40:00 PM
Toluene	ND	0.048	mg/Kg	1	7/1/2021 3:40:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/1/2021 3:40:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	7/1/2021 3:40:00 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	7/1/2021 3:40:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	11000	590	mg/Kg	200	7/1/2021 8:03:08 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH21-03 0-0.5

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 1:00:00 PM

 Lab ID:
 2106D66-006
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: BRM Diesel Range Organics (DRO) ND 9.8 mg/Kg 1 6/30/2021 1:20:45 AM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 6/30/2021 1:20:45 AM Surr: DNOP 84.4 70-130 %Rec 1 6/30/2021 1:20:45 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: mb 7/1/2021 4:00:00 PM Gasoline Range Organics (GRO) ND 4.8 mg/Kg 1 7/1/2021 4:00:00 PM Surr: BFB 96.6 70-130 %Rec 1 **EPA METHOD 8021B: VOLATILES** Analyst: mb Benzene ND 7/1/2021 4:00:00 PM 0.024 mg/Kg 1 Toluene 7/1/2021 4:00:00 PM ND 0.048 mg/Kg 1 Ethylbenzene ND 0.048 mg/Kg 1 7/1/2021 4:00:00 PM Xylenes, Total ND 0.095 mg/Kg 1 7/1/2021 4:00:00 PM 7/1/2021 4:00:00 PM Surr: 4-Bromofluorobenzene 90.9 70-130 %Rec 1 Analyst: VP **EPA METHOD 300.0: ANIONS** Chloride 13000 600 7/1/2021 8:15:33 AM ma/Ka 200

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH21-04 0-0.5

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/22/2021 1:30:00 PM

 Lab ID:
 2106D66-007
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: SB Diesel Range Organics (DRO) 28 9.7 mg/Kg 1 7/2/2021 11:52:35 AM Motor Oil Range Organics (MRO) 98 48 mg/Kg 1 7/2/2021 11:52:35 AM Surr: DNOP 105 70-130 %Rec 1 7/2/2021 11:52:35 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: mb 7/1/2021 5:00:00 PM Gasoline Range Organics (GRO) ND 4.8 mg/Kg 1 7/1/2021 5:00:00 PM Surr: BFB 94.8 70-130 %Rec 1 **EPA METHOD 8021B: VOLATILES** Analyst: mb Benzene ND 7/1/2021 5:00:00 PM 0.024 mg/Kg 1 Toluene 7/1/2021 5:00:00 PM ND 0.048 mg/Kg 1 Ethylbenzene ND 0.048 mg/Kg 1 7/1/2021 5:00:00 PM Xylenes, Total ND 0.096 mg/Kg 1 7/1/2021 5:00:00 PM 7/1/2021 5:00:00 PM Surr: 4-Bromofluorobenzene 90.6 70-130 %Rec 1 Analyst: VP **EPA METHOD 300.0: ANIONS** Chloride 18000 1500 7/1/2021 8:27:57 AM ma/Ka 500

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH21-05

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 9:00:00 AM

 Lab ID:
 2106D66-008
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	6/30/2021 2:09:21 AM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	6/30/2021 2:09:21 AM
Surr: DNOP	60.6	70-130	S	%Rec	1	6/30/2021 2:09:21 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 5:20:00 PM
Surr: BFB	95.5	70-130		%Rec	1	7/1/2021 5:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 5:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 5:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 5:20:00 PM
Xylenes, Total	ND	0.096		mg/Kg	1	7/1/2021 5:20:00 PM
Surr: 4-Bromofluorobenzene	90.1	70-130		%Rec	1	7/1/2021 5:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 5:00:25 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 19

CLIENT: Vertex Resources Services, Inc.

Analytical ReportLab Order **2106D66**

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BH21-06

Project: Helios 6 Fed Com 1H **Collection Date:** 6/23/2021 9:30:00 AM

Lab ID: 2106D66-009 **Matrix:** SOIL **Received Date:** 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	6/30/2021 2:33:54 AM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	6/30/2021 2:33:54 AM
Surr: DNOP	65.9	70-130	S	%Rec	1	6/30/2021 2:33:54 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 5:40:00 PM
Surr: BFB	86.2	70-130		%Rec	1	7/1/2021 5:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 5:40:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 5:40:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 5:40:00 PM
Xylenes, Total	ND	0.096		mg/Kg	1	7/1/2021 5:40:00 PM
Surr: 4-Bromofluorobenzene	87.9	70-130		%Rec	1	7/1/2021 5:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 4:32:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 19

CLIENT: Vertex Resources Services, Inc.

Analytical ReportLab Order **2106D66**

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BH21-08

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 10:00:00 AM

 In the control of the con

Lab ID: 2106D66-010 **Matrix:** SOIL **Received Date:** 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	RGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	6/30/2021 2:58:10 AM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/30/2021 2:58:10 AM
Surr: DNOP	68.2	70-130	S	%Rec	1	6/30/2021 2:58:10 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	7/1/2021 6:00:00 PM
Surr: BFB	94.9	70-130		%Rec	1	7/1/2021 6:00:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 6:00:00 PM
Toluene	ND	0.047		mg/Kg	1	7/1/2021 6:00:00 PM
Ethylbenzene	ND	0.047		mg/Kg	1	7/1/2021 6:00:00 PM
Xylenes, Total	ND	0.095		mg/Kg	1	7/1/2021 6:00:00 PM
Surr: 4-Bromofluorobenzene	88.2	70-130		%Rec	1	7/1/2021 6:00:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 5:09:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH21-09

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 10:15:00 AM

 Lab ID:
 2106D66-011
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	6/30/2021 3:22:25 AM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	6/30/2021 3:22:25 AM
Surr: DNOP	60.2	70-130	S	%Rec	1	6/30/2021 3:22:25 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 6:20:00 PM
Surr: BFB	96.3	70-130		%Rec	1	7/1/2021 6:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 6:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 6:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 6:20:00 PM
Xylenes, Total	ND	0.096		mg/Kg	1	7/1/2021 6:20:00 PM
Surr: 4-Bromofluorobenzene	88.9	70-130		%Rec	1	7/1/2021 6:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	120	60		mg/Kg	20	7/1/2021 6:11:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-11

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 10:30:00 AM

 Lab ID:
 2106D66-012
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	6/30/2021 3:46:40 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	6/30/2021 3:46:40 AM
Surr: DNOP	60.7	70-130	S	%Rec	1	6/30/2021 3:46:40 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 6:40:00 PM
Surr: BFB	96.1	70-130		%Rec	1	7/1/2021 6:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 6:40:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 6:40:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 6:40:00 PM
Xylenes, Total	ND	0.097		mg/Kg	1	7/1/2021 6:40:00 PM
Surr: 4-Bromofluorobenzene	91.3	70-130		%Rec	1	7/1/2021 6:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 6:23:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-12

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 11:00:00 AM

 Lab ID:
 2106D66-013
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS					Analyst: BRM
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	6/30/2021 4:10:52 AM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	6/30/2021 4:10:52 AM
Surr: DNOP	68.0	70-130	S	%Rec	1	6/30/2021 4:10:52 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	7/1/2021 7:00:00 PM
Surr: BFB	93.8	70-130		%Rec	1	7/1/2021 7:00:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 7:00:00 PM
Toluene	ND	0.049		mg/Kg	1	7/1/2021 7:00:00 PM
Ethylbenzene	ND	0.049		mg/Kg	1	7/1/2021 7:00:00 PM
Xylenes, Total	ND	0.098		mg/Kg	1	7/1/2021 7:00:00 PM
Surr: 4-Bromofluorobenzene	90.8	70-130		%Rec	1	7/1/2021 7:00:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 6:36:08 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-13

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 11:30:00 AM

 Lab ID:
 2106D66-014
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	8.4		mg/Kg	1	6/30/2021 4:35:15 AM
Motor Oil Range Organics (MRO)	ND	42		mg/Kg	1	6/30/2021 4:35:15 AM
Surr: DNOP	58.9	70-130	S	%Rec	1	6/30/2021 4:35:15 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 7:20:00 PM
Surr: BFB	95.8	70-130		%Rec	1	7/1/2021 7:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 7:20:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 7:20:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 7:20:00 PM
Xylenes, Total	ND	0.095		mg/Kg	1	7/1/2021 7:20:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130		%Rec	1	7/1/2021 7:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	ND	60		mg/Kg	20	7/1/2021 6:48:33 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 19

Date Reported: 7/6/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH21-14

 Project:
 Helios 6 Fed Com 1H
 Collection Date: 6/23/2021 11:45:00 AM

 Lab ID:
 2106D66-015
 Matrix: SOIL
 Received Date: 6/25/2021 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	6/30/2021 4:59:21 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	6/30/2021 4:59:21 AM
Surr: DNOP	61.5	70-130	S	%Rec	1	6/30/2021 4:59:21 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	7/1/2021 7:40:00 PM
Surr: BFB	98.2	70-130		%Rec	1	7/1/2021 7:40:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: mb
Benzene	ND	0.024		mg/Kg	1	7/1/2021 7:40:00 PM
Toluene	ND	0.048		mg/Kg	1	7/1/2021 7:40:00 PM
Ethylbenzene	ND	0.048		mg/Kg	1	7/1/2021 7:40:00 PM
Xylenes, Total	ND	0.095		mg/Kg	1	7/1/2021 7:40:00 PM
Surr: 4-Bromofluorobenzene	90.9	70-130		%Rec	1	7/1/2021 7:40:00 PM
EPA METHOD 300.0: ANIONS						Analyst: VP
Chloride	330	60		mg/Kg	20	7/1/2021 7:00:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 19

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2106D66**

06-Jul-21

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: MB-61035 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 61035 RunNo: 79492

Prep Date: 6/30/2021 Analysis Date: 6/30/2021 SeqNo: 2794639 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-61035 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 61035 RunNo: 79492

Prep Date: 6/30/2021 Analysis Date: 6/30/2021 SeqNo: 2794640 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.6 90 110

Sample ID: MB-61040 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 61040 RunNo: 79497

Prep Date: 6/30/2021 Analysis Date: 7/1/2021 SeqNo: 2796246 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-61040 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 61040 RunNo: 79497

Prep Date: 6/30/2021 Analysis Date: 7/1/2021 SeqNo: 2796247 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 95.8 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 19

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2106D66

06-Jul-21

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: LCS-60965 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 60965 RunNo: 79472 Prep Date: 6/28/2021 Analysis Date: 6/29/2021 SeqNo: 2793936 Units: mg/Kg PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 10 0 44 50.00 87.9 68.9 141 Surr: DNOP 3.6 5.000 72.5 130

Sample ID: MB-60965 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: MBLK Client ID: PBS Batch ID: 60965 RunNo: 79472 Prep Date: Analysis Date: 6/29/2021 SeqNo: 2793938 6/28/2021 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 7.7 10.00 77.0 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 17 of 19

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2106D66** *06-Jul-21*

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Sample ID: mb-60961 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS** Batch ID: **60961** RunNo: **79532**

Prep Date: 6/28/2021 Analysis Date: 7/1/2021 SeqNo: 2796799 Units: mq/Kq

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 920 1000 92.3 70 130

Sample ID: Ics-60961 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 60961 RunNo: 79532

Prep Date: 6/28/2021 Analysis Date: 7/1/2021 SeqNo: 2796801 Units: mg/Kg

RPDLimit Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Gasoline Range Organics (GRO) 26 5.0 25.00 0 104 78.6 131

Surr: BFB 1100 1000 108 70 130

Sample ID: mb-60981 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 60981 RunNo: 79563

Prep Date: 6/28/2021 Analysis Date: 7/2/2021 SeqNo: 2798482 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 970 1000 96.7 70 130

Sample ID: Ics-60981 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 60981 RunNo: 79563

Prep Date: 6/28/2021 Analysis Date: 7/2/2021 SegNo: 2798484 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 1100 1000 114 70 130

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 19

Hall Environmental Analysis Laboratory, Inc.

0.90

WO#: **2106D66** *06-Jul-21*

Client: Vertex Resources Services, Inc.

Project: Helios 6 Fed Com 1H

Surr: 4-Bromofluorobenzene

Sample ID: mb-60961 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Client ID: PBS Batch ID: 60961 RunNo: 79532 Prep Date: 6/28/2021 Analysis Date: 7/1/2021 SeqNo: 2796853 Units: mq/Kq PQL SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result LowLimit HighLimit Qual Benzene ND 0.025 Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10

90.1

70

130

1.000

Sample ID: Ics-60961 SampType: LCS TestCode: EPA Method 8021B: Volatiles Client ID: LCSS Batch ID: 60961 RunNo: 79532 Analysis Date: 7/1/2021 SeqNo: 2796855 Prep Date: 6/28/2021 Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 1.000 0.98 0.025 0 97.5 80 120 Benzene Toluene 0.99 0.050 1.000 0 98.6 80 120 0 101 80 Ethylbenzene 1.0 0.050 1.000 120 0 102 Xylenes, Total 3.1 0.10 3.000 80 120 Surr: 4-Bromofluorobenzene 0.93 1.000 93.2 70 130

SampType: MBLK TestCode: EPA Method 8021B: Volatiles Sample ID: mb-60981 Client ID: PBS Batch ID: 60981 RunNo: 79563 Prep Date: Analysis Date: 7/2/2021 SeqNo: 2798540 Units: %Rec 6/28/2021 Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 0.93 1.000 92.6 Surr: 4-Bromofluorobenzene 70 130


Sample ID: Ics-60981 SampType: LCS TestCode: EPA Method 8021B: Volatiles Client ID: LCSS Batch ID: 60981 RunNo: 79563 SeqNo: 2798542 Prep Date: 6/28/2021 Analysis Date: 7/2/2021 Units: %Rec HighLimit POL SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result LowLimit Qual Surr: 4-Bromofluorobenzene 0.93 1.000 92.5 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 19



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name:	Vertex Resources Services, Inc.	Work Order	Number: 21	06D66		RcptNo: 1
Received By:	Juan Rojas	6/25/2021 7:30	:00 AM		flansay)	
Completed By:	Cheyenne Cason	6/25/2021 9:37	:57 AM		Charles !	
Reviewed By:	DAD 6.25 -				Chron	
Chain of Cus	stody					
1. Is Chain of C	ustody complete?		Ye	s	No 🗌	Not Present
2. How was the	sample delivered?			urier		
Log In						
	npt made to cool the sample	es?	Ye	s 🗸	No 🗌	NA 🗆
4. Were all samp	oles received at a temperatu	ure of >0° C to 6.0°C	Ye		No 🗹	NA 🗆
5. Sample(s) in	proper container(s)?		Ye	Not F	No 🗌	
6. Sufficient sam	ple volume for indicated tes	t(s)?	Yes	·	No 🗌	
7. Are samples (except VOA and ONG) prop	erly preserved?	Yes	V	No 🗌	
8. Was preserva	tive added to bottles?		Yes		No 🗸	NA 🗆
9. Received at le	ast 1 vial with headspace <	1/4" for AQ VOA?	Yes		No 🗌	NA 🗹
10. Were any san	nple containers received bro	ken?	Yes	, 🗆	No 🗸	
10						# of preserved bottles checked
	ork match bottle labels? ancies on chain of custody)		Yes	V	No 🗌	for pH:
	correctly identified on Chain	of Custody?	Yes	~	No 🗌	(<2 or >12 unless noted) Adjusted?
	analyses were requested?	or oustody:	Yes	F-1	No 🗆	
14. Were all holdir	ng times able to be met?		Yes	-	No 🗆	Checked by: T.C. 6.25.21
	istomer for authorization.) ing (if applicable)					
	tified of all discrepancies wit	th this order?	Yes		No 🗌	NA 🗹
Person					110	NA 💌
By Who			ate:			-2.2.
Regardi	Pro-	V	ia: eN	Mail _	Phone Fax	In Person
	structions:					
16. Additional ren						
17. <u>Cooler Inforr</u> Cooler No	The Section of the Control of the Co	Seal Intact Seal N	o Seal [Date	Signed By	

Date: Relinquished by: Received by:

Client	5	Vertex	Side March Record	Z Standard	ııııle. □ Rush	5 DAY		П	HALL		N	<u>R</u> -	ONMENTAL
	Mailing Address:		ON FILE	Project Name:	9	Fed Com 214	24	www.hall	www vkins N	_	vironm	a iii	
10/5				Project #: 2/E - 00580 - 003	1E-005	80-003	_	Tel 505	505-345-3975		Fay 5	505-345-4107	80
/202 Shone #:	:#:				,)			ő	Ana	ysis R	Analysis Request	
email	email or Fax#:		Perming @ Vertex. Ca	Project Manager:	ger: T H	Hich				. bC		(1	
QA/QC	QA/QC Package		i i		7000				SWI)S ԠC		ypseu	
D SIS	□ Standard		☐ Level 4 (Full Validation)		- 1				S0) Ы		√,tu	
Accre	Accreditation:	□ Az Ca	☐ Az Compliance	1	1	HARRIS		280		10 ⁵			
□ NELAC	AC	□ Other		On Ice:	₩ Yes	oN 🗆		8/se		_			
	EDD (1ype)			# of Coolers: 1	1			əpi		_	-		
				Cooler Temp(including cF): -0.1	including CF): -0	().) 1.0-=0-1,		oitee		-	(AO\	14.75	
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	1	X TEX	∃ 1808	A) 8G	SCRA ()	7) 092	270 (8 O lsto	
12-82-9	00601		131421-05	1 2	ICE	Cuedisla Cur	D)	3		1	8		
-	0430		BH21-06	_	6	14 C/18/2	-			-			
	1000		BH21-08			Cacilian Colo				-			
	1015		13421-09			Cudiosio				F			
	1030		11-12451			5100 215							
	0011		13H21-12			culturia (213				=			
	1130	/	13421-13			10 A				Ė			
>	1145	>	BH21-14	>		510	7 4			>			F
Date:	Time:	Relinquished by:	ed by:	Received by:	Via:	Date Time	Remarks:	- ::		141	1	Thirt & Worker	
				UMM/	12,	0011 1700		Č	1	-		2 (
Date:	Time:	Relinquished by:	ed by:	Received by:	Via:	Date Time				aha	517	ahairis & Mitt. Ca	4.00



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

July 08, 2021

Wesley Mathews Devon Energy 6488 Seven Rivers Highway Artesia, NM 88210 TEL: (505) 350-1336

FAX

RE: Helios 6 OrderNo.: 2107069

Dear Wesley Mathews:

Hall Environmental Analysis Laboratory received 4 sample(s) on 7/2/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andy

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-01 11'

 Project:
 Helios 6
 Collection Date: 6/30/2021 9:00:00 AM

 Lab ID:
 2107069-001
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	7/6/2021 1:10:04 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	7/6/2021 1:10:04 PM
Surr: DNOP	102	70-130	%Rec	1	7/6/2021 1:10:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/6/2021 9:56:00 PM
Surr: BFB	98.1	70-130	%Rec	1	7/6/2021 9:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/6/2021 9:56:00 PM
Toluene	ND	0.049	mg/Kg	1	7/6/2021 9:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/6/2021 9:56:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/6/2021 9:56:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130	%Rec	1	7/6/2021 9:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	11000	600	mg/Kg	200	7/7/2021 2:22:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 8

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-02 12'

 Project:
 Helios 6
 Collection Date: 6/30/2021 10:00:00 AM

 Lab ID:
 2107069-002
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.3	mg/Kg	1	7/6/2021 1:22:22 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	7/6/2021 1:22:22 PM
Surr: DNOP	97.7	70-130	%Rec	1	7/6/2021 1:22:22 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/6/2021 10:56:00 PM
Surr: BFB	99.3	70-130	%Rec	1	7/6/2021 10:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/6/2021 10:56:00 PM
Toluene	ND	0.049	mg/Kg	1	7/6/2021 10:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/6/2021 10:56:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/6/2021 10:56:00 PM
Surr: 4-Bromofluorobenzene	93.5	70-130	%Rec	1	7/6/2021 10:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	150	60	mg/Kg	20	7/7/2021 2:22:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 8

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-03 12'

 Project:
 Helios 6
 Collection Date: 6/30/2021 11:00:00 AM

 Lab ID:
 2107069-003
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	8.9	mg/Kg	1	7/6/2021 1:34:32 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	7/6/2021 1:34:32 PM
Surr: DNOP	101	70-130	%Rec	1	7/6/2021 1:34:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/6/2021 11:16:00 PM
Surr: BFB	100	70-130	%Rec	1	7/6/2021 11:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.024	mg/Kg	1	7/6/2021 11:16:00 PM
Toluene	ND	0.048	mg/Kg	1	7/6/2021 11:16:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/6/2021 11:16:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	7/6/2021 11:16:00 PM
Surr: 4-Bromofluorobenzene	95.9	70-130	%Rec	1	7/6/2021 11:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	170	61	mg/Kg	20	7/7/2021 2:35:16 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 8

Date Reported: 7/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BH21-04 15'

 Project:
 Helios 6
 Collection Date: 6/30/2021 12:00:00 PM

 Lab ID:
 2107069-004
 Matrix: SOIL
 Received Date: 7/2/2021 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	7/6/2021 1:46:37 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	7/6/2021 1:46:37 PM
Surr: DNOP	101	70-130	%Rec	1	7/6/2021 1:46:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	7/6/2021 11:36:00 PM
Surr: BFB	104	70-130	%Rec	1	7/6/2021 11:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: mb
Benzene	ND	0.025	mg/Kg	1	7/6/2021 11:36:00 PM
Toluene	ND	0.050	mg/Kg	1	7/6/2021 11:36:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	7/6/2021 11:36:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	7/6/2021 11:36:00 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	7/6/2021 11:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: VP
Chloride	6700	300	mg/Kg	100	7/7/2021 2:35:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2107069** *08-Jul-21*

Client: Devon Energy
Project: Helios 6

Sample ID: MB-61148 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 61148 RunNo: 79587

Prep Date: 7/6/2021 Analysis Date: 7/6/2021 SeqNo: 2799455 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-61148 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 61148 RunNo: 79587

Prep Date: 7/6/2021 Analysis Date: 7/6/2021 SeqNo: 2799456 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 15 1.5 15.00 0 97.8 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2107069** *08-Jul-21*

Client: Devon Energy
Project: Helios 6

Sample ID: MB-61118 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 61118 RunNo: 79594

Prep Date: 7/3/2021 Analysis Date: 7/6/2021 SeqNo: 2799172 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

 Surr: DNOP
 10
 10.00
 101
 70
 130

Sample ID: LCS-61118 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 61118 RunNo: 79594

5.2

Prep Date: 7/3/2021 Analysis Date: 7/6/2021 SeqNo: 2799173 Units: mg/Kg

5.000

SPK value SPK Ref Val %REC Analyte PQL LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 47 10 50.00 94.7 68.9 141

104

70

130

Qualifiers:

Surr: DNOP

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2107069**

08-Jul-21

Client: Devon Energy
Project: Helios 6

Sample ID: mb-61115 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 61115 RunNo: 79580

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799569 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1000 1000 100 70 130

Sample ID: Ics-61115 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 61115 RunNo: 79580

1100

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799571 Units: mg/Kg

1000

Qual Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Gasoline Range Organics (GRO) 24 5.0 25.00 0 95.5 78.6 131

107

70

130

Qualifiers:

Surr: BFB

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 2107069

08-Jul-21

Client: Devon Energy **Project:** Helios 6

LCSS

Sample ID: mb-61115 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 61115 RunNo: 79580

Batch ID: 61115

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799582 Units: mq/Kq

PQL SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result LowLimit HighLimit Qual Benzene ND 0.025

Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10

Surr: 4-Bromofluorobenzene 0.95 1.000 94.5 70 130

Sample ID: Ics-61115 SampType: LCS TestCode: EPA Method 8021B: Volatiles

Client ID:

Analysis Date: 7/6/2021 SeqNo: 2799584 Prep Date: 7/2/2021 Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 1.000 0.99 0.025 0 99.3 80 120 Benzene Toluene 0.99 0.050 1.000 0 99.0 80 120 0 100 80 Ethylbenzene 1.0 0.050 1.000 120 0 100 Xylenes, Total 3.0 0.10 3.000 80 120 Surr: 4-Bromofluorobenzene 0.92 1.000 92.2 70 130

RunNo: 79580

Sample ID: 2107069-001ams SampType: MS TestCode: EPA Method 8021B: Volatiles

Client ID: BH21-01 11' Batch ID: 61115 RunNo: 79580

Prep Date: 7/2/2021 Analysis Date: 7/6/2021 SeqNo: 2799586 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 97.4 80 0.92 0.024 0.9497 120 Benzene O Toluene 0.93 0.047 0.9497 0 97.9 80 120 120 0 100 80 Ethylbenzene 0.95 0.047 0.9497 Xylenes, Total 2.9 0.095 2.849 0 101 80 120 Surr: 4-Bromofluorobenzene 93.5 0.89 0.9497 70 130

TestCode: EPA Method 8021B: Volatiles Sample ID: 2107069-001amsd SampType: MSD

BH21-01 11' Client ID: Batch ID: 61115 RunNo: 79580

Prep Date: 7/2/2021	Analysis D	Date: 7/	6/2021	S	SeqNo: 2	799588	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	0.9921	0	98.6	80	120	5.62	20	
Toluene	0.98	0.050	0.9921	0	98.4	80	120	4.81	20	
Ethylbenzene	1.0	0.050	0.9921	0	102	80	120	6.46	20	
Xylenes, Total	3.1	0.099	2.976	0	104	80	120	6.56	20	
Surr: 4-Bromofluorobenzene	0.95		0.9921		96.2	70	130	0	0	

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix


Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 8 of 8



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Website: clients.hallenvironmental.com Client Name: Devon Energy Work Order Number: 2107069 RcptNo: 1 Received By: Juan Rojas 7/2/2021 7:30:00 AM Completed By: Cheyenne Cason 7/2/2021 8:21:01 AM Reviewed By: JR7/2/21 Chain of Custody 1. Is Chain of Custody complete? No 🗌 Yes 🗸 Not Present 2 How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? No 🗌 NA 🗌 4. Were all samples received at a temperature of >0° C to 6.0°C Yes V No _ NA 🗌 Sample(s) in proper container(s)? Yes V No 6. Sufficient sample volume for indicated test(s)? No 🗌 7. Are samples (except VOA and ONG) properly preserved? No _ 8. Was preservative added to bottles? No V Yes NA 🗌 9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes NA V No 🗌 10. Were any sample containers received broken? No 🗸 Yes -# of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No 🗌 for pH: (Note discrepancies on chain of custody) (<2 or >12 unless noted) Adjusted? 12. Are matrices correctly identified on Chain of Custody? No 🗌 Yes V 13. Is it clear what analyses were requested? Yes V No 14. Were all holding times able to be met? No 🗌 Yes V (If no, notify customer for authorization.) Special Handling (if applicable) Yes 15. Was client notified of all discrepancies with this order? No 🗌 NA V Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information Cooler No Condition | Seal Intact Temp °C Seal No Seal Date Signed By

1.6

Good



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 17, 2022

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2211297

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 18 sample(s) on 11/5/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:00:00 AM

 Lab ID:
 2211297-001
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:07:03 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/9/2022 10:07:03 PM
Surr: DNOP	96.4	21-129	%Rec	1	11/9/2022 10:07:03 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/9/2022 11:20:44 PM
Surr: BFB	88.6	37.7-212	%Rec	1	11/9/2022 11:20:44 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/9/2022 11:20:44 PM
Toluene	ND	0.049	mg/Kg	1	11/9/2022 11:20:44 PM
Ethylbenzene	ND	0.049	mg/Kg	1	11/9/2022 11:20:44 PM
Xylenes, Total	ND	0.098	mg/Kg	1	11/9/2022 11:20:44 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	11/9/2022 11:20:44 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/11/2022 10:01:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Not in Range Page 1 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:05:00 AM

 Lab ID:
 2211297-002
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 10:17:35 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/9/2022 10:17:35 PM
Surr: DNOP	59.7	21-129	%Rec	1	11/9/2022 10:17:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/9/2022 11:44:15 PM
Surr: BFB	90.1	37.7-212	%Rec	1	11/9/2022 11:44:15 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/9/2022 11:44:15 PM
Toluene	ND	0.048	mg/Kg	1	11/9/2022 11:44:15 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/9/2022 11:44:15 PM
Xylenes, Total	ND	0.095	mg/Kg	1	11/9/2022 11:44:15 PM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	11/9/2022 11:44:15 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/11/2022 10:13:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:10:00 AM

 Lab ID:
 2211297-003
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:28:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 10:28:06 PM
Surr: DNOP	71.5	21-129	%Rec	1	11/9/2022 10:28:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/10/2022 12:07:40 AM
Surr: BFB	88.9	37.7-212	%Rec	1	11/10/2022 12:07:40 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 12:07:40 AM
Toluene	ND	0.049	mg/Kg	1	11/10/2022 12:07:40 AM
Ethylbenzene	ND	0.049	mg/Kg	1	11/10/2022 12:07:40 AM
Xylenes, Total	ND	0.098	mg/Kg	1	11/10/2022 12:07:40 AM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	11/10/2022 12:07:40 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/11/2022 10:26:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:15:00 AM

 Lab ID:
 2211297-004
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:38:36 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 10:38:36 PM
Surr: DNOP	68.3	21-129	%Rec	1	11/9/2022 10:38:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 12:31:09 AM
Surr: BFB	86.6	37.7-212	%Rec	1	11/10/2022 12:31:09 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 12:31:09 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 12:31:09 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 12:31:09 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 12:31:09 AM
Surr: 4-Bromofluorobenzene	91.5	70-130	%Rec	1	11/10/2022 12:31:09 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 12:29:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 4 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 0'

Project: Hackberry 6 Fed 1 Well Pad Collection Date: 11/3/2022 9:20:00 AM

Lab ID: 2211297-005 **Matrix:** SOIL **Received Date:** 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 10:49:06 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/9/2022 10:49:06 PM
Surr: DNOP	75.6	21-129	%Rec	1	11/9/2022 10:49:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 12:54:34 AM
Surr: BFB	88.4	37.7-212	%Rec	1	11/10/2022 12:54:34 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 12:54:34 AM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 12:54:34 AM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 12:54:34 AM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 12:54:34 AM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	11/10/2022 12:54:34 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 1:07:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:25:00 AM

 Lab ID:
 2211297-006
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 10:59:36 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 10:59:36 PM
Surr: DNOP	72.6	21-129	%Rec	1	11/9/2022 10:59:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 1:18:03 AM
Surr: BFB	87.0	37.7-212	%Rec	1	11/10/2022 1:18:03 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 1:18:03 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 1:18:03 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 1:18:03 AM
Xylenes, Total	ND	0.10	mg/Kg	1	11/10/2022 1:18:03 AM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	11/10/2022 1:18:03 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 1:19:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-04 0'

Hackberry 6 Fed 1 Well Pad **Project: Collection Date:** 11/3/2022 9:30:00 AM 2211297-007 Received Date: 11/5/2022 2:10:00 PM Lab ID: Matrix: SOIL

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 11:10:08 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 11:10:08 PM
Surr: DNOP	66.0	21-129	%Rec	1	11/9/2022 11:10:08 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 1:41:29 AM
Surr: BFB	86.3	37.7-212	%Rec	1	11/10/2022 1:41:29 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 1:41:29 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 1:41:29 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 1:41:29 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 1:41:29 AM
Surr: 4-Bromofluorobenzene	91.2	70-130	%Rec	1	11/10/2022 1:41:29 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 1:31:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 7 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-04 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:35:00 AM

 Lab ID:
 2211297-008
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 11:20:40 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	11/9/2022 11:20:40 PM
Surr: DNOP	71.5	21-129	%Rec	1	11/9/2022 11:20:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 2:04:56 AM
Surr: BFB	86.9	37.7-212	%Rec	1	11/10/2022 2:04:56 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 2:04:56 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 2:04:56 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 2:04:56 AM
Xylenes, Total	ND	0.10	mg/Kg	1	11/10/2022 2:04:56 AM
Surr: 4-Bromofluorobenzene	91.3	70-130	%Rec	1	11/10/2022 2:04:56 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	130	60	mg/Kg	20	11/14/2022 1:44:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:40:00 AM

 Lab ID:
 2211297-009
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/9/2022 11:31:11 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	11/9/2022 11:31:11 PM
Surr: DNOP	67.8	21-129	%Rec	1	11/9/2022 11:31:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 2:28:22 AM
Surr: BFB	86.9	37.7-212	%Rec	1	11/10/2022 2:28:22 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 2:28:22 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 2:28:22 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 2:28:22 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 2:28:22 AM
Surr: 4-Bromofluorobenzene	91.3	70-130	%Rec	1	11/10/2022 2:28:22 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 2:46:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:45:00 AM

 Lab ID:
 2211297-010
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/9/2022 11:41:44 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/9/2022 11:41:44 PM
Surr: DNOP	75.0	21-129	%Rec	1	11/9/2022 11:41:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	11/10/2022 3:15:12 AM
Surr: BFB	87.0	37.7-212	%Rec	1	11/10/2022 3:15:12 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	11/10/2022 3:15:12 AM
Toluene	ND	0.050	mg/Kg	1	11/10/2022 3:15:12 AM
Ethylbenzene	ND	0.050	mg/Kg	1	11/10/2022 3:15:12 AM
Xylenes, Total	ND	0.099	mg/Kg	1	11/10/2022 3:15:12 AM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	11/10/2022 3:15:12 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	11/14/2022 2:58:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 10 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-06 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:50:00 AM

 Lab ID:
 2211297-011
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 11:40:04 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/11/2022 11:40:04 AM
Surr: DNOP	112	21-129	%Rec	1	11/11/2022 11:40:04 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 3:51:48 PM
Surr: BFB	90.3	37.7-212	%Rec	1	11/10/2022 3:51:48 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 3:51:48 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 3:51:48 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 3:51:48 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 3:51:48 PM
Surr: 4-Bromofluorobenzene	93.6	70-130	%Rec	1	11/10/2022 3:51:48 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	11/14/2022 3:11:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-06 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 9:55:00 AM

 Lab ID:
 2211297-012
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 3:01:53 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/14/2022 3:01:53 PM
Surr: DNOP	111	21-129	%Rec	1	11/14/2022 3:01:53 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/10/2022 5:02:03 PM
Surr: BFB	86.1	37.7-212	%Rec	1	11/10/2022 5:02:03 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	11/10/2022 5:02:03 PM
Toluene	ND	0.047	mg/Kg	1	11/10/2022 5:02:03 PM
Ethylbenzene	ND	0.047	mg/Kg	1	11/10/2022 5:02:03 PM
Xylenes, Total	ND	0.093	mg/Kg	1	11/10/2022 5:02:03 PM
Surr: 4-Bromofluorobenzene	90.8	70-130	%Rec	1	11/10/2022 5:02:03 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/14/2022 3:23:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-07 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:00:00 AM

 Lab ID:
 2211297-013
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: DGH				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 1:07:37 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/11/2022 1:07:37 PM
Surr: DNOP	100	21-129	%Rec	1	11/11/2022 1:07:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 6:12:51 PM
Surr: BFB	89.8	37.7-212	%Rec	1	11/10/2022 6:12:51 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 6:12:51 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 6:12:51 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 6:12:51 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 6:12:51 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	11/10/2022 6:12:51 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	9000	300	mg/Kg	100	11/14/2022 3:36:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 13 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-07 2'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:05:00 AM

 Lab ID:
 2211297-014
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH					
Diesel Range Organics (DRO)	ND	14		mg/Kg	1	11/11/2022 1:18:12 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	11/11/2022 1:18:12 PM
Surr: DNOP	132	21-129	S	%Rec	1	11/11/2022 1:18:12 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	11/10/2022 6:36:23 PM
Surr: BFB	87.8	37.7-212		%Rec	1	11/10/2022 6:36:23 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	11/10/2022 6:36:23 PM
Toluene	ND	0.047		mg/Kg	1	11/10/2022 6:36:23 PM
Ethylbenzene	ND	0.047		mg/Kg	1	11/10/2022 6:36:23 PM
Xylenes, Total	ND	0.095		mg/Kg	1	11/10/2022 6:36:23 PM
Surr: 4-Bromofluorobenzene	93.1	70-130		%Rec	1	11/10/2022 6:36:23 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	7000	300		mg/Kg	100	11/14/2022 3:48:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-07 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:10:00 AM

 Lab ID:
 2211297-015
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG		Analyst: DGH			
Diesel Range Organics (DRO)	14	14	mg/Kg	1	11/14/2022 4:40:12 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	11/14/2022 4:40:12 PM
Surr: DNOP	116	21-129	%Rec	1	11/14/2022 4:40:12 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	11/10/2022 6:59:54 PM
Surr: BFB	88.7	37.7-212	%Rec	1	11/10/2022 6:59:54 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.023	mg/Kg	1	11/10/2022 6:59:54 PM
Toluene	ND	0.046	mg/Kg	1	11/10/2022 6:59:54 PM
Ethylbenzene	ND	0.046	mg/Kg	1	11/10/2022 6:59:54 PM
Xylenes, Total	ND	0.092	mg/Kg	1	11/10/2022 6:59:54 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	11/10/2022 6:59:54 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	6600	300	mg/Kg	100	11/14/2022 4:00:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 0'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:15:00 AM

 Lab ID:
 2211297-016
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 1:39:24 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/11/2022 1:39:24 PM
Surr: DNOP	107	21-129	%Rec	1	11/11/2022 1:39:24 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 7:23:14 PM
Surr: BFB	92.7	37.7-212	%Rec	1	11/10/2022 7:23:14 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 7:23:14 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 7:23:14 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 7:23:14 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 7:23:14 PM
Surr: 4-Bromofluorobenzene	97.3	70-130	%Rec	1	11/10/2022 7:23:14 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	7100	300	mg/Kg	100	11/14/2022 4:13:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 16 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 2'

Project: Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:20:00 AM

 Lab ID: 2211297-017
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/11/2022 1:50:01 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/11/2022 1:50:01 PM
Surr: DNOP	105	21-129	%Rec	1	11/11/2022 1:50:01 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 7:46:49 PM
Surr: BFB	89.0	37.7-212	%Rec	1	11/10/2022 7:46:49 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 7:46:49 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 7:46:49 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 7:46:49 PM
Xylenes, Total	ND	0.095	mg/Kg	1	11/10/2022 7:46:49 PM
Surr: 4-Bromofluorobenzene	92.6	70-130	%Rec	1	11/10/2022 7:46:49 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	5600	300	mg/Kg	100	11/14/2022 4:50:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 25

Date Reported: 11/17/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 11/3/2022 10:25:00 AM

 Lab ID:
 2211297-018
 Matrix: SOIL
 Received Date: 11/5/2022 2:10:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	41	15	mg/Kg	1	11/14/2022 5:12:12 PM
Motor Oil Range Organics (MRO)	110	49	mg/Kg	1	11/14/2022 5:12:12 PM
Surr: DNOP	121	21-129	%Rec	1	11/14/2022 5:12:12 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/10/2022 8:10:22 PM
Surr: BFB	88.4	37.7-212	%Rec	1	11/10/2022 8:10:22 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	11/10/2022 8:10:22 PM
Toluene	ND	0.048	mg/Kg	1	11/10/2022 8:10:22 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/10/2022 8:10:22 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/10/2022 8:10:22 PM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	11/10/2022 8:10:22 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	7300	300	mg/Kg	100	11/14/2022 5:02:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 25

Hall Environmental Analysis Laboratory, Inc.

2211297

WO#:

17-Nov-22

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

SampType: mblk PBS Client ID: Batch ID: 71445 RunNo: 92527

Prep Date: 11/11/2022 Analysis Date: 11/11/2022 SeqNo: 3328186 Units: mq/Kq

SPK value SPK Ref Val %RPD **RPDLimit** Analyte Result **PQL** %REC LowLimit HighLimit Qual

TestCode: EPA Method 300.0: Anions

Chloride ND 1.5

Sample ID: MB-71445

Sample ID: LCS-71445 SampType: Ics TestCode: EPA Method 300.0: Anions Client ID: LCSS Batch ID: 71445 RunNo: 92527 Prep Date: 11/11/2022 Analysis Date: 11/11/2022 SeqNo: 3328187 Units: mg/Kg %RPD **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit Qual

Chloride 14 1.5 15.00 95.6 110

Sample ID: MB-71469 TestCode: EPA Method 300.0: Anions SampType: mblk Client ID: **PBS** Batch ID: 71469 RunNo: 92581 Prep Date: Analysis Date: 11/14/2022 Units: mg/Kg 11/14/2022 SeqNo: 3329299 Analyte Result POI SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit

Chloride

Sample ID: LCS-71469 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71469 RunNo: 92581

Prep Date: Analysis Date: 11/14/2022 SeqNo: 3329300 11/14/2022 Units: mg/Kg

Result **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte LowLimit

Chloride 15 1.5 15.00 n 96.7 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 19 of 25

Hall Environmental Analysis Laboratory, Inc.

2211297 17-Nov-22

WO#:

Client:	Vertex Resources Services, Inc.
Project:	Hackberry 6 Fed 1 Well Pad

Project: Hackber	ry 6 Fed 1 Well Pad					
Sample ID: LCS-71362	SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 71362	RunNo: 92430				
Prep Date: 11/8/2022	Analysis Date: 11/9/2022	SeqNo: 3324031 Units: mg/Kg				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	I			
Diesel Range Organics (DRO)	45 15 50.00	0 90.7 64.4 127				
Surr: DNOP	5.3 5.000	106 21 129				
Sample ID: MB-71362	SampType: MBLK	SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics				
Client ID: PBS	Batch ID: 71362	RunNo: 92430				
Prep Date: 11/8/2022	Analysis Date: 11/9/2022	SeqNo: 3324033 Units: mg/Kg				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	<u> </u>			
Diesel Range Organics (DRO)	ND 15					
Motor Oil Range Organics (MRO)	ND 50					
Surr: DNOP	9.5 10.00	95.2 21 129				
Sample ID: LCS-71411	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics				
Client ID: LCSS	Batch ID: 71411	RunNo: 92519				
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3325799 Units: mg/Kg				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	I			
Diesel Range Organics (DRO)	45 15 50.00	0 90.1 64.4 127				
Surr: DNOP	5.6 5.000	111 21 129				
Sample ID: MB-71411	SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 71411	RunNo: 92519				
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3325801 Units: mg/Kg				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	I			
Diesel Range Organics (DRO)	ND 15					
Motor Oil Range Organics (MRO)	ND 50					
Surr: DNOP	11 10.00	108 21 129				
Sample ID: LCS-71413	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics				
Client ID: LCSS	Batch ID: 71413	RunNo: 92519				
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3327399 Units: %Rec				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	l			
Surr: DNOP	6.1 5.000	121 21 129	-			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 25

Hall Environmental Analysis Laboratory, Inc.

2211297 17-Nov-22

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-71413	SampType: MBLK	TestCode: EPA Method	d 8015M/D: Diesel Range Organics				
Client ID: PBS	Batch ID: 71413	RunNo: 92519					
Prep Date: 11/10/2022	Analysis Date: 11/11/2022	SeqNo: 3327400	Units: %Rec				
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	t HighLimit %RPD RPDLimit Qual				
Surr: DNOP	12 10.0	0 117 21	129				
Sample ID: LCS-71461	SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics						

Client ID: LCSS	Bat	ch ID: 7146	1	R	RunNo: 92	2557				
Prep Date: 11/14	4/2022 Analysis	Date: 11/1	4/2022	S	SeqNo: 33	327869	Units: %Rec			
Analyte	Result	PQL S	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	5.0		5.000		101	21	129			

Sample ID: MB-71461	SampType: MBLK	TestCode: EPA Method 8015	5M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 71461	RunNo: 92557	
Prep Date: 11/14/2022	Analysis Date: 11/14/2022	SeqNo: 3327870 Uni	its: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit Hi	ighLimit %RPD RPDLimit Qual
Surr. DNOP	9.3 10.00	92.6 21	129

Sample ID: 2211297-012AMS	SampT	ype: MS	;	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: BH22-06 2'	Batch	1D: 71 4	111	F	RunNo: 92	2557									
Prep Date: 11/10/2022	Analysis D	ate: 11	/14/2022	9	SeqNo: 33	329449	Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Diesel Range Organics (DRO)	66	15	49.60	0	133	36.1	154								
Surr: DNOP	7.4		4.960		148	21	129			S					

Sample ID: 2211297-012AMS	SD SampT	уре: м S	SD .	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: BH22-06 2'	Batch	n ID: 71 4	111	F	RunNo: 92	2557				
Prep Date: 11/10/2022	Analysis D	Date: 11	/14/2022	5	SeqNo: 3	329450	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	15	50.10	0	99.7	36.1	154	27.4	33.9	
Surr: DNOP	5.9		5.010		117	21	129	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2211297**

17-Nov-22

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: mb-71353	SampType: MB	LK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	!	
Client ID: PBS	Batch ID: 713	53	F	RunNo: 92	2451				
Prep Date: 11/7/2022	Analysis Date: 11	/9/2022	8	SeqNo: 33	322711	Units: mg/K	ίg		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 930	1000		93.0	37.7	212			
Sample ID: Ics-71353	SampType: LC:	<u> </u>	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: LCSS	Batch ID: 713	53	F	RunNo: 92	2451				
Prep Date: 11/7/2022	Analysis Date: 11/	/9/2022	S	SeqNo: 33	322712	Units: mg/K	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO) Surr: BFB	24 5.0 1900	25.00 1000	0	94.8 190	72.3 37.7	137 212			
Sample ID: mb-71393	SampType: MB	LK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: PBS	Batch ID: 713	93	F	RunNo: 92	2479				
Prep Date: 11/9/2022	Analysis Date: 11/	/10/2022	S	SeqNo: 3327238			(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 900	1000		90.0	37.7	212			
Sample ID: LCS-71393	SampType: LC:	<u> </u>	Tes	tCode: EF	PA Method	8015D: Gaso	line Range)	
Client ID: LCSS	Batch ID: 713	93	F	RunNo: 92	2479				
Prep Date: 11/9/2022	Analysis Date: 11	/10/2022	\$	SeqNo: 33	327239	Units: mg/K	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO) Surr: BFB	22 5.0 1800	25.00 1000	0	89.7 184	72.3 37.7	137 212			
Sample ID: 2211297-011ams	SampType: MS		Tes	tCode: EF	PA Method	8015D: Gaso	line Range	1	
Client ID: BH22-06 0'	Batch ID: 713	93	F	RunNo: 92	2479				
Prep Date: 11/9/2022	Analysis Date: 11/	/10/2022	S	SeqNo: 33	327241	Units: mg/K	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24 4.9	24.49	0	97.3	70	130			
Surr: BFB	1900	979.4		195	37.7	212			
Sample ID: 2211297-011amso	SampType: MS		Too	·Codo. FF	A Mathad	8015D: Gaso	lina Danga		

Qualifiers:

Analyte

Client ID:

Prep Date:

Value exceeds Maximum Contaminant Level.

BH22-06 0'

11/9/2022

- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

Batch ID: 71393

Analysis Date: 11/10/2022

PQL

Result

B Analyte detected in the associated Method Blank

RunNo: 92479

SeqNo: 3327242

LowLimit

Units: mg/Kg

HighLimit

E Above Quantitation Range/Estimated Value

%REC

- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

SPK value SPK Ref Val

Page 22 of 25

RPDLimit

Qual

%RPD

Hall Environmental Analysis Laboratory, Inc.

2211297 17-Nov-22

Qual

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2211297-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BH22-06 0'** Batch ID: **71393** RunNo: **92479**

Prep Date: 11/9/2022 Analysis Date: 11/10/2022 SeqNo: 3327242 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Gasoline Range Organics (GRO) 25 5.0 24.83 0 101 70 130 5.05 20 Surr: BFB 2000 993.0 200 37.7 212 0 0

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 23 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: 2211297 17-Nov-22

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Fed 1 Well Pad

Sample ID: mb-71353	Samp ⁻	SampType: MBLK			tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batc	Batch ID: 71353			RunNo: 92	2451				
Prep Date: 11/7/2022	Analysis [Analysis Date: 11/9/2022			SeqNo: 3	322823	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.96		1.000		95.9	70	130			
Sample ID: 1 CS-71353	Samp ⁻	Type: I C	e	Tos	tCodo: El	DA Mothod	9021B: Volati	loc		

Sample ID: LCS-71353	Samp	TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batcl	n ID: 713	353	F	RunNo: 92	2451					
Prep Date: 11/7/2022	Analysis [Date: 11	/9/2022	5	SeqNo: 3322837 Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.94	0.025	1.000	0	94.4	80	120				
Toluene	0.96	0.050	1.000	0	96.4	80	120				
Ethylbenzene	0.97	0.050	1.000	0	96.7	80	120				
Xylenes, Total	2.9	0.10	3.000	0	97.4	80	120				
Surr: 4-Bromofluorobenzene	0.96		1.000		95.8	70	130				

Sample ID: mb-71393	SampT	уре: МВ	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch	n ID: 713	393	F	RunNo: 92	2479				
Prep Date: 11/9/2022	Analysis D	Analysis Date: 11/10/2022			SeqNo: 33	327270	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000		94.8	70	130			

Sample ID: Ics-71393	SampT	ype: LC	s	Tes	tCode: EF					
Client ID: LCSS	Batcl	n ID: 713	93	F	RunNo: 92	2479				
Prep Date: 11/9/2022	Analysis D	Date: 11	/10/2022	5	SeqNo: 33	327271	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.025	1.000	0	92.9	80	120			
Toluene	0.95	0.050	1.000	0	95.4	80	120			
Ethylbenzene	0.96	0.050	1.000	0	96.1	80	120			
Xylenes, Total	2.9	0.10	3.000	0	95.7	80	120			
Surr: 4-Bromofluorobenzene	0.96		1.000		95.8	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 24 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2211297** *17-Nov-22*

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2211297-012ams Client ID: BH22-06 2'	·	Гуре: MS h ID: 71 3			tCode: EF RunNo: 92	les				
Prep Date: 11/9/2022	Analysis [Date: 11	/10/2022	3	SeqNo: 33	327274	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	0.9843	0	98.4	68.8	120			
Toluene	1.0	0.049	0.9843	0	103	73.6	124			
Ethylbenzene	1.0	0.049	0.9843	0	104	72.7	129			
Xylenes, Total	3.1	0.098	2.953	0.01740	104	75.7	126			
Surr: 4-Bromofluorobenzene	0.92		0.9843		93.2	70	130			

Sample ID: 2211297-012ams	d Samp	Type: MS	D	Tes	tCode: El	PA Method	8021B: Volati	les		
Client ID: BH22-06 2'	Bato	h ID: 71 3	393	F	RunNo: 9	2479				
Prep Date: 11/9/2022	Analysis	Date: 11	/10/2022	9	SeqNo: 3	327278	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.025	0.9960	0	99.7	68.8	120	2.48	20	
Toluene	1.0	0.050	0.9960	0	104	73.6	124	2.76	20	
Ethylbenzene	1.1	0.050	0.9960	0	106	72.7	129	3.26	20	
Xylenes, Total	3.2	0.10	2.988	0.01740	107	75.7	126	3.76	20	
Surr: 4-Bromofluorobenzene	0.95		0.9960		95.2	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 25



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

LABOR	MIONI		Į.	Vebsite: www.h	allenvir	onmeni	tal.com			
Client Name:	Vertex Res Services, Ir		Work	Order Number	r: 221 1	1297			RcptNo: 1	
Received By:	Andy Free	eman	11/5/202	22 2:10:00 PM	1		andy	_	-	
Completed By:	Juan Roja	ıs	11/7/202	22 7:09:44 AN	1		Mark	9		
Reviewed By:	KOC	11.7	. 22							
Chain of Cust	tody									
1. Is Chain of Cu	stody comp	lete?			Yes	V	No		Not Present	
2. How was the	sample deliv	ered?			Cou	<u>rier</u>				
Log In										
3. Was an attern	pt made to o	cool the sampl	es?		Yes	V	No		NA 🗌	
4. Were all samp	les received	at a temperal	cure of >0°C1	to 6.0°C	Yes	V	No		NA 🗌	
5. Sample(s) in p	proper contai	iner(s)?			Yes	V	No			
6. Sufficient sam	ple volume f	or indicated te	st(s)?		Yes	V	No			
7. Are samples (except VOA	and ONG) pro	perly preserve	ed?	Yes	V	No			
8. Was preservat	ive added to	bottles?			Yes		No	V	NA \square	
9. Received at le	ast 1 vial wit	h headspace	<1/4" for AQ V	OA?	Yes		No		NA 🗹	
10. Were any san	nple containe	ers received b	roken?		Yes		No	V	# of preserved	
11. Does paperwo					Yes	V	No		bottles checked for pH: (<2 or >12	unless noted)
12. Are matrices of					Yes	V	No		Adjusted?	
13. Is it clear what					Yes		No			
14. Were all holdin (If no, notify cu	ng times able	e to be met?			Yes		No		Checked by: Ju	117/22
Special Handli									~	
15. Was client no	tified of all d	iscrepancies v	vith this order?	,	Yes		No		NA 🗹	
Person	Notified:			Date						
By Who	m:			Via:	еМ	ail 🗌] Phone [Fax	in Person	
Regardi	ng:		-						COA ^V	
Client In	structions:						-			
16. Additional rer	narks:									
17. Cooler Infor	mation									
Cooler No		Condition	Seal Intact	Seal No	Seal D	ate	Signed E	Зу		
1	3.5	Good								
,2	4.4	Good								
3	2.8	Good								

Chain-of-Custody Record	Turn-Around Time: S→Day	HAII FNVIRONMENTAL
Client:	Standard K Rush	ı i
		www.hallenvironmental.com
Mailing Address: On File	HOCKEGING 6 FEDILLEN PAD	4901 Hawki
		Tel. 505-345-3975 Fax 505-345-4107
Phone #:	225-02537	Analysis Request
email or Fax#:	Project Manager:	†O9
QA/QC Package:	Chance Dixon	8'83 SM S '\$C
☐ Standard ☐ Level 4 (Full Validation)	The second secon	7 OS
Ë	r: CD	(I) (1:1) (1:1) (1:1)
□ NELAC □ Other	_	05 3)/26 20 30 30 30 30 30
pe)_	# of Coolers: 3	od :
	Cooler Temp(Including CF): R (°C)	MTTD dething by 8: yy 8: yy 8: yo A: in in i
		He F (V (3) L (3) L (4)
Date Time Matrix Sample Name	Type and # Type 2211297	141 808 FC (CL) 728
11/3/22 9:00 50,7 842201 0	402 200	
, 2 10-2248 SHZZ-01 Z	3 =	
842-02	2007	
	1002-	
8422-03	700-	
9:25 B H22-03 2'	JOG-	
9:30 BHZZ-04 0'	とつの一	
9:35 BHZZ-64 2'	7007	
,0 SO-2248 Ohib	600-	
9:45 BHZZ-05 Z	-010	
7 90-2248	110-	
	10-	
Time: Relinqu	Received by: Via: Date Time	Remarks: CC: Kant Stallings
	Mino "1422	Direct Bin Devon 21007 \$01301)
Date: Time: Relinquished by:	Date Time	3.6-
M/21 190 aluming	110111111111111111111111111111111111111	

Released to Imaging: 10/3/2013 9:49:47/AM notated on the according to other according laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Name and Address of the Owner, where
_
a .
1
4
4
4.7
95
4
C
400
233
C
_
C
2.4
0
16
43
7.
7.
D: .
D: .
D: .
CD:
CD:
CD:
CD:
v OCD: !
v OCD: !
v OCD: !
, OCD: !
by OCD:
by OCD:
d by OCD: !
ed by OCD:
by OCD:
ved by OCD:
ived by OCD:
ived by OCD:
eived by OCD:
eived by OCD:
ceived by OCD:
ceived by OCD:
eceived by OCD:
eceived by OCD:
eceived by OCD:
ceived by OCD:
eceived by OCD:
eceived by OCD:

Chain-of-Custody Record	Turn-Around Tim	Time: S-Day	On 12 C. S. S. S.			I		L	>	BO	2	HALL ENVIRONMENTAL	A
Client: Daven/Var tex	Z-Standard	K Rush			V	4	A	YS	IS	4	BOI	ANALYSIS LABORATORY	RY
	Project Name:	100 M				\$	www.hallenvironmental.com	llenvii	onme	ental.c	mox		
Mailing Address: のn デル	Hackberry		G FED 1 WOIT PAD	4	901 H	awkin	4901 Hawkins NE -	. Albu	Iduer	due, h	Albuquerque, NM 87109	60	
	Project #:	1	11 3		Tel. 5(5-345	505-345-3975	Ē	Fax 50	5-34	505-345-4107	Heren	
Phone #:	226-02537	537						Analysis Request	sis Re	sanba	, t		
email or Fax#:	Project Manager:						-	†OS	-	(Jue			
age:	Chonce	e Dixon		S08)			SWI	O¢' 3	Ť	sdA			
)						SOU	o'' b		/tuə			-
:uo	Sampler: C/		N.				78 J	ON					
□ NELAC □ Other	On Ice:		NO					,£(
□ EDD (Type)	# of Coolers: 3	22						ИС					
	Cooler Temp(Including CF).	ding CF).	(၃)					,15					
		Preservative	HEAL No.	XEX)	9 180	N) 80	AHs t)E' 1	() 097	270 (S Otal C		F	
Date Time Matrix Sample Name	Type and # Type) 0	221127	سلحب	\perp	_	_	9	_				+
11/3/12/0:00501/ 3/122-07 0	Z 20 h	ICE	-0G	>			_	>					1
10:05 8422-07 2'	1000	_	-014	-								3	
10.2248 00001			7015										
10.75 BHZZ-08 0'			₹ 10~										
	000		-017										
10.25 BHZZ-08 41'		1	か <u>い</u>					_					
										17.0	1		
			The second of the				10.		100				-
									+		Ī	1	
			to design the second of								E		
										4 5		£	-
Fime: Relind		Via:	Date Time	Remarks:		Ü	CC: Kent		110	Spanipas	10		
02 M 30	Muum	(4)	1142 105C	_	Q	Direct	t Bill		Davon	٠. ١	001:	21007101301	, 6
Date: Time: Relinquished by:	Received by:	N / pi	Uate IIme	بلاؤ.	2.1-3.5	>							
me to demina	Children of the Control of the Contr		1/2 / 2/2 / 2/2 / 1/2	4.7	Apr. 2	%.	top potos	light.	Special	pototo	the and	hairel report	

Released to Imaging: 10/3/2023 9:49:47 AM ental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted to Imaging: 10/3/2023 9:49:47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 12, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220

TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Federal 1 OrderNo.: 2301225

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 4 sample(s) on 1/6/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/12/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-01 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 11:30:00 AM

 Lab ID:
 2301225-001
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS					Analyst: DGH
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	1/10/2023 2:51:55 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	1/10/2023 2:51:55 AM
Surr: DNOP	111	21-129		%Rec	1	1/10/2023 2:51:55 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	1/9/2023 12:20:00 PM
Surr: BFB	111	37.7-212		%Rec	1	1/9/2023 12:20:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	1/9/2023 12:20:00 PM
Toluene	ND	0.049		mg/Kg	1	1/9/2023 12:20:00 PM
Ethylbenzene	ND	0.049		mg/Kg	1	1/9/2023 12:20:00 PM
Xylenes, Total	ND	0.099		mg/Kg	1	1/9/2023 12:20:00 PM
Surr: 4-Bromofluorobenzene	130	70-130	S	%Rec	1	1/9/2023 12:20:00 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	1/9/2023 6:40:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 8

Date Reported: 1/12/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-02 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 11:35:00 AM

 Lab ID:
 2301225-002
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS					Analyst: DGH
Diesel Range Organics (DRO)	9.6	9.2		mg/Kg	1	1/10/2023 10:29:41 AM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	1/10/2023 10:29:41 AM
Surr: DNOP	130	21-129	S	%Rec	1	1/10/2023 10:29:41 AM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	1/9/2023 1:19:00 PM
Surr: BFB	110	37.7-212		%Rec	1	1/9/2023 1:19:00 PM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	1/9/2023 1:19:00 PM
Toluene	ND	0.049		mg/Kg	1	1/9/2023 1:19:00 PM
Ethylbenzene	ND	0.049		mg/Kg	1	1/9/2023 1:19:00 PM
Xylenes, Total	ND	0.099		mg/Kg	1	1/9/2023 1:19:00 PM
Surr: 4-Bromofluorobenzene	127	70-130		%Rec	1	1/9/2023 1:19:00 PM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	110	60		mg/Kg	20	1/9/2023 6:52:55 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 8

Date Reported: 1/12/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-03 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 11:40:00 AM

 Lab ID:
 2301225-003
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/10/2023 3:13:13 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/10/2023 3:13:13 AM
Surr: DNOP	112	21-129	%Rec	1	1/10/2023 3:13:13 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/9/2023 2:18:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/9/2023 2:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/9/2023 2:18:00 PM
Toluene	ND	0.050	mg/Kg	1	1/9/2023 2:18:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/9/2023 2:18:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/9/2023 2:18:00 PM
Surr: 4-Bromofluorobenzene	122	70-130	%Rec	1	1/9/2023 2:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	140	61	mg/Kg	20	1/9/2023 7:05:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 8

Date Reported: 1/12/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-07 0-4'

 Project:
 Hackberry 6 Federal 1
 Collection Date: 1/4/2023 3:20:00 PM

 Lab ID:
 2301225-004
 Matrix: SOIL
 Received Date: 1/6/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/10/2023 3:23:53 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/10/2023 3:23:53 AM
Surr: DNOP	114	21-129	%Rec	1	1/10/2023 3:23:53 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/9/2023 2:38:00 PM
Surr: BFB	104	37.7-212	%Rec	1	1/9/2023 2:38:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/9/2023 2:38:00 PM
Toluene	ND	0.050	mg/Kg	1	1/9/2023 2:38:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/9/2023 2:38:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/9/2023 2:38:00 PM
Surr: 4-Bromofluorobenzene	121	70-130	%Rec	1	1/9/2023 2:38:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	860	60	mg/Kg	20	1/9/2023 7:17:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 8

Hall Environmental Analysis Laboratory, Inc.

2301225 12-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: LCS-72511 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72511 RunNo: 93837

Prep Date: 1/9/2023 Analysis Date: 1/9/2023 SeqNo: 3387328 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.3 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 8

Hall Environmental Analysis Laboratory, Inc.

2301225 12-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: LCS-72502 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72502 RunNo: 93818 Units: mg/Kg Prep Date: 1/6/2023 Analysis Date: 1/9/2023 SeqNo: 3386799 Analyte PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Result LowLimit Qual Diesel Range Organics (DRO) 42 10 50.00 0 83.4 64.4 127 Surr: DNOP 5.5 5.000 111 21

 Surr: DNOP
 5.5
 5.000
 111
 21
 129

 Sample ID: MB-72502
 SampType: MBLK
 TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72502 RunNo: 93818

Prep Date: 1/6/2023 Analysis Date: 1/9/2023 SeqNo: 3386803 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 11 10.00 112 21 129

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

Analysis Date: 1/9/2023

PQL

4.9

Result

2500

27

2301225 12-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: Ics-72494	Samp	Гуре: LC	S	Tes	tCode: El	PA Method	8015D: Gaso	line Range	1	
Client ID: LCSS	Batcl	h ID: 72 4	194	F	RunNo: 9:	3823				
Prep Date: 1/6/2023	Analysis [Date: 1/9	9/2023	5	SeqNo: 3	386844	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	102	72.3	137			
Surr: BFB	2300		1000		230	37.7	212			S
Sample ID: mb-72494	Samp	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Range		
Client ID: PBS	Dotal	h ID: 72 4	10.4	-						
Client ID. FB3	Datci	11D: 124	194	r	RunNo: 9:	3823				
Prep Date: 1/6/2023	Analysis [9/2023		SeqNo: 3 :		Units: mg/K	(g		
							Units: mg/K	(g %RPD	RPDLimit	Qual
Prep Date: 1/6/2023 Analyte	Analysis [Date: 1/9	9/2023	5	SeqNo: 3:	386845	· ·	•	RPDLimit	Qual
Prep Date: 1/6/2023	Analysis [PQL	9/2023	5	SeqNo: 3:	386845	· ·	•	RPDLimit	Qual
Prep Date: 1/6/2023 Analyte Gasoline Range Organics (GRO)	Analysis I Result ND 1100	PQL	9/2023 SPK value	SPK Ref Val	SeqNo: 3 : %REC 108	386845 LowLimit 37.7	HighLimit	%RPD		Qual

Sample ID:	2301225-001AMSD	SampTy	/pe: MS	D	Tes	tCode: EF	PA Method	8015D: Gasol	line Range		
Client ID:	WS23-01 0-4'	Batch	ID: 72 4	194	F	RunNo: 93	3823				
Prep Date:	1/6/2023	Analysis Da	ate: 1/9	9/2023	9	SeqNo: 33	386848	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	25	5.0	24.95	0	100	70	130	6.24	20	
Surr: BFB		2300		998.0		234	37.7	212	0	0	S

0

SPK value SPK Ref Val

24.65

986.2

SeqNo: 3386847

LowLimit

70

37.7

%REC

108

256

Units: mg/Kg

130

212

HighLimit

%RPD

RPDLimit

Qual

S

Qualifiers:

Prep Date:

Surr: BFB

Analyte

1/6/2023

Gasoline Range Organics (GRO)

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301225**

12-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Federal 1

Sample ID: Ics-72494	SampT	ype: LC :	S	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 724	194	F	RunNo: 9:	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	9	SeqNo: 3	386882	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	109	80	120			
Toluene	1.1	0.050	1.000	0	113	80	120			
Ethylbenzene	1.1	0.050	1.000	0	113	80	120			
Xylenes, Total	3.4	0.10	3.000	0	113	80	120			
Surr: 4-Bromofluorobenzene	1.3		1.000		128	70	130			

Sample ID: mb-72494	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batch	n ID: 72 4	194	F	RunNo: 93	3823				
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	9	SeqNo: 33	386883	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.3		1.000		128	70	130			

Sample ID: 2301225-002AMS	SampT	уре: М S	;	TestCode: EPA Method 8021B: Volatiles									
Client ID: WS23-02 0-4'	Batcl	n ID: 72 4	194	F	RunNo: 93	3823							
Prep Date: 1/6/2023	Analysis D	Date: 1/9	9/2023	9	SeqNo: 33	386886	Units: mg/K						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	1.0	0.025	0.9950	0	104	68.8	120						
Toluene	1.1	0.050	0.9950	0	110	73.6	124						
Ethylbenzene	1.1	0.050	0.9950	0	111	72.7	129						
Xylenes, Total	3.3	0.10	2.985	0	112	75.7	126						
Surr: 4-Bromofluorobenzene	1.2		0.9950		121	70	130						

Sample ID: 2301225-002AMSD	SampT	SampType: MSD TestCode: EPA Method 8021B: Volatiles										
Client ID: WS23-02 0-4'	Batch	n ID: 724	94	F	RunNo: 93	3823						
Prep Date: 1/6/2023	Analysis D	ate: 1/9	9/2023	5	SeqNo: 33	386887	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	1.0	0.025	0.9901	0	105	68.8	120	0.839	20			
Toluene	1.1	0.050	0.9901	0	110	73.6	124	0.0478	20			
Ethylbenzene	1.1	0.050	0.9901	0	112	72.7	129	0.115	20			
Xylenes, Total	3.3	0.099	2.970	0	113	75.7	126	0.407	20			
Surr: 4-Bromofluorobenzene	1.2		0.9901		123	70	130	0	0			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 8



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

Client Name:	Devon Energy	у	Work	Order Numb	er: 23012	25		RcptNo	p: 1
Received By:	Juan Rojas		1/6/202	3 7:45:00 AN	A		Humany		
Completed By:	Sean Living	seton		3 8:01:42 AN			June By		
	_	Ston	1/4/23		1		Sala	John	
Reviewed By:	TIME		11012)					
Chain of Cus	tody								
1. Is Chain of Cu	ustody complet	te?			Yes	✓	No 🗌	Not Present \square	
2. How was the	sample deliver	ed?			Courie	÷r			
<u>Log In</u>							_		
Was an attem	pt made to coo	ol the sample	es?		Yes		No 🗌	NA 🗌	
4. Were all samp	oles received a	t a temperat	ure of >0° C t	o 6.0°C	Yes [/	No 🗌	na 🗆	
5. Sample(s) in p	oroper containe	er(s)?			Yes [/	No 🗌		
6. Sufficient sam	ple volume for	indicated te	st(s)?		Yes 🛚	7	No 🗌		
7. Are samples (except VOA an	nd ONG) pro	perly preserve	d?	Yes 🛭	2	No 🗌		
8. Was preserval	tive added to b	ottles?			Yes []	No 🗹	NA 🗌	
9. Received at le	ast 1 vial with l	headspace <	1/4" for AQ V	OA?	Yes []	No 🗌	NA 🗹	
10. Were any san	nple containers	received br	oken?		Yes []	No 🗹	# of preserved	
11.Does paperwo	rk match bottle	e labels?			Yes 🛚	/	No 🗆	bottles checked for pH:	
(Note discrepa					_	_	<u></u>	(<2 o	or >12 unless noted
2. Are matrices of	-		•		Yes 1		No ∐	Adjusted!	
3. Is it clear what			•		Yes 1		No ∐	Checked by:	4. 1/12
4.Were all holdir (If no, notify cu	ng times able to ustomer for aut				Yes 🖸		No ∐	CHECKED by.	m 16/2.
Special Handl	ing (if appli	icable)							
15. Was client no	tified of all disc	crepancies w	ith this order?	72	Yes [コ	No 🗆	na 🗹	_
Person	Notified:			Date:					
By Who	om:			Via:	☐ eMail	Ph	one 🗌 Fax	☐ In Person	
Regardi	ing: [Control of the Contro					
Client Ir	nstructions:								
16. Additional rea	marks:								
17. Cooler Infor	mation								
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Dat	e 5	Signed By	- American de la companya de la comp	
1	0.2	Good				-			

	ANALYSIS LABORATORY	www.hallenvironmental.com	4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975 Fax 505-345-4107	Anal	*OS	PO4, 5	2808/ ₃ (1.40) (1.40) ΣSS τα (Δ)	GESepination of 5 to 6 to	etho y 83 h Me hr, h	BTEX / TPH:80° 8081 Pe PAHs by PCRA 80° (V SZYO (V SZYO (V SZ	<i>)</i>				Associated to produce the contract of the cont				Remarks:	With Deep		Released to marked properties and the subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
Turn-Around Time:	□ Standard M Rush 48 hx	.:	Hackbory le Federal 1		726-02537	Project Manager:	Chemic Dixon	Sampler: Michael Bornes	olers:	(including CF): (0.1+6.1)	Container Preservative HEAL No. Type Type	10		ILL						Received by: Via: Date Time	Via: Date	10wile 1623 7'45	contracted to other accredited laboratories. This serves as notice of this
Chain-of-Custody Record	Client: Docos / Lathx		Mailing Address:		Phone #:	Fax#:	QA/QC Package:	ו: ☐ Az Compliance:	Original Company		Date Time Matrix Sample Name	1 Soil [4523-01 0-41	01/04 11:35 Soi) W523-02 8-41	11:40 Soil W523-03 0-4:	14-0 to-625m					Date: Time: Relinquished by:	Ť	15/20 1900 Occurry	Rolowood the pegessen sangles submitted to diality mental may be subc

1 Released to Imaging 10/3/2023 y: 49.47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 13, 2023

Chance Dixon Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220

FAX:

RE: Huckberry 6 Fed 1 OrderNo.: 2301270

Dear Chance Dixon:

TEL: (505) 506-0040

Hall Environmental Analysis Laboratory received 1 sample(s) on 1/7/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-12 0-4'

 Project:
 Huckberry 6 Fed 1
 Collection Date: 1/5/2023 11:30:00 AM

 Lab ID:
 2301270-001
 Matrix: SOIL
 Received Date: 1/7/2023 8:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/11/2023 11:13:47 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/11/2023 11:13:47 AM
Surr: DNOP	126	21-129	%Rec	1	1/11/2023 11:13:47 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/11/2023 1:06:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/11/2023 1:06:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JR
Benzene	ND	0.025	mg/Kg	1	1/11/2023 1:06:00 PM
Toluene	ND	0.050	mg/Kg	1	1/11/2023 1:06:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/11/2023 1:06:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/11/2023 1:06:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/11/2023 1:06:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1000	60	mg/Kg	20	1/10/2023 5:39:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 1 of 5

Hall Environmental Analysis Laboratory, Inc.

2301270

WO#:

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: MB-72561 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388440 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72561 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388441 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

2301270

WO#:

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: LCS-72541 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72541 RunNo: 93869 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388577 **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 43 10 50.00 0 85.0 64.4 127 Surr: DNOP 5.7 5.000 113 21 129

Sample ID: MB-72541 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72541 RunNo: 93869 Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388580 Units: mg/Kg LowLimit Analyte Result PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 12 10.00 117 21 129

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301270 13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: Ics-72532 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 72532 RunNo: 93873 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389575 **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result Gasoline Range Organics (GRO) 24 5.0 25.00 0 94.8 72.3 137 Surr: BFB 2200 1000 222 37.7 212 S

Sample ID: mb-72532 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 72532 RunNo: 93873 Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389576 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) ND 5.0

Surr: BFB

1100

1000

110

37.7

212

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301270 13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Huckberry 6 Fed 1

Sample ID: Ics-72532	Samp	Гуре: LC	S	Tes	tCode: EF	les				
Client ID: LCSS	Batcl	h ID: 725	532	F	RunNo: 9:	3873				
Prep Date: 1/10/2023	0/2023 Analysis Date: 1/11/2023 SeqNo: 3389628 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.2	0.025	1.000	0	116	80	120			
Toluene	1.2	0.050	1.000	0	116	80	120			
Ethylbenzene	1.2	0.050	1.000	0	116	80	120			
Xylenes, Total	3.5	0.10	3.000	0	116	80	120			
Surr: 4-Bromofluorobenzene 1.3 1.000					125	70	130			

Sample ID: mb-72532	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batch	n ID: 72 5	532	F	RunNo: 93	3873				
Prep Date: 1/10/2023	Analysis D	Date: 1/	11/2023	5	SeqNo: 33	389629	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.3		1.000		126	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 5 of 5

Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

Client Name:	Vertex Resources Services, Inc.	Work Order Num	/		RcptNo: 1	
		00	34.4.19	11.		
Received By:	Cheyenne Cason	1/7/2023 8:30:00 A	M,	Chul		
Completed By:	Cheyenne Cason	1/7/2023 8:51:52 A	M	Chenl		
Reviewed By:						
Chain of Cus	stody					
1. Is Chain of C	sustody complete?		Yes 🗌	No 🗹	Not Present	
2. How was the	sample delivered?		<u>Courier</u>			
<u>Log In</u>				🗆	[7]	
Was an atten	npt made to cool the san	nples?	Yes 🗹	No 📙	NA 🗀	
4. Were all sam	ples received at a tempe	rature of >0° C to 6.0°C	Yes 🗸	No 🗌	NA 🗆	
5. Sample(s) in	proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient san	nple volume for indicated	test(s)?	Yes 🗹	No 🗌		
7. Are samples	(except VOA and ONG)	properly preserved?	Yes 🗹	No 🗌		
8. Was preserva	ative added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at le	east 1 vial with headspac	ce <1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
0. Were any sa	mple containers received	I broken?	Yes U	No 🗹	# of preserved bottles checked	
	ork match bottle labels? ancies on chain of custo	dv)	Yes 🗹	No 🗆	for pH:	unless note
	correctly identified on Ch		Yes 🗹	No 🗆	Adjusted?	
	at analyses were request	•	Yes 🗹	No 🗆		
	ing times able to be met		Yes 🗹	No 🗆	Checked by: (m	c 1/7/
	ling (if applicable)	,				
	otified of all discrepancie	s with this order?	Yes 🗌	No 🗌	NA 🗹	
Person	Notified:	Date			Ì	
By Wh	om:	Via:	eMail F	Phone Fax	☐ In Person	
Regard	ling:					
Client I	nstructions:					
16. Additional re	emarks:					
17. <u>Cooler Info</u>	<u>rmation</u>					
Cooler No	Temp ℃ Conditio	n Seal Intact Seal No	Seal Date	Signed By		
1	3.0 Good	Not Present Yogi				



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 13, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220

TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 OrderNo.: 2301321

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 2 sample(s) on 1/10/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-14 0-4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/6/2023 9:15:00 AM

 Lab ID:
 2301321-001
 Matrix: SOIL
 Received Date: 1/10/2023 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/11/2023 7:46:30 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/11/2023 7:46:30 PM
Surr: DNOP	109	21-129	%Rec	1	1/11/2023 7:46:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/11/2023 1:25:00 PM
Surr: BFB	104	37.7-212	%Rec	1	1/11/2023 1:25:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JR
Benzene	ND	0.024	mg/Kg	1	1/11/2023 1:25:00 PM
Toluene	ND	0.047	mg/Kg	1	1/11/2023 1:25:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/11/2023 1:25:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/11/2023 1:25:00 PM
Surr: 4-Bromofluorobenzene	118	70-130	%Rec	1	1/11/2023 1:25:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	320	60	mg/Kg	20	1/11/2023 12:40:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

rting Limit Page 1 of 6

Date Reported: 1/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-15 0-4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/6/2023 9:20:00 AM

 Lab ID:
 2301321-002
 Matrix: SOIL
 Received Date: 1/10/2023 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/11/2023 7:56:56 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/11/2023 7:56:56 PM
Surr: DNOP	103	21-129	%Rec	1	1/11/2023 7:56:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/11/2023 1:45:00 PM
Surr: BFB	103	37.7-212	%Rec	1	1/11/2023 1:45:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JR
Benzene	ND	0.025	mg/Kg	1	1/11/2023 1:45:00 PM
Toluene	ND	0.049	mg/Kg	1	1/11/2023 1:45:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/11/2023 1:45:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/11/2023 1:45:00 PM
Surr: 4-Bromofluorobenzene	118	70-130	%Rec	1	1/11/2023 1:45:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	820	60	mg/Kg	20	1/11/2023 12:53:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range
orting Limit
Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

2301321 13-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: MB-72561 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388440 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72561 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72561 RunNo: 93840

Prep Date: 1/10/2023 Analysis Date: 1/10/2023 SeqNo: 3388441 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301321**

%RPD

RPDLimit

Qual

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: LCS-72541 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72541 RunNo: 93869 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3388577 **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 43 10 50.00 0 85.0 64.4 127 Surr: DNOP 5.7 5.000 113 21 129

 Sample ID:
 MB-72541
 SampType:
 MBLK
 TestCode:
 EPA Method 8015M/D: Diesel Range Organics

 Client ID:
 PBS
 Batch ID:
 72541
 RunNo:
 93869

 Prep Date:
 1/10/2023
 Analysis Date:
 1/11/2023
 SeqNo:
 3388580
 Units:
 mg/Kg

LowLimit Analyte Result PQL SPK value SPK Ref Val %REC HighLimit Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 12 10.00 117 21 129

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301321

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: Ics-72532 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 72532 RunNo: 93873 Units: mg/Kg Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389575 **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result Gasoline Range Organics (GRO) 24 5.0 25.00 0 94.8 72.3 137 Surr: BFB 2200 1000 222 37.7 212 S

Sample ID: mb-72532 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBS Batch ID: 72532 RunNo: 93873 Prep Date: 1/10/2023 Analysis Date: 1/11/2023 SeqNo: 3389576 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual ND 5.0

Gasoline Range Organics (GRO) Surr: BFB

1100

1000

110

37.7

212

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301321**

13-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1

Sample ID: Ics-72532	Samp	Гуре: LC	S	Tes	tCode: EF	les				
Client ID: LCSS	Batcl	h ID: 725	532	F	RunNo: 9:	3873				
Prep Date: 1/10/2023	0/2023 Analysis Date: 1/11/2023 SeqNo: 3389628 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.2	0.025	1.000	0	116	80	120			
Toluene	1.2	0.050	1.000	0	116	80	120			
Ethylbenzene	1.2	0.050	1.000	0	116	80	120			
Xylenes, Total	3.5	0.10	3.000	0	116	80	120			
Surr: 4-Bromofluorobenzene 1.3 1.000					125	70	130			

Sample ID: mb-72532	Samp	Гуре: МЕ	BLK	Tes						
Client ID: PBS	Batcl	h ID: 72 5	532	F	RunNo: 9:					
Prep Date: 1/10/2023	Analysis [Date: 1/	11/2023	9	SeqNo: 3	389629	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.3		1.000		126	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

Client Name:	Vertex Resources Services, Inc.	Work Order Nur	nber: 2301321		RcptNo: 1	
Received By:	Juan Rojas	1/10/2023 7:30:00	AM	Juan By		
Completed By:	Sean Livingston	1/10/2023 7:50:01	АМ	< /	/	
Reviewed By:	JO	1/10/23)	
Chain of Cus	tody					
1. Is Chain of C	ustody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the	sample delivered?		<u>Courier</u>			
<u>Log In</u>						
3. Was an atten	npt made to cool the samp	les?	Yes 🗹	No 📙	NA 🗀	
4. Were all sam	ples received at a tempera	ture of >0° C to 6.0°C	Yes 🗸	No 🗌	na 🗆	
5. Sample(s) in	proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sam	nple volume for indicated te	est(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) pro	pperly preserved?	Yes 🗹	No 🗌		
8. Was preserva	tive added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at le	east 1 vial with headspace	<1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any san	mple containers received b	roken?	Yes 📙	No 🔽	# of preserved	
	ork match bottle labels? ancies on chain of custody)	Yes 🗹	No 🗆	bottles checked for pH: (<2 or >1	12 unless noted
	correctly identified on Chai		Yes 🗹	No 🗆	Adjusted?	
3. Is it clear what	t analyses were requested	?	Yes 🗹	No 🗌		1 1.10
	ng times able to be met? ustomer for authorization.)		Yes 🗹	No 🗆	Checked by:	12/10/10
Special Handl	ing (if applicable)				•	
15. Was client no	otified of all discrepancies v	vith this order?	Yes 🗌	No 🗌	NA 🗹	
Person	Notified:	Date	9: [
By Who	om:	Via:	eMail P	Phone 🔲 Fax	In Person	
Regard	ing:	The same of the sa				
Client Ir	nstructions:				ARREST CO. STORY OF THE STORY OF THE STORY	
16. Additional re	marks:					
17. <u>Cooler Infor</u>						
Cooler No		Seal Intact Seal No	Seal Date	Signed By		
1	0.0 Good			1		

•	
-	
Marrie .	
_	
- 6	
-	
4	
7	
٠.	
~	
~	
4	
C 3	
11	
-	
430	
27.9	
-	
- 4	
-	
0	
- 5.4	
0	
-	
V)	
3	
3	
. 5	
4,	
4,	
D: 5	
D: 5	
D: 5	
0: 5	
CD:	
CD:	
D: 5	
CD:	
, OCD:	
v OCD: !	
v OCD: !	
v OCD: !	
, OCD:	
by OCD:	
1 by OCD: 5	
1 by OCD: 5	
d by OCD:	>
1 by OCD: 5	
ed by OCD:	
ved by OCD:	>
ed by OCD:	•
ved by OCD:	
ved by OCD:	
ved by OCD:	
eived by OCD:	
ved by OCD:	
ceived by OCD:	
eived by OCD:	>
eceived by OCD:	•
Received by OCD:	•
Received by OCD:	•
eceived by OCD:	•
Received by OCD:	•
Received by OCD:	3

	MALL ENVIRONMENTAL	I VIVE STORY ON I	www.itallelivironmental.com		Analysis		PO° 2° SIW2 SCB,8	(1.4) - 8270 - 8270 - 1.5	(6e)	othicicists and the standard s	TPH:801 8081 Pe PAHs by RCRA 8 82F0 (VC 8270 (Se Total Col	2	7						arks:	Dieur 10-11 Devon Ce: Michael	This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
	And an analysis of the second				4 8 6	_		_		8TM	\X\\	7	7						Kemarks:	Á	is possibilit
	Rush 48hr		Pall 1		55520		Dixon		ON I	(0.) Szo-0.0	HEAL No.	100	520					1	5,001 82,6	Date Time	
ime:			2		4	er:	ø	Micha	200	duding CF).	Preservative Type	Ict	ナイセ					.0!/	j, \	Via:	edited laborate
Turn-Around Time:	☐ Standard	Project Name:	Hackberry	Project #:	322 122	Project Manager:	Charce	Sampler: N	10	Cooler Temp(Including CF):	Container F	Hozper	45239					Louison D	CINWWW	The	ontracted to other accru
Chain-of-Custody Record	Daven / Vertex		185: Oh file				ge: □ Level 4 (Full Validation)	□ Az Con			Matrix Sample Name	5 Sail W523-14 0-41	4 Soil WSZ8-15 0-4					Reinquished by:		Relinquished by:	Release IN PORTING IN INTERNATIONAL PROPERTY MAIN may be subcontracted to other accredited laboratories.
Chai	Client: D.2		Mailing Address:		Phone #:	email or Fax#	QA/QC Package:	Accreditation:	□ EDD (Tvpe		Date Time	01100 09115	01/20 04/20					Date: Time:	_	Pate: Time:	Released to Fra



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 17, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (575) 748-0176

FAX:

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2301376

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 2 sample(s) on 1/11/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-01 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/9/2023 10:45:00 AM

 Lab ID:
 2301376-001
 Matrix: SOIL
 Received Date: 1/11/2023 7:35:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/13/2023 12:41:59 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/13/2023 12:41:59 AM
Surr: DNOP	106	69-147	%Rec	1	1/13/2023 12:41:59 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/12/2023 6:07:39 PM
Surr: BFB	101	37.7-212	%Rec	1	1/12/2023 6:07:39 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/12/2023 6:07:39 PM
Toluene	ND	0.049	mg/Kg	1	1/12/2023 6:07:39 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/12/2023 6:07:39 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/12/2023 6:07:39 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/12/2023 6:07:39 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	7800	300	mg/Kg	100	1/13/2023 11:30:59 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

orting Limit Page 1 of 6

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-02 4'

Project: Hackberry 6 Fed 1 Well Pad **Collection Date:** 1/9/2023 10:50:00 AM 2301376-002 Lab ID: Matrix: SOIL **Received Date:** 1/11/2023 7:35:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	8.8	mg/Kg	1	1/13/2023 12:52:35 AM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	1/13/2023 12:52:35 AM
Surr: DNOP	107	69-147	%Rec	1	1/13/2023 12:52:35 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/12/2023 6:54:28 PM
Surr: BFB	103	37.7-212	%Rec	1	1/12/2023 6:54:28 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/12/2023 6:54:00 PM
Toluene	ND	0.050	mg/Kg	1	1/12/2023 6:54:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/12/2023 6:54:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/12/2023 6:54:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	1/12/2023 6:54:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	8100	300	mg/Kg	100	1/13/2023 11:43:24 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

2301376 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72586 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72586 RunNo: 93916

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390974 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72586 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72586 RunNo: 93916

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390975 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.4 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

2301376 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72585 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 72585 RunNo: 93911

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390353 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: DNOP 5.6 5.000 111 69 147

Sample ID: MB-72585 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72585 RunNo: 93911

Prep Date: 1/12/2023 Analysis Date: 1/12/2023 SeqNo: 3390355 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: DNOP 11 10.00 106 69 147

Sample ID: LCS-72584 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 72584 RunNo: 93911

Prep Date: 1/11/2023 Analysis Date: 1/12/2023 SeqNo: 3391719 Units: mg/Kg

SPK value SPK Ref Val Analyte Result POI %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 41 10 0 82.0 61.9 50.00

Surr: DNOP 5.3 5.000 106 69 147

Sample ID: MB-72584 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72584 RunNo: 93911

Prep Date: 1/11/2023 Analysis Date: 1/12/2023 SeqNo: 3391724 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10
Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 11 10.00 113 69 147

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

2301376 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72577	Samp ¹	Гуре: LC	s	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	!	
Client ID: LCSS	Batc	h ID: 725	577	F	RunNo: 93	3928				
Prep Date: 1/11/2023	Analysis [Date: 1/	12/2023	5	SeqNo: 33	391322	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	95.6	72.3	137			
Surr: BFB	2000		1000		195	37.7	212			
Sample ID: mb-72577	Samp ¹	Гуре: МЕ	LK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		

Client ID: **PBS** Batch ID: 72577 RunNo: 93928 Prep Date: 1/11/2023 Analysis Date: 1/12/2023 SeqNo: 3391323 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) ND 5.0 Surr: BFB 1000 1000 102 37.7 212

Sample ID: 2301376-001ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: BS23-01 4' Batch ID: 72577 RunNo: 93928 Prep Date: 1/11/2023 Analysis Date: 1/12/2023 SeqNo: 3391462 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result **PQL** LowLimit HighLimit Qual Gasoline Range Organics (GRO) 23 4.8 24.22 94.7 70 130 Surr: BFB 1900 969.0 195 37.7 212

Sample ID: 2301376-001AMSD SampType: MSD TestCode: EPA Method 8015D: Gasoline Range Client ID: BS23-01 4' Batch ID: 72577 RunNo: 93928 Prep Date: 1/11/2023 Analysis Date: 1/12/2023 SeqNo: 3391464 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 19 5.0 24.78 78.1 70 130 16.9 20 Surr: BFB 1800 991.1 181 37.7 212 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301376**

17-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2301376-002ams	Samp	уре: МЅ	;	Tes	tCode: EF	PA Method	8021B: Volatiles					
Client ID: BS23-02 4'	Batcl	n ID: 725	577	F	RunNo: 9:	3928						
Prep Date: 1/11/2023	Analysis [Date: 1/1	12/2023	9	SeqNo: 3	391515	Units: mg/K	g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.83	0.024	0.9756	0	85.5	68.8	120					
Toluene	0.85	0.049	0.9756	0	86.6	73.6	124					
Ethylbenzene	0.84	0.049	0.9756	0	85.8	72.7	129					
Xylenes, Total	2.5	0.098	2.927	0	86.2	75.7	126					
Surr: 4-Bromofluorobenzene	0.96		0.9756		98.8	70	130					

Sample ID: 2301376-002amsd	Samp1	ype: MS	D	Tes	tCode: EF	PA Method	8021B: Volatiles					
Client ID: BS23-02 4'	Batcl	n ID: 725	577	F	RunNo: 93	3928						
Prep Date: 1/11/2023	Analysis D	Date: 1/ 1	12/2023	5	SeqNo: 3	391516	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.83	0.025	0.9814	0	84.4	68.8	120	0.720	20			
Toluene	0.84	0.049	0.9814	0	85.2	73.6	124	1.04	20			
Ethylbenzene	0.84	0.049	0.9814	0	85.1	72.7	129	0.197	20			
Xylenes, Total	2.5	0.098	2.944	0	84.7	75.7	126	1.24	20			
Surr: 4-Bromofluorobenzene	0.98		0.9814		99.4	70	130	0	0			

Sample ID: LCS-72577	Samp	ype: LC	LCS TestCode: EPA Method 8				8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 725	577	F	RunNo: 93	928				
Prep Date: 1/11/2023	Analysis [Date: 1/1	12/2023	5	SeqNo: 33	91519	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	1.000	0	95.2	80	120			
Toluene	0.97	0.050	1.000	0	96.9	80	120			
Ethylbenzene	0.96	0.050	1.000	0	96.1	80	120			
Xylenes, Total	2.9	0.10	3.000	0	96.7	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		99.9	70	130			

Sample ID: mb-72577	SampType: MBLK			Tes						
Client ID: PBS	Batcl	n ID: 72 5	577	F	RunNo: 93	3928				
Prep Date: 1/11/2023	Analysis D	Date: 1/	12/2023	5	SeqNo: 33	391520	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		99.5	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 6

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

				websile: www.i	iunenvii on	,,,c,,,,	00		
Client Name:	Devon Ene	ergy	Work	Order Numbe	er: 23013	76		RcptN	o: 1
Received By:	Tracy Cas	sarrubias	1/11/20	23 7:35:00 AI	М				
Completed By:	Tracy Cas	sarrubias	1/11/20	23 7:52:52 AI	М				
Reviewed By:	sia ili	1/23							
Chain of Cust	tody								
1. Is Chain of Cu	stody comp	lete?			Yes [No 🗹	Not Present	
2. How was the s	sample deliv	ered?			Courie				
Log In 3. Was an attem	pt made to o	cool the samp	oles?		Yes 🖢		No 🗌	na 🗌	
4. Were all samp	les received	l at a tempera	ature of >0° C	to 6.0°C	Yes ⊻	•	No 🗌	na 🗆	
5. Sample(s) in p	roper conta	iner(s)?			Yes ⊻	•	No 🗌		
6. Sufficient samp	ole volume f	or indicated to	est(s)?		Yes 🗹	1	No 🗌		
7. Are samples (e	except VOA	and ONG) pr	operly preserve	ed?	Yes 🗹]	No 🗌		
8. Was preservat	ive added to	bottles?			Yes 🗌]	No 🗹	NA 🗌	
9. Received at lea	ast 1 vial wit	h headspace	<1/4" for AQ V	OA?	Yes []	No 🗌	na 🗹	
10. Were any sam	ple containe	ers received b	oroken?		Yes L]	No 🗸	# of preserved bottles checked	
11.Does paperwor (Note discrepa			r)		Yes 🗹]	No 🗌	for pH:	or >12 unless noted)
2. Are matrices co	orrectly iden	itified on Chai	in of Custody?		Yes 🗹]	No 🗌	Adjusted?	
3. Is it clear what			! ?		Yes 🗹]	No 🗌		
 Were all holdin (If no, notify cu) 			.		Yes 🗹]	No 🗆	Checked by:	Jn 1/11/2
Special Handli	ng (if app	olicable)							
15.Was client not	ified of all d	iscrepancies ·	with this order?	•	Yes []	No 🗌	NA 🗹	
Person I	Notified:			Date:	-				
By Who	m:			Via:	eMail	☐ Pi	hone 🗌 Fax	☐ In Person	
Regardir	ng:								
Client In	structions:								
16. Additional ren	narks:								
17. <u>Cooler Inform</u>	nation								
Cooler No	Temp ⁰C	Condition	Seal Intact	Seal No	Seal Date	FORVER	Signed By		
1	5.8	Good	Yes						

_
-
A 1
1
_
4
_ ~
-
• •
95
~
-
C
-
3
\sim
_
0
_
C)
£ 4
_
0
\sim
10
4 3
0:
0:
CD:
CD:
0:
OCD:
OCD:
y OCD:
y OCD:
y OCD:
by OCD: .
1 by OCD: .
d by OCD: .
ved by OCD:
ived by OCD:
ived by OCD:
ved by OCD:
eived by OCD:
ceived by OCD:
eived by OCD:
eceived by OCD:
eceived by OCD:
Received by OCD:
eceived by OCD:
Received by OCD:

Chain-of-Custody Record	Turn-Around Time: 48-1000	HALL FNVTRONMFNTAL
Client: DeVon	☐ Standard K. Rush Eate	
		www.hallenvironmental.com
Mailing Address: On Kill	Hackberrylo Fed I Well Pad	4901 Hawkins NE - Albuquerque, NM 87109
h	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	75570-377	Analysis Request
email or Fax#:	Project Manager:	†OS
ige:	Chang Dixon	O [¢] ' a
	-	090 22 P0S 70S
:uc	r. SPC	0 / (1.4) 808 (1.4) 28 -
□ NELAC □ Other	On Ice: 🙀 Yes 🗆 No	PRO (90) on (12) on
□ EDD (Type)		TBE cide od 31(G
	Cooler Temp(including CF): 5.8 - 0 - 5.8	15[estice yy 8 8 M 8 M 3r, 7C AOV
,	Preservative	DB (MDB) (MD
lime Matrix Sample Name	ed,	8 B B B B B B B B B B B B B B B B B B B
	403 ar (ce 00)	> >
10:50 " BS13-02 4"	200	>
Date: Time: Relinquished by: 1/9/123 1750 Qulu (Antro)	Received by: Via: Date Time	Remarks: cc Kent Stulling
Relinquisped t	Via: Courr Date	Direct Bill
1000 1900 MANA	St. 5/11/12 7:35	
sam	ubcontracted to other accredited laboratories. This serves as notic	redited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Released to Thingsing: 170/5/2023 9:49:47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301461

January 17, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210

TEL: (575) 748-0176

FAX:

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 5 sample(s) on 1/12/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-27 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 7:50:00 AM

 Lab ID:
 2301461-001
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/13/2023 1:39:17 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/13/2023 1:39:17 PM
Surr: DNOP	105	69-147	%Rec	1	1/13/2023 1:39:17 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 12:56:00 PM
Surr: BFB	101	37.7-212	%Rec	1	1/13/2023 12:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/13/2023 12:56:00 PM
Toluene	ND	0.049	mg/Kg	1	1/13/2023 12:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 12:56:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/13/2023 12:56:00 PM
Surr: 4-Bromofluorobenzene	123	70-130	%Rec	1	1/13/2023 12:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	120	60	mg/Kg	20	1/13/2023 12:45:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rting Limit Page 1 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-03 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 7:55:00 AM

 Lab ID:
 2301461-002
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/13/2023 1:50:05 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 1:50:05 PM
Surr: DNOP	106	69-147	%Rec	1	1/13/2023 1:50:05 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/13/2023 1:16:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/13/2023 1:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/13/2023 1:16:00 PM
Toluene	ND	0.050	mg/Kg	1	1/13/2023 1:16:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/13/2023 1:16:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/13/2023 1:16:00 PM
Surr: 4-Bromofluorobenzene	124	70-130	%Rec	1	1/13/2023 1:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	150	60	mg/Kg	20	1/13/2023 12:57:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-04 4'

Project: Hackberry 6 Fed 1 Well Pad **Collection Date:** 1/10/2023 8:00:00 AM 2301461-003 Lab ID: Matrix: SOIL **Received Date:** 1/12/2023 7:35:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	13	9.0	mg/Kg	1	1/13/2023 2:00:57 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 2:00:57 PM
Surr: DNOP	108	69-147	%Rec	1	1/13/2023 2:00:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 1:35:00 PM
Surr: BFB	99.3	37.7-212	%Rec	1	1/13/2023 1:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/13/2023 1:35:00 PM
Toluene	ND	0.049	mg/Kg	1	1/13/2023 1:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 1:35:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/13/2023 1:35:00 PM
Surr: 4-Bromofluorobenzene	121	70-130	%Rec	1	1/13/2023 1:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	790	60	mg/Kg	20	1/13/2023 1:10:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 3 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-05 4'

Project: Hackberry 6 Fed 1 Well Pad **Collection Date:** 1/10/2023 8:05:00 AM 2301461-004 Lab ID: Matrix: SOIL Received Date: 1/12/2023 7:35:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	24	8.9	mg/Kg	1	1/13/2023 2:22:22 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/13/2023 2:22:22 PM
Surr: DNOP	104	69-147	%Rec	1	1/13/2023 2:22:22 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/13/2023 1:55:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/13/2023 1:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/13/2023 1:55:00 PM
Toluene	ND	0.049	mg/Kg	1	1/13/2023 1:55:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/13/2023 1:55:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/13/2023 1:55:00 PM
Surr: 4-Bromofluorobenzene	122	70-130	%Rec	1	1/13/2023 1:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	1700	61	mg/Kg	20	1/13/2023 1:22:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL

Reporting Limit

Page 4 of 9

Date Reported: 1/17/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-29 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/10/2023 1:30:00 PM

 Lab ID:
 2301461-005
 Matrix: SOIL
 Received Date: 1/12/2023 7:35:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 9.0 mg/Kg 1 1/13/2023 2:54:22 PM Motor Oil Range Organics (MRO) ND 45 mg/Kg 1 1/13/2023 2:54:22 PM Surr: DNOP 103 69-147 %Rec 1 1/13/2023 2:54:22 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/13/2023 2:15:00 PM 4.9 mg/Kg 1 Surr: BFB 104 37.7-212 %Rec 1 1/13/2023 2:15:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/13/2023 2:15:00 PM 0.024 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/13/2023 2:15:00 PM Ethylbenzene ND 0.049 mg/Kg 1 1/13/2023 2:15:00 PM Xylenes, Total ND 0.097 mg/Kg 1 1/13/2023 2:15:00 PM Surr: 4-Bromofluorobenzene 120 70-130 %Rec 1 1/13/2023 2:15:00 PM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/13/2023 1:59:51 PM 140 61 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rring Limit Page 5 of 9

Hall Environmental Analysis Laboratory, Inc.

2301461 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72612 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72612 RunNo: 93954

Prep Date: 1/13/2023 Analysis Date: 1/13/2023 SeqNo: 3392167 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72612 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72612 RunNo: 93954

Prep Date: 1/13/2023 Analysis Date: 1/13/2023 SeqNo: 3392168 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.1 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301461** *17-Jan-23*

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72610 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72610 RunNo: 93948 Units: mg/Kg Prep Date: 1/13/2023 Analysis Date: 1/13/2023 SeqNo: 3392044 PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 40 10 50.00 0 79.8 61.9 130 Surr: DNOP 5.3 5.000 107 69 147

Sample ID: MB-72610 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72610 RunNo: 93948 Prep Date: Analysis Date: 1/13/2023 1/13/2023 SeqNo: 3392046 Units: mg/Kg LowLimit Analyte Result PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10

147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301461**

17-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72605	SampT	SampType: LCS TestCode: EPA Method					8015D: Gaso	ine Range		
Client ID: LCSS	Batch	n ID: 726	605	F	RunNo: 93	3931				
Prep Date: 1/12/2023	Analysis D	ate: 1/ 1	13/2023	SeqNo: 3391419		Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	104	72.3	137			
Surr: BFB	2300		1000		228	37.7	212			S

Sample ID: mb-72605	SampT	ype: ME	BLK	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch	n ID: 72 6	605	F	RunNo: 93931					
Prep Date: 1/12/2023	Analysis D	ate: 1/	13/2023	SeqNo: 3391577		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		103	37.7	212			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 9

Hall Environmental Analysis Laboratory, Inc.

2301461 17-Jan-23

WO#:

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72605	Samp	Гуре: LC :	S	Tes	tCode: EF	PA Method	8021B: Volatiles					
Client ID: LCSS	Batcl	h ID: 72 6	605	RunNo: 93931								
Prep Date: 1/12/2023	Analysis [Date: 1/ 1	13/2023	SeqNo: 3391420			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	1.1	0.025	1.000	0	114	80	120					
Toluene	1.2	0.050	1.000	0	116	80	120					
Ethylbenzene	1.2	0.050	1.000	0	115	80	120					
Xylenes, Total	3.5	0.10	3.000	0	115	80	120					
Surr: 4-Bromofluorobenzene	1.2		1.000		122	70	130					

Sample ID: mb-72605	SampT	уре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batcl	n ID: 72 6	605	RunNo: 93931						
Prep Date: 1/12/2023	Analysis D	Date: 1/	13/2023	SeqNo: 3391578 Units: mg/K 9			g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.2		1.000		122	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 9 of 9



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

Client Name:	Devon Energy	Work Order Numb	per: 2301461		RcptNo: 1	
Received By:	Tracy Casarrubias	1/12/2023 7:35:00 A	M			
Completed By:	Tracy Casarrubias	1/12/2023 8:03:35 A	M			
Reviewed By:	M1/12/23					
Chain of Custo	<u>ody</u>					
1. Is Chain of Cus	stody complete?		Yes 🗌	No 🗹	Not Present	
2. How was the sa	ample delivered?		Courier			
<u>Log In</u>						
3. Was an attemp	t made to cool the sample	es?	Yes 🗸	No 🗆	NA 🗌	
4. Were all sample	es received at a temperatu	ure of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗆	
5. Sample(s) in pro	oper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sampl	e volume for indicated tes	st(s)?	Yes 🗹	No 🗌		
7. Are samples (ex	ccept VOA and ONG) prop	perly preserved?	Yes 🗹	No 🗌		
8. Was preservativ	re added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at leas	st 1 vial with headspace <	1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any samp	le containers received bro	oken?	Yes	No 🗹	# of preserved	
	match bottle labels? cies on chain of custody)		Yes 🗹	No 🗆	bottles checked for pH: (<2.or>12	unless noted)
2. Are matrices cor	rectly identified on Chain	of Custody?	Yes 🗸	No 🗌	Adjusted?	
3. Is it clear what a	nalyses were requested?		Yes 🗹	No 🗌		
	times able to be met? tomer for authorization.)		Yes 🗹	No 🗆	Checked by: K/C	11-12
pecial Handlin	g (if applicable)					
	ied of all discrepancies wi	th this order?	Yes 🗌	No 🗌	NA 🗹	
Person No	otified:	Date:		-		
By Whom:		Via:	☐ eMail ☐ P	hone 🗌 Fax	☐ In Person	
Regarding	ı:					
Client Inst	ructions:					
16. Additional rema	ırks:					
7. <u>Cooler Informa</u>	ation					
Cooler No	Temp °C Condition	Seal Intact Seal No	Seal Date	Signed By		
1 4		/es		- 3 7		

-
A '
P4-
_
4
1
-
• •
000
~
4
A
1
00
as .
Ci.
17
_
9
0
~
0
-
10
43
÷
0:
0
0:
0
0
0
0
OCD:
OCD:
v OCD:
y OCD:
v OCD:
by OCD:
by OCD:
d by OCD:
d by OCD:
ed by OCD:
ed by OCD:
ved by OCD:
ived by OCD:
ived by OCD:
eived by OCD:
ceived by OCD:
eived by OCD:
eceived by OCD:
eceived by OCD:
eceived by OCD:
ceived by OCD:
eceived by OCD:
eceived by OCD:
eceived by OCD:

Sample Name Project Name Proje	Chain-of-Custody Record	l urn-Around Time:	HALL ENVIRONMENTAL
Matrix Sample Name Project Nam	Devon	□ Standard 10 Rush 48 m	
Standard Content Con		Project Name:	
Tel. 505-345-4107 Tel. 505-345-307 Tel. 505-345-347 Tel. 505-347 Tel. 505-	MO	Hackberry lo Fed I pad	,
Project Manager: Chuu & DixOh Project Manager: Sampler: Sampler: Sampler: Sampler: Sampler: Sampler: Sampler: Sampler: Sampler: Spot Sampler: Sampler: Spot Sampler: Sampler: Sampler: Spot Sampler: Sampler: Spot Sampler: Sampler: Spot Samp	0)	505-345-3975
This Or Fark: Project Manager: Project Manager: Project Manager: Change Discontinuo; Accompliance Change Discontinuo; Change Discontinuo	hone #:	0283	Analysis Request
Sandard Chamber Chamber Sampler Sempler Semp	mail or Fax#:	Project Manager:	†O!
Standard Comparison Compa		Chance Dixon	8'85 SMI
Determination Date Time Rainquainty by Determination Date Time Rainquainty by Determination Date Determination Determi			O8 S04 (
Second S		BPC	/ DIS25
MS23 - 24		cy Yes	05 8/86 00 00 10 8
10/23 7:50 Motor Sample Name	1 EDD (Type)	# of Coolers:	(GH)
10/23 7:50 Soil WS23-27 0-4' Preservative HEAL No. HEA		4.3+0.1=4.4 (°	15D etho y 83y 83h 1, 1, 1, 1, 1, 1,
10/23 7:50 Soil WS23-27 0-4' 49 jar 10c 001 002 7:55 BS23-03 4' 49 jar 10c 001 1 1 1 1 1 8:00 BS23-03 4' 003 1 1 1 1 1 1 1 1 1		Preservative	08:H M) 8 Ha by 3 AA: B , H V) 06
18:50 18:22 - 0.4 4 100 18:00 18:22 - 0.4 4 100 18:00 18:22 - 0.4 4 100 18:22 - 0.4 4 100 18:22 - 0.4 4 100 18:22 - 0.4 4 100	Time Matrix	Type 230	. 917 808 ДЭ ВОР ВОР 1228
7:55 B523-03 4' 003	Soil MS23-27	ise	>
8:00 8523 - 04 4' 003	1 8523-03	_	
8:05 8523 - 05 4' 004 13:30 WS23-29 0-4' 005	40 - 8758	\$00	
13:30 WS 13-29 0-4'	50 - 6258	۲90	
ate: Time: Relinquished by: Received by: Via: Date Time Remarks:	NS23-29	930	
Time: Relinquished by: Received by: Via: Date Time Remarks:	The state of the s		
Time: Relinquished by: Received by: Via: Date Time Remarks:			
19/23 7:11 Relinquished by: Received by: Via: Date Time Remarks:			
19/23 17:11 Received by: Via: Date Time Remarks:			
Time: Relinquished by:			
1923 7:11 Received by: Via: Date Time Remarks:			
10/23 17:11 Shully Double Date Time Not 1007 101301 11/37 17:01 Offly Double Date Time Not 1007 101301		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
11/20 17:11 Willy Contact CUMMULL 11/33 730 VIEW Contact by: Via:Co. 11/33 730 W0 # 1007 101301 11/37 1900 CMULL Secrived by: Via:Co. 1/12/23 7.35	7	via.	Kernarks:
ate: Time: Relinquished by: Received by: Via:Counce Date Time Work (00-110150)	i	11/32 CMM	VINCT VIII VOST
I'M Willer Willer		Via:cound Date T	100 101 700 #01
	I'M TIEV WELLEN	11963	



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 19, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220

TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2301522

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 20 sample(s) on 1/13/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-06 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:10:00 AM

 Lab ID:
 2301522-001
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 9:29:03 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 9:29:03 AM
Surr: DNOP	109	69-147	%Rec	1	1/17/2023 9:29:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 2:22:00 PM
Surr: BFB	99.0	37.7-212	%Rec	1	1/16/2023 2:22:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 2:22:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 2:22:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 2:22:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 2:22:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 2:22:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7100	300	mg/Kg	100	1/17/2023 10:06:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-07 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:15:00 AM

 Lab ID:
 2301522-002
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/17/2023 9:55:44 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/17/2023 9:55:44 AM
Surr: DNOP	99.9	69-147	%Rec	1	1/17/2023 9:55:44 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 3:21:00 PM
Surr: BFB	106	37.7-212	%Rec	1	1/16/2023 3:21:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 3:21:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 3:21:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 3:21:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/16/2023 3:21:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 3:21:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1900	60	mg/Kg	20	1/16/2023 8:58:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-08 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:20:00 AM

 Lab ID:
 2301522-003
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) 11 9.1 mg/Kg 1 1/17/2023 10:06:16 AM Motor Oil Range Organics (MRO) ND 46 mg/Kg 1 1/17/2023 10:06:16 AM Surr: DNOP 101 69-147 %Rec 1 1/17/2023 10:06:16 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/16/2023 4:20:00 PM 4.9 mg/Kg 1 Surr: BFB 93.1 37.7-212 %Rec 1 1/16/2023 4:20:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/16/2023 4:20:00 PM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/16/2023 4:20:00 PM Ethylbenzene ND 0.049 mg/Kg 1 1/16/2023 4:20:00 PM Xylenes, Total ND 0.099 mg/Kg 1 1/16/2023 4:20:00 PM Surr: 4-Bromofluorobenzene 110 70-130 %Rec 1 1/16/2023 4:20:00 PM **EPA METHOD 300.0: ANIONS** Analyst: JMT Chloride mg/Kg 1/17/2023 10:18:51 AM 4200 150 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-09 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:25:00 AM

 Lab ID:
 2301522-004
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) 9.6 9.3 mg/Kg 1 1/17/2023 10:16:50 AM Motor Oil Range Organics (MRO) ND 47 mg/Kg 1 1/17/2023 10:16:50 AM Surr: DNOP 76.6 69-147 %Rec 1 1/17/2023 10:16:50 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/16/2023 4:40:00 PM 4.8 mg/Kg 1 Surr: BFB 109 37.7-212 %Rec 1 1/16/2023 4:40:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/16/2023 4:40:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/16/2023 4:40:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/16/2023 4:40:00 PM Xylenes, Total ND 0.096 mg/Kg 1 1/16/2023 4:40:00 PM Surr: 4-Bromofluorobenzene 114 70-130 %Rec 1 1/16/2023 4:40:00 PM **EPA METHOD 300.0: ANIONS** Analyst: JMT Chloride mg/Kg 1/17/2023 10:31:11 AM 3000 150 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BS23-10 4'

Project: Hackberry 6 Fed 1 Well Pad **Collection Date:** 1/11/2023 9:30:00 AM 2301522-005 Lab ID: Matrix: SOIL Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	15	9.8	mg/Kg	1	1/17/2023 10:27:22 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 10:27:22 AM
Surr: DNOP	91.0	69-147	%Rec	1	1/17/2023 10:27:22 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 4:59:00 PM
Surr: BFB	97.4	37.7-212	%Rec	1	1/16/2023 4:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 4:59:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 4:59:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 4:59:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 4:59:00 PM
Surr: 4-Bromofluorobenzene	111	70-130	%Rec	1	1/16/2023 4:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6100	300	mg/Kg	100	1/17/2023 10:43:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 5 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-11 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:35:00 AM

 Lab ID:
 2301522-006
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 10:37:57 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 10:37:57 AM
Surr: DNOP	107	69-147	%Rec	1	1/17/2023 10:37:57 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 5:19:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/16/2023 5:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 5:19:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 5:19:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 5:19:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 5:19:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 5:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7800	300	mg/Kg	100	1/17/2023 10:55:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-12 4'

Project: Hackberry 6 Fed 1 Well Pad Collection Date: 1/11/2023 9:40:00 AM

Lab ID: 2301522-007 **Matrix:** SOIL **Received Date:** 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/17/2023 10:48:50 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 10:48:50 AM
Surr: DNOP	75.8	69-147	%Rec	1	1/17/2023 10:48:50 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 5:39:00 PM
Surr: BFB	99.9	37.7-212	%Rec	1	1/16/2023 5:39:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 5:39:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 5:39:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 5:39:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 5:39:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 5:39:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7000	300	mg/Kg	100	1/17/2023 11:08:12 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-13 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:45:00 AM

 Lab ID:
 2301522-008
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/17/2023 11:10:02 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/17/2023 11:10:02 AM
Surr: DNOP	109	69-147	%Rec	1	1/17/2023 11:10:02 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 5:59:00 PM
Surr: BFB	98.0	37.7-212	%Rec	1	1/16/2023 5:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 5:59:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 5:59:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 5:59:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 5:59:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 5:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	5600	300	mg/Kg	100	1/17/2023 11:20:32 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 8 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-14 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:50:00 AM

 Lab ID:
 2301522-009
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	1/17/2023 11:20:39 AM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/17/2023 11:20:39 AM
Surr: DNOP	71.9	69-147	%Rec	1	1/17/2023 11:20:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 6:18:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/16/2023 6:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 6:18:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 6:18:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 6:18:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 6:18:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 6:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6500	300	mg/Kg	100	1/17/2023 11:32:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-15 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 9:55:00 AM

 Lab ID:
 2301522-010
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/17/2023 11:41:48 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/17/2023 11:41:48 AM
Surr: DNOP	85.2	69-147	%Rec	1	1/17/2023 11:41:48 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 7:17:00 PM
Surr: BFB	96.9	37.7-212	%Rec	1	1/16/2023 7:17:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 7:17:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 7:17:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 7:17:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 7:17:00 PM
Surr: 4-Bromofluorobenzene	113	70-130	%Rec	1	1/16/2023 7:17:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	12000	600	mg/Kg	200	1/17/2023 11:45:13 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-16 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 10:00:00 AM

 Lab ID:
 2301522-011
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 11:52:27 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/17/2023 11:52:27 AM
Surr: DNOP	69.4	69-147	%Rec	1	1/17/2023 11:52:27 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 7:37:00 PM
Surr: BFB	100	37.7-212	%Rec	1	1/16/2023 7:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 7:37:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 7:37:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 7:37:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 7:37:00 PM
Surr: 4-Bromofluorobenzene	115	70-130	%Rec	1	1/16/2023 7:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	8300	300	mg/Kg	100	1/17/2023 11:57:34 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-17 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 10:05:00 AM

 Lab ID:
 2301522-012
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: DGH				
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/17/2023 1:09:48 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 1:09:48 PM
Surr: DNOP	129	69-147	%Rec	1	1/17/2023 1:09:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 7:57:00 PM
Surr: BFB	99.3	37.7-212	%Rec	1	1/16/2023 7:57:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 7:57:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 7:57:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 7:57:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 7:57:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 7:57:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4600	150	mg/Kg	50	1/17/2023 12:34:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 12 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-18 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:00:00 AM

 Lab ID:
 2301522-013
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	1/17/2023 1:20:27 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/17/2023 1:20:27 PM
Surr: DNOP	125	69-147	%Rec	1	1/17/2023 1:20:27 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 8:16:00 PM
Surr: BFB	100	37.7-212	%Rec	1	1/16/2023 8:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 8:16:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 8:16:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 8:16:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 8:16:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 8:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	8500	300	mg/Kg	100	1/17/2023 12:46:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-19 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:05:00 AM

 Lab ID:
 2301522-014
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: DGH				
Diesel Range Organics (DRO)	26	9.3	mg/Kg	1	1/17/2023 1:31:06 PM
Motor Oil Range Organics (MRO)	67	46	mg/Kg	1	1/17/2023 1:31:06 PM
Surr: DNOP	113	69-147	%Rec	1	1/17/2023 1:31:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 8:36:00 PM
Surr: BFB	101	37.7-212	%Rec	1	1/16/2023 8:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 8:36:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 8:36:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 8:36:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 8:36:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 8:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6700	300	mg/Kg	100	1/17/2023 12:59:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-20 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:10:00 AM

 Lab ID:
 2301522-015
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	31	10	mg/Kg	1	1/17/2023 1:41:47 PM
Motor Oil Range Organics (MRO)	71	50	mg/Kg	1	1/17/2023 1:41:47 PM
Surr: DNOP	99.2	69-147	%Rec	1	1/17/2023 1:41:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 8:56:00 PM
Surr: BFB	103	37.7-212	%Rec	1	1/16/2023 8:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 8:56:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 8:56:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 8:56:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 8:56:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 8:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9100	600	mg/Kg	200	1/17/2023 1:11:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-21 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:15:00 AM

 Lab ID:
 2301522-016
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	11	10	mg/Kg	1	1/17/2023 1:52:31 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/17/2023 1:52:31 PM
Surr: DNOP	107	69-147	%Rec	1	1/17/2023 1:52:31 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 9:15:00 PM
Surr: BFB	97.9	37.7-212	%Rec	1	1/16/2023 9:15:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 9:15:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 9:15:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 9:15:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/16/2023 9:15:00 PM
Surr: 4-Bromofluorobenzene	116	70-130	%Rec	1	1/16/2023 9:15:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9200	300	mg/Kg	100	1/17/2023 1:23:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-22 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:20:00 AM

 Lab ID:
 2301522-017
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.1	mg/Kg	1	1/17/2023 2:03:13 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/17/2023 2:03:13 PM
Surr: DNOP	109	69-147	%Rec	1	1/17/2023 2:03:13 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 9:35:00 PM
Surr: BFB	100	37.7-212	%Rec	1	1/16/2023 9:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/16/2023 9:35:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 9:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 9:35:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/16/2023 9:35:00 PM
Surr: 4-Bromofluorobenzene	118	70-130	%Rec	1	1/16/2023 9:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6800	300	mg/Kg	100	1/17/2023 1:36:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 17 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-23 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:25:00 AM

 Lab ID:
 2301522-018
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/17/2023 2:13:56 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/17/2023 2:13:56 PM
Surr: DNOP	116	69-147	%Rec	1	1/17/2023 2:13:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 9:55:00 PM
Surr: BFB	97.7	37.7-212	%Rec	1	1/16/2023 9:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 9:55:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 9:55:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 9:55:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/16/2023 9:55:00 PM
Surr: 4-Bromofluorobenzene	115	70-130	%Rec	1	1/16/2023 9:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9000	300	mg/Kg	100	1/17/2023 1:48:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 18 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-24 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:30:00 AM

 Lab ID:
 2301522-019
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				
					Analyst: DGH
Diesel Range Organics (DRO)	ND	8.6	mg/Kg	1	1/17/2023 2:24:48 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	1/17/2023 2:24:48 PM
Surr: DNOP	119	69-147	%Rec	1	1/17/2023 2:24:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/16/2023 10:15:00 PM
Surr: BFB	98.7	37.7-212	%Rec	1	1/16/2023 10:15:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 10:15:00 PM
Toluene	ND	0.049	mg/Kg	1	1/16/2023 10:15:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/16/2023 10:15:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/16/2023 10:15:00 PM
Surr: 4-Bromofluorobenzene	114	70-130	%Rec	1	1/16/2023 10:15:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	7400	300	mg/Kg	100	1/17/2023 2:01:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 19 of 24

Date Reported: 1/19/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-25 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/11/2023 11:35:00 AM

 Lab ID:
 2301522-020
 Matrix: SOIL
 Received Date: 1/13/2023 7:40:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	28	8.6	mg/Kg	1	1/17/2023 2:35:42 PM
Motor Oil Range Organics (MRO)	51	43	mg/Kg	1	1/17/2023 2:35:42 PM
Surr: DNOP	116	69-147	%Rec	1	1/17/2023 2:35:42 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/16/2023 10:54:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/16/2023 10:54:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/16/2023 10:54:00 PM
Toluene	ND	0.048	mg/Kg	1	1/16/2023 10:54:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/16/2023 10:54:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/16/2023 10:54:00 PM
Surr: 4-Bromofluorobenzene	117	70-130	%Rec	1	1/16/2023 10:54:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	10000	590	mg/Kg	200	1/17/2023 2:13:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 24

Hall Environmental Analysis Laboratory, Inc.

2301522

WO#:

19-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72640 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72640 RunNo: 93996

Prep Date: 1/16/2023 Analysis Date: 1/16/2023 SeqNo: 3393481 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72640 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72640 RunNo: 93996

Prep Date: 1/16/2023 Analysis Date: 1/16/2023 SeqNo: 3393482 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 95.0 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 21 of 24

Hall Environmental Analysis Laboratory, Inc.

2301522 19-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Project: Hackbern	ry 6 Fed 1	Well Pa	ıd							
Sample ID: 2301522-001AMS	Samp	Туре: М	6	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS23-06 4'	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	;	SeqNo: 3	393666	Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.10	0	99.5	54.2	135			
Surr: DNOP	5.6		5.010		112	69	147			
Sample ID: LCS-72638	Samp ⁻	Туре: LC	s	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	;	SeqNo: 3	393687	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.8	61.9	130			
Surr: DNOP	6.0		5.000		119	69	147			
Sample ID: MB-72638	Samp ⁻	Туре: МЕ	BLK	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	;	SeqNo: 3	393688	Units: mg/K	ίg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		117	69	147			
Sample ID: 2301522-001AMS	D Samp	Туре: М.	SD	Tes	tCode: El	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS23-06 4'	Batc	h ID: 72 0	638	F	RunNo: 9	4003				
Prep Date: 1/16/2023	Analysis [Date: 1/	17/2023	;	SeqNo: 3	394250	Units: mg/K	ίg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	52	9.6	48.17	0	108	54.2	135	3.98	29.2	
Surr: DNOP	5.4		4.817		112	69	147	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 24

Hall Environmental Analysis Laboratory, Inc.

2301522 19-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72620	SampTyp	De: LCS	Test	8015D: Gasol	ine Range				
Client ID: LCSS	Batch II	D: 72620	R	tunNo: 939	75				
Prep Date: 1/13/2023	Analysis Date	e: 1/16/2023	S	SeqNo: 339	3260	Units: mg/K	g		
Analyte	Result I	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	5.0 25.00	0	90.4	72.3	137			
Surr: BFB	2200	1000		222	37.7	212			S
Sample ID: mb-72620	SampTyp	e: MBLK	Test	tCode: EPA	A Method	8015D: Gasol	ine Range		
Client ID: PBS	Batch II	D: 72620	R	RunNo: 93975					
Prep Date: 1/13/2023	Analysis Date	e: 1/16/2023	S	SeqNo: 339	3261	Units: mg/K	g		
Analyte	Result I	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0							
Surr: BFB	1100	1000		108	37.7	212			
Sample ID: 2301522-001ams	SampTyp	De: MS	Test	tCode: EPA	A Method	8015D: Gasol	ine Range		
Client ID: BS23-06 4'	Batch II	D: 72620	R	tunNo: 939	75				
Prep Date: 1/13/2023	Analysis Date	e: 1/16/2023	S	SeqNo: 339	3263	Units: mg/K	g		
Analyte	Result I	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.8 23.79	0	93.6	70	130			
Surr: BFB	2200	951.5		226	37.7	212			S

Sample ID: 2301522-001amsd	SampT	ype: MS	SD	Tes	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: BS23-06 4'	Batch	n ID: 72 6	620	F	RunNo: 93	3975					
Prep Date: 1/13/2023	Analysis D	Date: 1/	16/2023	5	SeqNo: 33	393264	Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	22	4.8	23.95	0	93.2	70	130	0.240	20		
Surr: BEB	2200		957 9		226	37.7	212	0	0	S	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 24

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301522**

19-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72620	Samp1	Гуре: LC:	s	Tes	tCode: EF	8021B: Volati	iles				
Client ID: LCSS	Batcl	h ID: 72 6	520	F	RunNo: 93	3975					
Prep Date: 1/13/2023	Analysis D	Date: 1/ 1	16/2023	5	SeqNo: 33	393292	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.1	0.025	1.000	0	112	80	120				
Toluene	1.1	0.050	1.000	0	114	80	120				
Ethylbenzene	1.1	0.050	1.000	0	114	80	120				
Xylenes, Total	3.4	0.10	3.000	0	114	80	120				
Surr: 4-Bromofluorobenzene	1.2		1.000		119	70	130				

Sample ID: mb-72620	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batch	n ID: 72 6	620	F	RunNo: 93	3975				
Prep Date: 1/13/2023	Analysis D	oate: 1/	16/2023	9	SeqNo: 33	393293	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.2		1.000		119	70	130			

Sample ID: 2301522-002ams	SampT	уре: МЅ	3	Tes	tCode: EF	PA Method	8021B: Volati	les			
Client ID: BS23-07 4'	Batcl	n ID: 72 6	520	F	RunNo: 93	3975					
Prep Date: 1/13/2023	Analysis D	Date: 1/1	16/2023	9	SeqNo: 33	393298	298 Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.1	0.024	0.9643	0	109	68.8	120				
Toluene	1.1	0.048	0.9643	0	111	73.6	124				
Ethylbenzene	1.1	0.048	0.9643	0	112	72.7	129				
Xylenes, Total	3.2	0.096	2.893	0	112	75.7	126				
Surr: 4-Bromofluorobenzene	1.1		0.9643		114	70	130				

Sample ID: 2301522-002amsd	SampT	SampType: MSD TestCode: EPA Method 8021B: Volatiles								
Client ID: BS23-07 4'	Batcl	n ID: 72 6	520	F	RunNo: 93	3975				
Prep Date: 1/13/2023	Analysis D	Date: 1/ 1	16/2023	5	SeqNo: 33	393299	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.024	0.9785	0	105	68.8	120	1.95	20	
Toluene	1.1	0.049	0.9785	0	109	73.6	124	0.775	20	
Ethylbenzene	1.1	0.049	0.9785	0	110	72.7	129	0.662	20	
Xylenes, Total	3.2	0.098	2.935	0	110	75.7	126	0.462	20	
Surr: 4-Bromofluorobenzene	1.1		0.9785		117	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 24

Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

EABORATORY	Website: www	v.hallenvironmenta	l.com		
Client Name: Vertex Resources Services, Inc.	Work Order Num	ber: 2301522		RcptNo: 1	
Received By: Juan Rojas	1/13/2023 7:40:00	АМ	Grandy Sala		
Completed By: Sean Livingston	1/13/2023 8:03:38	AM	Sala	sol-	
Reviewed By: Jn 13/23				,-	
Chain of Custody					
1. Is Chain of Custody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the sample delivered?		Courier			
Log In 3. Was an attempt made to cool the sample	s?	Yes 🗹	No 🗌	na 🗆	
Were all samples received at a temperatu	re of >0° C to 6.0°C	Yes 🗹	No 🗌	NA □	
5. Sample(s) in proper container(s)?		Yes 🗹	No 🗆		
6. Sufficient sample volume for indicated tes	it(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) prop	erly preserved?	Yes 🗹	No 🗌		
8. Was preservative added to bottles?		Yes 🗌	No 🗹	NA 🗆	
9. Received at least 1 vial with headspace <	1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any sample containers received bro	oken?	Yes 🗌	No 🗹	# of preserved	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	No 🗆	bottles checked for pH: (<2 or >1:	2 unless noted)
2. Are matrices correctly identified on Chain	of Custody?	Yes 🗸	No 🔲	Adjusted?	
3. Is it clear what analyses were requested?		Yes 🗹	No 🗆		
4. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No 🗆 上	Checked by:	<u>. 1:13</u> .
Special Handling (if applicable)					
15. Was client notified of all discrepancies wi	th this order?	Yes 🗌	No 🗌	NA 🗹	
Person Notified:	Date				
By Whom:	Via:	eMail I	Phone 🗌 Fax	☐ In Person	
Regarding:					
Client Instructions:			10-10-1		
16. Additional remarks:					
17. Cooler Information					
Cooler No Temp °C Condition	Seal Intact Seal No	Seal Date	Signed By		
1 0.3 Good I	Not Present YOGI		- Contraction		

Chain-of-Custody Record	urn-Around Ime:	HAII FNVTRONMFNTAI
Client: Devon (Vertex)	□ Standard VRush 48 hr	Ĺ
	Project Name:	www.hallenvironmental.com
Mailing Address: On Lill	Hackberry le ted I New tod	4901 Hawkins NE - Albuquerque, NM 87109
0	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	WE-02537	Analysis Request
email or Fax#:	Project Manager:	*OS
age:	Chance Dixon	oO⁴' a SIMS
	\top	080 (1) 072 073, 1
Accreditation: ☐ Az Compilance ☐ NFI AC ☐ Other	On Ice:	08/s 08/s 08/s 06/s 08 JO
ype)	olers:	epicales postulates po
	Cooler Temp(induding CF): 0.3-0 = 0. 7 (°C)	15D estidethory 83 3 Methory 83 1 AOA
	Preservative HEAL	2H:80 2PH:80 2PH: E 2PH: E 2PH
Date Time Matrix Sample Name	Type and # Type 2301525	нт (8 (1) (1) (1) (1) (1) (1) (1) (1)
1/11/23 9:10 Soil 18523-06 4'	40g jar ice 001	>
9:15 1 8523-07	200	
9:20 8523 - 08 4'	603	
	x90	
9:30 13523-10 4'	300	
9:35 8523-11 4'	300	
9:40 18523-12 4'	£00	
	500	
_	700	
	30	
9523-16	170	
1 8523-17		
Relinquished by:	Received by: Via: Date Time	Remarks: Page 1/2
23 17:34	18/8/ July	Disect Dayon
Date: Time: Relinquished by:	_	3 3
119 33 1900 (recurrence)	1 100/12/13/23 Till	- 1

Released to maging: 10,3/2013 9:49,47/2019 and be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chain-of-Custody Record	Turn-Around Time:	- CALLES CALLES CONTROL OF THE CALLES CONTRO
Client: Devon (Varkx)	D Standard Thush 48 hv	ANALYSTS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: On Kill	Hackbury to ted I Well tool	4901 Hawkins NE - Albuquerque, NM 87109
0	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	226-02537	Analysis
email or Fax#:	Project Manager:	^р О:
QA/QC Package:	Change Dison	8'8: SMS
☐ Standard ☐ Level 4 (Full Validation)	Church Pixon) OS
on:	Sampler: $\&PC$	280 (1. (2. (2.
□ NELAC □ Other_	On Ice: 12-Yes No	05 8\2 10 10 8
□ EDD (Type)	lers:	(GR ide ide ide ide ide ide ide ide ide ide
	Cooler Temp(including CF): 0,3-U=0,3 (°C)	15D estic y 83 3 Me 3r, 1 (AO)
	Container Preservative HEAL No.	Hs b (N (S)
Date Time Matrix Sample Name	# Type	17P 808 EDJ PAI QD 828 828
1/11/23 11:00 Soil BS 23-18 4'	400, iar ice or3	>
11:05 8523-19 4'	700	
11:10 BS 23-20 4'	210	
11:15 8523-21 4'	90	
7	100	
11:15 8513-13 4'	۲۱0	
11:30 B513-24 4'	910	
11:35 2523-25 4'	575	
i		
Date: Time: Relinquished by:	Via: Date Time	Remarks: DROK 2/2
2	119/35 205 119/35 205	
Date; Time: Kelinquished by:	Via: Date lime	VIVER MIL VEVON
INTER 1900 CLCULL	1-1 money 113123 7:40	W0 # 100+101501

Released to Imaging: 10/3/2013 9:49 Fryion Matal may be Subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301574

January 25, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 10 sample(s) on 1/17/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-30 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 8:05:00 AM

 Lab ID:
 2301574-001
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 9.6 mg/Kg 1 1/18/2023 11:54:48 AM Motor Oil Range Organics (MRO) ND 48 mg/Kg 1 1/18/2023 11:54:48 AM 69-147 Surr: DNOP 89.8 %Rec 1 1/18/2023 11:54:48 AM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/18/2023 11:19:00 AM 5.0 mg/Kg 1 Surr: BFB 96.4 37.7-212 %Rec 1 1/18/2023 11:19:00 AM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/18/2023 11:19:00 AM 0.025 mg/Kg 1 Toluene ND 0.050 mg/Kg 1 1/18/2023 11:19:00 AM Ethylbenzene ND 0.050 mg/Kg 1 1/18/2023 11:19:00 AM Xylenes, Total ND 0.099 mg/Kg 1 1/18/2023 11:19:00 AM Surr: 4-Bromofluorobenzene 94.2 70-130 %Rec 1 1/18/2023 11:19:00 AM **EPA METHOD 300.0: ANIONS** Analyst: JMT Chloride 740 60 1/17/2023 3:40:16 PM ma/Ka 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-34 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 10:15:00 AM

 Lab ID:
 2301574-002
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/18/2023 12:05:21 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/18/2023 12:05:21 PM
Surr: DNOP	136	69-147	%Rec	1	1/18/2023 12:05:21 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 12:18:00 PM
Surr: BFB	99.4	37.7-212	%Rec	1	1/18/2023 12:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 12:18:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 12:18:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 12:18:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 12:18:00 PM
Surr: 4-Bromofluorobenzene	95.2	70-130	%Rec	1	1/18/2023 12:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	540	60	mg/Kg	20	1/17/2023 4:17:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 14

Date Reported: 1/25/2023

1/17/2023 5:19:03 PM

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-37 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 1:30:00 PM

 Lab ID:
 2301574-003
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 9.7 mg/Kg 1 1/18/2023 12:15:58 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/18/2023 12:15:58 PM 69-147 Surr: DNOP 117 %Rec 1 1/18/2023 12:15:58 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/18/2023 1:16:00 PM 4.8 mg/Kg 1 Surr: BFB 93.0 37.7-212 %Rec 1 1/18/2023 1:16:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/18/2023 1:16:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/18/2023 1:16:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/18/2023 1:16:00 PM Xylenes, Total ND 0.097 mg/Kg 1 1/18/2023 1:16:00 PM 1/18/2023 1:16:00 PM Surr: 4-Bromofluorobenzene 88.7 70-130 %Rec 1 Analyst: JMT **EPA METHOD 300.0: ANIONS**

730

60

ma/Ka

20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Chloride

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-38 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 1:40:00 PM

 Lab ID:
 2301574-004
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/18/2023 12:26:36 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/18/2023 12:26:36 PM
Surr: DNOP	114	69-147	%Rec	1	1/18/2023 12:26:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/18/2023 1:36:00 PM
Surr: BFB	89.1	37.7-212	%Rec	1	1/18/2023 1:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 1:36:00 PM
Toluene	ND	0.049	mg/Kg	1	1/18/2023 1:36:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/18/2023 1:36:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/18/2023 1:36:00 PM
Surr: 4-Bromofluorobenzene	89.0	70-130	%Rec	1	1/18/2023 1:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	780	60	mg/Kg	20	1/17/2023 5:31:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-39 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 1:55:00 PM

 Lab ID:
 2301574-005
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/18/2023 12:47:51 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 12:47:51 PM
Surr: DNOP	106	69-147	%Rec	1	1/18/2023 12:47:51 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 1:56:00 PM
Surr: BFB	93.8	37.7-212	%Rec	1	1/18/2023 1:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 1:56:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 1:56:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 1:56:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 1:56:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130	%Rec	1	1/18/2023 1:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	100	61	mg/Kg	20	1/17/2023 5:43:44 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 5 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-40 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/12/2023 2:00:00 PM

 Lab ID:
 2301574-006
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 9.7 mg/Kg 1 1/18/2023 12:58:28 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/18/2023 12:58:28 PM 69-147 Surr: DNOP 121 %Rec 1 1/18/2023 12:58:28 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: CCM Gasoline Range Organics (GRO) ND 1/18/2023 2:15:00 PM 4.8 mg/Kg 1 Surr: BFB 93.1 37.7-212 %Rec 1 1/18/2023 2:15:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: CCM Benzene ND 1/18/2023 2:15:00 PM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/18/2023 2:15:00 PM Ethylbenzene ND 0.048 mg/Kg 1 1/18/2023 2:15:00 PM Xylenes, Total ND 0.096 mg/Kg 1 1/18/2023 2:15:00 PM Surr: 4-Bromofluorobenzene 91.4 70-130 %Rec 1 1/18/2023 2:15:00 PM Analyst: JMT **EPA METHOD 300.0: ANIONS** Chloride ND 61 1/17/2023 5:56:04 PM ma/Ka 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-41 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 9:25:00 AM

 Lab ID:
 2301574-007
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/18/2023 1:09:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 1:09:06 PM
Surr: DNOP	101	69-147	%Rec	1	1/18/2023 1:09:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/18/2023 2:35:00 PM
Surr: BFB	90.4	37.7-212	%Rec	1	1/18/2023 2:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 2:35:00 PM
Toluene	ND	0.049	mg/Kg	1	1/18/2023 2:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/18/2023 2:35:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/18/2023 2:35:00 PM
Surr: 4-Bromofluorobenzene	92.8	70-130	%Rec	1	1/18/2023 2:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	79	60	mg/Kg	20	1/17/2023 6:08:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS23-42 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 11:15:00 AM

 Lab ID:
 2301574-008
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/18/2023 1:19:48 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/18/2023 1:19:48 PM
Surr: DNOP	82.6	69-147	%Rec	1	1/18/2023 1:19:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 2:55:00 PM
Surr: BFB	97.4	37.7-212	%Rec	1	1/18/2023 2:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 2:55:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 2:55:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 2:55:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/18/2023 2:55:00 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	1/18/2023 2:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	170	60	mg/Kg	20	1/17/2023 6:20:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-26 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 1:25:00 PM

 Lab ID:
 2301574-009
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	73	9.5	mg/Kg	1	1/18/2023 1:30:26 PM
Motor Oil Range Organics (MRO)	100	47	mg/Kg	1	1/18/2023 1:30:26 PM
Surr: DNOP	72.0	69-147	%Rec	1	1/18/2023 1:30:26 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/18/2023 3:14:00 PM
Surr: BFB	96.0	37.7-212	%Rec	1	1/18/2023 3:14:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 3:14:00 PM
Toluene	ND	0.047	mg/Kg	1	1/18/2023 3:14:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/18/2023 3:14:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/18/2023 3:14:00 PM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	1/18/2023 3:14:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3500	150	mg/Kg	50	1/18/2023 9:01:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 14

Date Reported: 1/25/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-27 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/13/2023 1:30:00 PM

 Lab ID:
 2301574-010
 Matrix: SOIL
 Received Date: 1/17/2023 7:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	64	10	mg/Kg	1	1/18/2023 2:23:43 PM
Motor Oil Range Organics (MRO)	90	50	mg/Kg	1	1/18/2023 2:23:43 PM
Surr: DNOP	84.2	69-147	%Rec	1	1/18/2023 2:23:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/18/2023 3:34:00 PM
Surr: BFB	95.2	37.7-212	%Rec	1	1/18/2023 3:34:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/18/2023 3:34:00 PM
Toluene	ND	0.048	mg/Kg	1	1/18/2023 3:34:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/18/2023 3:34:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/18/2023 3:34:00 PM
Surr: 4-Bromofluorobenzene	97.4	70-130	%Rec	1	1/18/2023 3:34:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	5100	300	mg/Kg	100	1/24/2023 4:40:20 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 14

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301574 25-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72659 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72659 RunNo: 94007

Prep Date: 1/17/2023 Analysis Date: 1/17/2023 SeqNo: 3393988 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72659 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72659 RunNo: 94007

Prep Date: 1/17/2023 Analysis Date: 1/17/2023 SeqNo: 3393989 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.7 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 14

Hall Environmental Analysis Laboratory, Inc.

2301574 25-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72651 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 72651 RunNo: 94027

Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394468 Units: mg/Kg

PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte Result LowLimit Diesel Range Organics (DRO) 10 0 44 50.00 88.9 61.9 130

Surr: DNOP 5.6 5.000 112 69 147

Sample ID: MB-72651 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72651 RunNo: 94027

Prep Date: 1/17/2023 Analysis Date: 1/18/2023 SeqNo: 3394470 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10
Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 11 10.00 108 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 14

Hall Environmental Analysis Laboratory, Inc.

ND

960

5.0

1000

WO#: **2301574**

25-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Gasoline Range Organics (GRO)

Surr: BFB

Sample ID: Ics-72649	SampT	SampType: LCS TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch	n ID: 72 0	649	F	RunNo: 9	4040				
Prep Date: 1/17/2023	Analysis D	Date: 1/	18/2023	5	SeqNo: 3	394797	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	5.0	25.00	0	83.7	72.3	137			
Surr: BFB	2000		1000		200	37.7	212			
Sample ID: mb-72649	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: PBS	Batch	n ID: 72 0	649	F	RunNo: 9	4040				
Prep Date: 1/17/2023	Analysis D	Date: 1/	18/2023	5	SeqNo: 3	394799	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Sample ID: 2301574-001ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range												
Client ID: WS23-30 0-4'	t ID: WS23-30 0-4' Batch ID: 72649 RunNo: 94040											
Prep Date: 1/17/2023	Analysis Date: 1/18/2023 SeqNo: 3394801					394801	Units: mg/k	(g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	22	4.8	24.22	0	89.7	70	130					
Surr: BFB	2000		969.0		209	37.7	212					

96.0

37.7

212

Sample ID: 2301574-001amsd	SampT	ype: MS	SD	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е			
Client ID: WS23-30 0-4'	Batch	n ID: 72	649	F	RunNo: 94040							
Prep Date: 1/17/2023	Analysis D	ate: 1/	18/2023	9	SeqNo: 3	394802	Units: mg/K	ίg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	24	4.9	24.70	0	95.4	70	130	8.09	20			
Surr: BFB	2200		988.1		218	37.7	212	0	0	S		

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 14

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301574**

25-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72649	pple ID: Ics-72649 SampType: LCS TestCode: EPA Method 8021B: Volatiles															
Client ID: LCSS	Batcl	h ID: 72 6	649	RunNo: 94040												
Prep Date: 1/17/2023	Analysis [Date: 1/	18/2023	8	SeqNo: 3	395112	Units: mg/k	(g								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual						
Benzene	0.96	0.025	1.000	0	96.0	80	120									
Toluene	0.96	0.050	1.000	0	96.1	80	120									
Ethylbenzene	0.95	0.050	1.000	0	94.9	80	120									
Xylenes, Total	2.8	0.10	3.000	0	94.5	80										
Surr: 4-Bromofluorobenzene	fluorobenzene 0.95 1.000 94.5 70															

Sample ID: mb-72649	SampT	ype: ME	BLK	TestCode: EPA Method 8021B: Volatiles												
Client ID: PBS	Batcl	n ID: 72	649	F												
Prep Date: 1/17/2023	Analysis D	Date: 1/	18/2023	8	SeqNo: 3	395113	Units: mg/K	(g								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual						
Benzene	ND	0.025														
Toluene	ND	0.050														
Ethylbenzene	ND	0.050														
Xylenes, Total	ND	0.10														
Surr: 4-Bromofluorobenzene	0.93		1.000		93.3	70	130									

Sample ID: 2301574-002ams	Sampl	уре: М	5	TestCode: EPA Method 8021B: Volatiles										
Client ID: WS23-34 0-4'	Batcl	n ID: 72 0	649	F	RunNo: 9									
Prep Date: 1/17/2023	Analysis D	Date: 1/	18/2023	S	SeqNo: 3	395116	Units: mg/K	(g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	0.89	0.024	0.9634	0	92.8	68.8	120							
Toluene	0.90	0.048	0.9634	0	93.7	73.6	124							
Ethylbenzene	0.90	0.048	0.9634	0	93.3	72.7	129							
Xylenes, Total	2.7	0.096	2.890	0	92.7	75.7 126								
Surr: 4-Bromofluorobenzene	0.89		0.9634		92.7	70	130							

Sample ID: 2301574-002amso	d SampT	ype: MS	SD	TestCode: EPA Method 8021B: Volatiles											
Client ID: WS23-34 0-4'	Batch	n ID: 72 6	649	F	RunNo: 94										
Prep Date: 1/17/2023	Analysis D	ate: 1/	18/2023	S	SeqNo: 3	395117	Units: mg/K	(g							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Benzene	0.89	0.024	0.9615	0	92.6	68.8	120	0.488	20						
Toluene	0.90	0.048	0.9615	0	94.0	73.6	124	0.0526	20						
Ethylbenzene	0.90	0.048	0.9615	0	94.0	72.7	129	0.529	20						
Xylenes, Total	2.7	0.096	2.885	0	93.5	75.7	126	0.716	20						
Surr: 4-Bromofluorobenzene	0.89		0.9615		92.4	70	130	0	0						

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 14

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

	n cosne. n n		i.com		
Client Name: Vertex Resources Services, Inc.	Work Order Num	ber: 2301574		RcptNo: 1	
Received By: Juan Rojas	1/17/2023 7:45:00	АМ	Guara G		
Completed By: Sean Livingston	1/17/2023 7:50:16	AM	5_/	vale	
Reviewed By: LPC	1.23				
Chain of Custody			_		
1. Is Chain of Custody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the sample delivered?		Courier			
<u>Log In</u>					
3. Was an attempt made to cool the sample	es?	Yes 🗹	No 🗌	NA 🗌	
4. Were all samples received at a temperal	cure of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗌	
5. Sample(s) in proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sample volume for indicated te	st(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) pro	perly preserved?	Yes 🗹	No 🗌		
8. Was preservative added to bottles?		Yes 🗌	No 🗹	na 🗆	
9. Received at least 1 vial with headspace	<1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any sample containers received by	roken?	Yes	No 🗹	# of preserved	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	No 🗆	bottles checked for pH: (<2 or >1;	2 untess noted)
12. Are matrices correctly identified on Chair	of Custody?	Yes 🗹	No 🗆	Adjusted?	
13. Is it clear what analyses were requested?	?	Yes 🗹	No 🗌		11
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No 🗆	Checked by:	V 11710
Special Handling (if applicable)					
15. Was client notified of all discrepancies w	vith this order?	Yes 🗌	No 🗌	NA 🗹	
Person Notified:	Date	: [-		
By Whom:	Via:	eMail F	Phone Fax	In Person	
Regarding:	A STATE OF THE PARTY OF THE PAR			Charles and Charle	
Client Instructions:					
16. Additional remarks:					
17. Cooler Information					
Cooler No Temp °C Condition	Seal Intact Seal No	Seal Date	Signed By		
1 2.9 Good	Not Present Morty				

Chain-of-Custody Record	Turn-Around Time:	HALL ENVIRONMENTAL
Client: Devon (Vertex)	□ Standard KRush 48 Mr	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: ON Life	Hackberry, le Fed I Well Pad	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	756-01537	/sis Requ
email or Fax#:	Project Manager:	*OS
QA/QC Package: Standard Cappend Cappe	Chan	5 PCB's
r. Az Cor	Sampler: SPC On Ice: APYes D No	RO / DR 808/82 504.1) 10 RSZ 81 81 81
ype)	Morty	o(G icidd 331(Mcta Mcta Mcta Mcta
	Cooler Temp(including cr): 28+6-22.9 (°C)	on Senting Series (ACA)
Date Time Matrix Sample Name	Container Preservative HEAL No.	8081 F PAHs RCRA CD ^F , CD ^F ,
23 8:05 (ni	togiar ice	>
I WS 23-34	_	
WS 23-37	4.	
82-21 SM	1. how	
	500	
	4' \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	The second property of the second sec	
	=	
Date: Time: Relinquished by: U12/23 [7:10 Sally Chatter	Received by: Via: Date Time	Remarks: Direct bill Devon
<u>~</u>	Via, Date Tin	W0#
1.6/3/900 0000000	10 mar 1/7/23 7/4/	TCC scartar @ vertex.ca
-		TORGET CONTRACTOR CONT

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated Released to Imaging: 10/5/2023 9:49:47 AM

	ANALYSTS LABORATORY		www.nallenvironinelital.com 4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975	√nal	†O\$	O \ WK	7 DR (1.1) (2.28) (2.5)	OF 98/88 907 10 °C 10 °C 10 °C 10 °C	Cide ()	Jaron Pestin Meth 8 you Br, JBr,	8081 PAHs I RCRA RCRA (I)*, I									Remarks:	Т	W0# 1007101301	- CC: Scartfar & Vertor-ca
Turn-Around Time:	□ Standard VRush 48 MS	1 %	Hackberry lo Fed I well Fad		77E-02537	Project Manager:	Chance Dixon	Sampler: SPC	On Ice: Per Do	# of Coolers: \ Mar+9	Cooler Temp(including cF): 2,846.7=2.9(°	Container Preservative HEAL No.			500	O10	The state of the s			Processor of the state of the s	Received by: Via: Date Time	1/10/13	Received by: Via: Via:	シアナングロン インシン
Chain-of-Custody Record	Client: Dewon (Vertex)		Mailing Address: On Lile		Phone #:	email or Fax#:	QA/QC Package: □ Standard □ Level 4 (Full Validation)	ı	□ Other	□ EDD (Type)		Date Time Matrix Sample Name	WS23-41 0-4"	WS23-42 0-4'		1 (3:30 8523-27 4'					8	0	Date: Time: Relinquished by:	10/12 10 ms P. Milling 20)

Released to Imagnig: 10/5/2023 9:49:47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 24, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Fed 1 Well Pad OrderNo.: 2301631

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 20 sample(s) on 1/18/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-28 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:30:00 AM

 Lab ID:
 2301631-001
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	220	9.4	mg/Kg	1	1/19/2023 7:02:40 PM
Motor Oil Range Organics (MRO)	260	47	mg/Kg	1	1/19/2023 7:02:40 PM
Surr: DNOP	97.1	69-147	%Rec	1	1/19/2023 7:02:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/19/2023 10:21:45 PM
Surr: BFB	99.8	37.7-212	%Rec	1	1/19/2023 10:21:45 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/19/2023 10:21:45 PM
Toluene	ND	0.049	mg/Kg	1	1/19/2023 10:21:45 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/19/2023 10:21:45 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/19/2023 10:21:45 PM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	1/19/2023 10:21:45 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2600	150	mg/Kg	50	1/20/2023 11:24:42 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rting Limit Page 1 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-29 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:35:00 AM

 Lab ID:
 2301631-002
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 170 9.5 mg/Kg 1 1/19/2023 8:47:31 PM Motor Oil Range Organics (MRO) 210 47 mg/Kg 1 1/19/2023 8:47:31 PM Surr: DNOP 107 69-147 %Rec 1 1/19/2023 8:47:31 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/19/2023 11:31:10 PM 4.9 mg/Kg 1 Surr: BFB 99.6 37.7-212 %Rec 1 1/19/2023 11:31:10 PM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/19/2023 11:31:10 PM 0.024 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/19/2023 11:31:10 PM Ethylbenzene ND 0.049 mg/Kg 1 1/19/2023 11:31:10 PM Xylenes, Total ND 0.098 mg/Kg 1/19/2023 11:31:10 PM 1 Surr: 4-Bromofluorobenzene 94.4 70-130 %Rec 1 1/19/2023 11:31:10 PM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 11:37:04 AM 3000 150 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-30 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:40:00 AM

 Lab ID:
 2301631-003
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 310 98 mg/Kg 10 1/19/2023 12:58:00 PM Motor Oil Range Organics (MRO) 520 490 mg/Kg 10 1/19/2023 12:58:00 PM Surr: DNOP 0 69-147 S %Rec 10 1/19/2023 12:58:00 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 12:40:35 AM 4.8 mg/Kg 1 Surr: BFB 100 37.7-212 %Rec 1 1/20/2023 12:40:35 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 12:40:35 AM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/20/2023 12:40:35 AM Ethylbenzene ND 0.048 mg/Kg 1 1/20/2023 12:40:35 AM Xylenes, Total ND 0.096 mg/Kg 1 1/20/2023 12:40:35 AM Surr: 4-Bromofluorobenzene 95.0 70-130 %Rec 1 1/20/2023 12:40:35 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 3100 150 50 1/20/2023 11:49:24 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

eporting Limit Page 3 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-31 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:45:00 AM

 Lab ID:
 2301631-004
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 12 9.8 mg/Kg 1 1/19/2023 5:39:19 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/19/2023 5:39:19 PM Surr: DNOP 97.6 69-147 %Rec 1 1/19/2023 5:39:19 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 1:03:42 AM 4.9 mg/Kg 1 Surr: BFB 100 37.7-212 %Rec 1 1/20/2023 1:03:42 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 1:03:42 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/20/2023 1:03:42 AM Ethylbenzene ND 0.049 mg/Kg 1 1/20/2023 1:03:42 AM Xylenes, Total ND 0.099 mg/Kg 1 1/20/2023 1:03:42 AM Surr: 4-Bromofluorobenzene 95.7 70-130 %Rec 1 1/20/2023 1:03:42 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 12:01:45 PM 2700 150 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-32 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:50:00 AM

 Lab ID:
 2301631-005
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	25	9.5	mg/Kg	1	1/19/2023 9:29:29 PM
Motor Oil Range Organics (MRO)	56	47	mg/Kg	1	1/19/2023 9:29:29 PM
Surr: DNOP	143	69-147	%Rec	1	1/19/2023 9:29:29 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 1:26:44 AM
Surr: BFB	99.8	37.7-212	%Rec	1	1/20/2023 1:26:44 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 1:26:44 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 1:26:44 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 1:26:44 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 1:26:44 AM
Surr: 4-Bromofluorobenzene	95.5	70-130	%Rec	1	1/20/2023 1:26:44 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	3400	150	mg/Kg	50	1/20/2023 12:14:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

ple pH Not In Range
Orting Limit Page 5 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-33 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 9:55:00 AM

 Lab ID:
 2301631-006
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	30	8.7	mg/Kg	1	1/19/2023 5:49:52 PM
Motor Oil Range Organics (MRO)	48	43	mg/Kg	1	1/19/2023 5:49:52 PM
Surr: DNOP	129	69-147	%Rec	1	1/19/2023 5:49:52 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/20/2023 1:49:52 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 1:49:52 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 1:49:52 AM
Toluene	ND	0.047	mg/Kg	1	1/20/2023 1:49:52 AM
Ethylbenzene	ND	0.047	mg/Kg	1	1/20/2023 1:49:52 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/20/2023 1:49:52 AM
Surr: 4-Bromofluorobenzene	96.2	70-130	%Rec	1	1/20/2023 1:49:52 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	2200	59	mg/Kg	20	1/19/2023 3:42:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-34 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:00:00 AM

 Lab ID:
 2301631-007
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	26	9.7	mg/Kg	1	1/19/2023 6:21:07 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 6:21:07 PM
Surr: DNOP	108	69-147	%Rec	1	1/19/2023 6:21:07 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 2:13:00 AM
Surr: BFB	98.3	37.7-212	%Rec	1	1/20/2023 2:13:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 2:13:00 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 2:13:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 2:13:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 2:13:00 AM
Surr: 4-Bromofluorobenzene	93.6	70-130	%Rec	1	1/20/2023 2:13:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1200	60	mg/Kg	20	1/19/2023 3:54:30 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-35 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:05:00 AM

 Lab ID:
 2301631-008
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	13	9.8	mg/Kg	1	1/19/2023 6:41:54 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 6:41:54 PM
Surr: DNOP	104	69-147	%Rec	1	1/19/2023 6:41:54 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 2:36:02 AM
Surr: BFB	102	37.7-212	%Rec	1	1/20/2023 2:36:02 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 2:36:02 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 2:36:02 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 2:36:02 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 2:36:02 AM
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	1	1/20/2023 2:36:02 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	730	60	mg/Kg	20	1/19/2023 4:06:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rting Limit Page 8 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-36 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:10:00 AM

 Lab ID:
 2301631-009
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/19/2023 10:01:09 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 10:01:09 PM
Surr: DNOP	124	69-147	%Rec	1	1/19/2023 10:01:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/20/2023 2:59:05 AM
Surr: BFB	101	37.7-212	%Rec	1	1/20/2023 2:59:05 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 2:59:05 AM
Toluene	ND	0.048	mg/Kg	1	1/20/2023 2:59:05 AM
Ethylbenzene	ND	0.048	mg/Kg	1	1/20/2023 2:59:05 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/20/2023 2:59:05 AM
Surr: 4-Bromofluorobenzene	95.8	70-130	%Rec	1	1/20/2023 2:59:05 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1200	60	mg/Kg	20	1/19/2023 4:19:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-37 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 10:15:00 AM

 Lab ID:
 2301631-010
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	8.5	mg/Kg	1	1/19/2023 10:22:18 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	1/19/2023 10:22:18 PM
Surr: DNOP	106	69-147	%Rec	1	1/19/2023 10:22:18 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 3:22:10 AM
Surr: BFB	101	37.7-212	%Rec	1	1/20/2023 3:22:10 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 3:22:10 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 3:22:10 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 3:22:10 AM
Xylenes, Total	ND	0.097	mg/Kg	1	1/20/2023 3:22:10 AM
Surr: 4-Bromofluorobenzene	96.8	70-130	%Rec	1	1/20/2023 3:22:10 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	490	60	mg/Kg	20	1/19/2023 4:31:32 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-38 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:35:00 AM

 Lab ID:
 2301631-011
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 10 mg/Kg 1 1/19/2023 10:33:00 PM Motor Oil Range Organics (MRO) ND 50 mg/Kg 1 1/19/2023 10:33:00 PM Surr: DNOP 69-147 %Rec 1 1/19/2023 10:33:00 PM 115 **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 4:08:24 AM 4.9 mg/Kg 1 Surr: BFB 99.7 37.7-212 %Rec 1 1/20/2023 4:08:24 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 4:08:24 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/20/2023 4:08:24 AM Ethylbenzene ND 0.049 mg/Kg 1 1/20/2023 4:08:24 AM Xylenes, Total ND 0.099 mg/Kg 1 1/20/2023 4:08:24 AM Surr: 4-Bromofluorobenzene 94.8 70-130 %Rec 1 1/20/2023 4:08:24 AM **EPA METHOD 300.0: ANIONS** Analyst: CAS Chloride mg/Kg 1/19/2023 4:43:53 PM 1200 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-39 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:40:00 AM

 Lab ID:
 2301631-012
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	1/19/2023 10:43:40 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/19/2023 10:43:40 PM
Surr: DNOP	119	69-147	%Rec	1	1/19/2023 10:43:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 4:31:33 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 4:31:33 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 4:31:33 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 4:31:33 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 4:31:33 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/20/2023 4:31:33 AM
Surr: 4-Bromofluorobenzene	94.7	70-130	%Rec	1	1/20/2023 4:31:33 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	2100	60	mg/Kg	20	1/19/2023 4:56:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 24

Date Reported: 1/24/2023

1/19/2023 5:08:34 PM

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-40 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:45:00 AM

 Lab ID:
 2301631-013
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) ND 9.5 mg/Kg 1 1/19/2023 10:54:20 PM Motor Oil Range Organics (MRO) ND 47 mg/Kg 1 1/19/2023 10:54:20 PM Surr: DNOP 102 69-147 %Rec 1 1/19/2023 10:54:20 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 4:54:38 AM 4.9 mg/Kg 1 Surr: BFB 101 37.7-212 %Rec 1 1/20/2023 4:54:38 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 4:54:38 AM 0.024 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/20/2023 4:54:38 AM Ethylbenzene ND 0.049 mg/Kg 1 1/20/2023 4:54:38 AM Xylenes, Total ND 0.097 mg/Kg 1 1/20/2023 4:54:38 AM Surr: 4-Bromofluorobenzene 95.2 70-130 %Rec 1 1/20/2023 4:54:38 AM **EPA METHOD 300.0: ANIONS** Analyst: CAS

1600

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Chloride

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits

mg/Kg

20

60

- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-41 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:50:00 AM

 Lab ID:
 2301631-014
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 9.3 mg/Kg 1 1/19/2023 11:04:58 PM Motor Oil Range Organics (MRO) ND 47 mg/Kg 1 1/19/2023 11:04:58 PM Surr: DNOP 105 69-147 %Rec 1 1/19/2023 11:04:58 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 5:17:45 AM 5.0 mg/Kg 1 Surr: BFB 99.6 37.7-212 %Rec 1 1/20/2023 5:17:45 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 5:17:45 AM 0.025 mg/Kg 1 Toluene ND 0.050 mg/Kg 1 1/20/2023 5:17:45 AM Ethylbenzene ND 0.050 mg/Kg 1 1/20/2023 5:17:45 AM Xylenes, Total ND mg/Kg 1 1/20/2023 5:17:45 AM 0.10 Surr: 4-Bromofluorobenzene 94.1 70-130 %Rec 1 1/20/2023 5:17:45 AM **EPA METHOD 300.0: ANIONS** Analyst: CAS Chloride mg/Kg 1/19/2023 5:45:37 PM 1200 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 24

Ethylbenzene

Xylenes, Total

Chloride

Surr: 4-Bromofluorobenzene

EPA METHOD 300.0: ANIONS

Analytical Report Lab Order 2301631

Date Reported: 1/24/2023

1/20/2023 5:40:53 AM

1/20/2023 5:40:53 AM

1/20/2023 5:40:53 AM

1/19/2023 5:57:57 PM

Analyst: CAS

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-42 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 11:55:00 AM

 Lab ID:
 2301631-015
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) ND 9.8 mg/Kg 1 1/19/2023 11:15:36 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 1/19/2023 11:15:36 PM Surr: DNOP 79.2 69-147 %Rec 1 1/19/2023 11:15:36 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 5:40:53 AM 4.8 mg/Kg 1 Surr: BFB 99.7 37.7-212 %Rec 1 1/20/2023 5:40:53 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 5:40:53 AM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/20/2023 5:40:53 AM

ND

ND

95.0

230

0.048

0.097

70-130

60

mg/Kg

mg/Kg

%Rec

mg/Kg

1

1

1

20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 15 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-43 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:00:00 PM

 Lab ID:
 2301631-016
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	1/19/2023 11:26:12 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/19/2023 11:26:12 PM
Surr: DNOP	96.8	69-147	%Rec	1	1/19/2023 11:26:12 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/20/2023 6:03:58 AM
Surr: BFB	101	37.7-212	%Rec	1	1/20/2023 6:03:58 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 6:03:58 AM
Toluene	ND	0.048	mg/Kg	1	1/20/2023 6:03:58 AM
Ethylbenzene	ND	0.048	mg/Kg	1	1/20/2023 6:03:58 AM
Xylenes, Total	ND	0.096	mg/Kg	1	1/20/2023 6:03:58 AM
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	1/20/2023 6:03:58 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	650	60	mg/Kg	20	1/19/2023 6:10:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

QL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 16 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-44 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:05:00 PM

 Lab ID:
 2301631-017
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	8.9	mg/Kg	1	1/19/2023 11:36:48 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/19/2023 11:36:48 PM
Surr: DNOP	109	69-147	%Rec	1	1/19/2023 11:36:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/20/2023 6:27:05 AM
Surr: BFB	99.4	37.7-212	%Rec	1	1/20/2023 6:27:05 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 6:27:05 AM
Toluene	ND	0.049	mg/Kg	1	1/20/2023 6:27:05 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/20/2023 6:27:05 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/20/2023 6:27:05 AM
Surr: 4-Bromofluorobenzene	93.8	70-130	%Rec	1	1/20/2023 6:27:05 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	1600	60	mg/Kg	20	1/19/2023 6:22:39 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 24

Ethylbenzene

Xylenes, Total

Chloride

Surr: 4-Bromofluorobenzene

EPA METHOD 300.0: ANIONS

Analytical Report Lab Order 2301631

Date Reported: 1/24/2023

1/20/2023 6:50:10 AM

1/20/2023 6:50:10 AM

1/20/2023 6:50:10 AM

1/20/2023 12:26:26 PM

Analyst: JTT

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-45 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:10:00 PM

 Lab ID:
 2301631-018
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses** Analyst: **DGH EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Diesel Range Organics (DRO) ND 9.2 mg/Kg 1 1/19/2023 11:47:23 PM Motor Oil Range Organics (MRO) ND 46 mg/Kg 1 1/19/2023 11:47:23 PM Surr: DNOP 69-147 %Rec 1 1/19/2023 11:47:23 PM 115 **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/20/2023 6:50:10 AM 4.8 mg/Kg 1 Surr: BFB 99.4 37.7-212 %Rec 1 1/20/2023 6:50:10 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/20/2023 6:50:10 AM 0.024 mg/Kg 1 Toluene ND 0.048 mg/Kg 1 1/20/2023 6:50:10 AM

ND

ND

94.8

2300

0.048

0.097

70-130

150

mg/Kg

mg/Kg

%Rec

mg/Kg

1

1

1

50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-46 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:15:00 PM

 Lab ID:
 2301631-019
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	9.6	9.1	mg/Kg	1	1/19/2023 11:57:57 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/19/2023 11:57:57 PM
Surr: DNOP	122	69-147	%Rec	1	1/19/2023 11:57:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/20/2023 7:13:14 AM
Surr: BFB	100	37.7-212	%Rec	1	1/20/2023 7:13:14 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/20/2023 7:13:14 AM
Toluene	ND	0.050	mg/Kg	1	1/20/2023 7:13:14 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/20/2023 7:13:14 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/20/2023 7:13:14 AM
Surr: 4-Bromofluorobenzene	96.1	70-130	%Rec	1	1/20/2023 7:13:14 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	910	60	mg/Kg	20	1/19/2023 6:47:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 24

Date Reported: 1/24/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-47 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/16/2023 12:20:00 PM

 Lab ID:
 2301631-020
 Matrix: SOIL
 Received Date: 1/18/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	1/20/2023 12:08:30 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/20/2023 12:08:30 AM
Surr: DNOP	75.8	69-147	%Rec	1	1/20/2023 12:08:30 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/20/2023 7:36:19 AM
Surr: BFB	98.7	37.7-212	%Rec	1	1/20/2023 7:36:19 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/20/2023 7:36:19 AM
Toluene	ND	0.048	mg/Kg	1	1/20/2023 7:36:19 AM
Ethylbenzene	ND	0.048	mg/Kg	1	1/20/2023 7:36:19 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/20/2023 7:36:19 AM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	1/20/2023 7:36:19 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	510	60	mg/Kg	20	1/19/2023 6:59:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 24

Hall Environmental Analysis Laboratory, Inc.

2301631 24-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72699 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72699 RunNo: 94086

Prep Date: 1/18/2023 Analysis Date: 1/19/2023 SeqNo: 3396794 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72699 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: **LCSS** Batch ID: **72699** RunNo: **94086**

Prep Date: 1/18/2023 Analysis Date: 1/19/2023 SeqNo: 3396795 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.1 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 21 of 24

Hall Environmental Analysis Laboratory, Inc.

2301631 24-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72696	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch	ID: 72	696	F	RunNo: 94	4064				
Prep Date: 1/18/2023	Analysis D	ate: 1/	19/2023	Ş	SeqNo: 3	395763	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	99.8	61.9	130			
Surr: DNOP	6.4		5.000		127	69	147			
Sample ID: MB-72696	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch	ID: 72 0	696	F	RunNo: 94	4064				
Prep Date: 1/18/2023	Analysis D	ate: 1/	19/2023	5	SeqNo: 3	395767	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		123	69	147			
Sample ID: 2301631-001AMS	SampT	уре: М.	3	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS23-28 4'	Batch	ID: 72 0	696	F	RunNo: 94	4064				
Prep Date: 1/18/2023	Analysis D	ate: 1/	19/2023	5	SeqNo: 3	396919	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	86	8.6	43.22	218.7	-308	54.2	135			S
Surr: DNOP	3.9		4.322		91.4	69	147			
Sample ID: 2301631-001AMS [ype: M S					8015M/D: Die			

Client ID: BS23-28 4'	Batch	ID: 726	96	F	RunNo: 94	1064				
Prep Date: 1/18/2023	Analysis D	ate: 1/ 1	19/2023	5	SeqNo: 33	396920	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	130	9.8	48.97	218.7	-177	54.2	135	42.4	29.2	RS
Surr: DNOP	6.1		4.897		125	69	147	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 24

Hall Environmental Analysis Laboratory, Inc.

2301631 24-Jan-23

WO#:

%RPD

RPDLimit

Qual

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2301631-001ams	SampT	ype: MS	3	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: BS23-28 4'	Batch	n ID: 72 6	592	F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis D)ate: 1/	19/2023	5	SeqNo: 3	396115	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.9	24.53	0	87.8	70	130			
Surr: BFB	2000		981.4		205	37.7	212			
Sample ID: 2301631-001amsd	SampT	уре: М S	SD .	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: BS23-28 4'	Batch	n ID: 72 6	592	F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis D	ate: 1/	19/2023	9	SeqNo: 3	396117	Units: mg/K	(g		
Prep Date: 1/18/2023 Analyte	Analysis D	oate: 1/ PQL	19/2023 SPK value	SPK Ref Val	SeqNo: 3: %REC	396117 LowLimit	Units: mg/K HighLimit	(g %RPD	RPDLimit	Qual
·	•				·		· ·	•	RPDLimit 20	Qual
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD		Qual
Analyte Gasoline Range Organics (GRO)	Result 23 2000	PQL	SPK value 24.34 973.7	SPK Ref Val	%REC 92.5 207	LowLimit 70 37.7	HighLimit 130	%RPD 4.50 0	20	Qual
Analyte Gasoline Range Organics (GRO) Surr: BFB	Result 23 2000 SampT	PQL 4.9	SPK value 24.34 973.7	SPK Ref Val 0	%REC 92.5 207	LowLimit 70 37.7 PA Method	HighLimit 130 212	%RPD 4.50 0	20	Qual

Sample ID: mb-72692	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015D: Gasol	line Range	!	
Client ID: PBS	Batch	n ID: 72 6	692	F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis D)ate: 1/	19/2023	9	SeqNo: 33	396144	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		103	37.7	212			

%REC

84.1

195

LowLimit

72.3

37.7

HighLimit

137

212

SPK value SPK Ref Val

25.00

1000

PQL

5.0

Result

21

1900

Qualifiers:

Analyte

Surr: BFB

Gasoline Range Organics (GRO)

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 24

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301631 24-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: 2301631-002ams	Samp	Гуре: МЅ		Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-29 4'	Batcl	h ID: 72 6	92	F	RunNo: 94	1070				
Prep Date: 1/18/2023	Analysis [Date: 1/ 1	19/2023	9	SeqNo: 33	396165	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.024	0.9785	0	92.1	68.8	120			
Toluene	0.94	0.049	0.9785	0.01681	94.2	73.6	124			
Ethylbenzene	0.95	0.049	0.9785	0	97.4	72.7	129			
Xylenes, Total	2.8	0.098	2.935	0.02825	95.6	75.7	126			
Surr: 4-Bromofluorobenzene	0.96		0.9785		97.8	70	130			

Sample ID: 2301631-002amsd	SampT	уре: М S	D	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS23-29 4'	Batcl	n ID: 726	92	F	RunNo: 94	4070				
Prep Date: 1/18/2023	Analysis D	Date: 1/2	20/2023	5	SeqNo: 3	396166	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	0.9823	0	93.3	68.8	120	1.75	20	
Toluene	0.97	0.049	0.9823	0.01681	97.4	73.6	124	3.67	20	
Ethylbenzene	0.99	0.049	0.9823	0	101	72.7	129	3.91	20	
Xylenes, Total	2.9	0.098	2.947	0.02825	99.0	75.7	126	3.81	20	
Surr: 4-Bromofluorobenzene	0.96		0.9823		97.4	70	130	0	0	

Sample ID: LCS-72692	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batcl	n ID: 72 6	92	F	RunNo: 94	1070				
Prep Date: 1/18/2023	Analysis D	Date: 1/1	19/2023	5	SeqNo: 33	396187	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.025	1.000	0	88.3	80	120			
Toluene	0.92	0.050	1.000	0	91.9	80	120			
Ethylbenzene	0.93	0.050	1.000	0	93.3	80	120			
Xylenes, Total	2.8	0.10	3.000	0	93.3	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130			

Sample ID: mb-72692	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	n ID: 72 6	692	F	RunNo: 94	1070				
Prep Date: 1/18/2023	Analysis D	Date: 1/	19/2023	9	SeqNo: 33	396188	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.98		1.000		97.7	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 24





Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

	Vertex Res Services, Ir		Work	Order Numb	er: 230	1631		RcptNo	: 1
Received By:	Juan Roja	ıs	1/18/20	23 7:20:00 A	M		Gentle Charles	**	
Completed By:	Cheyenne	Cason	1/18/20	23 7:50:31 A	M		Chenl		
Reviewed By:	11/1	8/23	,						
Chain of Cust	<u>ody</u>								
1. Is Chain of Cu	stody comp	lete?			Yes		No 🗹	Not Present	
2. How was the s	ample deliv	ered?			Cou	<u>rier</u>			
Log In									
3. Was an attemp	ot made to o	ool the samp	les?		Yes	V	No 🗌	NA 🗆	
4. Were all sampl	es received	at a tempera	ture of >0° C	to 6.0°C	Yes	✓	No 🗌	na 🗆	
5. Sample(s) in p	roper conta	iner(s)?			Yes	V	No 🗌		
6. Sufficient samp	ole volume f	or indicated te	est(s)?		Yes	V	No 🗌		
7. Are samples (e.	xcept VOA	and ONG) pro	operly preserve	ed?	Yes	V	No 🗌		
8. Was preservati	ve added to	bottles?			Yes		No 🗹	NA 🗌	
9. Received at lea	ıst 1 vial wit	h headspace	<1/4" for AQ \	/OA?	Yes		No 🗌	NA 🗹	
10. Were any sam					Yes		No 🗹		
11. Does paperwor	k match bot	ttle lahels?			Yes		No 🗌	# of preserved bottles checked for pH:	
(Note discrepar)						r >12 unless note
12. Are matrices co	orrectly iden	tified on Chai	n of Custody?		Yes		No 🗌	Adjusted?	
13, Is it clear what	analyses we	ere requested	?		Yes	V	No 🗌		1.
14. Were all holding (If no, notify cus	•				Yes	V	No 🗌	Checked by:	ft 1-18-
Special Handlii									
15. Was client noti			with this order	,	Yes		No 🗌	NA 🗹	
Person N			-	Date:					7
By Whor				Via:	□ eM	ail] Phone [] Fax	☐ In Person	
Regardin	ıg:						A charles the first		
Client Ins	structions:		WASHINGTON AND ADDRESS OF THE PARTY OF THE P						
16. Additional rem	narks:				-				
Client Inf	formation no	ot complete.							
17. <u>Cooler Inform</u>			,						
Cooler No	Temp ⁰C	Condition	Seal Intact	Seal No	Seal D	ate	Signed By	- Parantinana	
1	3.0	Good	Not Present	Morty					

Received by OCD: 5/10/2023 2:48:14 PM

ប	hain-	of-Cu	Chain-of-Custody Record	prd	Turn-Around Time:	lime:				< 1	-	N	TD	N	HALL ENVIDONMENTAL	_
Client:	Devion	DRUND (Vertex)	kx)		□ Standard	Rush	48 hr		л П	AN	4	SIS	17	BOR	ANALYSIS LABORATORY	≾ٍ≀
			7 %		Project Name:					**	www.hallenvironmental.com	ıvironı	nenta	com		
Mailing /	Mailing Address:	07	Lile		Hackber	ng lo Fe	y lo Fed I Well Pad	49(4901 Hawkins NE -	kins N		nbnqı	erque,	Albuquerque, NM 87109	60	
			0		Project #:	•		Tel.	l. 505-	505-345-3975	175	Рах	505-3	505-345-4107	April 1997	
Phone #:		3			12E-01537	12537					Ans	Analysis Request	Requ	st		
email or Fax#:	Fax#:				Project Manager:	jer:					-05	*00		(ıuə		
QA/QC Package: □ Standard	package: dard		☐ Level 4 (Full Validation)	lidation)	Chance		Dixon		LCB.	SWIS0.	·Oa	., PO₄,		SaAvn:	i,	
Accreditation:	tation:	□ Az Co	☐ Az Compliance		Sampler:	SPC	CZ					70N '	(A	Prese		
□ EDD (Type)	(Type)				# of Coolers:		Morty							ш		
	;				Cooler Temp(including cF):	7	7-10-1230 (°C)							Olilo		
Ç	i E	Motrix	emeN elumeS		Container Type and #	Preservative Tvne	HEAL No.	(<u>X∃</u> T8	94 1808 My 973	EDB (M	AROR E	85e0 (<i>/</i>	S) 07S8	O lstoT		
1/1ch2		Į.	BS13-18	7		38	8	>			1	_				
-	9:25		BS23-29	77	3-		200						A	1	1	
	9:40		BS23-30	4,			800							14		
	9:45		BS23-31	4.			\$ PA									
	05: p		8513-31	4,			500					2.6	71			
	9:55		BS13-33	4,			900			- 6						
	00:01		BS13-34	4,			27					\dashv				
	10:05		BS13- 3S	4,		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	900			\dashv		\perp	1			
	10:10		BS13-36	4,			650				7 7				24	
	5/:01		8513-37	4,			010					\perp				
	11:35	900 11 11 11 11 11 11 11 11 11 11 11 11 11	BS13-38	4,			011						\Box			
	11:40	-	BS23-39	4.	_	-,					6 1					
Date:	Time:		hed by:		Received by:	Via:		Remark	S:	4	=	0110	7	JAMA	7	
1/16/23	1/16/23/18:33		ly Cartan		PULMAMA	Miss	11113 130	MOT MARKET	NOT MAKE		7 5	2 6	_ ;	200	11 South Const	
Date:	Time:	Relinquisted by	(ed by:		Received by:	Via:	Date Time		-		<u> </u>	041	200	10		
60/1/	1/1/00 1910		MALLAMAMA		M	- rounily	1873-120	ည		25	Sally Cartar	*				
		ı			June his hour	rotorodol bealbare	the police as action of the	in noeghility	Anvenh	Contract	w cata M	هاي مط ال	arly notat	thed data will be clearly notated on the analytical report	Intical report.	

if necessary, samples submitted to Hall Environmental may be gubcontracted to other accredited laboratories. This serves as notice Released to Imaging: 10/5/2023 9:49:47 AM

Received by OCD: 5/10/2023 2:48:14 PM

Chain-of-Custody Record	ימנון-אוסמוןמ בווופי	HALL ENVIDONMENTAL
Client: Devon (Vertex)	Standard KRush 48hv	ANAL
	Project Name:	
Mailing Address: On Jill	Hackbarry le Fed I Well Pad	4901 Hawki
	Project #: /	Tel. 505-345-3975
Phone #:	726-02537	Analysis Request
email or Fax#:	Project Manager:	*O\$
ige:	Chance Dixon	SO ⁴ ' S
Accreditation:	Sam	DRC 1) (1) 32703 1, 50
	On Ice:	08/se 08/se 0.406 3 10 8 se 18 (AC
□ EDD (Type)	# of Coolers: \ \ \mark{Marky}	o(GF) od (od
	Cooler Temp(Including CF): 7. 1/0.153.	estideth Methy yy 83 8 MM 8 MA 31, 1
i	Preservative	PH:80 (A) PH:80
	1 40% in 1 in 212	8 8 8 8
8		
8523-42	0.0	
8523-43	910	
	017	Company of the Compan
8523-45	810	
	610	
_	720 1 1	
	A STATE OF THE STA	
	The result of th	
1		
With 13 18:33 Sally Canta	VIa:	750 Direct Bill Devon Bage 2/2
Date Time: Relimquished by:	Received by: Via: Date Tir	108101501 4014
C ANAMINA OF THE PARTITION OF THE PARTIT	1 10173	7.20 CL. Salles Cartar
1 >	solly-contracted to other accredited laboratories. This serves as no	samples submitted to Hall Environmental may be Africontracted to other accredited laboratories. This serves as notice of this nossibility. Any sub-contracted data will be clearly notated on the analytical report.

Released to Imaging: 10/5/2023 9:49:47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 26, 2023

Chance Dixon
Vertex Resources

Vertex Resources Services, Inc. 3101 Boyd Drive

Carlsbad, NM 88220 TEL: (505) 506-0040

FAX:

RE: Hackberry 6 Feb 1 Well Pad OrderNo.: 2301711

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 10 sample(s) on 1/19/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-48 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:37:00 AM

 Lab ID:
 2301711-001
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	33	9.9	mg/Kg	1	1/23/2023 3:31:33 PM
Motor Oil Range Organics (MRO)	64	50	mg/Kg	1	1/23/2023 3:31:33 PM
Surr: DNOP	90.2	69-147	%Rec	1	1/23/2023 3:31:33 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 6:28:27 AM
Surr: BFB	99.1	37.7-212	%Rec	1	1/21/2023 6:28:27 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 6:28:27 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 6:28:27 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 6:28:27 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/21/2023 6:28:27 AM
Surr: 4-Bromofluorobenzene	94.1	70-130	%Rec	1	1/21/2023 6:28:27 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	1100	60	mg/Kg	20	1/20/2023 9:17:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 1 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-49 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:37:00 AM

 Lab ID:
 2301711-002
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 65 9.8 mg/Kg 1 1/23/2023 5:46:17 PM Motor Oil Range Organics (MRO) 100 49 mg/Kg 1 1/23/2023 5:46:17 PM Surr: DNOP 105 69-147 %Rec 1 1/23/2023 5:46:17 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/21/2023 7:37:51 AM 4.9 mg/Kg 1 Surr: BFB 99.2 37.7-212 %Rec 1 1/21/2023 7:37:51 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/21/2023 7:37:51 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/21/2023 7:37:51 AM Ethylbenzene ND 0.049 mg/Kg 1 1/21/2023 7:37:51 AM Xylenes, Total ND 0.099 mg/Kg 1/21/2023 7:37:51 AM 1 Surr: 4-Bromofluorobenzene 94.4 70-130 %Rec 1 1/21/2023 7:37:51 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 9:54:22 PM 1400 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-50 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:40:00 AM

 Lab ID:
 2301711-003
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) 52 9.8 mg/Kg 1 1/23/2023 6:17:35 PM Motor Oil Range Organics (MRO) 96 49 mg/Kg 1 1/23/2023 6:17:35 PM Surr: DNOP 99.8 69-147 %Rec 1 1/23/2023 6:17:35 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/21/2023 8:00:56 AM 4.9 mg/Kg 1 Surr: BFB 98.7 37.7-212 %Rec 1 1/21/2023 8:00:56 AM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/21/2023 8:00:56 AM 0.025 mg/Kg 1 Toluene ND 0.049 mg/Kg 1 1/21/2023 8:00:56 AM Ethylbenzene ND 0.049 mg/Kg 1 1/21/2023 8:00:56 AM Xylenes, Total ND 0.098 mg/Kg 1 1/21/2023 8:00:56 AM Surr: 4-Bromofluorobenzene 94.5 70-130 %Rec 1 1/21/2023 8:00:56 AM **EPA METHOD 300.0: ANIONS** Analyst: JTT Chloride mg/Kg 1/20/2023 10:06:43 PM 1600 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-51 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:40:00 AM

 Lab ID:
 2301711-004
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	39	9.8	mg/Kg	1	1/23/2023 6:48:45 PM
Motor Oil Range Organics (MRO)	85	49	mg/Kg	1	1/23/2023 6:48:45 PM
Surr: DNOP	91.0	69-147	%Rec	1	1/23/2023 6:48:45 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/21/2023 8:24:01 AM
Surr: BFB	98.0	37.7-212	%Rec	1	1/21/2023 8:24:01 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 8:24:01 AM
Toluene	ND	0.050	mg/Kg	1	1/21/2023 8:24:01 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/21/2023 8:24:01 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/21/2023 8:24:01 AM
Surr: 4-Bromofluorobenzene	94.4	70-130	%Rec	1	1/21/2023 8:24:01 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	1600	60	mg/Kg	20	1/20/2023 10:19:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-52 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:45:00 AM

 Lab ID:
 2301711-005
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	76	9.4	mg/Kg	1	1/23/2023 7:20:04 PM
Motor Oil Range Organics (MRO)	160	47	mg/Kg	1	1/23/2023 7:20:04 PM
Surr: DNOP	94.4	69-147	%Rec	1	1/23/2023 7:20:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 8:47:04 AM
Surr: BFB	97.7	37.7-212	%Rec	1	1/21/2023 8:47:04 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/21/2023 8:47:04 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 8:47:04 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 8:47:04 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 8:47:04 AM
Surr: 4-Bromofluorobenzene	93.0	70-130	%Rec	1	1/21/2023 8:47:04 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3100	150	mg/Kg	50	1/21/2023 11:27:28 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-53 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:45:00 AM

 Lab ID:
 2301711-006
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: DGH
Diesel Range Organics (DRO)	88	9.5	mg/Kg	1	1/23/2023 4:26:49 PM
Motor Oil Range Organics (MRO)	160	47	mg/Kg	1	1/23/2023 4:26:49 PM
Surr: DNOP	91.5	69-147	%Rec	1	1/23/2023 4:26:49 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/21/2023 9:10:08 AM
Surr: BFB	99.9	37.7-212	%Rec	1	1/21/2023 9:10:08 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 9:10:08 AM
Toluene	ND	0.050	mg/Kg	1	1/21/2023 9:10:08 AM
Ethylbenzene	ND	0.050	mg/Kg	1	1/21/2023 9:10:08 AM
Xylenes, Total	ND	0.099	mg/Kg	1	1/21/2023 9:10:08 AM
Surr: 4-Bromofluorobenzene	95.9	70-130	%Rec	1	1/21/2023 9:10:08 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2600	150	mg/Kg	50	1/21/2023 11:39:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Not in Range imit Page 6 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-54 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:50:00 AM

 Lab ID:
 2301711-007
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: SB
Diesel Range Organics (DRO)	32	9.8	mg/Kg	1	1/23/2023 3:33:44 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/23/2023 3:33:44 PM
Surr: DNOP	102	69-147	%Rec	1	1/23/2023 3:33:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 10:42:34 AM
Surr: BFB	99.0	37.7-212	%Rec	1	1/21/2023 10:42:34 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 10:42:34 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 10:42:34 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 10:42:34 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 10:42:34 AM
Surr: 4-Bromofluorobenzene	95.6	70-130	%Rec	1	1/21/2023 10:42:34 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2200	60	mg/Kg	20	1/20/2023 10:56:06 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-55 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:50:00 AM

 Lab ID:
 2301711-008
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	1/23/2023 3:57:16 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/23/2023 3:57:16 PM
Surr: DNOP	98.8	69-147	%Rec	1	1/23/2023 3:57:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 11:51:55 AM
Surr: BFB	101	37.7-212	%Rec	1	1/21/2023 11:51:55 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/21/2023 11:51:55 AM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 11:51:55 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 11:51:55 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 11:51:55 AM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	1/21/2023 11:51:55 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	1100	60	mg/Kg	20	1/20/2023 11:33:08 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-56 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:54:00 AM

 Lab ID:
 2301711-009
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	230	9.9	mg/Kg	1	1/23/2023 7:52:46 PM
Motor Oil Range Organics (MRO)	310	50	mg/Kg	1	1/23/2023 7:52:46 PM
Surr: DNOP	116	69-147	%Rec	1	1/23/2023 7:52:46 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 1:01:34 PM
Surr: BFB	101	37.7-212	%Rec	1	1/21/2023 1:01:34 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/21/2023 1:01:34 PM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 1:01:34 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 1:01:34 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 1:01:34 PM
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	1/21/2023 1:01:34 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3700	150	mg/Kg	50	1/21/2023 11:52:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 17

Date Reported: 1/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-57 4'

 Project:
 Hackberry 6 Feb 1 Well Pad
 Collection Date: 1/17/2023 9:55:00 AM

 Lab ID:
 2301711-010
 Matrix: SOIL
 Received Date: 1/19/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: DGH			
Diesel Range Organics (DRO)	290	9.6	mg/Kg	1	1/24/2023 5:08:10 PM
Motor Oil Range Organics (MRO)	440	48	mg/Kg	1	1/24/2023 5:08:10 PM
Surr: DNOP	124	69-147	%Rec	1	1/24/2023 5:08:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/21/2023 1:24:47 PM
Surr: BFB	101	37.7-212	%Rec	1	1/21/2023 1:24:47 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/21/2023 1:24:47 PM
Toluene	ND	0.049	mg/Kg	1	1/21/2023 1:24:47 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/21/2023 1:24:47 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/21/2023 1:24:47 PM
Surr: 4-Bromofluorobenzene	96.3	70-130	%Rec	1	1/21/2023 1:24:47 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	7100	300	mg/Kg	100	1/22/2023 12:04:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 17

Hall Environmental Analysis Laboratory, Inc.

2301711 26-Jan-23

WO#:

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Sample ID: MB-72729 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **72729** RunNo: **94097**

Prep Date: 1/20/2023 Analysis Date: 1/20/2023 SeqNo: 3397311 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72729 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72729 RunNo: 94097

Prep Date: 1/20/2023 Analysis Date: 1/20/2023 SeqNo: 3397312 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.2 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 11 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711**

26-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

rroject:	Паскоепу	01001	v cii i a	u							
Sample ID:	LCS-72738	SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics									
Client ID:	LCSS	Batch	1D: 72 7	738	RunNo: 94119						
Prep Date:	1/20/2023	Analysis D	ate: 1/2	23/2023	Ş	SeqNo: 3	398450	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	43	10	50.00	0	85.9	61.9	130			
Surr: DNOP		5.6		5.000		111	69	147			
Sample ID:	MB-72738	SampT	ype: ME	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	PBS	Batch	1D: 72 7	738	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/2	23/2023	5	SeqNo: 3	398451	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	ND	10								
-	e Organics (MRO)	ND	50								
Surr: DNOP		9.8		10.00		97.6	69	147			
Sample ID:	2301711-007AMS	SampT	ype: MS	3	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID:	BS23-54 4'	Batch	1D: 72 7	726	RunNo: 94119						
Prep Date:	1/20/2023	Analysis D	ate: 1/2	23/2023	5	SeqNo: 3	399089	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	55	9.7	48.45	31.80	47.0	54.2	135			S
Surr: DNOP		5.2		4.845		107	69	147			
Sample ID:	2301711-007AMSD	SampT	ype: MS	SD	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	BS23-54 4'	Batch	n ID: 72 7	726	F	RunNo: 94	4119				
Prep Date:	1/20/2023	Analysis D	ate: 1/2	23/2023	SeqNo: 3399090 Units: mg/Kg			(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	56	9.7	48.45	31.80	49.4	54.2	135	2.13	29.2	S
Surr: DNOP		4.7		4.845		96.8	69	147	0	0	
Sample ID:	LCS-72726	SampT	ype: LC	S	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	1D: 72 7	726	RunNo: 94119						
Prep Date:	1/20/2023	Analysis D	ate: 1/2	23/2023	\$	SeqNo: 3	399135	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	41	10	50.00	0	83.0	61.9	130	_		

Qualifiers:

Surr: DNOP

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.

5.4

B Analyte detected in the associated Method Blank

107

69

147

- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

5.000

Page 12 of 17

Hall Environmental Analysis Laboratory, Inc.

2301711 26-Jan-23

WO#:

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Feb 1 Well Pad

Sample ID: MB-72726 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72726 RunNo: 94119 Prep Date: 1/20/2023 Analysis Date: 1/23/2023 SeqNo: 3399139 Units: mg/Kg Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Result Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 98.5 9.9 10.00 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 13 of 17

Sample ID: Ics-72717

Hall Environmental Analysis Laboratory, Inc.

SampType: LCS

WO#: **2301711**

26-Jan-23

Client: Project:		x Resources Services, Inc. perry 6 Feb 1 Well Pad	
Sample ID: Ics	s-72715	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range
Client ID: LC	ss	Batch ID: 72715	RunNo: 94108
Prep Date: 1	/19/2023	Analysis Date: 1/20/2023	SeqNo: 3397800 Units: mg/Kg

Prep Date: 1/19/2023	Analysis D	ate: 1/2	20/2023	5	SeqNo: 3397800 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	86.9	72.3	137			
Surr: BFB	2000		1000		200	37.7	212			

	•	71	_					9		
Client ID: LCSS	F	RunNo: 94	4108							
Prep Date: 1/19/2023	5	SeqNo: 3397801 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	20	5.0	25.00	0	80.0	72.3	137			
Surr: RER	1000		1000		101	37.7	212			

TestCode: EPA Method 8015D: Gasoline Range

Sample ID: mb-72715	Sampi	ype: ME	BLK	I es	tCode: El	A Method	8015D: Gasol	ine Range	•	
Client ID: PBS	Batch	n ID: 727	715	F	RunNo: 94	4108				
Prep Date: 1/19/2023	Analysis D	oate: 1/2	20/2023	5	SeqNo: 3	397803	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		102	37.7	212			

Sample ID: mb-72717	SampT	ype: MB	SLK	Tes	tCode: EF	PA Method	8015D: Gasol	ine Range		
Client ID: PBS	Batch	ID: 727	' 17	F	RunNo: 94	1108				
Prep Date: 1/19/2023	Analysis D	ate: 1/2	21/2023	5	SeqNo: 33	397804	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		100	37.7	212			

Sample ID: 2301711-007ams	TestCode: EPA Method 8015D: Gasoline Range									
Client ID: BS23-54 4'	Batch	n ID: 72 7	717	F	RunNo: 94108					
Prep Date: 1/19/2023	rep Date: 1/19/2023 Analysis Dat				SeqNo: 3	397850	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	4.9	24.32	0	86.0	70	130			
Surr: BFB	2000		972.8		202	37.7	212			

Sample ID: 230	1711-007amsd Sa	ampType: MSD)	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: BS2	23-54 4' E	Batch ID: 7271	7	Ru	ınNo: 941	08				
Prep Date: 1/	19/2023 Analys	sis Date: 1/21	/2023	Se	eqNo: 339 °	7851	Units: mg/Kg			
Analyte	Resu	ult PQL	SPK value S	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 17

Hall Environmental Analysis Laboratory, Inc.

2301711 26-Jan-23

WO#:

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Feb 1 Well Pad

Sample ID: 2301711-007amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: BS23-54 4' Batch ID: 72717 RunNo: 94108

Prep Date: 1/19/2023 Analysis Date: 1/21/2023 SeqNo: 3397851 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 23 5.0 24.80 92.1 70 130 8.84 20 Surr: BFB 2000 992.1 205 37.7 212 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Е Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 15 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711 26-Jan-23**

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Sample ID: LCS-72715 SampType: LCS				TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch	n ID: 727	' 15	F	RunNo: 94					
Prep Date: 1/19/2023	Analysis D	Date: 1/2	20/2023	5	397872	(g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.025	1.000	0	88.4	80	120			
Toluene	0.93	0.050	1.000	0	92.7	80	120			
Ethylbenzene	0.93	0.050	1.000	0	92.9	80	120			
Xylenes, Total	2.8	0.10	3.000	0	93.2	80	120			
Surr: 4-Bromofluorobenzene	urr: 4-Bromofluorobenzene 0.99 1.000				99.2	70	130			

Sample ID: LCS-72717	Samp	SampType: LCS TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batcl	n ID: 727	' 17	F	RunNo: 94	1108					
Prep Date: 1/19/2023	Analysis [Date: 1/2	21/2023	5	SeqNo: 33	397873	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.89	0.025	1.000	0	89.1	80	120				
Toluene	0.93	0.050	1.000	0	92.9	80	120				
Ethylbenzene	0.93	0.050	1.000	0	93.1	80	120				
Xylenes, Total	2.8	0.10	3.000	0	92.2	80	120				
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	70	130				

Sample ID: mb-72715	Samp1	уре: МВ	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batcl	n ID: 727	715	F	RunNo: 94					
Prep Date: 1/19/2023	Analysis D	Date: 1/2	20/2023	5	SeqNo: 3397875 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.96		1.000		96.4	70	130			

Sample ID: mb-72717	SampT	ype: ME	BLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch	n ID: 72 7	717	F	RunNo: 94							
Prep Date: 1/19/2023	Analysis D	oate: 1/2	21/2023	5	SeqNo: 33	397876	Units: mg/K	ng/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	0.97		1.000		96.7	70	130					

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301711**

26-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Feb 1 Well Pad

Sample ID: 2301711-008ams	Samp	SampType: MS TestCode: EPA Method 80					8021B: Volati	les		
Client ID: BS23-55 4'	Batcl	h ID: 72 7	717	RunNo: 94108						
Prep Date: 1/19/2023	Analysis [Date: 1/2	21/2023	5	SeqNo: 33	397918	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.025	0.9950	0	99.7	68.8	120			
Toluene	1.1	0.050	0.9950	0.01657	105	73.6	124			
Ethylbenzene	1.1	0.050	0.9950	0	108	72.7	129			
Xylenes, Total	3.2	0.10	2.985	0.02814	106	75.7	126			
Surr: 4-Bromofluorobenzene	0.99		0.9950		99.4	70	130			

Sample ID: 2301711-008amsd	d SampType: MSD			TestCode: EPA Method 8021B: Volatiles						•		
Client ID: BS23-55 4'	Batc	h ID: 72 7	717	F	RunNo: 94	4108						
Prep Date: 1/19/2023	Analysis I	Date: 1/2	21/2023	SeqNo: 3397919			Units: mg/K	Inits: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.95	0.025	0.9823	0	97.2	68.8	120	3.86	20			
Toluene	1.0	0.049	0.9823	0.01657	102	73.6	124	3.49	20			
Ethylbenzene	1.0	0.049	0.9823	0	105	72.7	129	3.86	20			
Xylenes, Total	3.1	0.098	2.947	0.02814	104	75.7	126	3.40	20			
Surr: 4-Bromofluorobenzene	0.95		0.9823		96.6	70	130	0	0			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 17

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

Client Name:	Vertex Reso Services, In		Work	Order Numl	ber: 230	1711			RcptNo	1
Received By:	Juan Rojas	s	1/19/20	23 7:20:00	АМ		Hans	3	12	
Completed By:	Sean Livin	gston	1/19/20	23 8:11:30 /	AM		<	/	· · ·	
Reviewed By:	ft 1-19.	_					ے ر		700	
Chain of Cus	stody								_	
1. Is Chain of C	Custody comple	ete?			Yes	V	No		Not Present	
2. How was the	sample delive	ered?			<u>Cou</u>	rier				
Log In									_	
3. Was an atter	mpt made to co	ool the samp	oles?		Yes	V	No		NA 🗌	
4. Were all sam	ples received	at a tempera	ature of >0° C	to 6.0°C	Yes	V	No		na 🗆	
5. Sample(s) in	proper contain	ner(s)?			Yes	V	No			
6. Sufficient san	nple volume fo	or indicated t	est(s)?		Yes	V	No			
7. Are samples	(except VOA a	and ONG) pr	operly preserve	ed?	Yes	V	No [
8. Was preserva	ative added to	bottles?			Yes		No [✓	NA 🗆	
9. Received at le	east 1 vial with	n headspace	<1/4" for AQ V	'OA?	Yes		No Í		NA 🗹	761
10. Were any sa	mple containe	rs received b	oroken?		Yes		No	✓		
									# of preserved bottles checked	1/20/23
11. Does paperw					Yes	V	No		for pH:	
	ancies on cha							_	· ·	>12 unless noted)
12. Are matrices			-		Yes	V		_	Adjusted?	
13. Is it clear wha			l?		Yes	~	No l		01 1 11	
14. Were all hold (If no, notify of	ling times able customer for a		•		Yes	V	No []	Checked by:	
Special Hand	lling (if app	licable)								
15. Was client n	otified of all dis	screpancies	with this order?	>	Yes		No		NA 🗹	_
Persor	n Notified:			Date:			U. ((A. V.))			
By Wh	iom:		THE RESERVE OF THE PERSON OF T	Via:	☐ eM	ail 🗌	Phone [Fax	☐ In Person	
Regard	ding:									
	Instructions:									
16. Additional re	emarks:									
17. Cooler Info		1								
Cooler No		Condition	Seal Intact	Seal No	Seal D	ate	Signed E	y		
1 2	1.2 2.3	Good Good	Not Present Not Present	Morty Morty	4					
<u> </u>	4.5	J000	AOL FICSCIII	iviorty					J	

Chain-of-Custody Record	Turn-Around Time:	HALL ENVIRONMENTAL
Client: Devan (Vertex)	□ Standard Prush UX hour	ANALYSIS LABORATORY
	;;	www.hallenvironmental.com
Mailing Address: On File	Hackberry 6 Feb 1 Wellpad	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22 E-02537	Analysis Request
email or Fax#:	Project Manager:	†OS
QA/QC Package:		SO¢; S
		32 H 282 ()
Accreditation: ☐ Az Compliance ☐ Det Co	Sampler: S F C On Ice: D Yes D No	1 \ O5 808\2 608\2 10.405 8 10 8 20 10 (AC
ype)	olers:	GF(GF) bod 9 310 310 310 310 310 310 (GF)
	Cooler Temp(including cF): See Review IS (°C)	15D dethiol by 83 8 M6 8 M6 1, 18 3r, 1
į		PH:80 081 P 081 P 260 (/ 270 (9 270 (9 270 (9
	- O'O adkı	8 8 8
21.57.50 100.15.1	10c 10c	
8525-44	200	
-	500	
	F00	
1 9.45 1823-524	005	
52-528	محد	
, h hs-8259 as:6	₽w	
	300	
19:54 185 23 - 56 4'	000	
) ŏ	
Date: Time: Relinquished by:	Via: Date	Remarks: 1.2-0-1.2
2000	19.0 100 INC. 19.00 IN	5-7-0-6-7
Lime: Relinduished by:	Via.	
4	7	

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301764

January 30, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040

FAX

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 18 sample(s) on 1/20/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-58 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:25:00 AM

 Lab ID:
 2301764-001
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: SB
Diesel Range Organics (DRO)	180	19	mg/Kg	2	1/24/2023 3:20:43 PM
Motor Oil Range Organics (MRO)	340	97	mg/Kg	2	1/24/2023 3:20:43 PM
Surr: DNOP	117	69-147	%Rec	2	1/24/2023 3:20:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 11:41:57 AM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 11:41:57 AM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 11:41:57 AM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 11:41:57 AM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 11:41:57 AM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 11:41:57 AM
Surr: 4-Bromofluorobenzene	96.5	70-130	%Rec	1	1/23/2023 11:41:57 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	9700	300	mg/Kg	100	1/23/2023 10:38:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-59 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:29:00 AM

 Lab ID:
 2301764-002
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: SB
Diesel Range Organics (DRO)	170	10	mg/Kg	1	1/24/2023 1:58:37 PM
Motor Oil Range Organics (MRO)	240	50	mg/Kg	1	1/24/2023 1:58:37 PM
Surr: DNOP	109	69-147	%Rec	1	1/24/2023 1:58:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 12:52:17 PM
Surr: BFB	107	37.7-212	%Rec	1	1/23/2023 12:52:17 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 12:52:17 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 12:52:17 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 12:52:17 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/23/2023 12:52:17 PM
Surr: 4-Bromofluorobenzene	99.6	70-130	%Rec	1	1/23/2023 12:52:17 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	4500	150	mg/Kg	50	1/23/2023 10:51:27 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-60 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:30:00 AM

 Lab ID:
 2301764-003
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: SB Diesel Range Organics (DRO) 150 9.7 mg/Kg 1 1/24/2023 2:12:38 PM Motor Oil Range Organics (MRO) 240 49 mg/Kg 1 1/24/2023 2:12:38 PM 69-147 Surr: DNOP 106 %Rec 1 1/24/2023 2:12:38 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/23/2023 2:02:42 PM 4.6 mg/Kg 1 Surr: BFB 105 37.7-212 %Rec 1 1/23/2023 2:02:42 PM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 1/23/2023 2:02:42 PM 0.023 mg/Kg 1 Toluene ND 0.046 mg/Kg 1 1/23/2023 2:02:42 PM Ethylbenzene ND 0.046 mg/Kg 1 1/23/2023 2:02:42 PM Xylenes, Total ND 0.092 mg/Kg 1 1/23/2023 2:02:42 PM Surr: 4-Bromofluorobenzene 96.9 70-130 %Rec 1 1/23/2023 2:02:42 PM **EPA METHOD 300.0: ANIONS** Analyst: NAI Chloride 2200 60 1/21/2023 1:12:53 PM ma/Ka 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-61 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:33:00 AM

 Lab ID:
 2301764-004
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG		Analyst: SB			
Diesel Range Organics (DRO)	70	10	mg/Kg	1	1/24/2023 5:00:11 PM
Motor Oil Range Organics (MRO)	100	50	mg/Kg	1	1/24/2023 5:00:11 PM
Surr: DNOP	121	69-147	%Rec	1	1/24/2023 5:00:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/23/2023 2:26:11 PM
Surr: BFB	106	37.7-212	%Rec	1	1/23/2023 2:26:11 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/23/2023 2:26:11 PM
Toluene	ND	0.050	mg/Kg	1	1/23/2023 2:26:11 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/23/2023 2:26:11 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/23/2023 2:26:11 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/23/2023 2:26:11 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	8100	300	mg/Kg	100	1/23/2023 11:04:18 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-62 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:35:00 AM

 Lab ID:
 2301764-005
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	310	50	mg/Kg	5	1/24/2023 5:27:55 PM
Motor Oil Range Organics (MRO)	460	250	mg/Kg	5	1/24/2023 5:27:55 PM
Surr: DNOP	107	69-147	%Rec	5	1/24/2023 5:27:55 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 2:49:43 PM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 2:49:43 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 2:49:43 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 2:49:43 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 2:49:43 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 2:49:43 PM
Surr: 4-Bromofluorobenzene	95.7	70-130	%Rec	1	1/23/2023 2:49:43 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	4200	150	mg/Kg	50	1/23/2023 11:17:10 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- QL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-63 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:36:00 AM

 Lab ID:
 2301764-006
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	190	17	mg/Kg	2	1/24/2023 3:06:43 PM
Motor Oil Range Organics (MRO)	300	86	mg/Kg	2	1/24/2023 3:06:43 PM
Surr: DNOP	121	69-147	%Rec	2	1/24/2023 3:06:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 3:13:14 PM
Surr: BFB	105	37.7-212	%Rec	1	1/23/2023 3:13:14 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 3:13:14 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 3:13:14 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 3:13:14 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/23/2023 3:13:14 PM
Surr: 4-Bromofluorobenzene	96.6	70-130	%Rec	1	1/23/2023 3:13:14 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	8700	600	mg/Kg	200	1/23/2023 11:30:02 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-64 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:39:00 AM

 Lab ID:
 2301764-007
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	56	9.7	mg/Kg	1	1/24/2023 1:44:45 PM
Motor Oil Range Organics (MRO)	81	48	mg/Kg	1	1/24/2023 1:44:45 PM
Surr: DNOP	110	69-147	%Rec	1	1/24/2023 1:44:45 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/23/2023 3:36:42 PM
Surr: BFB	106	37.7-212	%Rec	1	1/23/2023 3:36:42 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/23/2023 3:36:42 PM
Toluene	ND	0.050	mg/Kg	1	1/23/2023 3:36:42 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/23/2023 3:36:42 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/23/2023 3:36:42 PM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	1/23/2023 3:36:42 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	17000	600	mg/Kg	200	1/23/2023 11:42:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-65 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:39:00 AM

 Lab ID:
 2301764-008
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: DGH				
Diesel Range Organics (DRO)	120	9.8	mg/Kg	1	1/24/2023 1:50:54 PM
Motor Oil Range Organics (MRO)	150	49	mg/Kg	1	1/24/2023 1:50:54 PM
Surr: DNOP	120	69-147	%Rec	1	1/24/2023 1:50:54 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/23/2023 4:00:09 PM
Surr: BFB	108	37.7-212	%Rec	1	1/23/2023 4:00:09 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/23/2023 4:00:09 PM
Toluene	ND	0.046	mg/Kg	1	1/23/2023 4:00:09 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/23/2023 4:00:09 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/23/2023 4:00:09 PM
Surr: 4-Bromofluorobenzene	99.3	70-130	%Rec	1	1/23/2023 4:00:09 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	12000	600	mg/Kg	200	1/23/2023 11:55:45 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 8 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-66 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:45:00 AM

 Lab ID:
 2301764-009
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	160	9.6	mg/Kg	1	1/24/2023 2:01:37 PM
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	1/24/2023 2:01:37 PM
Surr: DNOP	108	69-147	%Rec	1	1/24/2023 2:01:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 4:23:37 PM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 4:23:37 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 4:23:37 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 4:23:37 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 4:23:37 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 4:23:37 PM
Surr: 4-Bromofluorobenzene	95.2	70-130	%Rec	1	1/23/2023 4:23:37 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	6800	300	mg/Kg	100	1/23/2023 12:08:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 23

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 1/30/2023

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-67 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:43:00 AM

 Lab ID:
 2301764-010
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	390	48	mg/Kg	5	1/24/2023 2:33:27 PM
Motor Oil Range Organics (MRO)	670	240	mg/Kg	5	1/24/2023 2:33:27 PM
Surr: DNOP	143	69-147	%Rec	5	1/24/2023 2:33:27 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 4:47:08 PM
Surr: BFB	106	37.7-212	%Rec	1	1/23/2023 4:47:08 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/23/2023 4:47:08 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 4:47:08 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 4:47:08 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/23/2023 4:47:08 PM
Surr: 4-Bromofluorobenzene	97.8	70-130	%Rec	1	1/23/2023 4:47:08 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	5900	300	mg/Kg	100	1/23/2023 12:21:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-68 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:50:00 AM

 Lab ID:
 2301764-011
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	330	47	mg/Kg	5	1/24/2023 2:44:10 PM
Motor Oil Range Organics (MRO)	590	240	mg/Kg	5	1/24/2023 2:44:10 PM
Surr: DNOP	144	69-147	%Rec	5	1/24/2023 2:44:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/23/2023 5:34:01 PM
Surr: BFB	102	37.7-212	%Rec	1	1/23/2023 5:34:01 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/23/2023 5:34:01 PM
Toluene	ND	0.049	mg/Kg	1	1/23/2023 5:34:01 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/23/2023 5:34:01 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/23/2023 5:34:01 PM
Surr: 4-Bromofluorobenzene	94.3	70-130	%Rec	1	1/23/2023 5:34:01 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	5200	300	mg/Kg	100	1/23/2023 12:34:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-69 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:51:00 AM

 Lab ID:
 2301764-012
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG				Analyst: DGH	
Diesel Range Organics (DRO)	440	49	mg/Kg	5	1/25/2023 4:00:20 PM
Motor Oil Range Organics (MRO)	510	240	mg/Kg	5	1/25/2023 4:00:20 PM
Surr: DNOP	118	69-147	%Rec	5	1/25/2023 4:00:20 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 5:57:27 PM
Surr: BFB	104	37.7-212	%Rec	1	1/23/2023 5:57:27 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 5:57:27 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 5:57:27 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 5:57:27 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/23/2023 5:57:27 PM
Surr: 4-Bromofluorobenzene	96.7	70-130	%Rec	1	1/23/2023 5:57:27 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	4900	150	mg/Kg	50	1/23/2023 1:12:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-70 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:54:00 AM

 Lab ID:
 2301764-013
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA					Analyst: DGH	
Diesel Range Organics (DRO)	540	98		mg/Kg	10	1/24/2023 4:04:54 PM
Motor Oil Range Organics (MRO)	890	490		mg/Kg	10	1/24/2023 4:04:54 PM
Surr: DNOP	0	69-147	S	%Rec	10	1/24/2023 4:04:54 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	1/23/2023 6:20:48 PM
Surr: BFB	105	37.7-212		%Rec	1	1/23/2023 6:20:48 PM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.023		mg/Kg	1	1/23/2023 6:20:48 PM
Toluene	ND	0.046		mg/Kg	1	1/23/2023 6:20:48 PM
Ethylbenzene	ND	0.046		mg/Kg	1	1/23/2023 6:20:48 PM
Xylenes, Total	ND	0.091		mg/Kg	1	1/23/2023 6:20:48 PM
Surr: 4-Bromofluorobenzene	97.1	70-130		%Rec	1	1/23/2023 6:20:48 PM
EPA METHOD 300.0: ANIONS						Analyst: CAS
Chloride	3300	150		mg/Kg	50	1/23/2023 1:25:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 13 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-71 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:54:00 AM

 Lab ID:
 2301764-014
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Result **RL Qual Units** DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) mg/Kg 390 97 10 1/24/2023 3:54:16 PM Motor Oil Range Organics (MRO) 690 480 mg/Kg 10 1/24/2023 3:54:16 PM 69-147 Surr: DNOP 0 S %Rec 10 1/24/2023 3:54:16 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: JJP Gasoline Range Organics (GRO) ND 1/23/2023 6:44:10 PM 4.9 mg/Kg 1 Surr: BFB 102 37.7-212 %Rec 1 1/23/2023 6:44:10 PM **EPA METHOD 8021B: VOLATILES** Analyst: JJP Benzene ND 0.025 mg/Kg 1/23/2023 6:44:10 PM 1 Toluene ND 0.049 mg/Kg 1 1/23/2023 6:44:10 PM Ethylbenzene ND 0.049 mg/Kg 1 1/23/2023 6:44:10 PM Xylenes, Total ND 0.099 mg/Kg 1 1/23/2023 6:44:10 PM 1/23/2023 6:44:10 PM Surr: 4-Bromofluorobenzene 96.4 70-130 %Rec 1 **EPA METHOD 300.0: ANIONS** Analyst: CAS Chloride 2400 150 1/23/2023 1:38:38 PM ma/Ka 50

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-72 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 8:50:00 AM

 Lab ID:
 2301764-015
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA				Analyst: DGH	
Diesel Range Organics (DRO)	410	49	mg/Kg	5	1/24/2023 2:43:06 PM
Motor Oil Range Organics (MRO)	610	250	mg/Kg	5	1/24/2023 2:43:06 PM
Surr: DNOP	104	69-147	%Rec	5	1/24/2023 2:43:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 7:07:36 PM
Surr: BFB	100	37.7-212	%Rec	1	1/23/2023 7:07:36 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 7:07:36 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 7:07:36 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 7:07:36 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/23/2023 7:07:36 PM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	1/23/2023 7:07:36 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	2700	150	mg/Kg	50	1/23/2023 1:51:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-73 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 9:00:00 AM

 Lab ID:
 2301764-016
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	150	19	mg/Kg	2	1/24/2023 6:07:16 PM
Motor Oil Range Organics (MRO)	240	93	mg/Kg	2	1/24/2023 6:07:16 PM
Surr: DNOP	118	69-147	%Rec	2	1/24/2023 6:07:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/23/2023 7:30:55 PM
Surr: BFB	101	37.7-212	%Rec	1	1/23/2023 7:30:55 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 7:30:55 PM
Toluene	ND	0.049	mg/Kg	1	1/23/2023 7:30:55 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/23/2023 7:30:55 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/23/2023 7:30:55 PM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	1/23/2023 7:30:55 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	7800	300	mg/Kg	100	1/23/2023 2:04:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-74 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 9:03:00 AM

 Lab ID:
 2301764-017
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	160	9.5	mg/Kg	1	1/24/2023 2:19:11 PM
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	1/24/2023 2:19:11 PM
Surr: DNOP	126	69-147	%Rec	1	1/24/2023 2:19:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/23/2023 7:54:13 PM
Surr: BFB	103	37.7-212	%Rec	1	1/23/2023 7:54:13 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 7:54:13 PM
Toluene	ND	0.047	mg/Kg	1	1/23/2023 7:54:13 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/23/2023 7:54:13 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/23/2023 7:54:13 PM
Surr: 4-Bromofluorobenzene	96.2	70-130	%Rec	1	1/23/2023 7:54:13 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	11000	600	mg/Kg	200	1/23/2023 2:17:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 23

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS23-75 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/18/2023 9:03:00 AM

 Lab ID:
 2301764-018
 Matrix: SOIL
 Received Date: 1/20/2023 7:20:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: DGH
Diesel Range Organics (DRO)	66	9.6	mg/Kg	1	1/24/2023 2:22:49 PM
Motor Oil Range Organics (MRO)	140	48	mg/Kg	1	1/24/2023 2:22:49 PM
Surr: DNOP	118	69-147	%Rec	1	1/24/2023 2:22:49 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/23/2023 8:17:29 PM
Surr: BFB	103	37.7-212	%Rec	1	1/23/2023 8:17:29 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/23/2023 8:17:29 PM
Toluene	ND	0.048	mg/Kg	1	1/23/2023 8:17:29 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/23/2023 8:17:29 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/23/2023 8:17:29 PM
Surr: 4-Bromofluorobenzene	96.3	70-130	%Rec	1	1/23/2023 8:17:29 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	7700	300	mg/Kg	100	1/23/2023 2:30:03 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72743 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72743 RunNo: 94110

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398042 Units: mq/Kq

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72743 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: **LCSS** Batch ID: **72743** RunNo: **94110**

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398043 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 15 1.5 15.00 0 97.1 90 110

Sample ID: MB-72744 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72744 RunNo: 94110

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398072 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72744 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72744 RunNo: 94110

Prep Date: 1/21/2023 Analysis Date: 1/21/2023 SeqNo: 3398073 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 95.7 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72740	SampTy	/pe: LC	S	TestCode: EPA Method			8015M/D: Diesel Range Organics			
Client ID: LCSS	Batch	ID: 72 7	740	RunNo: 94119						
Prep Date: 1/20/2023	Analysis Da	ate: 1/ 2	23/2023	5	SeqNo: 3	399136	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43	10	50.00	0	86.7	61.9	130			
Surr: DNOP	5.4		5.000		108	69	147			
Sample ID: MB-72740	SampTy	/pe: ME	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: PBS	Batch	ID: 72 7	740	RunNo: 94119						

Client ID: PBS	Batch	1D: 72	740	R	tunNo: 9	4119				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	S	SeqNo: 3	399140	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		116	69	147			

Sample ID: LCS-72755	SampType: LCS	TestCode: EPA Method	l 8015M/D: Diesel Range	e Organics
Client ID: LCSS	Batch ID: 72755	RunNo: 94153		
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399719	Units: %Rec	
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Surr: DNOP	6.5 5.00	0 129 69	147	_

Sample ID: LCS-72769	SampType: LCS	TestCode: EPA Method	A Method 8015M/D: Diesel Range Organics				
Client ID: LCSS	Batch ID: 72769	RunNo: 94153					
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399720	Units: %Rec				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual				
Surr: DNOP	5.5 5.000	109 69	147				

Sample ID: MB-72755	SampType: MBLK	Test	Code: EPA Method	8015M/D: Die	sel Rang	e Organics	
Client ID: PBS	Batch ID: 72755	R	unNo: 94153				
Prep Date: 1/23/2023	Analysis Date: 1/24/20)23 S	eqNo: 3399722	Units: %Rec			
Analyte	Result PQL SPI	K value SPK Ref Val	%REC LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	13	10.00	126 69	147			

Sample ID: MB-72769	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Organics	
Client ID: PBS	Batch ID: 72769	RunNo: 94153		
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399723	Units: %Rec	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual
Curr. DNOD	11 10.00	106 60	1.47	

Surr: DNOP 11 10.00 106 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301764

30-Jan-23

Client: Vertex Resources Services, Inc. **Project:** Hackberry 6 Fed 1 Well Pad

Sample ID: 2301764-001AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: BS23-58 4' Batch ID: 72740 RunNo: 94153

Prep Date: 1/20/2023 Analysis Date: 1/24/2023 SeqNo: 3400095 Units: mg/Kg

PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Diesel Range Organics (DRO) 182.6 S 180 19 48.26 -9.97 54.2 135

Surr: DNOP 6.9 4.826 144 147

Sample ID: 2301764-001AMSD TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: MSD

Client ID: BS23-58 4' Batch ID: 72740 RunNo: 94153

Prep Date: 1/20/2023 Analysis Date: 1/24/2023 SeqNo: 3400096 Units: mg/Kg

RPDLimit Qual Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Diesel Range Organics (DRO) 29.2 240 19 48.73 182.6 125 54.2 135 31.3 R Surr: DNOP 4.873 140 0 0 6.8 69 147

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 21 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72733	SampT	ype: LC	s	Tes	tCode: E	PA Method	8015D: Gaso	line Rang	е	
Client ID: LCSS	Batch	n ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	5	SeqNo: 3	398776	Units: mg/k	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	21	5.0	25.00	0	83.0	72.3	137			
Surr: BFB	2000		1000		197	37.7	212			
Sample ID: mb-72733	SampT	ype: ME	BLK	Tes	tCode: E	PA Method	8015D: Gaso	line Rang	е	
Client ID: PBS	Batch	n ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	5	SeqNo: 3	398778	Units: mg/k	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0		_						
Surr: BFB	1100		1000		107	37.7	212			

Sample ID: 2301764-001ams	SampT	уре: М S	3	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: BS23-58 4'	Batch	ID: 72	733	R	RunNo: 94	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	S	SeqNo: 3	398802	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	4.8	23.81	0	115	70	130			
Surr: BFB	1100		952.4		120	37.7	212			

Sample ID: 2301764-001amsd	SampT	уре: М \$	SD	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: BS23-58 4'	Batch	ID: 72	733	R	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	S	SeqNo: 3	398803	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	4.7	23.56	0	117	70	130	0.823	20	
Surr: BFB	1100		942.5		121	37.7	212	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 23

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301764**

30-Jan-23

Client: Vertex Resources Services, Inc.

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: LCS-72733	SampT	ype: LC	S	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batch	n ID: 72 7	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	oate: 1/2	23/2023	9	SeqNo: 3	398826	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.025	1.000	0	83.1	80	120			
Toluene	0.88	0.050	1.000	0	88.2	80	120			
Ethylbenzene	0.90	0.050	1.000	0	89.6	80	120			
Xylenes, Total	2.7	0.10	3.000	0	89.7	80	120			
Surr: 4-Bromofluorobenzene	0.98		1.000		97.8	70	130			

Sample ID: mb-72733	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	n ID: 72	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/	23/2023	8	SeqNo: 3	398828	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	70	130			

Sample ID: 2301764-002ams	SampT	уре: МS	3	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: BS23-59 4'	Batch	n ID: 72 7	733	F	RunNo: 9	4128				
Prep Date: 1/20/2023	Analysis D	Date: 1/	23/2023	S	SeqNo: 3	398853	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.82	0.023	0.9328	0	88.4	68.8	120			
Toluene	0.88	0.047	0.9328	0.01844	92.9	73.6	124			
Ethylbenzene	0.91	0.047	0.9328	0	97.0	72.7	129			
Xylenes, Total	2.7	0.093	2.799	0.02886	95.2	75.7	126			
Surr: 4-Bromofluorobenzene	0.94		0.9328		101	70	130			

Sample ID: 2301764-002amsd	SampT	ype: MS	SD.	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: BS23-59 4'	Batch	n ID: 72 7	733	F	RunNo: 94	4128				
Prep Date: 1/20/2023	Analysis D	ate: 1/2	23/2023	S	SeqNo: 3	398854	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.024	0.9560	0	86.8	68.8	120	0.582	20	
Toluene	0.89	0.048	0.9560	0.01844	90.7	73.6	124	0.0653	20	
Ethylbenzene	0.91	0.048	0.9560	0	95.0	72.7	129	0.331	20	
Xylenes, Total	2.7	0.096	2.868	0.02886	93.8	75.7	126	0.961	20	
Surr: 4-Bromofluorobenzene	0.96		0.9560		101	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 23

Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

	ertex Reso Services, Inc		Work	Order Numb	er: 2301764		RcptNc	: 1
Received By:	Juan Rojas	S	1/20/20	23 7:20:00 A	.M	Gunay Sala		
Completed By:	Sean Livin	gston	1/20/20	23 7:55:37 A	м	< /	.n_	
Reviewed By:	PS 1-20	2.7.3				رب سرد	you -	
Chain of Custo	dy							
1. Is Chain of Cus	tody comple	ete?			Yes 🗹	No 🗌	Not Present	
2. How was the sa	mple delive	red?			Courier			
Log In								
3. Was an attempt	made to co	ool the samp	les?		Yes 🗹	No 🗌	na 🗆	
						_		
4. Were all sample	s received	at a tempera	ture of >0° C	to 6.0°C	Yes 🔽	No 🗌	na 🗆	
5. Sample(s) in pro	oper contair	ner(s)?			Yes 🗹	No 🗌		
, .		.,				_		
6. Sufficient sample					Yes 🗹	No 🗆		
7. Are samples (ex			perly preserve	ed?	Yes 🗹	No ∐		
Was preservativ	e added to	bottles?			Yes 📙	No 🗹	NA 🗌	
9. Received at leas	st 1 vial with	headspace	<1/4" for AQ \	OA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any samp	le containe	rs received b	roken?		Yes	No 🗹	# of managed	
							# of preserved bottles checked	
11. Does paperwork (Note discrepand			١		Yes 🗹	No 🗔	for pH:	r >12 unless noted
12. Are matrices cor		•	•		Yes 🗹	No 🗌	Adjusted?	
13. Is it clear what a	nalyses we	re requested	?		Yes 🗹	No 🗌		1 - 1-
14. Were all holding					Yes 🗹	No 🗆	Checked by:	Ju1/50/5
(If no, notify cust	tomer for au	uthorization.)				/		
Special Handlin	g (if app	licable)						
15. Was client notif	ied of all dis	crepancies v	with this order?	?	Yes 🗆	No 🗆	NA 🗹	_
Person No	otified:			Date:				
By Whom	- T			Via:	eMail] Phone [] Fax	☐ In Person	
Regarding								
Client Inst	tructions:							
16. Additional rema	arks:							
17. Cooler Inform	ation							
Cooler No	Temp ºC	Condition	Seal Intact	Seal No	Seal Date	Signed By		
1	1.1	Good	Not Present	YOGI				

ပ	hain	of-CL	Chain-of-Custody Record	ord	Turn-Around Time:	Time:			3	-	2	\ 	LAIL ENVIDONMENTAL	LINE	Z	
Client:	JOHAL	TOWN (Vertex	4ex)		☐ Standard	Rush	48hr		*	MA	YS	S	ANALYSIS LABORATORY	RAT	OR'S	
					Project Name:	i.			i >	ed www	llenvir	uemu	www.hallenvironmental.com			
Mailing	Mailing Address:	:: 0N	Lile		Haukbe	my 6 Fe	Hackberry 6 Fed 1 Well Pad	4901 F	, Hawkin	www.nam 4901 Hawkins NE -		herqu	Albuquerque, NM 87109	109		
					Project #:	P		Tel. 5	05-34	Tel. 505-345-3975	Fax	x 505	505-345-4107			
Phone #:	#:				226-02537	2537				'	Analysis		Request			
email or Fax#	r Fax#:		and the second s		Project Manager:	ger:		(0)			[†] OS		(ju			
QA/QC Packa □ Standard	QA/QC Package: ☐ Standard		☐ Level 4 (Full Validation)	(alidation)	Chance	ce Dixon	n	RM \ O		SWIS	PO4, 5		əsdA\tı			
Accreditation:	itation:	□ Az Co	☐ Az Compliance		Sampler:	SPC		אם א	(r.) 	' ^z Ol		Jəsə		=	
□ NELAC	AC	□ Other			On Ice:	⊒ Yes	□ No	O5	₽ 09		٤, ا	(AC	51시)			
	☐ EDD (Type)_				# of Coolers:		9090	(GF	; po				w			
					Cooler Temp(Including CF):	ب	3-6.27 1.1 (°C)	ası	ψι				oìilc		_	
Č						Preservative	HE/	153T) 08:Hq 94 180	M) 80:	d aHA	3 '+ (E	V) 09S S) 0YS	Otal Co			
Uate //s/nz	Uate IIme	Matrix	OCO2/EQ	7		i ype	7.007	1	1			_	L		\perp	L
CAlaik	0.73	20	00.030	4	402 00	3	8	>	1	+	1	+			+	Ţ
	8:29		BS23-59	, †)		202			1	-		V V	8		
	8:30		BS23-60	4,		ANTEN	203			1	2			1		
	8:33		19-5258	4,		N 17 1291	H00			11	11					
	8:35	2	1823-62	4			200		41		2.7					
	8:36	1	BS13-63	4,			רייטטי			#		3				
	8:39		BS23-64	4,	1		₽00									
	8:39		BS13-165	4,			B									
	8:45		8523-106	4,			,00°				5		2 - 2 - 4 -		\dashv	I
	8:43		BS23-67	4,			010				i bi	-				
l,	8:50		801-6258	, †			1)0		i.				al all all all all all all all all all			
-	8:21	-	1823-19	4,				1 1	-	1		1		100		
Date: 1/19/23	Date: Time: 1/18/23 110-72	Relinquished by	ned by:		Received by:	Via:		Remarks:	ä	0	70		000	nage 1/2	7	
	24.9	James				MANNA			2 5	2 6	. 6		7			
> ate	ë ç	Kelinquisned by			received by.	_	Cale	Wo # 100 +101 av	5 ;	2 6	5 =					
QUIA!	3		CLAMMANANO			+ rounge	- 120/23 1.20	3	3	Sally Cartain	Har					

If necessary, samples submitted to Hall Environmental may be subcontracted to diperaccredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

clearly notated on the analytical report. Released to Imaging: 10/5/2023 9:47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

January 30, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (575) 748-0176

TEE. (575

FAX:

RE: Hackberry 6 Fed 1

OrderNo.: 2301754

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 24 sample(s) on 1/21/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-76 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:41:00 AM

 Lab ID:
 2301754-001
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS				Analyst: SB	
Diesel Range Organics (DRO)	49	9.6	mg/Kg	1	1/25/2023 10:30:09 AM
Motor Oil Range Organics (MRO)	79	48	mg/Kg	1	1/25/2023 10:30:09 AM
Surr: DNOP	114	69-147	%Rec	1	1/25/2023 10:30:09 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/24/2023 1:13:31 PM
Surr: BFB	108	37.7-212	%Rec	1	1/24/2023 1:13:31 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 1:13:31 PM
Toluene	ND	0.050	mg/Kg	1	1/24/2023 1:13:31 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/24/2023 1:13:31 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/24/2023 1:13:31 PM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	1/24/2023 1:13:31 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	9800	300	mg/Kg	100	1/25/2023 10:08:32 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-77 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:40:00 AM

 Lab ID:
 2301754-002
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (Analyst: SB				
Diesel Range Organics (DRO)	27	9.5	mg/Kg	1	1/25/2023 4:00:52 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/25/2023 4:00:52 AM
Surr: DNOP	119	69-147	%Rec	1	1/25/2023 4:00:52 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 2:24:14 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 2:24:14 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 2:24:14 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 2:24:14 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 2:24:14 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/24/2023 2:24:14 PM
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	1	1/24/2023 2:24:14 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	8200	300	mg/Kg	100	1/25/2023 10:20:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-78 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:50:00 AM

 Lab ID:
 2301754-003
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O		Analyst: DGH			
Diesel Range Organics (DRO)	96	9.4	mg/Kg	1	1/24/2023 11:08:39 AM
Motor Oil Range Organics (MRO)	140	47	mg/Kg	1	1/24/2023 11:08:39 AM
Surr: DNOP	131	69-147	%Rec	1	1/24/2023 11:08:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/24/2023 3:34:38 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 3:34:38 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 3:34:38 PM
Toluene	ND	0.050	mg/Kg	1	1/24/2023 3:34:38 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/24/2023 3:34:38 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/24/2023 3:34:38 PM
Surr: 4-Bromofluorobenzene	98.3	70-130	%Rec	1	1/24/2023 3:34:38 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	6000	300	mg/Kg	100	1/25/2023 10:33:13 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-79 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:50:00 AM

 Lab ID:
 2301754-004
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O		Analyst: DGH			
Diesel Range Organics (DRO)	76	9.6	mg/Kg	1	1/24/2023 12:44:00 PM
Motor Oil Range Organics (MRO)	120	48	mg/Kg	1	1/24/2023 12:44:00 PM
Surr: DNOP	114	69-147	%Rec	1	1/24/2023 12:44:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 3:58:04 PM
Surr: BFB	107	37.7-212	%Rec	1	1/24/2023 3:58:04 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 3:58:04 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 3:58:04 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 3:58:04 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/24/2023 3:58:04 PM
Surr: 4-Bromofluorobenzene	99.3	70-130	%Rec	1	1/24/2023 3:58:04 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4200	150	mg/Kg	50	1/25/2023 10:45:34 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-80 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:55:00 AM

 Lab ID:
 2301754-005
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O		Analyst: DGH			
Diesel Range Organics (DRO)	380	48	mg/Kg	5	1/24/2023 9:49:00 PM
Motor Oil Range Organics (MRO)	600	240	mg/Kg	5	1/24/2023 9:49:00 PM
Surr: DNOP	114	69-147	%Rec	5	1/24/2023 9:49:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 4:21:36 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 4:21:36 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 4:21:36 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 4:21:36 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 4:21:36 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/24/2023 4:21:36 PM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	1/24/2023 4:21:36 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2400	150	mg/Kg	50	1/25/2023 10:57:54 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Not in Range Page 5 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-81 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:56:00 AM

 Lab ID:
 2301754-006
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: DGH			
Diesel Range Organics (DRO)	170	48	mg/Kg	5	1/24/2023 10:36:21 PM
Motor Oil Range Organics (MRO)	320	240	mg/Kg	5	1/24/2023 10:36:21 PM
Surr: DNOP	122	69-147	%Rec	5	1/24/2023 10:36:21 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 4:45:05 PM
Surr: BFB	108	37.7-212	%Rec	1	1/24/2023 4:45:05 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 4:45:05 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 4:45:05 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 4:45:05 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 4:45:05 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/24/2023 4:45:05 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2100	60	mg/Kg	20	1/24/2023 2:22:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-82 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 8:59:00 AM

 Lab ID:
 2301754-007
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (Analyst: DGH			
Diesel Range Organics (DRO)	200	9.6	mg/Kg	1	1/24/2023 1:31:35 PM
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	1/24/2023 1:31:35 PM
Surr: DNOP	122	69-147	%Rec	1	1/24/2023 1:31:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/24/2023 5:08:35 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 5:08:35 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 5:08:35 PM
Toluene	ND	0.050	mg/Kg	1	1/24/2023 5:08:35 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/24/2023 5:08:35 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/24/2023 5:08:35 PM
Surr: 4-Bromofluorobenzene	97.6	70-130	%Rec	1	1/24/2023 5:08:35 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1900	60	mg/Kg	20	1/24/2023 2:35:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-83 4'

Project: Hackberry 6 Fed 1 **Collection Date:** 1/19/2023 9:00:00 AM 2301754-008 Lab ID: Matrix: SOIL **Received Date:** 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (Analyst: DGH				
Diesel Range Organics (DRO)	310	9.5	mg/Kg	1	1/24/2023 3:30:37 PM
Motor Oil Range Organics (MRO)	370	48	mg/Kg	1	1/24/2023 3:30:37 PM
Surr: DNOP	122	69-147	%Rec	1	1/24/2023 3:30:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 5:32:03 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 5:32:03 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 5:32:03 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 5:32:03 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 5:32:03 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/24/2023 5:32:03 PM
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	1/24/2023 5:32:03 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1300	60	mg/Kg	20	1/24/2023 2:47:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL

Reporting Limit

Page 8 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-84 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:04:00 AM

 Lab ID:
 2301754-009
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O		Analyst: DGH			
Diesel Range Organics (DRO)	540	48	mg/Kg	5	1/24/2023 11:23:40 PM
Motor Oil Range Organics (MRO)	890	240	mg/Kg	5	1/24/2023 11:23:40 PM
Surr: DNOP	118	69-147	%Rec	5	1/24/2023 11:23:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 5:55:31 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 5:55:31 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 5:55:31 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 5:55:31 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 5:55:31 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/24/2023 5:55:31 PM
Surr: 4-Bromofluorobenzene	98.9	70-130	%Rec	1	1/24/2023 5:55:31 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2400	150	mg/Kg	50	1/25/2023 11:10:14 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-85 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:05:00 AM

 Lab ID:
 2301754-010
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C		Analyst: DGH			
Diesel Range Organics (DRO)	140	49	mg/Kg	5	1/25/2023 12:10:55 AM
Motor Oil Range Organics (MRO)	ND	240	mg/Kg	5	1/25/2023 12:10:55 AM
Surr: DNOP	116	69-147	%Rec	5	1/25/2023 12:10:55 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 6:19:00 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 6:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 6:19:00 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 6:19:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 6:19:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 6:19:00 PM
Surr: 4-Bromofluorobenzene	98.0	70-130	%Rec	1	1/24/2023 6:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	3200	150	mg/Kg	50	1/25/2023 11:22:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-86 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:08:00 AM

 Lab ID:
 2301754-011
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: DGH				
Diesel Range Organics (DRO)	21	9.5	mg/Kg	1	1/24/2023 4:18:10 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/24/2023 4:18:10 PM
Surr: DNOP	108	69-147	%Rec	1	1/24/2023 4:18:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 7:05:53 PM
Surr: BFB	107	37.7-212	%Rec	1	1/24/2023 7:05:53 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 7:05:53 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 7:05:53 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 7:05:53 PM
Xylenes, Total	ND	0.092	mg/Kg	1	1/24/2023 7:05:53 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/24/2023 7:05:53 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1400	60	mg/Kg	20	1/24/2023 3:24:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-87 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:08:00 AM

 Lab ID:
 2301754-012
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG		Analyst: DGH			
Diesel Range Organics (DRO)	28	9.1	mg/Kg	1	1/24/2023 4:41:53 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/24/2023 4:41:53 PM
Surr: DNOP	84.9	69-147	%Rec	1	1/24/2023 4:41:53 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 7:29:19 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 7:29:19 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 7:29:19 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 7:29:19 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 7:29:19 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/24/2023 7:29:19 PM
Surr: 4-Bromofluorobenzene	96.7	70-130	%Rec	1	1/24/2023 7:29:19 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1400	60	mg/Kg	20	1/24/2023 3:36:56 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-88 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:12:00 AM

 Lab ID:
 2301754-013
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE		Analyst: DGH			
Diesel Range Organics (DRO)	15	9.3	mg/Kg	1	1/24/2023 5:05:42 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/24/2023 5:05:42 PM
Surr: DNOP	112	69-147	%Rec	1	1/24/2023 5:05:42 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 7:52:44 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 7:52:44 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 7:52:44 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 7:52:44 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 7:52:44 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 7:52:44 PM
Surr: 4-Bromofluorobenzene	99.7	70-130	%Rec	1	1/24/2023 7:52:44 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	3100	150	mg/Kg	50	1/25/2023 11:34:56 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 13 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-89 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:12:00 AM

 Lab ID:
 2301754-014
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	10	9.7	mg/Kg	1	1/24/2023 5:29:32 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/24/2023 5:29:32 PM
Surr: DNOP	112	69-147	%Rec	1	1/24/2023 5:29:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 8:16:09 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 8:16:09 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 8:16:09 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 8:16:09 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 8:16:09 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/24/2023 8:16:09 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/24/2023 8:16:09 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	5200	150	mg/Kg	50	1/25/2023 12:11:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-90 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:14:00 AM

 Lab ID:
 2301754-015
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/24/2023 5:53:04 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/24/2023 5:53:04 PM
Surr: DNOP	117	69-147	%Rec	1	1/24/2023 5:53:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 8:39:34 PM
Surr: BFB	106	37.7-212	%Rec	1	1/24/2023 8:39:34 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 8:39:34 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 8:39:34 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 8:39:34 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/24/2023 8:39:34 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/24/2023 8:39:34 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	1000	60	mg/Kg	20	1/24/2023 4:38:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-91 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:14:00 AM

 Lab ID:
 2301754-016
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (ORGANICS				Analyst: DGH
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/24/2023 6:16:30 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/24/2023 6:16:30 PM
Surr: DNOP	117	69-147	%Rec	1	1/24/2023 6:16:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 9:03:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/24/2023 9:03:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 9:03:00 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 9:03:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 9:03:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/24/2023 9:03:00 PM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	1/24/2023 9:03:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2400	60	mg/Kg	20	1/24/2023 4:51:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-92 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:24:00 AM

 Lab ID:
 2301754-017
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	44	9.6	mg/Kg	1	1/24/2023 6:39:51 PM
Motor Oil Range Organics (MRO)	60	48	mg/Kg	1	1/24/2023 6:39:51 PM
Surr: DNOP	104	69-147	%Rec	1	1/24/2023 6:39:51 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 9:26:20 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 9:26:20 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.025	mg/Kg	1	1/24/2023 9:26:20 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 9:26:20 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 9:26:20 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/24/2023 9:26:20 PM
Surr: 4-Bromofluorobenzene	96.4	70-130	%Rec	1	1/24/2023 9:26:20 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4300	150	mg/Kg	50	1/25/2023 12:24:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-93 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 9:24:00 AM

 Lab ID:
 2301754-018
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	13	9.6	mg/Kg	1	1/24/2023 7:27:00 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/24/2023 7:27:00 PM
Surr: DNOP	128	69-147	%Rec	1	1/24/2023 7:27:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 9:49:42 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 9:49:42 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 9:49:42 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 9:49:42 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 9:49:42 PM
Xylenes, Total	ND	0.091	mg/Kg	1	1/24/2023 9:49:42 PM
Surr: 4-Bromofluorobenzene	97.8	70-130	%Rec	1	1/24/2023 9:49:42 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	4900	150	mg/Kg	50	1/25/2023 12:36:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-94 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:27:00 PM

 Lab ID:
 2301754-019
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: DGH
Diesel Range Organics (DRO)	80	9.3	mg/Kg	1	1/24/2023 7:50:39 PM
Motor Oil Range Organics (MRO)	130	47	mg/Kg	1	1/24/2023 7:50:39 PM
Surr: DNOP	126	69-147	%Rec	1	1/24/2023 7:50:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 10:13:07 PM
Surr: BFB	101	37.7-212	%Rec	1	1/24/2023 10:13:07 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.023	mg/Kg	1	1/24/2023 10:13:07 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 10:13:07 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 10:13:07 PM
Xylenes, Total	ND	0.094	mg/Kg	1	1/24/2023 10:13:07 PM
Surr: 4-Bromofluorobenzene	94.6	70-130	%Rec	1	1/24/2023 10:13:07 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2600	150	mg/Kg	50	1/25/2023 12:48:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-95 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:27:00 PM

 Lab ID:
 2301754-020
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	33	10	mg/Kg	1	1/24/2023 8:37:58 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	1/24/2023 8:37:58 PM
Surr: DNOP	115	69-147	%Rec	1	1/24/2023 8:37:58 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/24/2023 10:36:28 PM
Surr: BFB	104	37.7-212	%Rec	1	1/24/2023 10:36:28 PM
EPA METHOD 8021B: VOLATILES					Analyst: JJP
Benzene	ND	0.024	mg/Kg	1	1/24/2023 10:36:28 PM
Toluene	ND	0.049	mg/Kg	1	1/24/2023 10:36:28 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/24/2023 10:36:28 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/24/2023 10:36:28 PM
Surr: 4-Bromofluorobenzene	96.9	70-130	%Rec	1	1/24/2023 10:36:28 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2100	60	mg/Kg	20	1/24/2023 5:40:22 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-96 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:32:00 PM

 Lab ID:
 2301754-021
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: DGH
Diesel Range Organics (DRO)	470	49	mg/Kg	5	1/25/2023 12:58:06 AM
Motor Oil Range Organics (MRO)	610	250	mg/Kg	5	1/25/2023 12:58:06 AM
Surr: DNOP	114	69-147	%Rec	5	1/25/2023 12:58:06 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/24/2023 9:20:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	1/24/2023 9:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.023	mg/Kg	1	1/24/2023 9:20:00 PM
Toluene	ND	0.046	mg/Kg	1	1/24/2023 9:20:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	1/24/2023 9:20:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	1/24/2023 9:20:00 PM
Surr: 4-Bromofluorobenzene	92.8	70-130	%Rec	1	1/24/2023 9:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2700	150	mg/Kg	50	1/25/2023 1:01:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-97 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:32:00 PM

 Lab ID:
 2301754-022
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: DGH
Diesel Range Organics (DRO)	63	9.9	mg/Kg	1	1/24/2023 9:01:39 PM
Motor Oil Range Organics (MRO)	94	50	mg/Kg	1	1/24/2023 9:01:39 PM
Surr: DNOP	119	69-147	%Rec	1	1/24/2023 9:01:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	1/24/2023 10:19:00 PM
Surr: BFB	93.6	37.7-212	%Rec	1	1/24/2023 10:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/24/2023 10:19:00 PM
Toluene	ND	0.047	mg/Kg	1	1/24/2023 10:19:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	1/24/2023 10:19:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/24/2023 10:19:00 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	1/24/2023 10:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2200	150	mg/Kg	50	1/25/2023 1:13:39 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-98 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:35:00 PM

 Lab ID:
 2301754-023
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	39	9.5	mg/Kg	1	1/24/2023 11:50:51 AM
Motor Oil Range Organics (MRO)	69	47	mg/Kg	1	1/24/2023 11:50:51 AM
Surr: DNOP	90.7	69-147	%Rec	1	1/24/2023 11:50:51 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 11:18:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	1/24/2023 11:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/24/2023 11:18:00 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 11:18:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 11:18:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	1/24/2023 11:18:00 PM
Surr: 4-Bromofluorobenzene	90.3	70-130	%Rec	1	1/24/2023 11:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	60	mg/Kg	20	1/24/2023 7:06:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 32

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-99 4'

 Project:
 Hackberry 6 Fed 1
 Collection Date: 1/19/2023 1:35:00 PM

 Lab ID:
 2301754-024
 Matrix: SOIL
 Received Date: 1/21/2023 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	39	9.4	mg/Kg	1	1/24/2023 12:19:28 PM
Motor Oil Range Organics (MRO)	80	47	mg/Kg	1	1/24/2023 12:19:28 PM
Surr: DNOP	93.8	69-147	%Rec	1	1/24/2023 12:19:28 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/24/2023 11:37:00 PM
Surr: BFB	91.2	37.7-212	%Rec	1	1/24/2023 11:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/24/2023 11:37:00 PM
Toluene	ND	0.048	mg/Kg	1	1/24/2023 11:37:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/24/2023 11:37:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/24/2023 11:37:00 PM
Surr: 4-Bromofluorobenzene	92.1	70-130	%Rec	1	1/24/2023 11:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	60	mg/Kg	20	1/24/2023 7:43:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 32

Hall Environmental Analysis Laboratory, Inc.

2301754 30-Jan-23

WO#:

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: MB-72771 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72771 RunNo: 94168

Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SegNo: 3400465 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72771 SampType: Ics TestCode: EPA Method 300.0: Anions Client ID: LCSS Batch ID: 72771 RunNo: 94168 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400466 Units: mg/Kg **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual

Chloride 14 1.5 15.00 0 94.3 90 110

Sample ID: MB-72790 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **72790** RunNo: **94168**

Prep Date: 1/24/2023 Analysis Date: 1/24/2023 SeqNo: 3400495 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72790 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72790 RunNo: 94168

Prep Date: 1/24/2023 Analysis Date: 1/24/2023 SeqNo: 3400496 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.1 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301754

30-Jan-23

Client: Devon Energy **Project:** Hackberry 6 Fed 1

Troject.			
Sample ID: MB-72763	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 72763	RunNo: 94149	
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399774	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	9.8 10.00	98.4 69	147
Sample ID: LCS-72763	SampType: LCS	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 72763	RunNo: 94149	
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399775	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	42 10 50.00	0 84.3 61.9	130
Surr: DNOP	4.5 5.000	90.2 69	147
Sample ID: MB-72760	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 72760	RunNo: 94149	
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3400226	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	12 10.00	122 69	147
Sample ID: LCS-72760	SampType: LCS	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 72760	RunNo: 94149	
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3400227	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	47 10 50.00	0 94.6 61.9	130
Surr: DNOP	5.5 5.000	110 69	147
Sample ID: LCS-72784	SampType: LCS	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 72784	RunNo: 94184	
Prep Date: 1/24/2023	Analysis Date: 1/25/2023	SeqNo: 3401254	Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual

Qualifiers:

Surr: DNOP

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.

5.8

Analyte detected in the associated Method Blank

116

69

147

- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

5.000

Page 26 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301754

30-Jan-23

Client: Devon Energy **Project:** Hackberry 6 Fed 1

Sample ID: MB-72784 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72784 RunNo: 94184 Prep Date: 1/24/2023 Analysis Date: 1/25/2023 SeqNo: 3401255 Units: %Rec SPK Ref Val %RPD **RPDLimit** Analyte Result SPK value %REC LowLimit HighLimit Qual

Surr: DNOP 10 10.00 104 69 147

Sample ID: MB-72768 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402245 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 10 10.00 100 69 147

Sample ID: LCS-72768 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402246 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result POI LowLimit HighLimit Qual Diesel Range Organics (DRO) 57 10 50.00 114 61.9 130 Surr: DNOP 5.4 5.000 108 69 147

Sample ID: 2301754-003AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BS23-78 4' Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402250 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 150 8.9 44.52 96.37 129 135 54.2 Surr: DNOP 5.4 4.452 121 69 147

Sample ID: 2301754-003AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BS23-78 4' Batch ID: 72768 RunNo: 94143 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3402251 Units: mg/Kg Analyte Result SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 230 46.95 96.37 54.2 RS 9.4 293 135 41.3 29.2 Surr: DNOP 5.2 4.695 112 69 147 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Е
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 27 of 32

Hall Environmental Analysis Laboratory, Inc.

1000

WO#: **2301754** *30-Jan-23*

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: Ics-72751	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range
Client ID: LCSS	Batch ID: 72751	RunNo: 94163
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399948 Units: mg/Kg
Analyte	Result PQL SPK	value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Gasoline Range Organics (GRO) Surr: BFB		25.00 0 123 72.3 137 1000 121 37.7 212
Sample ID: Ics-72773	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range
Client ID: LCSS	Batch ID: 72773	RunNo: 94163
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399950 Units: %Rec
Analyte Surr: BFB		value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Sample ID: mb-72751	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range
Client ID: PBS	Batch ID: 72751	RunNo: 94163
Prep Date: 1/23/2023	Analysis Date: 1/24/2023	SeqNo: 3399952 Units: mg/Kg
Analyte	Result PQL SPK	value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 1100	1000 109 37.7 212
Sample ID: mb-72773	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range
Client ID: PBS	Batch ID: 72773	RunNo: 94163
Prep Date: 1/23/2023	Analysis Date: 1/25/2023	SeqNo: 3399954 Units: %Rec
Analyte	Result PQL SPK	value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Sample ID: 2301754-001ams	Samp1	ype: MS	3	Tes	tCode: EF	PA Method	8015D: Gasol	ine Range	,	
Client ID: BS23-76 4'	Batcl	n ID: 72 7	751	F	RunNo: 94	1163				
Prep Date: 1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 33	399987	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	29	4.9	24.68	0	117	70	130			-
Surr: BFB	1200		987.2		122	37.7	212			

1000

Sample ID: 2301754-001amsd	Samp	Гуре: МЅ	SD	TestCode: EPA Method 8015D: Gasoline Range							
Client ID: BS23-76 4'	Batcl	h ID: 72 7	751	F	RunNo: 94	1163					
Prep Date: 1/23/2023	Analysis [nalysis Date: 1/24/2023			SeqNo: 3399988			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	30	5.0	24.95	0	119	70	130	2.72	20		
Surr: BFB	1200		998.0		122	37.7	212	0	0		

Qualifiers:

Surr: BFB

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank

102

37.7

212

- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 28 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754**

30-Jan-23

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: Ics-72758	SampTyp	e: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch II	D: 72758	F	RunNo: 941	52						
Prep Date: 1/23/2023	Analysis Date	e: 1/24/2023	5	SeqNo: 340	0159	Units: mg/K	g				
Analyte	Result	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	27	5.0 25.00	0	106	72.3	137					
Surr: BFB	1100	1000		109	37.7	212					
Sample ID: mb-72758	SampTyp	e: MBLK	Tes	tCode: EPA	\ Method	8015D: Gaso	ine Range				
Client ID: PBS	Batch II	D: 72758	F	RunNo: 941	52						
Prep Date: 1/23/2023	Analysis Date	e: 1/24/2023	\$	SeqNo: 340	0160	Units: mg/K	g				
Analyte	Result	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	ND	5.0									
Surr: BFB	950	1000		94.8	37.7	212					
Sample ID: 2301754-021ams	SampTyp	e: MS	Tes	tCode: EPA	Method	8015D: Gaso	ine Range				
Client ID: BS23-96 4'	Batch II	D: 72758	F	RunNo: 941	52						
Prep Date: 1/23/2023	Analysis Date	e: 1/24/2023	8	SeqNo: 340	0164	Units: mg/K	g				
Analyte	Result	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	24	4.6 23.13	0	103	70	130					
Surr: BFB	950	925.1		103	37.7	212					

Sample 1D. 2301734-021ams	i Samp	ype. Wis	טפ	163	icode. Er	A Welliou	0013D. GaSO	ille Kange	•	
Client ID: BS23-96 4'	Batc	h ID: 72 7	758	F	RunNo: 94	4152				
Prep Date: 1/23/2023	Analysis [Date: 1/2	24/2023	5	SeqNo: 3	400165	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.6	23.21	0	99.3	70	130	2.96	20	
Surr: BFB	1000		928.5		111	37.7	212	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 29 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754** *30-Jan-23*

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: LCS-72751	Samp	Гуре: LC	S	TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batcl	h ID: 72 7	751	F	RunNo: 94	4163				
Prep Date: 1/23/2023	Analysis [Date: 1/2	24/2023	(SeqNo: 34					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	91.0	80	120			
Toluene	0.95	0.050	1.000	0	95.4	80	120			
Ethylbenzene	0.96	0.050	1.000	0	96.0	80	120			
Xylenes, Total	2.9	0.10	3.000	0	95.7	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130			
Sample ID: 1 CS-72773	Samn	Lyne: I C	9	Tes	tCode: FI	2A Method	8021R: Volati	loc		

Sample ID: LCS-72773	SampTy	pe: LC	S	Tes	tCode: EF	PA Method	8021B: Volatil	les		
Client ID: LCSS	Batch	ID: 727	773	F	RunNo: 94	1163				
Prep Date: 1/23/2023	Analysis Da	ate: 1/2	25/2023	5	SeqNo: 34	100009	Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.98		1.000	•	97.6	70	130			

Sample ID: mb-72751	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	n ID: 72 7	751	F	RunNo: 94	4163				
Prep Date: 1/23/2023	Analysis D	Date: 1/2	24/2023	5	SeqNo: 34	400010	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130			

Sample ID: mb-72773	SampT	ype: MB	LK	Tes	tCode: EF	PA Method 8	8021B: Volatil	es		
Client ID: PBS	Batch	ID: 727	73	F	RunNo: 9 4	1163				
Prep Date: 1/23/2023	Analysis D	ate: 1/2	5/2023	8	SeqNo: 34	100011	Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.96		1 000		95.5	70	130			

Sample ID: 2301754-002ams	SampT	уре: М S	3	TestCode: EPA Method 8021B: Volatiles						
Client ID: BS23-77 4'	Batcl	n ID: 72 7	751	F	RunNo: 9 4	1163				
Prep Date: 1/23/2023	SeqNo: 3400030 Units				:: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.023	0.9363	0	88.8	68.8	120			
Toluene	0.88	0.047	0.9363	0.01662	92.5	73.6	124			
Ethylbenzene	0.91	0.047	0.9363	0	97.1	72.7	129			
Xylenes, Total	2.7	0.094	2.809	0.02836	95.1	75.7	126			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 30 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301754**

30-Jan-23

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: 2301754-002ams SampType: MS TestCode: EPA Method 8021B: Volatiles Client ID: BS23-77 4' Batch ID: 72751 RunNo: 94163 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400030 Units: mg/Kg SPK Ref Val %RPD **RPDLimit** Analyte Result SPK value %REC LowLimit HighLimit Qual Surr: 4-Bromofluorobenzene 0.93 0.9363 99.4 70 130

Sample ID: 2301754-002amsd TestCode: EPA Method 8021B: Volatiles SampType: MSD Client ID: BS23-77 4' Batch ID: 72751 RunNo: 94163 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400031 Units: mg/Kg **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Benzene 0.83 0.023 0.9355 88.4 68.8 120 0.568 20 0.88 0.047 0.9355 0.01662 92.6 73.6 0.0724 20 Toluene 124 97.2 Ethylbenzene 0.91 0.047 0.9355 0 72 7 129 0.0505 20 Xylenes, Total 2.7 0.094 2.806 0.02836 96.1 75.7 126 0.910 20 0 Surr: 4-Bromofluorobenzene 0.94 0.9355 101 70 130 0

Sample ID: Ics-72758 TestCode: EPA Method 8021B: Volatiles SampType: LCS LCSS Client ID: Batch ID: 72758 RunNo: 94152 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400370 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte 0.025 1.000 0 93.0 80 120 Renzene 0.93Toluene 0.93 0.050 1.000 0 92.6 80 120 0 91.4 80 Ethylbenzene 0.91 0.050 1 000 120 Xylenes, Total 2.7 0.10 3.000 0 91.3 80 120 Surr: 4-Bromofluorobenzene 0.97 1.000 97 4 70 130

TestCode: EPA Method 8021B: Volatiles Sample ID: mb-72758 SampType: MBLK Client ID: **PBS** Batch ID: 72758 RunNo: 94152 Prep Date: 1/23/2023 Analysis Date: 1/24/2023 SeqNo: 3400371 Units: mg/Kg POI SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual Benzene ND 0.025 ND Toluene 0.050 Ethylbenzene ND 0.050 Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 0.94 1.000 93.7 70 130

Sample ID: 2301754-022ams SampType: MS TestCode: EPA Method 8021B: Volatiles Client ID: BS23-97 4' Batch ID: 72758 RunNo: 94152 Prep Date: Analysis Date: 1/24/2023 SeqNo: 3400376 1/23/2023 Units: mg/Kg PQL SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result LowLimit HighLimit Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 31 of 32

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301754 30-Jan-23

Client: Devon Energy
Project: Hackberry 6 Fed 1

Sample ID: 2301754-022ams	1	TestCode: EPA Method 8021B: Volatiles										
Client ID: BS23-97 4'	Batc	h ID: 72 7	758	F	RunNo: 94	1152						
Prep Date: 1/23/2023	rep Date: 1/23/2023 Analysis Date: 1/24/2023						Units: mg/K	ı/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.88	0.024	0.9506	0	92.3	68.8	120					
Toluene	0.88	0.048	0.9506	0	92.6	73.6	124					
Ethylbenzene	0.87	0.048	0.9506	0	91.8	72.7	129					
Xylenes, Total	2.6	0.095	2.852	0	91.2	75.7	126					
Surr: 4-Bromofluorobenzene 0.90 0.9506				94.9	70	130						

Sample ID: 2301754-022amsc	Samp	Туре: МЅ	SD	Tes		•				
Client ID: BS23-97 4'	Bato	h ID: 72 7	758	F	RunNo: 94	4152				
Prep Date: 1/23/2023	Analysis I	Date: 1/ 2	24/2023	5	SeqNo: 3400377 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.024	0.9533	0	98.0	68.8	120	6.29	20	
Toluene	0.93	0.048	0.9533	0	98.0	73.6	124	5.93	20	
Ethylbenzene	0.92	0.048	0.9533	0	96.9	72.7	129	5.67	20	
Xylenes, Total	2.8	0.095	2.860	0	96.6	75.7	126	6.08	20	
Surr: 4-Bromofluorobenzene	0.92		0.9533		96.2	70	130	0	0	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 32 of 32

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

				reosne, ww	w.natienvironment	ai.com		
Client Name:	Devon Ene	ergy	Work	Order Nun	nber: 2301754		RcptNo:	1
Received By:	Juan Roja	as	1/21/20	23 10:30:0	0 AM	Hansay Hansay		
Completed By:	Juan Roja	as	1/21/20	23 10:55:1	5 AM	Hansay		
Reviewed By:	A to	2 1 23 23-23						
Chain of Cust	od <u>v</u>					_	_	
. Is Chain of Cu	stody comp	lete?			Yes 🗌	No 🗹	Not Present	
. How was the s	ample deliv	rered?			Courier			
Log In								
. Was an attem _l	ot made to o	cool the samp	les?		Yes 🗹	No 🗌	NA 🗌	
. Were all sampl	les received	l at a tempera	ture of >0° C	to 6.0°C	Yes 🗹	No 🗌	NA \square	
. Sample(s) in p	roper conta	iner(s)?			Yes 🗸	No 🗌		
Sufficient samp	ole volume f	or indicated to	est(s)?		Yes 🗸	No 🗆		
Are samples (e	xcept VOA	and ONG) pro	operly preserv	ed?	Yes 🗹	No 🗌		
. Was preservati	ve added to	bottles?			Yes	No 🗹	NA \square	
. Received at lea	ıst 1 vial wit	h headspace	<1/4" for AQ \	OA?	Yes	No 🗌	NA 🗹	
) _. Were any sam	ple containe	ers received b	roken?		Yes 🗌	No 🗹	# of preserved	
. Does paperwor			a.		Yes 🗹	No 🗌	bottles checked for pH:	>12 upless noted
(Note discrepai Are matrices co		-			Yes 🗹	No 🗆	Adjusted?	12 docoo noted
Is it clear what			-		Yes 🗹	No 🗌		1 1
Were all holding (If no, notify cu	g times able	e to be met?			Yes 🗹	No 🗆	Checked by:	4421/2
oecial Handlii		,				4		
5. Was client not	30		with this order	?	Yes 🗌	No 🗌	NA 🗹	
Person N	Notified:			Date				
By Whor	n:			Via:	eMail	Phone Fax	☐ In Person	
Regardir	,							
	structions:							
6. Additional rem								
		er and email	address. JR 1	/21/23				
7. Cooler Inforn Cooler No	nation Temp ⁰C	Condition	Seal Intact	Seal No	Seal Date	Signed By		
OUDIGI IND	1 cillb C	Condition	Juan IIIIaul	JUAN NO	Jeai Dale	SIGNED DY		

-	
1	
4	
_ 4	
-	
95	
4	
- 60	
O	
00	
223	
\sim	
0	
C	
- ()	
0	
_	
16	
٠,	
• •	
7.3	
\sim	
0	
0	
-	
-	
by	
by	
d by	
d by	
ed by	
ved by	
ved by	
eived by	
ceived by	
ceived by	
eceived by	
eceived by	
ceived by	
eceived by	

Chain-of-Custody Record	Turn-Around Time:	IATIO NATIONAL PARTIES
Client: Nove (Norto)	Standard I Rush 48 hC	ANALYSTS LABORATORY
	ai ai	www.hallenvironmental.com
Mailing Address: no f. le	Hackberry 6 Fed 1	4901 Hawkins NE - Albuquerque, NM 87109
1	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22 E-02537	Analysis Request
email or Fax#:	Project Manager:	*OS
QA/QC Package:	Chance Dixon	s (802 O / MR PO4, 5
n: 🗆 Az Cor	Sampler: SPC	S80 (Γ.)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
U		8/26 8/26 4/05 8/30 8/30 8/4/06 8/4/06 8/4/06
□ EDD (Type)	# of Coolers: 1 wes-ナリ	o(GF)
	Cooler Temp(Including CF): 0.50203 (°C)	15D estideth yy 83 8 Md 3t, 1
	rvative	08:H9 M) 80 M) 80 M sH4 B ASC B ASC M (3(8)
Date Time Matrix Sample Name	Type and # Type 23 01751	808 133 144 197 197 198 188
1/19/23 8:41 BS23-76 4'	402 jar ice -001	>
1 8:40 BS33-77 4'	200-	
82-5688	-003	
18:50 BS23-79 V	1000	
	300-	
	-006	
18:59 BS33-82 H'	£007	
	-00B	
, h h8-82 SB h0.6	7009	
9:05 BS23-85 4'	-010	
19:08 BSJ3-86 41	-01/	
86	10- 1	
Relinquished by:	Received by: Via: Date Time	Remarks: 0.11 0.11.0 10.10 10.20
11923 16:24 Jagar 11/10 Call	solve 1/20/20	DIFECT DI MEVON: NO 100 / 101201
- Re	Received by: Via: Date Time	CC Sally Carthar
and May and	1 (ONNEY 1 21/23 1013	0
	The second secon	the second of the second of the second secon

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Released to Imaging: 10/5/2023 9:49:47 AM

-	
_	
-	
4	
~	
90	
~	
4	
٠.	
O	
. 4	
_	
9	
-3	
11	
~	
9	
0	
S 4	
\sim	
0	
_	
-	
<u>_</u>	
5	
43	
٠.	
-	
()	
_	
$\overline{}$	
\circ	
\geq	۱
9	۱
-	
-	
2	
ē	
- 30	
2	
•=	
2	
9	
ಿ	
Rec	

Chain-of-Custody Record	l urn-Around I	. IIMe:				2	_		G	MIN	TATINE	
Client: Devon (Vertex)	Standard	Rush_	48 hv		7 [AN	7	SIS	4	BOR	ANALYSIS LABORATORY	
	Project Name:	.: •				www.	hallen	vironn	www.hallenvironmental.com	E OC		
Mailing Address: θn $h u$	Hackber	ry, lo Fed	Hackbury to Fed I Well Pad	490	1 Hav	4901 Hawkins NE		enbnq	rque, l	Albuquerque, NM 87109	o	
n n	Project #:	D		Ţej.	. 505-	505-345-3975		Fax 5	05-34	Fax 505-345-4107		
Phone #:	72EC	22E02537					Anal	ysis F	Analysis Request	it		
email or Fax#:	Project Manager:	ager:	340 N N N N N N N N N N N N N N N N N N N		_		*O		(ţu	_	and de	_
QA/QC Package:		NOVIO 62			s,g(SW	S ԠC		əsqy			
☐ Standard ☐ Level 4 (Full Validation)	\dashv	- 1	1		 5 bC	ISO.) PC					
:uo	Sampler:	SPC					1O ^s					
□ NELAC □ Other	On Ice:		□ No			10						
□ EDD (Type)	# of Coolers:		Month			018						
5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Cooler Tempa	O(Including CF):	(3.) 5.050-6.1			8 y						
	Container	Preservative	HEAL No.	H:80.	91 Pe M) B(d sH	8 AA:	V) 09	2) 07 tal Co		n. Nie	
Date Time Matrix Sample Name	Type and #		2301754			AЧ	$\overline{}$					
1/19/12/9:12 Soil 18523-88 4'	4 oz jar	iæ	- 013	//			>		-		24 1 12	
1, 9:12 1 18523-89 4'	, ,		-014			8			=			
9:14 18523-90 4'			-015			-						
			310-					1			1	
_,			-1017								= 1	
4:24 13523-93 4'			810-				- 4		1			
13:27 13:27 13:27 4'		10 24	10/0	j.							100	
13:27 18523-95 4'			-020	4						7 99	4.00	
13:32 18523 910 4'			-021	7			2.7	1 t	14	200	A Section of	
			-022									
13:35 18523-98 4'			-023			100	1				7.4	-
13:35	1		2024	1 1		1			36			
Relinquishe	Received by:	Via:	Date Time	Remarks:		11.0	Ó				200.00	
13 6.24	Calara	and	8	<u>D</u> E	7	Direct 1511 Levon:	3	on:	3	00/	WO 100710130	_
Date: Time: Relinquished by:	Received by:	Via:	Date Time	ક	Sall	Cc Sally Car Har	かま	5				
(my 100 my 200)		15.000 T	1000-4-121/23/0130)	1-1-	Page		7/7		
ie s	av be subcontracted to other ac	1 8	This serves as notice of this	possibility Any sub-contracted	hv silb-c	ontracted	Tata Will	Jalo ac	potaton	dene odt no	inal rannrt	

rifeyacci edited laboratories. Released to Imaging: 10/5/2023 9:49:47 AM



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2301870

January 30, 2023

Chance Dixon
Devon Energy
6488 Seven Rivers Highway
Artesia, NM 88210
TEL: (505) 350-1336

FAX

RE: Hackberry 6 Fed 1 Well Pad

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 15 sample(s) on 1/24/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-100 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:36:00 AM

 Lab ID:
 2301870-001
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/26/2023 10:41:23 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/26/2023 10:41:23 AM
Surr: DNOP	75.9	69-147	%Rec	1	1/26/2023 10:41:23 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 8:42:00 AM
Surr: BFB	96.1	37.7-212	%Rec	1	1/26/2023 8:42:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 8:42:00 AM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 8:42:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 8:42:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	1/26/2023 8:42:00 AM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	1/26/2023 8:42:00 AM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2800	150	mg/Kg	50	1/26/2023 12:30:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-101 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:37:00 AM

 Lab ID:
 2301870-002
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: SB				
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/26/2023 11:09:35 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/26/2023 11:09:35 AM
Surr: DNOP	118	69-147	%Rec	1	1/26/2023 11:09:35 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 12:02:00 PM
Surr: BFB	105	37.7-212	%Rec	1	1/26/2023 12:02:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 12:02:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 12:02:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 12:02:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 12:02:00 PM
Surr: 4-Bromofluorobenzene	99.8	70-130	%Rec	1	1/26/2023 12:02:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1700	60	mg/Kg	20	1/25/2023 4:46:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-102 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:42:00 AM

 Lab ID:
 2301870-003
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	20	8.7	mg/Kg	1	1/26/2023 11:23:22 AM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	1/26/2023 11:23:22 AM
Surr: DNOP	129	69-147	%Rec	1	1/26/2023 11:23:22 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 12:21:00 PM
Surr: BFB	96.4	37.7-212	%Rec	1	1/26/2023 12:21:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 12:21:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 12:21:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 12:21:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/26/2023 12:21:00 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/26/2023 12:21:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2000	60	mg/Kg	20	1/25/2023 4:59:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-103 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:42:00 AM

 Lab ID:
 2301870-004
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: SB				
Diesel Range Organics (DRO)	39	9.7	mg/Kg	1	1/26/2023 12:05:35 PM
Motor Oil Range Organics (MRO)	64	48	mg/Kg	1	1/26/2023 12:05:35 PM
Surr: DNOP	114	69-147	%Rec	1	1/26/2023 12:05:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 12:41:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/26/2023 12:41:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 12:41:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 12:41:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 12:41:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/26/2023 12:41:00 PM
Surr: 4-Bromofluorobenzene	98.7	70-130	%Rec	1	1/26/2023 12:41:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1800	60	mg/Kg	20	1/25/2023 5:12:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 4 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-104 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:47:00 AM

 Lab ID:
 2301870-005
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: SB			
Diesel Range Organics (DRO)	43	9.5	mg/Kg	1	1/26/2023 9:37:39 AM
Motor Oil Range Organics (MRO)	63	47	mg/Kg	1	1/26/2023 9:37:39 AM
Surr: DNOP	118	69-147	%Rec	1	1/26/2023 9:37:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 1:00:00 PM
Surr: BFB	97.5	37.7-212	%Rec	1	1/26/2023 1:00:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 1:00:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 1:00:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 1:00:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/26/2023 1:00:00 PM
Surr: 4-Bromofluorobenzene	99.5	70-130	%Rec	1	1/26/2023 1:00:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2300	60	mg/Kg	20	1/25/2023 5:24:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-105 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:46:00 AM

 Lab ID:
 2301870-006
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	100	9.5	mg/Kg	1	1/26/2023 10:24:52 AM
Motor Oil Range Organics (MRO)	180	47	mg/Kg	1	1/26/2023 10:24:52 AM
Surr: DNOP	130	69-147	%Rec	1	1/26/2023 10:24:52 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 1:20:00 PM
Surr: BFB	99.5	37.7-212	%Rec	1	1/26/2023 1:20:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 1:20:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 1:20:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 1:20:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	1/26/2023 1:20:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	1/26/2023 1:20:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	150	mg/Kg	50	1/26/2023 12:42:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-106 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:51:00 AM

 Lab ID:
 2301870-007
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	76	9.1	mg/Kg	1	1/26/2023 11:12:15 AM
Motor Oil Range Organics (MRO)	130	46	mg/Kg	1	1/26/2023 11:12:15 AM
Surr: DNOP	130	69-147	%Rec	1	1/26/2023 11:12:15 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 1:40:00 PM
Surr: BFB	96.4	37.7-212	%Rec	1	1/26/2023 1:40:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 1:40:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 1:40:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 1:40:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/26/2023 1:40:00 PM
Surr: 4-Bromofluorobenzene	96.4	70-130	%Rec	1	1/26/2023 1:40:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2200	150	mg/Kg	50	1/26/2023 12:55:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-107 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:51:00 AM

 Lab ID:
 2301870-008
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	40	9.3	mg/Kg	1	1/26/2023 11:59:30 AM
Motor Oil Range Organics (MRO)	62	46	mg/Kg	1	1/26/2023 11:59:30 AM
Surr: DNOP	126	69-147	%Rec	1	1/26/2023 11:59:30 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 1:59:00 PM
Surr: BFB	98.7	37.7-212	%Rec	1	1/26/2023 1:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 1:59:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 1:59:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 1:59:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/26/2023 1:59:00 PM
Surr: 4-Bromofluorobenzene	98.8	70-130	%Rec	1	1/26/2023 1:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2300	150	mg/Kg	50	1/26/2023 1:07:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-108 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:55:00 AM

 Lab ID:
 2301870-009
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	38	9.3	mg/Kg	1	1/26/2023 12:19:44 PM
Motor Oil Range Organics (MRO)	63	47	mg/Kg	1	1/26/2023 12:19:44 PM
Surr: DNOP	95.2	69-147	%Rec	1	1/26/2023 12:19:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 2:19:00 PM
Surr: BFB	98.0	37.7-212	%Rec	1	1/26/2023 2:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 2:19:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 2:19:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 2:19:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/26/2023 2:19:00 PM
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	1/26/2023 2:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	2200	60	mg/Kg	20	1/25/2023 6:16:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

QL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-109 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:55:00 AM

 Lab ID:
 2301870-010
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	25	9.9	mg/Kg	1	1/26/2023 12:34:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	1/26/2023 12:34:06 PM
Surr: DNOP	104	69-147	%Rec	1	1/26/2023 12:34:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 2:38:00 PM
Surr: BFB	98.2	37.7-212	%Rec	1	1/26/2023 2:38:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 2:38:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 2:38:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 2:38:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 2:38:00 PM
Surr: 4-Bromofluorobenzene	98.3	70-130	%Rec	1	1/26/2023 2:38:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	2900	150	mg/Kg	50	1/26/2023 1:20:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-110 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:58:00 AM

 Lab ID:
 2301870-011
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	1/26/2023 12:48:23 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	1/26/2023 12:48:23 PM
Surr: DNOP	93.0	69-147	%Rec	1	1/26/2023 12:48:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 3:17:00 PM
Surr: BFB	96.6	37.7-212	%Rec	1	1/26/2023 3:17:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 3:17:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 3:17:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 3:17:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	1/26/2023 3:17:00 PM
Surr: 4-Bromofluorobenzene	99.6	70-130	%Rec	1	1/26/2023 3:17:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1600	60	mg/Kg	20	1/25/2023 7:07:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 11 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: BS23-111 4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 8:58:00 AM

 Lab ID:
 2301870-012
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: SB				
Diesel Range Organics (DRO)	21	9.2	mg/Kg	1	1/26/2023 1:02:43 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	1/26/2023 1:02:43 PM
Surr: DNOP	118	69-147	%Rec	1	1/26/2023 1:02:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	1/26/2023 3:37:00 PM
Surr: BFB	98.2	37.7-212	%Rec	1	1/26/2023 3:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 3:37:00 PM
Toluene	ND	0.049	mg/Kg	1	1/26/2023 3:37:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	1/26/2023 3:37:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 3:37:00 PM
Surr: 4-Bromofluorobenzene	97.6	70-130	%Rec	1	1/26/2023 3:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	960	60	mg/Kg	20	1/25/2023 7:20:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-43 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 11:31:00 AM

 Lab ID:
 2301870-013
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	1/26/2023 1:16:56 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/26/2023 1:16:56 PM
Surr: DNOP	120	69-147	%Rec	1	1/26/2023 1:16:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	1/26/2023 3:57:00 PM
Surr: BFB	102	37.7-212	%Rec	1	1/26/2023 3:57:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	1/26/2023 3:57:00 PM
Toluene	ND	0.048	mg/Kg	1	1/26/2023 3:57:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	1/26/2023 3:57:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	1/26/2023 3:57:00 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	1/26/2023 3:57:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	1/25/2023 7:33:32 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-44 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 11:39:00 AM

 Lab ID:
 2301870-014
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	1/26/2023 12:24:15 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	1/26/2023 12:24:15 PM
Surr: DNOP	119	69-147	%Rec	1	1/26/2023 12:24:15 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 4:17:00 PM
Surr: BFB	96.7	37.7-212	%Rec	1	1/26/2023 4:17:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 4:17:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 4:17:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 4:17:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 4:17:00 PM
Surr: 4-Bromofluorobenzene	99.0	70-130	%Rec	1	1/26/2023 4:17:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	1/25/2023 7:46:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 19

Date Reported: 1/30/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Devon Energy Client Sample ID: WS23-45 0-4'

 Project:
 Hackberry 6 Fed 1 Well Pad
 Collection Date: 1/20/2023 12:42:00 PM

 Lab ID:
 2301870-015
 Matrix: SOIL
 Received Date: 1/24/2023 1:40:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	8.8	mg/Kg	1	1/26/2023 12:48:04 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	1/26/2023 12:48:04 PM
Surr: DNOP	135	69-147	%Rec	1	1/26/2023 12:48:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/26/2023 4:36:00 PM
Surr: BFB	97.0	37.7-212	%Rec	1	1/26/2023 4:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	1/26/2023 4:36:00 PM
Toluene	ND	0.050	mg/Kg	1	1/26/2023 4:36:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/26/2023 4:36:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	1/26/2023 4:36:00 PM
Surr: 4-Bromofluorobenzene	96.5	70-130	%Rec	1	1/26/2023 4:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	1/25/2023 7:59:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870**

30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72815 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72815 RunNo: 94198

Prep Date: 1/25/2023 Analysis Date: 1/25/2023 SeqNo: 3401847 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-72815 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: **LCSS** Batch ID: **72815** RunNo: **94198**

Prep Date: 1/25/2023 Analysis Date: 1/25/2023 SeqNo: 3401848 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.0 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 16 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870** 30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: MB-72814 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 72814 RunNo: 94191

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3401999 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 9.8 10.00 97.6 69 147

Sample ID: LCS-72814 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 72814 RunNo: 94191

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3402000 Units: mg/Kg

Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 10 61.9 130 59 50.00 118

Surr: DNOP 4.7 5.000 94.0 69 147

Sample ID: 2301870-001AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: BS23-100 4' Batch ID: 72814 RunNo: 94195

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3402860 Units: mg/Kg

Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 45 9.499 54.2 45.41 78.2 135

Surr: DNOP 4.3 4.541 94.3 69 147

Sample ID: 2301870-001AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: BS23-100 4' Batch ID: 72814 RunNo: 94195

Prep Date: 1/25/2023 Analysis Date: 1/26/2023 SeqNo: 3402863 Units: mg/Kg

LowLimit %RPD Result PQL SPK value SPK Ref Val %REC HighLimit **RPDLimit** Qual Analyte Diesel Range Organics (DRO) 53 9.6 47.94 9.499 90.5 54.2 135 16.1 29.2 Surr: DNOP 4.8 4.794 99.2 69 147 0 0

Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 17 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301870 30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72799 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 72799 RunNo: 94183

Units: mg/Kg Prep Date: 1/24/2023 Analysis Date: 1/26/2023 SeqNo: 3401214

PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte Result LowLimit

0 Gasoline Range Organics (GRO) 27 5.0 25.00 106 72.3 137 Surr: BFB 1000 1000 104 37.7 212

Sample ID: mb-72799 TestCode: EPA Method 8015D: Gasoline Range SampType: MBLK

Client ID: PBS Batch ID: 72799 RunNo: 94183

Prep Date: 1/24/2023 Analysis Date: 1/26/2023 SeqNo: 3401215 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 920 1000 91.7 37.7 212

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 18 of 19

Hall Environmental Analysis Laboratory, Inc.

WO#: **2301870**

30-Jan-23

Client: Devon Energy

Project: Hackberry 6 Fed 1 Well Pad

Sample ID: Ics-72799 SampType: LCS			TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 72799			RunNo: 94183						
Prep Date: 1/24/2023	Analysis D	ate: 1/2	26/2023	S	SeqNo: 3	401309	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	1.000	0	96.2	80	120			
Toluene	0.96	0.050	1.000	0	95.8	80	120			
Ethylbenzene	0.93	0.050	1.000	0	93.3	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.1	80	120			
Surr: 4-Bromofluorobenzene	0.95		1.000		94.6	70	130			

Sample ID: mb-72799	Samp	Гуре: МЕ	BLK	Tes	tCode: E	PA Method	8021B: Volat	tiles		
Client ID: PBS	Batc	h ID: 72	799	F	RunNo: 9	4183				
Prep Date: 1/24/2023	Analysis [Date: 1/	26/2023	8	SeqNo: 3	401310	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000		94.7	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 19



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/5/2023 9:49:47 AM

Client Name:	Devon Ene							
	Jevon Enei	rgy	Work	Order Numb	er: 2301870		RcptNo	1
Received By:	Joseph Al	derette	1/24/20	23 2:40:00 F	М	H		
Completed By:	Desiree D	ominauez	1/24/20	23 2:02:53 F	М	T		
Reviewed By: S						112		
Chain of Custo	od <u>y</u>							
1. Is Chain of Cus	tody compl	ete?			Yes 🗌	No 🗹	Not Present	
2. How was the sa	ample deliv	ered?			Courier			
Log In								
3. Was an attemp	t made to c	ool the samp	les?		Yes 🗹	No 🗌	NA 🗌	
4. Were all sample	es received	at a tempera	ture of >0° C	to 6.0°C	Yes 🗹	No 🗌	na 🗆	
5. Sample(s) in pr	oper contai	ner(s)?			Yes 🗹	No 🗌		
6. Sufficient sample	le volume fo	or indicated te	est(s)?		Yes 🗹	No 🗌		
7. Are samples (ex	cept VOA	and ONG) pro	operly preserve	ed?	Yes 🗸	No 🗌		
8. Was preservativ	e added to	bottles?			Yes 🗌	No 🗸	NA 🗌	
9. Received at leas	st 1 vial witl	n headspace	<1/4" for AQ \	/OA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any samp	ole containe	rs received b	roken?		Yes	No 🗹	# of preserved	- /
11. Does paperwork					Yes 🗹	No 🗆	bottles checked for pH:	>12 unless note
(Note discrepan 2. Are matrices co					Yes 🗸	No 🗆	Adjusted?	- 12 unic33 note
3. Is it clear what a	-		_		Yes ✓	No 🗆		
14. Were all holding			•		Yes ✓	No 🗆	Checked by:	M 1-24-2
(If no, notify cus					100 🖭		0	
Special Handlir	ng (if app	licable)						
15. Was client notif	fied of all di	screpancies v	with this order	?	Yes 🗌	No 🗌	NA 🗹	-
Person N	otified:		e e e e e e e e e e e e e e e e e e e	Date:				
By Whom	ո:			Via:	eMail	Phone 🗌 Fax	☐ In Person	
Regarding	g:							
Client Ins	tructions:							
16. Additional rem	arks:							
COC mis	sing client i	nfo (on file) -	DAD 1/24/23					
17. <u>Cooler Inform</u>			District of the second				T.	
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By		
providence than the providence of the contract	0.2	Good	Not Present					

*	
-	
-	
-	
4	
Manual	
• •	
0	
4	
- 6	
U	
3	
C	
-	
-	
0	
- 5.4	
0	
_	
10	
-43	
4	
0:	
0:	
CD:	
CD:	
0:	
OCD:	
v OCD:	
v OCD:	
v OCD:	
1 by OCD:	
d by OCD:	
d by OCD:	
ed by OCD:	
ved by OCD:	
ived by OCD:	
ived by OCD:	
eived by OCD:	
eived by OCD:	
ceived by OCD:	
eceived by OCD:	
eceived by OCD:	
eceived by OCD:	
eceived by OCD:	

Chain-of-Custody Record	I urn-Around Ime:	LATI ENVIDONMENTAL
Client: Devan (Vertex)	□ Standard ★Rush 48+HW/	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address: On 午; P	Hackberry 6 Fed 1 (Jelload	4901 Hawkins NE - Albuquerque, NM 87109
=	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	22 E - 02537	Analysis Request
email or Fax#:	Project Manager:	*O9
QA/QC Package:		s'80 SMI
☐ Standard ☐ Level 4 (Full Validation)	Carcle 7 x00	OF 2
Accreditation: Az Compliance	Sampler: SPC	(L.I.) 8277 8277
☐ NELAC ☐ Other	On Ice: 🔟 Yes 🗆 No	OS 8/86 30 0 10 (AC
□ EDD (Type)	# of Coolers: 2 0.4 -0.2 : 0.2 .c	od : bo GHO)
	Cooler Temp(including cF): 1.8-0.2 · 1.6 · /cg.,(°C)	15C estic by 83 3r, 3r,
	Container Preservative HEAL No.	H:80 (A)
Date Time Matrix Sample Name	Type and # Type 2301840	908 В08 ДЭ АЧ ОЭЯ Э28
1/20/23 8:36 Soil 8523 - 100 4.	402 jac -001	\ \ \
1 8:37 1 BSJ3-101 4'	500-	
1 8:42 8523-102 4'	- 003	
18523-	h00-	
8:47 BS23-104 4'	500~	
BS23- 105	7000	
8:51 BS23-106 4'	-007	
19.501 - ELZZ / 12:8	200	
8.55 BS33-108 4'	600	
8:55 BS23-109 4'	010-	
4 8:58 BS23-110 4'		
90	1 -012	
Reling	Received by: Via: Date Time	
5.	WWW 1813 6	
Date Time: Remanished by:	Received by: Via: Date Time	Wo 1007 101301
THE MANNEY IN		כר אלווץ כש דומר

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Received by OCD: 5/10/2023 2:48:14 PM

Chain-of-Custody Record	Turn-Around Time:	HALL ENVIRONMENTAL
Client: Devon (Vertex)	Standard Aush 48 M	
Mailing Address: 0N HIL	Hackberry le Fed I Well Pad	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:	716-02537	Analysis Request
email or Fax#:	Project Manager:	*OS
ige:	Chance Dixon	(802 SO ₄ , 9 SIMS
	-	82 РЯС () 22703 13, г
Accreditation: Az Compilance Other	On Ice: Yes No	08\a 08\a 8 10 6 00 6 10 6 10 6 10 6 10 6 10 6 10 6
□ EDD (Type)	olers: 2 0.4 - v.	(GR shals shals shals NO ₃
	ding CF): /	15D Jetho y 83 3r, 1 Jetho Met
	Container Preservative HEAL	HS0 HS0 HS (W HS b HS AR: E, F E, (V
Date Time Matrix Sample Name	Type and # Type 2301870	918 908 ED3 PA9 PCI3 PCI3 PCI3 PCI3 PCI3 PCI3 PCI3 PCI3
1/20/211:31 Soil WS23-430-4'	40, jar 1,ce -013	
-		
1 12:42 WS23-45 0-4'	510 -	
	Received by: Via: Date	Remarks:
1/20/23 15:24 Sally Carten	$ \xi $	915 Direct Bill Devon read
		WO 1007101501
TOB CONTRACTOR	52-hp:	13:40 CC Sally Courter
ł		,

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Reference

- Google Inc. (2022). Google Earth Pro (Version 7.3.3) [Software]. Retrieved from https://earth.google.com
- New Mexico Bureau of Geology and Mineral Resources. (2022). *Interactive Geologic Map*. Retrieved from http://geoinfo.nmt.edu
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2019). *Well Log/Meter Information Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- New Mexico Water Rights Reporting System. (2019a). Water Column/Average Depth to Water Report. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html
- New Mexico Water Rights Reporting System. (2019b). *Point of Diversion Location Report*. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html
- United States Department of Agriculture, Natural Resources Conservation Service. (2022). *Web Soil Survey*. Retrieved from https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.
- United States Department of Homeland Security, FEMA Flood Map Service Center. (2010). Flood Map Number 35015C1875D. Retrieved from https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20mexic o#searchresultsanchor
- United States Department of the Interior, Bureau of Land Management. (2019) *New Mexico Cave/Karsts.* Retrieved from https://www.blm.gov/programs/recreation/recreation-programs/caves/new-mexico
- United State Fish and Wildlife Service. (2019). *National Wetland Inventory Surface Waters and Wetland*. Retrieved from https://www.fws.gov/wetlands/data/mapper.html

Limitations

This report has been prepared for the sole benefit of Devon Energy Production Company (Devon). This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division, without the express written consent of Vertex Resource Services Inc. (Vertex) and Devon. Any use of this report by a third party, any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgment of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 215663

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	215663
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created	By Condition	Condition Date
rhamle	We have received your closure report and final C-141 for Incident #NAPP2219226827 PASTURE NORTH OF HACKBERRY 6 FEDERAL 1, thank you. This closure is approved.	10/5/2023