

Gas Composition and Properties

Effective August 1, 2023 00:00 - January 18, 2038 21:14

Source #: 0233152

Name: Grobe Inlet

Component	Mole %	Liquid Content	Mass %	Property	Total Sample
Carbon Dioxide (CO2)	1.7085		3.1922	Pressure Base	14.65
Nitrogen (N2)	1.7437		2.0738	Temperature Base	60
Methane (C1)	72.6365		49.4709	HCDP @ Sample Pressure	
Ethane (C2)	10.4098	2.7802	13.2888	Cricondentherm	
Propane (C3)	6.7996	1.8707	12.7293	HV, Dry @ Base P, T	1337.53
Isobutane (IC4)	0.7196	0.2352	1.7757	HV, Sat @ Base P, T	1314.12
n-Butane (NC4)	2.6705	0.8408	6.5896	HV, Sat @ Sample P, T	1295.79
Isopentane (IC5)	0.6110	0.2231	1.8715	Relative Density	0.8165
n-Pentane (NC5)	0.9120	0.3301	2.7935		
Hexanes Plus (C6+)	1.3812	0.6155	5.6249		
Argon (Ar)					
Carbon Monoxide (CO)					
Hydrogen (H2)					
Oxygen (O2)					
Helium (He)					
Water (H2O)					
Hydrogen Sulfide (H2S)	0.4076		0.5898	C6+: 48 - 36 - 17	
Totals	100.0000	6.8950	100.0000		

Sample

Date: 08/10/2023

Type:

Tech: John Britt

Pressure:

22.8 psi

Temp.:

91 °F

Gauge:

H2O:

Atm. Pressure:

H2S:

4,076 ppm

Remarks:

Analysis

Date:

Instrument:

Tech:

Cylinder:

Remarks:

*** End of Report ***

TARGA SCADA**Environmental - Log Period Flare Volume Report**

Group Name: Rpt-Flare-Eunice

Generated: 10/07/2023 09:17 (-0500) **Report Contract Day(s):** 10/6/2023 **To****Meter Count:** 19

Raw Data Report

Meter ID: 0222625**Location** N B Field Flare

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	21.596	53.235	0.000	0.000
10/6/23 1:00	0.000	21.615	52.662	0.000	0.000
10/6/23 2:00	0.000	21.656	52.061	0.000	0.000
10/6/23 3:00	0.000	21.715	51.553	0.000	0.000
10/6/23 4:00	0.000	21.635	51.196	0.000	0.000
10/6/23 5:00	0.000	21.735	50.599	0.000	0.000
10/6/23 6:00	0.000	21.705	49.973	0.000	0.000
10/6/23 7:00	0.000	22.095	47.844	0.000	0.000
10/6/23 8:00	0.000	21.774	42.486	0.000	0.000
10/6/23 9:00	0.000	21.909	42.060	0.000	0.000
10/6/23 10:00	0.000	22.131	49.574	0.000	0.000
10/6/23 11:00	0.000	22.172	55.000	0.000	0.000
10/6/23 12:00	0.000	22.355	62.358	0.000	0.000
10/6/23 13:00	0.000	22.587	66.115	0.000	0.000
10/6/23 14:00	0.000	22.620	63.286	0.000	0.000
10/6/23 15:00	0.000	22.635	60.500	0.000	0.000
10/6/23 16:00	0.000	22.403	59.488	0.000	0.000
10/6/23 17:00	0.000	22.328	58.951	0.000	0.000
10/6/23 18:00	0.000	22.174	59.421	0.000	0.000
10/6/23 19:00	0.000	22.187	58.801	0.000	0.000
10/6/23 20:00	0.000	23.890	57.540	0.000	0.000
10/6/23 21:00	0.000	24.309	56.524	0.000	0.000
10/6/23 22:00	0.000	24.296	55.756	0.000	0.000
10/6/23 23:00	0.000	24.199	55.846	0.000	0.000
Avg/Total:		22.41	54.70	0.0000	0.0000

Meter ID: 0222639

Location N.B.RESIDUE FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	241.851	59.450	0.000	0.000
10/6/23 1:00	0.000	243.229	58.445	0.000	0.000
10/6/23 2:00	0.000	234.776	57.429	0.000	0.000
10/6/23 3:00	0.000	233.180	56.441	0.000	0.000
10/6/23 4:00	0.000	234.742	55.556	0.000	0.000
10/6/23 5:00	0.000	234.319	54.641	0.000	0.000
10/6/23 6:00	0.000	233.975	54.004	0.000	0.000
10/6/23 7:00	0.000	230.686	53.981	0.000	0.000
10/6/23 8:00	0.000	231.324	56.929	0.000	0.000
10/6/23 9:00	0.000	229.165	63.482	0.000	0.000
10/6/23 10:00	0.000	230.770	67.678	0.000	0.000
10/6/23 11:00	0.000	230.866	74.900	0.000	0.000
10/6/23 12:00	0.000	231.137	81.425	0.000	0.000
10/6/23 13:00	0.000	231.264	85.096	0.000	0.000
10/6/23 14:00	0.000	230.835	87.009	0.000	0.000
10/6/23 15:00	0.000	230.017	87.704	0.000	0.000
10/6/23 16:00	0.000	230.687	84.533	0.000	0.000
10/6/23 17:00	0.000	230.340	80.124	0.000	0.000
10/6/23 18:00	0.000	230.246	75.618	0.000	0.000
10/6/23 19:00	0.000	227.839	70.213	0.000	0.000
10/6/23 20:00	0.000	231.853	66.756	0.000	0.000
10/6/23 21:00	0.000	234.791	64.203	0.000	0.000
10/6/23 22:00	0.000	239.831	62.308	0.000	0.000
10/6/23 23:00	0.000	245.541	59.957	0.000	0.000
Avg/Total:		233.47	67.41	0.0000	0.0000

Meter ID: 0223417

Location EL PASO BLOWDOWN

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.053	57.502	0.000	0.000
10/6/23 1:00	0.000	13.052	56.664	0.000	0.000
10/6/23 2:00	0.000	13.051	55.624	0.000	0.000
10/6/23 3:00	0.000	13.051	54.527	0.000	0.000
10/6/23 4:00	0.000	13.052	53.593	0.000	0.000
10/6/23 5:00	0.000	13.061	52.885	0.000	0.000
10/6/23 6:00	0.000	13.069	52.566	0.000	0.000
10/6/23 7:00	0.000	13.071	53.318	0.000	0.000
10/6/23 8:00	0.000	13.071	60.034	0.000	0.000
10/6/23 9:00	0.000	13.073	70.862	0.000	0.000
10/6/23 10:00	0.000	13.069	79.144	0.000	0.000
10/6/23 11:00	0.000	13.063	85.859	0.000	0.000
10/6/23 12:00	0.000	13.058	90.676	0.000	0.000
10/6/23 13:00	0.000	13.045	93.424	0.000	0.000
10/6/23 14:00	0.000	13.035	93.301	0.000	0.000
10/6/23 15:00	0.000	13.033	92.536	0.000	0.000
10/6/23 16:00	0.000	13.030	88.950	0.000	0.000
10/6/23 17:00	0.000	13.030	83.272	0.000	0.000
10/6/23 18:00	0.000	13.037	74.582	0.000	0.000
10/6/23 19:00	0.000	13.050	67.752	0.000	0.000
10/6/23 20:00	0.000	13.067	63.768	0.000	0.000
10/6/23 21:00	0.000	13.072	61.665	0.000	0.000
10/6/23 22:00	0.000	13.085	59.888	0.000	0.000
10/6/23 23:00	0.000	13.096	58.656	0.000	0.000
Avg/Total:		13.06	69.21	0.0000	0.0000

Meter ID: 0223509

Location N. Cat Flare

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.006	63.936	0.000	0.000
10/6/23 1:00	0.000	13.005	63.002	0.000	0.000
10/6/23 2:00	0.000	13.002	61.897	0.000	0.000
10/6/23 3:00	0.000	13.002	60.952	0.000	0.000
10/6/23 4:00	0.000	13.004	59.989	0.000	0.000
10/6/23 5:00	0.000	13.010	59.114	0.000	0.000
10/6/23 6:00	0.000	13.017	58.386	0.000	0.000
10/6/23 7:00	0.000	13.022	60.002	0.000	0.000
10/6/23 8:00	0.000	13.027	66.777	0.000	0.000
10/6/23 9:00	0.000	13.029	76.202	0.000	0.000
10/6/23 10:00	0.000	13.025	89.108	0.000	0.000
10/6/23 11:00	0.000	13.023	97.725	0.000	0.000
10/6/23 12:00	0.000	13.016	102.927	0.000	0.000
10/6/23 13:00	0.000	13.004	105.801	0.000	0.000
10/6/23 14:00	0.000	12.994	105.909	0.000	0.000
10/6/23 15:00	0.000	12.992	103.076	0.000	0.000
10/6/23 16:00	0.000	12.988	96.436	0.000	0.000
10/6/23 17:00	0.000	12.988	86.475	0.000	0.000
10/6/23 18:00	0.000	12.995	78.458	0.000	0.000
10/6/23 19:00	0.000	13.005	73.516	0.000	0.000
10/6/23 20:00	0.000	13.020	70.764	0.000	0.000
10/6/23 21:00	0.000	13.028	68.363	0.000	0.000
10/6/23 22:00	0.000	13.036	66.706	0.000	0.000
10/6/23 23:00	0.000	13.050	64.036	0.000	0.000
Avg/Total:		13.01	76.65	0.0000	0.0000

Meter ID: 0232624

Location South Booster Field Flar

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	24.218	58.639	0.000	0.000
10/6/23 1:00	0.000	24.544	57.265	0.000	0.000
10/6/23 2:00	0.000	24.863	56.135	0.000	0.000
10/6/23 3:00	0.000	24.804	55.006	0.000	0.000
10/6/23 4:00	0.000	24.438	54.555	0.000	0.000
10/6/23 5:00	0.000	24.108	54.567	0.000	0.000
10/6/23 6:00	0.000	22.763	54.770	0.000	0.000
10/6/23 7:00	0.000	22.973	61.961	0.000	0.000
10/6/23 8:00	0.000	24.505	69.090	0.000	0.000
10/6/23 9:00	0.000	25.074	74.747	0.000	0.000
10/6/23 10:00	0.000	25.530	79.494	0.000	0.000
10/6/23 11:00	0.000	25.642	80.992	0.000	0.000
10/6/23 12:00	0.000	25.529	81.957	0.000	0.000
10/6/23 13:00	0.000	25.529	80.127	0.000	0.000
10/6/23 14:00	0.000	25.446	82.958	0.000	0.000
10/6/23 15:00	0.000	25.388	85.347	0.000	0.000
10/6/23 16:00	0.000	25.562	83.893	0.000	0.000
10/6/23 17:00	0.000	25.256	81.326	0.000	0.000
10/6/23 18:00	0.000	25.015	73.997	0.000	0.000
10/6/23 19:00	0.000	24.872	68.178	0.000	0.000
10/6/23 20:00	0.000	24.823	65.369	0.000	0.000
10/6/23 21:00	0.000	25.085	62.096	0.000	0.000
10/6/23 22:00	0.000	25.049	60.993	0.000	0.000
10/6/23 23:00	0.000	24.932	58.902	0.000	0.000
Avg/Total:		24.83	68.43	0.0000	0.0000

Meter ID: 0233151

Location GROBE FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	22.625	58.402	0.000	0.000
10/6/23 1:00	0.000	22.514	56.889	0.000	0.000
10/6/23 2:00	0.000	22.378	55.649	0.000	0.000
10/6/23 3:00	0.000	22.233	54.393	0.000	0.000
10/6/23 4:00	0.000	22.172	52.924	0.000	0.000
10/6/23 5:00	0.000	26.693	51.853	0.000	0.000
10/6/23 6:00	6.350	34.560	70.012	36.826	44816.860
10/6/23 7:00	7.040	33.708	75.404	24.667	30019.690
10/6/23 8:00	0.000	25.909	72.405	0.000	0.000
10/6/23 9:00	0.000	25.026	77.537	0.000	0.000
10/6/23 10:00	0.000	24.628	81.594	0.000	0.000
10/6/23 11:00	0.000	24.416	84.372	0.000	0.000
10/6/23 12:00	0.000	24.329	86.444	0.000	0.000
10/6/23 13:00	0.000	24.175	88.975	0.000	0.000
10/6/23 14:00	0.000	24.060	91.104	0.000	0.000
10/6/23 15:00	0.000	23.874	92.444	0.000	0.000
10/6/23 16:00	0.000	23.733	91.619	0.000	0.000
10/6/23 17:00	0.000	23.484	88.321	0.000	0.000
10/6/23 18:00	0.000	23.261	81.651	0.000	0.000
10/6/23 19:00	0.000	23.247	74.227	0.000	0.000
10/6/23 20:00	0.000	23.157	68.762	0.000	0.000
10/6/23 21:00	0.000	23.073	64.427	0.000	0.000
10/6/23 22:00	0.000	23.158	62.498	0.000	0.000
10/6/23 23:00	0.000	22.805	62.017	0.000	0.000
Avg/Total:	0.56	24.55	72.66	61.4927	74836.5500

Meter ID: 0233275

Location S/B DISCHARGE FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.317	57.387	0.000	0.000
10/6/23 1:00	0.000	13.316	56.167	0.000	0.000
10/6/23 2:00	0.000	13.293	54.622	0.000	0.000
10/6/23 3:00	0.000	13.316	53.115	0.000	0.000
10/6/23 4:00	0.000	13.301	52.305	0.000	0.000
10/6/23 5:00	0.000	13.285	51.604	0.000	0.000
10/6/23 6:00	0.000	13.289	51.427	0.000	0.000
10/6/23 7:00	0.000	13.318	52.304	0.000	0.000
10/6/23 8:00	0.000	13.357	59.136	0.000	0.000
10/6/23 9:00	0.000	13.303	70.609	0.000	0.000
10/6/23 10:00	0.000	13.318	78.970	0.000	0.000
10/6/23 11:00	0.000	13.307	85.397	0.000	0.000
10/6/23 12:00	0.000	13.288	89.748	0.000	0.000
10/6/23 13:00	0.000	13.268	92.231	0.000	0.000
10/6/23 14:00	0.000	13.249	92.218	0.000	0.000
10/6/23 15:00	0.000	13.250	91.122	0.000	0.000
10/6/23 16:00	0.000	13.262	89.383	0.000	0.000
10/6/23 17:00	0.000	13.255	84.449	0.000	0.000
10/6/23 18:00	0.000	13.273	76.898	0.000	0.000
10/6/23 19:00	0.000	13.272	69.821	0.000	0.000
10/6/23 20:00	0.000	13.297	64.954	0.000	0.000
10/6/23 21:00	0.000	13.341	61.963	0.000	0.000
10/6/23 22:00	0.000	13.354	59.775	0.000	0.000
10/6/23 23:00	0.000	13.427	58.289	0.000	0.000
Avg/Total:		13.30	68.91	0.0000	0.0000

Meter ID: 0233507

Location A.G. to Flare (south)

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.178	58.632	0.000	0.000
10/6/23 1:00	0.000	13.180	57.228	0.000	0.000
10/6/23 2:00	0.000	13.157	55.433	0.000	0.000
10/6/23 3:00	0.000	13.173	54.448	0.000	0.000
10/6/23 4:00	0.000	13.155	53.845	0.000	0.000
10/6/23 5:00	0.000	13.138	53.347	0.000	0.000
10/6/23 6:00	0.000	13.138	53.088	0.000	0.000
10/6/23 7:00	0.000	13.165	57.535	0.000	0.000
10/6/23 8:00	0.000	13.212	72.348	0.000	0.000
10/6/23 9:00	0.000	13.182	77.156	0.000	0.000
10/6/23 10:00	0.000	13.198	81.316	0.000	0.000
10/6/23 11:00	0.000	13.182	83.346	0.000	0.000
10/6/23 12:00	0.000	13.170	84.705	0.000	0.000
10/6/23 13:00	0.000	13.159	86.677	0.000	0.000
10/6/23 14:00	0.000	13.146	87.175	0.000	0.000
10/6/23 15:00	0.000	13.147	85.792	0.000	0.000
10/6/23 16:00	0.000	13.160	80.732	0.000	0.000
10/6/23 17:00	0.000	13.153	78.463	0.000	0.000
10/6/23 18:00	0.000	13.165	75.347	0.000	0.000
10/6/23 19:00	0.000	13.160	68.761	0.000	0.000
10/6/23 20:00	0.000	13.169	65.129	0.000	0.000
10/6/23 21:00	0.000	13.207	62.713	0.000	0.000
10/6/23 22:00	0.000	13.223	61.362	0.000	0.000
10/6/23 23:00	0.000	13.289	59.567	0.000	0.000
Avg/Total:		13.18	68.92	0.0000	0.0000

Meter ID: 161001275

Location Acid Gas Assist Flare

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	258.358	60.000	0.000	0.000
10/6/23 1:00	0.000	258.688	60.000	0.000	0.000
10/6/23 2:00	0.000	250.287	60.000	0.000	0.000
10/6/23 3:00	0.000	250.753	60.000	0.000	0.000
10/6/23 4:00	0.000	251.792	60.000	0.000	0.000
10/6/23 5:00	0.000	251.430	60.000	0.000	0.000
10/6/23 6:00	0.000	250.876	60.000	0.000	0.000
10/6/23 7:00	0.000	245.781	60.000	0.000	0.000
10/6/23 8:00	0.000	248.238	60.000	0.000	0.000
10/6/23 9:00	0.000	244.650	60.000	0.000	0.000
10/6/23 10:00	0.000	247.155	60.000	0.000	0.000
10/6/23 11:00	0.000	247.351	60.000	0.000	0.000
10/6/23 12:00	0.000	247.798	60.000	0.000	0.000
10/6/23 13:00	0.000	248.036	60.000	0.000	0.000
10/6/23 14:00	0.000	246.841	60.000	0.000	0.000
10/6/23 15:00	0.000	246.473	60.000	0.000	0.000
10/6/23 16:00	0.000	247.139	60.000	0.000	0.000
10/6/23 17:00	0.000	246.577	60.000	0.000	0.000
10/6/23 18:00	0.000	246.475	60.000	0.000	0.000
10/6/23 19:00	0.000	242.711	60.000	0.000	0.000
10/6/23 20:00	0.000	248.817	60.000	0.000	0.000
10/6/23 21:00	0.000	252.410	60.000	0.000	0.000
10/6/23 22:00	0.000	257.412	60.000	0.000	0.000
10/6/23 23:00	0.000	262.321	60.000	0.000	0.000
Avg/Total:		249.93	60.00	0.0000	0.0000

Meter ID: 161100003

Location EAST INLET FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	21.278	60.000	0.000	0.000
10/6/23 1:00	0.000	21.444	60.000	0.000	0.000
10/6/23 2:00	0.000	21.400	60.000	0.000	0.000
10/6/23 3:00	0.000	21.338	60.000	0.000	0.000
10/6/23 4:00	0.000	21.397	60.000	0.000	0.000
10/6/23 5:00	0.000	21.427	60.000	0.000	0.000
10/6/23 6:00	0.000	21.525	60.000	0.000	0.000
10/6/23 7:00	0.000	21.582	60.000	0.000	0.000
10/6/23 8:00	0.000	21.557	60.000	0.000	0.000
10/6/23 9:00	0.000	21.455	60.000	0.000	0.000
10/6/23 10:00	0.000	21.810	60.000	0.000	0.000
10/6/23 11:00	0.000	21.381	60.000	0.000	0.000
10/6/23 12:00	0.000	21.274	60.000	0.000	0.000
10/6/23 13:00	0.000	21.218	60.000	0.000	0.000
10/6/23 14:00	0.000	21.083	60.000	0.000	0.000
10/6/23 15:00	0.000	20.983	60.000	0.000	0.000
10/6/23 16:00	0.000	20.975	60.000	0.000	0.000
10/6/23 17:00	0.000	20.988	60.000	0.000	0.000
10/6/23 18:00	0.000	21.036	60.000	0.000	0.000
10/6/23 19:00	0.000	21.073	60.000	0.000	0.000
10/6/23 20:00	0.000	21.184	60.000	0.000	0.000
10/6/23 21:00	0.000	21.304	60.000	0.000	0.000
10/6/23 22:00	0.000	21.419	60.000	0.000	0.000
10/6/23 23:00	0.000	21.442	60.000	0.000	0.000
Avg/Total:		21.32	60.00	0.0000	0.0000

Meter ID: 161100017

Location CRYOGENIC PLANT FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.066	60.000	0.000	0.000
10/6/23 1:00	0.000	13.067	60.000	0.000	0.000
10/6/23 2:00	0.000	13.067	60.000	0.000	0.000
10/6/23 3:00	0.000	13.066	60.000	0.000	0.000
10/6/23 4:00	0.000	13.069	60.000	0.000	0.000
10/6/23 5:00	0.000	13.075	60.000	0.000	0.000
10/6/23 6:00	0.000	13.078	60.000	0.000	0.000
10/6/23 7:00	0.000	13.103	60.000	0.000	0.000
10/6/23 8:00	0.000	13.127	60.000	0.000	0.000
10/6/23 9:00	0.000	13.177	60.000	0.000	0.000
10/6/23 10:00	0.000	13.181	60.000	0.000	0.000
10/6/23 11:00	0.000	13.176	60.000	0.000	0.000
10/6/23 12:00	0.000	13.192	60.000	0.000	0.000
10/6/23 13:00	0.000	13.316	60.000	0.000	0.000
10/6/23 14:00	0.000	13.279	60.000	0.000	0.000
10/6/23 15:00	0.000	13.172	60.000	0.000	0.000
10/6/23 16:00	0.000	13.100	60.000	0.000	0.000
10/6/23 17:00	0.000	12.996	60.000	0.000	0.000
10/6/23 18:00	0.000	12.861	60.000	0.000	0.000
10/6/23 19:00	0.000	12.982	60.000	0.000	0.000
10/6/23 20:00	0.000	13.052	60.000	0.000	0.000
10/6/23 21:00	0.000	13.096	60.000	0.000	0.000
10/6/23 22:00	0.000	13.104	60.000	0.000	0.000
10/6/23 23:00	0.000	13.094	60.000	0.000	0.000
Avg/Total:		13.10	60.00	0.0000	0.0000

Meter ID: 161100030

Location HIGH PRESS RESIDUE FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.048	60.000	0.000	0.000
10/6/23 1:00	0.000	13.047	60.000	0.000	0.000
10/6/23 2:00	0.000	13.049	60.000	0.000	0.000
10/6/23 3:00	0.000	13.049	60.000	0.000	0.000
10/6/23 4:00	0.000	13.049	60.000	0.000	0.000
10/6/23 5:00	0.000	13.056	60.000	0.000	0.000
10/6/23 6:00	0.000	13.062	60.000	0.000	0.000
10/6/23 7:00	0.000	13.064	60.000	0.000	0.000
10/6/23 8:00	0.000	13.062	60.000	0.000	0.000
10/6/23 9:00	0.000	13.079	60.000	0.000	0.000
10/6/23 10:00	0.000	13.077	60.000	0.000	0.000
10/6/23 11:00	0.000	13.076	60.000	0.000	0.000
10/6/23 12:00	0.000	13.071	60.000	0.000	0.000
10/6/23 13:00	0.000	13.060	60.000	0.000	0.000
10/6/23 14:00	0.000	13.053	60.000	0.000	0.000
10/6/23 15:00	0.000	13.046	60.000	0.000	0.000
10/6/23 16:00	0.000	13.045	60.000	0.000	0.000
10/6/23 17:00	0.000	13.045	60.000	0.000	0.000
10/6/23 18:00	0.000	13.050	60.000	0.000	0.000
10/6/23 19:00	0.000	13.053	60.000	0.000	0.000
10/6/23 20:00	0.000	13.065	60.000	0.000	0.000
10/6/23 21:00	0.000	13.084	60.000	0.000	0.000
10/6/23 22:00	0.000	13.090	60.000	0.000	0.000
10/6/23 23:00	0.000	13.098	60.000	0.000	0.000
Avg/Total:		13.06	60.00	0.0000	0.0000

Meter ID: 161100038

Location East Field Flare

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.213	60.000	0.000	0.000
10/6/23 1:00	0.000	13.216	60.000	0.000	0.000
10/6/23 2:00	0.000	13.225	60.000	0.000	0.000
10/6/23 3:00	0.000	13.232	60.000	0.000	0.000
10/6/23 4:00	0.000	13.233	60.000	0.000	0.000
10/6/23 5:00	0.000	13.241	60.000	0.000	0.000
10/6/23 6:00	0.000	13.252	60.000	0.000	0.000
10/6/23 7:00	0.000	13.244	60.000	0.000	0.000
10/6/23 8:00	0.000	13.179	60.000	0.000	0.000
10/6/23 9:00	0.000	13.157	60.000	0.000	0.000
10/6/23 10:00	0.000	13.141	60.000	0.000	0.000
10/6/23 11:00	0.000	13.119	60.000	0.000	0.000
10/6/23 12:00	0.000	13.100	60.000	0.000	0.000
10/6/23 13:00	0.000	13.071	60.000	0.000	0.000
10/6/23 14:00	0.000	13.055	60.000	0.000	0.000
10/6/23 15:00	0.000	13.042	60.000	0.000	0.000
10/6/23 16:00	0.000	13.035	60.000	0.000	0.000
10/6/23 17:00	0.000	13.060	60.000	0.000	0.000
10/6/23 18:00	0.000	13.088	60.000	0.000	0.000
10/6/23 19:00	0.000	13.144	60.000	0.000	0.000
10/6/23 20:00	0.000	13.183	60.000	0.000	0.000
10/6/23 21:00	0.000	13.220	60.000	0.000	0.000
10/6/23 22:00	0.000	13.229	60.000	0.000	0.000
10/6/23 23:00	0.000	13.256	60.000	0.000	0.000
Avg/Total:		13.16	60.00	0.0000	0.0000

Meter ID: 161100039

Location WEST FIELD FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	12.971	62.996	0.000	0.000
10/6/23 1:00	0.000	12.970	62.061	0.000	0.000
10/6/23 2:00	0.000	12.971	61.041	0.000	0.000
10/6/23 3:00	0.000	12.972	60.174	0.000	0.000
10/6/23 4:00	0.000	12.971	59.414	0.000	0.000
10/6/23 5:00	0.000	12.979	58.791	0.000	0.000
10/6/23 6:00	0.000	12.984	58.224	0.000	0.000
10/6/23 7:00	0.000	12.988	58.976	0.000	0.000
10/6/23 8:00	0.000	12.987	65.009	0.000	0.000
10/6/23 9:00	0.000	13.003	78.279	0.000	0.000
10/6/23 10:00	0.000	13.001	87.394	0.000	0.000
10/6/23 11:00	0.000	13.000	95.423	0.000	0.000
10/6/23 12:00	0.000	12.995	102.072	0.000	0.000
10/6/23 13:00	0.000	12.984	105.141	0.000	0.000
10/6/23 14:00	0.000	12.977	105.101	0.000	0.000
10/6/23 15:00	0.000	12.970	94.725	0.000	0.000
10/6/23 16:00	0.000	12.968	83.117	0.000	0.000
10/6/23 17:00	0.000	12.969	81.148	0.000	0.000
10/6/23 18:00	0.000	12.973	74.938	0.000	0.000
10/6/23 19:00	0.000	12.976	70.686	0.000	0.000
10/6/23 20:00	0.000	12.988	68.137	0.000	0.000
10/6/23 21:00	0.000	13.007	66.057	0.000	0.000
10/6/23 22:00	0.000	13.013	64.684	0.000	0.000
10/6/23 23:00	0.000	13.019	62.495	0.000	0.000
Avg/Total:		12.98	74.42	0.0000	0.0000

Meter ID: 161100043

Location 3RD STAGE VENT

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	789.482	60.000	0.000	0.000
10/6/23 1:00	0.000	789.458	60.000	0.000	0.000
10/6/23 2:00	0.000	789.582	60.000	0.000	0.000
10/6/23 3:00	0.000	789.685	60.000	0.000	0.000
10/6/23 4:00	0.000	789.547	60.000	0.000	0.000
10/6/23 5:00	0.000	789.514	60.000	0.000	0.000
10/6/23 6:00	0.000	789.406	60.000	0.000	0.000
10/6/23 7:00	0.000	789.285	60.000	0.000	0.000
10/6/23 8:00	0.000	789.596	60.000	0.000	0.000
10/6/23 9:00	0.000	789.498	60.000	0.000	0.000
10/6/23 10:00	0.000	790.065	60.000	0.000	0.000
10/6/23 11:00	0.000	790.551	60.000	0.000	0.000
10/6/23 12:00	0.000	791.346	60.000	0.000	0.000
10/6/23 13:00	0.000	791.517	60.000	0.000	0.000
10/6/23 14:00	0.000	790.871	60.000	0.000	0.000
10/6/23 15:00	0.000	789.779	60.000	0.000	0.000
10/6/23 16:00	0.000	789.211	60.000	0.000	0.000
10/6/23 17:00	0.000	788.388	60.000	0.000	0.000
10/6/23 18:00	0.000	787.362	60.000	0.000	0.000
10/6/23 19:00	0.000	786.836	60.000	0.000	0.000
10/6/23 20:00	0.000	787.387	60.000	0.000	0.000
10/6/23 21:00	0.000	788.159	60.000	0.000	0.000
10/6/23 22:00	0.000	788.470	60.000	0.000	0.000
10/6/23 23:00	0.000	788.354	60.000	0.000	0.000
Avg/Total:		789.31	60.00	0.0000	0.0000

Meter ID: 161100045

Location N S INLET FLARE

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	247.548	60.000	0.000	0.000
10/6/23 1:00	0.000	247.438	60.000	0.000	0.000
10/6/23 2:00	0.000	248.097	60.000	0.000	0.000
10/6/23 3:00	0.000	249.049	60.000	0.000	0.000
10/6/23 4:00	0.000	248.137	60.000	0.000	0.000
10/6/23 5:00	0.000	247.877	60.000	0.000	0.000
10/6/23 6:00	0.000	247.079	60.000	0.000	0.000
10/6/23 7:00	0.000	246.568	60.000	0.000	0.000
10/6/23 8:00	0.000	246.392	60.000	0.000	0.000
10/6/23 9:00	0.000	246.046	60.000	0.000	0.000
10/6/23 10:00	0.000	246.843	60.000	0.000	0.000
10/6/23 11:00	0.000	246.029	60.000	0.000	0.000
10/6/23 12:00	0.000	246.241	60.000	0.000	0.000
10/6/23 13:00	0.000	246.071	60.000	0.000	0.000
10/6/23 14:00	0.000	245.499	60.000	0.000	0.000
10/6/23 15:00	0.000	245.439	60.000	0.000	0.000
10/6/23 16:00	0.000	245.079	60.000	0.000	0.000
10/6/23 17:00	0.000	244.533	60.000	0.000	0.000
10/6/23 18:00	0.000	244.046	60.000	0.000	0.000
10/6/23 19:00	0.000	243.278	60.000	0.000	0.000
10/6/23 20:00	0.000	246.886	60.000	0.000	0.000
10/6/23 21:00	0.000	251.293	60.000	0.000	0.000
10/6/23 22:00	0.000	252.994	60.000	0.000	0.000
10/6/23 23:00	0.000	252.627	60.000	0.000	0.000
Avg/Total:		247.13	60.00	0.0000	0.0000

Meter ID: 161100075

Location MAIN SUPPLEMENTAL FUEL

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.094	58.996	0.000	0.000
10/6/23 1:00	0.000	13.093	57.780	0.000	0.000
10/6/23 2:00	0.000	13.090	56.531	0.000	0.000
10/6/23 3:00	0.000	13.089	55.887	0.000	0.000
10/6/23 4:00	0.000	13.089	55.400	0.000	0.000
10/6/23 5:00	0.000	13.094	55.177	0.000	0.000
10/6/23 6:00	0.000	13.101	55.049	0.000	0.000
10/6/23 7:00	0.000	13.107	55.748	0.000	0.000
10/6/23 8:00	0.000	13.111	60.667	0.000	0.000
10/6/23 9:00	0.000	13.118	73.482	0.000	0.000
10/6/23 10:00	0.000	13.120	78.802	0.000	0.000
10/6/23 11:00	0.000	13.120	80.615	0.000	0.000
10/6/23 12:00	0.000	13.118	88.627	0.000	0.000
10/6/23 13:00	0.000	13.108	90.353	0.000	0.000
10/6/23 14:00	0.000	13.099	92.921	0.000	0.000
10/6/23 15:00	0.000	13.096	95.034	0.000	0.000
10/6/23 16:00	0.000	13.095	93.867	0.000	0.000
10/6/23 17:00	0.000	13.099	85.350	0.000	0.000
10/6/23 18:00	0.000	13.104	74.357	0.000	0.000
10/6/23 19:00	0.000	13.108	68.725	0.000	0.000
10/6/23 20:00	0.000	13.114	65.277	0.000	0.000
10/6/23 21:00	0.000	13.118	62.501	0.000	0.000
10/6/23 22:00	0.000	13.122	61.183	0.000	0.000
10/6/23 23:00	0.000	13.129	59.086	0.000	0.000
Avg/Total:		13.11	70.06	0.0000	0.0000

Meter ID: 161100076

Location A.G. to Flare M.P.

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	31.614	128.856	0.000	0.000
10/6/23 1:00	0.000	31.693	128.641	0.000	0.000
10/6/23 2:00	0.000	31.792	128.521	0.000	0.000
10/6/23 3:00	0.000	31.983	128.365	0.000	0.000
10/6/23 4:00	0.000	31.910	128.055	0.000	0.000
10/6/23 5:00	0.000	31.798	127.843	0.000	0.000
10/6/23 6:00	0.000	32.046	128.362	0.000	0.000
10/6/23 7:00	0.000	32.019	128.868	0.000	0.000
10/6/23 8:00	0.000	31.862	130.349	0.000	0.000
10/6/23 9:00	0.000	31.264	129.227	0.000	0.000
10/6/23 10:00	0.000	30.800	127.671	0.000	0.000
10/6/23 11:00	0.000	31.201	128.343	0.000	0.000
10/6/23 12:00	0.000	31.234	130.068	0.000	0.000
10/6/23 13:00	0.000	31.647	131.080	0.000	0.000
10/6/23 14:00	0.000	32.703	132.930	0.000	0.000
10/6/23 15:00	0.000	32.427	133.238	0.000	0.000
10/6/23 16:00	0.000	32.148	132.384	0.000	0.000
10/6/23 17:00	0.000	32.107	130.859	0.000	0.000
10/6/23 18:00	0.000	31.846	128.968	0.000	0.000
10/6/23 19:00	0.000	31.810	130.377	0.000	0.000
10/6/23 20:00	0.000	31.998	131.787	0.000	0.000
10/6/23 21:00	0.000	31.760	130.930	0.000	0.000
10/6/23 22:00	0.000	32.125	129.791	0.000	0.000
10/6/23 23:00	0.000	32.572	124.735	0.000	0.000
Avg/Total:		31.85	129.59	0.0000	0.0000

Meter ID: 161100078

Location Mid Electric Flare

VRSDO.UIS

	DP	SP	Temp	Volume	Energy
	inH2O	psi	F	MCF	MBTU
10/6/23 0:00	0.000	13.034	60.292	0.000	0.000
10/6/23 1:00	0.000	13.033	59.479	0.000	0.000
10/6/23 2:00	0.000	13.034	58.371	0.000	0.000
10/6/23 3:00	0.000	13.035	57.333	0.000	0.000
10/6/23 4:00	0.000	13.033	56.653	0.000	0.000
10/6/23 5:00	0.000	13.041	55.981	0.000	0.000
10/6/23 6:00	0.000	13.046	55.114	0.000	0.000
10/6/23 7:00	0.000	13.050	56.333	0.000	0.000
10/6/23 8:00	0.000	13.050	65.473	0.000	0.000
10/6/23 9:00	0.000	13.066	76.284	0.000	0.000
10/6/23 10:00	0.000	13.065	84.570	0.000	0.000
10/6/23 11:00	0.000	13.064	90.451	0.000	0.000
10/6/23 12:00	0.000	13.060	94.499	0.000	0.000
10/6/23 13:00	0.000	13.050	95.125	0.000	0.000
10/6/23 14:00	0.000	13.043	94.098	0.000	0.000
10/6/23 15:00	0.000	13.036	90.562	0.000	0.000
10/6/23 16:00	0.000	13.034	88.202	0.000	0.000
10/6/23 17:00	0.000	13.035	85.247	0.000	0.000
10/6/23 18:00	0.000	13.039	77.910	0.000	0.000
10/6/23 19:00	0.000	13.041	71.547	0.000	0.000
10/6/23 20:00	0.000	13.053	67.384	0.000	0.000
10/6/23 21:00	0.000	13.071	64.629	0.000	0.000
10/6/23 22:00	0.000	13.077	63.060	0.000	0.000
10/6/23 23:00	0.000	13.083	61.307	0.000	0.000
Avg/Total:		13.05	72.08	0.0000	0.0000

Meters missing from the Report have been removed for lack

-- End Report --

0.0000

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

of data for report date range..

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 275468

DEFINITIONS

Operator: TARGA MIDSTREAM SERVICES LLC 811 Louisiana Street Houston, TX 77002	OGRID: 24650
	Action Number: 275468
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 275468

QUESTIONS

Operator: TARGA MIDSTREAM SERVICES LLC 811 Louisiana Street Houston, TX 77002	OGRID: 24650
	Action Number: 275468
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Well	Unavailable.
Incident Facility	[fAPP2122936830] Grobe CS

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.

An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.

Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved

Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	73
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	2
Oxygen (O2) percentage, if greater than one percent	0

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 275468

QUESTIONS (continued)

Operator: TARGA MIDSTREAM SERVICES LLC 811 Louisiana Street Houston, TX 77002	OGRID: 24650
	Action Number: 275468
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	10/06/2023
Time vent or flare was discovered or commenced	06:26 AM
Time vent or flare was terminated	07:21 AM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Gas Compressor Station Natural Gas Flared Released: 61 Mcf Recovered: 0 Mcf Lost: 61 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	Third party purchase power issues. The third party purchase power company was having power issues which caused a power surge to the compressor station.
Steps taken to limit the duration and magnitude of vent or flare	Operations personnel responded immediately to the shutdown to restart units.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	There were no corrective actions required by Targa. This was third party purchase power issue and out of Targa's control.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 275468

ACKNOWLEDGMENTS

Operator: TARGA MIDSTREAM SERVICES LLC 811 Louisiana Street Houston, TX 77002	OGRID: 24650
	Action Number: 275468
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 275468

CONDITIONS

Operator: TARGA MIDSTREAM SERVICES LLC 811 Louisiana Street Houston, TX 77002	OGRID: 24650
	Action Number: 275468
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
amberg	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	10/13/2023