REVIEWED

By NVelez at 9:19 am, Oct 27, 2023

- 1. Continue with O & M schedule.
- 2. Submit next quarterly report by November 1, 2023.

August 1, 2023

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Second Quarter 2023 – Remediation System Quarterly Report

Federal 18 #1T

San Juan County, New Mexico Hilcorp Energy Company

NMOCD Incident Number: NCS2103335776

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Second Quarter 2023 – Remediation System Quarterly Report* summarizing second quarter 2023 activities at the former Federal 18 #1T coalbed methane gas well (Site), located in Unit M, Section 18, Township 30 North, Range 12 West in the City of Farmington, New Mexico. The casing of the original gas well has been modified to vent gas and purge water from the Ojo Alamo and Nacimiento Formations. Since initiation of the remediation system in 2010, quarterly reports have been submitted to the New Mexico Oil Conservation Division (NMOCD) to record activities performed at the Site, as well as document well-casing pressures from nearby domestic water well SJ-01737, the volume of gas vented from the Site's well, and groundwater analytical results collected from the Site's well.

SITE BACKGROUND

As part of an ongoing effort between the NMOCD and Hilcorp (Site originally owned and operated by XTO Energy, Inc. [XTO]), the agreed upon remedial option for the Site was to install a vacuum system at the Site to vent gas from the Nacimiento formation, which overlies the Ojo Alamo Formation. Gas found in the Nacimiento formation could have originated from several contributing sources in the area including existing and/or abandoned gas wells near the Site. In agreement with the NMOCD, XTO modified the Site's production well to vent gas and recover contaminated groundwater by setting a plug at a depth of approximately 513 feet below ground surface (bgs). Perforations were made in the casing at 437 feet to 452 feet bgs and 457 feet to 473 feet bgs in order to monitor groundwater and vent gas from the Nacimiento Formation. Based on initial groundwater sampling results, XTO recommended pumping the aquifer until groundwater results were below the New Mexico Water Quality Control Commission (NMWQCC) standards for applicable chemicals of concern (COCs).

A submersible water pump was installed in the Site's well in November 2010 at a depth of approximately 485 feet bgs in order to recover impacted groundwater. Based on aquifer tests performed by XTO, the water pump was set to maintain a static water level of approximately 473 feet bgs. The water pump is plumbed into the existing water lines and stored in the on-Site 210-barrel (bbl) water tank, which is regularly emptied for off-Site disposal. A vacuum pump was subsequently installed at the Site's well to also remove gas entrained in the formation. A portable

generator was originally placed at the Site to power both the vacuum and water pumps. Generator maintenance issues led to the system being electrified on February 3, 2011.

Operation and maintenance (O&M) inspections are conducted by Hilcorp personnel regularly to check the system and verify proper water and vacuum pump operation, record water meter volumes, and verify that no other Site conditions dictate system maintenance and/or adjustment. Possible pressure variations in the subsurface due to the vacuum pump are monitored using nearby water well SJ-01737. Casing pressure measurements from the SJ-01737 well are included in Table 1.

SECOND QUARTER 2023 SITE ACTIVITIES AND RESULTS

Approximately 23,971 gallons (570 bbls) of water were removed from the Site's well between the first quarter 2023 and second quarter 2023 sampling events. To date, approximately 1,234,771 gallons (29,399 bbls) of impacted water have been removed from the Site. A water sample from the well was collected on May 10, 2023 and submitted to Hall Environmental Analysis Laboratory (Hall) for laboratory analysis. Specifically, the water sample was analyzed for the following COCs: volatile organic compounds (VOCs), including benzene, toluene, ethylbenzene, and xylenes (BTEX), following Environmental Protection Agency (EPA) Method 8260B, specific conductance (or electrical conductivity) following Standard Method (SM) 2510B, pH following Method SM4500-H+B, and total dissolved solids (TDS) following Method SM2540C.

Based on results from the May 2023 sampling event, benzene and TDS remain at concentrations exceeding the applicable NMWQCC standards and appear to be similar to historical results. Analytical results are summarized in Table 2, with complete laboratory reports attached as Appendix A.

The Site vacuum pump has been operating based on a setting of 690 minutes on and 30 minutes off (totaling 23 hours runtime per day). During the second quarter of 2023, the pump operated at an average flow rate of 3.1 actual cubic feet per minute (acfm). Approximately 33,527 thousand cubic feet (MCF) of gas/air have been emitted from the Site's well since the system began operating in 2010. Gas/air volumes vented by the system are summarized in Table 3.

RECOMMENDATIONS

O&M visits will continue to be performed by Hilcorp personnel to verify the system is operating as designed. Deviations from regular operations will be noted on field logs and included in the following quarterly report. Hilcorp will continue to remove and monitor water from the Site until benzene and TDS concentrations are compliant with NMWQCC standards for eight consecutive quarters.



Page 3

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this proposal, please contact the undersigned.

Ensolum, LLC

Stuart Hyde, LG

Stuart Hyde, LG Senior Geologist (970) 903-1607 shyde@ensolum.com Attachments:

Table 1 Well SJ-01737 Casing Pressure Readings

Table 2 Water Analytical Results
Table 3 Gas and Air Vented

Appendix A Laboratory Analytical Reports

Daniel R. Moir, PG Senior Managing Geologist (303) 887-2946 dmoir@ensolum.com



TABLES



TABLE 1

WELL SJ-01737 CASING PRESSURE READINGS

Federal 18 #1T

Hilcorp Energy Company San Juan County, New Mexico

Sample Date	Casing Pressure (ounces)	Average
7/1/2022	0	0.000
7/8/2022	0	0.000
7/15/2022	0	0.000
7/22/2022	0	0.000
7/28/2022	0	0.000
8/3/2022	0	0.000
8/12/2022	0	0.000
8/17/2022	0	0.000
9/2/2022	0	0.000
9/6/2022	0	0.000
9/16/2022	0	0.000
9/21/2022	0	0.000
9/30/2022	0	0.000
10/7/2022	0	0.000
10/11/2023	0	0.000
10/20/2022	0	0.000
10/31/2022	0	0.000
11/17/2022	0	0.000
12/1/2022	0	0.000
12/9/2022	0	0.000
12/16/2022	0	0.000
12/24/2022	0	0.000
12/31/2022	0	0.000
1/6/2023	0	0.000
1/12/2023	0	0.000
1/23/2023	0	0.000
2/2/2023	0	0.000
2/9/2023	0	0.000
2/23/2023	0	0.000
3/7/2023	0	0.000
3/17/2023	0	0.000
3/27/2023	0	0.000
4/6/2023	0	0.000
4/18/2023	0	0.000
4/28/2023	0	0.000
5/4/2023	0	0.000
5/10/2023	0	0.000
5/19/2023	0	0.000
6/6/2023	0	0.000
6/23/2023	0	0.000

Ensolum 1 of 1

ENSOLUM

	TABLE 2 WATER ANALYTICAL RESULTS Federal 18 #1T Hilcorp Energy Company San Juan County, New Mexico Electrical Purce Water									
Sample Date	Benzene (μg/L)	Toluene (μg/L)	Ethylbenzene (μg/L)	Xylene (μg/L)	TDS (mg/L)	Electrical Conductivity (umhos/cm)	рН	Purge Water Volume (gallons)		
NMWQCC Standards	5.0	1,000	700	620	1,000	-	6 thru 9	-		
11/5/2010	ND 450	5.2	ND 70	ND	1,400	2,600	7.2	NM		
9/24/2010 9/24/2010	150 190	ND 170	76 24	670 210	13,000	18,000	6.1	NM NM		
9/24/2010	143	221	63.6	950				NM		
9/24/2010	320	377	31.8	568	11,100	16,000	5.84	NM		
12/10/2011					7,610	8,900	6.36	3,033		
1/5/2011 1/5/2011	67 73	93 99	7.9 10	25 39	4,800	6,000	6.6	7,798 7,798		
1/29/2011	60	93	10	33		4,900	6.4	10,791		
2/28/2011	42	60	6.1	20	3,400	4,000	6.7	14,795		
4/1/2011	23	27	1.8	6.8	2,700	3,100	6.8	31,238		
4/29/2011	29	28	2.4	7.3	2,600	2,900	6.9	50,217		
5/31/2011 6/14/2011	14 55	19 81	1.4 2.8	4.9 15	2,500 2,500	2,800 2,700	6.7 6.7	76,513 88,120		
6/30/2011	52	67	2.6	12	2,500	2,700	6.9	101,209		
8/15/2011	21	25	1.2	5.8	2,500	2,600	6.8	140,267		
9/2/2011	10	12	0.64	3.2	2,500	2,600	7.2	155,801		
9/16/2011	9.6	11	0.64	3	2,400	2,500	7.2	168,040		
9/30/2011 10/28/2011	7.2 5.1	8.7 ND	0.64 1.8	2.5 2.7	2,500 2,300	2,600 2,600	7 6.9	180,393 205,220		
11/30/2011	4	ND ND	3.9	2.7	2,500	2,600	7.1	233,488		
12/30/2011	3.4	ND	ND	2.9	2,500	2,500	7.5	261,391		
4/3/2012	6	ND	ND	1.6				351,300		
4/9/2012					2,400	2,400	7.4	NM		
7/3/2012 7/6/2012	5.3	ND 	ND 	ND 	2,300	2,400	7.4	NM 441,053		
9/19/2012								521,271		
9/27/2012	6.2	ND	ND	ND	2,300	2,500	7.1	NM		
12/14/2012								598,540		
12/31/2012	13.9	1.1	ND	3.3	2,690	2,440	7.05	604,689		
1/23/2013 2/22/2013	160 7.1	190 77	ND ND	26 1.8	2,400 2,100	2,500 2,500	7.1	NM 60E 860		
5/2/2013	9	6.9	ND ND	ND	2,100	2,600	7.1	605,860 612,601		
8/19/2013	20	11	ND	2.3	2,200	2,600	7.2	NM		
9/23/2013	13	11	ND	2.2	2,300	2,500	7.1	621,744		
11/25/2013	4.6	5.2	ND	ND	2,200	2,700	7.7	631,430		
2/4/2014 10/1/2015	15 54.2	17 57	0.72 1.37	3.1 9.77	2,200 2,260	2,500 2,640	7.3 6.98	636,120 639,410		
10/1/2015	42.3	39.9	0.964	7.06	2,330	1,460	7.09	642,650		
3/28/2016	38	34.1	0.835	4.82	2,230	2,570	6.86	650,850		
6/14/2016	78.3	58.4	1.16	7.22	2,890	2,600	6.89	704,371		
8/29/2016	19	ND	ND	2.18	2,410	2,590	7.02	763,261		
11/18/2016 3/31/2017	13.2 9.61	5.61 7.87	ND ND	2.33 ND	2,470 2,300	2,580 2,570	7.03 7.28	842,610 858,190		
6/16/2017	64.6	29.2	0.781	5.4	2,360	2,570	7.05	927,854		
9/7/2017	4.61	1.73	ND	ND	2,030	2,450	7.14	997,330		
12/5/2017	138	51.5	1.65	9.378	2,230	2,590	7.2	1,080,550		
3/6/2018	19.9	14.8	0.543	2.71	2,290	2,620	7.13	1,080,840		
8/7/2018 1/3/2019	7.9 7.07	8.06 3.29	<0.5 0.177	<1.5 1.08	2,200 2,080	2,300 6,750	7.19 6.35	1,082,751 1,120,220		
2/22/2019	19.8	11.1	<0.5	3.97	2,270	2,710	7.46	1,120,366		
5/24/2019	11.9	10.8	ND	ND	2,380	2,760	7.15	1,123,853		
9/10/2019	23.2	18.8	ND	ND	2,260	2,600	7.37	1,125,478		
10/29/2019	5.41	5.68	ND	ND	2,300	2,530	7.09	1,127,076		
2/27/2020 5/15/2020	20.7 10.3	19.3 8.91	ND ND	ND ND	2,280 2,460	2,580 2,570	7.06 7.27	1,128,506 1,131,033		
8/25/2020	3.9	3.5	ND ND	ND	2,190	2,640	7.62	1,131,100		
10/27/2020	31.1	24.4	ND	ND	2,240	2,530	7.43	1,131,119		
2/17/2021	73	<1	<1	<1.5	2,200	2,400	7.42	1,131,123		
6/29/2021 (2)			 -E O		2 200	2.500	7.20	1,134,031		
9/30/2021 12/6/2021	130 33	87 20	<5.0 <1.0	8.1 6.0	2,300 2,430	2,500 2,500	7.20 7.15	1,134,167 1,143,239		
2/17/2022	25	3.1	<1.0	2.7	2,380	2,600	7.15	1,156,355		
4/12/2022	27	4.3	<1.0	2.0	2,360	2,500	7.13	1,169,456		
7/15/2022	33	4.3	<1.0	1.3	2,480	2,600	7.13	1,191,754		
10/11/2022	47	4.6	<1.0	2.0	2,320	2,600	7.24	1,210,479		
1/12/2023 5/10/2023	40 32	1.7 1.7	<1.0 <1.0	<1.5 <1.5	2,330 2,320	2,600 2,600	7.17 6.73	1,210,800 1,234,771		
0,10/2023	32	1.7	~1.0	\1.U	2,320	2,000	0.10	1,204,111		

(1): initial water sample

(2): water pump not functioning

μg/L: micrograms per liter

mg/L: milligrams per liter

ND: not detected, practical quantitation limit unknown

NMWQCC: New Mexico Water Quality Control Commission

<0.037: indicates result less than the stated laboratory reporting limit (RL)

Concentrations in bold and shaded exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



TABLE 3 GAS AND AIR VENTED Federal 18 #1T Hilcorp Energy Company San Juan County, New Mexico

			Total Vented Gas
Date	SCFM	ACFM	and Air (MCF)
9/17/2019	3	6	26,677
10/7/2019	3	6	26,849
10/21/2019	3	6	26,969
10/28/2019	3	6	27,030
12/5/2019	3	6	27,356
12/19/2019	3	6	27,477
1/7/2020	3	6	27,954
1/17/2020	3	6	28,040
1/30/2020	3	6	28,153
2/12/2020	3	6	28,265
2/25/2020	3	6	28,377
4/3/2020	3	6	28,705
4/9/2020	3	6	28,756
4/15/2020	3	6	28,808
4/23/2020	3	6	28,877
4/30/2020	3	6	28,937
5/15/2020	3	6	29,067
5/21/2020	3	6	29,118
5/29/2020	3	6	29,179
6/5/2020	3	6	29,239
6/29/2020	0	0	Hot, not running
7/8/2020	0	0	Unit Down
8/11/2020	0	0	Unit Down
8/25/2020	0	0	Unit Down
9/16/2020	0	0	Unit Down
9/22/2020	0	0	Unit Down
10/26/2020	0	0	Unit Down
11/9/2020	0	0	Unit Down
12/8/2020	0	0	Unit Down
1/5/2021	0	0	Unit Down
1/20/2021	0	0	Unit Down
2/11/2021	0	0	Unit Down
2/17/2021	0	0	Unit Down
3/22/2021	0	0	Unit Down
*3/31/2021	5.6	7	29,241
6/29/2021	5.6	7	29,262
9/30/2021	5.6	7	29,281
12/31/2021	5.6	7	29,320
1/19/2022	5.6	7	29,328
1/24/2022	5.6	7	29,353
3/31/2022	5.6	7	29,991
6/14/2022	5.6	7	30,715
9/30/2022	5.6	7	31,759
12/31/2022	5.6	7	32,647
3/31/2023	3.1	3.9	33,132
6/30/2023	2.5	3.1	33,527

Notes:

ACFM - flow rate in actual cubic feet per minute

MCF - thousand cubic feet

SCFM - flow rate in standard cubic feet per minute

* - Pump operated from 3/23 - 3/31/2021.

SCFM per day based on manufacture specifications.

ACFM is estimated based on site elevation and/or observed vacuum

Ensolum 1 of 1



APPENDIX A

Laboratory Analytical Reports



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

May 24, 2023

Mitch Killough HILCORP ENERGY PO Box 4700 Farmington, NM 87499 TEL: (505) 564-0733

FAX:

RE: Federal 18 1T OrderNo.: 2305708

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 1 sample(s) on 5/12/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indest

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order **2305708**Date Reported: **5/24/2023**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY Client Sample ID: MW-1

 Project:
 Federal 18 1T
 Collection Date: 5/10/2023 2:15:00 PM

 Lab ID:
 2305708-001
 Matrix: AQUEOUS
 Received Date: 5/12/2023 7:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES					Analyst: CCM
Benzene	32	1.0	μg/L	1	5/19/2023 12:53:00 AM
Toluene	1.7	1.0	μg/L	1	5/19/2023 12:53:00 AM
Ethylbenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Methyl tert-butyl ether (MTBE)	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,2,4-Trimethylbenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,3,5-Trimethylbenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,2-Dichloroethane (EDC)	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,2-Dibromoethane (EDB)	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Naphthalene	ND	2.0	μg/L	1	5/19/2023 12:53:00 AM
1-Methylnaphthalene	ND	4.0	μg/L	1	5/19/2023 12:53:00 AM
2-Methylnaphthalene	ND	4.0	μg/L	1	5/19/2023 12:53:00 AM
Acetone	ND	10	μg/L	1	5/19/2023 12:53:00 AM
Bromobenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Bromodichloromethane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Bromoform	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Bromomethane	ND	3.0	μg/L	1	5/19/2023 12:53:00 AM
2-Butanone	ND	10	μg/L	1	5/19/2023 12:53:00 AM
Carbon disulfide	ND	10	μg/L	1	5/19/2023 12:53:00 AM
Carbon Tetrachloride	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Chlorobenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Chloroethane	ND	2.0	μg/L	1	5/19/2023 12:53:00 AM
Chloroform	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Chloromethane	ND	3.0	μg/L	1	5/19/2023 12:53:00 AM
2-Chlorotoluene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
4-Chlorotoluene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
cis-1,2-DCE	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
cis-1,3-Dichloropropene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,2-Dibromo-3-chloropropane	ND	2.0	μg/L	1	5/19/2023 12:53:00 AM
Dibromochloromethane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Dibromomethane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,2-Dichlorobenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,3-Dichlorobenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,4-Dichlorobenzene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
Dichlorodifluoromethane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,1-Dichloroethane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,1-Dichloroethene	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,2-Dichloropropane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
1,3-Dichloropropane	ND	1.0	μg/L	1	5/19/2023 12:53:00 AM
2,2-Dichloropropane	ND	2.0	μg/L	1	5/19/2023 12:53:00 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 7

Analytical Report

Lab Order **2305708**Date Reported: **5/24/2023**

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY Client Sample ID: MW-1

 Project:
 Federal 18 1T
 Collection Date: 5/10/2023 2:15:00 PM

 Lab ID:
 2305708-001
 Matrix: AQUEOUS
 Received Date: 5/12/2023 7:30:00 AM

Analyses	Result	RL (Qual Un	its	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: CCM
1,1-Dichloropropene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
Hexachlorobutadiene	ND	1.0	μg		1	5/19/2023 12:53:00 AM
2-Hexanone	ND	10	μg		1	5/19/2023 12:53:00 AM
Isopropylbenzene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
4-Isopropyltoluene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
4-Methyl-2-pentanone	ND	10	μg	/L	1	5/19/2023 12:53:00 AM
Methylene Chloride	ND	3.0	μg	/L	1	5/19/2023 12:53:00 AM
n-Butylbenzene	ND	3.0	μg	/L	1	5/19/2023 12:53:00 AM
n-Propylbenzene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
sec-Butylbenzene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
Styrene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
tert-Butylbenzene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,1,1,2-Tetrachloroethane	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0	μg	/L	1	5/19/2023 12:53:00 AM
Tetrachloroethene (PCE)	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
trans-1,2-DCE	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
trans-1,3-Dichloropropene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,2,3-Trichlorobenzene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,2,4-Trichlorobenzene	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,1,1-Trichloroethane	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,1,2-Trichloroethane	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
Trichloroethene (TCE)	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
Trichlorofluoromethane	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
1,2,3-Trichloropropane	ND	2.0	μg	/L	1	5/19/2023 12:53:00 AM
Vinyl chloride	ND	1.0	μg	/L	1	5/19/2023 12:53:00 AM
Xylenes, Total	ND	1.5	μg	/L	1	5/19/2023 12:53:00 AM
Surr: 1,2-Dichloroethane-d4	93.4	70-130	%	Rec	1	5/19/2023 12:53:00 AM
Surr: 4-Bromofluorobenzene	103	70-130	%	Rec	1	5/19/2023 12:53:00 AM
Surr: Dibromofluoromethane	90.6	70-130	%	Rec	1	5/19/2023 12:53:00 AM
Surr: Toluene-d8	98.2	70-130	%	Rec	1	5/19/2023 12:53:00 AM
SM2510B: SPECIFIC CONDUCTANCE						Analyst: NAI
Conductivity	2600	10	μn	nhos/c	1	5/17/2023 2:26:57 PM
SM4500-H+B / 9040C: PH						Analyst: NAI
рН	6.73		H pH	l units	1	5/17/2023 2:26:57 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: RBC
Total Dissolved Solids	2320	100	*D m	g/L	1	5/17/2023 3:45:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305708**

24-May-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: 100ng lcs	SampT	ype: LC :	s	Tes	tCode: EF	PA Method	8260B: VOLA	TILES		
Client ID: LCSW	Batch	n ID: R9 0	6862	F	RunNo: 96	6862				
Prep Date:	Analysis D	Date: 5/ 1	18/2023	5	SeqNo: 35	514005	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	102	70	130			
Toluene	21	1.0	20.00	0	104	70	130			
Chlorobenzene	21	1.0	20.00	0	103	70	130			
1,1-Dichloroethene	20	1.0	20.00	0	97.9	70	130			
Trichloroethene (TCE)	19	1.0	20.00	0	96.5	70	130			
Surr: 1,2-Dichloroethane-d4	10		10.00		100	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		103	70	130			
Surr: Dibromofluoromethane	9.6		10.00		96.1	70	130			
Surr: Toluene-d8	9.7		10.00		96.6	70	130			

Sample ID: mb SampType: MBLK TestCode: EPA Method 8260B: VOLATILES

Client ID: PBW Batch ID: R96862 RunNo: 96862

Prep Date: Analysis Date: 5/18/2023 SeqNo: 3514006 Units: µg/L

%REC

LowLimit

HighLimit

%RPD

RPDLimit

Qual

Analyte Result **PQL** SPK value SPK Ref Val ND 1.0 Benzene ND Toluene 1.0 Ethylbenzene ND 1.0 Methyl tert-butyl ether (MTBE) ND 1.0 1,2,4-Trimethylbenzene ND 1.0 1,3,5-Trimethylbenzene ND 1.0

1,2-Dichloroethane (EDC) ND 1.0 1,2-Dibromoethane (EDB) ND 1.0 Naphthalene ND 2.0 1-Methylnaphthalene ND 4.0 2-Methylnaphthalene ND 4.0 Acetone ND 10 ND Bromobenzene 1.0 ND 1.0 Bromodichloromethane Bromoform ND 1.0 Bromomethane ND 3.0 ND

2-Butanone 10 Carbon disulfide ND 10 Carbon Tetrachloride ND 1.0 Chlorobenzene ND 1.0 Chloroethane ND 2.0 Chloroform ND 1.0 Chloromethane ND 3.0 2-Chlorotoluene ND 1.0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305708 24-May-23**

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: mb	SampType: MBLK	TestCode: EPA Method 8260B: VOLATILES
---------------	----------------	---------------------------------------

Sample ID. Mb	Sampi	ype. WB	PLN	resicode. EPA Method			020UD: VULATILES				
Client ID: PBW	Batch	h ID: R9 6	6862	R	RunNo: 96	3862					
Prep Date:	Analysis D)ate: 5/ 1	18/2023	٤	SeqNo: 35	514006	Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
4-Chlorotoluene	ND	1.0									
cis-1,2-DCE	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	2.0									
Dibromochloromethane	ND	1.0									
Dibromomethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichloropropane	ND	1.0									
2,2-Dichloropropane	ND	2.0									
1,1-Dichloropropene	ND	1.0									
Hexachlorobutadiene	ND	1.0									
2-Hexanone	ND	10									
Isopropylbenzene	ND	1.0									
4-Isopropyltoluene	ND	1.0									
4-Methyl-2-pentanone	ND	10									
Methylene Chloride	ND	3.0									
n-Butylbenzene	ND	3.0									
n-Propylbenzene	ND	1.0									
sec-Butylbenzene	ND	1.0									
Styrene	ND	1.0									
tert-Butylbenzene	ND	1.0									
1,1,1,2-Tetrachloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	2.0									
Tetrachloroethene (PCE)	ND	1.0									
trans-1,2-DCE	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,1,1-Trichloroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
Trichloroethene (TCE)	ND	1.0									
Trichlorofluoromethane	ND	1.0									
1,2,3-Trichloropropane	ND	2.0									

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305708 24-May-23**

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: mb	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8260B: VOLA	TILES		
Client ID: PBW	Batch	n ID: R9	6862	F	RunNo: 96	6862				
Prep Date:	Analysis D	oate: 5/	18/2023	5	SeqNo: 35	514006	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Vinyl chloride	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	9.8		10.00		98.2	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		101	70	130			
Surr: Dibromofluoromethane	9.3		10.00		92.9	70	130			
Surr: Toluene-d8	9.8		10.00		97.7	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 7

Hall Environmental Analysis Laboratory, Inc.

2305708 24-May-23

WO#:

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: Ics-1 98.8uS eC SampType: Ics TestCode: SM2510B: Specific Conductance

Client ID: LCSW Batch ID: R96838 RunNo: 96838

Prep Date: Analysis Date: 5/17/2023 SeqNo: 3512489 Units: µmhos/cm

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Conductivity 100 10 98.80 0 101 85 115

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: **2305708**

24-May-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: MB-74972 SampType: MBLK TestCode: SM2540C MOD: Total Dissolved Solids

Client ID: PBW Batch ID: 74972 RunNo: 96828

Prep Date: 5/16/2023 Analysis Date: 5/17/2023 SeqNo: 3512042 Units: mg/L

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Total Dissolved Solids ND 50.0

Sample ID: LCS-74972 SampType: LCS TestCode: SM2540C MOD: Total Dissolved Solids

Client ID: LCSW Batch ID: 74972 RunNo: 96828

Prep Date: 5/16/2023 Analysis Date: 5/17/2023 SeqNo: 3512043 Units: mg/L

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Total Dissolved Solids 982 50.0 1000 0 98.2 80 120

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 7



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Released to Imaging: 10/27/2023 9:41:57 AM

Client Name: HILCORP El	NERGY Wor	k Order Number: 230	5708		RcptNo:	1
Received By: Juan Rojas	5/12/2	023 7:30:00 AM	Ju	rweiß Lichell Ge		
Completed By: Michelle Ga	arcia 5/12/2	5/12/2023 11:08:09 AM		iirst G)	
Reviewed By: \$ 5-17		05	"	7	•	
Chain of Custody						
Is Chain of Custody comple	te?	Yes	✓ N	10 🗆	Not Present	
2. How was the sample delive	red?	Cou	rier			
<u>Log In</u>				_		
3. Was an attempt made to co	ol the samples?	Yes	✓ N	lo 📙	na □	
4. Were all samples received a	at a temperature of >0° C	to 6.0°C Yes	✓ N	lo 🗌	na 🗆	
5. Sample(s) in proper contain	er(s)?	Yes	✓ N	lo 🗌		
6. Sufficient sample volume for	indicated test(s)?	Yes	☑ N	o 🗌		
7. Are samples (except VOA a	nd ONG) properly preser	ved? Yes	✓ N	o 🗌		
8. Was preservative added to l	pottles?	Yes	□ N	o 🔽	NA 🗆	
9. Received at least 1 vial with	headspace <1/4" for AQ			。 🗆	na 🗆	
10. Were any sample container	s received broken?	Yes	⊔ N	lo 🗹 🛚	# of preserved bottles checked	
11. Does paperwork match bottl (Note discrepancies on chai		Yes	☑ N	o 🗆	for pH:	12 unless note
12. Are matrices correctly identi		? Yes	☑ N	o 🗌	Adjusted?	
13. Is it clear what analyses wer	e requested?	Yes	✓ N	o 🗆		1.1
14. Were all holding times able (If no, notify customer for au		Yes	☑ N	• 🗆	Checked by:	JN 57121
Special Handling (if appl	icable)					
15. Was client notified of all dis	crepancies with this orde	r? Yes		lo 🗆	NA 🗹	
Person Notified:		Date:				
By Whom:		Via: ☐ eM	ail Phone	☐ Fax	☐ In Person	
Regarding:				Automobile Common		
Client Instructions:						
16. Additional remarks:						_
17. Cooler Information						
Cooler No Temp °C	Condition Seal Intac		ate Signe	ed By		
1 0.9	Good Yes	Morty				

Received by OCD: 8/1/2023 2:46:22 PM Chain-Of-Custody Record	Turn-Around Time:	Pag
Client: Hilcorp Farmington NM	X Standard	HALL ENVIRONMENTAL
	Project Name:	ANALTSIS LABORATORY
Mailing Address: 382 Road 3100 Aztec, NM 87410	Federal 18 1T	www.naiienviionmentai.com
Billing Address; PO Box 61529 Houston, TX 77208	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #: 505-486-9543		nal
email or Fax#: Brandon Sinclair@hilcorp.com	Project Manager:	
QA/QC Package:	7	
Α2 (Cor	2	Sat
	On Ice: The No	noce,
□ EDD (Type)		Incla
	Cooler Temp(Induding CF): 0.0+0.120	c Cond
	Container Type Preservativ HEAL No.	Pull 5
Date Time Matrix Sample Name	e Type	
5-10 [415 Water MW-((3) 40ml VOA HCI (1) 500ml Cool - CO \	
		-
Date: Time: Relinatished by		
0 1840	Received by: Via. Shots, 1840	Remarks: Special Pricing See Andy
Date: Trime: Relinguished by:	î j	
	10000 TV 311-160 TV	

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 246767

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	246767
	Action Type:
	[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Create By	d Condition	Condition Date
nvele	z 1. Continue with O & M schedule. 2. Submit next quarterly report by November 1, 2023.	10/27/2023