



1115 Welsh Ave., Suite B
College Station, Texas 77840
979.324.2139
www.teamtimberwolf.com

October 11, 2023

REVIEWED

By NVelez at 7:22 am, Oct 27, 2023

Mr. Nelson Velez, Environmental Specialist – Advanced
New Mexico Oil Conservation Division – District 3
1000 Rio Brazos Road
Aztec, New Mexico 87410

1. Continue further actions as stated in report.
2. Submit next quarterly report by January 15, 2024.

Re: Status Report – 3rd Quarter 2023
Fifield 5 No. 1 (SE ¼, SW ¼, Sec. 5, T29N, R11W)
Hilcorp Energy Company
San Juan County, New Mexico
OCD Incident No. NVF1718155324

Dear Mr. Velez:

On behalf of Hilcorp Energy Company (Hilcorp), Timberwolf Environmental, LLC (Timberwolf) presents this report to document activities conducted during the 3rd quarter of 2023 (3Q23) at the Fifield 5 No. 1 (Site). The Site is a plugged well site in northeast San Juan County, New Mexico (Figures 1 through 3).

Environmental Setting and Site Geology

The area immediately surrounding the Site consists of sparse vegetative cover comprised primarily of scrub brush. Area topography consists of ridges divided by shallow valleys with intermittent streams that flow south into the San Juan River. The Site is situated east of an unnamed mesa, with an average Site elevation of approximately 5,786 feet (ft). The nearest waterway is an unnamed intermittent stream located approximately 1,350 ft west of the Site. The intermittent stream empties into the San Juan River, approximately 3.4 miles south of the Site.

According to the U.S. Department of Agriculture – Natural Resources Conservation Service (USDA-NRCS), the Site soil consists of the Gypsiorthids-Badland-Stumble complex, with 5 to 30 percent slopes. The surface layer consists of sandy loam, underlain by lithic bedrock encountered between 16 to 20 inches below ground surface (bgs). Native salinity of the soil is very slightly saline to slightly saline (2.0 to 4.0 millimhos per centimeter (mmhos/cm)).

Site History

Release Event

The Fifield 5 No. 1 well has been plugged and all surface equipment removed from the Site; however, Hilcorp's Hali Meador #005R is located immediately west of the Site and remains active. Historically, the Site has consisted of a wellhead, line heater, and separator with the associated below-grade tank (BGT) for produced water, sales meter, and tank battery comprised of one above-ground storage tank (AST) and one BGT. On approximately 06/01/17, removal and closure of the BGT revealed historical

Timberwolf Project No. HEC-190009



HEC-190009
July 13, 2023
Page 2

contamination beneath the BGT. All surface equipment was removed, and the well was plugged and abandoned.

Investigation and Site Characterization

Initial assessment efforts were conducted by Rule Engineering, LLC (Rule), a subcontractor of ConocoPhillips Company (ConocoPhillips). Hilcorp acquired the property in 2017 and Rule conducted additional assessments in 2018. All findings by Rule Engineering are documented in Timberwolf's *Site Characterization and Remedial Action Plan*, dated February 28, 2019. The initial assessment identified the following constituents of concern (COCs): benzene, toluene, ethylbenzene, and xylene (BTEX) and total petroleum hydrocarbons (TPH).

On 03/20/19, additional borings were installed at the Site to delineate petroleum hydrocarbon impacts vertically and horizontally in soil. All findings are documented in Timberwolf's *Site Characterization Report and Remedial Action Plan*, dated June 14, 2019.

Remediation – SVE System

In 2019, Hilcorp installed a soil vapor extraction (SVE) system to treat impacted soil related to historical pit tank releases. The SVE system is comprised of 18 SVE wells, 6 vent wells, and an SVE trailer (housing: control valves, flow and vacuum gauges, manifolds, fluid-air separator, automated controls, and a vacuum pump). The system remained inoperative while awaiting a power source.

In September 2021, Hilcorp installed a power source for the SVE system. The power source is a skid-mounted gas-fired motor with a pulley and belt drive apparatus to transfer power to a vacuum pump. The new vacuum pump was plumbed into the existing SVE trailer; the automation system was bypassed so that all legs remain open.

Work conducted at this Site is documented in the following reports:

- *Site Characterization and Remedial Action Plan*, dated 02/28/19
- *Site Characterization and Remedial Action Plan*, dated 07/14/19
- *Status Report – 1st Quarter 2020*, dated 09/20/21
- *Status Report – 2nd Quarter 2020*, dated 09/27/21
- *Status Report – 3rd Quarter 2020*, dated 09/27/21
- *Status Report – 4th Quarter 2020*, dated 09/27/21
- *Status Report – 1st Quarter 2021*, dated 09/27/21
- *Status Report – 2nd Quarter 2021*, dated 09/27/21
- *Status Report – 3rd Quarter 2021*, dated 11/01/21
- *Status Report – 4th Quarter 2021*, dated 01/29/22
- *Status Report – 1st Quarter 2022*, dated 04/15/22
- *Status Report – 2nd Quarter 2022*, dated 07/14/22
- *Status Report – 3rd Quarter 2022*, dated 10/14/22
- *Status Report – 4th Quarter 2022*, dated 01/13/23
- *Status Report – 1st Quarter 2023*, dated 04/14/23
- *Status Report – 2nd Quarter 2023*, dated 07/13/23

HEC-190009
July 13, 2023
Page 3

SVE System Operations

The SVE system is equipped with four independent legs (i.e., Leg 1, Leg 2, Leg 3, and Leg 4). Leg 1 provides vacuum to the shallow wells and Legs 2, 3, and 4 provide vacuum extraction to the deep SVE wells. The automation panel is currently bypassed, and the valves are intermittently changed to run two legs at a time.

Water and condensate are recovered with a moisture separator, which is fitted with a 1-inch PVC pipe to transfer fluids to an open-top tank fitted with bird netting. No water or condensate was recovered during 3Q23. SVE system runtime for 3Q23 is documented in Table 1 below.

Table 1. System Runtime – 3Q23

Date	Hour Meter
06/21/23	3,905
07/13/23	4,424
07/25/23	4,712
08/04/23	4,955
08/18/23	5,291
09/07/23	5,770
09/26/23	6,230
Total Runtime	2,325

System runtime between the last 2Q23 reading (06/21/23) and the latest 3Q23 reading (09/26/23) was 2,325 hours. The available hours during this period were 2,326; therefore, yielding a runtime percentage (%) of 99.9 for 3Q23. Photographs of relevant meter readings are documented in the attached Photographic Log.

During 3Q23, Hilcorp personnel conducted six (6) operational checks and zero (0) maintenance events concurrently; six (6) O&M events in total. A field log of O&M events and maintenance performed is provided in the attached Table A-1.

Collection and Analysis of Quarterly Soil-Gas Sample

On 08/18/23, a composite soil-gas sample was collected from SVE Legs 1 and 3 using a single Tedlar® bag. The Tedlar® bag was connected to the SVE trailer sampling port, which is situated downstream of the 4-leg manifold and upstream of the air-water separator. The sampling port valve was opened to purge air within the tubing between the sampling port and Tedlar® bag. After purging, the Tedlar® bag valve was opened to collect the air sample.

The soil-gas sample (i.e., SVE-1) was transported to Hall Environmental and Analytical Laboratory (HEAL) in Albuquerque, New Mexico. HEAL analyzed the sample for volatile organic compounds (VOCs) and subcontracted other gas analyses to Energy Laboratories in Billings, Montana. All sample transfers were conducted under proper chain-of-custody protocol.

The sample was analyzed for VOCs using EPA Method 8260B, Organic Compounds (GC) by GPA 2261-95, and Gasoline Range Organics by EPA Method 8015D. The laboratory report and chain-of-custody documents are attached.

HEC-190009
July 13, 2023
Page 4

Laboratory results of constituents that exceeded laboratory detection limits are presented in Table 2; analytical results of all constituents are presented in the attached Table A-2.

Table 2. Quarterly Soil-Gas Analysis – 08/18/23

Constituents	SVE-1
Volatile Organic Compounds, mg/m³	
Benzene	16
Toluene	83
Ethylbenzene	8.4
1,2,4-Trimethylbenzene	3.4
1,3,5-Trimethylbenzene	3.7
Isopropylbenzene	1.4
n-Propylbenzene	1.1
Total Xylenes	98
Gasoline Range, mg/m³	
TPH (GC-MS) Low Fraction (i.e., GRO)	3,600
Gases, Mol %	
Oxygen	21.75
Carbon Dioxide	0.20

mg/m³ – milligrams per cubic meter
TPH – total petroleum hydrocarbons
GC-MS – gas chromatography-mass spectrometry
GRO – gasoline range organics
Mol % – mole percent

Mass Removal

Timberwolf used the laboratory results from the soil-gas analysis (as reported in Table 2), flow rates, and runtimes to calculate constituent mass removal. Mass removal of GRO, BTEX, and associated recovered volumes for 3Q23 are presented in Table 3 below.

Table 3. Mass Removal and Associated Volume – 3Q23

Constituent	Mass Removal (kg) ¹	Total Mass Removed (lbs) ²	Recovered Volume (bbl)
GRO	269.8	593.6	2.20
Benzene	1.20	2.64	0.01
Toluene	6.22	13.7	0.05
Ethylbenzene	0.63	1.39	0.01
Xylenes	7.35	16.2	0.06

¹Calculation = minutes ran * CFM * Concentration (mg/m³) * 1 M³/35.3147 ft³*1g/1000 mg * 1 kg/1000 g

²Calculation = [Mass Removal] * 2.2 lbs/kg

GRO = from TPH (GC/MS) Low Fraction (i.e., gasoline range organics)

kg – kilograms

lbs – pounds

bbl – barrel

Assumptions:

- API Gravity = 52
- Concentrations of VOCs in soil-gas vapors have remained static throughout the quarter.
- Runtime calculations based on hour meter readings on 06/21/23 and 09/26/23.

HEC-190009
July 13, 2023
Page 5

Summary

System runtime during 3Q23 was 99.9% based on hour meter readings between 06/21/23 and 09/26/23.

During 3Q23, no water and/or condensate were recovered. Additionally, mass removal calculations indicated the following recovery during the quarter:

- 2.20 bbl of GRO
- 2.64 lbs of benzene
- 13.7 lbs of toluene
- 1.39 lbs of ethylbenzene
- 16.2 lbs of xylene

Further Actions - 4th Quarter 2023

During 4Q23, the following activities are planned for the Site:


- Conduct bi-weekly Site O&M to ensure proper system function and drain any water/condensate accumulation in the moisture separator as needed
- Collect a quarterly soil-gas sample for laboratory analysis
- Prepare a 4Q23 status report

If you have any questions regarding this report, please call us at (979) 324-2139.

Sincerely,
Timberwolf Environmental, LLC



Berenice Marquez
Staff Scientist



Jim Foster
President

Attachments: Figures
Attached Tables
Photographic Log
Laboratory Report and Chain-of-Custody Documents

cc: Kate Kaufman, Hilcorp Energy Company

Figures




Figure 1
Site Location Map

Status Report - 3rd Quarter 2023

October 10, 2023



Created By:
Brett Berno
TE Project No.: HEC 190009

Fifield 5 No. 1 (OCD Incident No. NVF1718155324)
Hilcorp Energy Company
San Juan County, New Mexico

Datum: NAD83
Imagery Source: ESRI
Vector Source: ESRI and TE

Site




Figure 2
Topographic Map

Status Report - 3rd Quarter 2023


October 10, 2023



Created By:
Brett Berno
TE Project No.: HEC 190009

Fifield 5 No. 1 (OCD Incident No. NVF1718155324)
Hilcorp Energy Company
San Juan County, New Mexico

Datum: NAD83
Imagery Source: USGS
Quads: Aztec, Bloomfield,
Flora Vista, Horn Canyon
Vector Source: TE

 Site




Figure 3
Aerial Map

Status Report - 3rd Quarter 2023


October 10, 2023



Created By:
Brett Berno
TE Project No.: HEC 190009

1:10,000
0 0.25 0.5 0.75 1 Miles
Fifield 5 No. 1 (OCD Incident No. NVF1718155324)
Hilcorp Energy Company
San Juan County, New Mexico

Datum: NAD83
Imagery Source: ESRI
Vector Source: TE

 **Site**

Attached Tables

**Table A-1. Operation and Maintenance Events
Status Report - 3rd Quarter 2023
Fifield 5 No. 1 (OCD Incident No. NVF1718155324)
San Juan County, New Mexico**

Date	Hour Meter (hrs)	Water/Condensate Recovered (gal)	Maintenance Performed
07/13/23	4,424	0	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.
07/25/23	4,712	0	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.
08/04/23	4,955	0	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.
08/18/23	5,291	0	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.
09/07/23	5,770	0	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.
09/26/23	6,230	0	• Brandon Sinclair with Hilcorp performed SVE system O&M checks.

gal – gallons

hrs – hours

Table A-2. Soil-Gas Analysis - 08/18/23
Status Report - 3rd Quarter 2023
Fifield 5 No. 1 (OCD Incident No. NVF1718155324)
San Juan County, New Mexico

Constituents	SVE-1
Volatiles (µg/m³)	
Acetone	< 5,000
Benzene	16,000
Bromodichloromethane	< 500
Bromoform	< 500
Bromomethane	< 1,000
Carbon disulfide	< 5,000
Carbon tetrachloride	< 500
Chlorobenzene	< 500
Chloroethane	< 1,000
Chloroform	< 500
Chloromethane	< 500
2-Chlorotoluene	< 500
Dibromochloromethane	< 500
1,2-Dibromoethane	< 500
1,2-Dichlorobenzene	< 500
1,3-Dichlorobenzene	< 500
1,4-Dichlorobenzene	< 500
1,2-Dichloroethane	< 500
1,1-Dichloroethane	< 500
1,1-Dichloroethene	< 500
cis-1,2-Dichloroethene	< 500
trans-1,2-Dichloroethene	< 500
1,2-Dichloropropane	< 500
cis-1,3-Dichloropropene	< 500
trans-1,3-Dichloropropene	< 500
Ethylbenzene	8,400
Trichlorofluoromethane	< 500
Dichlorodifluoromethane	< 500
Hexachloro-1,3-butadiene	< 500
Isopropylbenzene	1,400
Methylene Chloride	< 1,500
n-Propylbenzene	1,100
2-Butanone (MEK)	< 5,000
4-Methyl-2-pentanone (MIBK)	< 5,000
MTBE	< 500
Naphthalene	< 1,000

Table A-2. Soil-Gas Analysis - 08/18/23
Status Report - 3rd Quarter 2023
Fifield 5 No. 1 (OCD Incident No. NVF1718155324)
San Juan County, New Mexico

Constituents	SVE-1
Styrene	< 500
1,1,2,2-Tetrachloroethane	< 500
Toluene	83,000
1,2,4-Trichlorobenzene	< 500
1,1,1-Trichloroethane	< 500
1,1,2-Trichloroethane	< 500
1,2,4-Trimethylbenzene	3,400
1,3,5-Trimethylbenzene	3,700
Vinyl chloride	< 500
Total Xylenes	98,000
Gasoline Range ($\mu\text{g}/\text{m}^3$)	
Gasoline Range Organics (GRO)	3,600,000
Gases (Mol %)	
Oxygen	21.75
Carbon Dioxide	0.20
Methane	< 0.01

$\mu\text{g}/\text{m}^3$ – Micrograms per cubic meter

Mol % – mole percent

Photographic Log



1115 Welsh Ave., Suite B
College Station, TX 77840
979.324.2139
www.teamtimberwolf.com

PHOTOGRAPHIC LOG

Project No.:	HEC-190009	Client:	Hilcorp Energy Company
Project Name:	Fifield 5 No. 1	Site Location:	San Juan County, New Mexico
Task Description:	Status Report – 3 rd Quarter 2023	Date:	July – September, 2023
Photo No.: 1			
Direction: N/A			
Comments: View of hour meter on 06/21/23.			
Photo No.: 2			
Direction: N/A			
Comments: View of hour meter on 09/26/23.			

Laboratory Report and Chain-of-Custody Documents



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

September 07, 2023

Kate Kaufman
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX:

RE: Fifield 5 1

OrderNo.: 2308A92

Dear Kate Kaufman:

Hall Environmental Analysis Laboratory received 1 sample(s) on 8/19/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2308A92

Date Reported: 9/7/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: SVE-1

Project: Fifield 5 1

Collection Date: 8/18/2023 1:30:00 PM

Lab ID: 2308A92-001

Matrix: AIR

Received Date: 8/19/2023 10:15:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: CCM
Benzene	16	0.50		µg/L	5	8/29/2023 4:18:00 PM
Toluene	83	5.0		µg/L	50	8/29/2023 5:31:00 PM
Ethylbenzene	8.4	0.50		µg/L	5	8/29/2023 4:18:00 PM
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2,4-Trimethylbenzene	3.4	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,3,5-Trimethylbenzene	3.7	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2-Dichloroethane (EDC)	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2-Dibromoethane (EDB)	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Naphthalene	ND	1.0		µg/L	5	8/29/2023 4:18:00 PM
1-Methylnaphthalene	ND	2.0		µg/L	5	8/29/2023 4:18:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	5	8/29/2023 4:18:00 PM
Acetone	ND	5.0		µg/L	5	8/29/2023 4:18:00 PM
Bromobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Bromodichloromethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Bromoform	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Bromomethane	ND	1.0		µg/L	5	8/29/2023 4:18:00 PM
2-Butanone	ND	5.0		µg/L	5	8/29/2023 4:18:00 PM
Carbon disulfide	ND	5.0		µg/L	5	8/29/2023 4:18:00 PM
Carbon tetrachloride	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Chlorobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Chloroethane	ND	1.0		µg/L	5	8/29/2023 4:18:00 PM
Chloroform	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Chloromethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
2-Chlorotoluene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
4-Chlorotoluene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
cis-1,2-DCE	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
cis-1,3-Dichloropropene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	5	8/29/2023 4:18:00 PM
Dibromochloromethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Dibromomethane	ND	1.0		µg/L	5	8/29/2023 4:18:00 PM
1,2-Dichlorobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,3-Dichlorobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,4-Dichlorobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Dichlorodifluoromethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,1-Dichloroethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,1-Dichloroethene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2-Dichloropropane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,3-Dichloropropane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
2,2-Dichloropropane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	H	Holding times for preparation or analysis exceeded
	ND	Not Detected at the Reporting Limit
	PQL	Practical Quantitative Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.

B	Analyte detected in the associated Method Blank
E	Above Quantitation Range/Estimated Value
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 1 of 2

Analytical Report

Lab Order 2308A92

Date Reported: 9/7/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: SVE-1

Project: Fifield 5 1

Collection Date: 8/18/2023 1:30:00 PM

Lab ID: 2308A92-001

Matrix: AIR

Received Date: 8/19/2023 10:15:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: CCM
1,1-Dichloropropene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Hexachlorobutadiene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
2-Hexanone	ND	5.0		µg/L	5	8/29/2023 4:18:00 PM
Isopropylbenzene	1.4	0.50		µg/L	5	8/29/2023 4:18:00 PM
4-Isopropyltoluene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	5	8/29/2023 4:18:00 PM
Methylene chloride	ND	1.5		µg/L	5	8/29/2023 4:18:00 PM
n-Butylbenzene	ND	1.5		µg/L	5	8/29/2023 4:18:00 PM
n-Propylbenzene	1.1	0.50		µg/L	5	8/29/2023 4:18:00 PM
sec-Butylbenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Styrene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
tert-Butylbenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Tetrachloroethene (PCE)	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
trans-1,2-DCE	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
trans-1,3-Dichloropropene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2,3-Trichlorobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2,4-Trichlorobenzene	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,1,1-Trichloroethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,1,2-Trichloroethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Trichloroethene (TCE)	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Trichlorofluoromethane	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
1,2,3-Trichloropropane	ND	1.0		µg/L	5	8/29/2023 4:18:00 PM
Vinyl chloride	ND	0.50		µg/L	5	8/29/2023 4:18:00 PM
Xylenes, Total	98	0.75		µg/L	5	8/29/2023 4:18:00 PM
Surr: Dibromofluoromethane	105	70-130		%Rec	5	8/29/2023 4:18:00 PM
Surr: 1,2-Dichloroethane-d4	98.0	70-130		%Rec	5	8/29/2023 4:18:00 PM
Surr: Toluene-d8	153	70-130	S	%Rec	5	8/29/2023 4:18:00 PM
Surr: 4-Bromofluorobenzene	135	70-130	S	%Rec	5	8/29/2023 4:18:00 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	3600	250		µg/L	50	8/29/2023 5:31:00 PM
Surr: BFB	93.5	70-130		%Rec	50	8/29/2023 5:31:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	H	Holding times for preparation or analysis exceeded
	ND	Not Detected at the Reporting Limit
	PQL	Practical Quantitative Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.

B	Analyte detected in the associated Method Blank
E	Above Quantitation Range/Estimated Value
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 2 of 2



ANALYTICAL SUMMARY REPORT

September 06, 2023

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B23082123 Quote ID: B15626

Project Name: Not Indicated

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 8/22/2023 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B23082123-001	2308A92-001B, SVE-1	08/18/23 13:30	08/22/23	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Not Indicated
Lab ID: B23082123-001
Client Sample ID: 2308A92-001B, SVE-1

Report Date: 09/06/23
Collection Date: 08/18/23 13:30
Date Received: 08/22/23
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.75	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Nitrogen	77.87	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Carbon Dioxide	0.20	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Hexanes plus	0.18	Mol %		0.01		GPA 2261-95	08/23/23 10:06 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
Hexanes plus	0.076	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
GPM Total	0.076	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj
GPM Pentanes plus	0.076	gpm		0.001		GPA 2261-95	08/23/23 10:06 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	9		1		GPA 2261-95	08/23/23 10:06 / jrj
Net BTU per cu ft @ std cond. (LHV)	8		1		GPA 2261-95	08/23/23 10:06 / jrj
Pseudo-critical Pressure, psia	546		1		GPA 2261-95	08/23/23 10:06 / jrj
Pseudo-critical Temperature, deg R	240		1		GPA 2261-95	08/23/23 10:06 / jrj
Specific Gravity @ 60/60F	1.00		0.001		D3588-81	08/23/23 10:06 / jrj
Air, %	99.36		0.01		GPA 2261-95	08/23/23 10:06 / jrj

- The analysis was not corrected for air.

COMMENTS

-	-	08/23/23 10:06 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis.		

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental

Work Order: B23082123

Report Date: 09/06/23

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-95									Batch: R407555	
Lab ID: B23082123-001ADUP 12 Sample Duplicate									Run: GCNGA-B_230823A 08/23/23 10:41	
Oxygen		21.7	Mol %	0.01				0	20	
Nitrogen		77.9	Mol %	0.01				0	20	
Carbon Dioxide		0.20	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.17	Mol %	0.01				5.7	20	
Lab ID: LCS082323 11 Laboratory Control Sample									Run: GCNGA-B_230823A 08/23/23 11:19	
Oxygen		0.64	Mol %	0.01	128	70	130			
Nitrogen		6.10	Mol %	0.01	102	70	130			
Carbon Dioxide		1.00	Mol %	0.01	101	70	130			
Methane		74.3	Mol %	0.01	99	70	130			
Ethane		6.03	Mol %	0.01	100	70	130			
Propane		5.10	Mol %	0.01	103	70	130			
Isobutane		2.01	Mol %	0.01	100	70	130			
n-Butane		2.04	Mol %	0.01	102	70	130			
Isopentane		1.00	Mol %	0.01	100	70	130			
n-Pentane		1.00	Mol %	0.01	100	70	130			
Hexanes plus		0.80	Mol %	0.01	100	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Hall Environmental

B23082123

Login completed by: Yvonna E. Smith

Date Received: 8/22/2023

Reviewed by: cindy

Received by: lel

Reviewed Date: 8/25/2023

Carrier name: UPS

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	22.4°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:


Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

Contact and Corrective Action Comments:

None



CHAIN OF CUSTODY RECORD

PAGE: 1 OF: 1



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975
FAX: 505-345-4107
Website: www.hallenvironmental.com

SUB CONTRACTOR		Energy Labs -Billings		COMPANY:	Energy Laboratories		PHONE:	(406) 869-6253		FAX:	(406) 252-6069	
ADDRESS		1120 South 27th Street										
CITY, STATE, ZIP		Billings, MT 59107										
ITEM	SAMPLE	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	COLLECTION DATE	# CONTAINERS	ANALYTICAL COMMENTS					
1	2308A92-001B	SVE-1	TEDLAR	Air	8/18/2023 1:30:00 PM	1	Natural Gas Analysis - O2 + CO2					

B23082123

SPECIAL INSTRUCTIONS / COMMENTS:

Please include the LAB ID and the CLIENT SAMPLE ID on all final reports. Please e-mail results to lab@hallenvironmental.com. Please return all coolers and blue ice. Thank you.

Relinquished By: 	Date: 8/19/2023	Time: 1:19 PM	Received By:	Date:	Time:	REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARDCOPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	FOR LAB USE ONLY	
Relinquished By:	Date:	Time:	Received By: 	Date: 8/22/23	Time: 09:25	Temp of samples: °C Attempt to Cool ?	
TAT: Standard	RUSH	Next BD	2nd BD	3rd BD	Comments:		

Sample Log-In Check List

Client Name: **HILCORP ENERGY**

Work Order Number: 2308A92

RcptNo: 1

Received By: **Tracy Casarrubias**

8/19/2023 10:15:00 AM

Completed By: **Tracy Casarrubias**

8/19/2023 12:22:04 PM

Reviewed By: *[Signature]* 8-21-23

Chain of Custody

1. Is Chain of Custody complete? Yes ☐ No ☒ Not Present ☐
2. How was the sample delivered? Courier

Log In

- | | | | |
|---|---|--|--|
| 3. Was an attempt made to cool the samples? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| 4. Were all samples received at a temperature of >0° C to 6.0°C | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| 5. Sample(s) in proper container(s)? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 6. Sufficient sample volume for indicated test(s)? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 7. Are samples (except VOA and ONG) properly preserved? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 8. Was preservative added to bottles? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | NA <input type="checkbox"/> |
| 9. Received at least 1 vial with headspace <1/4" for AQ VOA? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| 10. Were any sample containers received broken? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | |
| 11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | # of preserved bottles checked for pH:
(<2) |
| 12. Are matrices correctly identified on Chain of Custody? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Adjusted? |
| 13. Is it clear what analyses were requested? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 14. Were all holding times able to be met?
(If no, notify customer for authorization.) | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Checked by |

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions: Mailing address and phone number are missing on COC- TMC 8/19/23

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	N.A	Good	Yes			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 275320

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	275320
	Action Type:	[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	1. Continue further actions as stated in report. 2. Submit next quarterly report by January 15, 2024.	10/27/2023