

Accepted - 10/27/2023

NV



July 12, 2023

**New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**Re: Second Quarter 2023 – SVE System Update**

Lambe 2C  
San Juan County, New Mexico  
Hilcorp Energy Company  
NMOCD Incident Number: NVF1836050592  
Ensolum Project No. 07A1988008

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Second Quarter 2023 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Lambe 2C natural gas production well (Site), located in Unit H, Section 20, Township 31 North, and Range 10 West in San Juan County (Figure 1). Specifically, this report summarizes Site activities performed in April, May, and June of 2023 to the New Mexico Oil Conservation Division (NMOCD).

**SVE SYSTEM SPECIFICATIONS**

The current SVE system was installed at the Site in September 2021, with operation beginning on September 24, 2021. The SVE system is configured so vacuum is being applied to well MW01 (shown on Figure 2). SVE well MW01 is screened across the impacted soil interval from approximately 20 feet to 35 feet below ground surface (bgs). The SVE system consists of a 1 horsepower Atlantic Blower model AB-202/1 regenerative blower capable of producing 50 standard cubic feet per minute (scfm) flow and 30 inches of water column (IWC) vacuum. The layout of the SVE system and piping is shown on Figure 2.

**SECOND QUARTER 2023 ACTIVITIES**

During the second quarter of 2023 Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to ensure the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. During the second quarter of 2023, SVE well MW01 was operated in order to induce flow in impacted soil zone. Between March 9 and June 22, 2023, the SVE system operated for 2,473.3 hours for a runtime efficiency of 98.1 percent (%). Appendix B presents photographs of the runtime meter for calculating the second quarter runtime efficiency. Table 1 presents the SVE system operational hours and calculated percent runtime.

A second quarter 2023 air sample was collected on June 22, 2023 from a sample port located between the SVE piping manifold and the SVE blower using a high vacuum air sampler. Prior to collection, the

emission sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The emission sample was collected directly into two 1-Liter Tedlar® bags and submitted to Hall Environmental Analysis Laboratory (Hall) in Albuquerque, New Mexico for analysis of total volatile petroleum hydrocarbons (TVPH – also known as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processors Association (GPA) Method 2261. Table 2 presents a summary of analytical data collected during this sampling event and historical sampling events, with the full laboratory analytical report included in Appendix C.

Air sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, 387 pounds of TVPH have been removed by the system to date.

## RECOMMENDATIONS


Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to ensure that the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report.

We appreciate the opportunity to provide this report to the New Mexico Oil Conservation Division. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,  
**Ensolum, LLC**



Stuart Hyde, LG  
Senior Geologist  
(970) 903-1607  
shyde@ensolum.com



Daniel R. Moir, PG  
Senior Managing Geologist  
(303) 887-2946  
dmoir@ensolum.com


## Attachments:

Figure 1	Site Location
Figure 2	As Built Diagram
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Emissions Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



FIGURES





**ENSOLUM**  
 Environmental & Hydrogeologic Consultants

#### SITE LOCATION MAP

HILLCORP ENERGY COMPANY  
 LAMBE 2C


SENE SEC 20 T31N R10W, San Juan County, New Mexico  
 36.885735° N, 107.899592° W

PROJECT NUMBER: 07A1988008

FIGURE

1





### AS BUILT DIAGRAM

HILCORP ENERGY COMPANY  
LAMBE 2C  
SENE SEC 20 T31N R10W, San Juan County, New Mexico  
36.885855° N, 107.899525° W

PROJECT NUMBER: 07A1988008

FIGURE

2



TABLES



**TABLE 1**  
**SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS**  
Lambe 2C  
Hilcorp Energy Company  
San Juan County, New Mexico

Date	Total Operational Hours	Delta Hours	Days	Percent Runtime
3/9/2023	3,702.5	--	--	--
6/22/2023	6,175.8	2,473.3	105.0	98.1%



**TABLE 2**  
**SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS**  
 Lambe 2C  
 Hilcorp Energy Company  
 San Juan County, New Mexico

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
9/25/2019 (1)	782	6.1	42	<5.0	56	--	--	--
10/14/2019 (1)	431	7.3	26	2.6	36	3,600	--	--
9/17/2021 (2)	78	<0.10	<0.10	<0.10	1.1	660	--	--
9/24/2021	97	<0.20	0.9	<0.20	4.3	880	--	--
12/2/2021	92	<0.20	2.3	0.6	6.5	300	22.10	0.288
3/15/2022	42	<0.1	<0.10	<0.10	0.5	41	22.10	0.249
6/16/2022	25	<0.10	0.51	0.14	1.4	110	21.57	0.28
9/28/2022 (3)	122	<0.10	<0.10	<0.10	<0.15	43	21.47	0.41
12/12/2022 (3)	16.9	0.72	8.2	0.51	6.5	170	21.68	0.30
3/9/2023	20.8	0.21	4.1	0.47	<0.10	140	21.64	0.26
6/22/2023	48.3	0.37	4.1	0.29	5.4	120	21.10	0.30

**Notes:**

(1): sample collected during a Venturi event

(2): sample collected during pilot testing of the SVE system

(3): PID measurement collected during operation and maintenance visits on 9/21/2022 and 12/10/2022

GRO: gasoline range organics

µg/L: microgram per liter

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

%: percent

--: not sampled

<0.037: gray indicates result less than the stated laboratory reporting limit (PQL)





**TABLE 3**  
**SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS**

Lambe 2C  
Hilcorp Energy Company  
San Juan County, New Mexico

**Flow and Laboratory Analysis**

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
9/24/2021	97	0.20	0.94	0.20	4.3	880
12/2/2021	92	0.20	2.3	0.59	6.5	300
3/15/2022	42	0.10	0.10	0.10	0.48	41
6/16/2022	25	0.10	0.51	0.14	1.4	110
9/28/2022 (1)	122	0.10	0.10	0.10	0.15	43
12/12/2022 (2)	16.9	0.72	8.2	0.51	6.5	170
3/9/2023	20.8	0.21	4.1	0.47	0.10	140
6/22/2023	48.3	0.37	4.1	0.29	5.4	120
<b>Average</b>	58	0.25	2.54	0.30	3.1	226

**Vapor Extraction Summary**

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
9/24/2021	51	4,590	4,590	0.000038	0.00018	0.000038	0.00082	0.17
12/2/2021	40	3,811,470	3,806,880	0.000030	0.00024	0.000059	0.00081	0.088
3/15/2022	40	9,329,550	5,518,080	0.000022	0.00018	0.000052	0.00052	0.026
6/16/2022	42	14,899,002	5,569,452	0.000016	0.000048	0.000019	0.00015	0.012
9/28/2022 (1)	44	20,888,106	5,989,104	0.000016	0.000050	0.000020	0.00013	0.013
12/10/2022 (2)	44	25,438,938	4,550,832	0.000067	0.00068	0.000050	0.00055	0.018
3/9/2023	43	30,543,984	5,105,046	0.000077	0.001012	0.000081	0.000543	0.025507
6/22/2023	44	37,073,496	6,529,512	0.000048	0.000675	0.000063	0.000453	0.021393
<b>Average</b>				0.000039	0.00038	0.000048	0.00050	0.046

**Flow and Laboratory Analysis**

Date	Total Operational Hours (3)	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
9/24/2021	1.5	1.5	0.000057	0.00027	0.000057	0.0012	0.25	0.00013
12/2/2021	1,588	1,586	0.047	0.38	0.094	1.3	140	0.070
3/15/2022	3,887	2,299	0.052	0.41	0.12	1.2	59	0.029
6/16/2022	6,097	2,210	0.035	0.11	0.042	0.33	26	0.013
9/21/2022 (1)	8,366	2,269	0.037	0.11	0.045	0.29	29	0.014
12/10/2022 (2)	10,089	1,724	0.12	1.2	0.087	0.94	30	0.015
3/9/2023	12,068	1,979	0.151	2.00	0.160	1.07	50	0.025
6/22/2023	14,541	2,473	0.118	1.67	0.155	1.12	53	0.026
<b>Total Mass Recovery to Date</b>			0.56	5.9	0.70	6.2	387	0.19

**Notes:**

(1): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 9/21/2022

(2): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 12/10/2022

(3): total operational hours are a summation of runtime hours collected from several blower runtime meters

cf: cubic feet

cfm: cubic feet per minute

µg/L: micrograms per liter

lb/hr: pounds per hour

---: not sampled

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

gray: laboratory reporting limit used for calculating emissions



## APPENDIX A

### Field Notes



LAMBE 2C SVE SYSTEM  
BIWEEKLY O&M FORM

DATE: 4-13  
TIME ONSITE: \_\_\_\_\_

O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

SVE SYSTEM - MONTHLY O&M	
SVE ALARMS:	KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	4492.24	1433
Inlet Vacuum (IWC)	14	
K/O Tank Vacuum (IWC)	14	
Inlet Flow Rotameter (scfm)	42	
Inlet PID	63.7	
Exhaust PID	37.7	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID:	SAMPLE TIME:
Analytes:	TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
OPERATING WELLS	

Change in Well Operation:	
---------------------------	--

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		34.4	

COMMENTS/OTHER MAINTENANCE:



LAMBE 2C SVE SYSTEM  
BIWEEKLY O&M FORM

DATE: 4-25  
TIME ONSITE: \_\_\_\_\_

O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

SVE SYSTEM - MONTHLY O&M	
SVE ALARMS:	<div><div></div><div>KO TANK HIGH LEVEL</div></div>

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	4779.93	1716
Inlet Vacuum (IWC)	14	
K/O Tank Vacuum (IWC)	14	
Inlet Flow Rotameter (scfm)	42	
Inlet PID	108.7	
Exhaust PID	76.7	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID:	SAMPLE TIME:
Analytes:	TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
OPERATING WELLS	

Change in Well Operation:	
---------------------------	--

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		72	

COMMENTS/OTHER MAINTENANCE:
-----------------------------



LAMBE 2C SVE SYSTEM  
BIWEEKLY O&M FORM

DATE: 5-4  
TIME ONSITE:

O&M PERSONNEL: B Sinclair  
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	4995.09	1329
Inlet Vacuum (IWC)	14	
K/O Tank Vacuum (IWC)	14	
Inlet Flow Rotameter (scfm)	42	
Inlet PID	44.1	
Exhaust PID	41.1	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		37.1	

COMMENTS/OTHER MAINTENANCE:



SAUNDERS  
www.saunders-usa.com

LAMBE 2C SVE SYSTEM  
BIWEEKLY O&M FORM

DATE: 5-18  
TIME ONSITE: \_\_\_\_\_

O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: \_\_\_\_\_ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	5332.74	1508
Inlet Vacuum (IWC)	19	
K/O Tank Vacuum (IWC)	13	
Inlet Flow Rotameter (scfm)	43	
Inlet PID	55.2	
Exhaust PID	37.2	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation: \_\_\_\_\_

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		36	

COMMENTS/OTHER MAINTENANCE:

Replaced SVE01 well cap



SAUNDERS  
www.saunders-usa.com

LAMBE 2C SVE SYSTEM  
BIWEEKLY O&M FORM

DATE: 6-7  
TIME ONSITE: \_\_\_\_\_

O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: \_\_\_\_\_  
KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	5812.98	1:52 Z
Inlet Vacuum (IWC)	14	
K/O Tank Vacuum (IWC)	13	
Inlet Flow Rotameter (scfm)	45	
Inlet PID	83.1	
Exhaust PID	58.3	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation: \_\_\_\_\_

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	\	60.4	

COMMENTS/OTHER MAINTENANCE:



LAMBE 2C SVE SYSTEM  
BIWEEKLY O&M FORMDATE: 6-22  
TIME ONSITE: \_\_\_\_\_O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

## SVE SYSTEM - MONTHLY O&amp;M

SVE ALARMS: \_\_\_\_\_  
KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	6175.76	1809
Inlet Vacuum (IWC)	14	
K/O Tank Vacuum (IWC)	13	
Inlet Flow Rotameter (scfm)	44	
Inlet PID	48.3	
Exhaust PID	40	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

## SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		39.9	

COMMENTS/OTHER MAINTENANCE:







## APPENDIX B

### Project Photographs



**PROJECT PHOTOGRAPHS**  
Lambe 2C  
San Juan County, New Mexico  
Hilcorp Energy Company

<b>Photograph 2</b>  Runtime meter taken on March 9, 2023 at 11:31 AM Hours = 3,702.49	
<b>Photograph 2</b>  Runtime meter taken on June 22, 2023 at 6:09 PM Hours = 6,175.76	



## APPENDIX C

### Laboratory Analytical Reports



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

July 11, 2023

Mitch Killough  
HILCORP ENERGY  
PO Box 4700  
Farmington, NM 87499  
TEL: (505) 564-0733  
FAX

RE: Lambe 2C

OrderNo.: 2306C79

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 1 sample(s) on 6/24/2023 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued June 29, 2023.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109



## Analytical Report

Lab Order 2306C79

Date Reported: 7/11/2023

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: SVE-1

Project: Lambe 2C

Collection Date: 6/22/2023 6:20:00 PM

Lab ID: 2306C79-001

Matrix: AIR

Received Date: 6/24/2023 7:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8015D: GASOLINE RANGE</b>						Analyst: JJP
Gasoline Range Organics (GRO)	120	5.0		µg/L	1	6/26/2023 4:16:44 PM
Surr: BFB	300	15-412		%Rec	1	6/26/2023 4:16:44 PM
<b>EPA METHOD 8260B: VOLATILES</b>						Analyst: RAA
Benzene	0.37	0.10		µg/L	1	7/5/2023 2:11:13 PM
Toluene	4.1	0.10		µg/L	1	7/5/2023 2:11:13 PM
Ethylbenzene	0.29	0.10		µg/L	1	7/5/2023 2:11:13 PM
Methyl tert-butyl ether (MTBE)	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2,4-Trimethylbenzene	1.1	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,3,5-Trimethylbenzene	0.89	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2-Dichloroethane (EDC)	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2-Dibromoethane (EDB)	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Naphthalene	ND	0.20		µg/L	1	7/5/2023 2:11:13 PM
1-Methylnaphthalene	ND	0.40		µg/L	1	7/5/2023 2:11:13 PM
2-Methylnaphthalene	ND	0.40		µg/L	1	7/5/2023 2:11:13 PM
Acetone	ND	1.0		µg/L	1	7/5/2023 2:11:13 PM
Bromobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Bromodichloromethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Bromoform	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Bromomethane	ND	0.20		µg/L	1	7/5/2023 2:11:13 PM
2-Butanone	ND	1.0		µg/L	1	7/5/2023 2:11:13 PM
Carbon disulfide	ND	1.0		µg/L	1	7/5/2023 2:11:13 PM
Carbon tetrachloride	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Chlorobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Chloroethane	ND	0.20		µg/L	1	7/5/2023 2:11:13 PM
Chloroform	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Chloromethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
2-Chlorotoluene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
4-Chlorotoluene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
cis-1,2-DCE	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
cis-1,3-Dichloropropene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2-Dibromo-3-chloropropane	ND	0.20		µg/L	1	7/5/2023 2:11:13 PM
Dibromochloromethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Dibromomethane	ND	0.20		µg/L	1	7/5/2023 2:11:13 PM
1,2-Dichlorobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,3-Dichlorobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,4-Dichlorobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Dichlorodifluoromethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1-Dichloroethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1-Dichloroethene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	H	Holding times for preparation or analysis exceeded
	ND	Not Detected at the Reporting Limit
	PQL	Practical Quantitative Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.

B	Analyte detected in the associated Method Blank
E	Above Quantitation Range/Estimated Value
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 1 of 2

## Analytical Report

Lab Order 2306C79

Date Reported: 7/11/2023

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: SVE-1

Project: Lambe 2C

Collection Date: 6/22/2023 6:20:00 PM

Lab ID: 2306C79-001

Matrix: AIR

Received Date: 6/24/2023 7:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8260B: VOLATILES</b>						Analyst: RAA
1,2-Dichloropropane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,3-Dichloropropane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
2,2-Dichloropropane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1-Dichloropropene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Hexachlorobutadiene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
2-Hexanone	ND	1.0		µg/L	1	7/5/2023 2:11:13 PM
Isopropylbenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
4-Isopropyltoluene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
4-Methyl-2-pentanone	ND	1.0		µg/L	1	7/5/2023 2:11:13 PM
Methylene chloride	ND	0.30		µg/L	1	7/5/2023 2:11:13 PM
n-Butylbenzene	ND	0.30		µg/L	1	7/5/2023 2:11:13 PM
n-Propylbenzene	0.17	0.10		µg/L	1	7/5/2023 2:11:13 PM
sec-Butylbenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Styrene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
tert-Butylbenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1,1,2-Tetrachloroethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1,2,2-Tetrachloroethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Tetrachloroethene (PCE)	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
trans-1,2-DCE	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
trans-1,3-Dichloropropene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2,3-Trichlorobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2,4-Trichlorobenzene	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1,1-Trichloroethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,1,2-Trichloroethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Trichloroethene (TCE)	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Trichlorofluoromethane	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
1,2,3-Trichloropropane	ND	0.20		µg/L	1	7/5/2023 2:11:13 PM
Vinyl chloride	ND	0.10		µg/L	1	7/5/2023 2:11:13 PM
Xylenes, Total	5.4	0.15		µg/L	1	7/5/2023 2:11:13 PM
Surr: Dibromofluoromethane	119	70-130		%Rec	1	7/5/2023 2:11:13 PM
Surr: 1,2-Dichloroethane-d4	118	70-130		%Rec	1	7/5/2023 2:11:13 PM
Surr: Toluene-d8	101	70-130		%Rec	1	7/5/2023 2:11:13 PM
Surr: 4-Bromofluorobenzene	113	70-130		%Rec	1	7/5/2023 2:11:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 2 of 2



## ANALYTICAL SUMMARY REPORT

June 28, 2023

Hall Environmental  
4901 Hawkins St NE Ste D  
Albuquerque, NM 87109-4372

Work Order: B23062215 Quote ID: B15626

Project Name: Not Indicated

---

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 6/27/2023 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B23062215-001	2306C79-001B, SVE-1	06/22/23 18:20	06/27/23	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

## LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

**Client:** Hall Environmental  
**Project:** Not Indicated  
**Lab ID:** B23062215-001  
**Client Sample ID:** 2306C79-001B, SVE-1

**Report Date:** 06/28/23  
**Collection Date:** 06/22/23 18:20  
**Date Received:** 06/27/23  
**Matrix:** Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>GAS CHROMATOGRAPHY ANALYSIS REPORT</b>							
Oxygen	21.10	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Nitrogen	78.60	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Carbon Dioxide	0.30	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Methane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Ethane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Propane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Hexanes plus	<0.01	Mol %		0.01		GPA 2261-95	06/28/23 08:43 / ikc
Propane	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
Hexanes plus	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
GPM Total	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc
GPM Pentanes plus	< 0.001	gpm		0.001		GPA 2261-95	06/28/23 08:43 / ikc

### CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND		1		GPA 2261-95	06/28/23 08:43 / ikc
Net BTU per cu ft @ std cond. (LHV)	ND		1		GPA 2261-95	06/28/23 08:43 / ikc
Pseudo-critical Pressure, psia	545		1		GPA 2261-95	06/28/23 08:43 / ikc
Pseudo-critical Temperature, deg R	239		1		GPA 2261-95	06/28/23 08:43 / ikc
Specific Gravity @ 60/60F	0.998		0.001		D3588-81	06/28/23 08:43 / ikc
Air, %	96.40		0.01		GPA 2261-95	06/28/23 08:43 / ikc

- The analysis was not corrected for air.

### COMMENTS

-					-	06/28/23 08:43 / ikc
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis.						

**Report Definitions:** RL - Analyte Reporting Limit  
QCL - Quality Control Limit

MCL - Maximum Contaminant Level  
ND - Not detected at the Reporting Limit (RL)





# QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental

Work Order: B23062215

Report Date: 06/28/23

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
<b>Method: GPA 2261-95</b>										Batch: R404488
<b>Lab ID: LCS062723</b>	11	Laboratory Control Sample		Run: GCNGA-B_230627A				06/27/23 11:57		
Oxygen		0.60	Mol %	0.01	120	70	130			
Nitrogen		5.92	Mol %	0.01	99	70	130			
Carbon Dioxide		0.99	Mol %	0.01	100	70	130			
Methane		74.4	Mol %	0.01	100	70	130			
Ethane		6.00	Mol %	0.01	100	70	130			
Propane		5.34	Mol %	0.01	108	70	130			
Isobutane		1.98	Mol %	0.01	99	70	130			
n-Butane		1.99	Mol %	0.01	99	70	130			
Isopentane		1.00	Mol %	0.01	100	70	130			
n-Pentane		1.00	Mol %	0.01	100	70	130			
Hexanes plus		0.78	Mol %	0.01	98	70	130			
<b>Lab ID: B23062211-001ADUP</b>	12	Sample Duplicate		Run: GCNGA-B_230627A				06/27/23 14:25		
Oxygen		17.0	Mol %	0.01				0.2	20	
Nitrogen		79.0	Mol %	0.01				0.0	20	
Carbon Dioxide		3.64	Mol %	0.01				0.3	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.39	Mol %	0.01				2.6	20	
<b>Lab ID: LCS062823</b>	11	Laboratory Control Sample		Run: GCNGA-B_230627A				06/28/23 09:16		
Oxygen		0.60	Mol %	0.01	120	70	130			
Nitrogen		5.94	Mol %	0.01	99	70	130			
Carbon Dioxide		0.99	Mol %	0.01	100	70	130			
Methane		74.4	Mol %	0.01	100	70	130			
Ethane		5.95	Mol %	0.01	99	70	130			
Propane		5.52	Mol %	0.01	112	70	130			
Isobutane		1.97	Mol %	0.01	98	70	130			
n-Butane		1.97	Mol %	0.01	98	70	130			
Isopentane		0.96	Mol %	0.01	96	70	130			
n-Pentane		0.97	Mol %	0.01	97	70	130			
Hexanes plus		0.76	Mol %	0.01	95	70	130			

**Qualifiers:**

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

# Work Order Receipt Checklist

Hall Environmental

B23062215

Login completed by: Yvonna E. Smith

Date Received: 6/27/2023

Reviewed by: darcy

Received by: lel

Reviewed Date: 6/28/2023

Carrier name: Hand Deliver

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	17.8°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

## Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

## Contact and Corrective Action Comments:

None



## CHAIN OF CUSTODY RECORD

PAGE: 1 OF: 1

Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975  
FAX: 505-345-4107  
Website: www.hallenvironmental.com

SUB CONTRACTOR: <b>Energy Labs -Billings</b>		COMPANY: <b>Energy Laboratories</b>		PHONE: <b>(406) 869-6253</b>	FAX: <b>(406) 252-6069</b>
ADDRESS: <b>1120 South 27th Street</b>		ACCOUNT #:			
CITY, STATE, ZIP: <b>Billings, MT 59107</b>					
ITEM	SAMPLE	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	COLLECTION DATE
1	2306C79-001B	SVE-1	TEDLAR	Air	6/22/2023 6:20:00 PM
# CONTAINERS					1
					**Next DAY TAT** Natural Gas Analysis, O2, CO2
					<b>B23002215</b>

## ANALYTICAL COMMENTS

## SPECIAL INSTRUCTIONS / COMMENTS:

Please include the LAB ID and the CLIENT SAMPLE ID on all final reports. Please e-mail results to lab@hallenvironmental.com. Please return all coolers and blue ice. Thank you.

Relinquished By: <b>CNC</b>	Date: <b>6/26/2023</b>	Time: <b>10:56 AM</b>	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By: <b>Hydri Lebane</b>	Date: <b>6/27/23</b>	Time: <b>08:25</b>
TAT: Standard <input type="checkbox"/>			RUSH <input checked="" type="checkbox"/>		
			Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/>		
REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARDCOPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE					
FOR LAB USE ONLY					
Temp of samples _____ °C Attempt to Cool? _____					
Comments: _____					





Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: www.hallenvironmental.com

## Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2306C79

RcptNo: 1

Received By: Tracy Casarrubias 6/24/2023 7:45:00 AM

Completed By: Tracy Casarrubias 6/24/2023 9:16:49 AM

Reviewed By: *ju 6/26/23*

### Chain of Custody

1. Is Chain of Custody complete? Yes ☐ No ☒ Not Present ☐
2. How was the sample delivered? Courier

### Log In

3. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒
4. Were all samples received at a temperature of  $>0^{\circ}\text{C}$  to  $6.0^{\circ}\text{C}$ ? Yes ☐ No ☐ NA ☒
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace  $<1/4"$  for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?  
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?  
(If no, notify customer for authorization.) Yes ☒ No ☐

# of preserved  
bottles checked  
for pH:

( $<2$  or  $>12$  unless noted)

Adjusted?

Checked by: *TML 6/24/23*

### Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: \_\_\_\_\_

Date: \_\_\_\_\_

By Whom: \_\_\_\_\_

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: \_\_\_\_\_

Client Instructions: Mailing address and phone number are missing on COC- TMC 6/24/23

16. Additional remarks:

### 17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	N/A	Good	Yes			



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 240046

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 240046
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Accepted for the record. See app ID 275082 for most updated status.	10/27/2023