

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>51-100</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 8/10/2023

email: dale.woodall@dn.com Telephone: 575-748-1838

OCD Only

Received by: Shelly Wells Date: 8/10/2023

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 8/10/2023

email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: Shelly Wells Date: 8/10/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Nelson Velez Date: 11/15/2023

Printed Name: Nelson Velez Title: Environmental Specialist – Adv

Remediation has met 19.15.29 NMAC requirements. Soil impacts exceeding the reclamation standards have been left in place and are required to meet 19.15.29.13D (1) NMAC once the site is no longer reasonably needed for production or subsequent drilling operations.

Operator did not meet 19.15.29.12D (1a) NMAC. Forbearance given on 10/24/2023. Release resolved.



Pima Environmental Services

Appendix D

Photographic Documentation



Pima Environmental Services
5614 N. Lovington Highway
Hobbs, NM 88240
575-964-7740

August 9, 2023

NMOCD District 2
 811 S. First Street
 Artesia, NM 88210

Re: Site Assessment, and Closure Report
Green Wave 20 CTB 3
API No. N/A
GPS: Latitude 32.031780 Longitude -103.493815
UL –F Section 20, T26S, R34E
Lea County, NM
NMOCD Ref. No. NAPP2316553894

Pima Environmental Services, LLC. (Pima) has been contracted by Devon Energy Production Company, LP (Devon) to perform a spill assessment, remediation activities, and submit this closure report for a Produced Water release that occurred at the Green Wave 20 CTB 3 (Mule). The initial C-141 was submitted on June 21, 2023 (Appendix C). This incident was assigned Incident ID NAPP2316553894 by the New Mexico Oil Conservation Division (NMOCD).

Site Characterization

The Green Wave is located approximately nineteen (19) miles southwest of Jal, NM. This spill site is in Unit F, Section 20, Township 26S, Range 34E, Latitude 32.031780 Longitude -103.493815, Lea County, NM. Figure 1 references a Location Map.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is made up of Interlayered eolian and piedmont deposits. Interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits. The soil in this area is made up of Pyote and Maljamar fine sands, 0 to 3 percent slopes, according to the United States Department of Agriculture Natural Resources Conservation Service soil survey (Appendix B). The drainage class in this area is well drained. There is a low potential for karst geology to be present around the Green Wave (Figure 3).

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is 135 feet below grade surface (BGS). According to the United States Geological Survey (USGS), the nearest groundwater is 406 feet BGS. The closest waterway is the Red Bluff Reservoir located approximately 25 miles to the southwest of this location. See Appendix A for referenced water surveys.

Table 1 NMAC and Closure Criteria 19.15.29

Depth to Groundwater (Appendix A)	Constituent & Limits				
	Chlorides	Total TPH	GRO+DRO	BTEX	Benzene
<50'	600 mg/kg	100 mg/kg		50 mg/kg	10 mg/kg
51-100'	10,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
>100'	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg

Reference Figure 2 for a Topographic Map.

Green Wave 20 CTB 3|Devon Energy

Release Information

NAPP2316553894: On June 14, 2023, a pin hole developed on a flow line, causing a fluid to be released. The released fluids were calculated to be approximately 9.1 barrels (bbls) of produced water. A vacuum truck was able to recover 8 bbls of standing fluid.

Remediation Activities, Site Assessment, and Soil Sampling Results

On July 13, 2023, Pima mobilized personnel to the site to begin collecting soil samples from the spill area. The laboratory results of this sampling event can be found in the following data table. A Site Map can be found in Figure 4.

7-13-23 Soil Sample Results								
NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <51-100')								
DEVON ENERGY - GREEN WAVE 20 CTB 3								
Sample Date: 7/13/2023				NM Approved Laboratory Results				
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
S-1	1'	ND	ND	ND	ND	ND	0	409
	2'	ND	ND	ND	ND	ND	0	969
	3'	ND	ND	ND	ND	ND	0	134
	4'	ND	ND	ND	ND	ND	0	46.4
S-2	1'	ND	ND	ND	ND	ND	0	292
	2'	ND	ND	ND	ND	ND	0	393
	3'	ND	ND	ND	ND	ND	0	289
	4'	ND	ND	ND	ND	ND	0	51.4
SW 1	6"	ND	ND	ND	ND	ND	0	ND
SW 2	6"	ND	ND	ND	ND	ND	0	ND
SW 3	6"	ND	ND	ND	ND	ND	0	ND
SW 4	6"	ND	ND	ND	ND	ND	0	ND
BG 1	6"	ND	ND	ND	ND	ND	0	ND

ND- Analyte Not Detected

Complete laboratory reports can be found in Appendix E.

Based on the sample results, the bottoms and sidewalls were below NMOCD Closure Criteria 19.15.29 NMAC. See Appendix D for Photographic Documentation.

Closure Request

After careful review, Pima requests that this incident, NAPP2316553894, be closed. Devon has complied with the applicable closure requirements set forth in rule 19.15.19.12 NMAC.

Should you have any questions or need additional information, please feel free to contact Gio Gomez at 806-782-1151 or gio@pimaoil.com.

Respectfully,



Gio Gomez
Project Manager
Pima Environmental Services, LLC

Attachments

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Site Map

Appendices:

- Appendix A – Referenced Water Surveys
- Appendix B – Soil Survey and Geological Data
- Appendix C – C-141 Form
- Appendix D – Photographic Documentation
- Appendix E – Laboratory Reports



Pima Environmental Services

Figures:

1-Location Map

2-Topographic Map



3-Karst Map


4-Site Map

Green Wave 20 CTB 3

Devon Energy
API: N/A
Lea County, NM
Location Map

Legend

-  19 Miles SW of Jal, NM
-  Green Wave 20 CTB 3




Google Earth

Green Wave 20 CTB 3

Devon Energy
API: N/A
Lea County, NM
Topographic Map

Legend

 Green Wave 20 CTB 3








Google Earth

Green Wave 20 CTB 3

Devon Energy
API: N/A
Lea County, NM
Karst Map

Legend

-  Green Wave 20 CTB 3
-  High Karst
-  Low Karst
-  Medium Karst



Google Earth

Green Wave 20 CTB 3

Devon Energy
API: N/A
Lea County, NM
Site Map

Legend

- Background/Sidewalls
- Greenwave 20 CTB 3
- Samples



Greenwave 20 CTB 3

SW1 S2 SW2 SW3 SW4

BG1



1000 ft

Google Earth



Pima Environmental Services

Appendix A

Water Surveys:

OSE


USGS

Surface Water Map



New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)				(quarters are smallest to largest)			(NAD83 UTM in meters)	
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	
NA	C 04593 POD1	3	4	4	34	24S	31E	616903	3559674	
<hr/>										
Driller License:	1249	Driller Company:				ATKINS ENGINEERING ASSOC. INC.				
Driller Name:	JACKIE ATKINS									
Drill Start Date:	03/09/2022	Drill Finish Date:				03/10/2022		Plug Date:	03/15/2022	
Log File Date:	04/04/2022	PCW Rcv Date:				Source:				
Pump Type:		Pipe Discharge Size:				Estimated Yield:				
Casing Size:		Depth Well:				55 feet		Depth Water:		
<hr/>										

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/13/23 9:23 AM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Q 34	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
C 04593 POD1		CUB	ED	3	4	4	34	24S	31E		616903	3559674	377	55		
C 02574		CUB	ED	1	1	2	02	25S	31E		618092	3559494*	1544			
C 04632 POD1		CUB	ED	1	2	2	10	25S	31E		616802	3557964	1598	55		
C 02571		CUB	ED	4	1	2	02	25S	31E		618292	3559294*	1761	860		
C 04633 POD1		CUB	ED	2	1	1	35	24S	31E		617394	3561170	1834			
C 02573		CUB	ED	1	4	2	02	25S	31E		618499	3559091*	2002			
C 02572		CUB	ED	4	2	2	02	25S	31E		618695	3559294*	2160	852		
C 02569		CUB	ED	4	4	2	02	25S	31E		618699	3558891*	2247	1016		
C 03830 POD1		CUB	ED	4	2	4	02	25S	31E		618632	3558432	2361	450		
C 04479 POD1		CUB	ED	2	1	1	04	25S	31E		614182	3559400	2370	0	0	0
C 02570		CUB	ED	4	2	4	02	25S	31E		618704	3558489*	2399	895		
C 02568		CUB	ED	4	3	1	01	25S	31E		619103	3558892*	2636	1025		
C 04636 POD1		CUB	ED	3	4	3	25	24S	31E		619200	3561279	3169			
C 04643 POD1		C	ED	4	2	2	05	23S	27E		619200	3561279	3169	305	135	170
C 04654 POD1		CUB	ED	3	3	4	25	24S	31E		619764	3561226	3630	55		
C 04635 POD1		CUB	ED	4	3	4	01	25S	31E		619958	3558078	3710	55		
C 04388 POD1		C	ED	3	2	1	23	24S	31E		617546	3564006	4573	910	868	42
C 04576 POD1		CUB	ED	1	2	1	23	24S	31E		617700	3564324	4918	910	850	60
C 04508 POD1		CUB	ED	4	4	3	15	24S	31E		616298	3564493	4956	110		

Average Depth to Water: **463 feet**

Minimum Depth: **0 feet**

Maximum Depth: **868 feet**

Record Count: 19

UTMNAD83 Radius Search (in meters):

Easting (X): 616548.46

Northing (Y): 3559542.69

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/15/23 3:45 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

USGS Water Resources

Data Category:


Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for the Nation



Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

site_no list =

- 320952103444401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320952103444401 25S.31E.02.214411

Available data for this site

Groundwater: Field measurements

GO

Eddy County, New Mexico

Hydrologic Unit Code 13070001

Latitude 32°09'50.0", Longitude 103°44'41.2" NAD83

Land-surface elevation 3,468.0 feet above NGVD29

This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Azotea Tongue of Seven Rivers Formation (313AZOT) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions or Comments](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)


Page Last Modified: 2023-06-15 17:43:52 EDT


0.58 0.5 nadww01


Green Wave 20 CTB 3

Devon Energy
API: N/A
Lea County, NM
Surface Water Map

Legend

 25 Miles

 Green Wave 20 CTB 3



Google Earth



20 mi



Pima Environmental Services

Appendix B

Soil Survey & Geological Data

FEMA Flood Map

Wetlands Map

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Lea County, New Mexico

PU—Pyote and Maljamar fine sands

Map Unit Setting

National map unit symbol: dmqq

Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 12 inches

Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent

Maljamar and similar soils: 44 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote

Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand

Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High
(2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Description of Maljamar

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand
Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 40 to 60 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 10 percent
Ecological site: R070BC022NM - Sandhills

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Hydric soil rating: No

Data Source Information

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 19, Sep 8, 2022

National Flood Hazard Layer FIRMette



103°29'38"W 32°1'49"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT


SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) <i>Zone A, V, A99</i>
		With BFE or Depth <i>Zone AE, AO, AH, VE, AR</i>
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile <i>Zone X</i>
		Future Conditions 1% Annual Chance Flood Hazard <i>Zone X</i>
		Area with Reduced Flood Risk due to Levee. See Notes. <i>Zone X</i>
		Area with Flood Risk due to Levee <i>Zone D</i>
		Area of Minimal Flood Hazard <i>Zone X</i>
OTHER AREAS		Effective LOMRs
		Area of Undetermined Flood Hazard <i>Zone D</i>
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
		Profile Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 6/9/2023 at 4:03 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Wetlands Map



June 23, 2023

Wetlands_Alaska

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Pima Environmental Services

Appendix C

C-141 Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Devon Energy Production Company	OGRID 6137
Contact Name Dale Woodall	Contact Telephone
Contact email Dale.Woodall@dvn.com	Incident # (assigned by OCD)
Contact mailing address 6488 Seven Rivers Hwy Artesia, NM 88210	

Location of Release Source

Latitude 32.031780 Longitude -103.493815
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Green Wave 20 CTB 3	Site Type Oil
Date Release Discovered 6/14/2023	API# (if applicable)

Unit Letter	Section	Township	Range	County
F	20	26S	34E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 9.1 BBLS	Volume Recovered (bbls) 8 BBLS
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release Pin hole leak developed causing spill.

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>If YES, for what reason(s) does the responsible party consider this a major release?</p>
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?</p>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped.	
<input type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Kendra Ruiz</u>	Title: <u>EHS Associate</u>
Signature: <u>Kendra Ruiz</u>	Date: <u>6/21/2023</u>
email: <u>Kendra.Ruiz@dvn.com</u>	Telephone: <u>575-748-0167</u>
<u>OCD Only</u>	
Received by: <u>Shelly Wells</u>	Date: <u>6/22/2023</u>

Spill Volume(Bbls) Calculator	
<i>Inputs in blue, Outputs in red</i>	
<i>Contaminated Soil measurement</i>	
Area (square feet)	Depth(inches)
<u>439.235</u>	<u>1.000</u>
Cubic Feet of Soil Impacted	<u>36.603</u>
Barrels of Soil Impacted	<u>6.52</u>
Soil Type	Clay/Sand
Barrels of Oil Assuming 100% Saturation	<u>0.98</u>
Saturation	Fluid present with shovel/backhoe
Estimated Barrels of Oil Released	0.98
<i>Free Standing Fluid Only</i>	
Area (square feet)	Depth(inches)
<u>100</u>	<u>5.500</u>
Standing fluid	<u>8.170</u>
Total fluids spilled	<u>9.149</u>

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 231167

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 231167
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	6/22/2023

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>51-100</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 8/10/2023

email: dale.woodall@dn.com Telephone: 575-748-1838

OCD Only

Received by: _____ Date: _____

Incident ID	nAPP2316553894
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 8/10/2023

email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



Pima Environmental Services


Appendix D

Photographic Documentation



**SITE PHOTOGRAPHS
DEVON ENERGY
GREEN WAVE 20 CTB 3**

Site Assessment






Pima Environmental Services

Appendix E

Laboratory Reports

Report to:
Tom Bynum



5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Green Wave 20 CTB 3

Work Order: E307063

Job Number: 01058-0007

Received: 7/20/2023

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
7/21/23

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 7/21/23

Tom Bynum
PO Box 247
Plains, TX 79355-0247



Project Name: Green Wave 20 CTB 3
Workorder: E307063
Date Received: 7/20/2023 8:25:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/20/2023 8:25:00AM, under the Project Name: Green Wave 20 CTB 3.

The analytical test results summarized in this report with the Project Name: Green Wave 20 CTB 3 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
S1 - 1'	6
S1 - 2'	7
S1 - 3'	8
S1 - 4'	9
S2 - 1'	10
S2 - 2'	11
S2 - 3'	12
S2 - 4'	13
S3 - 1'	14
S3 - 2'	15
S3 - 3'	16
S3 - 4'	17
S4 - 1'	18
S4 - 2'	19
S4 - 3'	20
S4 - 4'	21
SW1	22
SW2	23
SW3	24
SW4	25

Table of Contents (continued)

SW5	26
BG1	27
QC Summary Data	28
QC - Volatile Organics by EPA 8021B	28
QC - Nonhalogenated Organics by EPA 8015D - GRO	30
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	32
QC - Anions by EPA 300.0/9056A	34
Definitions and Notes	36
Chain of Custody etc.	37

Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	07/21/23 15:27

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
S1 - 1'	E307063-01A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S1 - 2'	E307063-02A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S1 - 3'	E307063-03A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S1 - 4'	E307063-04A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S2 - 1'	E307063-05A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S2 - 2'	E307063-06A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S2 - 3'	E307063-07A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S2 - 4'	E307063-08A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S3 - 1'	E307063-09A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S3 - 2'	E307063-10A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S3 - 3'	E307063-11A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S3 - 4'	E307063-12A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S4 - 1'	E307063-13A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S4 - 2'	E307063-14A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S4 - 3'	E307063-15A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
S4 - 4'	E307063-16A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
SW1	E307063-17A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
SW2	E307063-18A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
SW3	E307063-19A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
SW4	E307063-20A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
SW5	E307063-21A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.
BG1	E307063-22A	Soil	07/13/23	07/20/23	Glass Jar, 2 oz.



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S1 - 1'

E307063-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: IY		Batch: 2329065	
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.4 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: IY		Batch: 2329065	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.8 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: JL		Batch: 2329056	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	110 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: BA		Batch: 2329061	
Chloride	350	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S1 - 2'

E307063-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.2 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.8 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	114 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	401	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S1 - 3'

E307063-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.2 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.7 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	109 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	433	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S1 - 4'

E307063-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/20/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/20/23	
Toluene	ND	0.0250	1	07/20/23	07/20/23	
o-Xylene	ND	0.0250	1	07/20/23	07/20/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/20/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/20/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.2 %	70-130		07/20/23	07/20/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/20/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.9 %	70-130		07/20/23	07/20/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	113 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	48.1	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S2 - 1'

E307063-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.1 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.1 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	106 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	456	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S2 - 2'

E307063-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.9 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.3 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	114 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	354	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S2 - 3'

E307063-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.7 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.0 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	112 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	211	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S2 - 4'

E307063-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.1 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.6 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	115 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	44.1	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S3 - 1'

E307063-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.2 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.6 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	112 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	348	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S3 - 2'

E307063-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.4 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.9 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	110 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	556	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S3 - 3'

E307063-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.4 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.6 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	114 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	149	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S3 - 4'

E307063-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.9 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.8 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	112 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	59.1	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S4 - 1'

E307063-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		83.0 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
		106 %	50-200	07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	528	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S4 - 2'

E307063-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.6 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.5 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
	116 %	50-200		07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	500	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S4 - 3'

E307063-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.7 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.7 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
	112 %	50-200		07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	97.9	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

S4 - 4'

E307063-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		82.4 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
		111 %	50-200	07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	55.5	20.0	1	07/20/23	07/20/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

SW1

E307063-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		82.4 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
		120 %	50-200	07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	ND	20.0	1	07/20/23	07/21/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

SW2

E307063-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		83.1 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
		106 %	50-200	07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	ND	20.0	1	07/20/23	07/21/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

SW3

E307063-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: IY		Batch: 2329065	
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.5 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: IY		Batch: 2329065	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.9 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: JL		Batch: 2329056	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
	110 %	50-200		07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: BA		Batch: 2329061	
Chloride	ND	20.0	1	07/20/23	07/21/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

SW4

E307063-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2329065
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		82.6 %	70-130	07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329056
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/21/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/21/23	
<i>Surrogate: n-Nonane</i>						
		118 %	50-200	07/20/23	07/21/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329061
Chloride	ND	20.0	1	07/20/23	07/21/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

SW5

E307063-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2329064
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.2 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2329064
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.4 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329057
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	102 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329062
Chloride	ND	20.0	1	07/20/23	07/21/23	



Sample Data

Pima Environmental Services-Carlsbad
PO Box 247
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3
Project Number: 01058-0007
Project Manager: Tom Bynum

Reported:
7/21/2023 3:27:25PM

BG1

E307063-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2329064
Benzene	ND	0.0250	1	07/20/23	07/21/23	
Ethylbenzene	ND	0.0250	1	07/20/23	07/21/23	
Toluene	ND	0.0250	1	07/20/23	07/21/23	
o-Xylene	ND	0.0250	1	07/20/23	07/21/23	
p,m-Xylene	ND	0.0500	1	07/20/23	07/21/23	
Total Xylenes	ND	0.0250	1	07/20/23	07/21/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.1 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2329064
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/23	07/21/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.0 %	70-130		07/20/23	07/21/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: JL		Batch: 2329057
Diesel Range Organics (C10-C28)	ND	25.0	1	07/20/23	07/20/23	
Oil Range Organics (C28-C36)	ND	50.0	1	07/20/23	07/20/23	
<i>Surrogate: n-Nonane</i>						
	96.9 %	50-200		07/20/23	07/20/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2329062
Chloride	ND	20.0	1	07/20/23	07/21/23	



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	7/21/2023 3:27:25PM

Volatile Organics by EPA 8021B

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329064-BLK1)

Prepared: 07/20/23 Analyzed: 07/20/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.62		8.00		95.3	70-130			

LCS (2329064-BS1)

Prepared: 07/20/23 Analyzed: 07/21/23

Benzene	4.75	0.0250	5.00		95.1	70-130			
Ethylbenzene	4.69	0.0250	5.00		93.8	70-130			
Toluene	4.79	0.0250	5.00		95.8	70-130			
o-Xylene	4.73	0.0250	5.00		94.6	70-130			
p,m-Xylene	9.56	0.0500	10.0		95.6	70-130			
Total Xylenes	14.3	0.0250	15.0		95.3	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.63		8.00		95.4	70-130			

Matrix Spike (2329064-MS1)

Source: E307064-02

Prepared: 07/20/23 Analyzed: 07/21/23

Benzene	5.06	0.0250	5.00	ND	101	54-133			
Ethylbenzene	5.01	0.0250	5.00	ND	100	61-133			
Toluene	5.10	0.0250	5.00	ND	102	61-130			
o-Xylene	5.05	0.0250	5.00	ND	101	63-131			
p,m-Xylene	10.2	0.0500	10.0	ND	102	63-131			
Total Xylenes	15.2	0.0250	15.0	ND	102	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.70		8.00		96.3	70-130			

Matrix Spike Dup (2329064-MSD1)

Source: E307064-02

Prepared: 07/20/23 Analyzed: 07/21/23

Benzene	4.75	0.0250	5.00	ND	95.0	54-133	6.37	20	
Ethylbenzene	4.71	0.0250	5.00	ND	94.2	61-133	6.12	20	
Toluene	4.79	0.0250	5.00	ND	95.7	61-130	6.25	20	
o-Xylene	4.74	0.0250	5.00	ND	94.8	63-131	6.30	20	
p,m-Xylene	9.58	0.0500	10.0	ND	95.8	63-131	6.10	20	
Total Xylenes	14.3	0.0250	15.0	ND	95.4	63-131	6.17	20	
Surrogate: 4-Bromochlorobenzene-PID	7.78		8.00		97.3	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	7/21/2023 3:27:25PM

Volatile Organics by EPA 8021B

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329065-BLK1)

Prepared: 07/20/23 Analyzed: 07/20/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.94		8.00		99.2	70-130			

LCS (2329065-BS1)

Prepared: 07/20/23 Analyzed: 07/20/23

Benzene	4.75	0.0250	5.00		95.0	70-130			
Ethylbenzene	4.65	0.0250	5.00		93.0	70-130			
Toluene	4.79	0.0250	5.00		95.8	70-130			
o-Xylene	4.82	0.0250	5.00		96.5	70-130			
p,m-Xylene	9.63	0.0500	10.0		96.3	70-130			
Total Xylenes	14.4	0.0250	15.0		96.3	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.94		8.00		99.2	70-130			

Matrix Spike (2329065-MS1)

Source: E307063-04

Prepared: 07/20/23 Analyzed: 07/20/23

Benzene	4.80	0.0250	5.00	ND	96.1	54-133			
Ethylbenzene	4.77	0.0250	5.00	ND	95.4	61-133			
Toluene	4.88	0.0250	5.00	ND	97.7	61-130			
o-Xylene	4.92	0.0250	5.00	ND	98.3	63-131			
p,m-Xylene	9.89	0.0500	10.0	ND	98.9	63-131			
Total Xylenes	14.8	0.0250	15.0	ND	98.7	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.86		8.00		98.2	70-130			

Matrix Spike Dup (2329065-MSD1)

Source: E307063-04

Prepared: 07/20/23 Analyzed: 07/20/23

Benzene	5.03	0.0250	5.00	ND	101	54-133	4.51	20	
Ethylbenzene	4.98	0.0250	5.00	ND	99.6	61-133	4.31	20	
Toluene	5.10	0.0250	5.00	ND	102	61-130	4.36	20	
o-Xylene	5.14	0.0250	5.00	ND	103	63-131	4.34	20	
p,m-Xylene	10.3	0.0500	10.0	ND	103	63-131	4.23	20	
Total Xylenes	15.5	0.0250	15.0	ND	103	63-131	4.27	20	
Surrogate: 4-Bromochlorobenzene-PID	7.89		8.00		98.6	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported: 7/21/2023 3:27:25PM
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329064-BLK1)					Prepared: 07/20/23 Analyzed: 07/20/23				
Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.79		8.00		84.9	70-130			

LCS (2329064-BS2)					Prepared: 07/20/23 Analyzed: 07/21/23				
Gasoline Range Organics (C6-C10)	40.9	20.0	50.0		81.8	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.83		8.00		85.4	70-130			

Matrix Spike (2329064-MS2)					Source: E307064-02		Prepared: 07/20/23 Analyzed: 07/21/23		
Gasoline Range Organics (C6-C10)	45.7	20.0	50.0	ND	91.4	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.78		8.00		84.7	70-130			

Matrix Spike Dup (2329064-MSD2)					Source: E307064-02		Prepared: 07/20/23 Analyzed: 07/21/23		
Gasoline Range Organics (C6-C10)	46.0	20.0	50.0	ND	92.0	70-130	0.677	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.81		8.00		85.2	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported: 7/21/2023 3:27:25PM
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329065-BLK1) Prepared: 07/20/23 Analyzed: 07/20/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.71		8.00		83.8	70-130			

LCS (2329065-BS2) Prepared: 07/20/23 Analyzed: 07/20/23

Gasoline Range Organics (C6-C10)	44.8	20.0	50.0		89.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.72		8.00		84.0	70-130			

Matrix Spike (2329065-MS2) Source: E307063-04 Prepared: 07/20/23 Analyzed: 07/20/23

Gasoline Range Organics (C6-C10)	45.0	20.0	50.0	ND	90.0	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.76		8.00		84.5	70-130			

Matrix Spike Dup (2329065-MSD2) Source: E307063-04 Prepared: 07/20/23 Analyzed: 07/20/23

Gasoline Range Organics (C6-C10)	46.9	20.0	50.0	ND	93.8	70-130	4.10	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.68		8.00		83.5	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported: 7/21/2023 3:27:25PM
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329056-BLK1)					Prepared: 07/20/23 Analyzed: 07/20/23				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	51.6		50.0		103	50-200			

LCS (2329056-BS1)					Prepared: 07/20/23 Analyzed: 07/20/23				
Diesel Range Organics (C10-C28)	259	25.0	250		104	38-132			
Surrogate: n-Nonane	53.4		50.0		107	50-200			

Matrix Spike (2329056-MS1)					Source: E307063-12		Prepared: 07/20/23 Analyzed: 07/20/23		
Diesel Range Organics (C10-C28)	268	25.0	250	ND	107	38-132			
Surrogate: n-Nonane	56.5		50.0		113	50-200			

Matrix Spike Dup (2329056-MSD1)					Source: E307063-12		Prepared: 07/20/23 Analyzed: 07/20/23		
Diesel Range Organics (C10-C28)	257	25.0	250	ND	103	38-132	4.19	20	
Surrogate: n-Nonane	52.1		50.0		104	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	7/21/2023 3:27:25PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329057-BLK1)

Prepared: 07/20/23 Analyzed: 07/20/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	50.6		50.0		101	50-200			

LCS (2329057-BS1)

Prepared: 07/20/23 Analyzed: 07/20/23

Diesel Range Organics (C10-C28)	228	25.0	250		91.3	38-132			
Surrogate: n-Nonane	51.2		50.0		102	50-200			

Matrix Spike (2329057-MS1)

Source: E307083-02

Prepared: 07/20/23 Analyzed: 07/20/23

Diesel Range Organics (C10-C28)	223	25.0	250	ND	89.1	38-132			
Surrogate: n-Nonane	47.7		50.0		95.4	50-200			

Matrix Spike Dup (2329057-MSD1)

Source: E307083-02

Prepared: 07/20/23 Analyzed: 07/20/23

Diesel Range Organics (C10-C28)	228	25.0	250	ND	91.0	38-132	2.10	20	
Surrogate: n-Nonane	45.5		50.0		91.0	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported: 7/21/2023 3:27:25PM
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2329061-BLK1)					Prepared: 07/20/23 Analyzed: 07/20/23				
Chloride	ND	20.0							
LCS (2329061-BS1)					Prepared: 07/20/23 Analyzed: 07/20/23				
Chloride	265	20.0	250		106	90-110			
Matrix Spike (2329061-MS1)					Source: E307063-01		Prepared: 07/20/23 Analyzed: 07/20/23		
Chloride	608	20.0	250	350	103	80-120			
Matrix Spike Dup (2329061-MSD1)					Source: E307063-01		Prepared: 07/20/23 Analyzed: 07/20/23		
Chloride	623	20.0	250	350	109	80-120	2.47	20	



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	7/21/2023 3:27:25PM

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2329062-BLK1)					Prepared: 07/20/23 Analyzed: 07/21/23				
Chloride	ND	20.0							
LCS (2329062-BS1)					Prepared: 07/20/23 Analyzed: 07/21/23				
Chloride	247	20.0	250		98.7	90-110			
Matrix Spike (2329062-MS1)					Source: E307063-21		Prepared: 07/20/23 Analyzed: 07/21/23		
Chloride	249	20.0	250	ND	99.6	80-120			
Matrix Spike Dup (2329062-MSD1)					Source: E307063-21		Prepared: 07/20/23 Analyzed: 07/21/23		
Chloride	251	20.0	250	ND	101	80-120	0.989	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	07/21/23 15:27

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Project Information

Chain of Custody

Page 1 of 3

Client: Pima Environmental Services Project: Greenwave 20 GTB3 Project Manager: Tom Bynum Address: 5614 N. Lovington Hwy. City, State, Zip: Hobbs, NM. 88240 Phone: 580-748-1613 Email: tom@pimaoil.com					Bill To Attention: Devon Address: City, State, Zip: Phone: Email: Pima Project # 319-3					Lab Use Only Lab WO# E307063 Job Number 01058-0007					TAT 1D 2D 3D Standard				EPA Program CWA SDWA RCRA	
Report due by:					Analysis and Method					State NM CO UT AZ TX				Remarks						
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BDOC NM	BDOC TX							
8:00	7/13	S	1	S1-1	1							X								
8:05				S1-2	2															
8:10				S1-3	3															
8:15				S1-4	4															
8:20				S2-1	5															
8:25				S2-2	6															
8:30				S2-3	7															
8:35				S2-4	8															
8:40				S3-1	9															
8:45				S3-2	10															
Additional Instructions: <u>Billing # 21181652</u> <u>G</u>																				
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 5 °C on subsequent days.																				
Relinquished by: (Signature) <u>Karime Adams</u>		Date <u>7-19-23</u>		Time <u>12:55</u>		Received by: (Signature) <u>Carroll Ann Parker</u>		Date <u>7-19-23</u>		Time <u>12:55</u>		Lab Use Only Received on ice: <u>Y</u> N								
Relinquished by: (Signature) <u>Carroll Ann Parker</u>		Date <u>7-19-23</u>		Time <u>11:00</u>		Received by: (Signature) <u>Abraham Meso</u>		Date <u>7-19-23</u>		Time <u>17:30</u>		T1 _____ T2 _____ T3 _____								
Relinquished by: (Signature) <u>Abraham Meso</u>		Date <u>7-19-23</u>		Time <u>23:45</u>		Received by: (Signature) <u>Carroll Ann Parker</u>		Date <u>7/20/23</u>		Time <u>8:25</u>		AVG Temp °C <u>4</u>								
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																				
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																				
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				



Chain of Custody

Project Information

Client: Pima Environmental Services Project: Greenwave 20 CTB 3 Project Manager: Tom Bynum Address: 5614 N. Lovington Hwy. City, State, Zip: Hobbs, NM. 88240 Phone: 580-748-1613 Email: tom@pimaoil.com Report due by:					Bill To Attention: Devan Address: City, State, Zip: Phone: Email: Pima Project # 319-3					Lab Use Only Lab WO# E307003 Job Number Q1058-0007 Analysis and Method					TAT 1D 2D 3D Standard X				EPA Program CWA SDWA RCRA	
										State NM CO UT AZ TX X				Remarks						
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX							
8:50	7/13	S	1	S3 - 3'	11							X								
8:55				S3 - 4'	12															
9:00				S4 - 1'	13															
9:05				S4 - 2'	14															
9:10				S4 - 3'	15															
9:15				S4 - 4'	16															
9:20				SW 1	17															
9:25				SW 2	18															
9:30				SW 3	19															
9:35				SW 4	20															
Additional Instructions: Billing # 21181652																				
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Relinquished by: (Signature) <u>Karine Adams</u> Date <u>7-19-23</u> Time <u>12:55</u> Received by: (Signature) <u>Camden Parker</u> Date <u>7-19-23</u> Time <u>12:55</u>																				
Relinquished by: (Signature) <u>Camden Parker</u> Date <u>7-19-23</u> Time <u>16:00</u> Received by: (Signature) <u>Michelle Messer</u> Date <u>7-19-23</u> Time <u>17:30</u>																				
Relinquished by: (Signature) <u>Michelle Messer</u> Date <u>7-19-23</u> Time <u>23:45</u> Received by: (Signature) <u>Chellu Naus</u> Date <u>7/20/23</u> Time <u>8:25</u>																				
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																				
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				
Lab Use Only Received on ice: <u>Y</u> / N T1 T2 T3 AVG Temp °C <u>4</u> Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																				

Project Information

[illegible]

Envirotech Analytical Laboratory

Printed: 7/20/2023 10:14:19AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	07/20/23 08:25	Work Order ID:	E307063
Phone:	(575) 631-6977	Date Logged In:	07/17/23 08:57	Logged In By:	Caitlin Mars
Email:	tom@pimaoil.com	Due Date:	07/21/23 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 250503

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 250503
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Remediation has met 19.15.29 NMAC requirements. Soil impacts exceeding the reclamation standards have been left in place and are required to meet 19.15.29.13D (1) NMAC once the site is no longer reasonably needed for production or subsequent drilling operations. Operator did not meet 19.15.29.12D (1a) NMAC. Forbearance given on 10/24/2023. Release resolved.	11/15/2023