

REVIEWED

By Mike Buchanan at 11:22 am, Apr 09, 2024

**ENSOLUM**

Review of the Fourth
Quarter 2023--
Remediation System
Quarterly Report,
Federal 18 #1T:
Content Satisfactory
1. Continue to conduct
O&M visits as
scheduled and note
any deviations in future
submissions to OCD.

January 25, 2024

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

**Re: Fourth Quarter 2023 – Remediation System Quarterly Report
Federal 18 #1T
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NCS2103335776**

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Fourth Quarter 2023 – Remediation System Quarterly Report* summarizing fourth quarter 2023 activities at the former Federal 18 #1T coalbed methane gas well (Site), located in Unit M, Section 18, Township 30 North, Range 12 West in the City of Farmington, New Mexico. The casing of the original gas well has been modified to vent gas and purge water from the Ojo Alamo and Nacimiento Formations. Since initiation of the remediation system in 2010, quarterly reports have been submitted to the New Mexico Oil Conservation Division (NMOCD) to record activities performed at the Site, as well as document well-casing pressures from nearby domestic water well SJ-01737, the volume of gas vented from the Site's well, and groundwater analytical results collected from the Site's well.

SITE BACKGROUND

As part of an ongoing effort between the NMOCD and Hilcorp (Site originally owned and operated by XTO Energy, Inc. [XTO]), the agreed upon remedial option for the Site was to install a vacuum system at the Site to vent gas from the Nacimiento formation, which overlies the Ojo Alamo Formation. Gas found in the Nacimiento formation could have originated from several contributing sources in the area including existing and/or abandoned gas wells near the Site. In agreement with the NMOCD, XTO modified the Site's production well to vent gas and recover contaminated groundwater by setting a plug at a depth of approximately 513 feet below ground surface (bgs). Perforations were made in the casing at 437 feet to 452 feet bgs and 457 feet to 473 feet bgs in order to monitor groundwater and vent gas from the Nacimiento Formation. Based on initial groundwater sampling results, XTO recommended pumping the aquifer until groundwater results were below the New Mexico Water Quality Control Commission (NMWQCC) standards for applicable chemicals of concern (COCs).

A submersible water pump was installed in the Site's well in November 2010 at a depth of approximately 485 feet bgs in order to recover impacted groundwater. Based on aquifer tests performed by XTO, the water pump was set to maintain a static water level of approximately 473 feet bgs. The water pump is plumbed into the existing water lines and stored in the on-Site 210-barrel (bbl) water tank, which is regularly emptied for off-Site disposal. A vacuum pump was subsequently installed at the Site's well to also remove gas entrained in the formation. A portable

generator was originally placed at the Site to power both the vacuum and water pumps. Generator maintenance issues led to the system being electrified on February 3, 2011.

Operation and maintenance (O&M) inspections are conducted by Hilcorp personnel regularly to check the system and verify proper water and vacuum pump operation, record water meter volumes, and verify that no other Site conditions dictate system maintenance and/or adjustment. Possible pressure variations in the subsurface due to the vacuum pump are monitored using nearby water well SJ-01737. Casing pressure measurements from the SJ-01737 well are included in Table 1.

FOURTH QUARTER 2023 SITE ACTIVITIES AND RESULTS

Approximately 18,797 gallons (448 bbls) of water were removed from the Site's well between the third quarter 2023 and fourth quarter 2023 sampling events. To date, approximately 1,288,677 gallons (30,683 bbls) of impacted water have been removed from the Site. A water sample from the well was collected on October 27, 2023, and submitted to Eurofins Environment Testing (Formerly Hall Environmental Analysis Laboratory) for laboratory analysis. Specifically, the water sample was analyzed for the following COCs: volatile organic compounds (VOCs), including benzene, toluene, ethylbenzene, and xylenes (BTEX), following Environmental Protection Agency (EPA) Method 8260B, specific conductance (or electrical conductivity) following Standard Method (SM) 2510B, pH following Method SM4500-H+B, and total dissolved solids (TDS) following Method SM2540C.

Based on results from the October 2023 sampling event, benzene and TDS remain at concentrations exceeding the applicable NMWQCC standards and appear to be similar to historical results. Analytical results are summarized in Table 2, with complete laboratory reports attached as Appendix A.

The Site vacuum pump has been operating based on a setting of 690 minutes on and 30 minutes off (totaling 23 hours runtime per day). During the fourth quarter of 2023, the pump operated at an average flow rate of 2.6 actual cubic feet per minute (ACFM). Approximately 34,198 thousand cubic feet (MCF) of gas/air have been emitted from the Site's well since the system began operating in 2010. Gas/air volumes vented by the system are summarized in Table 3.

RECOMMENDATIONS


O&M visits will continue to be performed by Hilcorp personnel to verify the system is operating as designed. Deviations from regular operations will be noted on field logs and included in the following quarterly report. Hilcorp will continue to remove and monitor water from the Site until benzene and TDS concentrations are compliant with NMWQCC standards for eight consecutive quarters.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this proposal, please contact the undersigned.

Ensolum, LLC



Stuart Hyde, LG
Senior Geologist
(970) 903-1607
shyde@ensolum.com



Daniel R. Moir, PG
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Attachments:

Table 1	Well SJ-01737 Casing Pressure Readings
Table 2	Water Analytical Results
Table 3	Gas and Air Vented
Appendix A	Laboratory Analytical Reports



TABLES



TABLE 1 WELL SJ-01737 CASING PRESSURE READINGS Federal 18 #1T Hilcorp Energy Company San Juan County, New Mexico		
Sample Date	Casing Pressure (ounces)	Average
10/7/2022	0	0.000
10/11/2023	0	0.000
10/20/2022	0	0.000
10/31/2022	0	0.000
11/17/2022	0	0.000
12/1/2022	0	0.000
12/9/2022	0	0.000
12/16/2022	0	0.000
12/24/2022	0	0.000
12/31/2022	0	0.000
1/6/2023	0	0.000
1/12/2023	0	0.000
1/23/2023	0	0.000
2/2/2023	0	0.000
2/9/2023	0	0.000
2/23/2023	0	0.000
3/7/2023	0	0.000
3/17/2023	0	0.000
3/27/2023	0	0.000
4/6/2023	0	0.000
4/18/2023	0	0.000
4/28/2023	0	0.000
5/4/2023	0	0.000
5/10/2023	0	0.000
5/19/2023	0	0.000
6/6/2023	0	0.000
6/23/2023	0	0.000
7/7/2023	0	0.000
7/13/2023	0	0.000
7/24/2023	0	0.000
8/4/2023	0	0.000
8/10/2023	0	0.000
8/21/2023	0	0.000
9/7/2023	0	0.000
9/27/2023	0	0.000
10/14/2023	0	0.000
10/27/2023	0	0.000
11/9/2023	0	0.000
12/11/2023	0	0.000
12/27/2023	0	0.000



Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	TDS (mg/L)	Electrical Conductivity (umhos/cm)	pH	Purge Water Volume (gallons)
NMWQCC Standards	5.0	1,000	700	620	1,000	--	6 thru 9	--
11/5/2010	ND	5.2	ND	ND	1,400	2,600	7.2	NM
9/24/2010	150	ND	76	670	--	--	--	NM
9/24/2010	190	170	24	210	13,000	18,000	6.1	NM
9/24/2010	143	221	63.6	950	--	--	--	NM
9/24/2010	320	377	31.8	568	11,100	16,000	5.84	NM
12/10/2011	--	--	--	--	7,610	8,900	6.36	3,033
1/5/2011	67	93	7.9	25	--	--	--	7,798
1/5/2011	73	99	10	39	4,800	6,000	6.6	7,798
1/29/2011	60	93	10	33	--	4,900	6.4	10,791
2/28/2011	42	60	6.1	20	3,400	4,000	6.7	14,795
4/1/2011	23	27	1.8	6.8	2,700	3,100	6.8	31,238
4/29/2011	29	28	2.4	7.3	2,600	2,900	6.9	50,217
5/31/2011	14	19	1.4	4.9	2,500	2,800	6.7	76,513
6/14/2011	55	81	2.8	15	2,500	2,700	6.7	88,120
6/30/2011	52	67	2.6	12	2,500	2,700	6.9	101,209
8/15/2011	21	25	1.2	5.8	2,500	2,600	6.8	140,267
9/2/2011	10	12	0.64	3.2	2,500	2,600	7.2	155,801
9/16/2011	9.6	11	0.64	3	2,400	2,500	7.2	168,040
9/30/2011	7.2	8.7	0.64	2.5	2,500	2,600	7	180,393
10/28/2011	5.1	ND	1.8	2.7	2,300	2,600	6.9	205,220
11/30/2011	4	ND	3.9	2	2,500	2,600	7.1	233,488
12/30/2011	3.4	ND	ND	2.9	2,500	2,500	7.5	261,391
4/3/2012	6	ND	ND	1.6	--	--	--	351,300
4/9/2012	--	--	--	--	2,400	2,400	7.4	NM
7/3/2012	5.3	ND	ND	ND	2,300	2,400	7.4	NM
7/6/2012	--	--	--	--	--	--	--	441,053
9/19/2012	--	--	--	--	--	--	--	521,271
9/27/2012	6.2	ND	ND	ND	2,300	2,500	7.1	NM
12/14/2012	--	--	--	--	--	--	--	598,540
12/31/2012	13.9	1.1	ND	3.3	2,690	2,440	7.05	604,689
1/23/2013	160	190	ND	26	2,400	2,500	8	NM
2/22/2013	7.1	77	ND	1.8	2,100	2,500	7.1	605,860
5/2/2013	9	6.9	ND	ND	2,400	2,600	7.5	612,601
8/19/2013	20	11	ND	2.3	2,200	2,600	7.2	NM
9/23/2013	13	11	ND	2.2	2,300	2,500	7.1	621,744
11/25/2013	4.6	5.2	ND	ND	2,200	2,700	7.7	631,430
2/4/2014	15	17	0.72	3.1	2,200	2,500	7.3	636,120
10/1/2015	54.2	57	1.37	9.77	2,260	2,640	6.98	639,410
10/20/2015	42.3	39.9	0.964	7.06	2,330	1,460	7.09	642,650
3/28/2016	38	34.1	0.835	4.82	2,230	2,570	6.86	650,850
6/14/2016	78.3	58.4	1.16	7.22	2,890	2,600	6.89	704,371
8/29/2016	19	ND	ND	2.18	2,410	2,590	7.02	763,261
11/18/2016	13.2	5.61	ND	2.33	2,470	2,580	7.03	842,610
3/31/2017	9.61	7.87	ND	ND	2,300	2,570	7.28	858,190
6/16/2017	64.6	29.2	0.781	5.4	2,360	2,570	7.05	927,854
9/7/2017	4.61	1.73	ND	ND	2,030	2,450	7.14	997,330
12/5/2017	138	51.5	1.65	9.378	2,230	2,590	7.2	1,080,550
3/6/2018	19.9	14.8	0.543	2.71	2,290	2,620	7.13	1,080,840
8/7/2018	7.9	8.06	<0.5	<1.5	2,200	2,300	7.19	1,082,751
1/3/2019	7.07	3.29	0.177	1.08	2,080	6,750	6.35	1,120,220
2/22/2019	19.8	11.1	<0.5	3.97	2,270	2,710	7.46	1,120,366
5/24/2019	11.9	10.8	ND	ND	2,380	2,760	7.15	1,123,853
9/10/2019	23.2	18.8	ND	ND	2,260	2,600	7.37	1,125,478
10/29/2019	5.41	5.68	ND	ND	2,300	2,530	7.09	1,127,076
2/27/2020	20.7	19.3	ND	ND	2,280	2,580	7.06	1,128,506
5/15/2020	10.3	8.91	ND	ND	2,460	2,570	7.27	1,131,033
8/25/2020	3.9	3.5	ND	ND	2,190	2,640	7.62	1,131,100
10/27/2020	31.1	24.4	ND	ND	2,240	2,530	7.43	1,131,119
2/17/2021	73	<1	<1	<1.5	2,200	2,400	7.42	1,131,123
6/29/2021 (2)	--	--	--	--	--	--	--	1,134,031
9/30/2021	130	87	<5.0	8.1	2,300	2,500	7.20	1,134,167
12/6/2021	33	20	<1.0	6.0	2,430	2,500	7.15	1,143,239
2/17/2022	25	3.1	<1.0	2.7	2,380	2,600	7.17	1,156,355
4/12/2022	27	4.3	<1.0	2.0	2,360	2,500	7.13	1,169,456
7/15/2022	33	4.3	<1.0	1.3	2,480	2,600	7.13	1,191,754
10/11/2022	47	4.6	<1.0	2.0	2,320	2,600	7.24	1,210,479
1/12/2023	40	1.7	<1.0	<1.5	2,330	2,600	7.17	1,229,525
5/10/2023	32	1.7	<1.0	<1.5	2,320	2,600	6.73	1,253,497
7/24/2023	34	1.3	<1.0	<1.5	2,360	2,600	7.18	1,269,880
10/27/2023	31	<1.0	<1.0	<1.5	2,360	2,600	7.17	1,288,677

Notes:

(1): initial water sample

(2): water pump not functioning

µg/L: micrograms per liter

mg/L: milligrams per liter

ND: not detected, practical quantitation limit unknown

NMWQCC: New Mexico Water Quality Control Commission

--: not analyzed

<0.037: indicates result less than the stated laboratory reporting limit (RL)

Concentrations in **bold** and shaded exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



TABLE 3
GAS AND AIR VENTED
 Federal 18 #1T
 Hilcorp Energy Company
 San Juan County, New Mexico

Date	SCFM	ACFM	Total Vented Gas and Air (MCF)
9/17/2019	3	6	26,677
10/7/2019	3	6	26,849
10/21/2019	3	6	26,969
10/28/2019	3	6	27,030
12/5/2019	3	6	27,356
12/19/2019	3	6	27,477
1/7/2020	3	6	27,954
1/17/2020	3	6	28,040
1/30/2020	3	6	28,153
2/12/2020	3	6	28,265
2/25/2020	3	6	28,377
4/3/2020	3	6	28,705
4/9/2020	3	6	28,756
4/15/2020	3	6	28,808
4/23/2020	3	6	28,877
4/30/2020	3	6	28,937
5/15/2020	3	6	29,067
5/21/2020	3	6	29,118
5/29/2020	3	6	29,179
6/5/2020	3	6	29,239
6/29/2020	0	0	Hot, not running
7/8/2020	0	0	Unit Down
8/11/2020	0	0	Unit Down
8/25/2020	0	0	Unit Down
9/16/2020	0	0	Unit Down
9/22/2020	0	0	Unit Down
10/26/2020	0	0	Unit Down
11/9/2020	0	0	Unit Down
12/8/2020	0	0	Unit Down
1/5/2021	0	0	Unit Down
1/20/2021	0	0	Unit Down
2/11/2021	0	0	Unit Down
2/17/2021	0	0	Unit Down
3/22/2021	0	0	Unit Down
*3/31/2021	5.6	7	29,241
6/29/2021	5.6	7	29,262
9/30/2021	5.6	7	29,281
12/31/2021	5.6	7	29,320
1/19/2022	5.6	7	29,328
1/24/2022	5.6	7	29,353
3/31/2022	5.6	7	29,991
6/14/2022	5.6	7	30,715
9/30/2022	5.6	7	31,759
12/31/2022	5.6	7	32,647
3/31/2023	3.1	3.9	33,132
6/30/2023	2.5	3.1	33,527
9/27/2023	2.25	2.8	33,874
12/27/2023	2.05	2.6	34,198

Notes:

ACFM - flow rate in actual cubic feet per minute

MCF - thousand cubic feet

SCFM - flow rate in standard cubic feet per minute

* - Pump operated from 3/23 - 3/31/2021.

SCFM per day based on manufacture specifications.

ACFM is estimated based on site elevation and/or observed vacuum



APPENDIX A

Laboratory Analytical Reports



Environment Testing

Eurofins Environment Testing South

Central, LLC

4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

November 13, 2023

Mitch Killough

HILCORP ENERGY

PO Box 4700

Farmington, NM 87499

TEL: (505) 564-0733

FAX:

RE: Federal 18 1T

OrderNo.: 2310D50

Dear Mitch Killough:

Eurofins Environment Testing South Central, LLC received 1 sample(s) on 10/28/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please do not hesitate to contact Eurofins Albuquerque for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 2310D50

Date Reported: 11/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-1

Project: Federal 18 1T

Collection Date: 10/27/2023 9:20:00 AM

Lab ID: 2310D50-001

Matrix: AQUEOUS

Received Date: 10/28/2023 7:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	31	1.0		µg/L	1	11/2/2023 4:41:45 AM
Toluene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Ethylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Naphthalene	ND	2.0		µg/L	1	11/2/2023 4:41:45 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	11/2/2023 4:41:45 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	11/2/2023 4:41:45 AM
Acetone	ND	10		µg/L	1	11/2/2023 4:41:45 AM
Bromobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Bromodichloromethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Bromoform	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Bromomethane	ND	3.0		µg/L	1	11/2/2023 4:41:45 AM
2-Butanone	ND	10		µg/L	1	11/2/2023 4:41:45 AM
Carbon disulfide	ND	10		µg/L	1	11/2/2023 4:41:45 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Chlorobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Chloroethane	ND	2.0		µg/L	1	11/2/2023 4:41:45 AM
Chloroform	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Chloromethane	ND	3.0		µg/L	1	11/2/2023 4:41:45 AM
2-Chlorotoluene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
4-Chlorotoluene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
cis-1,2-DCE	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	11/2/2023 4:41:45 AM
Dibromochloromethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Dibromomethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/2/2023 4:41:45 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	H	Holding times for preparation or analysis exceeded
	ND	Not Detected at the Reporting Limit
	PQL	Practical Quantitative Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.

B	Analyte detected in the associated Method Blank
E	Above Quantitation Range/Estimated Value
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 1 of 7

Analytical Report

Lab Order 2310D50

Date Reported: 11/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-1

Project: Federal 18 1T

Collection Date: 10/27/2023 9:20:00 AM

Lab ID: 2310D50-001

Matrix: AQUEOUS

Received Date: 10/28/2023 7:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: JR
1,1-Dichloropropene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
2-Hexanone	ND	10		µg/L	1	11/2/2023 4:41:45 AM
Isopropylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/2/2023 4:41:45 AM
Methylene Chloride	ND	3.0		µg/L	1	11/2/2023 4:41:45 AM
n-Butylbenzene	ND	3.0		µg/L	1	11/2/2023 4:41:45 AM
n-Propylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
sec-Butylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Styrene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
tert-Butylbenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/2/2023 4:41:45 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
trans-1,2-DCE	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/2/2023 4:41:45 AM
Vinyl chloride	ND	1.0		µg/L	1	11/2/2023 4:41:45 AM
Xylenes, Total	ND	1.5		µg/L	1	11/2/2023 4:41:45 AM
Surr: 1,2-Dichloroethane-d4	89.0	70-130		%Rec	1	11/2/2023 4:41:45 AM
Surr: 4-Bromofluorobenzene	109	70-130		%Rec	1	11/2/2023 4:41:45 AM
Surr: Dibromofluoromethane	97.8	70-130		%Rec	1	11/2/2023 4:41:45 AM
Surr: Toluene-d8	102	70-130		%Rec	1	11/2/2023 4:41:45 AM
SM2510B: SPECIFIC CONDUCTANCE						Analyst: RBC
Conductivity	2600	10		µmhos/c	1	11/1/2023 1:23:22 PM
SM4500-H+B / 9040C: PH						Analyst: RBC
pH	7.17		H	pH units	1	11/1/2023 1:23:22 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: MCA
Total Dissolved Solids	2360	100	*D	mg/L	1	11/2/2023 9:23:00 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 2 of 7

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2310D50

13-Nov-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: 100ng lcs	SampType: LCS			TestCode: EPA Method 8260B: VOLATILES						
Client ID: LCSW	Batch ID: R100889			RunNo: 100889						
Prep Date:	Analysis Date: 11/1/2023			SeqNo: 3701981		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	18	1.0	20.00	0	88.0	70	130			
Toluene	19	1.0	20.00	0	94.8	70	130			
Chlorobenzene	19	1.0	20.00	0	95.4	70	130			
1,1-Dichloroethene	16	1.0	20.00	0	81.3	70	130			
Trichloroethene (TCE)	17	1.0	20.00	0	85.1	70	130			
Surr: 1,2-Dichloroethane-d4	9.2		10.00		91.7	70	130			
Surr: 4-Bromofluorobenzene	11		10.00		108	70	130			
Surr: Dibromofluoromethane	9.9		10.00		98.6	70	130			
Surr: Toluene-d8	9.8		10.00		98.4	70	130			

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8260B: VOLATILES						
Client ID: PBW	Batch ID: R100889			RunNo: 100889						
Prep Date:	Analysis Date: 11/1/2023			SeqNo: 3702007		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Methyl tert-butyl ether (MTBE)	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
1,2-Dichloroethane (EDC)	ND	1.0								
1,2-Dibromoethane (EDB)	ND	1.0								
Naphthalene	ND	2.0								
1-Methylnaphthalene	ND	4.0								
2-Methylnaphthalene	ND	4.0								
Acetone	ND	10								
Bromobenzene	ND	1.0								
Bromodichloromethane	ND	1.0								
Bromoform	ND	1.0								
Bromomethane	ND	3.0								
2-Butanone	ND	10								
Carbon disulfide	ND	10								
Carbon Tetrachloride	ND	1.0								
Chlorobenzene	ND	1.0								
Chloroethane	ND	2.0								
Chloroform	ND	1.0								
Chloromethane	ND	3.0								
2-Chlorotoluene	ND	1.0								

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2310D50

13-Nov-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: mb	SampType: MBLK	TestCode: EPA Method 8260B: VOLATILES								
Client ID: PBW	Batch ID: R100889	RunNo: 100889								
Prep Date:	Analysis Date: 11/1/2023	SeqNo: 3702007	Units: µg/L							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
4-Chlorotoluene	ND	1.0								
cis-1,2-DCE	ND	1.0								
cis-1,3-Dichloropropene	ND	1.0								
1,2-Dibromo-3-chloropropane	ND	2.0								
Dibromochloromethane	ND	1.0								
Dibromomethane	ND	1.0								
1,2-Dichlorobenzene	ND	1.0								
1,3-Dichlorobenzene	ND	1.0								
1,4-Dichlorobenzene	ND	1.0								
Dichlorodifluoromethane	ND	1.0								
1,1-Dichloroethane	ND	1.0								
1,1-Dichloroethene	ND	1.0								
1,2-Dichloropropane	ND	1.0								
1,3-Dichloropropane	ND	1.0								
2,2-Dichloropropane	ND	2.0								
1,1-Dichloropropene	ND	1.0								
Hexachlorobutadiene	ND	1.0								
2-Hexanone	ND	10								
Isopropylbenzene	ND	1.0								
4-Isopropyltoluene	ND	1.0								
4-Methyl-2-pentanone	ND	10								
Methylene Chloride	ND	3.0								
n-Butylbenzene	ND	3.0								
n-Propylbenzene	ND	1.0								
sec-Butylbenzene	ND	1.0								
Styrene	ND	1.0								
tert-Butylbenzene	ND	1.0								
1,1,1,2-Tetrachloroethane	ND	1.0								
1,1,2,2-Tetrachloroethane	ND	2.0								
Tetrachloroethene (PCE)	ND	1.0								
trans-1,2-DCE	ND	1.0								
trans-1,3-Dichloropropene	ND	1.0								
1,2,3-Trichlorobenzene	ND	1.0								
1,2,4-Trichlorobenzene	ND	1.0								
1,1,1-Trichloroethane	ND	1.0								
1,1,2-Trichloroethane	ND	1.0								
Trichloroethene (TCE)	ND	1.0								
Trichlorofluoromethane	ND	1.0								
1,2,3-Trichloropropane	ND	2.0								

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of standard limits. If undiluted results may be estimated.
- B

Analyte detected in the associated Method Blank
- E

Above Quantitation Range/Estimated Value
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2310D50

13-Nov-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: mb	SampType: MBLK	TestCode: EPA Method 8260B: VOLATILES								
Client ID: PBW	Batch ID: R100889	RunNo: 100889								
Prep Date:	Analysis Date: 11/1/2023	SeqNo: 3702007 Units: µg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Vinyl chloride	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	8.9		10.00		89.0	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		102	70	130			
Surr: Dibromofluoromethane	9.5		10.00		95.0	70	130			
Surr: Toluene-d8	10		10.00		100	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 7

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2310D50

13-Nov-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: LCS-1 99.5uS eC		SampType: LCS			TestCode: SM2510B: Specific Conductance					
Client ID: LCSW		Batch ID: R100896			RunNo: 100896					
Prep Date:		Analysis Date: 11/1/2023			SeqNo: 3702382		Units: µmhos/cm			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Conductivity	100	10	99.50	0	103	85	115			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2310D50

13-Nov-23

Client: HILCORP ENERGY

Project: Federal 18 1T

Sample ID: MB-78471	SampType: MBLK	TestCode: SM2540C MOD: Total Dissolved Solids								
Client ID: PBW	Batch ID: 78471	RunNo: 100894								
Prep Date: 10/31/2023	Analysis Date: 11/2/2023	SeqNo: 3702295 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	ND	50.0								

Sample ID: LCS-78471	SampType: LCS	TestCode: SM2540C MOD: Total Dissolved Solids								
Client ID: LCSW	Batch ID: 78471	RunNo: 100894								
Prep Date: 10/31/2023	Analysis Date: 11/2/2023	SeqNo: 3702296 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	1020	50.0	1000	0	102	80	120			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 7 of 7



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2310D50

RcptNo: 1

Received By: Cheyenne Cason 10/28/2023 7:50:00 AM

Completed By: Cheyenne Cason 10/28/2023 9:31:36 AM

Reviewed By: *JH 10-30-23*

Chul
Chul

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes ☒ No ☐ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted? _____

Checked by: *SCM 10/30/23*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	4.9	Good	Yes	Yogi		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 308490

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	308490
	Action Type:	[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the Fourth Quarter 2023--Remediation System Quarterly Report, Federal 18 #1T: Content Satisfactory 1. Continue to conduct O&M visits as scheduled and note any deviations in future submissions to OCD.	4/9/2024