



April 15, 2024

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: First Quarter 2024 – SVE System Update

Scott 4M
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NCE2003650476

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *First Quarter 2024 –SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Scott 4M natural gas production well (Site), located in Section 17, Township 31 North, and Range 10 West in San Juan County (Figure 1). The SVE system has operated since January 2021 to remediate subsurface soil impacts resulting from approximately 42 barrels (bbls) of natural gas condensate released from an aboveground storage tank. This report summarizes Site activities performed in January, February, and March 2024.

SVE SYSTEM SPECIFICATIONS

An upgraded SVE system was installed at the Site at the end of September 2022 and consists of 3-phase, 3.4 horsepower Republic Model KVHRC500 blower capable of producing a flow of 221 cubic feet per minute (cfm) and a vacuum of 76 inches of water column (IWC). The system is powered by a permanent power drop and is intended to run 24 hours per day. Seven SVE wells are currently present at the Site (SVE01 through SVE07, shown on Figure 2). SVE wells SVE01 through SVE03 are screened at depth intervals ranging from 25 feet to 45 feet below ground surface (bgs) in order to remediate deep soil impacts located at the Site. SVE wells SVE04 and SVE05 are screened at depth intervals ranging from 5 feet to 25 feet bgs in order to remediate shallow soil impacts at the Site. SVE wells SVE06 and SVE07 were installed at the Site in order to complete the pilot test conducted in 2021; however, these wells are not located in impacted areas and are not connected to the permanent SVE system.

FIRST QUARTER 2024 ACTIVITIES

During the first quarter 2024, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to ensure the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. During the first quarter of 2024, vacuum was applied to SVE wells SVE01 through SVE05 in order to induce flow in impacted soil zones. Between December 20, 2023, and March 19, 2024, the SVE system operated for 2,161.6 hours for a runtime efficiency of 100 percent (%). Photographs of the runtime meter for calculating the first quarter runtime efficiency are presented as Appendix B. The SVE system operational hours and calculated percent runtime are presented in Table 1.

A first quarter 2024 vapor sample was collected on March 5, 2024, from a sample port located between the SVE piping manifold and the SVE blower, using a high vacuum air sampler. Prior to collection, the vapor sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing (Formerly Hall Environmental Analysis Laboratory) in Albuquerque, New Mexico for analysis of total volatile petroleum hydrocarbons [TVPH – also known as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)] following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processors Association (GPA) Method 2261. A summary of analytical data collected during this sampling event and historical sampling events is summarized in Table 2, with the full laboratory analytical report included as Appendix C.

Vapor sample data and measured flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, 8,810 pounds (4.4 tons) of TVPH have been removed by the system to date.

RECOMMENDATIONS

Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to ensure the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum) until it is determined that SVE is no longer effective, at which point a workplan for soil confirmation sampling will be submitted to the NMOCD for review and approval. Deviations from regular SVE system operations will be noted on field logs and included in the following quarterly report.


We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,

Ensolum, LLC



Stuart Hyde, LG
Senior Geologist
(970) 903-1607
shyde@ensolum.com



Daniel R. Moir, PG
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com


Attachments:

Figure 1	Site Location
Figure 2	SVE System Configuration
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Air Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



Figures






ENSOLUM
 Environmental & Hydrogeologic Consultants

SITE LOCATION

HILCORP ENERGY COMPANY
 SCOTT 4M
 SESE SEC 17 T31N R10W, San Juan County, New Mexico
 36.893345° N, 107.899185° W

PROJECT NUMBER: 07A1988016

FIGURE
1



SVE SYSTEM CONFIGURATION
HILCORP ENERGY COMPANY
SCOTT 4M
SESE SEC 17 T31N R10W, San Juan County, New Mexico
36.893345° N, 107.899185° W
PROJECT NUMBER: 07A1988016

FIGURE
2



Tables





TABLE 1
SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS
Scott 4M
Hilcorp Energy Company
San Juan County, New Mexico

Date	Total Operational Hours	Delta Hours	Days	Percent Runtime
12/20/2023	17,066	--	--	--
3/19/2024	19,228	2,161.6	90.0	100%

TABLE 2
SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS
 Scott 4M
 Hilcorp Energy Company
 San Juan County, New Mexico

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
2/1/2021	118	85	240	10	64	18,000	--	--
9/7/2021	53	40	280	24	240	15,000	--	--
9/29/2021	316	210	1,800	240	2,200	85,000	--	--
12/2/2021	232	48	320	32	310	50,000	16.60%	1.03%
3/15/2022	402	38	430	63	660	18,000	20.80%	0.473%
6/16/2022	89	1.3	13	1.6	17	750	21.57%	0.15%
9/28/2022	476	9.6	120	19	220	5,900	20.73%	0.90%
12/12/2022	198	2.5	26	4.9	59	2,100	21.65%	0.27%
3/9/2023	274	1.0	19	4.0	50	1,500	21.64%	0.19%
6/22/2023	247	1.2	16	2.4	34	940	21.42%	0.29%
8/23/2023	186	1.0	12	2.0	29	930	21.49%	0.32%
11/27/2023	129	0.86	11	1.5	22	860	21.40%	0.22%
3/5/2024	57.5	0.50	5.6	0.76	12	260	22.25%	0.10%

Notes:

GRO: gasoline range organics
 µg/L: microgram per liter
 PID: photoionization detector
 ppm: parts per million

TVPH: total volatile petroleum hydrocarbons
 %: percent
 --: not sampled
 Grey: Below laboratory reporting limit



TABLE 3
SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS
 Scott 4M
 Hilcorp Energy Company
 San Juan County, New Mexico

Laboratory Analysis

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
2/1/2021	118	85	240	10	64	18,000
9/7/2021	53	40	280	24	240	15,000
9/29/2021	316	210	1,800	240	2,200	85,000
12/2/2021	232	48	320	32	310	50,000
3/15/2022	402	38	430	63	660	18,000
6/16/2022	89	1.3	13	1.6	17	750
9/28/2022 (1)	476	9.6	120	19	220	5,900
12/12/2022 (2)	198	2.5	26	4.9	59	2,100
3/9/2023	274	1.0	19	4.0	50	1,500
6/22/2023	247	1.2	16	2.4	34	940
8/23/2023	186	1.0	12	2.0	29	930
11/27/2023	129	0.86	11	1.5	22	860
3/5/2024	57.5	0.50	5.6	0.76	12	260
Average	214	34	253	31	301	15,326

Vapor Extraction Summary

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
2/1/2021	22	1,980	1,980	0.0070	0.020	0.00082	0.0053	1.5
9/7/2021	22	2,841,168	2,839,188	0.0051	0.021	0.0014	0.013	1.4
9/29/2021	10	2,979,528	138,360	0.0047	0.039	0.0049	0.046	1.9
12/2/2021	3.5	3,106,158	126,630	0.00169	0.0139	0.00178	0.0164	0.88
3/15/2022	8.0	3,519,486	413,328	0.00129	0.0112	0.00142	0.0145	1.02
6/16/2022	14	4,412,322	892,836	0.00103	0.0116	0.00169	0.0177	0.49
9/9/2022 (1)	12	5,218,146	805,824	0.00024	0.0030	0.00046	0.0053	0.15
12/10/2022 (2)	46	10,939,074	5,720,928	0.00104	0.0126	0.00206	0.0240	0.69
3/9/2023	31	14,846,376	3,907,302	0.00020	0.0026	0.00052	0.0063	0.21
6/22/2023 (3)	36	20,301,024	5,454,648	0.00015	0.0024	0.00043	0.0057	0.16
8/23/2023 (4)	38	23,648,084	3,347,060	0.00015	0.0020	0.00031	0.0044	0.13
11/27/2023	50	30,561,884	6,913,800	0.00017	0.0022	0.00033	0.0048	0.17
3/5/2024	100	44,834,684	14,272,800	0.00025	0.0031	0.00042	0.0064	0.21
Average				0.0018	0.011	0.0013	0.013	0.68

Mass Recovery

Date	Total SVE System Hours	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
2/1/2021	1.5	1.5	0.010	0.030	0.0012	0.0079	2.2	0.0011
9/7/2021	2,152	2,151	11	46	3.0	27	2,920	1.5
9/29/2021	2,383	231	1.1	9.0	1.1	11	431	0.22
12/2/2021	2,986	603	1.0	8.4	1.1	9.9	533	0.27
3/15/2022	3,847	861	1.1	9.7	1.2	12	876	0.44
6/16/2022	4,910	1,063	1.1	12.3	1.8	19	522	0.26
9/9/2022 (1)	6,029	1,119	0.3	3.3	0.5	6.0	167	0.08
12/10/2022 (2)	8,102	2,073	2.2	26	4.3	50	1,426	0.71
3/9/2023	10,203	2,101	0.43	5.5	1.1	13	438	0.22
6/22/2023	12,728	2,525	0.37	6.0	1.1	14	415	0.21
8/23/2023	14,209	1,481	0.23	2.9	0.46	6.6	195	0.10
11/27/2023	16,514	2,305	0.40	5.0	0.75	11	386	0.19
3/5/2024	18,892	2,379	0.60	7.4	1.01	15	498	0.25
Total Mass Recovery to Date			20	141	17	195	8,810	4.4

Notes:

- (1): SVE system hours and flow rates were collected during operation and maintenance visit on 9/9/2022
 - (2): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 12/10/2022
 - (3): SVE system rotameter was malfunctioning during site visit on 6/22/2023. Flow rate was estimated based on the average flow recorded during site visits between 4/13/2023 and 6/7/2023.
 - (4): SVE system rotameter was oscillating during third quarter 2023 site visits. Flow rate was estimated based on average historical flow for the current system
- cf: cubic feet
 cfm: cubic feet per minute
 µg/L: micrograms per liter
 lb/hr: pounds per hour
 -: not sampled
 PID: photoionization detector
 ppm: parts per million
 TVPH: total volatile petroleum hydrocarbons
 Grey: Below laboratory reporting limit



APPENDIX A

Field Notes

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 1-3
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM		READING	TIME	TIMER SETTINGS	
Blower Hours (take photo)		17403.3	1432	Month	Timer Setting
Voltage In				January	8 AM to 7 PM
Amperage In				February	8 AM to 7 PM
Voltage Out				March	8 AM to 8 PM
Amperage Out				April	8 AM to 9 PM
KiloWatts				May	7 AM to 9 PM
KiloWatt-Hours				June	6 AM to 9 PM
Solar Controller Status				July	6 AM to 9 PM
Pre Post K/O Vacuum (IWC)		-60		August	7 AM to 9 PM
Inlet Rotameter Flow (scfm)		36		September	8 AM to 9 PM
Inlet PID		68.7		October	8 AM to 8 PM
Exhaust PID		69.6		November	9 AM to 8 PM
Solar Panel Angle				December	8 AM to 6 PM
K/O Tank Drum Level					
K/O Liquid Drained (gallons)		4			
Timer Setting					

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
 OPERATING WELLS: _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		109.4	
SVE02		16.9	
SVE03		17.8	
SVE04		32.9	
SVE05		46.5	
SVE06 (OBSERVATION WELL)	 		
SVE07 (OBSERVATION WELL)	 		

COMMENTS/OTHER MAINTENANCE: _____

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 1-31
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME	TIMER SETTINGS	
			Month	Timer Setting
Blower Hours (take photo)	18071.4	1049	January	8 AM to 7 PM
Voltage In			February	8 AM to 7 PM
Amperage In			March	8 AM to 8 PM
Voltage Out			April	8 AM to 9 PM
Amperage Out			May	7 AM to 9 PM
KiloWatts			June	6 AM to 9 PM
KiloWatt-Hours			July	6 AM to 9 PM
Solar Controller Status			August	7 AM to 9 PM
Post Pre-K/O Vacuum (IWC)	-61		September	8 AM to 9 PM
Inlet Rotameter Flow (scfm)	38		October	8 AM to 8 PM
Inlet PID	37.8		November	9 AM to 8 PM
Exhaust PID	42.9		December	8 AM to 6 PM
Solar Panel Angle				
K/O Tank Drum Level				
K/O Liquid Drained (gallons)				
Timer Setting				

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
 OPERATING WELLS: _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		60.9	
SVE02		16.3	
SVE03		26.6	
SVE04		25.1	
SVE05		41.2	
SVE06 (OBSERVATION WELL)	XXXXXXXXXX		
SVE07 (OBSERVATION WELL)	XXXXXXXXXX		

COMMENTS/OTHER MAINTENANCE: _____

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 2-7
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL _____

SVE SYSTEM		READING	TIME	TIMER SETTINGS	
Blower Hours (take photo)		18242.9	1921	Month	Timer Setting
Voltage In				January	8 AM to 7 PM
Amperage In				February	8 AM to 7 PM
Voltage Out				March	8 AM to 8 PM
Amperage Out				April	8 AM to 9 PM
KiloWatts				May	7 AM to 9 PM
KiloWatt-Hours				June	6 AM to 9 PM
Solar Controller Status				July	6 AM to 9 PM
Pre + Post K/O Vacuum (IWC)		- 62		August	7 AM to 9 PM
Inlet Rotameter Flow (scfm)		36		September	8 AM to 9 PM
Inlet PID		46.4		October	8 AM to 8 PM
Exhaust PID		49.7		November	9 AM to 8 PM
Solar Panel Angle				December	8 AM to 6 PM
K/O Tank Drum Level					
K/O Liquid Drained (gallons)					
Timer Setting					

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		47.3	
SVE02		21.2	
SVE03		22.7	
SVE04		23.6	
SVE05		43.8	
SVE06 (OBSERVATION WELL)			
SVE07 (OBSERVATION WELL)			

COMMENTS/OTHER MAINTENANCE:

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 2-20
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME	TIMER SETTINGS	
			Month	Timer Setting
Blower Hours (take photo)	18555.4	1451	January	
Voltage In			February	
Amperage In			March	
Voltage Out			April	
Amperage Out			May	
KiloWatts			June	
KiloWatt-Hours			July	
Solar Controller Status			August	
Post-Pre K/O Vacuum (IWC)	-62		September	
Inlet Rotameter Flow (cfm)	36		October	
Inlet PID (ppm)	60.5		November	
Exhaust PID (ppm)	44.1		December	
Solar Panel Angle				
K/O Tank Drum Level				
K/O Liquid Drained (gallons)				
Timer Setting				

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
 OPERATING WELLS: _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01			198.3	
SVE02			47.7	
SVE03			29.6	
SVE04			28	
SVE05			62.9	
SVE06 (OBSERVATION WELL)				
SVE07 (OBSERVATION WELL)				

COMMENTS/OTHER MAINTENANCE: _____

**SCOTT 4M SVE SYSTEM
BIWEEKLY O&M FORM**

DATE: 3/5/24 O&M PERSONNEL: E. Carroll
 TIME ONSITE: 1320 TIME OFFSITE: 1400

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME	TIMER SETTINGS		
Blower Hours (take photo)	18890.0	13:25	Month	Timer Setting	
Voltage In	X		January	X	
Amperage In			February		
Voltage Out			March		
Amperage Out			April		
KiloWatts			May		
KiloWatt-Hours			June		
Solar Controller Status			July		
Pre K/O Vacuum (IWC)		48.1			August
Inlet Rotameter Flow (cfm)		100			September
Inlet PID (ppm)		97.8			October
Exhaust PID (ppm)	100-1		November		
Solar Panel Angle	X		December		
K/O Tank Drum Level	20%				
K/O Liquid Drained (gallons)	NA				
Timer Setting	NA				

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
 OPERATING WELLS: _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	32.3	X	79.3	8c
SVE02	14.6		14.2	50%
SVE03	12.5		15.0	50%
SVE04	14.2		23.7	50%
SVE05	29.1		48.9	
SVE06 (OBSERVATION WELL)				
SVE07 (OBSERVATION WELL)				

COMMENTS/OTHER MAINTENANCE:

Therm Anemometer Reading Pre KO-Tank 1611 FPM 64.1°F
 Close 02,03,04 to 50%

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 3-5
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM		READING	TIME	TIMER SETTINGS	
Blower Hours (take photo)		18892.4	1550	Month	Timer Setting
Voltage In				January	
Amperage In				February	
Voltage Out				March	
Amperage Out				April	
KiloWatts				May	
KiloWatt-Hours				June	
Solar Controller Status				July	
^{Post} Pre K/O Vacuum (IWC)		-62		August	
Inlet Rotameter Flow (cfm)				September	
Inlet PID (ppm)		57.5		October	
Exhaust PID (ppm)		47.3		November	
Solar Panel Angle				December	
K/O Tank Drum Level					
K/O Liquid Drained (gallons)					
Timer Setting					

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes:	TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
OPERATING WELLS	

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	44.8		14.5	
SVE02	44.8		34.9	
SVE03	42.9		39.4	
SVE04	20.2		36.3	
SVE05	15.7		55.9	
SVE06 (OBSERVATION WELL)	 	 	 	
SVE07 (OBSERVATION WELL)	 	 	 	

COMMENTS/OTHER MAINTENANCE:

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 3-19
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM		TIMER SETTINGS	
Blower Hours (take photo)	READING	TIME	Month
	19228.2	1637	January
Voltage In			February
Amperage In			March
Voltage Out			April
Amperage Out			May
KiloWatts			June
KiloWatt-Hours			July
Solar Controller Status			August
Post K/O Vacuum (IWC)	-62		September
Inlet Rotameter Flow (cfm)	36		October
Inlet PID (ppm)	61.7		November
Exhaust PID (ppm)	46.4		December
Solar Panel Angle			
K/O Tank Drum Level			
K/O Liquid Drained (gallons)			
Timer Setting			

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
 OPERATING WELLS: _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	43.9		195	
SVE02	45.4		51.3	
SVE03	45.3		67.8	
SVE04	39.8		39.5	
SVE05	15.83		59.6	
SVE06 (OBSERVATION WELL)				
SVE07 (OBSERVATION WELL)				

COMMENTS/OTHER MAINTENANCE: _____





APPENDIX B

Project Photographs



PROJECT PHOTOGRAPHS
Scott 4M
San Juan County, New Mexico
Hilcorp Energy Company

<p>Photograph 1</p> <p>Runtime meter taken on December 20, 2023 at 1:25 PM Hours = 17,066.4</p>		
<p>Photograph 2</p> <p>Runtime meter taken on March 19, 2024 at 4:37 PM Hours = 19,228.2</p>		



APPENDIX C

Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700
Farmington, New Mexico 87499

Generated 3/19/2024 6:50:42 PM

JOB DESCRIPTION

Scott 4M

JOB NUMBER

885-706-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

See page two for job notes and contact information.



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
3/19/2024 6:50:42 PM

Authorized for release by
Andy Freeman, Business Unit Manager
andy.freeman@et.eurofinsus.com
(505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client: Hilcorp Energy
Project/Site: Scott 4M

Laboratory Job ID: 885-706-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	13
Lab Chronicle	14
Certification Summary	15
Method Summary	18
Subcontract Data	19
Chain of Custody	25
Receipt Checklists	26

Definitions/Glossary

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Hilcorp Energy
Project: Scott 4M

Job ID: 885-706-1

Job ID: 885-706-1

Eurofins Albuquerque

Job Narrative 885-706-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 3/7/2024 7:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice.

Subcontract Work

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



Client Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Client Sample ID: SVE-1

Lab Sample ID: 885-706-1

Date Collected: 03/05/24 15:50

Matrix: Air

Date Received: 03/07/24 07:15

Sample Container: Tedlar Bag 1L

Method: SW846 8015D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	260		25	ug/L			03/13/24 13:02	5
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				03/13/24 13:02	5

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L			03/13/24 13:02	5
1,1,1-Trichloroethane	ND		0.50	ug/L			03/13/24 13:02	5
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L			03/13/24 13:02	5
1,1,2-Trichloroethane	ND		0.50	ug/L			03/13/24 13:02	5
1,1-Dichloroethane	ND		0.50	ug/L			03/13/24 13:02	5
1,1-Dichloroethene	ND		0.50	ug/L			03/13/24 13:02	5
1,1-Dichloropropene	ND		0.50	ug/L			03/13/24 13:02	5
1,2,3-Trichlorobenzene	ND		0.50	ug/L			03/13/24 13:02	5
1,2,3-Trichloropropane	ND		1.0	ug/L			03/13/24 13:02	5
1,2,4-Trichlorobenzene	ND		0.50	ug/L			03/13/24 13:02	5
1,2,4-Trimethylbenzene	1.8		0.50	ug/L			03/13/24 13:02	5
1,2-Dibromo-3-Chloropropane	ND		1.0	ug/L			03/13/24 13:02	5
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			03/13/24 13:02	5
1,2-Dichlorobenzene	ND		0.50	ug/L			03/13/24 13:02	5
1,2-Dichloroethane (EDC)	ND		0.50	ug/L			03/13/24 13:02	5
1,2-Dichloropropane	ND		0.50	ug/L			03/13/24 13:02	5
1,3,5-Trimethylbenzene	1.7		0.50	ug/L			03/13/24 13:02	5
1,3-Dichlorobenzene	ND		0.50	ug/L			03/13/24 13:02	5
1,3-Dichloropropane	ND		0.50	ug/L			03/13/24 13:02	5
1,4-Dichlorobenzene	ND		0.50	ug/L			03/13/24 13:02	5
1-Methylnaphthalene	ND		2.0	ug/L			03/13/24 13:02	5
2,2-Dichloropropane	ND		1.0	ug/L			03/13/24 13:02	5
2-Butanone	ND		5.0	ug/L			03/13/24 13:02	5
2-Chlorotoluene	ND		0.50	ug/L			03/13/24 13:02	5
2-Hexanone	ND		5.0	ug/L			03/13/24 13:02	5
2-Methylnaphthalene	ND		2.0	ug/L			03/13/24 13:02	5
4-Chlorotoluene	ND		0.50	ug/L			03/13/24 13:02	5
4-Isopropyltoluene	ND		0.50	ug/L			03/13/24 13:02	5
4-Methyl-2-pentanone	ND		5.0	ug/L			03/13/24 13:02	5
Acetone	ND		5.0	ug/L			03/13/24 13:02	5
Benzene	ND		0.50	ug/L			03/13/24 13:02	5
Bromobenzene	ND		0.50	ug/L			03/13/24 13:02	5
Bromodichloromethane	ND		0.50	ug/L			03/13/24 13:02	5
Dibromochloromethane	ND		0.50	ug/L			03/13/24 13:02	5
Bromoform	ND		0.50	ug/L			03/13/24 13:02	5
Bromomethane	ND		1.5	ug/L			03/13/24 13:02	5
Carbon disulfide	ND		5.0	ug/L			03/13/24 13:02	5
Carbon tetrachloride	ND		0.50	ug/L			03/13/24 13:02	5
Chlorobenzene	ND		0.50	ug/L			03/13/24 13:02	5
Chloroethane	ND		1.0	ug/L			03/13/24 13:02	5
Chloroform	ND		0.50	ug/L			03/13/24 13:02	5

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Client Sample ID: SVE-1

Lab Sample ID: 885-706-1

Date Collected: 03/05/24 15:50

Matrix: Air

Date Received: 03/07/24 07:15

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	ND		1.5	ug/L			03/13/24 13:02	5
cis-1,2-Dichloroethene	ND		0.50	ug/L			03/13/24 13:02	5
cis-1,3-Dichloropropene	ND		0.50	ug/L			03/13/24 13:02	5
Dibromomethane	ND		0.50	ug/L			03/13/24 13:02	5
Dichlorodifluoromethane	ND		0.50	ug/L			03/13/24 13:02	5
Ethylbenzene	0.76		0.50	ug/L			03/13/24 13:02	5
Hexachlorobutadiene	ND		0.50	ug/L			03/13/24 13:02	5
Isopropylbenzene	ND		0.50	ug/L			03/13/24 13:02	5
Methyl-tert-butyl Ether (MTBE)	ND		0.50	ug/L			03/13/24 13:02	5
Methylene Chloride	ND		1.5	ug/L			03/13/24 13:02	5
n-Butylbenzene	ND		1.5	ug/L			03/13/24 13:02	5
N-Propylbenzene	ND		0.50	ug/L			03/13/24 13:02	5
Naphthalene	ND		1.0	ug/L			03/13/24 13:02	5
sec-Butylbenzene	ND		0.50	ug/L			03/13/24 13:02	5
Styrene	ND		0.50	ug/L			03/13/24 13:02	5
tert-Butylbenzene	ND		0.50	ug/L			03/13/24 13:02	5
Tetrachloroethene (PCE)	ND		0.50	ug/L			03/13/24 13:02	5
Toluene	5.6		0.50	ug/L			03/13/24 13:02	5
trans-1,2-Dichloroethene	ND		0.50	ug/L			03/13/24 13:02	5
trans-1,3-Dichloropropene	ND		0.50	ug/L			03/13/24 13:02	5
Trichloroethene (TCE)	ND		0.50	ug/L			03/13/24 13:02	5
Trichlorofluoromethane	ND		0.50	ug/L			03/13/24 13:02	5
Vinyl chloride	ND		0.50	ug/L			03/13/24 13:02	5
Xylenes, Total	12		0.75	ug/L			03/13/24 13:02	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130		03/13/24 13:02	5
Toluene-d8 (Surr)	103		70 - 130		03/13/24 13:02	5
4-Bromofluorobenzene (Surr)	109		70 - 130		03/13/24 13:02	5
Dibromofluoromethane (Surr)	96		70 - 130		03/13/24 13:02	5

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Method: 8015D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-1932/3
Matrix: Air
Analysis Batch: 1932

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		50	ug/L			03/13/24 12:13	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130				03/13/24 12:13	1

Lab Sample ID: LCS 885-1932/2
Matrix: Air
Analysis Batch: 1932

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	500	505		ug/L		101	
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	102		70 - 130				

Lab Sample ID: 885-706-1 DU
Matrix: Air
Analysis Batch: 1932

Client Sample ID: SVE-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	260		252		ug/L		1	20
Surrogate	DU %Recovery	DU Qualifier	Limits					
4-Bromofluorobenzene (Surr)	101		70 - 130					

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-1708/3
Matrix: Air
Analysis Batch: 1708

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			03/13/24 12:13	1
1,1,1-Trichloroethane	ND		1.0	ug/L			03/13/24 12:13	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			03/13/24 12:13	1
1,1,2-Trichloroethane	ND		1.0	ug/L			03/13/24 12:13	1
1,1-Dichloroethane	ND		1.0	ug/L			03/13/24 12:13	1
1,1-Dichloroethene	ND		1.0	ug/L			03/13/24 12:13	1
1,1-Dichloropropene	ND		1.0	ug/L			03/13/24 12:13	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			03/13/24 12:13	1
1,2,3-Trichloropropane	ND		2.0	ug/L			03/13/24 12:13	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			03/13/24 12:13	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			03/13/24 12:13	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			03/13/24 12:13	1
1,2-Dichlorobenzene	ND		1.0	ug/L			03/13/24 12:13	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-1708/3

Matrix: Air

Analysis Batch: 1708

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			03/13/24 12:13	1
1,2-Dichloropropane	ND		1.0	ug/L			03/13/24 12:13	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
1,3-Dichlorobenzene	ND		1.0	ug/L			03/13/24 12:13	1
1,3-Dichloropropane	ND		1.0	ug/L			03/13/24 12:13	1
1,4-Dichlorobenzene	ND		1.0	ug/L			03/13/24 12:13	1
1-Methylnaphthalene	ND		4.0	ug/L			03/13/24 12:13	1
2,2-Dichloropropane	ND		2.0	ug/L			03/13/24 12:13	1
2-Butanone	ND		10	ug/L			03/13/24 12:13	1
2-Chlorotoluene	ND		1.0	ug/L			03/13/24 12:13	1
2-Hexanone	ND		10	ug/L			03/13/24 12:13	1
2-Methylnaphthalene	ND		4.0	ug/L			03/13/24 12:13	1
4-Chlorotoluene	ND		1.0	ug/L			03/13/24 12:13	1
4-Isopropyltoluene	ND		1.0	ug/L			03/13/24 12:13	1
4-Methyl-2-pentanone	ND		10	ug/L			03/13/24 12:13	1
Acetone	ND		10	ug/L			03/13/24 12:13	1
Benzene	ND		1.0	ug/L			03/13/24 12:13	1
Bromobenzene	ND		1.0	ug/L			03/13/24 12:13	1
Bromodichloromethane	ND		1.0	ug/L			03/13/24 12:13	1
Dibromochloromethane	ND		1.0	ug/L			03/13/24 12:13	1
Bromoform	ND		1.0	ug/L			03/13/24 12:13	1
Bromomethane	ND		3.0	ug/L			03/13/24 12:13	1
Carbon disulfide	ND		10	ug/L			03/13/24 12:13	1
Carbon tetrachloride	ND		1.0	ug/L			03/13/24 12:13	1
Chlorobenzene	ND		1.0	ug/L			03/13/24 12:13	1
Chloroethane	ND		2.0	ug/L			03/13/24 12:13	1
Chloroform	ND		1.0	ug/L			03/13/24 12:13	1
Chloromethane	ND		3.0	ug/L			03/13/24 12:13	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			03/13/24 12:13	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			03/13/24 12:13	1
Dibromomethane	ND		1.0	ug/L			03/13/24 12:13	1
Dichlorodifluoromethane	ND		1.0	ug/L			03/13/24 12:13	1
Ethylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
Hexachlorobutadiene	ND		1.0	ug/L			03/13/24 12:13	1
Isopropylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			03/13/24 12:13	1
Methylene Chloride	ND		3.0	ug/L			03/13/24 12:13	1
n-Butylbenzene	ND		3.0	ug/L			03/13/24 12:13	1
N-Propylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
Naphthalene	ND		2.0	ug/L			03/13/24 12:13	1
sec-Butylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
Styrene	ND		1.0	ug/L			03/13/24 12:13	1
tert-Butylbenzene	ND		1.0	ug/L			03/13/24 12:13	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			03/13/24 12:13	1
Toluene	ND		1.0	ug/L			03/13/24 12:13	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			03/13/24 12:13	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			03/13/24 12:13	1
Trichloroethene (TCE)	ND		1.0	ug/L			03/13/24 12:13	1
Trichlorofluoromethane	ND		1.0	ug/L			03/13/24 12:13	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-1708/3

Client Sample ID: Method Blank

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 1708

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Vinyl chloride	ND		1.0	ug/L			03/13/24 12:13	1
Xylenes, Total	ND		1.5	ug/L			03/13/24 12:13	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac		
%Recovery	Qualifier							
1,2-Dichloroethane-d4 (Surr)	103		70 - 130		03/13/24 12:13	1		
Toluene-d8 (Surr)	95		70 - 130		03/13/24 12:13	1		
4-Bromofluorobenzene (Surr)	99		70 - 130		03/13/24 12:13	1		
Dibromofluoromethane (Surr)	103		70 - 130		03/13/24 12:13	1		

Lab Sample ID: LCS 885-1708/2

Client Sample ID: Lab Control Sample

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 1708

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.1	17.7		ug/L		88	
Benzene	20.1	19.3		ug/L		96	
Chlorobenzene	20.1	20.1		ug/L		100	
Toluene	20.2	19.6		ug/L		97	
Trichloroethene (TCE)	20.2	18.7		ug/L		92	
Surrogate	LCS	LCS	Limits				
%Recovery	Qualifier						
1,2-Dichloroethane-d4 (Surr)	99		70 - 130				
Toluene-d8 (Surr)	99		70 - 130				
4-Bromofluorobenzene (Surr)	100		70 - 130				
Dibromofluoromethane (Surr)	100		70 - 130				

Lab Sample ID: 885-706-1 DU

Client Sample ID: SVE-1

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 1708

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	RPD Limit
	Result	Qualifier	Result	Qualifier				
1,1,1,2-Tetrachloroethane	ND		ND		ug/L		NC	20
1,1,1-Trichloroethane	ND		ND		ug/L		NC	20
1,1,2,2-Tetrachloroethane	ND		ND		ug/L		NC	20
1,1,2-Trichloroethane	ND		ND		ug/L		NC	20
1,1-Dichloroethane	ND		ND		ug/L		NC	20
1,1-Dichloroethene	ND		ND		ug/L		NC	20
1,1-Dichloropropene	ND		ND		ug/L		NC	20
1,2,3-Trichlorobenzene	ND		ND		ug/L		NC	20
1,2,3-Trichloropropane	ND		ND		ug/L		NC	20
1,2,4-Trichlorobenzene	ND		ND		ug/L		NC	20
1,2,4-Trimethylbenzene	1.8		1.82		ug/L		0.3	20
1,2-Dibromo-3-Chloropropane	ND		ND		ug/L		NC	20
1,2-Dibromoethane (EDB)	ND		ND		ug/L		NC	20
1,2-Dichlorobenzene	ND		ND		ug/L		NC	20
1,2-Dichloroethane (EDC)	ND		ND		ug/L		NC	20
1,2-Dichloropropane	ND		ND		ug/L		NC	20
1,3,5-Trimethylbenzene	1.7		1.72		ug/L		1	20

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 885-706-1 DU

Matrix: Air

Analysis Batch: 1708

Client Sample ID: SVE-1

Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	RPD
	Result	Qualifier	Result	Qualifier				
1,3-Dichlorobenzene	ND		ND		ug/L		NC	20
1,3-Dichloropropane	ND		ND		ug/L		NC	20
1,4-Dichlorobenzene	ND		ND		ug/L		NC	20
1-Methylnaphthalene	ND		ND		ug/L		NC	20
2,2-Dichloropropane	ND		ND		ug/L		NC	20
2-Butanone	ND		ND		ug/L		NC	20
2-Chlorotoluene	ND		ND		ug/L		NC	20
2-Hexanone	ND		ND		ug/L		NC	20
2-Methylnaphthalene	ND		ND		ug/L		NC	20
4-Chlorotoluene	ND		ND		ug/L		NC	20
4-Isopropyltoluene	ND		ND		ug/L		NC	20
4-Methyl-2-pentanone	ND		ND		ug/L		NC	20
Acetone	ND		ND		ug/L		NC	20
Benzene	ND		ND		ug/L		NC	20
Bromobenzene	ND		ND		ug/L		NC	20
Bromodichloromethane	ND		ND		ug/L		NC	20
Dibromochloromethane	ND		ND		ug/L		NC	20
Bromoform	ND		ND		ug/L		NC	20
Bromomethane	ND		ND		ug/L		NC	20
Carbon disulfide	ND		ND		ug/L		NC	20
Carbon tetrachloride	ND		ND		ug/L		NC	20
Chlorobenzene	ND		ND		ug/L		NC	20
Chloroethane	ND		ND		ug/L		NC	20
Chloroform	ND		ND		ug/L		NC	20
Chloromethane	ND		ND		ug/L		NC	20
cis-1,2-Dichloroethene	ND		ND		ug/L		NC	20
cis-1,3-Dichloropropene	ND		ND		ug/L		NC	20
Dibromomethane	ND		ND		ug/L		NC	20
Dichlorodifluoromethane	ND		ND		ug/L		NC	20
Ethylbenzene	0.76		0.780		ug/L		3	20
Hexachlorobutadiene	ND		ND		ug/L		NC	20
Isopropylbenzene	ND		ND		ug/L		NC	20
Methyl-tert-butyl Ether (MTBE)	ND		ND		ug/L		NC	20
Methylene Chloride	ND		ND		ug/L		NC	20
n-Butylbenzene	ND		ND		ug/L		NC	20
N-Propylbenzene	ND		ND		ug/L		NC	20
Naphthalene	ND		ND		ug/L		NC	20
sec-Butylbenzene	ND		ND		ug/L		NC	20
Styrene	ND		ND		ug/L		NC	20
tert-Butylbenzene	ND		ND		ug/L		NC	20
Tetrachloroethene (PCE)	ND		ND		ug/L		NC	20
Toluene	5.6		5.54		ug/L		0.8	20
trans-1,2-Dichloroethene	ND		ND		ug/L		NC	20
trans-1,3-Dichloropropene	ND		ND		ug/L		NC	20
Trichloroethene (TCE)	ND		ND		ug/L		NC	20
Trichlorofluoromethane	ND		ND		ug/L		NC	20
Vinyl chloride	ND		ND		ug/L		NC	20
Xylenes, Total	12		11.9		ug/L		2	20

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 885-706-1 DU

Client Sample ID: SVE-1

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 1708

Surrogate	DU DU		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		70 - 130
Toluene-d8 (Surr)	102		70 - 130
4-Bromofluorobenzene (Surr)	107		70 - 130
Dibromofluoromethane (Surr)	97		70 - 130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Association Summary

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

GC/MS VOA

Analysis Batch: 1708

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-706-1	SVE-1	Total/NA	Air	8260B	
MB 885-1708/3	Method Blank	Total/NA	Air	8260B	
LCS 885-1708/2	Lab Control Sample	Total/NA	Air	8260B	
885-706-1 DU	SVE-1	Total/NA	Air	8260B	

Analysis Batch: 1932

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-706-1	SVE-1	Total/NA	Air	8015D	
MB 885-1932/3	Method Blank	Total/NA	Air	8015D	
LCS 885-1932/2	Lab Control Sample	Total/NA	Air	8015D	
885-706-1 DU	SVE-1	Total/NA	Air	8015D	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Lab Chronicle

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Client Sample ID: SVE-1

Lab Sample ID: 885-706-1

Date Collected: 03/05/24 15:50

Matrix: Air

Date Received: 03/07/24 07:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015D		5	1932	CM	EET ALB	03/13/24 13:02
Total/NA	Analysis	8260B		5	1708	CM	EET ALB	03/13/24 13:02

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59107

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Accreditation/Certification Summary

Client: Hilcorp Energy
 Project/Site: Scott 4M

Job ID: 885-706-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane

Accreditation/Certification Summary

Client: Hilcorp Energy
 Project/Site: Scott 4M

Job ID: 885-706-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total
Oregon	NELAP	NM100001	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Accreditation/Certification Summary

Client: Hilcorp Energy
 Project/Site: Scott 4M

Job ID: 885-706-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Method Summary

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-706-1

Method	Method Description	Protocol	Laboratory
8015D	Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)	SW846	EET ALB
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET ALB
Subcontract	Fixed Gases	None	
5030C	Collection/Prep Tedlar Bag (P&T)	SW846	EET ALB

Protocol References:

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59107

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975





Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

March 19, 2024

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B24030510 Quote ID: B15626

Project Name: Scott 4M

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 3/8/2024 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B24030510-001	SVE-1 (885-706-1)	03/05/24 15:50	03/08/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Scott 4M
Lab ID: B24030510-001
Client Sample ID: SVE-1 (885-706-1)

Report Date: 03/19/24
Collection Date: 03/05/24 15:50
Date Received: 03/08/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	22.25	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Nitrogen	77.47	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Carbon Dioxide	0.10	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Methane	0.16	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Ethane	0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Hexanes plus	0.01	Mol %		0.01		GPA 2261-95	03/12/24 10:06 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
Hexanes plus	0.004	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
GPM Total	0.004	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj
GPM Pentanes plus	0.004	gpm		0.001		GPA 2261-95	03/12/24 10:06 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	2			1		GPA 2261-95	03/12/24 10:06 / jrj
Net BTU per cu ft @ std cond. (LHV)	2			1		GPA 2261-95	03/12/24 10:06 / jrj
Pseudo-critical Pressure, psia	547			1		GPA 2261-95	03/12/24 10:06 / jrj
Pseudo-critical Temperature, deg R	239			1		GPA 2261-95	03/12/24 10:06 / jrj
Specific Gravity @ 60/60F	0.998			0.001		D3588-81	03/12/24 10:06 / jrj
Air, %	101.68			0.01		GPA 2261-95	03/12/24 10:06 / jrj

- The analysis was not corrected for air.

COMMENTS

- 03/12/24 10:06 / jrj

- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.
- GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.
- To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.
- Standard conditions: 60 F & 14.73 psi on a dry basis

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental

Work Order: B24030510

Report Date: 03/19/24

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-95								Batch: R417974		
Lab ID: B24030510-001ADUP		12 Sample Duplicate			Run: GCNGA-B_240312A			03/12/24 10:57		
Oxygen		22.3	Mol %	0.01				0.3	20	
Nitrogen		77.4	Mol %	0.01				0.1	20	
Carbon Dioxide		0.10	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		0.14	Mol %	0.01				13	20	
Ethane		0.01	Mol %	0.01				0.0	20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.01	Mol %	0.01				0.0	20	
Lab ID: LCS031224		11 Laboratory Control Sample			Run: GCNGA-B_240312A			03/12/24 03:08		
Oxygen		0.63	Mol %	0.01	126	70	130			
Nitrogen		6.14	Mol %	0.01	102	70	130			
Carbon Dioxide		0.99	Mol %	0.01	100	70	130			
Methane		74.7	Mol %	0.01	100	70	130			
Ethane		6.04	Mol %	0.01	101	70	130			
Propane		5.03	Mol %	0.01	102	70	130			
Isobutane		1.66	Mol %	0.01	83	70	130			
n-Butane		2.00	Mol %	0.01	100	70	130			
Isopentane		0.99	Mol %	0.01	99	70	130			
n-Pentane		1.00	Mol %	0.01	100	70	130			
Hexanes plus		0.78	Mol %	0.01	98	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Work Order Receipt Checklist

Hall Environmental

B24030510

Login completed by: Crystal M. Jones

Date Received: 3/8/2024

Reviewed by: gmccartney

Received by: CMJ

Reviewed Date: 3/13/2024

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	9.8°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Contact and Corrective Action Comments:

None

Eurofins Albuquerque

4901 Hawkins NE
Albuquerque, NM 87109
Phone: 505-345-3975 Fax: 505-345-4107

Chain of Custody Record



eurofins Environment Testing

Form containing Client Information, Analysis Requested table, Sample Identification, and Special Instructions/Note. Includes fields for Lab PM, Carrier Tracking No, and various analysis parameters.

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories.

Form containing Possible Hazard Identification, Sample Disposal, and Relinquished/Received sections with signature and date fields.



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ICOC No:
885-91

Containers
Count
1

Container Type
Tedlar Bag 1L

Preservative
None

Chain-of-Custody Record

Client: Hilcorp

Mailing Address:

Phone #:

email or Fax#: brandon.sinclair@hilcorp.com

QA/QC Package:
 Standard Level 4 (Full Validation)

Accreditation: Az Compliance
 NELAC Other _____

EDD (Type) _____

Turn-Around Time:
 Standard Rush _____

Project Name: Scott 4M

Project #:

Project Manager: Mitch Killough

Sampler: Brandon Sinclair

On Ice: Yes No

of Coolers: 1

Cooler Temp (Including CF): NA (°C)




HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com
 4901 Hawkins NE - Albuquerque, NM 87109
 Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	BTEX / MTBE / TMB's (8021)	TPH:8015D(GRO / DRO / MRO)	8081 Pesticides/8082 PCB's	EDB (Method 504.1)	PAHs by 8310 or 8270SIMS	RCRA 8 Metals	Cl, F, Br, NO ₃ , NO ₂ , PO ₄ , SO ₄	8260 (VOA)	8270 (Semi-VOA)	Total Coliform (Present/Absent)	8015 TVPH	Fixed gas O ₂ & CO ₂
<u>3-5</u>	<u>1550</u>	<u>air</u>	<u>SVE-1</u>	<u>2 Tedlar</u>									<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



Date: 3/6/24 Time: 1232 Relinquished by: Brandon Sinclair

Date: 3/19/2024 Time: 1730 Relinquished by: Christopher Waelter

Received by: Christ Waelter Date: 3/6/24 Time: 1230

Received by: Come Carr Date: 3/7/24 Time: 0715

Remarks:

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-706-1

Login Number: 706

List Source: Eurofins Albuquerque

List Number: 1

Creator: Lowman, Nick

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	N/A	
Cooler Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 333288

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 333288
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvelez	1. Continue with O & M schedule. 2. Submit next quarterly report by July 15, 2024.	5/1/2024