



April 15, 2024

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: First Quarter 2024 – SVE System Update

San Juan 28-6 #31
Rio Arriba County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NVF1816655680

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *First Quarter 2024 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the San Juan 28-6 #31 natural gas production well (Site) located in Unit M, Section 28, Township 28 North, Range 6 West in Rio Arriba County, New Mexico (Figure 1). Specifically, this report summarizes Site activities performed in January, February, and March 2024 to the New Mexico Oil Conservation Division (NMOCD).

SVE SYSTEM SPECIFICATIONS

The current SVE system consists of a three-phase, 3 horsepower (HP) Ametek Rotron Model EN656 regenerative blower capable of producing 100 standard cubic feet per minute (scfm) of flow and 50 inches of water column (IWC). In total, 19 SVE wells (SVE-1, SVE-2RS, SVE-2RD, SVE-3, SVE-4, SVE-5, SVE-6, SVE-7S, SVE-7D, SVE-8, SVE-9, SVE-10, SVE-11S, SVE-11D, SVE-12S, SVE-13S, SVE-13D, SVE-14S, and SVE-15) are installed at the Site at varying depth intervals in order to induce air flow through the impacted zones in the subsurface. Two additional deep zone SVE wells (SVE-12D and SVE-14D) were previously installed but are not currently connected to the SVE system. SVE well locations are presented on Figure 2. Additionally, the power for the SVE system was converted from generator to a permanent power drop on April 20, 2022. Specifically, the voltage capacity of the power drop at the Site was increased in order to run the SVE system and negate the need for a generator to power the system. This was determined to be necessary based on reliability issues with the generators used at the Site.

FIRST QUARTER 2024 ACTIVITIES

During the first quarter 2024, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to ensure the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. Between December 19, 2023, and March 29, 2024, the SVE system operated for 2,416 hours for a runtime efficiency of 99.7 percent (%). Table 1 presents the SVE system operational hours and percent runtime. Appendix B presents photographs of the runtime meter for calculating the first quarter runtime efficiency. During the first quarter 2024, all zones were operating with 13 of the 19 wells operational. SVE wells SVE-6, SVE-7S, SVE-7D, SVE-8, SVE-9, and SVE-15 have been turned off based on the low photoionization detector (PID) readings collected during previous sampling events and in order to achieve higher flow and vacuum rates in the other operating wells.

A vapor sample for the first quarter 2024 was collected on March 7, 2024. The first quarter 2024 vapor sample was collected from the sample port located between the SVE piping manifold (collected from the total combined air flow from all active wells) and the SVE blower using a high vacuum air sampler. Prior to collection, the vapor sample was field screened with a PID for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing (Formerly Hall Environmental Analysis Laboratory), located in Albuquerque, New Mexico, for analysis of total volatile petroleum hydrocarbons (TVPH, also referred to as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processor Association (GPA) Method 2261. Table 2 presents a summary of analytical data collected during this and previous sampling events, with the full laboratory analytical report included in Appendix C.

Vapor sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE systems (Table 3). Based on these estimates, a total of 23,605 pounds (12 tons) of TVPH have been removed by the system to date.

RECOMMENDATIONS


Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to verify the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report. Hilcorp will continue operating the SVE until asymptotic mass removal rates are observed. At that time, an evaluation of residual petroleum hydrocarbons will be assessed and further recommendations for remedial actions, if any, will be provided to NMOCD.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,
Ensolum, LLC



Stuart Hyde, PG
Senior Geologist
(970) 903-1607
shyde@ensolum.com




Daniel R. Moir, PG
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Attachments:


Figure 1	Site Location Map
Figure 2	SVE System Configuration
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Air Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



Figures



 <p>Environmental & Hydrogeologic Consultants</p>	<h3>Site Location Map</h3> <p>San Juan 28-6 #31 Hilcorp Energy Company 36.6277°N, -107.4781°W Rio Arriba County, NM</p>	<p>FIGURE</p> <p>1</p>
---	---	------------------------



SVE System Configuration

San Juan 28-6 #31
Hilcorp Energy Company
36.6277° N, -107.4781° W
Rio Arriba County, NM

FIGURE
2



Tables



TABLE 1
SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS
San Juan 28-6 #31
Hilcorp Energy Company
Rio Arriba County, New Mexico

Date	SVE Runtime Hours	Delta Hours	Days	% Runtime
12/19/2023	16,310	--	--	--
3/29/2024	18,726	2,416	101	99.7%



TABLE 2
SOIL VAPOR EXTRACTION SYSTEM AIR ANALYTICAL RESULTS
 San Juan 28-6 #31
 Hilcorp Energy Company
 Rio Arriba County, New Mexico

Date	Sample Identification	Operating SVE Zones	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
9/20/2021	Pilot Test	All Zones	1,287	720	1,600	15	320	250,000	17.87%	2.05%
9/28/2021	Influent A+B	All Zones	736	240	720	27	350	53,000	---	---
10/21/2021	Influent A+B	All Zones	615	60	170	6.7	74	13,000	---	---
11/5/2021	Leg A Deep	Leg A Deep	1,177	620	1,700	29	390	72,000	---	---
12/16/2021	Leg A Deep	Leg A Deep	1,398	470	950	11	190	96,000	21.00%	0.83%
12/16/2021	Leg A Shallow	Leg A Shallow	298	10	32	1.1	19	2,300	22.00%	0.12%
1/6/2022	Leg A Shallow	Leg A Shallow	283	12	34	1.2	15	2,500	22.13%	0.13%
1/6/2022	Leg B-1	Leg B-1	158	2.3	10	<0.50	6.7	1,100	21.97%	0.10%
3/24/2022	Influent All Wells	All Zones	604	48	92	1.2	19	6,300	22.10%	0.18%
6/13/2022	Influent All Wells	All Zones	414	30	89	<2.0	29	4,600	21.57%	0.25%
9/30/2022	Influent 9-30	All Zones	410	19	65	2.1	26	3,700	21.57%	0.28%
12/6/2022	SVE-1	All Zones	284	85	220	<5.0	58	22,000	21.69%	0.23%
3/8/2023	SVE-1	All Zones	381	13	54	<5.0	16	52	21.66%	0.19%
6/22/2023	SVE-1	All Zones	356	8.4	39	1.2	17	3,000	21.66%	0.20%
8/22/2023	SVE-1	All Zones	386	14	49	<5.0	17	2,800	21.68%	0.20%
11/22/2023	SVE-1	All Zones	396	14	56	<5.0	20	2,800	21.45%	0.19%
3/7/2024	SVE-1	All Zones	265	6.3	24	<5.0	8.6	1,300	21.93%	0.02%

Notes:

GRO: gasoline range hydrocarbons

µg/L: microgram per liter

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

%: percent

---: not sampled/analyzed

<: gray indicates result less than the stated laboratory reporting limit (RL)



TABLE 3
SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS

San Juan 28-6 #31
Hilcorp Energy Company
Rio Arriba County, New Mexico

Laboratory Analysis

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
9/28/2021	736	240	720	27	350	53,000
10/21/2021	615	60	170	6.7	74	13,000
11/5/2021	1,177	620	1,700	29	390	72,000
12/16/2021	298	10	32	1.1	19	2,300
1/6/2022	158	2.3	10	0.50	6.7	1,100
3/24/2022	604	48	92	1.2	19	6,300
6/13/2022	414	30	89	2.0	29	4,600
9/30/2022 ⁽¹⁾	410	19	65	2.1	26	3,700
12/6/2022	284	85	220	5.0	58	22,000
3/8/2023	381	13	54	5.0	16	52
6/22/2023	356	8.4	39	1.2	17	3,000
8/22/2023	386	14	49	5.0	17	2,800
11/22/2023	396	14	56	5.0	20	2,800
3/7/2024	265	6.3	24	5.0	8.6	1,300
Average	463	84	237	6.8	75	13,425

Vapor Extraction Summary

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
9/28/2021	60	17,280	17,280	0.054	0.16	0.0061	0.079	12
10/21/2021	50	1,648,680	1,631,400	0.028	0.083	0.0032	0.040	6.2
11/5/2021	8	1,864,392	215,712	0.010	0.028	0.00053	0.0069	1.3
12/16/2021	12	2,496,696	632,304	0.014	0.039	0.00068	0.0092	1.7
1/6/2022	32	3,352,056	855,360	0.00072	0.0025	0.000096	0.0015	0.20
3/24/2022	12	4,610,688	1,258,632	0.0011	0.0023	0.000038	0.00058	0.17
6/13/2022	61	11,659,482	7,048,794	0.0089	0.021	0.00037	0.0055	1.2
9/19/2022 ⁽¹⁾	52	18,819,882	7,160,400	0.0048	0.015	0.00040	0.0053	0.81
12/6/2022	55	24,971,082	6,151,200	0.011	0.029	0.00073	0.0086	2.6
3/8/2023	50	31,583,082	6,612,000	0.0092	0.026	0.00094	0.0069	2.1
6/22/2023	55	39,941,982	8,358,900	0.0022	0.0096	0.00064	0.0034	0.31
8/22/2023	60	45,183,582	5,241,600	0.0025	0.0099	0.00070	0.0038	0.65
11/22/2023	60	53,117,982	7,934,400	0.0031	0.012	0.0011	0.0042	0.63
3/7/2024	55	61,486,782	8,368,800	0.0021	0.008	0.0010	0.0029	0.42
Average				0.011	0.032	0.001	0.013	2.2

Mass Recovery

Date	Total Operational Hours ⁽²⁾	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
9/28/2021	5	5	0.26	0.78	0.029	0.4	57	0.029
10/21/2021	549	544	15	45	1.7	21.6	3,356	1.7
11/9/2021 ⁽³⁾	998	449	4.6	13	0.24	3.1	571	0.29
12/16/2021	1,876	878	12	34	0.59	8.1	1,464	0.73
1/6/2022	2,322	446	0.32	1.1	0.043	0.7	91	0.045
3/24/2022	4,070	1,748	2.0	4.0	0.067	1.0	290	0.15
6/13/2022	5,996	1,926	17	40	0.70	11	2,395	1.2
9/19/2022 ⁽¹⁾	8,291	2,295	11	34	0.9	12	1,852	0.93
12/6/2022	10,155	1,864	20	55	1.4	16	4,927	2.5
3/8/2023	12,359	2,204	20	56	2	15	4,544	2.3
6/22/2023	14,892	2,533	5.6	24	1.6	8.6	795	0.40
8/22/2023	16,348	1,456	3.7	14	1.0	5.6	948	0.47
11/22/2023	18,552	2,204	6.9	26	2.5	9.1	1,385	0.69
3/7/2024	21,088	2,536	4.6	18	2.3	6.5	929	0.46
Total Mass Recovery to Date			124	366	15.1	119	23,605	12

Notes:

(1): an emissions air sample was recollected on 9/30/2022 due to air-collection errors during the 9/19/2022 site visit. Flow rates collected during the 9/19/2022 visit are used for emissions calculations

(2): total operational hours are a summation of runtime hours collected from several generators and blower runtime meters used since system startup

(3): runtime hours collected during a site visit on 11/9/2021

cfm: cubic feet per minute

cf: cubic feet

µg/L: micrograms per liter

lb/hr: pounds per hour

--: not sampled

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

gray: Indicates result less than the stated laboratory reporting limit (RL); as such, RL used for calculating emissions.



APPENDIX A

Field Notes

28-6 #31 SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 1-3
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M			
SVE ALARMS:		<u>KO TANK HIGH LEVEL</u>	
GENERATOR		SVE SYSTEM	
Hours (take photo)	_____	Blower Hours (take photo)	<u>16670</u>
Hertz	_____	Pre K/O Vacuum (IWC)	<u>-33</u>
Voltage	_____	Post K/O Vacuum (IWC)	<u>-27</u>
Battery Voltage	_____	Pitot Tube 3" Flow (cfm)	<u>55</u>
Oil Pressure	_____	Leg A Rotameter (scfm)	<u>28</u>
Oil Temp	_____	Leg B Rotameter (scfm)	<u>23</u>
		Inlet PID	<u>281.7</u>
		Exhaust Post GAC PID	<u>386.5</u>
		Liquid in K/O Sight Tube (Y/N)	_____
		K/O Liquid Drained (gallons)	_____
HOUSEKEEPING Check			
Generator Lubrication	_____		
Inline Filter Clean	_____		
Clean Wye Strainer	_____		

SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID:	SAMPLE TIME:
Analytes:	<u>TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)</u>
OPERATING WELLS	

ZONES

Change in Well Operation: _____

LEG A DEEP

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-2RD		<u>1148</u>	
SVE-3		<u>677.5</u>	
SVE-5		<u>1214</u>	
SVE-11D		<u>1081</u>	
SVE-13D		<u>1847</u>	

LEG A SHALLOW

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-1		<u>97.2</u>	
SVE-2RS		<u>760.7</u>	
SVE-4		<u>323.1</u>	
SVE-11S		<u>179.3</u>	
SVE-13S		<u>1684</u>	
SVE-14S		<u>1767</u>	

LEG B-1

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-7D			
SVE-10		<u>111.7</u>	
SVE-12S		<u>607.2</u>	
SVE-15			

LEG B-2

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-6			
SVE-7S			
SVE-8			
SVE-9			

COMMENTS/OTHER MAINTENANCE: _____

28-6 #31 SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 1-30
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

GENERATOR
Hours (take photo) 17316
Hertz _____
Voltage _____
Battery Voltage _____
Oil Pressure _____
Oil Temp _____

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>17316</u>	<u>1348</u>
Pre K/O Vacuum (IWC)	<u>-34</u>	
Post K/O Vacuum (IWC)	<u>-28</u>	
Pitot Tube 3" Flow (cfm)	<u>5.5</u>	
Leg A Rotameter (scfm)	<u>27</u>	
Leg B Rotameter (scfm)	<u>20</u>	
Inlet PID	<u>210.6</u>	
Exhaust Post GAC PID	<u>395.8</u>	
Liquid in K/O Sight Tube (Y/N)		
K/O Liquid Drained (gallons)		

HOUSEKEEPING Check
Generator Lubrication _____
Inline Filter Clean _____
Clean Wye Strainer _____

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

ZONES

Change in Well Operation: _____
LEG A DEEP

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-2RD		<u>820.3</u>	
SVE-3		<u>261.5</u>	
SVE-5		<u>1240</u>	
SVE-11D		<u>1344</u>	
SVE-13D		<u>1768</u>	

LEG A SHALLOW

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-1		<u>44.8</u>	
SVE-2RS		<u>637.2</u>	
SVE-4		<u>227.2</u>	
SVE-11S		<u>65.4</u>	
SVE-13S		<u>1627</u>	
SVE-14S		<u>1227</u>	

LEG B-1

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-7D			
SVE-10		<u>119.5</u>	
SVE-12S		<u>124.4</u>	
SVE-15			

LEG B-2

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-6			
SVE-7S			
SVE-8			
SVE-9			

COMMENTS/OTHER MAINTENANCE:

28-6 #31 SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 2-13
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL _____

GENERATOR
Hours (take photo) _____
Hertz _____
Voltage _____
Battery Voltage _____
Oil Pressure _____
Oil Temp _____

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	17650	1314
Pre K/O Vacuum (IWC)	-35	
Post K/O Vacuum (IWC)	-29	
Pitot Tube 3" Flow (cfm)	50	
Leg A Rotameter (scfm)	27	
Leg B Rotameter (scfm)	20	
Inlet PID	350.6	
Exhaust Post GAC PID	440.6	
Liquid in K/O Sight Tube (Y/N)		
K/O Liquid Drained (gallons)		

HOUSEKEEPING Check
Generator Lubrication _____
Inline Filter Clean _____
Clean Wye Strainer _____

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____

Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS

ZONES

Change in Well Operation: _____

LEG A DEEP

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-2RD		1227	
SVE-3		294.4	
SVE-5		1368	
SVE-11D		1171	
SVE-13D		1857	

LEG A SHALLOW

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-1		368.7	
SVE-2RS		322.2	
SVE-4		248.7	
SVE-11S		255.8	
SVE-13S		1774	
SVE-14S		2268	

LEG B-1

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-7D		175.9	
SVE-10		1498	
SVE-12S			
SVE-15			

LEG B-2

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE-6			
SVE-7S			
SVE-8			
SVE-9			

COMMENTS/OTHER MAINTENANCE:

28-6 #31 SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 2-26
TIME ONSITE:

O&M PERSONNEL: B Sinclair
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

GENERATOR
Hours (take photo)
Frequency (Hertz)
Voltage
Battery Voltage
Oil Pressure
Oil Temp

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	17961	1352
Pre K/O Vacuum (IWC)	-35	
Post K/O Vacuum (IWC)	-29	
Pitot Tube 3" Flow (cfm)	50	
Leg A Rotameter (cfm)	27	
Leg B Rotameter (cfm)	21	
Inlet PID (ppm)	351.5	
Exhaust Post GAC PID (ppm)	387.6	
Liquid in K/O Sight Tube (Y/N)		
K/O Liquid Drained (gallons)		

HOUSEKEEPING Check
Generator Lubrication
Inline Filter Clean
Clean Wye Strainer

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

ZONES				
Change in Well Operation:				
LEG A DEEP				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD	21.9	1811		
SVE-3	22	394.6		
SVE-5	22.1	954.4		
SVE-11D	22.1	1467		
SVE-13D	22	1982		

LEG A SHALLOW				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-1	17.86	420.7		
SVE-2RS	22.1	897.6		
SVE-4	21.3	677.3		
SVE-11S	22.1	925.4		
SVE-13S	22.1	1838		
SVE-14S	21.9	1163		

LEG B-1				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-7D		274.4		
SVE-10	23.4	1043		
SVE-12S	23.4			
SVE-15				

LEG B-2				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-6				
SVE-7S				
SVE-8				
SVE-9				

COMMENTS/OTHER MAINTENANCE:

28-6 #31 SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 3-7
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

GENERATOR
Hours (take photo) _____
Frequency (Hertz) _____
Voltage _____
Battery Voltage _____
Oil Pressure _____
Oil Temp _____

SVE SYSTEM
Blower Hours (take photo) _____
Pre K/O Vacuum (IWC) _____
Post K/O Vacuum (IWC) _____
Pitot Tube 3" Flow (cfm) _____
Leg A Rotameter (cfm) _____
Leg B Rotameter (cfm) _____
Inlet PID (ppm) _____
Exhaust Post GAC PID (ppm) _____
Liquid in K/O Sight Tube (Y/N) _____
K/O Liquird Drained (gallons) _____

READING	TIME
18200	1227
-33	
-27	
55	
28	
22	
265.2	
588.9	

HOUSEKEEPING Check
Generator Lubrication _____
Inline Filter Clean _____
Clean Wye Strainer _____

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: SVE-1 SAMPLE TIME: 1200
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS

ZONES

Change in Well
Operation:

LEG A DEEP

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD	20.8	1044		
SVE-3	20.8	868.8		
SVE-5	20.6	962.1		
SVE-11D	20.7	1194		
SVE-13D	20.7	1877		

LEG A SHALLOW

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-1	17.41	409.1		
SVE-2RS		1661		
SVE-4	20.7	448.5		
SVE-11S	20.8	860.1		
SVE-13S	20.8	1776		
SVE-14S	20.7	750.9		

LEG B-1

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-7D				
SVE-10	21.5	142.7		
SVE-12S	21.9	1076		
SVE-15				

LEG B-2

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-6				
SVE-7S				
SVE-8				
SVE-9				

COMMENTS/OTHER MAINTENANCE:

28-6 #31 SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 3-29
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

GENERATOR
Hours (take photo) _____
Frequency (Hertz) _____
Voltage _____
Battery Voltage _____
Oil Pressure _____
Oil Temp _____

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	18726	1443
Pre K/O Vacuum (IWC)	-34	
Post K/O Vacuum (IWC)	-28	
Pitot Tube 3" Flow (cfm)	55	
Leg A Rotameter (cfm)	27	
Leg B Rotameter (cfm)	22	
Inlet PID (ppm)	309.3	
Exhaust Post GAC PID (ppm)	419.8	
Liquid in K/O Sight Tube (Y/N)		
K/O Liquid Drained (gallons)		

HOUSEKEEPING Check
Generator Lubrication _____
Inline Filter Clean _____
Clean Wye Strainer _____

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

ZONES				
Change in Well Operation: _____				
LEG A DEEP				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD	20.8	958		
SVE-3	20.7	913.4		
SVE-5	20.7	842.4		
SVE-11D	20.8	1237		
SVE-13D	20.7	1846		

LEG A SHALLOW				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-1	17.45	431.6		
SVE-2RS	20.8	1538		
SVE-4	20.8	522.4		
SVE-11S	20.7	910.1		
SVE-13S	20.8	1846		
SVE-14S	20.7	801.8		

LEG B-1				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-7D	21.6	232.5		
SVE-10	21.9	1055		
SVE-12S				
SVE-15				

LEG B-2				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-6				
SVE-7S				
SVE-8				
SVE-9				

COMMENTS/OTHER MAINTENANCE: _____







APPENDIX B

Project Photographs

PROJECT PHOTOGRAPHS
San Juan 28-6 #31
Rio Arriba County, New Mexico
Hilcorp Energy Company

<p>Photograph 1</p> <p>Runtime meter taken on December 19, 2023 at 12:08 PM Hours = 16,310</p>	
<p>Photograph 2</p> <p>Runtime meter taken on March 29, 2024 at 2:43 PM Hours = 18,726</p>	



APPENDIX C

Laboratory Analytical Reports



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700
Farmington, New Mexico 87499

Generated 3/23/2024 10:07:53 AM

JOB DESCRIPTION

Hilcorp Energy SJ 28 6 Unit 31

JOB NUMBER

885-964-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

See page two for job notes and contact information.

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
3/23/2024 10:07:53 AM

Authorized for release by
Andy Freeman, Business Unit Manager
andy.freeman@et.eurofinsus.com
(505)345-3975

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Laboratory Job ID: 885-964-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Method Summary	16
Subcontract Data	17
Chain of Custody	23
Receipt Checklists	24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Definitions/Glossary

Client: Hilcorp Energy

Job ID: 885-964-1

Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Hilcorp Energy
Project: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Job ID: 885-964-1Eurofins Albuquerque

Job Narrative
885-964-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 3/12/2024 7:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 21.1°C.

Subcontract Work

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Client Sample ID: SVE-1

Lab Sample ID: 885-964-1

Date Collected: 03/07/24 12:00

Matrix: Air

Date Received: 03/12/24 07:15

Sample Container: Tedlar Bag 1L

Method: SW846 8015D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	1300		250	ug/L			03/20/24 15:06	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130		03/20/24 15:06	50

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		5.0	ug/L			03/20/24 15:06	50
1,1,1-Trichloroethane	ND		5.0	ug/L			03/20/24 15:06	50
1,1,2,2-Tetrachloroethane	ND		10	ug/L			03/20/24 15:06	50
1,1,2-Trichloroethane	ND		5.0	ug/L			03/20/24 15:06	50
1,1-Dichloroethane	ND		5.0	ug/L			03/20/24 15:06	50
1,1-Dichloroethene	ND		5.0	ug/L			03/20/24 15:06	50
1,1-Dichloropropene	ND		5.0	ug/L			03/20/24 15:06	50
1,2,3-Trichlorobenzene	ND		5.0	ug/L			03/20/24 15:06	50
1,2,3-Trichloropropane	ND		10	ug/L			03/20/24 15:06	50
1,2,4-Trichlorobenzene	ND		5.0	ug/L			03/20/24 15:06	50
1,2,4-Trimethylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
1,2-Dibromo-3-Chloropropane	ND		10	ug/L			03/20/24 15:06	50
1,2-Dibromoethane (EDB)	ND		5.0	ug/L			03/20/24 15:06	50
1,2-Dichlorobenzene	ND		5.0	ug/L			03/20/24 15:06	50
1,2-Dichloroethane (EDC)	ND		5.0	ug/L			03/20/24 15:06	50
1,2-Dichloropropane	ND		5.0	ug/L			03/20/24 15:06	50
1,3,5-Trimethylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
1,3-Dichlorobenzene	ND		5.0	ug/L			03/20/24 15:06	50
1,3-Dichloropropane	ND		5.0	ug/L			03/20/24 15:06	50
1,4-Dichlorobenzene	ND		5.0	ug/L			03/20/24 15:06	50
1-Methylnaphthalene	ND		20	ug/L			03/20/24 15:06	50
2,2-Dichloropropane	ND		10	ug/L			03/20/24 15:06	50
2-Butanone	ND		50	ug/L			03/20/24 15:06	50
2-Chlorotoluene	ND		5.0	ug/L			03/20/24 15:06	50
2-Hexanone	ND		50	ug/L			03/20/24 15:06	50
2-Methylnaphthalene	ND		20	ug/L			03/20/24 15:06	50
4-Chlorotoluene	ND		5.0	ug/L			03/20/24 15:06	50
4-Isopropyltoluene	ND		5.0	ug/L			03/20/24 15:06	50
4-Methyl-2-pentanone	ND		50	ug/L			03/20/24 15:06	50
Acetone	ND		50	ug/L			03/20/24 15:06	50
Benzene	6.3		5.0	ug/L			03/20/24 15:06	50
Bromobenzene	ND		5.0	ug/L			03/20/24 15:06	50
Bromodichloromethane	ND		5.0	ug/L			03/20/24 15:06	50
Dibromochloromethane	ND		5.0	ug/L			03/20/24 15:06	50
Bromoform	ND		5.0	ug/L			03/20/24 15:06	50
Bromomethane	ND		15	ug/L			03/20/24 15:06	50
Carbon disulfide	ND		50	ug/L			03/20/24 15:06	50
Carbon tetrachloride	ND		5.0	ug/L			03/20/24 15:06	50
Chlorobenzene	ND		5.0	ug/L			03/20/24 15:06	50
Chloroethane	ND		10	ug/L			03/20/24 15:06	50
Chloroform	ND		5.0	ug/L			03/20/24 15:06	50

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Client Sample ID: SVE-1

Lab Sample ID: 885-964-1

Date Collected: 03/07/24 12:00

Matrix: Air

Date Received: 03/12/24 07:15

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	ND		15	ug/L			03/20/24 15:06	50
cis-1,2-Dichloroethene	ND		5.0	ug/L			03/20/24 15:06	50
cis-1,3-Dichloropropene	ND		5.0	ug/L			03/20/24 15:06	50
Dibromomethane	ND		5.0	ug/L			03/20/24 15:06	50
Dichlorodifluoromethane	ND		5.0	ug/L			03/20/24 15:06	50
Ethylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
Hexachlorobutadiene	ND		5.0	ug/L			03/20/24 15:06	50
Isopropylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
Methyl-tert-butyl Ether (MTBE)	ND		5.0	ug/L			03/20/24 15:06	50
Methylene Chloride	ND		15	ug/L			03/20/24 15:06	50
n-Butylbenzene	ND		15	ug/L			03/20/24 15:06	50
N-Propylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
Naphthalene	ND		10	ug/L			03/20/24 15:06	50
sec-Butylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
Styrene	ND		5.0	ug/L			03/20/24 15:06	50
tert-Butylbenzene	ND		5.0	ug/L			03/20/24 15:06	50
Tetrachloroethene (PCE)	ND		5.0	ug/L			03/20/24 15:06	50
Toluene	24		5.0	ug/L			03/20/24 15:06	50
trans-1,2-Dichloroethene	ND		5.0	ug/L			03/20/24 15:06	50
trans-1,3-Dichloropropene	ND		5.0	ug/L			03/20/24 15:06	50
Trichloroethene (TCE)	ND		5.0	ug/L			03/20/24 15:06	50
Trichlorofluoromethane	ND		5.0	ug/L			03/20/24 15:06	50
Vinyl chloride	ND		5.0	ug/L			03/20/24 15:06	50
Xylenes, Total	8.6		7.5	ug/L			03/20/24 15:06	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 130		03/20/24 15:06	50
Toluene-d8 (Surr)	100		70 - 130		03/20/24 15:06	50
4-Bromofluorobenzene (Surr)	102		70 - 130		03/20/24 15:06	50
Dibromofluoromethane (Surr)	95		70 - 130		03/20/24 15:06	50

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Method: 8015D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-2088/3

Matrix: Air

Analysis Batch: 2088

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		50	ug/L			03/20/24 13:04	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130				03/20/24 13:04	1

Lab Sample ID: LCS 885-2088/2

Matrix: Air

Analysis Batch: 2088

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	500	521		ug/L		104	
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	107		70 - 130				

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-2090/3

Matrix: Air

Analysis Batch: 2090

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			03/20/24 13:04	1
1,1,1-Trichloroethane	ND		1.0	ug/L			03/20/24 13:04	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			03/20/24 13:04	1
1,1,2-Trichloroethane	ND		1.0	ug/L			03/20/24 13:04	1
1,1-Dichloroethane	ND		1.0	ug/L			03/20/24 13:04	1
1,1-Dichloroethene	ND		1.0	ug/L			03/20/24 13:04	1
1,1-Dichloropropene	ND		1.0	ug/L			03/20/24 13:04	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			03/20/24 13:04	1
1,2,3-Trichloropropane	ND		2.0	ug/L			03/20/24 13:04	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			03/20/24 13:04	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			03/20/24 13:04	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			03/20/24 13:04	1
1,2-Dichlorobenzene	ND		1.0	ug/L			03/20/24 13:04	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			03/20/24 13:04	1
1,2-Dichloropropane	ND		1.0	ug/L			03/20/24 13:04	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
1,3-Dichlorobenzene	ND		1.0	ug/L			03/20/24 13:04	1
1,3-Dichloropropane	ND		1.0	ug/L			03/20/24 13:04	1
1,4-Dichlorobenzene	ND		1.0	ug/L			03/20/24 13:04	1
1-Methylnaphthalene	ND		4.0	ug/L			03/20/24 13:04	1
2,2-Dichloropropane	ND		2.0	ug/L			03/20/24 13:04	1
2-Butanone	ND		10	ug/L			03/20/24 13:04	1
2-Chlorotoluene	ND		1.0	ug/L			03/20/24 13:04	1
2-Hexanone	ND		10	ug/L			03/20/24 13:04	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-2090/3				Client Sample ID: Method Blank				
Matrix: Air				Prep Type: Total/NA				
Analysis Batch: 2090								
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	ND		4.0	ug/L			03/20/24 13:04	1
4-Chlorotoluene	ND		1.0	ug/L			03/20/24 13:04	1
4-Isopropyltoluene	ND		1.0	ug/L			03/20/24 13:04	1
4-Methyl-2-pentanone	ND		10	ug/L			03/20/24 13:04	1
Acetone	ND		10	ug/L			03/20/24 13:04	1
Benzene	ND		1.0	ug/L			03/20/24 13:04	1
Bromobenzene	ND		1.0	ug/L			03/20/24 13:04	1
Bromodichloromethane	ND		1.0	ug/L			03/20/24 13:04	1
Dibromochloromethane	ND		1.0	ug/L			03/20/24 13:04	1
Bromoform	ND		1.0	ug/L			03/20/24 13:04	1
Bromomethane	ND		3.0	ug/L			03/20/24 13:04	1
Carbon disulfide	ND		10	ug/L			03/20/24 13:04	1
Carbon tetrachloride	ND		1.0	ug/L			03/20/24 13:04	1
Chlorobenzene	ND		1.0	ug/L			03/20/24 13:04	1
Chloroethane	ND		2.0	ug/L			03/20/24 13:04	1
Chloroform	ND		1.0	ug/L			03/20/24 13:04	1
Chloromethane	ND		3.0	ug/L			03/20/24 13:04	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			03/20/24 13:04	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			03/20/24 13:04	1
Dibromomethane	ND		1.0	ug/L			03/20/24 13:04	1
Dichlorodifluoromethane	ND		1.0	ug/L			03/20/24 13:04	1
Ethylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
Hexachlorobutadiene	ND		1.0	ug/L			03/20/24 13:04	1
Isopropylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			03/20/24 13:04	1
Methylene Chloride	ND		3.0	ug/L			03/20/24 13:04	1
n-Butylbenzene	ND		3.0	ug/L			03/20/24 13:04	1
N-Propylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
Naphthalene	ND		2.0	ug/L			03/20/24 13:04	1
sec-Butylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
Styrene	ND		1.0	ug/L			03/20/24 13:04	1
tert-Butylbenzene	ND		1.0	ug/L			03/20/24 13:04	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			03/20/24 13:04	1
Toluene	ND		1.0	ug/L			03/20/24 13:04	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			03/20/24 13:04	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			03/20/24 13:04	1
Trichloroethene (TCE)	ND		1.0	ug/L			03/20/24 13:04	1
Trichlorofluoromethane	ND		1.0	ug/L			03/20/24 13:04	1
Vinyl chloride	ND		1.0	ug/L			03/20/24 13:04	1
Xylenes, Total	ND		1.5	ug/L			03/20/24 13:04	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 130				03/20/24 13:04	1
Toluene-d8 (Surr)	89		70 - 130				03/20/24 13:04	1
4-Bromofluorobenzene (Surr)	100		70 - 130				03/20/24 13:04	1
Dibromofluoromethane (Surr)	100		70 - 130				03/20/24 13:04	1

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 885-2090/2				Client Sample ID: Lab Control Sample							
Matrix: Air				Prep Type: Total/NA							
Analysis Batch: 2090											
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,1-Dichloroethene			20.1	18.1		ug/L		90			
Benzene			20.1	19.7		ug/L		98			
Chlorobenzene			20.1	20.7		ug/L		103			
Toluene			20.2	19.5		ug/L		97			
Trichloroethene (TCE)			20.2	19.2		ug/L		95			
		LCS	LCS								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	96		70 - 130								
Toluene-d8 (Surr)	95		70 - 130								
4-Bromofluorobenzene (Surr)	104		70 - 130								
Dibromofluoromethane (Surr)	98		70 - 130								

QC Association Summary

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

GC/MS VOA

Analysis Batch: 2088

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-964-1	SVE-1	Total/NA	Air	8015D	
MB 885-2088/3	Method Blank	Total/NA	Air	8015D	
LCS 885-2088/2	Lab Control Sample	Total/NA	Air	8015D	

Analysis Batch: 2090

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-964-1	SVE-1	Total/NA	Air	8260B	
MB 885-2090/3	Method Blank	Total/NA	Air	8260B	
LCS 885-2090/2	Lab Control Sample	Total/NA	Air	8260B	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Lab Chronicle

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Client Sample ID: SVE-1

Date Collected: 03/07/24 12:00

Date Received: 03/12/24 07:15

Lab Sample ID: 885-964-1

Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015D		50	2088	CM	EET ALB	03/20/24 15:06
Total/NA	Analysis	8260B		50	2090	CM	EET ALB	03/20/24 15:06

Laboratory References:
= , 1120 South 27th Street, Billings, MT 59107
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total
Oregon	NELAP	NM100001	02-26-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Accreditation/Certification Summary

Client: Hilcorp Energy

Job ID: 885-964-1

Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Eurofins Albuquerque

Method Summary

Client: Hilcorp Energy
Project/Site: Hilcorp Energy SJ 28 6 Unit 31

Job ID: 885-964-1

Method	Method Description	Protocol	Laboratory
8015D	Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)	SW846	EET ALB
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET ALB
Subcontract	Fixed Gases	None	
5030C	Collection/Prep Tedlar Bag (P&T)	SW846	EET ALB

Protocol References:

None = None
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59107
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

1
2
3
4
5
6
7
8
9
10
11
12
13



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

March 21, 2024

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B24030788 Quote ID: B15626

Project Name: Hilcorp Energy SJ 28 6 Unit 31, 88500415

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 3/13/2024 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B24030788-001	SVE-1 (885-964-1)	03/07/24 12:00	03/13/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT
Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Hilcorp Energy SJ 28 6 Unit 31, 88500415
Lab ID: B24030788-001
Client Sample ID: SVE-1 (885-964-1)

Report Date: 03/21/24
Collection Date: 03/07/24 12:00
Date Received: 03/13/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.93	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Nitrogen	78.02	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Carbon Dioxide	0.02	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Hexanes plus	0.03	Mol %		0.01		GPA 2261-95	03/15/24 01:16 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
Hexanes plus	0.013	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
GPM Total	0.013	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
GPM Pentanes plus	0.013	gpm		0.001		GPA 2261-95	03/15/24 01:16 / jrj
CALCULATED PROPERTIES							
Gross BTU per cu ft @ Std Cond. (HHV)	1			1		GPA 2261-95	03/15/24 01:16 / jrj
Net BTU per cu ft @ std cond. (LHV)	1			1		GPA 2261-95	03/15/24 01:16 / jrj
Pseudo-critical Pressure, psia	545			1		GPA 2261-95	03/15/24 01:16 / jrj
Pseudo-critical Temperature, deg R	239			1		GPA 2261-95	03/15/24 01:16 / jrj
Specific Gravity @ 60/60F	0.998			0.001		D3588-81	03/15/24 01:16 / jrj
Air, %	100.21			0.01		GPA 2261-95	03/15/24 01:16 / jrj
- The analysis was not corrected for air.							

COMMENTS

-
-
- 03/15/24 01:16 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.
 - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.
 - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.
 - Standard conditions: 60 F & 14.73 psi on a dry basis

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental Work Order: B24030788 Report Date: 03/21/24

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-95										Batch: R418183
Lab ID: B24030780-001ADUP	12 Sample Duplicate				Run: GCNGA-B_240315A				03/15/24 10:40	
Oxygen		21.8	Mol %	0.01				0.3	20	
Nitrogen		77.8	Mol %	0.01				0.1	20	
Carbon Dioxide		0.30	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.04	Mol %	0.01				0.0	20	
Lab ID: LCS031524										Batch: R418183
	11 Laboratory Control Sample				Run: GCNGA-B_240315A				03/18/24 02:59	
Oxygen		0.64	Mol %	0.01	128	70	130			
Nitrogen		5.90	Mol %	0.01	98	70	130			
Carbon Dioxide		1.01	Mol %	0.01	102	70	130			
Methane		75.2	Mol %	0.01	101	70	130			
Ethane		5.84	Mol %	0.01	97	70	130			
Propane		5.03	Mol %	0.01	102	70	130			
Isobutane		1.66	Mol %	0.01	83	70	130			
n-Butane		2.00	Mol %	0.01	100	70	130			
Isopentane		0.99	Mol %	0.01	99	70	130			
n-Pentane		0.98	Mol %	0.01	98	70	130			
Hexanes plus		0.77	Mol %	0.01	96	70	130			

Qualifiers:

RL - Analyte Reporting Limit ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Hall Environmental

B24030788

Login completed by: Danielle N. Harris

Date Received: 3/13/2024

Reviewed by: cjones

Received by: DNH

Reviewed Date: 3/15/2024

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	12.4°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Contact and Corrective Action Comments:

None

Eurofins Albuquerque

4901 Hawkins NE
Albuquerque, NM 87109
Phone: 505-345-3975 Fax: 505-345-4107

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler:		Lab PM: Freeman, Andy		Carrier Tracking No(s):		COC No: 885-118.1													
Client Contact: Shipping/Receiving		Phone:		E-Mail: andy.freeman@et.eurofinsus.com		State of Origin: New Mexico		Page: Page 1 of 1													
Company: Energy Laboratories, Inc.				Accreditations Required (See note): NELAP - Oregon; State - New Mexico				Job #: 885-964-1													
Address: 1120 South 27th Street,		Due Date Requested: 3/22/2024		Analysis Requested						Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDTA Y - Trizma Z - other (specify) Other:											
City: Billings		TAT Requested (days):																			
State, Zip: MT, 59107		PO #:																			
Phone:		WO #:																			
Email:		Project #: 88500415		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		SUB (Fixed Gases/ Fixed Gases)		Total Number of containers											
Project Name: Hilcorp Energy SJ 28 6 Unit 31		SSOW#:		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)		Preservation Code:		Special Instructions/Note:											
Site:		Sample Date		Sample Time		SVE-1 (885-964-1)		3/7/24		12:00 Mountain		Air		X		1		B24030788			
Sample Identification - Client ID (Lab ID)		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)		Preservation Code:		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		SUB (Fixed Gases/ Fixed Gases)		Total Number of containers		Special Instructions/Note:	
SVE-1 (885-964-1)		3/7/24		12:00 Mountain				Air						X				1		B24030788	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.</p>																					
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)											
Unconfirmed										<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months											
Deliverable Requested: I, II, III, IV, Other (specify)										Special Instructions/QC Requirements:											
Empty Kit Relinquished by:										Date:											
Relinquished by:										Time:											
Relinquished by:										Method of Shipment:											
Relinquished by:										Received by:											
Relinquished by:										Date/Time:											
Relinquished by:										Company:											
Relinquished by:										Received by:											
Relinquished by:										Date/Time:											
Relinquished by:										Company:											
Custody Seals Intact: Δ Yes Δ No										Custody Seal No.:											
Cooler Temperature(s) °C and Other Remarks:																					

Ver: 06/08/2021

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ICOC No:
885-118

Containers
Count
1

Container Type
Tedlar Bag 1L

Preservative
None

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-964-1

Login Number: 964

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Refer to Job Narrative for details.
Cooler Temperature is acceptable.	N/A	
Cooler Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 333500

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 333500
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvelez	1. Continue with O & M schedule. 2. Submit next quarterly report by July 15, 2024.	5/1/2024