

REVIEWED

By Mike Buchanan at 10:27 am, May 21, 2024

**ENSOLUM**

March 22, 2023

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: 2022 Annual Groundwater Monitoring Report
Nell Hall #1
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NAUTOFAB000417
NMOCD Administrative Order: 3RP-090

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this 2022 *Annual Groundwater Monitoring Report* to the New Mexico Oil Conservation Division (NMOCD) to document groundwater monitoring activities conducted at the Nell Hall #1 natural gas production site (Site) during 2022. The Site is located on private land, approximately 2 miles west of Aztec, New Mexico in Section 7, Township 30N, Range 11W, San Juan County, New Mexico (Figure 1).

SITE BACKGROUND

Petroleum-impacted soil was first discovered at the Site in 1994 by Conoco, Inc. (operator of the Site at the time and later ConocoPhillips Company). At the time of discovery, three monitoring wells, MW-1, MW-2, and MW-3, were installed at the Site to assess groundwater conditions and determine if groundwater had been impacted by the release. Conoco, Inc. also installed eight air-sparge wells (SP-1 through SP-8, shown on Figure 2) in order to introduce air into the water-bearing zone to enhance volatilization and biodegradation of petroleum hydrocarbons in the ground. No information or data in the historical Site reports indicated whether the air-sparge wells ever operated as intended.

Drought conditions in the 1990's and early 2000's resulted in a water table decline to an elevation below the screened intervals of the monitoring wells. As such, these wells have not been sampled since the early 2000's. In response, monitoring wells MW-4, MW-5, and MW-6 were subsequently installed in 2004 and constructed using 30 to 35 feet of slotted screen in order to intersect the water-table over large fluctuations (caused by seasonal changes and/or nearby irrigation). Two additional wells (MW-7 and MW-8) were subsequently installed in 2015 to further assess subsurface soils and groundwater quality conditions downgradient of well MW-6.

Hilcorp acquired the Site from ConocoPhillips Company in April 2017 and has continued quarterly gauging and sampling of wells at the Site.

Review of the 2022 Annual Groundwater Monitoring Report for Nell Hall #1: Content Satisfactory
1. Plug & Abandon air sparge wells: SP-1 through SP-8 and coordinate all requirements with NM OSE if applicable.
2. Continue to collect groundwater samples from wells: MW-6, MW-7 and MW-8 on a semi-annual basis until all COCs are at the allowable concentrations per the NM WQCC human health standards and the domestic well standard for dissolved iron.

3. Submit the 2023 Annual Groundwater Monitoring Report if not already submitted, no later than the 2024 Annual Report by April, 2025.
4. Submit the 2024 Annual Report by April, 2025.

SITE GROUNDWATER CLEANUP STANDARDS

The NMOCDC requires groundwater-quality standards be met as presented by the New Mexico Water Quality Control Commission (NMWQCC) and listed in Title 20, Chapter 6, Part 2, Section 3103 (20.6.2.3103) of the New Mexico Administrative Code (NMAC). The following standards are presented for the constituents of concern (COCs) at the Site in milligrams per liter (mg/L).

- Benzene: 0.005 mg/L
- Toluene: 1.0 mg/L
- Ethylbenzene: 0.70 mg/L
- Total Xylenes: 0.62 mg/L
- Dissolved Iron: 1.0 mg/L

GROUNDWATER SAMPLING ACTIVITIES AND RESULTS

Groundwater-level measurements and samples were collected in February, April, July, and October 2022 from wells MW-4 through MW-8. Static groundwater-level monitoring included recording depth-to-groundwater using a Keck oil/water interface probe. The interface probe was decontaminated with Alconox™ soap and rinsed with distilled water prior to each measurement to prevent cross-contamination. Based on quarterly measurements, groundwater elevations fluctuate significantly throughout the year and generally increase during the summer and fall months due to nearby field irrigation. Measured depths-to-groundwater and calculated groundwater elevations are presented in Table 1. The inferred groundwater flow direction also changes throughout the year, as indicated on the quarterly groundwater potentiometric surface maps presented in Figures 3, 4, 5, and 6.

GROUNDWATER SAMPLING

Groundwater from each monitoring well was purged and sampled using a disposable bailer. Purging was accomplished by removing stagnant groundwater from the monitoring well prior to collecting a sample. Field measurements of groundwater quality parameters, including temperature, pH, electrical conductivity, and total dissolved solids were collected during the purging process and are presented in Table 2.

Following well purging, groundwater samples were placed directly into laboratory-provided containers and labeled with the date and time of collection, well designation, project name, sample collector's name, and parameters to be analyzed. Containers were immediately sealed and packed on ice to preserve samples. Samples were submitted to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico, for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by United State Environmental Protection Agency (EPA) method 8260B, and dissolved iron by EPA method 200.7. Proper chain-of-custody procedures were followed documenting the date and time sampled, sample number, type of sample, sample collector's name, preservative used, analyses required, and sample collector's signature.

GROUNDWATER ANALYTICAL RESULTS

During the February 2022 sampling event, well MW-4 did not have sufficient water volumes to collect a sample for laboratory analysis. In addition, all wells were dry during the April 2022 sampling event. Benzene was detected in groundwater from well MW-6 during the February, July, and October 2022 sampling events at concentrations exceeding the NMWQCC standard. Benzene was not detected in groundwater above the NMWQCC standard in any of the other sampled wells. Toluene, ethylbenzene, and total xylenes were also not detected in groundwater above the NMWQCC standards in any of the sampled wells during any quarterly sampling event. Additionally, dissolved iron was detected in groundwater at a concentration exceeding NMWQCC

standard in MW-4 during the July 2022 sampling event, as well as MW-6 during the July and October 2022 sampling events. Of note, there was insufficient water volumes in well MW-6 during the February 2022 to collect a sample for dissolved iron analysis. Analytical results are summarized in Table 3 and depicted on Figure 7, with complete laboratory analytical reports attached as Appendix A.

CONCLUSIONS

Overall, BTEX concentrations in groundwater have decreased over time at the Site. BTEX concentrations have not been detected above laboratory reporting limits in wells MW-4, MW-5, MW-7, and MW-8 in more than five years. Well MW-6 has concentrations of benzene exceeding NMWQCC standards; however, concentrations have steadily declined in this well since 2013. Additionally, concentrations of dissolved iron exceeding the NMWQCC standard were only detected in wells MW-4 and MW-6 during 2022 quarterly sampling events. Although detected above standards in MW-4, concentrations of dissolved iron have generally not been detected above laboratory reporting limits and are only sporadically detected above the NMWQCC standard.

Dissolved iron concentrations have consistently exceeded the NMWQCC standard in groundwater from well MW-6 since it was first analyzed in 2009. Similar to benzene concentrations in this well, dissolved iron concentrations have also steadily declined since 2013. Elevated iron concentrations in well MW-6 appear to be a result of generally low-oxygen and reducing groundwater conditions in this area, which is a common byproduct of petroleum degradation in groundwater systems. This is further evidenced by the low concentrations of iron in wells outside of the release area and the impacted groundwater plume. As groundwater conditions at the Site equilibrate to natural background conditions and dissolved oxygen increases, groundwater in the vicinity of well MW-6 will become increasingly aerobic. As this happens, dissolved iron will likely precipitate out of solution leading to decreased concentrations in groundwater.

Lastly, groundwater downgradient of MW-6 continue to exhibit BTEX and dissolved iron concentrations below NMWQCC standards, which indicates that the groundwater plume is localized to the vicinity of MW-6 and has not migrated downgradient with groundwater flow. Furthermore, overall Site conditions indicate that the petroleum-hydrocarbon plume is stable and decreasing in magnitude indicating natural attenuation is an effective remedial method for this Site.

RECOMMENDATIONS

Based on historical data, dissolved phase constituents have been greatly reduced at the Site and are currently only present in well MW-6 at concentrations exceeding NMWQCC standards. Based on Site data, it is believed that monitored natural attenuation remains an appropriate remedial action to manage the residual benzene and iron concentrations present in well MW-6.

Based on current and historical data gathered at the Site, Ensolum proposes the following actions:

- Plug and abandon air-spargers wells SP-1 through SP-8. These wells have never been used for active air-sparging and should be removed to eliminate a potential conduit to groundwater at the Site.
- Plug and abandon wells MW-1 through MW-5. With the exception of occasional exceedances of dissolved iron concentrations in MW-4, BTEX and dissolved iron concentrations have been compliant with NMWQCC standards for more than three years in these wells.

- Collect groundwater sample from wells MW-6, MW-7, and MW-8 on a semi-annual basis for BTEX and dissolved iron constituents. Wells MW-7 and MW-8 will serve as points of compliance at the Site to ensure that benzene and dissolved iron concentrations are not migrating off-Site. Once concentrations are compliant with NMWQCC standards, sampling frequency will be increased to quarterly until eight consecutive quarters are below applicable standards.


Ensolum appreciates the opportunity to provide these environmental services to Hilcorp. Please contact either of the undersigned with any questions.

Sincerely,

Ensolum, LLC



Stuart Hyde, LG
Senior Geologist
(970) 903-1607
shyde@ensolum.com



Dan Moir, PG
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Attachments:

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Q1 Groundwater Elevation Map
Figure 4	Q2 Groundwater Elevation Map
Figure 5	Q3 Groundwater Elevation Map
Figure 6	Q4 Groundwater Elevation Map
Figure 7	2022 Groundwater Analytical Results
Table 1	Groundwater Elevation Summary
Table 2	Groundwater Quality Measurement
Table 3	Groundwater Analytical Results
Appendix A	Laboratory Analytical Reports




FIGURES



San Juan County, New Mexico

1





Site Map


Nell Hall #1
Hilcorp Energy Company
36.821616, -108.037375
Sec 7, T30N, R11W
San Juan County, New Mexico


FIGURE


2











2022 Groundwater Analytical Results

Nell Hall #1
 Hilcorp Energy Company
 36.821616, -108.037375
 Sec 7, T30N, R11W
 San Juan County, New Mexico

FIGURE
7



TABLES



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-1	97.95	5/10/2005	DRY	--
		10/20/2005	19.25	78.70
		11/22/2005	24.15	73.80
		5/17/2006	--	--
		11/15/2006	21.40	76.55
		2/19/2007	DRY	--
		5/14/2007	24.85	73.10
		8/22/2007	24.61	73.34
		11/6/2007	20.87	77.08
		3/17/2008	DRY	--
		10/22/2008	19.38	78.57
		3/30/2009	28.25	69.70
		9/30/2009	16.56	81.39
		3/31/2010	DRY	--
		6/9/2010	24.16	73.79
		9/27/2010	20.00	77.95
		3/16/2011	DRY	--
		6/21/2011	26.80	71.15
		9/27/2011	17.85	80.10
		12/13/2011	25.39	72.56
		3/7/2012	DRY	--
		6/4/2012	26.40	71.55
		9/20/2012	17.57	80.38
		12/28/2012	DRY	--
		3/28/2013	DRY	--
		6/12/2013	24.33	73.62
		9/11/2013	17.59	80.36
		12/13/2013	27.45	70.50
		3/20/2014	DRY	--
		6/18/2014	25.18	72.77
		9/15/2014	18.68	79.27



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-1	97.95	12/15/2014	DRY	--
		3/16/2015	DRY	--
		6/15/2015	27.85	70.10
		9/16/2015	21.71	76.24
		11/30/2015	26.14	71.81
		3/30/2016	DRY	--
		9/8/2016	18.46	79.49
		11/29/2016	25.21	72.74
		6/14/2017	25.05	72.90
		9/25/2017	19.44	78.51
		12/5/2017	27.29	70.66
		3/15/2018	28.36	69.59
		6/27/2018	24.84	73.11
		3/14/2019	28.24	69.71
		5/24/2019	28.24	69.71
		8/27/2019	DRY	--
		12/17/2019	27.80	70.15
		2/19/2020	28.25	69.70
		4/28/2020	28.26	69.69
		8/25/2020	25.17	72.78
		10/28/2020	22.34	75.61
		3/24/2021	28.24	69.71
		6/28/2021	DRY	--
		9/22/2021	DRY	--
		11/15/2021	26.79	71.16
		2/9/2022	NM	--
		4/12/2022	NM	--
		7/27/2022	NM	--
		10/13/2022	NM	--



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-2	97.16	5/10/2005	DRY	--
		10/20/2005	18.81	78.35
		11/22/2005	23.74	73.42
		5/17/2006	22.06	75.10
		11/15/2006	21.01	76.15
		2/19/2007	DRY	--
		5/14/2007	DRY	--
		8/22/2007	18.03	79.13
		11/6/2007	20.43	76.73
		3/17/2008	DRY	--
		10/22/2008	18.83	78.33
		3/30/2009	27.15	70.01
		9/30/2009	16.01	81.15
		3/31/2010	DRY	--
		6/9/2010	23.36	73.80
		9/27/2010	19.42	77.74
		3/16/2011	DRY	--
		6/21/2011	26.43	70.73
		9/27/2011	17.28	79.88
		12/13/2011	25.10	72.06
		3/7/2012	DRY	--
		6/4/2012	25.17	71.99
		9/20/2012	17.30	79.86
		12/28/2012	DRY	--
		3/28/2013	DRY	--
		6/12/2013	23.78	73.38
		9/11/2013	17.22	79.94
		12/13/2013	27.00	70.16
		3/20/2014	DRY	--
		6/18/2014	24.78	72.38



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-2	97.16	9/15/2014	18.18	78.98
		12/15/2014	DRY	--
		3/16/2015	DRY	--
		6/15/2015	26.65	70.51
		9/16/2015	21.37	75.79
		11/30/2015	26.04	71.12
		3/30/2016	27.31	69.85
		6/22/2016	25.45	71.71
		9/8/2016	18.09	79.07
		11/29/2016	24.94	72.22
		6/14/2017	24.85	72.31
		9/25/2017	18.96	78.20
		12/5/2017	27.04	70.12
		3/15/2018	DRY	--
		6/27/2018	24.61	72.55
		3/14/2019	27.16	70.00
		5/24/2019	27.21	69.95
		8/27/2019	24.74	72.42
		12/17/2019	27.05	70.11
		2/19/2020	27.14	70.02
		4/28/2020	27.20	69.96
		8/24/2020	24.61	72.55
		10/28/2020	21.89	75.27
		3/24/2021	27.18	69.98
		6/28/2021	DRY	--
		9/22/2021	DRY	--
		11/15/2021	26.86	70.30
		2/9/2022	NM	--
		4/12/2022	NM	--
		7/27/2022	NM	--
		10/13/2022	NM	--



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-3	97.77	5/10/2005	DRY	--
		10/20/2005	19.36	78.41
		11/22/2005	24.24	73.53
		5/17/2006	22.82	74.95
		11/15/2006	21.53	76.24
		2/19/2007	DRY	--
		5/14/2007	DRY	--
		8/22/2007	18.36	79.41
		11/6/2007	20.95	76.82
		3/17/2008	DRY	--
		10/22/2008	19.34	78.43
		3/30/2009	DRY	--
		9/30/2009	DRY	--
		3/31/2010	DRY	--
		6/9/2010	23.87	73.90
		9/27/2010	19.93	77.84
		3/16/2011	DRY	--
		6/21/2011	27.06	70.71
		9/27/2011	17.82	79.95
		12/13/2011	25.66	72.11
		3/7/2012	DRY	--
		6/4/2012	25.53	72.24
		9/20/2012	17.97	79.80
		12/28/2012	DRY	--
		3/28/2013	DRY	--
		6/12/2013	24.36	73.41
		9/11/2013	17.84	79.93
		12/13/2013	DRY	--
		3/20/2014	DRY	--
		6/18/2014	25.36	72.41



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-3	97.77	9/15/2014	18.79	78.98
		12/15/2014	DRY	--
		3/16/2015	DRY	--
		6/15/2015	27.20	70.57
		9/16/2015	22.05	75.72
		11/30/2015	26.68	71.09
		3/30/2016	DRY	--
		9/8/2016	18.75	79.02
		11/29/2016	25.53	72.24
		6/14/2017	25.52	72.25
		9/25/2017	19.62	78.15
		12/5/2017	27.31	70.46
		3/15/2018	DRY	--
		6/27/2018	25.27	72.50
		3/14/2019	27.40	70.37
		5/24/2019	DRY	--
		8/27/2019	25.42	72.35
		12/17/2019	27.30	70.47
		2/19/2020	27.37	70.40
		4/28/2020	DRY	--
		8/24/2020	25.20	72.57
		10/28/2020	22.49	75.28
		3/24/2021	DRY	--
		6/28/2021	DRY	--
		9/22/2021	DRY	--
		11/15/2021	27.24	70.53
		2/9/2022	NM	--
		4/12/2022	NM	--
		7/27/2022	NM	--
		10/13/2022	NM	--



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-4	97.75	3/8/2004	36.04	61.71
		7/19/2004	8.44	89.31
		10/27/2004	19.69	78.06
		12/27/2004	27.58	70.17
		5/10/2005	DRY	--
		10/20/2005	18.87	78.88
		11/22/2005	23.93	73.82
		5/17/2006	--	--
		11/15/2006	21.02	76.73
		2/19/2007	34.40	63.35
		5/14/2007	27.56	70.19
		8/22/2007	18.18	79.57
		11/6/2007	20.48	77.27
		3/17/2008	36.08	61.67
		10/22/2008	18.96	78.79
		3/30/2009	37.36	60.39
		9/30/2009	16.15	81.60
		3/31/2010	DRY	--
		6/9/2010	23.61	74.14
		9/27/2010	19.61	78.14
		3/16/2011	DRY	--
		6/21/2011	26.79	70.96
		9/27/2011	17.47	80.28
		12/13/2011	25.35	72.40
		3/7/2012	35.73	62.02
		6/4/2012	25.39	72.36
		9/20/2012	17.43	80.32
		12/28/2012	28.02	69.73
		3/28/2013	DRY	--
		6/12/2013	24.06	73.69
		9/11/2013	17.40	80.35



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-4	97.75	12/13/2013	27.90	69.85
		3/20/2014	DRY	--
		6/18/2014	25.10	72.65
		9/15/2014	18.43	79.32
		12/15/2014	28.01	69.74
		3/16/2015	DRY	--
		6/15/2015	26.91	70.84
		9/16/2015	21.62	76.13
		11/30/2015	26.28	71.47
		3/30/2016	37.54	60.21
		6/22/2016	25.59	72.16
		9/8/2016	18.29	79.46
		11/29/2016	25.31	72.44
		6/14/2017	25.17	72.58
		9/25/2017	19.24	78.51
		12/5/2017	27.64	70.11
		3/15/2018	37.54	60.21
		6/27/2018	24.84	72.91
		10/10/2018	22.70	75.05
		12/12/2018	29.98	67.77
		3/14/2019	37.43	60.32
		5/23/2019	33.96	63.79
		8/27/2019	25.17	72.58
		12/16/2019	29.15	68.60
		2/20/2020	36.64	61.11
		4/29/2020	DRY	--
		8/25/2020	24.74	73.01
		10/29/2020	22.13	75.62
		3/24/2021	37.40	60.35
		6/28/2021	26.33	71.42
		9/22/2021	23.45	74.30
		11/15/2021	26.77	70.98
		2/9/2022	37.37	60.38



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-4	97.75	4/12/2022	DRY	--
		7/27/2022	24.58	73.17
		10/13/2022	25.15	72.60
MW-5	98.81	3/8/2004	37.19	61.62
		7/19/2004	9.38	89.43
		10/27/2004	21.07	77.74
		12/27/2004	28.99	69.82
		5/10/2005	39.79	59.02
		10/20/2005	20.34	78.47
		11/22/2005	25.23	73.58
		5/17/2006	23.80	75.01
		11/15/2006	22.51	76.30
		2/19/2007	35.31	63.50
		5/14/2007	27.59	71.22
		8/22/2007	19.45	79.36
		11/6/2007	21.94	76.87
		3/17/2008	37.33	61.48
		10/22/2008	19.30	79.51
		3/30/2009	38.68	60.13
		9/30/2009	17.54	81.27
		3/31/2010	39.05	59.76
		6/9/2010	24.91	73.90
		9/27/2010	20.92	77.89
		3/16/2011	39.25	59.56
		6/21/2011	28.02	70.79
		9/27/2011	18.79	80.02
		12/13/2011	26.62	72.19
		3/7/2012	37.00	61.81
		6/4/2012	26.57	72.24
		9/20/2012	18.92	79.89
		12/28/2012	29.37	69.44
		3/28/2013	DRY	--



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-5	98.81	6/12/2013	25.39	73.42
		9/11/2013	18.84	79.97
		12/13/2013	29.20	69.61
		3/20/2014	39.83	58.98
		6/18/2014	26.35	72.46
		9/15/2014	19.76	79.05
		12/15/2014	29.37	69.44
		3/16/2015	39.55	59.26
		6/15/2015	28.22	70.59
		9/16/2015	23.02	75.79
		11/30/2015	27.61	71.20
		3/30/2016	41.26	57.55
		6/22/2016	26.91	71.90
		9/8/2016	19.72	79.09
		11/29/2016	26.48	72.33
		6/14/2017	26.48	72.33
		9/25/2017	20.58	78.23
		12/5/2017	29.09	69.72
		3/15/2018	40.67	58.14
		6/27/2018	26.24	72.57
		10/10/2018	23.44	75.37
		12/12/2018	31.25	67.56
		3/14/2019	41.70	57.11
		5/24/2019	34.36	64.45
		8/28/2019	26.41	72.40
		12/17/2019	30.58	68.23
		2/21/2020	38.03	60.78
		4/29/2020	39.43	59.38
		8/25/2020	26.17	72.64
		10/29/2020	23.49	75.32
		3/24/2021	41.78	57.03
		6/28/2021	27.68	71.13



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-5	98.81	9/22/2021	24.80	74.01
		11/15/2021	28.50	70.31
		2/9/2022	38.95	59.86
		4/12/2022	42.47	56.34
		7/27/2022	25.56	73.25
		10/13/2022	26.63	72.18
MW-6	98.41	3/8/2004	36.27	62.14
		7/19/2004	9.43	88.98
		10/27/2004	19.33	79.08
		12/27/2004	28.62	69.79
		5/10/2005	DRY	--
		10/20/2005	19.94	78.47
		11/22/2005	25.02	73.39
		5/17/2006	--	--
		11/15/2006	21.12	77.29
		2/19/2007	34.82	63.59
		5/14/2007	26.12	72.29
		8/22/2007	19.41	79.00
		11/6/2007	21.51	76.90
		3/17/2008	36.34	62.07
		10/22/2008	19.99	78.42
		3/30/2009	37.04	61.37
		9/30/2009	17.26	81.15
		3/31/2010	37.24	61.17
		6/9/2010	24.43	73.98
		9/27/2010	20.79	77.62
		3/16/2011	DRY	--
		6/21/2011	27.56	70.85
		9/27/2011	18.58	79.83
		12/13/2011	26.32	72.09
		3/7/2012	36.01	62.40
		6/4/2012	26.55	71.86
		9/20/2012	18.25	80.16



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-6	98.41	12/28/2012	29.11	69.30
		3/28/2013	DRY	--
		6/12/2013	24.78	73.63
		9/11/2013	18.26	80.15
		12/13/2013	28.84	69.57
		3/20/2014	37.47	60.94
		6/18/2014	25.93	72.48
		9/15/2014	19.35	79.06
		12/15/2014	29.02	69.39
		3/16/2015	37.37	61.04
		6/15/2015	27.92	70.49
		9/16/2015	22.40	76.01
		11/30/2015	27.22	71.19
		3/30/2016	37.81	60.60
		6/22/2016	26.75	71.66
		9/8/2016	19.27	79.14
		11/29/2016	26.20	72.21
		6/14/2017	25.97	72.44
		9/25/2017	20.04	78.37
		12/5/2017	28.63	69.78
		3/15/2018	37.76	60.65
		6/27/2018	25.67	72.74
		10/10/2018	22.97	75.44
		12/12/2018	31.12	67.29
		3/14/2019	37.84	60.57
		5/23/2019	35.26	63.15
		8/27/2019	25.83	72.58
		12/16/2019	29.41	69.00
		2/20/2020	36.41	62.00
		4/29/2020	DRY	--
		8/25/2020	25.70	72.71



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-6	98.41	10/28/2020	22.85	75.56
		3/24/2021	34.74	63.67
		6/28/2021	27.08	71.33
		9/22/2021	24.30	74.11
		11/15/2021	27.63	70.78
		2/9/2022	36.93	61.48
		4/12/2022	37.86	60.55
		7/27/2022	25.38	73.03
		10/13/2022	26.03	72.38
MW-7	97.60	9/16/2015	21.70	75.90
		11/30/2015	26.78	70.82
		3/30/2016	40.46	57.14
		6/22/2016	25.98	71.62
		9/8/2016	18.55	79.05
		11/29/2016	25.73	71.87
		6/14/2017	25.35	72.25
		9/25/2017	19.44	78.16
		12/5/2017	28.21	69.39
		3/15/2018	39.85	57.75
		6/27/2018	25.06	72.54
		10/10/2018	22.26	75.34
		12/12/2018	30.25	67.35
		3/14/2019	40.81	56.79
		5/23/2019	33.75	63.85
		8/28/2019	25.00	72.60
		12/16/2019	29.41	68.19
		2/19/2020	37.10	60.50
		4/29/2020	37.87	59.73
		8/24/2020	25.17	72.43
		10/28/2020	22.25	75.35
		3/24/2021	40.91	56.69
		6/28/2021	26.38	71.22



TABLE 1
GROUNDWATER ELEVATIONS

Nell Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-7	97.60	9/22/2021	23.60	74.00
		11/15/2021	27.09	70.51
		2/8/2022	38.32	59.28
		4/12/2022	42.56	55.04
		7/27/2022	24.51	73.09
		10/13/2022	25.34	72.26
MW-8	98.87	9/16/2015	22.74	76.13
		11/30/2015	27.97	70.90
		3/30/2016	41.65	57.22
		6/22/2016	27.11	71.76
		9/8/2016	19.52	79.35
		11/29/2016	26.82	72.05
		6/14/2017	26.30	72.57
		9/25/2017	20.52	78.35
		12/5/2017	29.30	69.57
		3/15/2018	41.03	57.84
		6/27/2018	26.00	72.87
		10/10/2018	23.27	75.60
		12/12/2018	31.34	67.53
		3/14/2019	42.00	56.87
		5/23/2019	35.12	63.75
		8/28/2019	26.03	72.84
		12/17/2019	30.42	68.45
		2/19/2020	38.11	60.76
		4/29/2020	38.32	60.55
		8/25/2020	26.32	72.55
		10/28/2020	23.41	75.46
		3/24/2021	42.00	56.87
		6/28/2021	27.30	71.57
		9/22/2021	24.60	74.27



TABLE 1 GROUNDWATER ELEVATIONS Nell Hall #1 Hilcorp Energy Company San Juan County, New Mexico				
Well Identification	Top of Casing Elevation (feet) (1)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (1)
MW-8	98.87	11/15/2021	28.58	70.29
		2/8/2022	39.11	59.76
		4/12/2022	42.05	56.82
		7/27/2022	25.67	73.20
		10/13/2022	26.28	72.59

Notes:

(1): surface elevation based on an arbitrary datum of 100 feet

bgs: below ground surface

BTOC: below top of casing

NM: not measured

--: indicates no GWEL or PSH measured



TABLE 2
GROUNDWATER QUALITY MEASUREMENTS
 Hilcorp Energy Company - Nell Hall #1
 San Juan County, New Mexico

Ensolum Project No. 07A1988012

Well Identification	Date	Temperature (°C)	pH	TDS (g/L)	Conductivity (uS/cm)	DO (mg/L)	ORP (mV)
MW-4	3/17/2015	Not sampled					
	6/15/2015	16.01	6.78	0.635	977	2.74	-113.9
	9/16/2015	16.48	7.00	0.619	953	4.24	-83.1
	11/30/2015	15.59	7.01	0.680	1,046	2.60	-54.0
	3/30/2016	Not sampled					
	6/22/2016	16.00	6.65	--	1,090	1.10	-109.0
	9/8/2016	16.55	7.35	0.627	965	5.03	66.3
	11/29/2016	14.79	7.34	--	935	3.87	46.0
	6/14/2017	14.81	7.02	0.688	1,043	2.14	-135.6
	9/25/2017	16.08	6.90	--	800	--	--
	12/5/2017	14.31	6.84	0.658	1,013	1.32	-153.5
	3/15/2018	No parameter or samples collected due to low well volume					
	6/27/2018	16.51	6.77	--	1,060	--	-102.5
	3/14/2019	No parameter or samples collected due to low well volume					
	5/23/2019	14.40	7.10	0.510	980	--	-4.6
	8/27/2019	19.60	7.16	0.620	1,230	--	-3.2
	12/16/2019	8.40	6.40	0.590	1,200	2.68	13.5
	2/20/2020	15.80	6.36	0.650	1,300	8.19	-2.6
	4/29/2020	No parameter or samples collected due to low well volume					
	8/25/2020	22.40	6.18	0.640	1,290	1.04	16.2
	10/29/2020	17.20	6.59	0.570	1,140	4.63	-13.1
	3/24/2021	No parameter or samples collected due to low well volume					
	6/28/2021	No parameters collected due to equipment failure					
	9/22/2021	17.90	6.96	--	2,950	--	--
	11/15/2021	16.90	6.35	--	1,090	--	--
	2/9/2022	No parameter or samples collected due to low well volume					
	4/28/2022	No parameter or samples collected due to low well volume					
	7/27/2022	19.30	6.18	0.550	1,090	--	--
	10/13/2022	18.10	6.63	0.470	1,020	--	--
MW-5	3/17/2015	No parameters or sample collected due to low well volume.					
	6/15/2015	15.28	7.08	0.576	886	6.83	10.2
	9/16/2015	15.99	6.72	0.598	920	7.33	34.9
	11/30/2015	16.24	6.84	1.118	1,721	5.52	-50.5
	3/30/2016	No parameter or samples collected due to low well volume					
	6/22/2016	15.70	7.02	--	1,120	5.87	2.0
	9/8/2016	15.78	7.82	0.550	846	7.91	54.3
	11/29/2016	15.47	7.17	--	1,198	8.96	74.8
	6/14/2017	14.22	7.05	0.914	1,406	6.88	-80.1
	9/25/2017	15.60	6.83	--	947	--	--
	12/5/2017	15.16	7.05	0.888	1,367	4.66	-82.9
	3/15/2018	15.53	7.13	--	1,301	1.23	78.4



TABLE 2
GROUNDWATER QUALITY MEASUREMENTS
Hilcorp Energy Company - Nell Hall #1
San Juan County, New Mexico

Ensolum Project No. 07A1988012

Well Identification	Date	Temperature (°C)	pH	TDS (g/L)	Conductivity (uS/cm)	DO (mg/L)	ORP (mV)
MW-5	6/27/2018	15.84	7.11	--	1,098	6.80	65.6
	3/14/2019	14.40	7.20	0.670	1,340	--	-15.6
	5/24/2019	14.40	7.17	0.560	1,130	--	-22.6
	8/28/2019	19.10	7.02	0.680	1,360	--	-20.2
	12/17/2019	10.20	6.57	0.640	1,250	7.16	-31.7
	2/21/2020	12.40	6.50	0.570	1,210	--	-30.5
	4/29/2020	20.70	6.71	0.530	1,060	4.04	-19.9
	8/25/2020	23.40	6.86	0.600	1,180	2.71	-15.6
	10/28/2020	17.50	6.54	0.670	1,330	4.46	-8.6
	3/24/2021	13.00	6.68	0.580	1,190	--	-21.7
	6/28/2021	No parameters collected due to equipment failure					
	9/22/2021	19.70	7.07	--	3,820	--	--
	11/15/2021	17.70	6.27	--	1,230	--	--
	2/9/2022	13.90	6.78	--	1,000	--	--
	4/28/2022	No parameter or samples collected due to low well volume					
	7/27/2022	18.40	6.64	0.510	1,020	--	--
	10/13/2022	17.90	6.79	0.470	1,090	--	--
MW-6	3/17/2015	Not sampled.					
	6/15/2015	15.34	6.50	0.730	1,124	4.15	-95.9
	9/16/2015	15.69	6.13	0.846	1,302	2.92	-121.5
	11/30/2015	15.36	6.57	0.793	1,221	4.82	-72.4
	3/30/2016	Not sampled					
	6/22/2016	15.30	6.50	--	1,220	1.42	-91.4
	9/8/2016	15.51	7.43	0.849	1,307	1.86	-138.7
	11/29/2016	15.29	6.86	--	1,132	2.57	-86.1
	6/14/2014	14.10	6.73	0.775	1,192	2.02	-115.1
	9/25/2017	14.86	6.30	--	1,342	--	--
	12/5/2017	13.91	6.68	0.794	1,222	0.80	-155.0
	3/15/2018	15.21	6.78	--	1,553	--	-139.2
	6/27/2018	16.31	6.91	--	1,195	0.52	-125
	3/14/2019	No parameter or samples collected due to low well volume					
	5/23/2019	No parameter or samples collected due to low well volume					
	8/27/2019	20.60	6.73	0.580	1,160	--	13.7
	12/16/2019	9.50	6.13	0.590	1,150	5.15	12.2
	2/20/2020	15.40	6.04	0.670	1,340	--	11.1
	4/29/2020	No parameter or samples collected due to low well volume					
	8/25/2020	25.70	6.25	0.660	1,330	1.32	25.8
	10/28/2020	15.50	6.22	0.790	1,590	5.49	15.3
	3/24/2021	No parameter or samples collected due to low well volume					
	6/28/2021	No parameters collected due to equipment failure					
	9/22/2021	18.10	6.98	--	3,980	--	--



TABLE 2 GROUNDWATER QUALITY MEASUREMENTS Hilcorp Energy Company - Nell Hall #1 San Juan County, New Mexico Ensolum Project No. 07A1988012							
Well Identification	Date	Temperature (°C)	pH	TDS (g/L)	Conductivity (uS/cm)	DO (mg/L)	ORP (mV)
MW-6	11/15/2021	16.80	5.83	--	1,200	--	--
	2/9/2022	9.50	6.27	--	1,150	--	--
	4/28/2022	No parameter or samples collected due to low well volume					
	7/27/2022	18.20	5.97	0.550	1,110	--	--
	10/13/2022	17.30	6.18	0.620	1,250	--	--
MW-7	9/16/2015	15.07	6.52	0.581	893	7.15	72.8
	11/30/2015	15.01	6.69	1.067	1,641	4.99	21.0
	3/30/2016	16.77	6.91	0.800	1,250	6.03	40.0
	6/22/2016	15.30	6.93	--	1,090	1.22	53.5
	9/8/2016	16.29	7.62	0.441	679	7.49	5.6
	11/29/2016	14.11	7.07	--	1,006	6.35	85.7
	6/14/2017	13.95	6.82	0.809	1,245	4.88	-78.6
	9/25/2017	13.87	6.91	--	808	--	--
	12/5/2017	14.11	6.93	0.615	946	3.11	-82.8
	3/15/2018	15.26	6.91	--	1,037	1.09	77.1
	6/27/2018	15.07	6.95	--	887	5.60	42.5
	3/14/2019	12.20	7.40	0.510	--	--	-5.3
	5/23/2019	15.50	7.15	0.490	1,550	--	-8.8
	8/28/2019	18.00	7.08	0.440	880	--	-17.8
	12/16/2019	8.20	6.41	0.520	1,050	2.85	-39.1
	2/19/2020	14.70	6.46	0.570	1,120	9.25	-10.6
	4/29/2020	13.00	6.42	0.530	1,070	2.96	-6.5
	8/24/2020	19.80	6.51	0.510	1,020	2.17	-6.1
	10/28/2020	10.90	6.55	0.650	1,290	5.21	-12.4
	3/24/2021	10.90	6.55	0.650	1,290	5.21	-12.4
	6/28/2021	No parameters collected due to equipment failure					
	9/22/2021	20.30	7.13	--	2,590	--	--
	11/15/2021	16.60	6.11	--	1,410	--	--
	2/8/2022	14.50	6.24	--	1,040	--	--
	4/28/2022	No parameter or samples collected due to low well volume					
	7/27/2022	16.70	6.47	0.390	790	--	--
	10/13/2022	15.30	6.62	0.420	840	--	--
MW-8	9/16/2015	14.18	6.65	0.534	821	6.37	73.2
	11/30/2015	13.85	7.20	0.565	869	4.59	-13.8
	3/30/2016	No parameter or samples collected due to low well volume					
	6/22/2016	14.70	7.04	--	970	0.66	-22.6
	9/8/2016	13.99	7.82	0.550	847	7.95	15.0
	11/29/2016	13.71	7.24	--	883	8.81	89.1
	6/14/2017	13.36	7.43	0.549	844	7.71	-71.9
	9/25/2017	12.78	6.73	--	823	--	--
	12/5/2017	12.36	7.09	0.509	783	2.53	-83.5



TABLE 2 GROUNDWATER QUALITY MEASUREMENTS Hilcorp Energy Company - Nell Hall #1 San Juan County, New Mexico Ensolum Project No. 07A1988012							
Well Identification	Date	Temperature (°C)	pH	TDS (g/L)	Conductivity (uS/cm)	DO (mg/L)	ORP (mV)
MW-8	3/15/2018	14.52	7.12	--	915	0.00	-135.0
	6/27/2018	14.48	7.14	--	748	5.57	62.2
	3/14/2019	No parameter or samples collected due to low well levels					
	5/23/2019	18.40	7.47	0.470	910	--	-30.3
	8/28/2019	18.40	7.07	0.480	960	--	-15.4
	12/17/2019	6.60	6.80	0.400	800	--	-36.6
	2/19/2020	15.30	6.21	0.440	880	9.57	-18.0
	4/29/2020	15.30	6.46	0.420	850	2.61	-10.1
	8/25/2020	23.00	6.62	0.480	970	2.04	-14
	10/28/2020	13.40	6.59	0.460	910	4.72	-19.8
	3/24/2021	No parameter or samples collected due to low well levels					
	6/28/2021	No parameters collected due to equipment failure					
	9/22/2021	17.10	7.14	--	2,650	--	--
	11/15/2021	13.10	6.24	--	890	--	--
	2/8/2022	14.70	6.53	--	940	--	--
	4/28/2022	No parameter or samples collected due to low well volume					
	7/27/2022	16.70	6.47	0.390	790	--	--
	10/13/2022	15.40	6.71	0.420	840	--	--

Notes:

°C: degrees Celcius

DO: dissolved oxygen

g/L: grams per liter

uS/cm: microsiemens per centimeter

mg/L: milligrams per liter

mV: millivolts

ORP: oxidation-reduction potential

TDS: total dissolved solids

--: data not collected



TABLE 3
GROUNDWATER ANALYTICAL RESULTS

Neil Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Dissolved Iron (mg/L)
NMWQCC Standards		0.005	1.0	0.70	0.62	1.0
MW-4	3/8/2004	0.013	0.012	0.064	1.4	--
	7/19/2004	< 0.0005	< 0.0005	< 0.0005	< 0.0005	--
	10/27/2004	0.011	0.008	0.021	0.13	--
	12/27/2004	< 0.0025	< 0.0025	< 0.0025	< 0.0005	--
	11/22/2005	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	11/15/2006	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	2/21/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	8/22/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	11/6/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	3/17/2008	< 0.005	< 0.005	< 0.005	< 0.005	--
	10/22/2008	< 0.005	< 0.005	< 0.005	< 0.005	--
	9/30/2009	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	6/9/2010	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	9/27/2010	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	6/21/2011	< 0.001	< 0.001	< 0.001	< 0.003	1.21
	9/27/2011	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	12/13/2011	< 0.001	< 0.001	< 0.001	< 0.003	0.201
	3/7/2012	< 0.001	< 0.001	< 0.001	< 0.003	< 0.25
	6/4/2012	< 0.001	< 0.001	< 0.001	< 0.003	1.17
	9/20/2012	< 0.001	< 0.001	< 0.001	< 0.003	< 0.25
	12/28/2012	< 0.001	< 0.001	< 0.001	< 0.003	0.748
	6/12/2013	< 0.001	< 0.001	< 0.001	< 0.003	1.46
	9/11/2013	< 0.001	< 0.001	< 0.001	< 0.003	<0.050
	12/13/2013	< 0.001	< 0.001	< 0.001	< 0.003	0.758
	6/18/2014	< 0.001	< 0.001	< 0.001	< 0.003	1.83
	9/15/2014	< 0.001	< 0.001	< 0.001	< 0.003	0.0544
	12/15/2014	< 0.001	< 0.001	< 0.001	< 0.003	0.456
	6/15/2015	< 0.001	< 0.001	< 0.001	< 0.003	1.78
	9/16/2015	< 0.001	< 0.001	< 0.001	< 0.003	0.225
	11/30/2015	< 0.001	< 0.001	< 0.001	< 0.003	0.58
	3/30/2016	No samples collected due to low well levels				
	06/22/2016	< 0.001	< 0.001	< 0.001	< 0.003	2.07
	09/08/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/29/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	06/14/2017	< 0.001	< 0.001	< 0.001	< 0.003	1.03
	9/25/2017	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	12/05/2017	< 0.001	< 0.001	< 0.001	< 0.003	0.564
	3/15/2018	No samples collected due to low well levels				
	6/27/2018	< 0.001	< 0.001	< 0.001	< 0.003	1.39
	10/10/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	12/12/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/14/2019	No samples collected due to low well levels				
	5/23/2019	--	--	--	--	<0.10
	8/27/2019	--	--	--	--	<0.10
	12/16/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10



TABLE 3
GROUNDWATER ANALYTICAL RESULTS

Neil Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Dissolved Iron (mg/L)
NMWQCC Standards		0.005	1.0	0.70	0.62	1.0
MW-4	2/19/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	4/29/2020	No samples collected due to low well levels				
	8/25/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	10/29/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/24/2021	No samples collected due to low well levels				
	6/28/2021	< 0.0025	< 0.0025	< 0.0025	< 0.005	1.9
	9/22/2021	< 0.001	< 0.001	< 0.001	< 0.002	< 0.02
	11/12/2021	< 0.001	< 0.001	< 0.001	< 0.0015	< 0.02
	2/9/2022	No samples collected due to low well levels				
	4/12/2022	No samples collected due to low well levels				
	7/27/2022	<0.001	<0.001	<0.001	<0.0015	2.7
	10/13/2022	<0.001	<0.001	<0.001	<0.0015	0.34
MW-5	3/8/2004	0.0011	< 0.0005	0.001	0.017	--
	7/19/2004	< 0.0005	0.00055	< 0.0005	0.00072	--
	10/27/2004	< 0.0005	< 0.0005	< 0.0005	< 0.001	--
	12/27/2004	< 0.0005	< 0.0005	< 0.0005	< 0.001	--
	5/11/2005	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	11/22/2005	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	11/15/2006	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	2/21/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	8/22/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	11/6/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	3/17/2008	< 0.005	< 0.005	< 0.005	< 0.005	--
	10/22/2008	< 0.005	< 0.005	< 0.005	< 0.005	--
	3/30/2009	< 0.005	< 0.005	< 0.005	< 0.005	--
	9/30/2009	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	3/31/2010	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	6/9/2010	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	9/27/2010	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	3/16/2011	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02
	6/21/2011	< 0.001	< 0.001	< 0.001	< 0.003	< 0.1
	9/27/2011	< 0.001	< 0.001	< 0.001	< 0.003	0.0835
	12/13/2011	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	3/7/2012	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	6/4/2012	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	9/20/2012	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	12/28/2012	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	6/12/2013	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	9/11/2013	< 0.001	< 0.001	< 0.001	< 0.003	0.0723
	12/13/2013	< 0.001	< 0.001	< 0.001	< 0.003	0.076
	3/21/2014	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	6/18/2014	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	9/15/2014	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	12/15/2014	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	3/17/2015	< 0.001	< 0.001	< 0.001	< 0.003	--



TABLE 3
GROUNDWATER ANALYTICAL RESULTS

Neil Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Dissolved Iron (mg/L)
NMWQCC Standards		0.005	1.0	0.70	0.62	1.0
MW-5	6/15/2015	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	9/16/2015	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/30/2015	< 0.001	< 0.001	< 0.001	< 0.003	0.0684
	3/30/2016	< 0.001	< 0.001	< 0.001	< 0.003	--
	6/22/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	09/08/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/29/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	06/14/2017	< 0.001	< 0.001	< 0.001	< 0.003	0.133
	9/25/2017	0.147	< 0.001	0.0264	0.0135	0.0568
	12/05/2017	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	3/15/2018	< 0.001	< 0.001	< 0.001	< 0.003	0.0795
	6/27/2018	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	10/10/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	12/12/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/14/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	5/24/2019	--	--	--	--	<0.10
	8/28/2019	--	--	--	--	<0.10
	12/17/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	2/21/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	4/29/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	8/25/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	10/29/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/24/2021	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	6/28/2021	< 0.0025	< 0.0025	< 0.0025	< 0.005	< 0.02
	9/22/2021	< 0.001	< 0.001	< 0.001	< 0.002	< 0.02
	11/15/2021	< 0.001	< 0.001	< 0.001	< 0.0015	< 0.02
	2/9/2022	<0.001	<0.001	<0.001	<0.0015	0.032
	4/12/2022	No samples collected due to low well levels				
	7/27/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
	10/13/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
MW-6	3/8/2004	2.5	0.014	1.6	21.031	--
	7/19/2004	< 0.0005	< 0.0005	0.00098	0.0026	--
	10/27/2004	0.0004	0.0003	0.0005	0.0021	--
	12/27/2004	0.045	0.0068	0.014	0.0717	--
	11/22/2005	0.01	0.0007	0.016	0.15	--
	11/15/2006	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	2/21/2007	0.54	< 0.001	0.076	0.81	--
	8/22/2007	< 0.0005	< 0.0007	< 0.0008	< 0.0008	--
	11/6/2007	0.015	< 0.0007	0.047	0.39	--
	3/18/2008	0.16	< 0.005	< 0.005	0.033	--
	10/22/2008	< 0.005	< 0.005	< 0.005	< 0.005	--
	3/30/2009	0.042	< 0.005	< 0.005	0.01	--
	9/30/2009	0.096	0.0047	0.062	0.12	1.06
	4/1/2010	0.48	< 0.001	0.078	0.2	--
	6/9/2010	0.71	< 0.001	0.42	0.52	11.4



TABLE 3
GROUNDWATER ANALYTICAL RESULTS

Well Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Dissolved Iron (mg/L)
NMWQCC Standards		0.005	1.0	0.70	0.62	1.0
MW-6	9/27/2010	0.30	< 0.001	0.25	0.41	0.676
	3/16/2011	0.18	< 0.001	0.044	0.072	8.66
	6/21/2011	0.461	0.00048	0.454	0.677	9.45
	9/27/2011	0.237	< 0.005	0.197	0.225	19.6
	12/13/2011	0.298	0.0083	0.154	0.141	11.6
	3/7/2012	0.0477	< 0.001	0.0073	0.0192	22.5
	6/4/2012	0.649	< 0.01	0.309	0.314	19.2
	9/20/2012	0.266	< 0.005	0.065	0.0355	9.53
	12/28/2012	0.319	< 0.005	0.0764	0.0452	8.06
	6/12/2013	0.442	< 0.005	0.159	0.209	16.6
	9/11/2013	0.109	< 0.001	0.0208	0.0123	2.26
	12/13/2013	0.467	< 0.001	0.101	0.0537	5.9
	6/18/2014	0.384	< 0.005	0.152	0.177	15.5
	9/15/2014	0.502	< 0.001	0.101	0.064	7.75
	12/15/2014	0.333	< 0.001	0.0758	0.0249	5.45
	6/15/2015	0.354	< 0.005	0.167	0.222	13.1
	9/16/2015	0.294	< 0.005	0.134	0.0615	11
	11/30/2015	0.413	< 0.01	0.0642	< 0.03	7.35
	3/30/2016	No samples collected due to low well levels				
	6/22/2016	0.419	< 0.010	0.0718	0.0435	16.2
	09/08/2016	0.209	< 0.005	0.0339	< 0.015	6.07
	11/29/2016	0.257	< 0.005	0.0649	0.0203	6.32
	06/14/2017	0.309	< 0.005	0.103	0.0916	10.6
	9/25/2017	0.157	< 0.001	0.0286	0.0145	5.73
	12/05/2017	0.236	< 0.001	0.0243	0.007	7.58
	3/15/2018	0.389	< 0.001	0.0544	0.0376	--
	6/27/2018	0.389	< 0.001	0.0683	0.0427	10.00
	10/10/2018	0.0125	< 0.001	0.0038	< 0.003	1.68
	12/12/2018	0.146	< 0.001	0.00285	< 0.003	1.66
	3/14/2019	No samples collected due to low well levels				
	5/23/2019	0.164	< 0.001	0.0926	0.0377	3.05
	8/27/2019	0.187	< 0.001	0.0479	0.00321	3.54
	12/16/2019	0.222	< 0.001	0.0149	< 0.003	0.344
	2/20/2020	0.121	< 0.001	0.0046	< 0.003	1.65
	4/29/2020	No samples collected due to low well levels				
	8/25/2020	0.295	< 0.001	0.0123	< 0.003	2.8
	10/28/2020	0.112	< 0.001	< 0.001	< 0.003	1.55
	3/24/2021	No samples collected due to low well levels				
	6/28/2021	0.073	< 0.0025	0.065	< 0.005	12
	9/22/2021	0.0033	< 0.001	0.0054	< 0.002	2.5
	11/12/2021	0.140	< 0.001	0.0047	< 0.0015	0.99
	2/9/2022	0.180	< 0.001	0.0081	< 0.0015	--
	4/12/2022	No samples collected due to low well levels				
	7/27/2022	0.0052	< 0.001	0.011	0.0016	13
	10/13/2022	0.020	< 0.001	0.0044	< 0.0015	4.0



TABLE 3
GROUNDWATER ANALYTICAL RESULTS

Neil Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Dissolved Iron (mg/L)
NMWQCC Standards		0.005	1.0	0.70	0.62	1.0
MW-7	9/16/2015	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/30/2015	< 0.001	< 0.001	< 0.001	< 0.003	0.0637
	3/30/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.50
	6/22/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.50
	09/08/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/29/2016	< 0.001	< 0.001	< 0.001	< 0.003	<0.05
	06/14/2017	< 0.001	< 0.001	< 0.001	< 0.003	<0.05
	9/25/2017	< 0.001	< 0.001	< 0.001	< 0.003	<0.05
	12/05/2017	< 0.001	< 0.001	< 0.001	< 0.003	<0.05
	3/15/2018	< 0.001	< 0.001	< 0.001	< 0.003	0.0936
	6/27/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.05
	10/10/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	12/11/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/14/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	5/23/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	8/28/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	12/16/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	2/19/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	4/29/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	8/24/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	10/28/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/24/2021	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	6/28/2021	< 0.0025	< 0.0025	< 0.0025	< 0.005	< 0.020
	9/22/2021	< 0.001	< 0.001	< 0.001	< 0.002	<0.020
	11/12/2021	< 0.001	< 0.001	< 0.001	< 0.0015	<0.020
	2/9/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
	4/12/2022	No samples collected due to low well levels				
	7/27/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
	10/13/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
MW-8	9/16/2015	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/30/2015	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	3/30/2016	< 0.001	< 0.001	< 0.001	< 0.003	0.412
	6/22/2016	< 0.001	< 0.001	< 0.001	< 0.003	0.0753
	09/08/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	11/29/2016	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	06/14/2017	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	9/25/2017	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	12/5/2017	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	3/15/2018	< 0.001	< 0.001	< 0.001	< 0.003	0.237
	6/27/2018	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	10/10/2018	< 0.001	< 0.001	< 0.001	< 0.003	< 0.05
	12/11/2018	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/14/2019	No samples collected due to low well levels				
	5/23/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	8/28/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10



TABLE 3
GROUNDWATER ANALYTICAL RESULTS

Neil Hall #1
Hilcorp Energy Company
San Juan County, New Mexico

Well Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Dissolved Iron (mg/L)
NMWQCC Standards		0.005	1.0	0.70	0.62	1.0
MW-8	12/17/2019	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	2/19/2020	< 0.001	< 0.001	< 0.001	< 0.003	0.126
	4/29/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	8/24/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	10/28/2020	< 0.001	< 0.001	< 0.001	< 0.003	<0.10
	3/24/2021	No samples collected due to low well levels				
	6/28/2021	< 0.0025	< 0.0025	< 0.0025	< 0.005	<0.020
	9/22/2021	< 0.001	< 0.001	< 0.001	< 0.002	<0.020
	11/15/2021	< 0.001	< 0.001	< 0.001	< 0.0015	<0.020
	2/9/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
	4/12/2022	No samples collected due to low well levels				
	7/27/2022	<0.001	<0.001	<0.001	<0.0015	<0.020
	10/13/2022	<0.001	<0.001	<0.001	<0.0015	<0.020

Notes:

mg/L: milligrams per liter

ND: not detected, practical quantitation limit unknown

NMWQCC: New Mexico Water Quality Control Commission

--: not analyzed

<0.037: indicates result less than the stated laboratory reporting limit (PQL)

Concentrations in **bold** and shaded exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



APPENDIX A

Laboratory Analytical Reports



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

February 21, 2023

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX

RE: Nell Hall 1

OrderNo.: 2202476

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 4 sample(s) on 2/10/2022 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued February 21, 2022.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2202476

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-5

Project: Nell Hall 1

Collection Date: 2/9/2022 1:05:00 PM

Lab ID: 2202476-001

Matrix: AQUEOUS

Received Date: 2/10/2022 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: bcv
Iron	0.032	0.020		mg/L	1	2/14/2022 4:39:51 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	ND	1.0		µg/L	1	2/14/2022 3:16:05 PM
Toluene	ND	1.0		µg/L	1	2/14/2022 3:16:05 PM
Ethylbenzene	ND	1.0		µg/L	1	2/14/2022 3:16:05 PM
Xylenes, Total	ND	1.5		µg/L	1	2/14/2022 3:16:05 PM
Surr: 1,2-Dichloroethane-d4	114	70-130		%Rec	1	2/14/2022 3:16:05 PM
Surr: 4-Bromofluorobenzene	105	70-130		%Rec	1	2/14/2022 3:16:05 PM
Surr: Dibromofluoromethane	114	70-130		%Rec	1	2/14/2022 3:16:05 PM
Surr: Toluene-d8	107	70-130		%Rec	1	2/14/2022 3:16:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 1 of 7

Analytical Report

Lab Order 2202476

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-6

Project: Nell Hall 1

Collection Date: 2/9/2022 9:45:00 AM

Lab ID: 2202476-002

Matrix: AQUEOUS

Received Date: 2/10/2022 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	180	10		µg/L	10	2/14/2022 4:42:38 PM
Toluene	ND	1.0		µg/L	1	2/14/2022 5:11:16 PM
Ethylbenzene	8.1	1.0		µg/L	1	2/14/2022 5:11:16 PM
Xylenes, Total	ND	1.5		µg/L	1	2/14/2022 5:11:16 PM
Surr: 1,2-Dichloroethane-d4	103	70-130		%Rec	1	2/14/2022 5:11:16 PM
Surr: 4-Bromofluorobenzene	99.6	70-130		%Rec	1	2/14/2022 5:11:16 PM
Surr: Dibromofluoromethane	103	70-130		%Rec	1	2/14/2022 5:11:16 PM
Surr: Toluene-d8	103	70-130		%Rec	1	2/14/2022 5:11:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 2 of 7

Analytical Report

Lab Order 2202476

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-7

Project: Nell Hall 1

Collection Date: 2/8/2022 12:45:00 PM

Lab ID: 2202476-003

Matrix: AQUEOUS

Received Date: 2/10/2022 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: bcv
Iron	ND	0.020		mg/L	1	2/14/2022 4:42:13 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	ND	1.0		µg/L	1	2/14/2022 5:40:00 PM
Toluene	ND	1.0		µg/L	1	2/14/2022 5:40:00 PM
Ethylbenzene	ND	1.0		µg/L	1	2/14/2022 5:40:00 PM
Xylenes, Total	ND	1.5		µg/L	1	2/14/2022 5:40:00 PM
Surr: 1,2-Dichloroethane-d4	115	70-130		%Rec	1	2/14/2022 5:40:00 PM
Surr: 4-Bromofluorobenzene	100	70-130		%Rec	1	2/14/2022 5:40:00 PM
Surr: Dibromofluoromethane	117	70-130		%Rec	1	2/14/2022 5:40:00 PM
Surr: Toluene-d8	107	70-130		%Rec	1	2/14/2022 5:40:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 3 of 7

Analytical Report

Lab Order 2202476

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-8

Project: Nell Hall 1

Collection Date: 2/8/2022 2:00:00 PM

Lab ID: 2202476-004

Matrix: AQUEOUS

Received Date: 2/10/2022 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: bcv
Iron	ND	0.020		mg/L	1	2/14/2022 4:44:36 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	ND	1.0		µg/L	1	2/14/2022 6:08:48 PM
Toluene	ND	1.0		µg/L	1	2/14/2022 6:08:48 PM
Ethylbenzene	ND	1.0		µg/L	1	2/14/2022 6:08:48 PM
Xylenes, Total	ND	1.5		µg/L	1	2/14/2022 6:08:48 PM
Surr: 1,2-Dichloroethane-d4	111	70-130		%Rec	1	2/14/2022 6:08:48 PM
Surr: 4-Bromofluorobenzene	106	70-130		%Rec	1	2/14/2022 6:08:48 PM
Surr: Dibromofluoromethane	112	70-130		%Rec	1	2/14/2022 6:08:48 PM
Surr: Toluene-d8	103	70-130		%Rec	1	2/14/2022 6:08:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 4 of 7

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2202476

21-Feb-23

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: MB-B	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: B85824	RunNo: 85824								
Prep Date:	Analysis Date: 2/14/2022	SeqNo: 3022190 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020								

Sample ID: LL LCS-B	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: B85824	RunNo: 85824								
Prep Date:	Analysis Date: 2/14/2022	SeqNo: 3022191 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.022	0.020	0.02000	0	109	50	150			

Sample ID: LCS-B	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: B85824	RunNo: 85824								
Prep Date:	Analysis Date: 2/14/2022	SeqNo: 3022192 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.49	0.020	0.5000	0	98.7	85	115			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
 D Sample Diluted Due to Matrix
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 PQL Practical Quantitative Limit
 S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
 E Above Quantitation Range/Estimated Value
 J Analyte detected below quantitation limits
 P Sample pH Not In Range
 RL Reporting Limit

Page 5 of 7

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2202476

21-Feb-23

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: 100ng lcs	SampType: LCS			TestCode: EPA Method 8260B: VOLATILES						
Client ID: LCSW	Batch ID: R85823			RunNo: 85823						
Prep Date:	Analysis Date: 2/14/2022			SeqNo: 3022154		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	19	1.0	20.00	0	92.9	70	130			
Toluene	20	1.0	20.00	0	102	70	130			
Surr: 1,2-Dichloroethane-d4	9.3		10.00		93.4	70	130			
Surr: 4-Bromofluorobenzene	11		10.00		113	70	130			
Surr: Dibromofluoromethane	10		10.00		101	70	130			
Surr: Toluene-d8	10		10.00		101	70	130			

Sample ID: 2202476-001ams	SampType: MS			TestCode: EPA Method 8260B: VOLATILES						
Client ID: MW-5	Batch ID: R85823			RunNo: 85823						
Prep Date:	Analysis Date: 2/14/2022			SeqNo: 3022163		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	22	1.0	20.00	0	108	70	130			
Toluene	20	1.0	20.00	0	99.8	70	130			
Surr: 1,2-Dichloroethane-d4	11		10.00		106	70	130			
Surr: 4-Bromofluorobenzene	11		10.00		106	70	130			
Surr: Dibromofluoromethane	12		10.00		117	70	130			
Surr: Toluene-d8	10		10.00		104	70	130			

Sample ID: 2202476-001amsd	SampType: MSD			TestCode: EPA Method 8260B: VOLATILES						
Client ID: MW-5	Batch ID: R85823			RunNo: 85823						
Prep Date:	Analysis Date: 2/14/2022			SeqNo: 3022164		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	98.4	70	130	9.53	20	
Toluene	18	1.0	20.00	0	92.0	70	130	8.15	20	
Surr: 1,2-Dichloroethane-d4	11		10.00		111	70	130	0	0	
Surr: 4-Bromofluorobenzene	11		10.00		107	70	130	0	0	
Surr: Dibromofluoromethane	12		10.00		117	70	130	0	0	
Surr: Toluene-d8	10		10.00		100	70	130	0	0	

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8260B: VOLATILES						
Client ID: PBW	Batch ID: R85823			RunNo: 85823						
Prep Date:	Analysis Date: 2/14/2022			SeqNo: 3022178		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	1.5								

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of standard limits. If undiluted results may be estimated.		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2202476
21-Feb-23

Client: HILCORP ENERGY
Project: Nell Hall 1

Sample ID: mb		SampType: MBLK		TestCode: EPA Method 8260B: VOLATILES						
Client ID: PBW		Batch ID: R85823		RunNo: 85823						
Prep Date:		Analysis Date: 2/14/2022		SeqNo: 3022178			Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	10		10.00		104	70	130			
Surr: 4-Bromofluorobenzene	11		10.00		109	70	130			
Surr: Dibromofluoromethane	10		10.00		101	70	130			
Surr: Toluene-d8	9.8		10.00		98.4	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit


S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2202476

RcptNo: 1

Received By: Tracy Casarrubias 2/10/2022 8:00:00 AM

Completed By: Tracy Casarrubias 2/10/2022 8:54:22 AM

Reviewed By: *KRC* 2/10/22Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☒ No ☒ NA ☐ *jn 2/10/22*
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☒ No ☐ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH: 3
(<2 or >12 unless noted)

Adjusted? yesChecked by: jn 2/10/22Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks: Filtered from samples 001A, 003A, 004A unprocessed bottles.

17. Cooler Information Added 0.4ml of HNO₃ to samples 001B, 003B, 004B for

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.8	Good	Yes			

pH 2. jn 2/10/22.

Used 3 filters from
Lot FJ2651.

Chain-of-Custody Record

Client: Hilcorp Farmington NM

Mailing Address: 382 Road 3100 Aztec, NM 87410

Billing Address: PO Box 61529 Houston, TX 77208

Phone #: 505-486-9543

email or Fax#: khoekstra@hilcorp.com

QA/QC Package: *Wells & Wells*

☐ Standard ☐ Level 4 (Full Validation)

Accreditation: ☐ Az Compliance

☐ NELAC ☐ Other

☐ EDD (Type)

Turn-Around Time:

☒ Standard ☐ Rush

Project Name:

Nell Hall #1

Project #:

Project Manager:

Michelle K. Bush

Sampler: Kurt Hoekstra

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): *1.8-2.1°C*

Container Type and # Preservative Type HEAL No. *22024710*

No Sample

001

002

003

004

005

006

007

008

009

010

011

012

013

014

015

016

017

018

019

020


021

022

023

024

025



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Dissolved Fe 500ml HDPE *
BTEX 8260 40ml VOA HCl

NO SAMPLES FIELD FILTERED

Remarks: *Dissolved Fe is to be filtered and preserved in the lab.

Received by *OCB* 8/22/2023 3:54:53 PM

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

August 19, 2022

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX:

RE: Nell Hall 1

OrderNo.: 2207E14

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 5 sample(s) on 7/28/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2207E14

Date Reported: 8/19/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-4

Project: Nell Hall 1

Collection Date: 7/27/2022 2:03:00 PM

Lab ID: 2207E14-001

Matrix: AQUEOUS

Received Date: 7/28/2022 6:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	2.7	0.10	*	mg/L	5	8/4/2022 1:57:05 PM
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	1.0		µg/L	1	7/30/2022 5:11:00 PM
Toluene	ND	1.0		µg/L	1	7/30/2022 5:11:00 PM
Ethylbenzene	ND	1.0		µg/L	1	7/30/2022 5:11:00 PM
Xylenes, Total	ND	1.5		µg/L	1	7/30/2022 5:11:00 PM
Surr: 1,2-Dichloroethane-d4	110	70-130		%Rec	1	7/30/2022 5:11:00 PM
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	7/30/2022 5:11:00 PM
Surr: Dibromofluoromethane	104	70-130		%Rec	1	7/30/2022 5:11:00 PM
Surr: Toluene-d8	96.9	70-130		%Rec	1	7/30/2022 5:11:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

Page 1 of 9

Analytical Report

Lab Order 2207E14

Date Reported: 8/19/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-5

Project: Nell Hall 1

Collection Date: 7/27/2022 1:15:00 PM

Lab ID: 2207E14-002

Matrix: AQUEOUS

Received Date: 7/28/2022 6:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	ND	0.020		mg/L	1	8/16/2022 2:31:33 PM
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	1.0		µg/L	1	7/30/2022 6:20:00 PM
Toluene	ND	1.0		µg/L	1	7/30/2022 6:20:00 PM
Ethylbenzene	ND	1.0		µg/L	1	7/30/2022 6:20:00 PM
Xylenes, Total	ND	1.5		µg/L	1	7/30/2022 6:20:00 PM
Surr: 1,2-Dichloroethane-d4	117	70-130		%Rec	1	7/30/2022 6:20:00 PM
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	7/30/2022 6:20:00 PM
Surr: Dibromofluoromethane	108	70-130		%Rec	1	7/30/2022 6:20:00 PM
Surr: Toluene-d8	95.4	70-130		%Rec	1	7/30/2022 6:20:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

Page 2 of 9

Analytical Report

Lab Order 2207E14

Date Reported: 8/19/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-6

Project: Nell Hall 1

Collection Date: 7/27/2022 12:03:00 PM

Lab ID: 2207E14-003

Matrix: AQUEOUS

Received Date: 7/28/2022 6:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	13	1.0	*	mg/L	50	8/12/2022 12:11:54 PM
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	5.2	1.0		µg/L	1	7/30/2022 7:06:00 PM
Toluene	ND	1.0		µg/L	1	7/30/2022 7:06:00 PM
Ethylbenzene	11	1.0		µg/L	1	7/30/2022 7:06:00 PM
Xylenes, Total	1.6	1.5		µg/L	1	7/30/2022 7:06:00 PM
Surr: 1,2-Dichloroethane-d4	106	70-130		%Rec	1	7/30/2022 7:06:00 PM
Surr: 4-Bromofluorobenzene	104	70-130		%Rec	1	7/30/2022 7:06:00 PM
Surr: Dibromofluoromethane	104	70-130		%Rec	1	7/30/2022 7:06:00 PM
Surr: Toluene-d8	109	70-130		%Rec	1	7/30/2022 7:06:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

Analytical Report

Lab Order 2207E14

Date Reported: 8/19/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-7

Project: Nell Hall 1

Collection Date: 7/27/2022 11:17:00 AM

Lab ID: 2207E14-004

Matrix: AQUEOUS

Received Date: 7/28/2022 6:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	ND	0.020		mg/L	1	8/16/2022 2:44:00 PM
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	1.0		µg/L	1	7/30/2022 7:29:00 PM
Toluene	ND	1.0		µg/L	1	7/30/2022 7:29:00 PM
Ethylbenzene	ND	1.0		µg/L	1	7/30/2022 7:29:00 PM
Xylenes, Total	ND	1.5		µg/L	1	7/30/2022 7:29:00 PM
Surr: 1,2-Dichloroethane-d4	113	70-130		%Rec	1	7/30/2022 7:29:00 PM
Surr: 4-Bromofluorobenzene	100	70-130		%Rec	1	7/30/2022 7:29:00 PM
Surr: Dibromofluoromethane	107	70-130		%Rec	1	7/30/2022 7:29:00 PM
Surr: Toluene-d8	94.1	70-130		%Rec	1	7/30/2022 7:29:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

Page 4 of 9

Analytical Report

Lab Order 2207E14

Date Reported: 8/19/2022

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-8

Project: Nell Hall 1

Collection Date: 7/27/2022 10:15:00 AM

Lab ID: 2207E14-005

Matrix: AQUEOUS

Received Date: 7/28/2022 6:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	ND	0.020		mg/L	1	8/16/2022 2:46:04 PM
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	1.0		µg/L	1	7/30/2022 7:52:00 PM
Toluene	ND	1.0		µg/L	1	7/30/2022 7:52:00 PM
Ethylbenzene	ND	1.0		µg/L	1	7/30/2022 7:52:00 PM
Xylenes, Total	ND	1.5		µg/L	1	7/30/2022 7:52:00 PM
Surr: 1,2-Dichloroethane-d4	116	70-130		%Rec	1	7/30/2022 7:52:00 PM
Surr: 4-Bromofluorobenzene	98.6	70-130		%Rec	1	7/30/2022 7:52:00 PM
Surr: Dibromofluoromethane	107	70-130		%Rec	1	7/30/2022 7:52:00 PM
Surr: Toluene-d8	94.0	70-130		%Rec	1	7/30/2022 7:52:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

Page 5 of 9

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2207E14

19-Aug-22

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: MB-C	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: C90046	RunNo: 90046								
Prep Date:	Analysis Date: 8/4/2022	SeqNo: 3209413 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020								

Sample ID: LL LCS-C	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: C90046	RunNo: 90046								
Prep Date:	Analysis Date: 8/4/2022	SeqNo: 3209414 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.025	0.020	0.02000	0	123	50	150			

Sample ID: LCS-C	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: C90046	RunNo: 90046								
Prep Date:	Analysis Date: 8/4/2022	SeqNo: 3209415 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.50	0.020	0.5000	0	99.7	85	115			

Sample ID: MB-B	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: B90257	RunNo: 90257								
Prep Date:	Analysis Date: 8/12/2022	SeqNo: 3219059 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020								

Sample ID: LL LCS-B	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: B90257	RunNo: 90257								
Prep Date:	Analysis Date: 8/12/2022	SeqNo: 3219060 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.020	0.020	0.02000	0	101	50	150			

Sample ID: LCS-B	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: B90257	RunNo: 90257								
Prep Date:	Analysis Date: 8/12/2022	SeqNo: 3219061 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.49	0.020	0.5000	0	98.7	85	115			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank
E Estimated value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2207E14

19-Aug-22

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: MB-A	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: A90346	RunNo: 90346								
Prep Date:	Analysis Date: 8/16/2022	SeqNo: 3223310 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020								

Sample ID: LLCS-A	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: A90346	RunNo: 90346								
Prep Date:	Analysis Date: 8/16/2022	SeqNo: 3223312 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.022	0.020	0.02000	0	108	50	150			

Sample ID: LCS-A	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: A90346	RunNo: 90346								
Prep Date:	Analysis Date: 8/16/2022	SeqNo: 3223314 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.49	0.020	0.5000	0	98.3	85	115			

Sample ID: 2207E14-002BMS	SampType: MS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-5	Batch ID: A90346	RunNo: 90346								
Prep Date:	Analysis Date: 8/16/2022	SeqNo: 3223333 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.48	0.020	0.5000	0	96.9	70	130			

Sample ID: 2207E14-002BMDS	SampType: MSD	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-5	Batch ID: A90346	RunNo: 90346								
Prep Date:	Analysis Date: 8/16/2022	SeqNo: 3223334 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.49	0.020	0.5000	0	98.1	70	130	1.23	20	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank
E Estimated value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 7 of 9

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2207E14

19-Aug-22

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: 100ng lcs	SampType: LCS		TestCode: EPA Method 8260: Volatiles Short List							
Client ID: LCSW	Batch ID: SL89905		RunNo: 89905							
Prep Date:	Analysis Date: 7/30/2022		SeqNo: 3202918		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	21	1.0	20.00	0	104	70	130			
Toluene	19	1.0	20.00	0	97.1	70	130			
Surr: 1,2-Dichloroethane-d4	12		10.00		116	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		102	70	130			
Surr: Dibromofluoromethane	10		10.00		105	70	130			
Surr: Toluene-d8	9.5		10.00		95.2	70	130			

Sample ID: mb	SampType: MBLK		TestCode: EPA Method 8260: Volatiles Short List							
Client ID: PBW	Batch ID: SL89905		RunNo: 89905							
Prep Date:	Analysis Date: 7/30/2022		SeqNo: 3202919		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	11		10.00		112	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		99.9	70	130			
Surr: Dibromofluoromethane	11		10.00		105	70	130			
Surr: Toluene-d8	9.5		10.00		95.1	70	130			

Sample ID: 2207e14-001ams	SampType: MS		TestCode: EPA Method 8260: Volatiles Short List							
Client ID: MW-4	Batch ID: SL89905		RunNo: 89905							
Prep Date:	Analysis Date: 7/30/2022		SeqNo: 3202921		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	102	70	130			
Toluene	19	1.0	20.00	0	95.4	70	130			
Surr: 1,2-Dichloroethane-d4	11		10.00		114	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		99.9	70	130			
Surr: Dibromofluoromethane	10		10.00		105	70	130			
Surr: Toluene-d8	9.8		10.00		98.4	70	130			

Sample ID: 2207e14-001amsd	SampType: MSD		TestCode: EPA Method 8260: Volatiles Short List							
Client ID: MW-4	Batch ID: SL89905		RunNo: 89905							
Prep Date:	Analysis Date: 7/30/2022		SeqNo: 3202922		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	99.1	70	130	2.92	20	
Toluene	18	1.0	20.00	0	91.1	70	130	4.61	20	

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Estimated value
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix interference		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2207E14

19-Aug-22

Client: HILCORP ENERGY

Project: Nell Hall 1

Sample ID: 2207e14-001amsd		SampType: MSD		TestCode: EPA Method 8260: Volatiles Short List						
Client ID: MW-4		Batch ID: SL89905		RunNo: 89905						
Prep Date:		Analysis Date: 7/30/2022		SeqNo: 3202922		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	11		10.00		114	70	130	0	0	
Surr: 4-Bromofluorobenzene	10		10.00		99.5	70	130	0	0	
Surr: Dibromofluoromethane	11		10.00		105	70	130	0	0	
Surr: Toluene-d8	9.6		10.00		95.6	70	130	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit


S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2207E14

RcptNo: 1

Received By: Juan Rojas

7/28/2022 6:30:00 AM

Juan Rojas

Completed By: Cheyenne Cason

7/28/2022 7:29:04 AM

*Cason*Reviewed By: *KYC* 7-28-22Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☒ No ☐ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☒ No ☐ HNO₃ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH: 5

(<2 or >12 unless noted)

Adjusted? yes

Checked by: jc 7/28/22

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

On all samples poured off and filtered ~125mls from unpreserved 500ml HDPE into 125ml metals grade bottle, added ~0.4mls HNO₃ for metals analysis --

17. Cooler Information

Used 6 filters from Lot FJ6168 JR 7/28/22.

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	0.8	Good	Yes			

Chain-of-Custody Record

Client: Hilcorp Farmington NM

Mailing Address: 382 Road 3100 Aztec, NM 87410

Billing Address: PO Box 61529 Houston, TX 77208

Phone #: 505-486-9543

email or Fax#: Brandon.Sinclair@hilcorp.com

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other☐ EDD (Type)

Turn-Around Time:

☒ Standard ☐ Rush

Project Name:

Neil Hall #1

Project #:

Project Manager:

Mitch Killough

Sampler: Brandon Sinclair

On Ice: ☒ Yes ☐ No

of Coolers:

Cooler Temp (including CF):

0-8-02-008

Date Time Matrix Sample Name

7-27 1403 Water MW-4

1315 Water MW-5

1203 Water MW-6

1117 Water MW-7

1015 Water MW-8

Container Type and #

Various

Various

Various

Various

Various

Preservative Type

Various

Various

Various

Various

Various

HEAL No.

2207E14

001

002

003

004

005

Dissolved Fe 500ml HDPE *

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

Date: 7-27 1525

Date: 7/27/22 1826

Relinquished by: Brandon Sinclair

Relinquished by: Brandon Sinclair

Received by: Brandon Sinclair

Received by: Brandon Sinclair

Date: 7/27/22 1525

Date: 7/28/22 6:30

Remarks: *Dissolved Fe is to be filtered and preserved in the lab.

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

February 21, 2023

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX

RE: Nell Hall 1

OrderNo.: 2210731

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 5 sample(s) on 10/14/2022 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued November 17, 2022.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2210731

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-4

Project: Nell Hall 1

Collection Date: 10/13/2022 2:20:00 PM

Lab ID: 2210731-001

Matrix: AQUEOUS

Received Date: 10/14/2022 7:14:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	0.34	0.10	*	mg/L	5	10/20/2022 1:18:10 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	ND	1.0		µg/L	1	10/17/2022 11:18:56 AM
Toluene	ND	1.0		µg/L	1	10/17/2022 11:18:56 AM
Ethylbenzene	ND	1.0		µg/L	1	10/17/2022 11:18:56 AM
Xylenes, Total	ND	1.5		µg/L	1	10/17/2022 11:18:56 AM
Surr: 1,2-Dichloroethane-d4	109	70-130		%Rec	1	10/17/2022 11:18:56 AM
Surr: 4-Bromofluorobenzene	94.4	70-130		%Rec	1	10/17/2022 11:18:56 AM
Surr: Dibromofluoromethane	124	70-130		%Rec	1	10/17/2022 11:18:56 AM
Surr: Toluene-d8	93.7	70-130		%Rec	1	10/17/2022 11:18:56 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 1 of 9

Analytical Report

Lab Order 2210731

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-6

Project: Nell Hall 1

Collection Date: 10/13/2022 12:00:00 PM

Lab ID: 2210731-003

Matrix: AQUEOUS

Received Date: 10/14/2022 7:14:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	4.0	0.10	*	mg/L	5	10/20/2022 1:29:11 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	20	1.0		µg/L	1	10/17/2022 1:13:39 PM
Toluene	ND	1.0		µg/L	1	10/17/2022 1:13:39 PM
Ethylbenzene	4.4	1.0		µg/L	1	10/17/2022 1:13:39 PM
Xylenes, Total	ND	1.5		µg/L	1	10/17/2022 1:13:39 PM
Surr: 1,2-Dichloroethane-d4	106	70-130		%Rec	1	10/17/2022 1:13:39 PM
Surr: 4-Bromofluorobenzene	94.4	70-130		%Rec	1	10/17/2022 1:13:39 PM
Surr: Dibromofluoromethane	114	70-130		%Rec	1	10/17/2022 1:13:39 PM
Surr: Toluene-d8	98.2	70-130		%Rec	1	10/17/2022 1:13:39 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 3 of 9

Analytical Report

Lab Order 2210731

Date Reported: 2/21/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-7

Project: Nell Hall 1

Collection Date: 10/13/2022 11:20:00 AM

Lab ID: 2210731-004

Matrix: AQUEOUS

Received Date: 10/14/2022 7:14:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	ND	0.020		mg/L	1	11/1/2022 6:37:09 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	ND	1.0		µg/L	1	10/17/2022 1:42:12 PM
Toluene	ND	1.0		µg/L	1	10/17/2022 1:42:12 PM
Ethylbenzene	ND	1.0		µg/L	1	10/17/2022 1:42:12 PM
Xylenes, Total	ND	1.5		µg/L	1	10/17/2022 1:42:12 PM
Surr: 1,2-Dichloroethane-d4	114	70-130		%Rec	1	10/17/2022 1:42:12 PM
Surr: 4-Bromofluorobenzene	91.9	70-130		%Rec	1	10/17/2022 1:42:12 PM
Surr: Dibromofluoromethane	129	70-130		%Rec	1	10/17/2022 1:42:12 PM
Surr: Toluene-d8	95.7	70-130		%Rec	1	10/17/2022 1:42:12 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

CLIENT: HILCORP ENERGY

Client Sample ID: MW-8

Project: Nell Hall 1

Collection Date: 10/13/2022 10:45:00 AM

Lab ID: 2210731-005

Matrix: AQUEOUS

Received Date: 10/14/2022 7:14:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Iron	ND	0.020		mg/L	1	11/1/2022 6:40:13 PM
EPA METHOD 8260B: VOLATILES						Analyst: JR
Benzene	ND	1.0		µg/L	1	10/17/2022 2:10:48 PM
Toluene	ND	1.0		µg/L	1	10/17/2022 2:10:48 PM
Ethylbenzene	ND	1.0		µg/L	1	10/17/2022 2:10:48 PM
Xylenes, Total	ND	1.5		µg/L	1	10/17/2022 2:10:48 PM
Surr: 1,2-Dichloroethane-d4	117	70-130		%Rec	1	10/17/2022 2:10:48 PM
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	10/17/2022 2:10:48 PM
Surr: Dibromofluoromethane	130	70-130	S	%Rec	1	10/17/2022 2:10:48 PM
Surr: Toluene-d8	93.7	70-130		%Rec	1	10/17/2022 2:10:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2210731

21-Feb-23

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: MB-C	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: C91965	RunNo: 91965								
Prep Date:	Analysis Date: 10/20/2022	SeqNo: 3299208 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020								

Sample ID: LLCS-C	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: C91965	RunNo: 91965								
Prep Date:	Analysis Date: 10/20/2022	SeqNo: 3299209 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020	0.02000	0	93.0	50	150			

Sample ID: LCS-C	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: C91965	RunNo: 91965								
Prep Date:	Analysis Date: 10/20/2022	SeqNo: 3299210 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.51	0.020	0.5000	0	102	85	115			

Sample ID: 2210731-001BMS	SampType: MS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-4	Batch ID: C91965	RunNo: 91965								
Prep Date:	Analysis Date: 10/20/2022	SeqNo: 3299283 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	3.0	0.10	2.500	0.3360	105	70	130			

Sample ID: 2210731-001BMSD	SampType: MSD	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-4	Batch ID: C91965	RunNo: 91965								
Prep Date:	Analysis Date: 10/20/2022	SeqNo: 3299284 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	2.9	0.10	2.500	0.3360	105	70	130	0.0735	20	

Sample ID: MB-C	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: C92246	RunNo: 92246								
Prep Date:	Analysis Date: 11/1/2022	SeqNo: 3313404 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	ND	0.020								

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2210731

21-Feb-23

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: LLLCS-C	SampType: LCSLL			TestCode: EPA Method 200.7: Dissolved Metals						
Client ID: BatchQC	Batch ID: C92246			RunNo: 92246						
Prep Date:	Analysis Date: 11/1/2022			SeqNo: 3313405		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.020	0.020	0.02000	0	101	50	150			

Sample ID: LCS-C	SampType: LCS			TestCode: EPA Method 200.7: Dissolved Metals						
Client ID: LCSW	Batch ID: C92246			RunNo: 92246						
Prep Date:	Analysis Date: 11/1/2022			SeqNo: 3313406		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.49	0.020	0.5000	0	97.0	85	115			

Sample ID: 2210731-005BMS	SampType: MS			TestCode: EPA Method 200.7: Dissolved Metals						
Client ID: MW-8	Batch ID: C92246			RunNo: 92246						
Prep Date:	Analysis Date: 11/1/2022			SeqNo: 3313509		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.50	0.020	0.5000	0	99.6	70	130			

Sample ID: 2210731-005BMSD	SampType: MSD			TestCode: EPA Method 200.7: Dissolved Metals						
Client ID: MW-8	Batch ID: C92246			RunNo: 92246						
Prep Date:	Analysis Date: 11/1/2022			SeqNo: 3313510		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Iron	0.50	0.020	0.5000	0	101	70	130	1.20	20	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2210731

21-Feb-23

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: 100ng lcs	SampType: LCS			TestCode: EPA Method 8260B: VOLATILES						
Client ID: LCSW	Batch ID: R91852			RunNo: 91852						
Prep Date:	Analysis Date: 10/17/2022			SeqNo: 3293670		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	23	1.0	20.00	0	114	70	130			
Toluene	21	1.0	20.00	0	106	70	130			
Surr: 1,2-Dichloroethane-d4	9.6		10.00		96.1	70	130			
Surr: 4-Bromofluorobenzene	9.3		10.00		92.8	70	130			
Surr: Dibromofluoromethane	12		10.00		121	70	130			
Surr: Toluene-d8	9.5		10.00		95.0	70	130			

Sample ID: 2210731-001ams	SampType: MS			TestCode: EPA Method 8260B: VOLATILES						
Client ID: MW-4	Batch ID: R91852			RunNo: 91852						
Prep Date:	Analysis Date: 10/17/2022			SeqNo: 3293685		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	23	1.0	20.00	0	114	70	130			
Toluene	21	1.0	20.00	0	104	70	130			
Surr: 1,2-Dichloroethane-d4	9.8		10.00		97.8	70	130			
Surr: 4-Bromofluorobenzene	9.6		10.00		96.3	70	130			
Surr: Dibromofluoromethane	12		10.00		125	70	130			
Surr: Toluene-d8	9.5		10.00		95.4	70	130			

Sample ID: 2210731-001amsd	SampType: MSD			TestCode: EPA Method 8260B: VOLATILES						
Client ID: MW-4	Batch ID: R91852			RunNo: 91852						
Prep Date:	Analysis Date: 10/17/2022			SeqNo: 3293686		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	21	1.0	20.00	0	106	70	130	6.56	20	
Toluene	20	1.0	20.00	0	100	70	130	3.71	20	
Surr: 1,2-Dichloroethane-d4	9.9		10.00		98.5	70	130	0	0	
Surr: 4-Bromofluorobenzene	9.2		10.00		91.5	70	130	0	0	
Surr: Dibromofluoromethane	12		10.00		123	70	130	0	0	
Surr: Toluene-d8	9.5		10.00		94.6	70	130	0	0	

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8260B: VOLATILES						
Client ID: PBW	Batch ID: R91852			RunNo: 91852						
Prep Date:	Analysis Date: 10/17/2022			SeqNo: 3293692		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	1.5								

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of standard limits. If undiluted results may be estimated.		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2210731

21-Feb-23

Client: HILCORP ENERGY**Project:** Nell Hall 1

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8260B: VOLATILES						
Client ID: PBW	Batch ID: R91852			RunNo: 91852						
Prep Date:	Analysis Date: 10/17/2022			SeqNo: 3293692		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	11		10.00		105	70	130			
Surr: 4-Bromofluorobenzene	9.5		10.00		95.4	70	130			
Surr: Dibromofluoromethane	12		10.00		118	70	130			
Surr: Toluene-d8	9.4		10.00		94.3	70	130			


Sample ID: 100ng lcs	SampType: LCS			TestCode: EPA Method 8260B: VOLATILES						
Client ID: LCSW	Batch ID: R91888			RunNo: 91888						
Prep Date:	Analysis Date: 10/18/2022			SeqNo: 3295455		Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	9.8		10.00		97.7	70	130			
Surr: 4-Bromofluorobenzene	9.2		10.00		92.4	70	130			
Surr: Dibromofluoromethane	13		10.00		127	70	130			
Surr: Toluene-d8	9.3		10.00		93.2	70	130			

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8260B: VOLATILES						
Client ID: PBW	Batch ID: R91888			RunNo: 91888						
Prep Date:	Analysis Date: 10/18/2022			SeqNo: 3295473		Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	11		10.00		111	70	130			
Surr: 4-Bromofluorobenzene	8.9		10.00		89.3	70	130			
Surr: Dibromofluoromethane	13		10.00		127	70	130			
Surr: Toluene-d8	9.4		10.00		94.0	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2210731

RcptNo: 1

Received By: Tracy Casarrubias

10/14/2022 7:16:00 AM

Completed By: Tracy Casarrubias

10/14/2022 10:37:29 AM

Reviewed By: KPC

10/14/22

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☒ No ☐ NA ☐
9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? Yes ☒ No ☐ HNO₃ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

5 (<2 or >12 unless noted)

Adjusted? yes

Checked by: see 10/14/22

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____


16. Additional remarks:

Poured off 125mL from original unpreserved samples provided for 001 - 005. Filtered samples and added 0.40mL of HNO₃ for proper pH- see 10/14/22

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	3.8	Good	Yes			
2	0.2	Good	Yes			

LOT FJG108 x 7



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com


Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2210731

RcptNo: 1

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
3	2.3	Good	Yes			



**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Chain-of-Custody Record

Client: Hilcorp Farmington NM

Mailing Address: 382 Road 3100 Aztec, NM 87410

Billing Address: PO Box 61529 Houston, TX 77208

Phone #: 505-486-9543

Email or Fax#: Brandon.Sinclair@hilcorp.com

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other☐ EDD (Type)

Date		Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.
10-13		1420	Water	MW-4	Various	Various	2210731
1		1240	Water	MW-5	Various	Various	001
1		1200	Water	MW-6	Various	Various	002
1		1120	Water	MW-7	Various	Various	003
1		1045	Water	MW-8	Various	Various	004
					Various	Various	005
Date:	10-13	Time: 1623	Relinquished by: <i>[Signature]</i>	Received by: <i>[Signature]</i>	Date: 10/13/12	Time: 1623	
Date:	10/13/12	Time: 1807	Relinquished by: <i>[Signature]</i>	Received by: <i>[Signature]</i>	Date: 10/13/12	Time: 1807	

Remarks: *Dissolved Fe is to be filtered and preserved in the lab.
pricing, see Andy. Special

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 199918

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:
	372171
	Action Number:
	199918
Action Type:	
[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)	

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2022 Annual Groundwater Monitoring Report for Nell Hall #1: Content Satisfactory 1. Plug & Abandon air sparge wells: SP-1 through SP-8 and coordinate all requirements with NM OSE if applicable. 2. Continue to collect groundwater samples from wells: MW-6, MW-7 and MW-8 on a semi-annual basis until all COCs are at the allowable concentrations per the NM WQCC human health standards and the domestic well standard for dissolved iron. 3. Submit the 2023 Annual Groundwater Monitoring Report if not already submitted. 4. Submit the 2024 Annual Report by April, 2025.	5/21/2024