

REVIEWED

By Mike Buchanan at 8:34 am, May 23, 2024



ENSOLUM

March 25, 2024

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: 2023 Annual Groundwater Monitoring Report

McCoy Gas Com D 1E
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NCS2105634419

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *2023 Annual Groundwater Monitoring Report* to the New Mexico Oil Conservation Division (NMOCD) to document groundwater monitoring activities conducted at the McCoy Gas Com D 1E natural gas production site (Site) during 2023. The Site is located within Unit Letter E, Section 28 within Township 30 north and Range 12 West, San Juan County, New Mexico (Figure 1). There are currently three monitoring wells on the Site which are monitored quarterly for groundwater elevations. Only monitoring well MW-1R is sampled quarterly. This report presents the results of the 2023 monitoring events. Based on current data gathered at the Site, Ensolum/Hilcorp is requesting closure of the Site and completion report NMOCD Incident Number NCS2105634419.

SITE BACKGROUND

Comprehensive Site background history, work plans, and reports prepared for the Site are available on the NMOCD database. In December of 2017, Hilcorp acquired the Site from XTO Energy, Inc. and continued to perform semi-annual monitoring of groundwater elevations of all monitoring wells and semi-annual sampling of MW-1R. Quarterly monitoring of groundwater elevations of all wells and quarterly sampling of MW-1R commenced in October 2021. Summaries of groundwater elevations and laboratory analytical results from historical and current groundwater monitoring events are presented in Table 1 and Table 2, respectively.

SITE GROUNDWATER CLEANUP STANDARDS

The NMOCD requires groundwater quality standards be met as presented by the New Mexico Water Quality Control Commission (NMWQCC) and listed in Title 20, Chapter 6, Part 2, Section 3103 (20.6.2.3103) of the New Mexico Administrative Code (NMAC). The following standards are presented for the constituents of concern (COCs) in the Site monitoring programs per liter (µg/L).

- Benzene: 5.0 µg/L
- Toluene: 1,000 µg/L

Review of the 2023 Annual Groundwater Monitoring Report for the McCoy Gas Com D 1E, Hilcorp Energy Company, Incident Number [NCS2105634419]: Content is satisfactory, but insufficient for closure. Sure, Hilcorp Energy Company (Hilcorp), presents this 1. Annual Groundwater Monitoring Report is accepted for the record. 2. In order to meet abatement completion and closure of the incident, Hilcorp must submit an abatement and completion report for the site in accordance with 19.15.30.19 of the NMAC 2. With the closure and completion report there must be a work plan also submitted for sampling of groundwater elevations of all monitoring wells and quarterly sampling of MW-1R. The vadose zone by the NMOCD and laboratory analytical results are presented in Table 1 and Table 2, respectively. The following standards are presented for the constituents of concern (COCs) in the Site monitoring programs per liter (µg/L).

- Ethylbenzene: 700 µg/L
- Total Xylenes: 620 µg/L

GROUNDWATER SAMPLING ACTIVITIES AND RESULTS

Groundwater level measurements were collected in January, May, July, and October 2023 at all wells, and samples were collected from well MW-1R during these monitoring events. Static groundwater level monitoring included recording depth-to-groundwater using an oil/water interface probe. The interface probe was decontaminated with Alconox™ soap and rinsed with distilled water prior to each measurement to prevent cross-contamination. Measured depths-to-groundwater and calculated groundwater elevations are presented in Table 1. The inferred groundwater flow direction was to the north-northeast during the 2023 sampling events, as indicated on Figures 2, 3, 4, and 5.

GROUNDWATER SAMPLING

Groundwater from monitoring well MW-1R was purged and sampled using a disposable bailer. Purging was accomplished by removing stagnant groundwater from the monitoring well prior to collecting a sample. Field measurements of groundwater quality parameters, including temperature, pH, electrical conductivity, and total dissolved solids were collected during the purging process.

Following well purging, groundwater samples were placed directly into laboratory-provided containers and labeled with the date and time of collection, well designation, project name, sample collector's name, and parameters to be analyzed. Containers were immediately sealed and packed on ice to preserve samples. Samples were submitted to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico, for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) following United State Environmental Protection Agency (EPA) Method 8260B. Proper chain-of-custody procedures were followed documenting the date and time sampled, sample number, type of sample, sample collector's name, preservative used, analyses required, and sample collector's signature.

GROUNDWATER ANALYTICAL RESULTS

Total Xylenes were detected at MW-1R above the NMWQCC standards during the May 2023 Sampling event. Besides this single exceedance, no BTEX constituents were detected in groundwater from well MW-1R at concentrations exceeding the NMWQCC standards during the rest of the quarterly sampling events in 2023. Analytical results are summarized in Table 2 and depicted on Figures 2 through 5, with complete laboratory analytical reports attached as Appendix A.


CONCLUSIONS AND RECOMMENDATIONS

BTEX concentrations in groundwater had not been detected above NMWQCC standards in well MW-1R for six consecutive quarters and 12 consecutive sampling events (since December 2018) aside from the single anomalous total Xylenes exceedance in May 2023. In addition, benzene and toluene have been below laboratory reporting limits for the past seven sampling events. Based on current and historical data gathered at the Site, petroleum impacts at the Site have been successfully remediated to below applicable closure criteria/standards. As such, Ensolum/Hilcorp requests closure of the Site and no further action for NMOCD Incident Number NCS2105634419.

Ensolum appreciates the opportunity to provide these environmental services to Hilcorp. Please contact either of the undersigned with any questions.

Sincerely,

Ensolum, LLC



Wes Weichert, PG
Project Geologist
(816) 266-8732
wweichert@ensolum.com




Stuart Hyde, PG
Senior Geologist
(970) 903-1607
shyde@ensolum.com

Attachments:

- | | |
|------------|---|
| Figure 1 | Site Location Map |
| Figure 2 | Groundwater Elevation and Analytical Results (January 2023) |
| Figure 3 | Groundwater Elevation and Analytical Results (May 2023) |
| Figure 4 | Groundwater Elevation and Analytical Results (July 2023) |
| Figure 5 | Groundwater Elevation and Analytical Results (October 2023) |
| Table 1 | Groundwater Elevation Summary |
| Table 2 | Groundwater Analytical Results |
| Appendix A | Laboratory Analytical Reports |



FIGURES



Site Location Map

McCoy Gas Com D #1E
Hilcorp Energy Company

36.78677, -108.10786
San Juan County, New Mexico

FIGURE

1

ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants



ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants

Groundwater Elevation and Analytical Results (January 2023)

McCoy Gas Com D #1E
Hilcorp Energy Company
36.78677, -108.10786
San Juan County, New Mexico

FIGURE

2



ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants

Groundwater Elevation and Analytical Results (May 2023)

McCoy Gas Com D #1E
Hilcorp Energy Company
36.78677, -108.10786
San Juan County, New Mexico

FIGURE

3




Groundwater Elevation and Analytical Results (July 2023)

McCoy Gas Com D #1E
Hilcorp Energy Company
36.78677, -108.10786
San Juan County, New Mexico

FIGURE

4





Groundwater Elevation and Analytical Results (October 2023)

McCoy Gas Com D #1E
Hilcorp Energy Company
36.78677, -108.10786
San Juan County, New Mexico

FIGURE
5

ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants



TABLES



TABLE 1 GROUNDWATER ELEVATIONS McCoy Gas Com D #1E Hilcorp Energy Company San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet AMSL)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-1	5,535.13	10/16/2006	32.86	--	--	5,502.27
		5/16/2007	30.69	--	--	5,504.44
		7/23/2007	30.57	--	--	5,504.56
		9/27/2007	32.01	--	--	5,503.12
		11/27/2007	34.60	--	--	5,500.53
		5/13/2008	31.97	--	--	5,503.16
		1/21/2009	36.88	--	--	5,498.25
		5/26/2009	30.68	--	--	5,504.45
		5/25/2010	30.13	--	--	5,505.00
		8/12/2010	30.87	--	--	5,504.26
MW-1R	5,533.58	11/17/2010	33.96	--	--	5,501.17
		2/14/2011	37.27	--	--	5,497.86
		5/17/2011	29.31	--	--	5,504.27
		8/9/2011	29.04	--	--	5,504.54
		11/9/2011	31.51	--	--	5,502.07
		3/8/2012	37.41	37.07	0.34	5,496.44
		6/14/2012	28.39	28.29	0.10	5,505.27
		9/12/2012	29.89	--	--	5,503.69
		12/21/2012	34.22	34.19	0.03	5,499.38
		3/14/2013	38.31	--	--	5,495.27
		6/17/2013	28.05	--	--	5,505.53
		9/11/2013	29.11	--	--	5,504.47
		12/16/2013	34.61	--	--	5,498.97
		3/12/2014	35.78	--	--	5,497.80
		6/11/2014	28.05	--	--	5,505.53
		9/22/2014	29.25	--	--	5,504.33
		12/9/2014	34.61	--	--	5,498.97
		3/12/2015	35.55	--	--	5,498.03
		6/11/2015	28.35	--	--	5,505.23
		9/21/2015	29.20	--	--	5,504.38
		12/21/2015	34.20	--	--	5,499.38
		6/20/2016	29.20	--	--	5,504.38
		12/14/2016	34.22	--	--	5,499.36
		6/26/2017	28.95	--	--	5,504.63
		12/12/2017	34.03	--	--	5,499.55
		6/28/2018	28.42	--	--	5,505.16
		12/10/2018	33.67	--	--	5,499.91
		6/20/2019	29.59	--	--	5,503.99
		12/9/2019	34.12	--	--	5,499.46
		3/18/2020	38.79	--	--	5,494.79
		6/22/2020	28.78	--	--	5,504.80
		1/26/2021	35.33	--	--	5,498.25
		6/22/2021	28.69	--	--	5,504.89
		10/27/2021	31.22	--	--	5,502.36
		2/10/2022	35.46	--	--	5,498.12
		4/28/2022	33.78	--	--	5,499.80
		7/29/2022	29.10	--	--	5,504.48
		10/26/2022	31.19	--	--	5,502.39
		1/13/2023	35.13	--	--	5,498.45
		5/11/2023	34.46	--	--	5,499.12
		7/24/2023	29.57	--	--	5,504.01
		10/6/2023	30.28	--	--	5,503.30



TABLE 1 GROUNDWATER ELEVATIONS McCoy Gas Com D #1E Hilcorp Energy Company San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet AMSL)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-2	5,535.68	5/17/2007	30.56	--	--	5,505.12
		7/23/2007	31.98	--	--	5,503.70
		9/27/2007	32.44	--	--	5,503.24
		11/27/2007	35.29	--	--	5,500.39
		5/13/2008	31.98	--	--	5,503.70
		5/26/2009	36.46	--	--	5,499.22
		5/25/2010	29.88	--	--	5,505.80
		8/12/2010	31.30	--	--	5,504.38
		11/17/2010	34.61	--	--	5,501.07
		2/14/2011	Dry			
		5/17/2011	30.60	--	--	5,505.08
		8/9/2011	31.22	--	--	5,504.46
		11/9/2011	33.70	--	--	5,501.98
		3/8/2012	Dry			
		6/14/2012	29.66	--	--	5,506.02
		9/12/2012	31.77	--	--	5,503.91
		12/21/2012	36.44	--	--	5,499.24
		3/14/2013	Dry			
		6/17/2013	29.45	--	--	5,506.23
		9/11/2013	31.11	--	--	5,504.57
		12/16/2013	OBS			
		3/12/2014	OBS			
		6/11/2014	30.26	--	--	5,505.42
		9/22/2014	31.11	--	--	5,504.57
		12/9/2014	34.31	--	--	5,501.37
		3/12/2015	Dry			
		6/11/2015	30.00	--	--	5,505.68
		9/21/2015	30.96	--	--	5,504.72
		12/21/2015	Dry			
		6/20/2016	31.63	--	--	5,504.05
		12/14/2016	Dry			
		6/26/2017	30.63	--	--	5,505.05
		12/12/2017	Dry			
		6/28/2018	30.10	--	--	5,505.58
		12/10/2018	Dry			
		6/20/2019	31.57	--	--	5,504.11
		12/9/2019	Dry			
		3/18/2020	Dry/OBS @ 2.69			
		6/22/2020	30.37	--	--	5,505.31
		1/26/2021	Dry			
		6/22/2021	Dry/OBS @ 2.70			
		10/27/2021	33.35	--	--	5,502.33
		2/10/2022	Dry			
		4/28/2022	Dry			
		7/29/2022	30.78	--	--	5,504.90
		10/26/2022	33.32	--	--	5,502.36
		1/13/2023	Dry			
		5/11/2023	Dry			
		7/24/2023	31.25	--	--	5,504.43
		10/6/2023	32.25	--	--	5,503.43



TABLE 1 GROUNDWATER ELEVATIONS McCoy Gas Com D #1E Hilcorp Energy Company San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet AMSL)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-3	5,527.11	5/17/2007	21.55	--	--	5,505.56
		7/23/2007	30.65	--	--	5,496.46
		9/27/2007	24.02	--	--	5,503.09
		11/27/2007	28.94	--	--	5,498.17
		5/12/2008	22.55	--	--	5,504.56
		5/26/2009	21.37	--	--	5,505.74
		5/25/2010	20.99	--	--	5,506.12
		8/12/2010	23.03	--	--	5,504.08
		11/17/2010	26.85	--	--	5,500.26
		2/14/2011	Dry			
		5/17/2011	21.49	--	--	5,505.62
		8/9/2011	22.12	--	--	5,504.99
		11/9/2011	25.69	--	--	5,501.42
		3/8/2012	Dry			
		6/14/2012	20.97	--	--	5,506.14
		9/12/2012	23.31	--	--	5,503.80
		12/21/2012	30.61	--	--	5,496.50
		3/14/2013	Dry			
		6/17/2013	20.80	--	--	5,506.31
		9/11/2013	22.75	--	--	5,504.36
		12/16/2013	31.95	--	--	5,495.16
		3/12/2014	Dry			
		6/11/2014	20.93	--	--	5,506.18
		9/22/2014	22.62	--	--	5,504.49
		12/9/2014	29.24	--	--	5,497.87
		3/12/2015	32.60	--	--	5,494.51
		6/11/2015	21.30	--	--	5,505.81
		9/21/2015	22.13	--	--	5,504.98
		12/21/2015	30.65	--	--	5,496.46
		6/20/2016	22.33	--	--	5,504.78
		12/14/2016	31.10	--	--	5,496.01
		6/26/2017	21.97	--	--	5,505.14
		12/12/2017	30.44	--	--	5,496.67
		6/28/2018	21.63	--	--	5,505.48
		12/10/2018	29.65	--	--	5,497.46
		6/20/2019	22.92	--	--	5,504.19
		12/9/2019	30.79	--	--	5,496.32
		3/18/2020	Dry			
		6/22/2020	21.72	--	--	5,505.39
		1/26/2021	Dry			
		6/22/2021	21.76	--	--	5,505.35
		10/27/2021	24.87	--	--	5,502.24
		2/10/2022	Dry			
		4/28/2022	Dry			
		7/29/2022	22.28	--	--	5,504.83
		10/26/2022	24.84	--	--	5,502.27
		1/13/2023	Dry			
		5/11/2023	Dry			
		7/24/2023	22.54	--	--	5,504.57
		10/6/2023	23.59	--	--	5,503.52

Notes:

AMSL: above mean sea level

BTOC: below top of casing

NP: No Product

OBS: Obstruction in well

--: indicates no GWEL or PSH measured

Groundwater elevation is adjusted using a density correction factor of 0.8 when product is present



TABLE 1 GROUNDWATER ELEVATIONS McCoy Gas Com D #1E Hilcorp Energy Company San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet AMSL)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)

*: New Top of Casing Elevation; Casing Cut Off 1.55 Feet to Remove ORC Socks in May 2011, well designation changed to MW-1R



TABLE 2 GROUNDWATER ANALYTICAL RESULTS McCoy Gas Com D #1E Hilcorp Energy Company San Juan County, New Mexico					
Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		5	1,000	700	620
MW-1	10/16/2006	22	2,500	2,700	19,000
	5/16/2007	30	760	1,700	24,000
	5/13/2008	<10	640	540	11,000
	1/21/2009	<100	1,200	1,100	12,000
	5/26/2009	<10	620	640	11,000
	5/25/2010	130	160	430	7,100
	8/12/2010	120	<120	260	6,700
	11/17/2010	360	<2,500	1,400	16,000
MW-1R	2/14/2011	16	1,000	870	13,000
	5/17/2011	300	290	850	13,000
	8/9/2011	<5	53.6	19.3	6,220
	11/9/2011	11	<50	<5	1,600
	3/8/2012	--	--	--	--
	6/14/2012	120	110	750	5,000
	9/12/2012	78	<250	120	4,600
	12/21/2012	<25	<250	280	7,400
	3/21/2013	98	<250	<25.0	7,100
	6/17/2013	66	<250	94	4,500
	9/11/2013	33	<25	76	840
	12/13/2013	52	<100	160	2,000
	3/12/2014	100	<120	680	8,800
	6/11/2014	36	<25	430	4,100
	9/22/2014	2.7	<25	490	1,400
	12/9/2014	<9.5	<250	840	8,500
	3/12/2015	96	<25	860	8,900
	6/11/2015	<25	<250	610	5,700
	9/21/2015	25	<5	525	4,340
	12/21/2015	93	<250	765	7,850
	6/20/2016	56	<25.0	617	5,370
	12/14/2016	<25.0	<50.0	961	9,700
	6/26/2017	<12.5	<25.0	457	3,890
	12/3/2017	108	<100	790	8,050
	6/28/2018	<5.0	<5.0	430	3,200
	12/10/2018	<5.0	<5.0	730	6,400
	6/19/2019	<2.5	<2.5	4.3	<5.0
	12/9/2019	<1.0	<1.0	20	<2.0
	3/18/2020	<1.0	<1.0	130	110
	6/22/2020	<2.0	<2.0	21	12
	1/26/2021	2.13	<1.0	184	305
	6/22/2021	<1.0	<1.0	47	17
	10/27/2021	<2.0	<2.0	39	230
	2/10/2022	<2.0	<2.0	98	300
	4/28/2022	<2.0	<2.0	170	580
	7/29/2022	<2.0	<2.0	6.9	52
	10/26/2022	<5.0	<5.0	12.0	100
	1/13/2023	<2.0	<2.0	120	530
	5/11/2023	<2.0	<2.0	120	720
	7/24/2023	<2.0	<2.0	5.3	53
	10/6/2023	<1.0	<1.0	33	130
MW-2	5/17/2007	<1.0	<1.0	<1.0	3.10
	5/13/2008	<1.0	<1.0	<1.0	<2.0
	5/25/2010	<1.0	<1.0	<1.0	<2.0
MW-3	5/17/2007	<1.0	<1.0	<1.0	<2.0
	5/12/2008	<1.0	<1.0	<1.0	<2.0
	5/25/2010	<1.0	<1.0	<1.0	<2.0

Notes:

µg/L: micrograms per liter

NMWQCC: New Mexico Water Quality Control Commission

--: not analyzed


<0.037: indicates result less than the stated laboratory reporting limit (RL)

Concentrations in **bold** and highlighted exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



APPENDIX A

Laboratory Analytical Reports



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

January 18, 2023

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX:

RE: McCoy Gas Com D 1E

OrderNo.: 2301554

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 1 sample(s) on 1/14/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2301554

Date Reported: 1/18/2023

CLIENT: HILCORP ENERGY

Client Sample ID: MW-1R

Project: McCoy Gas Com D 1E

Collection Date: 1/13/2023 12:35:00 PM

Lab ID: 2301554-001

Matrix: AQUEOUS

Received Date: 1/14/2023 9:20:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	2.0		µg/L	2	1/16/2023 7:57:00 PM
Toluene	ND	2.0		µg/L	2	1/16/2023 7:57:00 PM
Ethylbenzene	120	2.0		µg/L	2	1/16/2023 7:57:00 PM
Xylenes, Total	530	3.0		µg/L	2	1/16/2023 7:57:00 PM
Surr: 1,2-Dichloroethane-d4	111	70-130		%Rec	2	1/16/2023 7:57:00 PM
Surr: 4-Bromofluorobenzene	98.4	70-130		%Rec	2	1/16/2023 7:57:00 PM
Surr: Dibromofluoromethane	113	70-130		%Rec	2	1/16/2023 7:57:00 PM
Surr: Toluene-d8	100	70-130		%Rec	2	1/16/2023 7:57:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2301554

18-Jan-23

Client: HILCORP ENERGY

Project: McCoy Gas Com D 1E

Sample ID: 100ng lcs	SampType: LCS		TestCode: EPA Method 8260: Volatiles Short List							
Client ID: LCSW	Batch ID: SL93966		RunNo: 93966							
Prep Date:	Analysis Date: 1/16/2023		SeqNo: 3393533		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	21	1.0	20.00	0	106	70	130			
Toluene	21	1.0	20.00	0	105	70	130			
Surr: 1,2-Dichloroethane-d4	10		10.00		101	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		101	70	130			
Surr: Dibromofluoromethane	10		10.00		103	70	130			
Surr: Toluene-d8	9.8		10.00		98.0	70	130			

Sample ID: mb	SampType: MBLK		TestCode: EPA Method 8260: Volatiles Short List							
Client ID: PBW	Batch ID: SL93966		RunNo: 93966							
Prep Date:	Analysis Date: 1/16/2023		SeqNo: 3393534		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	10		10.00		103	70	130			
Surr: 4-Bromofluorobenzene	9.8		10.00		97.7	70	130			
Surr: Dibromofluoromethane	10		10.00		104	70	130			
Surr: Toluene-d8	9.9		10.00		99.2	70	130			

Qualifiers:

*

Value exceeds Maximum Contaminant Level.

D

Sample Diluted Due to Matrix

H

Holding times for preparation or analysis exceeded

ND

Not Detected at the Reporting Limit

PQL

Practical Quantitative Limit

S

% Recovery outside of standard limits. If undiluted results may be estimated.

B

Analyte detected in the associated Method Blank

E

Above Quantitation Range/Estimated Value

J

Analyte detected below quantitation limits

P

Sample pH Not In Range

RL

Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2301554

RcptNo: 1

Received By: Sean Livingston 1/14/2023 9:20:00 AM

Completed By: Sean Livingston 1/14/2023 9:48:50 AM

Reviewed By: *JA* 1-16-23

Sean Livingston

Sean Livingston

Chain of Custody

1. Is Chain of Custody complete? Yes ☐ No ☒ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☒ No ☐ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted? _____

Checked by: *JA 1/16/23*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person


Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.6	Good	Yes	YOGI		



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

May 26, 2023

Kate Kaufman
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX

RE: Mc Coy Gas Com D 1E

OrderNo.: 2305707

Dear Kate Kaufman:

Hall Environmental Analysis Laboratory received 1 sample(s) on 5/12/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order **2305707**

Date Reported: 5/26/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-1R

Project: Mc Coy Gas Com D 1E

Collection Date: 5/11/2023 1:50:00 PM

Lab ID: 2305707-001

Matrix: AQUEOUS

Received Date: 5/12/2023 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	2.0		µg/L	2	5/19/2023 5:42:00 PM
Toluene	ND	2.0		µg/L	2	5/19/2023 5:42:00 PM
Ethylbenzene	120	2.0		µg/L	2	5/19/2023 5:42:00 PM
Xylenes, Total	720	30		µg/L	20	5/23/2023 3:21:00 PM
Surr: 1,2-Dichloroethane-d4	90.7	70-130		%Rec	2	5/19/2023 5:42:00 PM
Surr: 4-Bromofluorobenzene	94.3	70-130		%Rec	2	5/19/2023 5:42:00 PM
Surr: Dibromofluoromethane	91.1	70-130		%Rec	2	5/19/2023 5:42:00 PM
Surr: Toluene-d8	106	70-130		%Rec	2	5/19/2023 5:42:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 1 of 2

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2305707
26-May-23

Client: HILCORP ENERGY
Project: Mc Coy Gas Com D 1E

Sample ID: 100ng lcs	SampType: LCS	TestCode: EPA Method 8260: Volatiles Short List								
Client ID: LCSW	Batch ID: SL96904	RunNo: 96904								
Prep Date:	Analysis Date: 5/19/2023	SeqNo: 3515298	Units: µg/L							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	19	1.0	20.00	0	96.4	70	130			
Toluene	20	1.0	20.00	0	102	70	130			
Surr: 1,2-Dichloroethane-d4	9.3		10.00		93.4	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		102	70	130			
Surr: Dibromofluoromethane	9.2		10.00		91.5	70	130			
Surr: Toluene-d8	9.8		10.00		97.6	70	130			

Sample ID: mb	SampType: MBLK	TestCode: EPA Method 8260: Volatiles Short List								
Client ID: PBW	Batch ID: SL96904	RunNo: 96904								
Prep Date:	Analysis Date: 5/19/2023	SeqNo: 3515299	Units: µg/L							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Surr: 1,2-Dichloroethane-d4	9.5		10.00		95.3	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		102	70	130			
Surr: Dibromofluoromethane	9.1		10.00		91.1	70	130			
Surr: Toluene-d8	9.7		10.00		97.2	70	130			

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of standard limits. If undiluted results may be estimated.
- B

Analyte detected in the associated Method Blank
- E

Above Quantitation Range/Estimated Value
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2305707

RcptNo: 1

Received By: Juan Rojas 5/12/2023 7:30:00 AM

Completed By: Michelle Garcia 5/12/2023 11:03:50 AM

Reviewed By: *ms 5/12/23 @ 15:10*

Juan Rojas

Michelle Garcia

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes ☒ No ☐ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by: *ms 5/12/23*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via:

☐ eMail

☐ Phone

☐ Fax

☐ In Person

Regarding:

Client Instructions:

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	3.5	Good	Yes	Morty		

Chain-of-Custody Record

Client: Hilcorp Farmington NM

Mailing Address: 382 Road 3100 Aztec, NM 87410

Billing Address: PO Box 61529 Houston, TX 77208

Phone #: 505-486-9543

email or Fax#: Brandon.Sinclair@hilcorp.com

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)

Accreditation: ☐ Az Compliance

☐ NELAC ☐ Other

☐ EDD (Type)

Turn-Around Time:

X Standard ☐ Rush

Project Name:

McCoy Gas Com D 1E

Project #:

Project Manager:

Kate Kaufman

Sampler: Brandon Sinclair

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CP): 3.440.123.5

Container Type and #

Preservative Type

HEAL No.

2305707

(3) 40ml VOA

HCL

-001

BTEX Method 8260

X

Date: 5-11

Time: 1717

Relinquished by: [Signature]

Relinquished by:

Date: 5/11/23

Time: 1804

Relinquished by: [Signature]

Relinquished by:

Received by: [Signature]

Via:

Date: 5/11/23

Time: 1717

Received by: [Signature]

Via:

Date: 5/12/23

Time: 7:30

Remarks: Special Pricing See Andy

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

August 02, 2023

Mitch Killough

HILCORP ENERGY

PO Box 4700

Farmington, NM 87499

TEL: (505) 564-0733

FAX:

RE: McCoy Gas Com D 1E

OrderNo.: 2307B21

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 1 sample(s) on 7/25/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman".

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 2307B21

Date Reported: 8/2/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: MW-1R

Project: McCoy Gas Com D 1E

Collection Date: 7/24/2023 9:55:00 AM

Lab ID: 2307B21-001

Matrix: AQUEOUS

Received Date: 7/25/2023 6:20:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: CCM
Benzene	ND	2.0		µg/L	2	7/27/2023 9:39:00 PM
Toluene	ND	2.0		µg/L	2	7/27/2023 9:39:00 PM
Ethylbenzene	5.3	2.0		µg/L	2	7/27/2023 9:39:00 PM
Xylenes, Total	53	3.0		µg/L	2	7/27/2023 9:39:00 PM
Surr: 1,2-Dichloroethane-d4	107	70-130		%Rec	2	7/27/2023 9:39:00 PM
Surr: 4-Bromofluorobenzene	121	70-130		%Rec	2	7/27/2023 9:39:00 PM
Surr: Dibromofluoromethane	110	70-130		%Rec	2	7/27/2023 9:39:00 PM
Surr: Toluene-d8	108	70-130		%Rec	2	7/27/2023 9:39:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2307B21
02-Aug-23

Client: HILCORP ENERGY
Project: McCoy Gas Com D 1E

Sample ID: 100ng lcs	SampType: LCS		TestCode: EPA Method 8260B: Volatiles Short List							
Client ID: LCSW	Batch ID: SL98537		RunNo: 98537							
Prep Date:	Analysis Date: 7/27/2023		SeqNo: 3588926		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	22	1.0	20.00	0	110	70	130			
Toluene	20	1.0	20.00	0	101	70	130			
Surr: 1,2-Dichloroethane-d4	11		10.00		111	70	130			
Surr: 4-Bromofluorobenzene	12		10.00		119	70	130			
Surr: Dibromofluoromethane	11		10.00		113	70	130			
Surr: Toluene-d8	11		10.00		105	70	130			

Sample ID: mb	SampType: MBLK		TestCode: EPA Method 8260B: Volatiles Short List							
Client ID: PBW	Batch ID: SL98537		RunNo: 98537							
Prep Date:	Analysis Date: 7/27/2023		SeqNo: 3588927		Units: µg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	11		10.00		114	70	130			
Surr: 4-Bromofluorobenzene	11		10.00		114	70	130			
Surr: Dibromofluoromethane	12		10.00		119	70	130			
Surr: Toluene-d8	10		10.00		104	70	130			

Qualifiers:

*

Value exceeds Maximum Contaminant Level.

D

Sample Diluted Due to Matrix

H

Holding times for preparation or analysis exceeded

ND

Not Detected at the Reporting Limit

PQL

Practical Quantitative Limit

S

% Recovery outside of standard limits. If undiluted results may be estimated.

B

Analyte detected in the associated Method Blank

E

Above Quantitation Range/Estimated Value

J

Analyte detected below quantitation limits

P

Sample pH Not In Range

RL

Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2307B21

RcptNo: 1

Received By: Tracy Casarrubias 7/25/2023 6:20:00 AM

Completed By: Tracy Casarrubias 7/25/2023 8:39:54 AM

Reviewed By: *SCM 07/25/23*

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐

2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐

4. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐

5. Sample(s) in proper container(s)? Yes ☒ No ☐

6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐

7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐

8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐

9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes ☒ No ☐ NA ☐

10. Were any sample containers received broken? Yes ☐ No ☒

11. Does paperwork match bottle labels? Yes ☒ No ☐

(Note discrepancies on chain of custody)

12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐

13. Is it clear what analyses were requested? Yes ☒ No ☐

14. Were all holding times able to be met? Yes ☒ No ☐

(If no, notify customer for authorization.)

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by: *SCM 7/25/23*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.8	Good	Yes	Yogi		

Chain-of-Custody Record

Client: Hilcorp Farmington NM

Mailing Address: 382 Road 3100 Aztec, NM 87410

Billing Address: PO Box 61529 Houston, TX 77208

Phone #: 505-486-9543

email or Fax#: Brandon.Sinclair@hilcorp.com

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)

Accreditation: ☐ Az Compliance

☐ NELAC ☐ Other

□ EDD (Type)

--	--	--	--

Date	Time	Matrix	Sample Name
------	------	--------	-------------

7-74	975	Water
------	-----	-------

Water	MW-1R
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

Date:	Time:	Relinquished by:
-------	-------	------------------

Relinquished by: 

Date:	Time:	Relinquished by:
-------	-------	------------------

Relinquished by: Ch Wall

necessary samples submitted to Hall Environmental monitoring contracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Turn-Around Time:

☒ Standard ☐ Rush

Project Name:

McCoy Gas Com D 1E

Project #:

Project Manager:

Mitch Killough

Sampler: Brandon Sinclair

On Ice: ☒ Yes ☐ No

# of Coolers:	
---------------	--

Cooler Temp (including CF): 1.8-2.8-1.8-

Container Type and #	Preservative Type	HEAL No. 7307BZ1
-------------------------	----------------------	---------------------

(3) 40ml VOA	HCl	301
--------------	-----	-----


Received by:	Via:	Date	Time
--------------	------	------	------

Received by:	Via:	Date	Time
Christina		7/24/23	1510

Received by:	Via: <u>CALL</u>	Date	Time
--------------	------------------	------	------

Received by: Via. C.A. 11/11/2011 Date: 11/11/2011 Time: 11:20

Remarks: Special Pricing See Andy



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

October 25, 2023

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX:

RE: McCoy Gas Com D 1E

OrderNo.: 2310386

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/7/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report
Lab Order 2310386
Date Reported: 10/25/2023

CLIENT: HILCORP ENERGY Client Sample ID: MW-1R
Project: McCoy Gas Com D 1E Collection Date: 10/6/2023 11:40:00 AM
Lab ID: 2310386-001 Matrix: AQUEOUS Received Date: 10/7/2023 7:23:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JR
Benzene	ND	1.0		µg/L	1	10/9/2023 4:09:14 PM
Toluene	ND	1.0		µg/L	1	10/9/2023 4:09:14 PM
Ethylbenzene	33	1.0		µg/L	1	10/9/2023 4:09:14 PM
Xylenes, Total	130	1.5		µg/L	1	10/9/2023 4:09:14 PM
Surr: 4-Bromofluorobenzene	90.6	70-130		%Rec	1	10/9/2023 4:09:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2310386

25-Oct-23

Client: HILCORP ENERGY

Project: McCoy Gas Com D 1E

Sample ID: 100ng lcs4	SampType: LCS4	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: BatchQC	Batch ID: SL100329	RunNo: 100329								
Prep Date:	Analysis Date: 10/9/2023	SeqNo: 3674658	Units: µg/L							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	101	80	120			
Toluene	21	1.0	20.00	0	103	80	120			
Ethylbenzene	21	1.0	20.00	0	105	80	120			
Xylenes, Total	64	1.5	60.00	0	107	80	120			
Surr: 1,2-Dichloroethane-d4	9.2		10.00		92.3	70	130			
Surr: 4-Bromofluorobenzene	9.8		10.00		97.5	70	130			
Surr: Dibromofluoromethane	9.8		10.00		97.9	70	130			
Surr: Toluene-d8	9.6		10.00		96.0	70	130			

Sample ID: mb	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBW	Batch ID: SL100329	RunNo: 100329								
Prep Date:	Analysis Date: 10/9/2023	SeqNo: 3674660	Units: µg/L							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	8.2		10.00		82.4	70	130			
Surr: 4-Bromofluorobenzene	10		10.00		99.5	70	130			
Surr: Dibromofluoromethane	9.8		10.00		97.6	70	130			
Surr: Toluene-d8	9.6		10.00		96.0	70	130			

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of standard limits. If undiluted results may be estimated.
- B

Analyte detected in the associated Method Blank
- E

Above Quantitation Range/Estimated Value
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit



**HALL
ENVIRONMENTAL
ANALYSIS
LABORATORY**

Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: **HILCORP ENERGY**

Work Order Number: **2310386**

RcptNo: **1**

Received By: **Juan Rojas** 10/7/2023 7:23:00 AM

Completed By: **Cheyenne Cason** 10/9/2023 7:37:15 AM

Reviewed By: *JR* 10-9-23

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes ☒ No ☐ NA ☐
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

of preserved
bottles checked
for pH:

(≤2 or >12 unless noted)

Adjusted? _____

Checked by: *san* 10/9/23

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	4.0	Good	Yes	Yogi		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 326291

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:
	372171
	Action Number:
	326291
Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)	

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Annual Groundwater Monitoring Report for the McCoy Gas Com D 1E, Hilcorp Energy Company, Incident Number [NCS2105634419]: Content is satisfactory, but insufficient for closure. 1. Annual Groundwater Report is accepted for the record. 2. In order to meet abatement completion and closure of the incident, Hilcorp must submit an abatement and completion report for the site in accordance with 19.15.30.19 of the NMAC 2. With the closure and completion report there must be a work plan also submitted for sampling the vadose zone to demonstrate the release at the site has met closure criteria and the abatement standards, as per 19.15.30.9 paragraph D of the NMAC. 3. Please upload the approved Groundwater Monitoring Plan into the incident/well file via online permitting site.	5/23/2024