

O-LOOP LINE LEAK (09.09.23)

Remediation Summary & Closure Report

NMOCD Incident No. nAPP2325748815
UL "I&J", Sec. 23, T17S, R32E
32.515113°, -103.325036°
Lea County, New Mexico

August 15, 2024



PREPARED ON BEHALF OF

DCP Operating
Company, LP
370 17th St., Suite 2500
Denver, CO 88240



PREPARED BY

Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240



August 15, 2024

DCP Operating Company, LP
370 17th Street, Suite 2500
Denver, Colorado 88240

Attn: Mr. Raymond Smalts
Email: Raymond.A.Smalts@p66.com

Re: Remediation Summary & Closure Report
O Loop Line Leak (12/11/2023)
UL "F", Section 01, Township 21 South, Range 35 East
Lea County, New Mexico
NMOCD Incident No. nAPP2334858089
Tasman Project No. 6697

Dear Mr. Smalts,

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the above referenced site. Site assessment and remediation activities were executed in accordance with the New Mexico Oil Conservation Division (NMOCD) regulations concerning the remediation of releases of natural gas and natural gas condensate to the environment.

Tasman conducted initial assessment activities, identifying an approximately 3,877 square foot area that had been impacted by the release. Heavy equipment was used to remove approximately 986 cubic yards of impacted material from the release area. Based on laboratory analytical results from soil samples collected during confirmation sampling activities, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels and in accordance with NMOCD standards. Additional project details are provided in the attached summary report.

Tasman appreciates the opportunity to provide environmental services to DCP Operating Company, LP. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Sincerely,
Tasman, Inc.

Brett Dennis
Project Manager
bdennis@tasman-geo.com

Kyle Norman
SW Regional Manager
knorman@tasman-geo.com

TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 Site Description	1
1.2 Release Detail and Initial Response.....	1
2.0 SITE CHARACTERISTICS.....	1
2.1 Depth to Groundwater	1
2.2 Karst Potential & Subsurface Mines	2
2.3 Distance to Nearest Potable Water Well.....	2
2.4 Distance to Nearest Surface Water	2
2.5 100-year Floodplain.....	2
2.6 Residence, School, Hospital, or Institution	2
2.7 Proximity to Sensitive Receptors and Site Characteristics Summary	2
3.0 REMEDIATION ACTION LEVELS	3
3.1 Reclamation Levels.....	3
4.0 SOIL SAMPLING PROCEDURES	4
4.1 Soil Sampling Procedures for Laboratory Analysis.....	4
4.2 Soil Analytical Methods.....	4
5.0 SUMMARY OF REMEDIAL ACTIVITIES.....	4
5.1 Remedial Activities	4
5.2 Confirmation Data Evaluation.....	5
6.0 RESTORATION AND RECLAMATION	5
7.0 SITE CLOSURE REQUEST.....	6

Figures

- Figure 1 – Site Location & Groundwater Map
- Figure 2 – Karst Potential & Subsurface Mine Map
- Figure 3 – Surface Water Map
- Figure 4 – FEMA FIRMet Map
- Figure 5 – Excavation Overview Map

Tables

- Table 1 – Soil Sample Analytical Summary – Confirmation Soil Samples

Appendix A –BLM and NMOCD Notifications

Appendix B – Depth to Groundwater Information

Appendix C – Manifests

Appendix D – Photographic Log

Appendix E – Certified Laboratory Analytical Reports



1.0 INTRODUCTION

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the D Ext 3 Line Leak (site) on behalf of DCP Operating Company, LP (DCP), documenting the results of field activities conducted in response to a release of natural gas and natural gas condensate to environmental media.

1.1 Site Description

The site is located in Unit Letter "F" of Section 01, Township 21 South, Range 35 East in Lea County, New Mexico. The release occurred from the D Ext 3 pipeline, an 8-inch diameter steel natural gas pipeline. The release occurred on private property.

1.2 Release Detail and Initial Response

On December 11, 2023, the D Ext 3 pipeline was discovered by DCP personnel to have failed due to a blow out. On December 14, 2023, DCP provided notice of release to the NMOCD portal. The release resulted in the loss of approximately 14 barrels (bbls) of produced water to the surrounding environmental media. DCP personnel shut in the pipeline to isolate the release. The line was later repaired and returned to service. No produced water was recovered. A copy of the Initial C-141 and NOR notifications are provided in Appendix A.

2.0 SITE CHARACTERISTICS

2.1 Depth to Groundwater

Tasman reviewed available depth to groundwater information available through the New Mexico Office of the State Engineer (NMOSE) and the United States Geologic Survey (USGS) for registered water wells within a half-mile radius of the site. The nearest well with available groundwater level data is located 0.51 miles northeast of the site, identified as USGS 323053103191201. Depth to groundwater was measured at 133.01 feet below ground surface (bgs) in 1996.

The Site Location & Groundwater Map included as Figure 1 illustrates the location of the registered water wells within the vicinity of the site, and a summary of depth to groundwater information is provided as Appendix B.



2.2 Karst Potential & Subsurface Mines

Tasman utilized the publicly available karst potential map published by the Bureau of Land Management (BLM) Carlsbad Field Office (CFO) to determine the potential for encountering karst formations beneath the site. Review of the BLM CFO karst potential map indicates that the site is not located in an area of high potential to encounter karstic features.

Tasman utilized the USGS Mineral Resources database to determine that there are no subsurface mines beneath or in the vicinity of the site.

Areas of high/critical karst and subsurface mine locations are illustrated on Figure 2.

2.3 Distance to Nearest Potable Water Well

The nearest potable water well is the well gauged on March 13, 1996, that is assumed to be USGS 323053103191201. The well is located 0.51 miles from the site. The location of USGS 323053103191201 is shown on the attached Figure 1.

2.4 Distance to Nearest Surface Water

Tasman reviewed aerial imagery and the National Wetland Inventory Map, published by the U.S. Fish and Wildlife Service, for wetlands and surface water in the vicinity of the site. The nearest significant surface water was identified as Sheep Tank Lake, located 2.35 miles from the site. The location of the nearest surface water body can be seen on Figures 1 and 3.

2.5 100-year Floodplain

Review of flood map data published by the Federal Emergency Management Agency (FEMA) indicates the site is not located within a 100-year floodplain. A copy of the FEMA FIRMete Map can be found attached as Figure 4.

2.6 Residence, School, Hospital, or Institution

Review of aerial imagery did not show that the site is within 300 feet of an occupied permanent residence, school, hospital, or institution.

2.7 Proximity to Sensitive Receptors and Site Characteristics Summary

The table below denotes if the site is located within the minimum allowable distance from a

sensitive receptor, as defined in New Mexico Administrative Code (NMAC) 19.15.29.

Site Characteristics Summary		
Approximate depth to groundwater:	~ 133 ft bgs	
Within an area of high karst potential?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of any continuously flowing of significant watercourse?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 500 ft. of a spring or private, domestic fresh water well?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 1,000 ft. of any fresh water well?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within the incorporated municipal boundaries or within a municipal well field?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of a wetland?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within an unstable area?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within a 100-year floodplain?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

3.0 REMEDIATION ACTION LEVELS

NMOCD assessment and cleanup levels for hydrocarbon and produced water releases are based on depth to groundwater and proximity to sensitive receptors as established in NMAC 19.15.29. Based on site characteristics described in Section 2.0, the NMOCD Action Levels for a site with a depth to groundwater of less than 50 feet bgs were utilized; these Action Levels are as follows:

Constituent	Remediation Action Level
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
TPH (GRO+DRO)	100 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

TPH – total petroleum hydrocarbons

DRO – diesel range organics

BTEX – benzene, toluene, ethylbenzene, total xylenes

GRO – gasoline range organics

MRO – motor/lube oil range organics

mg/kg – milligrams per kilogram

3.1 Reclamation Levels

NMAC 19.15.29.13(D) codifies, and the *Procedures for Implementation of the Spill Rule*, dated September 6, 2019, clarifies that the top four feet of the remediated area should be non-waste containing. Therefore, the NMOCD Reclamation Standards are applied to the top four feet of any area impacted by a release that is not located within an active production facility. NMOCD Reclamation Standards are as follows:

Constituent	Reclamation Standard
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

4.0 SOIL SAMPLING PROCEDURES

4.1 Soil Sampling Procedures for Laboratory Analysis

The collection of soil samples for laboratory analysis was conducted in accordance with NMOCD criteria and generally approved industry standards. Collected soil samples were placed in laboratory provided containers, properly labeled, and preserved on ice pending delivery under a chain of custody form to Cardinal Laboratory in Hobbs, New Mexico.

4.2 Soil Analytical Methods

Each soil sample was analyzed using Environmental Protection Agency (EPA) methods or other NMOCD-approved methods. Laboratory analytical methods are as follows:

- Chloride – EPA Method SM4500.
- Total Petroleum Hydrocarbons (TPH) – gasoline, diesel, and motor/lube oil range organics (GRO+DRO+MRO) – EPA Method 8015M Extended.
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) – EPA Method 8021B.

5.0 SUMMARY OF REMEDIAL ACTIVITIES

5.1 Remedial Activities

From February 1 to March 6, 2024, Tasman utilized heavy equipment to excavate impacted soil from within the release margins. Excavated material was stockpiled on-site atop a polyethylene liner pending transportation to an NMOCD approved disposal facility.

The remedial final excavations measured approximately 267 feet long by 49 feet wide ranging from 2 to 17 feet bgs. A total of 986 cubic yards of excavated material was exported to Lea Land, LLC Landfill.

Copies of solid manifests are provided as Appendix C and a photographic log is provided as

Appendix D.

5.2 Confirmation Data Evaluation

On April 23, 2024, Tasman provided a 48-hour mobilization notice to the NMOCD Portal (Appendix A). On April 25, 2024, Tasman mobilized to the site to collect confirmation soil samples from the base and sidewalls of the remedial excavation. Twenty-seven confirmation soil samples were collected from the base of the excavation and five confirmation soil samples were collected from the sidewalls of the excavation. Each confirmation soil sample was collected as a five-point composite representing approximately 200 square feet (ft²) or less of excavation base or sidewall area.

Detected concentrations of total TPH did not exceed applicable NMOCD Action Levels in each of the confirmation soil samples, ranging from 10.2 milligrams per kilogram (mg/kg) to 2,272 mg/kg. Due to the elevated total TPH concentration in FI-8 and FI-13, Tasman personnel were on site to deepen the excavation. On May 14, 2024, Tasman collected an additional floor sample from the base of the excavation, yielding a concentration of below reported detection limits and 24.8 mg/kg, respectively.

Concentrations of chlorides did not exceed applicable NMOCD Action Levels throughout, ranging from 32.0 mg/kg to 32.0 mg/kg. Due to the elevated chloride concentration in FI-11, Tasman personnel were on site to deepen the excavation. On May 14, 2024, Tasman collected an additional floor sample from the base of the excavation, yielding a concentration of 80.0 mg/kg.

Benzene and total BTEX did not exceed applicable NMOCD Action Levels in each of the collected confirmation soil samples.

A summary of soil analytical results is provided as Table 1 and certified laboratory analytical reports are provided in Appendix E. The attached Figure 5 illustrates excavation extents and confirmation sample locations.

6.0 RESTORATION AND RECLAMATION


Areas affected by the release and associated remediation activities will be restored to the condition which existed prior to the release to the maximum extent possible.



7.0 SITE CLOSURE REQUEST

Based on laboratory analytical results from soil samples collected during the confirmation sampling events, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels in accordance with NMAC 19.15.29. As such, Tasman, on behalf of DCP, respectfully requests that the site be granted closure.

Figures



DATE:	April 2024
DESIGNED BY:	L. Flores
DRAWN BY:	L. Flores




Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

DCP Operating Company, LP
O Loop Line Leak (09.09.23) - nAPP2325748815
UL "I&J", Sec. 23, T17S, R32E
Lea County, New Mexico

Site Location & Groundwater
Map

Figure
1



DATE:	April 2024
DESIGNED BY:	L. Flores
DRAWN BY:	L. Flores



Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

DCP Operating Company, LP
O Loop Line Leak (09.09.23) - nAPP2325748815
UL "I&J", Sec. 23, T17S, R32E
Lea County, New Mexico

Karst Potential & Subsurface
Mine Map

Figure
2



DATE:	L. Flores
DESIGNED BY:	B. Dennis
DRAWN BY:	L. Flores



Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

DCP Operating Company, LP
O Loop Line Leak (09.09.23) - nAPP2325748815
UL "I&J", Sec. 23, T17S, R32E
Lea County, New Mexico

Surface Water Map

Figure
3

National Flood Hazard Layer FIRMette



103°44'15"W 32°49'21"N



Legend

Figure 4


SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- | | | |
|-----------------------------|--|---|
| SPECIAL FLOOD HAZARD AREAS | | Without Base Flood Elevation (BFE)
Zone A, V, A99 |
| | | With BFE or Depth Zone AE, AO, AH, VE, AR |
| | | Regulatory Floodway |
| OTHER AREAS OF FLOOD HAZARD | | 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X |
| | | Future Conditions 1% Annual Chance Flood Hazard Zone X |
| | | Area with Reduced Flood Risk due to Levee. See Notes. Zone X |
| | | Area with Flood Risk due to Levee Zone D |
| OTHER AREAS | | NO SCREEN Area of Minimal Flood Hazard Zone X |
| | | Effective LOMRs |
| | | Area of Undetermined Flood Hazard Zone D |
| GENERAL STRUCTURES | | Channel, Culvert, or Storm Sewer |
| | | Levee, Dike, or Floodwall |
| OTHER FEATURES | | 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation |
| | | 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation |
| | | Coastal Transect |
| | | Base Flood Elevation Line (BFE) |
| | | Limit of Study |
| | | Jurisdiction Boundary |
| MAP PANELS | | Coastal Transect Baseline |
| | | Profile Baseline |
| | | Hydrographic Feature |
| MAP PANELS | | Digital Data Available |
| | | No Digital Data Available |
| | | Unmapped |
- The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/25/2024 at 3:02 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



DATE:	April 2024
DESIGNED BY:	L. Flores
DRAWN BY:	L. Flores



Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

DCP Operating Company, LP
O Loop Line Leak (09.09.23) - nAPP2325748815
UL "I&J", Sec. 23, T17S, R32E
Lea County, New Mexico

Excavation Overview Map

Figure
5

Table

TABLE 1
SOIL ANALYTICAL SUMMARY
DCP Operating Company, LP
O Loop Line Leak

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene (mg/kg)	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
FI-1	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	22.3	<10.0	22.3	400
FI-2	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	352
FI-3	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	16.9	<10.0	16.9	320
FI-4	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	64.0
FI-5	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	96.0
FI-6	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	160
FI-7	14'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	22.0	<10.0	22.0	320
FI-8	14'	4/25/2024	Excavated	---	---	<0.050	<0.300	<10.0	97.4	13.7	111	272
	15'	5/14/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	64.0
FI-9	14'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
FI-10	14'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	62.2	<10.0	62.2	256
FI-11	12'	4/25/2024	Excavated	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	1,540
	17'	5/14/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	80.0
FI-12	12'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	576
FI-13	12'	4/25/2024	Excavated	---	---	<0.050	2.45	60.3	1,850	362	2272	1,070
	15'	5/14/2024	In-Situ	---	---	<0.050	<0.300	<10.0	24.8	<10.0	24.8	272
FI-14	12'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	33.0	<10.0	33.0	416
FI-15	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	10.3	<10.0	10.3	304
FI-16	4'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	224
FI-17	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	496
FI-18	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	13.3	11.9	25.2	240
FI-19	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	288
FI-20	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	80.0
FI-21	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	192
FI-22	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	160
FI-23	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	336
FI-24	2'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	160
FI-25	3'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	208
FI-26	3'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	240
FI-27	3'	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	288
W-1	---	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	16.0
W-2	---	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
W-3	---	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0
W-4	---	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	10.2	<10.0	10.2	384
W-5	---	4/25/2024	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	176
NMOCD Action Levels ⁴				N/A	N/A	10	50	N/A		N/A	100	600

Notes:

1. BTEX = Benzene, toluene, ethylbenzene, and total xylenes by EPA method 8021B

2. TPH = Total petroleum hydrocarbons analyzed by method EPA 8015M (GRO/DRO/MRO)

3. Chloride - Analyzed by EPA method 300

4. New Mexico Oil Conservation Division (NMOCD) Remediation and Delineation Standards (NMAC 19.15.29.12(N))

* = Denotes discrete/grab sample. All other samples are five-point composites

N/A = Not applicable

Bold values denote concentrations above laboratory RDL**Red** values denote concentrations above NMOCD Action Levels

BGS = Below ground surface

GRO = Gasoline range organics

DRO = Diesel range organics

MRO = Motor/lube oil range organics

PID = Photoionization detector

--- = Sample was not analyzed for this analyte

<RDL = The analyte was not detected above the laboratory reported detection limit (RDL)

Appendix A – BLM and NMOCD Correspondence

From: [Kyle Norman](#)
To: [BLM_NM_CFO_Realty_spill@BLM.gov](#); [sitaylor@blm.gov](#)
Cc: [kelley.r.michael@p66.com](#); [Case, Nicholas L](#); [Smalts, Raymond A](#); [Dalv, Stacey](#); [Brett Dennis](#); [Laura Flores](#)
Subject: BLM Notification P66_6309_O-Loop Line Leak (9.9.23)_nAPP2325748815
Date: Friday, September 15, 2023 2:09:00 PM
Attachments: [O-Loop Line Leak \(9.9.23\) - Release Extent.kmz](#)
[image001.png](#)
[O-Loop Line Leak_2023-09-11_08-39-53.jpg](#)
[O-Loop Line Leak_2023-09-11_08-39-29.jpg](#)

Ms. Taylor,

Please see attached kmz file and photos on the P66 O Loop Line release and the information below.

GPS Data 32.818208, -103.732407

Date of Discovery: 9/9/2023

Produced Water released: 8.5 bbls

Recovered: 0 bbls

Leak area: 3,887 sq. ft.

Please let me know if you have any questions or need anything from me.

Regards,

Kyle Norman

Regional Project Manager

Tasman, Inc.

2620 W. Marland Blvd.

Hobbs, NM 88240

C: 575-318-5017

knorman@tasman-geo.com

www.tasman-geo.com



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2325748815
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party DCP Operating Company, LP	OGRID 36785
Contact Name: Raymond Smalts	Contact Telephone 575-234-6405
Contact email: Raymond.A.Smalts@p66.com	Incident # (assigned by OCD): nAPP2325748815
Contact mailing address 5301 Sierra Vista Drive 900	Carlsbad, NM 88220

Location of Release Source

Latitude 32.818208 Longitude -103.732407
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: O-Loop Line Leak	Site Type: Blow out
Date Release Discovered: 9/9/2023	API# (if applicable)

Unit Letter	Section	Township	Range	County
I & J	23	17S	32E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: BLM)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls): 8.5	Volume Recovered (bbls): N/A
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

On September 9, 2023, DCP Ops discovered a leak on the O-Loop pipeline due to internal corrosion and resulting in a blow out. DCP Ops has shut in the pipeline and scheduled for repairs.

Form C-141

State of New Mexico
Oil Conservation Division


Page 2

Incident ID	nAPP2325748815
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped.	
<input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Raymond Smalts	Title: Sr. Environmental Engineer
Signature: 	Date: 9/18/2023
email: Raymond.A.Smalts@p66.com	Telephone: 575-234-6405
<u>OCD Only</u>	
Received by: _____	Date: _____

Barrels Released Calculation

$$\frac{\text{Square Footage}}{27} \times \frac{3878}{\text{Height (ft)}} \times 0.333 = 47.82867 \text{ feet}^3$$

$$47.828667 \times 0.1781 = 8.5182855 \text{ barrels released}$$

OCD Permitting

Home Operator Data Action Status Action Search Results Action Status Item Details

[NOTIFY] Notification Of Release (NOR) Application

Submission Information

Submission ID:	265424	Districts:	Hobbs
Operator:	[36785] DCP OPERATING COMPANY, LP	Counties:	Lea
Description:	DCP OPERATING COMPANY, LP [36785] , O-LOOP LINE LEAK , nAPP2325748815		
Status:	APPROVED		
Status Date:	09/14/2023		
References (1):	nAPP2325748815		

Forms

This application type does not have attachments.

Questions

Location of Release Source

Please answer all the questions in this group.

Site Name	O-Loop Line Leak
Date Release Discovered	09/09/2023
Surface Owner	Federal

Incident Details

Please answer all the questions in this group.

Incident Type	Blow Out
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	Not answered.
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Blow Out Pipeline (Any) Produced Water Released: 9 BBL Recovered: 0 BBL Lost: 9 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.

08/12/24, 7:06 PM			
Natural Gas Flared (Mcf) Details	Not answered.		
Other Released Details	Not answered.	SIGN-INHELP	
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.		
		Searches	Operator DataHearing Fee Application

Nature and Volume of Release (continued)

Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a “gas only” report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.







Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

Acknowledgments

-  I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
-  I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
-  I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
-  I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
-  I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
-  I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Comments

No comments found for this submission.

Conditions

Summary: knorman (9/14/2023), When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.

Reasons

No reasons found for this submission.

Go Back

SIGN-IN HELP

Searches Operator Data Hearing Fee Application

New Mexico Energy, Minerals and Natural Resources Department | Copyright 2012
1220 South St. Francis Drive | Santa Fe, NM 87505 | P: (505) 476-3200 | F: (505) 476-3220

EMNRD Home OCD Main Page OCD Rules Help

OCD Permitting

Home Operator Data Action Status Action Search Results Action Status Item Details

[NOTIFY] Notification Of Sampling (C-141N) Application

Submission Information

Submission ID:	336342	Districts:	Hobbs
Operator:	[36785] DCP OPERATING COMPANY, LP	Counties:	Lea
Description:	DCP OPERATING COMPANY, LP [36785] , O-LOOP LINE LEAK , nAPP2325748815		
Status:	APPROVED		
Status Date:	04/23/2024		
References (1):	nAPP2325748815		

Forms

This application type does not have attachments.

Questions

Prerequisites

Incident ID (n#)	nAPP2325748815
Incident Name	NAPP2325748815 O-LOOP LINE LEAK @ 0
Incident Type	Blow Out
Incident Status	Initial C-141 Approved

Location of Release Source

Site Name	O-LOOP LINE LEAK
Date Release Discovered	09/09/2023
Surface Owner	Federal

Sampling Event General Information

Please answer all the questions in this group.

What is the sampling surface area in square feet	6,400
What is the estimated number of samples that will be gathered	32
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	04/25/2024
Time sampling will commence	09:00 AM
Warning: Notification can not be less than two business days prior to conducting final sampling.	
Please provide any information necessary for observers to contact samplers	Please contact Kyle Norman 575 318 5017
Please provide any information necessary for navigation to sampling site	Please contact Kyle Norman 575 318 5017

Acknowledgments

SIGN-IN HELP

This submission type does not have acknowledgments, at this time.

Searches Operator Data Hearing Fee Application

Comments

No comments found for this submission.

Conditions

Summary: knorman (4/23/2024), Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.

Reasons

No reasons found for this submission.

Go Back

New Mexico Energy, Minerals and Natural Resources Department | Copyright 2012
1220 South St. Francis Drive | Santa Fe, NM 87505 | P: (505) 476-3200 | F: (505) 476-3220

EMNRD Home OCD Main Page OCD Rules Help

Appendix B – Depth to Groundwater Information



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
L	12974 POD1	3	4	3	18	17S	33E	621233	3632940

Driller License:	1682	Driller Company:	HUNGRY HORSE, LLC.		
Driller Name:	NORRIS, JOHN D. (LD)				
Drill Start Date:	04/20/2012	Drill Finish Date:	04/27/2012	Plug Date:	
Log File Date:	05/03/2012	PCW Rcv Date:		Source:	Shallow
Pump Type:		Pipe Discharge Size:		Estimated Yield:	
Casing Size:	8.75	Depth Well:	140 feet	Depth Water:	130 feet

Water Bearing Stratifications:	Top	Bottom	Description
	10	135	Sandstone/Gravel/Conglomerate

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/25/24 12:36 PM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
L	02770 S2	2	2	3	18	17S	33E	621338	3633583*

Driller License:	79	Driller Company:	ALDREDGE, D.O.		
Driller Name:	C.O. ALDREDGE				
Drill Start Date:	06/01/1955	Drill Finish Date:	06/06/1955	Plug Date:	
Log File Date:	07/11/1955	PCW Rcv Date:	06/27/1955	Source:	Shallow
Pump Type:	TURBIN	Pipe Discharge Size:		Estimated Yield:	
Casing Size:	10.00	Depth Well:	214 feet	Depth Water:	184 feet

Water Bearing Stratifications:	Top	Bottom	Description
	196	214	Other/Unknown

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/25/24 12:39 PM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer

Point of Diversion Summary

Well Tag	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)						(NAD83 UTM in meters)	
		(quarters are smallest to largest)						X	Y
		Q64	Q16	Q4	Sec	Tws	Rng		
L	02770 S3	2	2	3	18	17S	33E	621338	3633583*

Driller License:	79	Driller Company:	ALDREDGE, D.O.		
Driller Name:	C.O. ALDREDGE				
Drill Start Date:	07/14/1955	Drill Finish Date:	07/16/1955	Plug Date:	
Log File Date:	10/06/1955	PCW Rcv Date:	10/06/1955	Source:	Shallow
Pump Type:		Pipe Discharge Size:		Estimated Yield:	
Casing Size:	10.75	Depth Well:	220 feet	Depth Water:	202 feet

Water Bearing Stratifications:	Top	Bottom	Description
	202	215	Other/Unknown

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface


USGS Water Resources

Data Category:
Groundwater

Geographic Area:
United States

GO

Click to hideNews Bulletins

- Explore the NEW [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for the Nation

 Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 324954103420301

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 324954103420301 17S.33E.18.322332

Lea County, New Mexico
Latitude 32°49'59", Longitude 103°42'15" NAD27
Land-surface elevation 4,224.00 feet above NGVD29
The depth of the well is 220 feet below land surface.
This well is completed in the High Plains aquifer (N100HGHPLN) national aquifer.
This well is completed in the Ogallala Formation (121OGLL) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1961-03-13			D	62610	4027.42	NGVD29	1	Z			A
1961-03-13			D	62611	4029.07	NAVD88	1	Z			A
1961-03-13			D	72019	196.58		1	Z			A
1976-03-01			D	62610	4029.23	NGVD29	1	Z			A
1976-03-01			D	62611	4030.88	NAVD88	1	Z			A
1976-03-01			D	72019	194.77		1	Z			A
1981-01-27			D	62610	4029.36	NGVD29	1	Z			A
1981-01-27			D	62611	4031.01	NAVD88	1	Z			A
1981-01-27			D	72019	194.64		1	Z			A
1986-03-26			D	62610	4028.85	NGVD29	1	Z			A
1986-03-26			D	62611	4030.50	NAVD88	1	Z			A
1986-03-26			D	72019	195.15		1	Z			A

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions or Comments](#)
[Automated retrievals](#)

4/25/24, 12:45 PM

USGS Groundwater for USA: Water Levels -- 1 sites

[Help](#)
[Data Tips](#)
[Explanation of terms](#)
[Subscribe for system changes](#)
[News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2024-04-25 14:45:25 EDT

0.33 0.29 nadww01



Appendix C – Manifests

RC Code: _____
 Project: _____
 Line: _____
 PO#: 1000545457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-0-Loop Line</u> <u>Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-5-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>1</u>	<u>12</u>	Contaminated Soil	<u>12</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <u>Janice Hyman</u>	Date:
Transporter: <u>364</u> <u>BJ Truck</u>	Driver: <u>Enrique</u>	Driver: <u>Enrique</u>	Date: <u>4-5-24</u>
Contact information: <u>Kyle Norman</u>	Phone: <u>575-318-5017</u>	Phone:	
Receiver: <u>[Signature]</u>	Representative:	Representative:	Date <u>4/5/24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND**
— LLC —**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202734	Trailer No. DJ 364		
GENERATOR	Company Name: DCP Midstream Phone: (432) 413-3601		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-05-2024 01:59 PM
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs):				
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
Transporter: Acknowledgment of Delivery of Material					
Printed/Typed Name (Impreso/Mecanografico): <u>Enrigio</u>					
Signature (Firma): X <u>Enrigio</u> Date: 04-05-2024 01:59 PM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <u>[Signature]</u>		Unit No: IIA	Date: 04-05-2024	Time: 01:59 PM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 401545457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-0-line Loop Line 401545457</u>	<u>Lea Land</u>
	Shipping Date: <u>4-5-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>1</u>	<u>12</u>	Contaminated Soil	<u>12</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>177</u> <u>DJ Truck</u>	Driver: <u>Jaime Robles</u>	Driver: <u>Jaime Robles</u>	Date: <u>4-5-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver:	Representative:	Representative:	Date: <u>4/5/24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND
— LLC —

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202735	Trailer No. DJ 177	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-05-2024 02:02 PM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 21,400			
TRANSPORTER	Lease/Job Name: 6309 - O - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): Jaime Robles			
	Signature (Firma): X <i>Jaime Robles</i> Date: 04-05-2024 02:02 PM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
Comments:				
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-05-2024	Time: 02:02 PM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 0 loop line kkk

PO#: 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309 - 0 - loop line kkk	Shipping Date: 4-5-24

Quantity	Size	Description of Waste	Weight or Volume
1	12 yds	Contaminated Soil	12 yd

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <i>TEA'S</i>	Driver: <i>Silvia C</i>	Driver: <i>Silvia C</i>	Date: 4/5/24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date 4/5/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202737	Trailer No. JEAAS DT1		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-05-2024 02:06 PM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 21520				
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material				
	Printed/Typed Name (Impreso/Mecanografico): Silvia C				
	Signature (Firma): X <i>Silvia C</i> Date: 04-05-2024 02:06 PM				
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
DISPOSAL FACILITY	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-05-2024	Time: 02:06 PM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 Oil Spill

PO#: 0000545457

DCP

Midstream

WASTE MANIFEST

Shipping Point Line Number: 6309 - OIL LOOP LINE LEAK	Ship to Location: Lea Land Shipping Date: 4-5-24
---	---

Quantity	Size	Description of Waste	Weight or Volume
1 @	12 yds	Contaminated Soil	12

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: JTS Trucking	Driver: Jesus Sepulveda	Driver: <i>Jesus Sepulveda</i>	Date: 4-5-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date: 4/5/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202738	Trailer No. JTS J54	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-05-2024 02:08 PM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 21710			
TRANSPORTER	Lease/Job Name: 6309 - O - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): Jesus Sepulveda			
	Signature (Firma): <i>[Signature]</i> Date: 04-05-2024 02:08 PM			
	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-05-2024	Time: 02:08 PM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 O Loop Line Leak

PO#: 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309 - O - Loop Line Leak	Shipping Date: 4-5-24

Quantity	Size	Description of Waste	Weight or Volume
1	12 yds	Contaminated Soil	12 yd

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter:	Driver:	Driver:	Date:
<i>Sevez Trucking</i>	<i>Alfredo Jaras</i>	<i>Alfredo Jaras</i>	<i>4-5-24</i>
Contact information:	Phone:	Phone:	
<i>Kyle Norman</i>	575-318-5017		
Receiver:	Representative:	Representative:	Date: <i>4/5/24</i>

Initials: _____ Date Returned: _____ / _____ /2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.15

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202736	Trailer No. JEREZ 081		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-05-2024 02:05 PM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 27580				
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material				
	Printed/Typed Name (Impreso/Mecanografico): Alfredo Torres				
	Signature (Firma): X <u>Alfredo Torres</u> Date: 04-05-2024 02:05 PM				
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.					
Authorized Signature: 		Unit No: IIA	Date: 04-05-2024	Time: 02:05 PM	

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO#: 0000545457



WASTE MANIFEST

Shipping Point Line Number: <u>6309-0-Loop Line Leak</u>	Ship to Location: <u>Lea Land</u> Shipping Date: <u>4-8-24</u>
--	---

Quantity	Size	Description of Waste	Weight or Volume
<u>3</u>	<u>12</u>	Contaminated Soil	<u>36</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>364</u> <u>DJ Truck</u>	Driver: <u>Enrique</u>	Driver: <u>Enrique</u>	Date: <u>4-8-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <u>M Sanchez</u>	Representative:	Representative:	Date <u>4/8/24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202771	Trailer No. DJ 364	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-08-2024 09:30 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 25480, 25560, 25780			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <u>Furillo</u>			
	Signature (Firma): X <u>[Signature]</u> Date: 04-08-2024 09:30 AM			
	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIA	Date: 04-08-2024	Time: 09:30 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
Project: _____
Line: _____
PO#: 000545457

**WASTE MANIFEST**

Shipping Point	Ship to Location:
Line Number: <u>6309-0-Loop Line Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-8-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>3</u>	<u>12</u>	Contaminated Soil	<u>36 total</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>DJ Transfer</u>	Driver: <u>Efrain Aguiza</u>	Driver: <i>EJ</i>	Date: <u>04/08/24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <u>M Sanchez</u>	Representative:	Representative:	Date: <u>4/8/24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202772	Trailer No. DJ 177	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-08-2024 09:32 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 27960, 28140, 28360			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <i>Erwin Ariza</i>			
	Signature (Firma): <i>[Signature]</i> Date: 04-08-2024 09:32 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
Comments:				
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-08-2024	Time: 09:32 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 000045457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-0-Loop Line Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-8-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>3 loads</u>	<u>12</u>	<u>Contaminated Soil</u>	<u>36</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <u>Janice Hyman</u>	Date:
Transporter: <u>Mary's Trucking #4</u>	Driver: <u>Leonardo Ocampo</u>	Driver: <u>Leonardo Ocampo</u>	Date: <u>4/8/24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <u>M Sanchez</u>	Representative:	Representative:	Date <u>4/8/24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202774	Trailer No. MARYS 4		
GENERATOR	Company Name: DCP Midstream Phone: (432) 413-3601		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-08-2024 09:38 AM
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 26540, 26780, 26980				
	Lease/Job Name: 6309 - O - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
TRANSPORTER	Name: Tasman Inc. Emergency Contact: Kyle Norman Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <u>Edoampo</u> Signature (Firma): <u>X Edoampo</u> Date: 04-08-2024 09:38 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <u>M Sanchez</u>		Unit No: IIA	Date: 04-08-2024	Time: 09:38 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO#: 00005454 57



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-0-Loop Line Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-9-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>4</u>	<u>12</u>	Contaminated Soil	<u>48</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>364</u> <u>OJ Truck</u>	Driver: <u>Enrique</u>	Driver: <u>Enrique</u>	Date: <u>4-8-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <u>M Sanchez</u>	Representative:	Representative:	Date <u>4/9/24</u>

Initialed: _____ Date Returned: _____ / _____ /2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202829	Trailer No. DJ 364		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-09-2024 08:38 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 28060, 28440, 28740, 29140				
	Lease/Job Name: 6309 - 0- LOOP LINE LEAK				
Generator's Representative: Lynn Hyman					
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <u>D. Enrique</u> Signature (Firma): X <u>[Signature]</u> Date: 04-09-2024 08:38 AM				
DISPOSAL FACILITY	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048	
	Permit No: NM-1-0035-New Mexico	Comments:			
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <u>[Signature]</u>	Unit No: IIA	Date: 04-09-2024	Time: 08:38 AM	

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 000545457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-b-Loop Line Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-9-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>4</u>	<u>12</u>	Contaminated Soil	<u>48</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>Mary's trucking #4</u>	Driver: <u>Leonardo ocampo</u>	Driver: <u>Leonardo ocampo</u>	Date: <u>4/9/24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <u>M Sanchez</u>	Representative:	Representative:	Date <u>4/9/24</u>




Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5


LEA LAND**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202831	Trailer No. MARYS 4		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-09-2024 08:44 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 26440, 26940, 27040, 27340				
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
DISPOSAL FACILITY	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material				
	Printed/Typed Name (Impreso/Mecanografico): 				
	Signature (Firma):  Date: 04-09-2024 08:44 AM				
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.					
Authorized Signature: 		Unit No: IIA	Date: 04-09-2024	Time: 08:44 AM	

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-0-Loop Line Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-9-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>4</u>	<u>12</u>	Contaminated Soil	<u>48</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>Galindo's Trucking</u>	Driver: <u>ROBERTO GONZALEZ</u>	Driver: <u>ROBERTO GONZALEZ</u>	Date: <u>4/9/24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <u>M Sanchez</u>	Representative:	Representative:	Date <u>4/9/24</u>

Initials: _____ Date Returned: _____ / _____ /2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202842	Trailer No. GALINDO 4	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-09-2024 09:14 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 24500, 24780, 24950, 30000			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name: (Impreso/Mecanografico)			
	Signature (Firma): X <u>ROBERTO CARRASCO</u> ^{H02} Date: 04-09-2024 09:14 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		Comments:	
DISPOSAL FACILITY	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
	Authorized Signature: <u>M Sanchez</u>		Unit No: 11A	Date: 04-09-2024
			Time: 09:14 AM	

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO#: _____



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: 16309-0-Loop Line Leak	Lea Land
	Shipping Date: 4-9-24

Quantity	Size	Description of Waste	Weight or Volume
4	12	Contaminated Soil	48

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: Janice Hyman	Date:
Transporter: Calindos Trucking LLC	Driver: Lupita Ozler	Driver: Lupita Ozler	Date: 4-9-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: M. Sanchez	Representative:	Representative:	Date: 4/9/24

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202843	Trailer No. GALINDO 3		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-09-2024 09:16 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 26680, 26340, 26740, 27040				
	Lease/Job Name: 6309 - 0- LOOP LINE LEAK				
Generator's Representative: Lynn Hyman					
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <u>Kapita Corlier</u> Signature (Firma): X <u>Kapita Corlier</u> Date: 04-09-2024 09:16 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <u>M Sanchez</u>		Unit No: IIA	Date: 04-09-2024	Time: 09:16 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO#: _____



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: 6309-0-Loop Line Leak	Lea Land
	Shipping Date: 4-9-24

Quantity	Size	Description of Waste	Weight or Volume
3	12	Contaminated Soil	36

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter:	Driver:	Driver:	Date:
<i>Galindo's Trucking LLC</i>	<i>Roberto Galindo</i>	<i>[Signature]</i>	4-9-24
Contact information:	Phone:	Phone:	
Kyle Norman	575-318-5017		
Receiver:	Representative:	Representative:	Date
<i>[Signature]</i>			4-9-24

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream



FILE: 4.1.5



LEA LAND

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202852	Trailer No. GALINDO1	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-09-2024 09:59 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 28260, 28340, 28660			
TRANSPORTER	Lease/Job Name: 6309-0- LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): Fabian Galindo			
	Signature (Firma):  Date: 04-09-2024 09:59 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		Comments:	
Disposal Facility's Certification: I hereby certify that the above-described wastes were delivered to this facility.				
Authorized Signature: 		Unit No: IIA	Date: 04-09-2024	Time: 09:59 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: <u>6309-0-Loop Line Leak</u>	<u>Lea Land</u>
	Shipping Date: <u>4-10-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>2</u>	<u>12</u>	Contaminated Soil	<u>24</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>364</u> <u>DJ Truck</u>	Driver: <u>Enrique</u>	Driver: <u>Enrique</u>	Date: <u>4-10-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date <u>4-10-24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202915	Trailer No. DJ 364		
GENERATOR	Company Name: DCP Midstream Phone: (432) 413-3601		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-10-2024 11:29 AM
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 25420, 25120				
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <u>Enrique</u> Signature (Firma): <u>[Signature]</u> Date: 04-10-2024 11:29 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <u>[Signature]</u>		Unit No: 11A	Date: 04-10-2024	Time: 11:29 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202905	Trailer No. MARYS 4		
GENERATOR	Company Name: DCP Midstream Phone: (432) 413-3601		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-10-2024 09:27 AM
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 26020, 26140, 26340				
	Lease/Job Name: 6309 -0- LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
TRANSPORTER	Name: Tasman Inc. Emergency Contact: Kyle Norman Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <i>Lea Land</i>				
	Signature (Firma): X <i>[Signature]</i> Date: 04-10-2024 09:27 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-10-2024	Time: 09:27 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 0000646459




WASTE MANIFEST

Shipping Point <i>Line Number: 6309 - 0 loop line leak</i>	Ship to Location: <i>lea land</i>
	Shipping Date:

Quantity	Size	Description of Waste	Weight or Volume
<i>3 loads</i>	<i>12</i>	Contaminated Soil	<i>36</i>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <i>Mary's Trucking #4</i>	Driver: <i>leonardo ocampo</i>	Driver: <i>leonardo ocampo</i>	Date: <i>4/10/24</i>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: 	Representative:	Representative:	Date <i>4/10/24</i>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

RC Code: _____
 Project: _____
 Line: 0000545457
 PO#: _____




WASTE MANIFEST

Shipping Point Line Number: <u>6309-0-loop line leak</u>	Ship to Location: <u>LEA LAND</u> Shipping Date: <u>4-10-24</u>
--	--

Quantity	Size	Description of Waste	Weight or Volume
<u>4</u>	<u>12</u>	Contaminated Soil	<u>48</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>GALINDOS TRUCKING LLC</u>	Driver: <u>ROBERTO G12</u>	Driver: <u>ROBERTO G12</u>	Date: <u>4/10/24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: 	Representative:	Representative:	Date <u>4/10/24</u>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202898	Trailer No. GALINDO 4	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-10-2024 09:12 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 24000, 24360, 24460, 24760			
TRANSPORTER	Lease/Job Name: 6309 - O- LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico):			
	Signature (Firma): X <u>ROBERTO GONZALEZ</u>		Date: 04-10-2024 09:12 AM	
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		Comments:	
DISPOSAL FACILITY	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
	Authorized Signature: <u>[Signature]</u>		Unit No: IIA	Date 04-10-2024
			Time 09:12 AM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____

Project: _____

Line: _____

PO# 0000545457



WASTE MANIFEST

Shipping Point Line Number: 6309-0-Loop Line Leak	Ship to Location: Lea Land
	Shipping Date: 4-10-24

Quantity	Size	Description of Waste	Weight or Volume
4	12yds	Contaminated Soil	48 yds

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: Janice Hyman	Date:
Transporter: Galindo's Trucking	Driver: Lupita Gonzalez	Driver: Lupita Gonzalez	Date: 4-10-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: 	Representative:	Representative:	Date: 4/10/24

Initials: _____ Date Returned: _____/_____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND
— LLC —

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202900	Trailer No. GALINDO 3	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-10-2024 09:18 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 25320, 25540, 25780, 25980			
TRANSPORTER	Lease/Job Name: 6309 -0 - LOPP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): Dupita Gonzalez			
	Signature (Firma): <i>[Signature]</i> Date: 04-10-2024 09:18 AM			
	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>[Signature]</i>		Unit No: 11A	Date: 04-10-2024	Time: 09:18 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO#: _____



WASTE MANIFEST

Shipping Point <i>6309-0-100plineleak</i> Line Number:	Ship to Location: <i>Lea Land</i> Shipping Date: <i>4-10-24</i>
--	--

Quantity	Size	Description of Waste	Weight or Volume
<i>3</i>	<i>12</i>	Contaminated Soil	<i>36</i>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <i>02 trucking</i> <i>Arciniega</i>	Driver: <i>Paul Jovero</i>	Driver: <i>Paul Jovero</i>	Date: <i>4/10/24</i>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative: <i>[Signature]</i>	Representative:	Date <i>4/10/24</i>

Initials: _____ Date Returned: ____/____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202910	Trailer No. ARSINIEGA 02	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-10-2024 10:10 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 22480, 22540, 22760			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico):			
	Signature (Firma): X <i>Paul Jimenez</i> Date: 04-10-2024 10:10 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
Comments:				
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>M. Sanchez</i>		Unit No: IIA	Date: 04-10-2024	Time: 10:10 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 O loopPO#: 0000545457

WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: <u>6309 O loop line leak</u>	Shipping Date: <u>4-8-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>3</u>	<u>12 yds</u>	<u>Contaminated Soil</u>	<u>36 yd</u>

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>All Terrain Truck</u>	Driver: <u>Sergio Fileno</u>	Driver: <i>Sergio Fileno</i>	Date: <u>4-8-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>M Sanchez</i>	Representative:	Representative:	Date: <u>4/8/24</u>

Initials: _____ Date Returned: _____ / _____ /2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.15



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202762	Trailer No. ALL TERRAIN 01	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-08-2024 09:10 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 23600, 23640, 23940			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <u>Sergio Fierro</u>			
	Signature (Firma): X <u>[Signature]</u> Date: 04-08-2024 09:10 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
Comments:				
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIA	Date: 04-08-2024	Time: 09:10 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 0 loop line leak

PO#: 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 5822 - 0 - loop line leak 6309	Shipping Date: 4-8-24

Quantity	Size	Description of Waste	Weight or Volume
3	12 yds	Contaminated Soil	36

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: JEFA'S	Driver: <i>Silvac</i>	Driver: <i>Silvac</i>	Date: 4-8-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>M. Sanchez</i>	Representative:	Representative:	Date: 4/8/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202761	Trailer No. JEAAS DT 01	
GENERATOR	Company Name: DCP Midstream Phone: (432) 413-3601		Address: 10 Desta Dr., #400W Midland, TX 79705 Disposal Date: 04-08-2024 09:08 AM	
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 27840, 27980, 28140			
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
TRANSPORTER	Name: Tasman Inc. Emergency Contact: Kyle Norman Emergency Contact Phone: (575) 318-5017			
	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <u>Silva C</u>			
	Signature (Firma): <u>X Silva C</u> Date: 04-08-2024 09:08 AM			
DISPOSAL FACILITY	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
	Authorized Signature: <u>M Sanchez</u>	Unit No: IIA	Date: 04-08-2024	Time: 09:08 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309-0 Loop Line Leak

PO#: 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309-0 Loop Line Leak	Shipping Date: 4-8-24

Quantity	Size	Description of Waste	Weight or Volume
3	12 yds	Contaminated Soil	36

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: JTS Trucking	Driver: <i>JESUS SEPULVEDA</i>	Driver: <i>Jesus Sepulveda</i>	Date: 4-8-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>M Sanchez</i>	Representative:	Representative:	Date: 4/8/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202760	Trailer No. JTS J 54		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-08-2024 09:06 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 21140, 21360, 21460				
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material				
	Printed/Typed Name (Impreso/Mecanografico): <u>José Sepúlveda</u>				
	Signature (Firma): <u>[Signature]</u> Date: 04-08-2024 09:06 AM				
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
DISPOSAL FACILITY	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <u>M Sanchez</u>		Unit No: IIA	Date: 04-08-2024	Time: 09:06 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 0 loopPO#: 0000545457

WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: <u>6309 0 loop line leak</u>	Shipping Date: <u>4-9-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>4</u>	<u>12 yds</u>	<u>Contaminated Soil</u>	<u>48 yd</u>

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>All Terrain Truck</u>	Driver: <u>Sergio Fierro</u>	Driver: <i>Sergio Fierro</i>	Date: <u>4-9-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>M Sanchez</i>	Representative:	Representative:	Date: <u>4/9/24</u>

Initials: _____ Date Returned: _____ / _____ /2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.15

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202832	Trailer No. ALL TERRAIN 01		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-09-2024 08:47 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 23080, 23240, 23760, 24060				
TRANSPORTER	Lease/Job Name: 6309 -O- LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material				
	Printed/Typed Name (Impreso/Mecanografico): Sergio Fierro				
	Signature (Firma): X <i>[Signature]</i> Date: 04-09-2024 08:47 AM				
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
DISPOSAL FACILITY	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-09-2024	Time: 08:47 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 0 loopPO#: 0000545457

WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309 0 loop line leak	Shipping Date: 4-9-24

Quantity	Size	Description of Waste	Weight or Volume
3	12 yds	Contaminated Soil	36

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <i>Norm Trucks</i>	Driver: <i>David N</i>	Driver: <i>[Signature]</i>	Date: 4-9-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date 4/7/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.15

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202853	Trailer No. N&M 1		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-09-2024 10:11 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 27340, 28140, 28320				
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
Generator's Representative: Lynn Hyman					
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <i>Davis</i> Signature (Firma): <i>[Signature]</i> Date: 04-09-2024 10:11 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-09-2024	Time: 10:11 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309-0 LoopPO#: 0000545457

WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: <u>6309-0 Loop Line Leak</u>	Shipping Date: <u>4-10-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>3</u>	<u>12 yds</u>	<u>Contaminated Soil</u>	<u>36 yd</u>

Shipping instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>All Terrain LLC</u>	Driver: <u>Raul Corona</u>	Driver: <u>Raul Corona</u>	Date: <u>4/10/24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date: <u>4/10/24</u>

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 415



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202906	Trailer No. ALL TERRAIN 01	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-10-2024 09:29 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 21460, 21760, 21900			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <u>Paul Corone</u>			
	Signature (Firma): <u>X Paul Corone</u> Date: 04-10-2024 09:29 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
Comments:				
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature:		Unit No: IIA	Date: 04-10-2024	Time: 09:29 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 0 loop line leakPO#: 0000545457

WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: <u>6309 0 loop</u> <u>Line Leak</u>	Shipping Date: <u>4-10-24</u>

Quantity	Size	Description of Waste	Weight or Volume
<u>3</u>	<u>12 yds</u>	<u>Contaminated Soil</u>	<u>36 yd</u>
	<u>12</u>	<u>Contaminated</u>	

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>Nam Trucking</u>	Driver: <u>David A</u>	Driver: <i>[Signature]</i>	Date: <u>4-10-23</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date <u>4/10/2024</u>

Initials: _____ Date Returned: _____ / _____ /2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.15

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202904	Trailer No. N&M 1		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-10-2024 09:26 AM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 291400, 29740, 29960				
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
Generator's Representative: Lynn Hyman					
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): <i>Davis</i> Signature (Firma): <i>[Signature]</i> Date: 04-10-2024 09:26 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-10-2024	Time: 09:26 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309 - 0 Loop Line Leak

PO#: 0000545457

Phillips 66
DCP
Midstream


WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309-0 Loop Line Leak	Shipping Date: 4-10-24

Quantity	Size	Description of Waste	Weight or Volume
1 1	12 yds	Contaminated Soil	1.2

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: Janice Hyman	Date:
Transporter: JTS Trucking	Driver: Jesus Sepulveda	Driver: Jesus	Date: 4-10-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: 	Representative:	Representative:	Date: 4/10/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream



FILE: 4.1.5



LEA LAND
— LLC —

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202922	Trailer No. JTS J 54	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 04-10-2024 03:10 PM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 24060			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): Jesus Sepulveda			
	Signature (Firma):  Date: 04-10-2024 03:10 PM			
	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: 		Unit No: IIA	Date: 04-10-2024	Time: 03:10 PM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309-0 Loop Line Leak

PO#: 0000545457

Phillips 66
DCP
Midstream

WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309-0 Loop Line Leak	Shipping Date: 4-10-24

Quantity	Size	Description of Waste	Weight or Volume
1	12 yds	Contaminated Soil	12

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: Arolo Services LLC	Driver: Leonardo Caro	Driver: <i>Leonardo Caro</i>	Date: 4-10-24
Contact Information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver:	Representative:	Representative:	Date: 4/10/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.15

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 202923	Trailer No. ARROYOS 04		
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 04-10-2024 03:13 PM
	Phone: (432) 413-3601				
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 23860				
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
Generator's Representative: Lynn Hyman					
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): Leonardo Carrero Signature (Firma): X <i>Leonardo Carrero</i> Date: 04-10-2024 03:13 PM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above Described Wastes Were Delivered To This Facility.				
	Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 04-10-2024	Time: 03:13 PM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO# 1000545467



WASTE MANIFEST

Shipping Point

Ship to Location: Around 10 AM

Line Number:

6309 0-Loop Line Leak

Shipping Date:

5-23-24

Quantity	Size	Description of Waste	Weight or Volume
<u>1</u>	<u>12</u>	Contaminated Soil	<u>12</u>

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <u>364</u> <u>DI Truck</u>	Driver: <u>Enrique</u>	Driver: <u>Enrique</u>	Date: <u>5-23-24</u>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: 	Representative: 	Representative:	Date: <u>5/23/24</u>

Initials: _____ Date Returned: _____/_____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 204525	Trailer No. DJ 364	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 05-23-2024 10:27 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 22980			
TRANSPORTER	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <i>Enrique</i>			
	Signature (Firma): <i>[Signature]</i> Date: 05-23-2024 10:27 AM			
	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>[Signature]</i>		Unit No: IIA	Date: 05-23-2024	Time: 10:27 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: _____
 Project: _____
 Line: _____
 PO#: 0000345457



WASTE MANIFEST

Shipping Point	Ship to Location:
Line Number: 6309 O-Loop Line Leak	<u>Lea Land</u>
	Shipping Date: 5-23-24

Quantity	Size	Description of Waste	Weight or Volume
1	12	Contaminated Soil	12

Shipping Instructions: Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <i>AF trucking</i>	Driver: <i>Jerónimo Amich</i>	Driver: <i>[Signature]</i>	Date: 5/23/24
Contact information: <i>Kyle Norman</i>	Phone: 575-318-5017	Phone:	
Receiver: <i>[Signature]</i>	Representative:	Representative:	Date 5/23/24



Initials: _____ Date Returned: _____/_____/2022

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

**LEA LAND, LLC SURFACE WASTE LANDFILL**

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 204527	Trailer No. AF 01		
GENERATOR	Company Name: DCP Midstream Phone: (432) 413-3601		Address: 10 Desta Dr., #400W Midland, TX 79705		Disposal Date: 05-23-2024 10:34 AM
	Name Or Description Of Waste Shipped: <input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 20540				
	Lease/Job Name: 6309 - 0 - LOOP LINE LEAK				
	Generator's Representative: Lynn Hyman				
TRANSPORTER	Name: Tasman Inc.				
	Emergency Contact: Kyle Norman				
	Emergency Contact Phone: (575) 318-5017				
	Transporter: Acknowledgment of Delivery of Material Printed/Typed Name (Impreso/Mecanografico): Teronimo Arrieta Signature (Firma): X  Date: 05-23-2024 10:34 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
	Authorized Signature: 		Unit No: IIA	Date: 05-23-2024	Time: 10:34 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

RC Code: F-210

Project:

Line: 6309-0-Loop-Line

PO#: 0000545457 LEAK




WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309-0-Loop-Line LEAK	Shipping Date: 5-23-24

Quantity	Size	Description of Waste	Weight or Volume
1	12 yds	Contaminated Soil	12 yd

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter: <i>J&R Transport</i>	Driver: <i>Cesar Arias</i>	Driver: <i>Cesar Arias</i>	Date: 5-23-24
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver: 	Representative:	Representative:	Date 5/23/24

Initials: _____ Date Returned: ____/____/2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5

RC Code: F-210

Project:

Line: 6309-0-Loop line leak

PO#: 0000545457



WASTE MANIFEST

Shipping Point	Ship to Location: Lea Land
Line Number: 6309-0-loop line leak	Shipping Date: 5-23-24

Quantity	Size	Description of Waste	Weight or Volume
1	12 yds	Contaminated Soil	12 yd

Shipping Instructions: Please use PO# 0000545457 Company Man Lynn Hyman

This is to certify that the above named materials are properly classified, described, packaged and are in proper condition for transportation and disposal to the applicable regulations.

Company Name	Print Name and Contact information	Signature required	Date:
Generator: DCP Midstream	Employee: Janice Hyman 1625 W Marland Hobbs, NM. 575-397-5560	Employee: <i>Janice Hyman</i>	Date:
Transporter:	Driver:	Driver:	Date:
<i>Sigala's Truck</i>	<i>Hugo Solis</i>	<i>Hugo Solis</i>	<i>5-23-24</i>
Contact information: Kyle Norman	Phone: 575-318-5017	Phone:	
Receiver:	Representative:	Representative:	Date: <i>5/23/24</i>

Initials: _____ Date Returned: _____ / _____ /2020

Please Return Copy of Completed Form and Disposal Ticket to: DCP Midstream

FILE: 4.1.5



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 204526	Trailer No. SIGALA 01	
GENERATOR	Company Name: DCP Midstream		Address: 10 Desta Dr., #400W Midland, TX 79705	
	Phone: (432) 413-3601		Disposal Date: 05-23-2024 10:30 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 25300			
TRANSPORTER	Lease/Job Name: 6309 - O - LOOP LINE LEAK			
	Generator's Representative: Lynn Hyman			
	Name: Tasman Inc.			
	Emergency Contact: Kyle Norman			
	Emergency Contact Phone: (575) 318-5017			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): Hugo Solis			
	Signature (Firma): X <u>Hugo Solis</u> Date: 05-23-2024 10:30 AM			
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		Comments:	
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIA	Date: 05-23-2024	Time: 10:30 AM

LEA LAND, LLC

1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

Appendix D – Photographic Log

DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)




DCP Operating Company, LP

O Loop Line Leak (9/9/2023)




DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)





DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



DCP Operating Company, LP

O Loop Line Leak (9/9/2023)



Appendix E – Certified Laboratory Analytical Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 01, 2024

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: 6309_O - LOOP LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 04/25/24 16:11.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 1 @ 4' (H242237-01)**BTEX 8021B****mg/kg****Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/29/2024	ND	2.23	112	2.00	7.00	
Toluene*	<0.050	0.050	04/29/2024	ND	2.05	102	2.00	6.52	
Ethylbenzene*	<0.050	0.050	04/29/2024	ND	1.99	99.6	2.00	4.99	
Total Xylenes*	<0.150	0.150	04/29/2024	ND	6.05	101	6.00	4.82	
Total BTEX	<0.300	0.300	04/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B**mg/kg****Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M**mg/kg****Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	22.3	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 70.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 2 @ 4' (H242237-02)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/29/2024	ND	2.23	112	2.00	7.00	
Toluene*	<0.050	0.050	04/29/2024	ND	2.05	102	2.00	6.52	
Ethylbenzene*	<0.050	0.050	04/29/2024	ND	1.99	99.6	2.00	4.99	
Total Xylenes*	<0.150	0.150	04/29/2024	ND	6.05	101	6.00	4.82	
Total BTEX	<0.300	0.300	04/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 91.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 3 @ 4' (H242237-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/29/2024	ND	2.23	112	2.00	7.00	
Toluene*	<0.050	0.050	04/29/2024	ND	2.05	102	2.00	6.52	
Ethylbenzene*	<0.050	0.050	04/29/2024	ND	1.99	99.6	2.00	4.99	
Total Xylenes*	<0.150	0.150	04/29/2024	ND	6.05	101	6.00	4.82	
Total BTEx	<0.300	0.300	04/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	16.9	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 79.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 76.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 4 @ 4' (H242237-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/29/2024	ND	2.23	112	2.00	7.00	
Toluene*	<0.050	0.050	04/29/2024	ND	2.05	102	2.00	6.52	
Ethylbenzene*	<0.050	0.050	04/29/2024	ND	1.99	99.6	2.00	4.99	
Total Xylenes*	<0.150	0.150	04/29/2024	ND	6.05	101	6.00	4.82	
Total BTEX	<0.300	0.300	04/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 5 @ 4' (H242237-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/29/2024	ND	2.23	112	2.00	7.00	
Toluene*	<0.050	0.050	04/29/2024	ND	2.05	102	2.00	6.52	
Ethylbenzene*	<0.050	0.050	04/29/2024	ND	1.99	99.6	2.00	4.99	
Total Xylenes*	<0.150	0.150	04/29/2024	ND	6.05	101	6.00	4.82	
Total BTEx	<0.300	0.300	04/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	04/29/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 91.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 89.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 6 @ 4' (H242237-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 94.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 7 @ 14' (H242237-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	218	109	200	1.54	
DRO >C10-C28*	22.0	10.0	04/29/2024	ND	222	111	200	1.71	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 98.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 8 @ 14' (H242237-08)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	97.4	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	13.7	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 86.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 9 @ 14' (H242237-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEx	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.0 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 71.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 10 @ 14' (H242237-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	62.2	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 98.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 114 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 11 @ 12' (H242237-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1540	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 89.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 12 @ 12' (H242237-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	576	16.0	04/29/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 97.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 112 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 13 @ 12' (H242237-13)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	0.072	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	0.681	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	1.69	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTX	2.45	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 123 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1070	16.0	04/29/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	60.3	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	1850	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	362	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 14 @ 12' (H242237-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	33.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 15 @ 4' (H242237-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEx	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	10.3	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 91.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 16 @ 4' (H242237-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEx	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 95.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 111 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 17 @ 2' (H242237-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	496	16.0	04/29/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 94.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 18 @ 2' (H242237-18)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	04/29/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	13.3	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	11.9	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 98.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 112 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 19 @ 2' (H242237-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	04/29/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 92.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 20 @ 2' (H242237-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 94.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 21 @ 2' (H242237-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	04/30/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 94.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 22 @ 2' (H242237-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 95.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 23 @ 2' (H242237-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.5 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 97.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 24 @ 2' (H242237-24)

BTEX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 91.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 25 @ 3' (H242237-25)

BTX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.12	106	2.00	1.81	
Toluene*	<0.050	0.050	04/30/2024	ND	2.09	104	2.00	1.94	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.05	102	2.00	1.88	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.02	100	6.00	1.85	
Total BTX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.0 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52		
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89		
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND						

Surrogate: 1-Chlorooctane 98.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 113 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 26 @ 3' (H242237-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 93.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: FL - 27 @ 3' (H242237-27)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	04/30/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	207	104	200	1.52	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	229	114	200	2.89	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 94.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 1 (H242237-28)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	04/30/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	210	105	200	2.30	QM-07
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	232	116	200	2.00	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 93.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 2 (H242237-29)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	04/30/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	210	105	200	2.30	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	232	116	200	2.00	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 91.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 89.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 3 (H242237-30)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	04/30/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	210	105	200	2.30	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	232	116	200	2.00	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 100 % 48.2-134

Surrogate: 1-Chlorooctadecane 99.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 4 (H242237-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	384	16.0	04/30/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	210	105	200	2.30	
DRO >C10-C28*	10.2	10.0	04/29/2024	ND	232	116	200	2.00	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 75.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 76.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 04/25/2024
 Reported: 05/01/2024
 Project Name: 6309_O - LOOP LINE LEAK
 Project Number: NONE GIVEN
 Project Location: NONE GIVEN

Sampling Date: 04/25/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 5 (H242237-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/30/2024	ND	2.15	108	2.00	8.22	
Toluene*	<0.050	0.050	04/30/2024	ND	2.23	112	2.00	8.86	
Ethylbenzene*	<0.050	0.050	04/30/2024	ND	2.25	113	2.00	9.05	
Total Xylenes*	<0.150	0.150	04/30/2024	ND	6.80	113	6.00	7.73	
Total BTEX	<0.300	0.300	04/30/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	04/30/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/29/2024	ND	210	105	200	2.30	
DRO >C10-C28*	<10.0	10.0	04/29/2024	ND	232	116	200	2.00	
EXT DRO >C28-C36	<10.0	10.0	04/29/2024	ND					

Surrogate: 1-Chlorooctane 99.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



**ARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences				BILL TO				ANALYSIS REQUEST																
Project Manager: Kyle Norman				P.O. #:				TPH 8015 Ext	BTX	Chlorides	Hold	24-hr Rush	48-Hr Rush											
Address: 2620 W. Marland Blvd.				Company: Tasman Geo																				
City: Hobbs State: NM Zip: 88240				Attn: Kyle Norman																				
Phone #: 575-318-5017 Fax #:				Address: 2620 W. Marland																				
Project #: Project Owner: DCP Midstream				City: Hobbs																				
Project Name: 6309-0-Loop Line Leak				State: NM Zip: 88240																				
Project Location:				Phone #: 575-318-5017																				
Sampler Name: Chris Flores				Fax #:																				
Lab I.D.	Sample I.D.	(GRAB OR C)COMP	# CONTAINERS	MATRIX						PRESERV		SAMPLING												
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME										
1	FL-1 @ 4'	C	1			X					X		4.25.24	09:30	X	X	X							
2	FL-2 @ 4'	C	1			X					X			09:35	X	X	X							
3	FL-3 @ 4'	C	1			X					X			09:40	X	X	X							
4	FL-4 @ 4'	C	1			X					X			09:45	X	X	X							
5	FL-5 @ 4'	C	1			X					X			09:50	X	X	X							
6	FL-6 @ 4'	C	1			X					X			09:55	X	X	X							
7	FL-7 @ 14'	C	1			X					X			10:00	X	X	X							
8	FL-8 @ 14'	C	1			X					X			10:05	X	X	X							
9	FL-9 @ 14'	C	1			X					X			10:10	X	X	X							
10	FL-10 @ 14'	C	1			X					X			10:19	X	X	X							

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: 	Date: 4.25.2024	Received By: 	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Time: 10:11	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 5.5: #140			REMARKS: email results: NMDData@tasman-geo.com Janice.L.Hyman@p66.com; Albert.L.Hyman@p66.com; knorman@tasman-geo.com; bdennis@tasman-geo.com; lflores@tasman-geo.com; cflores@tasman-geo.com	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

**ARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences						BILL TO		ANALYSIS REQUEST													
Project Manager: Kyle Norman						P.O. #:															
Address: 2620 W. Marland Blvd.						Company: Tasman Geo															
City: Hobbs		State: NM		Zip: 88240		Attn: Kyle Norman															
Phone #: 575-318-5017		Fax #:				Address: 2620 W. Marland															
Project #:		Project Owner: DCP Midstream				City: Hobbs															
Project Name: 6309 - O-Loop Line Leak						State: NM Zip: 88240															
Project Location:						Phone #: 575-318-5017															
Sampler Name: Chris Flores						Fax #:															
FOR LAB USE ONLY						MATRIX		PRESERV.	SAMPLING		TPH 8015 Ext	BTEX	Chlorides	Hold	24-hr Rush	48-Hr Rush					
Lab I.D.	Sample I.D.	(GIRAB OR C)COMP	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SUDGE	OTHER	ACID/BASE											ICE / COOL
K242237	FL-11 @ 12'	C	1			X					X		4-25-24	14:20	X	X	X				
12	FL-12 @ 12'	C	1			X					X		1	14:25	X	X	X				
13	FL-13 @ 12'	C	1			X					X		1	14:30	X	X	X				
14	FL-14 @ 12'	C	1			X					X			10:35	X	X	X				
15	FL-15 @ 4'	C	1			X					X			10:40	X	X	X				
16	FL-16 @ 4'	C	1			X					X			10:45	X	X	X				
17	FL-17 @ 2'	C	1			X					X			10:50	X	X	X				
18	FL-18 @ 2'	C	1			X					X			10:55	X	X	X				
19	FL-19 @ 2'	C	1			X					X			11:00	X	X	X				
20	FL-20 @ 2'	C	1			X					X		↓	11:05	X	X	X				

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation business interruptions, loss of use or loss of profits incurred by client. Its subsidiaries affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: 	Date: 4-25-2024	Received By: 	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
	Time: 11:11		Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
	Time:		email results: NMDData@tasman-geo.com Janice.L.Hyman@p66.com; Albert.L.Hyman@p66.com; knorman@tasman-geo.com; bdennis@tasman-geo.com; lflores@tasman-geo.com; cflores@tasman-geo.com	

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: 5.5c #140

Sample Condition Cool
 Intact
☒ Yes ☐ No

CHECKED BY:
 (Initials)

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476




**ARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020


CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geoservices				BILL TO				ANALYSIS REQUEST										
Project Manager: Kyle Norman				P.O. #:				TPH 8015 Ext	BTX	Chlorides	Hd	24-hr Rush	48-Hr Rush					
Address: 2620 W. Mariand Blvd.				Company: Tasman Geo														
City: Hobbs State: NM Zip: 88240				Attn: Kyle Norman														
Phone #: 575-318-5017 Fax #:				Address: 2620 W. Mariand														
Project #: Project Owner: DCP Midstream				City: Hobbs														
Project Name: 6309-O-Loop Line Leak				State: NM Zip: 88240														
Project Location:				Phone #: 575-318-5017														
Sampler Name: Chris Flores				Fax #:														
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	# CONTAINERS	MATRIX					PRESERV.	SAMPLING								
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER :	DATE	TIME				
1242237																		
21	FL-21 @ 2'	C	1			X					X		4:25:24	11:10	X	X	X	
22	FL-22 @ 2'	C	1			X					X			11:15	X	X	X	
23	FL-23 @ 2'	C	1			X					X			11:20	X	X	X	
24	FL-24 @ 2'	C	1			X					X			11:25	X	X	X	
25	FL-25 @ 3'	C	1			X					X			11:30	X	X	X	
26	FL-26 @ 3'	C	1			X					X			11:35	X	X	X	
27	FL-27 @ 3'	C	1			X					X			11:40	X	X	X	

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: 	Date: 4.25.2024 Time: 11:01	Received By: 	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No REMARKS: email results: NMDData@tasman-geo.com Janice.L.Hyman@p66.com; Albert.L.Hyman@p66.com; knorman@tasman-geo.com; bdennis@tasman-geo.com; lflores@tasman-geo.com; cflores@tasman-geo.com
Relinquished By:	Date: Time:	Received By:	
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 5.5c #140	Sample Condition Cool Intact <input type="checkbox"/> Yes <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No	CHECKED BY: (Initials) 	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

~~Page 38 of 38~~

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 15, 2024

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: O-LOOP LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 05/14/24 11:42.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/14/2024
 Reported: 05/15/2024
 Project Name: O-LOOP LINE LEAK
 Project Number: NOT GIVEN
 Project Location: DCP MIDSTREAM

Sampling Date: 05/14/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: FL - 8 @ 15' (H242625-01)

BTEX 8021B		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2024	ND	1.90	95.0	2.00	10.5	
Toluene*	<0.050	0.050	05/14/2024	ND	1.89	94.4	2.00	8.94	
Ethylbenzene*	<0.050	0.050	05/14/2024	ND	1.87	93.5	2.00	8.57	
Total Xylenes*	<0.150	0.150	05/14/2024	ND	5.47	91.2	6.00	8.62	
Total BTEX	<0.300	0.300	05/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 82.0 % 71.5-134

Chloride, SM4500Cl-B		mg/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	05/15/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/14/2024	ND	187	93.3	200	2.25	
DRO >C10-C28*	<10.0	10.0	05/14/2024	ND	202	101	200	0.00	
EXT DRO >C28-C36	<10.0	10.0	05/14/2024	ND					

Surrogate: 1-Chlorooctane 91.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/14/2024
 Reported: 05/15/2024
 Project Name: O-LOOP LINE LEAK
 Project Number: NOT GIVEN
 Project Location: DCP MIDSTREAM

Sampling Date: 05/14/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: FL - 11 @ 17' (H242625-02)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2024	ND	1.90	95.0	2.00	10.5	
Toluene*	<0.050	0.050	05/14/2024	ND	1.89	94.4	2.00	8.94	
Ethylbenzene*	<0.050	0.050	05/14/2024	ND	1.87	93.5	2.00	8.57	
Total Xylenes*	<0.150	0.150	05/14/2024	ND	5.47	91.2	6.00	8.62	
Total BTEX	<0.300	0.300	05/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 82.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	05/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/14/2024	ND	187	93.3	200	2.25	
DRO >C10-C28*	<10.0	10.0	05/14/2024	ND	202	101	200	0.00	
EXT DRO >C28-C36	<10.0	10.0	05/14/2024	ND					

Surrogate: 1-Chlorooctane 99.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/14/2024
 Reported: 05/15/2024
 Project Name: O-LOOP LINE LEAK
 Project Number: NOT GIVEN
 Project Location: DCP MIDSTREAM

Sampling Date: 05/14/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: FL - 13 @ 15' (H242625-03)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2024	ND	1.90	95.0	2.00	10.5	
Toluene*	<0.050	0.050	05/14/2024	ND	1.89	94.4	2.00	8.94	
Ethylbenzene*	<0.050	0.050	05/14/2024	ND	1.87	93.5	2.00	8.57	
Total Xylenes*	<0.150	0.150	05/14/2024	ND	5.47	91.2	6.00	8.62	
Total BTX	<0.300	0.300	05/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 81.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	05/15/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/14/2024	ND	187	93.3	200	2.25	
DRO >C10-C28*	24.8	10.0	05/14/2024	ND	202	101	200	0.00	
EXT DRO >C28-C36	<10.0	10.0	05/14/2024	ND					

Surrogate: 1-Chlorooctane 80.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 83.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

† Cardinal cannot accept verbal changes Please fax written changes to 505-393-2476

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 375158

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 375158
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2325748815
Incident Name	NAPP2325748815 O-LOOP LINE LEAK @ 0
Incident Type	Blow Out
Incident Status	Remediation Closure Report Received

Location of Release Source	
Please answer all the questions in this group.	
Site Name	O-LOOP LINE LEAK
Date Release Discovered	09/09/2023
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Blow Out
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Blow Out Pipeline (Any) Produced Water Released: 9 BBL Recovered: 0 BBL Lost: 9 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 375158

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID:
	36785
	Action Number:
	375158
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Nick Case Title: Environmental Email: Nicholas.L.Case@P66.com Date: 08/20/2024
--	---

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 375158

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID:	36785
	Action Number:	375158
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	U.S. Geological Survey
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride	(EPA 300.0 or SM4500 Cl B)	1540
TPH (GRO+DRO+MRO)	(EPA SW-846 Method 8015M)	2272
GRO+DRO	(EPA SW-846 Method 8015M)	1850
BTEX	(EPA SW-846 Method 8021B or 8260B)	2.5
Benzene	(EPA SW-846 Method 8021B or 8260B)	0.1

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	02/01/2024
On what date will (or did) the final sampling or liner inspection occur	04/25/2024
On what date will (or was) the remediation complete(d)	05/01/2024
What is the estimated surface area (in square feet) that will be reclaimed	3877
What is the estimated volume (in cubic yards) that will be reclaimed	986
What is the estimated surface area (in square feet) that will be remediated	3877
What is the estimated volume (in cubic yards) that will be remediated	986

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 375158

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID:	36785
	Action Number:	375158
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	LEA LAND LANDFILL [fEEM0112342028]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Nick Case Title: Environmental Email: Nicholas.L.Case@P66.com Date: 08/20/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 375158

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 375158
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 375158

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID:
	36785
	Action Number:
	375158
Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	336342
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	04/25/2024
What was the (estimated) number of samples that were to be gathered	32
What was the sampling surface area in square feet	6400

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	3877
What was the total volume (cubic yards) remediated	986
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	3877
What was the total volume (in cubic yards) reclaimed	986
Summarize any additional remediation activities not included by answers (above)	Tasman conducted initial assessment activities, identifying an approximately 3,877 square foot area that had been impacted by the release. Heavy equipment was used to remove approximately 986 cubic yards of impacted material from the release area. Based on laboratory analytical results from soil samples collected during confirmation sampling activities, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels and in accordance with NMOCD standards. Additional project details are provided in the attached summary report.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Nick Case Title: Environmental Email: Nicholas.L.Case@P66.com Date: 08/20/2024
--	---

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 375158

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 375158
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 375158

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID:
	36785
	Action Number:
	375158
Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

CONDITIONS

Created By	Condition	Condition Date
nvelez	Remediation closure report approved, release resolved.	10/8/2024