Barrels Released Calculation

Square Footage	23,244	х	Height (ft)	0.25	= 215.2222 feet ³
27					
215.22222 x 0.1781		=	38.3	barrels relea	sed
	Recoverd	=	30	barrels	
То	tal Released	=	68.3	barrels	

3

DTW LINE LEAKRemediation Action Plan

NMOCD Incident No. nAPP2408932632 UL "A", Sec. 01, T23S, R31E 32.339851, -103.723865 Eddy County, New Mexico

September 18, 2024



PREPARED ON BEHALF OF

DCP Operating Company, LP 370 17th St., Suite 2500 Denver, CO 88240



PREPARED BY

Tasman, Inc. 2620 W. Marland Blvd. Hobbs, NM 88240





September 18, 2024

DCP Operating Company, LP 370 17th Street, Suite 2500 Denver, Colorado 88240

Attn: Mr. Steve Weathers

Email: Stephen.weathers@p66.com

Re: Remediation Action Plan

DTW Line Leak

UL "A", Section 01, Township 23 South, Range 31 East

Lea County, New Mexico

NMOCD Incident No. nAPP2408932632

Tasman Project No. 7131

Dear Mr. Weathers,

Tasman, Inc. (Tasman) is pleased to submit this Remediation Action Plan for the above referenced site. Site assessment activities were executed in accordance with the New Mexico Oil Conservation Division (NMOCD) regulations concerning the delineation of release of produced water to the environment.

Tasman conducted initial assessment activities, identifying an approximately 23,500 square foot area that had been impacted by the release. The release area was then vertically, and horizontally delineated. Based on laboratory analytical results from soil samples collected during assessment sampling activities, impacted soil within the release area has been or will be delineated to the applicable NMOCD Action Level. Additional project details are provided in the attached Remediation Action Plan.

Tasman appreciates the opportunity to provide environmental services to DCP Operating Company, LP. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Sincerely,

Tasman, Inc.

Brett Dennis
Project Manager

bdennis@tasman-geo.com

Kyle Norman

SW Regional Manager

knorman@tasman-geo.com

TABLE OF CONTENTS

1.0 INTR	RODUCTION	. 1
1.1	Site Description	
1.2	Release Detail and Initial Response	. 1
2.0 SITE	CHARACTERISTICS	
2.1	Depth to Groundwater	. 1
2.2	Karst Potential & Subsurface Mines	. 2
2.3	Distance to Nearest Potable Water Well	. 2
2.4	Distance to Nearest Surface Water	. 2
2.5	100-year Floodplain	. 2
2.6	Residence, School, Hospital, or Institution	. 2
2.7	Proximity to Sensitive Receptors and Site Characteristics Summary	. 3
3.0 REM	EDIATION ACTION LEVELS	. 3
3.1	Reclamation Levels	. 3
4.0 RELE	ASE ASSESSMENT	. 4
4.1	Soil Sampling Procedures for Laboratory Analysis	. 4
4.2	Soil Analytical Methods	. 4
4.3	Release Area Assessment Data Evaluation	. 5
5.0 PRO	POSED REMEDIAL ACTIONS	. 5
6 0 PRO	POSED RECLAMATION AND REVEGETATION	5

Figures

Figure 1 – Site Location & Groundwater Map

Figure 2 – Karst Potential & Subsurface Mine Map

Figure 3 – Surface Water Map

Figure 4 – FEMA FIRMete Map

Figure 5 – Delineation Overview Map

Tables

Table 1 – Soil Sample Analytical Summary – Delineation Soil Samples

Appendix A - Initial Form C-141 and NMOCD Notifications

Appendix B – Depth to Groundwater Information

Appendix C - Photographic Log

Appendix D – Certified Laboratory Analytical Reports



1.0 INTRODUCTION

Tasman, Inc. (Tasman) is pleased to submit this Remediation Action Plan for the DTW Line Leak (site) on behalf of DCP Operating Company, LP (DCP), documenting the results of field activities conducted in response to a release of natural gas and natural gas condensate to environmental media.

1.1 Site Description

The site is located in Unit Letter "A" of Section 01, Township 23 South, Range 31 East in Eddy County, New Mexico. The release occurred from the DTW produced water pipeline. The release occurred on Bureau of Land Management (BLM) property.

1.2 Release Detail and Initial Response

On March 27, 2024, the DTW pipeline was discovered by DCP personnel to have failed due to line operations. On March 29, 2024, DCP provided notice of release to the NMOCD portal and to the BLM by email. The release resulted in the loss of approximately 68 barrels (bbls) of produced water to the surrounding environmental media, with approximately 30 bbls recovered. DCP personnel shut in the pipeline to isolate the release. The line was later repaired and returned to service.

A copy of the BLM and NMOCD notifications are provided in Appendix A.

2.0 SITE CHARACTERISTICS

2.1 Depth to Groundwater

Tasman reviewed available depth to groundwater information available through the New Mexico Office of the State Engineer (NMOSE) and the United States Geologic Survey (USGS) for registered water wells within a half-mile radius of the site. The nearest well with available groundwater level data is located 0.38 miles northwest of the site, identified as C-04726. The bore hole was measured on April 23, 2023, with no presence of groundwater.

The Site Location & Groundwater Map included as Figure 1 illustrates the location of the registered water wells within the vicinity of the site, and a summary of depth to groundwater information is provided as Appendix B.



2.2 Karst Potential & Subsurface Mines

Tasman utilized the publicly available karst potential map published by the Bureau of Land Management (BLM) Carlsbad Field Office (CFO) to determine the potential for encountering karst formations beneath the site. Review of the BLM CFO karst potential map indicates that the site is not located in an area of high potential to encounter karstic features.

Tasman utilized the USGS Mineral Resources database to determine that there are no subsurface mines beneath or in the vicinity of the site.

Areas of high/critical karst and subsurface mine locations are illustrated on Figure 2.

2.3 Distance to Nearest Potable Water Well

The nearest potable water well is USGS 322046103460301. The well is located 1.58 miles from the site. The location of USGS 322046103460301 is shown on the attached Figure 1.

2.4 Distance to Nearest Surface Water

Tasman reviewed aerial imagery and the National Wetland Inventory Map, published by the U.S. Fish and Wildlife Service, for wetlands and surface water in the vicinity of the site. The nearest wetland, freshwater pond, is located approximately 1.07 miles from the site. The nearest significant surface water was identified as Hill Tank Lake, located 7.1 miles from the site. The location of the nearest surface water body can be seen on Figures 1 and 3.

2.5 100-year Floodplain

Review of flood map data published by the Federal Emergency Management Agency (FEMA) indicates the site is not located within a 100-year floodplain. A copy of the FEMA FIRMete Map can be found attached as Figure 4.

2.6 Residence, School, Hospital, or Institution

Review of aerial imagery did not show that the site is within 300 feet of an occupied permanent residence, school, hospital, or institution.



2.7 Proximity to Sensitive Receptors and Site Characteristics Summary

The table below denotes if the site is located within the minimum allowable distance from a sensitive receptor, as defined in New Mexico Administrative Code (NMAC) 19.15.29.

Site Characteristics Summary		
Approximate depth to groundwater:	>55 1	ft bgs
Within an area of high karst potential?	☐ Yes	☑ No
Within 300 ft. of any continuously flowing of significant watercourse?	☐ Yes	☑ No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	☐ Yes	☑ No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	☐ Yes	☑ No
Within 500 ft. of a spring or private, domestic fresh water well?	☐ Yes	☑ No
Within 1,000 ft. of any fresh water well?	☐ Yes	☑ No
Within the incorporated municipal boundaries or within a municipal well field?	☐ Yes	☑ No
Within 300 ft. of a wetland?	☐ Yes	☑ No
Within the area overlying a subsurface mine?	☐ Yes	☑ No
Within an unstable area?	☐ Yes	☑ No
Within a 100-year floodplain?	☐ Yes	☑ No

3.0 REMEDIATION ACTION LEVELS

NMOCD assessment and cleanup levels for hydrocarbon and produced water releases are based on depth to groundwater and proximity to sensitive receptors as established in NMAC 19.15.29. Based on site characteristics described in Section 2.0, the NMOCD Action Levels for a site with a depth to groundwater of from 50 to 100 feet bgs were utilized; these Action Levels are as follows:

Constituent	Remediation Action Level
Chloride	10,000 mg/kg
TPH (GRO+DRO+MRO)	2,500 mg/kg
TPH (GRO+DRO)	1,000 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

TPH – total petroleum hydrocarbons

DRO – diesel range organics

BTEX – benzene, toluene, ethylbenzene, total xylenes

GRO – gasoline range organics MRO – motor/lube oil range organics

mg/kg – milligrams per kilogram

3.1 Reclamation Levels

NMAC 19.15.29.13(D) codifies, and the *Procedures for Implementation of the Spill Rule*, dated September 6, 2019, clarifies that the top four feet of the remediated area should be non-waste containing. Therefore, the NMOCD Reclamation Standards are applied to the top four feet of any area impacted by a release that is not located within an active production facility. NMOCD Reclamation Standards are as follows:



Constituent	Reclamation Standard
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

4.0 RELEASE ASSESSMENT

On March 28, 2024, Tasman was retained by DCP to respond to a release of produced water at the site. Initial observations indicated a release area of approximately 23,500 square feet (ft²). A photographic log of the release area is included as Appendix C. Three soil borings (HA1 through HA3) were advanced by hand auger and field screened using a photoionization detector (PID) for presence of volatile organic compounds and field titration kit for presence of chlorides. See the attached Table 1 for a summary of field screening results.

On April 17, 2024, Tasman advanced seven delineation trenches using machinal equipment, referred to as verticals (V-1 through V-7), to delineate the release area. Verticals were advanced to depths ranging from 6 ft bgs to 12 ft bgs.

On May 14, 2024, Tasman personnel returned to the advance three soil borings (SB-1 through SB-3) via hand auger within the release area to a depth of 0.5 ft bgs.

The attached Figure 5 illustrates the observed release and location of soil sample locations.

4.1 Soil Sampling Procedures for Laboratory Analysis

The collection of soil samples for laboratory analysis was conducted in accordance with NMOCD criteria and generally approved industry standards. Collected soil samples were placed in laboratory provided containers, properly labeled, and preserved on ice pending delivery under a chain of custody form to Cardinal Laboratory in Hobbs, New Mexico.

4.2 Soil Analytical Methods

Each soil sample was analyzed using Environmental Protection Agency (EPA) methods or other NMOCD-approved methods. Laboratory analytical methods are as follows:

- Chloride EPA Method SM4500.
- Total Petroleum Hydrocarbons (TPH) gasoline, diesel, and motor/lube oil range organics (GRO+DRO+MRO) EPA Method 8015M Extended.
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) EPA Method 8021B.



4.3 Release Area Assessment Data Evaluation

Concentrations of chlorides were detected greater than Reclamation Levels in soil samples V-7 at 4 ft bgs (9,400 milligrams per kilogram [mg/kg]) and 12 ft bgs (640 mg/kg), SB-1 at 0.5 ft bgs (3,000 mg/kg), SB-2 at 0.5 ft bgs (4,720 mg/kg) and SB-3 at 0.5 ft bgs (7,120 mg/kg). The remaining samples exhibited concentrations less than Reclamation Levels ranging from 16.0 mg/kg to 320 mg/kg.

Concentrations of benzene, BTEX and TPH were not detected above laboratory detection limits in any of the soil samples collected.

Analytical results are summarized on Table 1 and laboratory analytical results are included as Appendix D.

5.0 PROPOSED REMEDIAL ACTIONS

Tasman proposes to remediate the site using physical removal of soil within the delineated area of the release surrounding vertical V-7 to a depth of 5 ft bgs. The areas surrounding SB-1 through SB-3 will be scraped to a depth of 0.5 to 1 ft bgs. Excavated soil will be staged on-site atop a polyethylene liner pending transportation under manifest to an NMOCD approved disposal facility.

Once field data indicates that the release area has been remediated to NMOCD requirements established in Section 3.0, Tasman will collect five-point confirmation samples from the base and sidewalls of the excavation. The collected confirmation soil samples will represent an area no greater than 400 ft². Confirmation sampling activities and laboratory analysis will be conducted as described in Sections 4.1 and 4.2.

6.0 PROPOSED RECLAMATION AND REVEGETATION


Upon receipt of confirmation samples that indicate remediation objectives have been met, areas affected by the release and associated remediation activities will be restored to the condition which existed prior to the release to the maximum extent possible. Excavated areas will be backfilled with non-impacted "like" material and contoured and/or compacted to achieve erosion control, stability, and preservation of surface water flow to the extent practicable.




The BLM (surface owner) will be consulted for their preference in native seed mix. Upon BLM approval, Tasman will seed the area using the approved seed mixture during the next favorable growing season. The seed mix will be broadcast at a rate two times the suggested amount to ensure the greatest likelihood for sufficient germination. The seed will be "set" using mechanical means (e.g., screen or disc harrow) following the seeding event.

FIGURES

Received by OCD: 9/20/2024 1:39:08 PM




Received by OCD: 9/20/2024 1:39:08 PM



Released to Imaging: 10/18/2024 11:11:31 AM

Received by OCD: 9/20/2024 1:39:08 PM



DATE:

April 2024

DESIGNED BY:

L. Flores

DRAWN BY:

L. Flores

Released to Imaging: 10/18/2024 11:11:31 AM

TASMAN Tasman, Inc. 6855 W. 119th Ave Broomfield, CO 80020

DCP Operating Company, LP DTW Line Leak - nAPP2408932632

UL "A", Sec. 01, T23S, R31E Eddy County, New Mexico Surface Water Map

Figure 3


National Flood Hazard Layer FIRMette



Legend

Figure 4

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT




This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/26/2024 at 11:43 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Page 17 of 69 Received by OCD: 9/20/2024 1:39:08 PM



DESIGNED BY: C. Flores

DRAWN BY:

TASMAN Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020 C. Flores, L. Flores

DCP Operating Compay, LP DTW Line Leak - nAPP2408932632

UL "A", Sec. 1, T23S, R31E Eddy County, New Mexico

Delineation Overview Map

Figure

TABLE

TABLE 1 SOIL ANALYTICAL SUMMARY DCP Operating Company, LP DTW Line Leak (03.27.24)

HA-1 HA-2 BG-1	5' 7' 0-0.5' 2' 4' 0-0.5'	3/9/2022 3/9/2022 4/17/2024	Excavated In-Situ Excavated Excavated In-Situ In-Situ In-Situ	3,601 118 330 149 81.0	453 90 11,889 85	(mg/kg) te Assessment S 	(mg/kg) oil Samples	GRO 	DRO	MRO	TOTAL	(mg/kg)
HA-2 BG-1	7' 0-0.5' 2' 4' 0-0.5' 0.5'	3/9/2022	In-Situ Excavated Excavated In-Situ	118 330 149	453 90 11,889 85							
HA-2 BG-1	7' 0-0.5' 2' 4' 0-0.5' 0.5'	3/9/2022	In-Situ Excavated Excavated In-Situ	118 330 149	90 11,889 85						1	1
HA-2 BG-1	0-0.5' 2' 4' 0-0.5' 0.5'	3/9/2022	Excavated Excavated In-Situ	330 149	11,889 85							
BG-1	2' 4' 0-0.5' 0.5' 2'	3/9/2022	Excavated In-Situ	149	85							
BG-1	4' 0-0.5' 0.5' 2'	3/9/2022	In-Situ									
	0-0.5' 0.5' 2'			81.0								
	0.5' 2'		In-Situ		90							
V1	2'	4/17/2024		0.4	85							
V1	2'	4/17/2024				Delineation Soi	l Samples					
V1			In-Situ	0.4	370							
	Δ'	4/17/2024	In-Situ	0.4	143	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	16.0
		4/17/2024	In-Situ	0.3	118							
	6'	4/17/2024	In-Situ	0.7	84	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
	0.5'	4/17/2024	In-Situ	0.0	142							
V2	2'	4/17/2024	In-Situ	1.8	1504	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	16.0
·	4'	4/17/2024	In-Situ	2.9	148							
	6'	4/17/2024	In-Situ	0.9	120	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	64.0
	0.5'	4/17/2024	In-Situ	0.0	141							
V3	2'	4/17/2024	In-Situ	0.8	85	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
_	4'	4/17/2024	In-Situ	0.8	89							
	6'	4/17/2024	In-Situ	0.8	87	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
	0.5'	4/17/2024	In-Situ	0.0	147							
V4	2'	4/17/2024	In-Situ	0.9	114	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
	4'	4/17/2024	In-Situ	2.8	90							
	6'	4/17/2024	In-Situ	0.7	122	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
	0.5'	4/17/2024	In-Situ	0.5	116							
V5	2'	4/17/2024	In-Situ	0.6	85	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
v3	4'	4/17/2024	In-Situ	0.6	114							
	6'	4/17/2024	In-Situ	1.8	117	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
	0.5'	4/17/2024	In-Situ	0.0	456							
V6	2'	4/17/2024	In-Situ	0.4	150	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	320
_	4'	4/17/2024	In-Situ	0.9	151							
	6'	4/17/2024	In-Situ	2.7	147	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	16.0
	0.5'	4/17/2024	In-Situ	0.7	1899							
	2'	4/17/2024	In-Situ	0.1	2257							
	4'	4/17/2024	In-Situ	0.2	3393	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	9,400
V7	6'	4/17/2024	In-Situ	0.0	3761							
٧,	8'	4/17/2024	In-Situ	0.0	1491							
	10'	4/17/2024	In-Situ	0.1	3452							
	11'	4/17/2024	In-Situ	0.0	950							
	12'	4/17/2024	In-Situ	0.0	664	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	640
SB-1	0.5'	5/14/2024	In-Situ			<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	3,000
SB-2	0.5'	5/14/2024	In-Situ			<0.050	<0.300	<10.0	31.9	<10.0	31.9	4,720
SB-3	0.5'	5/14/2024	In-Situ			<0.050	<0.300	<10.0	59.5	18.9	78.4	7,120
NN	MOCD Recla	mation Levels ⁴		N/A	N/A	10	50		NA		100	600
	NMOCD Act	tion Levels ⁵		N/A	N/A	10	50	1,0	00	N/A	2,500	20,000

- 1. BTEX = Benzene, toluene, ethylbenzene, and total xylenes by EPA method 8021B
- 2. TPH = Total petroleum hydrocarbons analyzed by method EPA 8015M (GRO/DRO/MRO)
- 3. Chloride Analyzed by EPA method SM4500
- 4. New Mexico Administrative Code (NMAC) 19.15.29.13(D) Restoration, Reclamation, and Re-vegetation (Reclamation for areas no longer in use) for soils extending to 4 ft. below grade surface (bgs).
- 5. New Mexico Oil Conservation Division (NMOCD) Remediation and Delineation Standards (NMAC 19.15.29.12(N))

Bold values denote concentrations above laboratory RDL

Red values denote concentrations above NMOCD Action Levels

- BGS = Below ground surface
- GRO = Gasoline range organics DRO = Diesel range organics

MRO = Motor/lube oil range organics

PID = Photoionization detector

- --- = Sample was not analyzed for this analyte
- <RDL = The analyte was not detected above the laboratory reported detection limit (RDL)

N/A = Not applicable

APPENDIX A – NMOCD NOTIFICATIONS

From: Taylor, Shelly J

To: Kyle Norman; BLM NM CFO REALTY Spill

Cc: Case, Nicholas L; Smalts, Raymond A; Daly, Stacey; Dabney, Claudia; Hyman, Janice L; Hyman, Albert L;

kelley.r.michael@p66.com; Hammons, Travis; Brett Dennis; Miguel CardonaJr; Laura Flores

Subject: Re: [EXTERNAL] BLM Notification 7131_DTW Line Leak (3.27.24)_nAPP2408932632

Date: Wednesday, April 3, 2024 7:34:20 PM

Attachments: image001.png
Outlook-10rgqrky.png

You are cleared to proceed with remedial activities.

Respectfully,

Shelly J Tayler
Assistant Field Manager
Lands & Minerals - Acting

Bureau of Land Management Pecos District/Roswell Field Office 2909 W 2nd St Roswell, NM 88201

Direct 575.627.0250 Mobile 575.200.0614 sjtaylor@blm.gov



From: Kyle Norman < knorman@tasman-geo.com>

Sent: Friday, March 29, 2024 9:10 AM

To: Taylor, Shelly J <sjtaylor@blm.gov>; BLM_NM_CFO_REALTY_Spill

<blm_nm_cfo_realty_spill@blm.gov>

Cc: Case, Nicholas L < Nicholas.L.Case@p66.com>; Smalts, Raymond A

<Raymond.A.Smalts@p66.com>; Daly, Stacey <stacey.daly@p66.com>; Dabney, Claudia

<claudia.dabney@p66.com>; Hyman, Janice L <Janice.L.Hyman@p66.com>; Hyman, Albert L

<albert.L.Hyman@P66.com>; kelley.r.michael@p66.com <Kelley.R.Michael@p66.com>; Hammons,

Travis <Travis.Hammons@p66.com>; Brett Dennis <bdennis@tasman-geo.com>; Miguel CardonaJr

<mcardona@tasman-geo.com>; Laura Flores <LFlores@tasman-geo.com>

Subject: [EXTERNAL] BLM Notification 7131_DTW Line Leak (3.27.24)_nAPP2408932632

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Ms. Taylor,

Please see attached kmz file and photos on the DTW Line Leak (3.27.24)_nAPP2408932632and the information below.

Cause of Release On March 27, 2024, DCP Ops discovered a leak on the DTW pipeline. DCP Ops has shut in the pipeline and scheduled to be repaired.

GPS Data 32.339214, -103.723260

Date of Discovery: 3/27/2024

Produced Water released: 68 bbls

Recovered: 30 bbls Leak area: 23,500 sq. ft.

Please let me know if you have any questions or need anything from me.

Regards,

Kyle Norman

SW Regional Manager

Tasman, Inc.

2620 W. Marland Blvd. Hobbs, NM 88240 C: 575-318-5017

knorman@tasman-geo.com www.tasman-geo.com



District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 328038

QUESTIONS

Operator:	-	OGRID:
DCP OPER	RATING COMPANY, LP	36785
6900 E. La	yton Ave	Action Number:
Denver, C	O 80237	328038
		Action Type:
		[NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source				
Please answer all the questions in this group.				
Site Name	DTW Line Leak			
Date Release Discovered	03/27/2024			
Surface Owner	Federal			

ncident Details			
Please answer all the questions in this group.			
Incident Type	Produced Water Release		
Did this release result in a fire or is the result of a fire	No		
Did this release result in any injuries	No		
Has this release reached or does it have a reasonable probability of reaching a watercourse	No		
Has this release endangered or does it have a reasonable probability of endangering public health	No		
Has this release substantially damaged or will it substantially damage property or the environment	No		
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No		

Nature and Volume of Release	
aterial(s) released, please answer all that apply below. Any calculations or specific justifications for Crude Oil Released (bbls) Details	or the volumes provided should be attached to the follow-up C-141 submission. Not answered.
Produced Water Released (bbls) Details	Cause: Normal Operations Pipeline (Any) Produced Water Released: 68 BBL Recovered: 30 BBL Lost: 38 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 328038

QUEST	2MOI	(contin	red)
QUE3 I		(COHUI)	ueuı

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
6900 E. Layton Ave	Action Number:
Denver, CO 80237	328038
	Action Type:
	[NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)								
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.							
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes							
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.							
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.								

Initial Response							
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.							
The source of the release has been stopped True							
The impacted area has been secured to protect human health and the environment	True						
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True						
All free liquids and recoverable materials have been removed and managed appropriately	True						
If all the actions described above have not been undertaken, explain why	Not answered.						

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

ACKNOWLEDGMENTS

Action 328038

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
6900 E. Layton Ave	Action Number:
Denver, CO 80237	328038
	Action Type:
	[NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
I	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
<u>u</u>	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
V	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
D	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

State of New Mexico

CONDITIONS

Action 328038

CONDITIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
6900 E. Layton Ave	Action Number:
Denver, CO 80237	328038
	Action Type:
	[NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By		Condition Date
knorman	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	3/29/2024

APPENDIX B – DEPTH TO GROUNDWATER INFORMATION



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

17:35		on pains	17573	PARTY.	A
	1111	-	41	LVLD	PM3:24

7	OSE POD NO		NO.)			WELL TAG ID NO. N/A			OSE FILE NO(S).				
TIO	WELL OWN		(5)			IV/A			PHONE (OPTIO	ONAL)				
OCA	Devon Energy								575-748-1838					
WELL L	WELL OWNER MAILING ADDRESS 6488 7 Rivers Hwy								CITY Artesia			STATE NM	88210	ZIP
GENERAL AND WELL LOCATION	WELL LOCATION LATITUDE 32 (FROM GPS) LONGITUDE 103			2	MINUTES SECONDS 20 23.65 N 43 47.22 W			* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84						
1. GENE	DESCRIPTI	ON RELA	CONGITUDE TING WELL LOCATI SS R31E NMPM						S (SECTION, TO	WNSHJIP, RA	NGE) WHE	RE AV	AILABLE	
	LICENSE NO		NAME OF LICE	NSED DRI		Jackie D. Atkins				NAME OF V			COMPANY g Associates, I	nc.
	DRILLING S 4/17		DRILLING END 4/17/23	DED DE		mpleted well (F) ary Well Materi			LE DEPTH (FT) ±55	DEPTH WA	ATER FIRST	N/.	OUNTERED (FT) A	
NO	COMPLETE	D WELL I	S: ARTESIAN	1 \[\tau	DRY HOL	E SHALLO	W (UNCC	ONFINED)		WATER LEVE PLETED WEL		4	DATE STATIC 4/25	
TATIO	DRILLING F		AIR		MUD	ADDITIV			T 11 C	. 1	CHECK I	IFRE II	F PITLESS ADA	PTER IS
FORM	DRILLING N			HAMMER		LE TOOL OTH		CIFY: F	Hollow Stem	Auger	INSTALL	ED	11122331121	
DRILLING & CASING INFORMATION	FROM	(feet bgl	BOKETIC	LE	(include	MATERIAL AND/OR GRADE each casing string, and sections of screen)		CASING CONNECTION TYPE (add coupling diameter)				TH	ASING WALL FHICKNESS SIZ (inches) (inc	
& CA	0	55	±6.25			Soil Boring								
ING				_										
RILI				-										
2. D														
						*		,	•		•			
				-										
AL	DEPTH FROM	(feet bgl	DIAM (inc			ST ANNULAR SE VEL PACK SIZE				1	OUNT		METHO PLACEN	
3. ANNULAR MATERIAL						1	N/A							
MA														
LAR		-								-		+		
NN		-										\dashv		
3. A.												1		
FOR	OSE INTER								WR-2	0 WELL RE	ECORD &	LOG	(Version 01/2	8/2022)
		04			,	POD NO).		TRN		4516	1	1	
LOC	CATION 7	35.	31E.01.	114					WELL TAG I	D NO.			PAGE	1 OF 2

									T		
	FROM	DEPTH (feet bgl) THICKNESS (feet) COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)					WAT BEARI (YES /	NG?	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)		
	0	9	9	Sand, medium-fir	e grained, poorl	y, graded, ı	inconsolidated, b	rown	Y	✓ N	
	9	14	5	Sand, medium-fine	grained, poorly	, graded, se	mi-consolidated,	brown	Y	✓ N	
	14	20	6	Sand, medium-1	ine grained, poo	rly, graded	unconsolidated,	tan	Y	√ N	
	20	45	25	Sand, fine g	grained, poorly,	graded, und	onsolidated, tan		Y	✓ N	
	45	55	10	Clay,s	tiff, with very-fi	ne silt, red	dish brown		Y	√ N	
77									Y	N	
4. HYDROGEOLOGIC LOG OF WELL									Y	N	
OF									Y	N	
507									Y	N	
310									Y	N	
070									Y	N	
GEO									Y	N	
ORO									Y	N	
HXI									Y	N	
4									Y	N	
									Y	N	
									Y	N	
									Y	N	
-									Y	N	
									Y	N	
									Y	N	
								TAL ESTIM ELL YIELD		0.00	
7	WELL TES	TEST	RESULTS - ATT	ACH A COPY OF DATA	A COLLECTED	DURING					
SION			4							-	
TEST; RIG SUPERVIS	MISCELLANEOUS INFORMATION: Temporary well material removed and soil boring backfilled using drill cuttings from total depth to ten feet below ground surface(bgs), then hydrated bentonite chips ten feet bgs to surface.										
; RIG S	10 Tomb Raider 1 Fed 1 10 Tomb Raider 1 Fed 1										
EST	PRINT NAM	ME(S) OF D	RILL RIG SUPER	VISOR(S) THAT PROV	IDED ONSITE	SUPERVI	SION OF WELL	CONSTRI	JCTION OT	THER TH	IAN LICENSEE:
5. T	Shane Eldri										
TURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:										
. SIGNATURE	Jack Ath	leins		Jac	kie D. Atkins				4/20	6/23	
.9		SIGNAT	TURE OF DRILLE	ER / PRINT SIGNEE N	JAME					DATE	
FO	R OSE INTER								ECORD & I	LOG (Ve	rsion 01/28/2022)
		0472			POD NO.		TRN N	io. 7	45/69		T
LO	CATION 7	55.3	IE. OL.	114			WELL TAG ID	NO.			PAGE 2 OF 2



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag POD Number

Q64 Q16 Q4 Sec Tws Rng

X Y

NA C 04726 POD1 1

1 1 4 01 23S 31E

619538 3578821

3821 🍍

Driller License: 1249 **Driller Company:** ATKINS ENGINEERING ASSOC. INC.

Driller Name: JACKIE D. ATKINS

Drill Start Date: 04/17/2023

Drill Finish Date:

04/17/2023

Plug Date:

04/25/2023

Log File Date: 04/27

04/27/2023 **PCW Rev Date:**

Estimated Yield:

Pump Type: Casing Size: Pipe Discharge Size: Depth Well:

Depth Water:

Source:

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/8/24 11:20 AM

POINT OF DIVERSION SUMMARY

APPENDIX C – PHOTOGRAPHIC LOG























DCP Operating Company, LP DTW Line Leak (3.27.24)





APPENDIX D – CERTIFIED LABORATORY ANALYTICAL REPORT



April 24, 2024

KYLE NORMAN
TASMAN GEOSCIENCES
6899 PECOS ST. UNIT C
DENVER, CO 80221

RE: 7131_DTW_LINE_LEAK

Enclosed are the results of analyses for samples received by the laboratory on 04/18/24 9:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

TASMAN GEOSCIENCES **KYLE NORMAN** 6899 PECOS ST. UNIT C **DENVER CO, 80221** Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

Project Number: NONE GIVEN

Project Location: DCP MIDSTREAM Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact Sample Received By: Tamara Oldaker

Sample ID: V 1 @ 2' (H242071-01)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	99.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024 Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 1 @ 6' (H242071-02)

BTEX 8021B	mg,	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Resu l t	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96 . 5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	98.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.3	% 49.1-14	18						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incident of the subscissions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

mg/kg

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 2 @ 2' (H242071-03)

BTEX 8021B

	9,	•••9	7	7 5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	108	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	96.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	81.5	% 49.1-14	8						

Analyzed By: JH

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incinumed by dient; is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK
Project Number: NONE GIVEN

ma/ka

Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 2 @ 6' (H242071-04)

RTFY 8021R

B1EX 8021B	mg/	кд	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	97.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	83.1	% 49.1-14	8						

Analyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C **DENVER CO, 80221** Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

Project Number: NONE GIVEN Project Location: DCP MIDSTREAM Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact Sample Received By: Tamara Oldaker

Sample ID: V 3 @ 2' (H242071-05)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	103 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	98.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	83.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024
Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 3 @ 6' (H242071-06)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	99.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incident of the subscissions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

ma/ka

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 4 @ 2' (H242071-07)

RTFY 8021R

B1EX 8021B	mg,	/kg	Anaiyze	a BA: TH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	108	% 71.5-13-	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	94.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	82.7	% 49.1-14	8						

Applyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incinumed by dient; is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK
Project Number: NONE GIVEN

Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 4 @ 6' (H242071-08)

BTEX 8021B	mg,	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	114	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Resu l t	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	95.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	83.2	% 49.1-14	18						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK
Project Number: NONE GIVEN

ma/ka

Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 5 @ 2' (H242071-09)

RTFY 8021R

B1EX 8021B	mg,	/kg	Analyze	ea By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PL	D 102	% 71.5-13	34						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	105	% 48.2-13	34						
Surrogate: 1-Chlorooctadecane	92.7	% 49.1-14	18						

Applyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK
Project Number: NONE GIVEN

ma/ka

Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 5 @ 6' (H242071-10)

RTFY 8021R

BIEX 8021B	mg,	/kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/21/2024	ND	2.20	110	2.00	3.93	
Toluene*	<0.050	0.050	04/21/2024	ND	2.09	105	2.00	2.08	
Ethylbenzene*	<0.050	0.050	04/21/2024	ND	2.12	106	2.00	1.47	
Total Xylenes*	<0.150	0.150	04/21/2024	ND	6.33	106	6.00	1.75	
Total BTEX	<0.300	0.300	04/21/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	116	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	97.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.8	% 49.1-14	8						

Applyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK
Project Number: NONE GIVEN

Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 6 @ 0.5" (H242071-11)

RTFY 8021R

BIEX 8021B	mg,	/kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/22/2024	ND	1.87	93.5	2.00	14.8	
Toluene*	<0.050	0.050	04/22/2024	ND	1.90	95.2	2.00	18.0	
Ethylbenzene*	<0.050	0.050	04/22/2024	ND	1.94	97.2	2.00	22.6	
Total Xylenes*	<0.150	0.150	04/22/2024	ND	5.78	96.3	6.00	22.6	
Total BTEX	<0.300	0.300	04/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	117	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	91.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.7	% 49.1-14	8						

Applyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

mg/kg

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 6 @ 6' (H242071-12)

BTEX 8021B

DILX GOZID	mg/	Ng .	Andryze	.a by: 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/22/2024	ND	1.87	93.5	2.00	14.8	
Toluene*	<0.050	0.050	04/22/2024	ND	1.90	95.2	2.00	18.0	
Ethylbenzene*	<0.050	0.050	04/22/2024	ND	1.94	97.2	2.00	22.6	
Total Xylenes*	<0.150	0.150	04/22/2024	ND	5.78	96.3	6.00	22.6	
Total BTEX	<0.300	0.300	04/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg/	'kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96 . 5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	97.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.2	% 49.1-14	8						

Analyzed By: JH

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C **DENVER CO, 80221** Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK Project Number: NONE GIVEN

Project Location: DCP MIDSTREAM Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact Sample Received By: Tamara Oldaker

Sample ID: V 7 @ 4' (H242071-13)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/22/2024	ND	1.87	93.5	2.00	14.8	
Toluene*	<0.050	0.050	04/22/2024	ND	1.90	95.2	2.00	18.0	
Ethylbenzene*	<0.050	0.050	04/22/2024	ND	1.94	97.2	2.00	22.6	
Total Xylenes*	<0.150	0.150	04/22/2024	ND	5.78	96.3	6.00	22.6	
Total BTEX	<0.300	0.300	04/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	9400	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96.5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	102 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	89.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 04/18/2024 Reported: 04/24/2024

Project Name: 7131_DTW_LINE_LEAK

ma/ka

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 04/17/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: V 7 @ 12' (H242071-14)

RTFY 8021R

BIEX 8021B	mg,	/kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/22/2024	ND	1.87	93.5	2.00	14.8	
Toluene*	<0.050	0.050	04/22/2024	ND	1.90	95.2	2.00	18.0	
Ethylbenzene*	<0.050	0.050	04/22/2024	ND	1.94	97.2	2.00	22.6	
Total Xylenes*	<0.150	0.150	04/22/2024	ND	5.78	96.3	6.00	22.6	
Total BTEX	<0.300	0.300	04/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	115	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	640	16.0	04/22/2024	ND	480	120	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/19/2024	ND	193	96 . 5	200	4.87	
DRO >C10-C28*	<10.0	10.0	04/19/2024	ND	180	90.0	200	3.85	
EXT DRO >C28-C36	<10.0	10.0	04/19/2024	ND					
Surrogate: 1-Chlorooctane	90.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	77.6	% 49.1-14	8						

Applyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incinumed by dient; is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



Notes and Definitions

QR-04 The RPD for the BS/BSD was outside of historical limits.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS

ecovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incident of the subscissions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Company Name: Tasman Geosciences

Project Manager: Kyle Norman

Address: 2620 W. Marland Blvd.

ARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325)673-7020

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

ANALYSIS REQUEST

City: Hobbs	State: NM Zip: 8	22.40	_					- 0	omp	any:	Tas	sman Geo							1			- 1	
Phone #: 575-318	3-5017 Fax #:	3240						A	ttn:	Kyle	Nor	man		1			1	1	1				
Project #:								A	ddre	ess: 2	2620	W. Marlan	ıd	1	1			1					
Project Name:	Project Owner: DO 7131_DTW_Line_Leak	P Midstrea	ım					C	ity: l	lobb:	s			٦¥			1						
Project Location:	- Leak							SI	tate:	NM	Zip	: 88240				S		5	Rush				1
ampler Name:	Bryan bastos							P	hone	#: 5	575-3	318-5017		15	X	de	σ	ä	Š				1
OR LAB USE ONLY			_	_				Fa	ax #:			1		801	BTEX	O	Hold	F	-				
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	15	GROUNDWATER	TER	SOIL		OTHER		ICE / COO/	1		AMPLING	TPH	В	Chlorides	_	24-hr Rush	48-Hr				
1	V1 @ 2'			O								DATE	TIME				- 1						
3	V1 @ 2	G	Ι.			Х				Х		4/17/24	9:25	X	Х	Х	-	_	_	_	_		
3	V2 @ 2'	G	1 '			X				Х		4/17/24	9:45	X	Х	X	-	-	-	\rightarrow			
4	V2 @ 2	G	1 '	Ш		X				Х		4/17/24	10:05	X	Х	X	-	\rightarrow	\rightarrow	_			
5	V3 @ 2'	G	Ι.	Ц		X				Х		4/17/24	10:20	X	X	X	\rightarrow	-	-	_			
(0	V3 @ 6'	G				X				Х		4/17/24	10:45	X	X	X	\rightarrow	\rightarrow	\rightarrow	_			
7	V4 @ 2'	G	1	Ш		X				X		4/17/24	10:55	X	X	X	\rightarrow	\rightarrow	\rightarrow	_			
Q		G	1			X				X		4/17/24	11:05	X	X	X	\rightarrow	\rightarrow	-	\rightarrow			
<u>a</u>	V4 @ 6'	G	1)	(Х		4/17/24	11:15	x	X	X	\rightarrow	\rightarrow	_	_			
10-															-	-	+	\rightarrow	_	_			
SE NOTE: Liability and Dan	neges. Cardinal's liability and client's exclusive remedy for any claim aristible service. In no event shall Cardinal be liable for incidental or consecution of or eligitates the performance of services fererunder by Cardinal, regi										\neg				-	-	+	-	_	_			
is or successors arising out	able service. In no event shall Cardinal be liable for incidental or conser- of or relative to the performance of services recreancer by Cardinal repo	ing whether basi uental damages.	ed in cor includir	ntract or ing withou	tort, shall t limitatio	be lim	ited to the	amount	paid by	the clie	ent for the	he analyses All	claims including those t	for negligeno	e and any c	ther cause	whatsoever	shall be di					
vered By: (Circ	Date: Time:	Received H	eived	Sam Coo	iple C	ondi tact	tion	de stated		CHEC		Jac.	Phone Result: Fax Result: REMARKS email result Albert.L.Hy bdennis@ta Bbastos@ta	Yes: NM	MData	No No Otas com; I	man-	dd'i Pho	one #:	anice.l	Hyma		

BILL TO

P.O. #:

Company: Tasman Geo



ARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325)673-7020

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Project Manager	Tasman Geosciences												BILL	то		T									
Address: 2620 V										P.O.	#:					+	_	_	-	ANA	YSIS	REQU	EST		
City: Hobbs										Com	pany	: Ta:	sman Geo			-									
Phone #: 575-31	0.5048	: NM Zip : 88240							_		Kyle		_	_		-						-			
Project #:	rdX #								_		_		W. Marla	and		-								1 1	
roject Name:	Proje	ct Owner: DCP Mid	strea	m					_		Hobb	_	vv. ividi id	iiiu	-	ب ا	1	1		1					
roject Location:	7131_DTW_Line_Leak								-				o: 88240			Ä		S	1	ے	اعا			1 1	
ampler Name:									_			_	318-5017	7		2	×	Chlorides	-	24-hr Rush	Rush				
OR LAB USE ONLY	Bryan bastos								_	ax #		575	310-3017			801	BTEX	i E	Hold	2	2			1 1	
			T,		F	_	MAT	RIX	_		RESE	RV.	/	SAME	PLING	1 2	m	F	I	후				1 1	
Lab I.D.	Sample I.D.		(G)RAB OR (C)OMP	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	OTHED.	ACID/BASE	ICE / COOL	OTHER:				TPH		O		24	48-Hr				
119	V5 @ 2	1	G	1	Н	Н	Х	+	+	╀	_	-	DAT	E	TIME										- 1
10	V5 @ 6	1	G		Н	\vdash	X	+	+	╀	X	-	4/17/2	24	11:25	Х	Х	Х				-	+	+	\dashv
1311	V6 @ 0.5)"	G	Ι.	H	\dashv	X	+	+	╀	Х		4/17/2	24	11:35	Х	Х	X		\neg	\rightarrow	+	+	+	\dashv
4412	V6 @ 6'		G	Ι.	\vdash	_	X	+	+	┺	Х		4/17/2	4	11:40	X	Х	X		\neg	\rightarrow	+	+	-	\dashv
13	V7 @4'		G	1 '	Н		X	+	-	┖	X		4/17/2	4	11:55	Х	X	X	\rightarrow		-	+	+	\rightarrow	\rightarrow
14	V7 @ 12	1	G	1 ' 1	Н		X	+	╄		X		4/17/2	4	1:11	Х	X	X	\dashv	\rightarrow	-	+	+	\rightarrow	\rightarrow
			-	H	\vdash	+	4	+	_		Х		4/17/24	4	1:40	Х	Х	X	\rightarrow	-	_	+	\vdash	-	+
			\vdash	H	+	+	+	+								\neg	\neg	\neg	\rightarrow	\rightarrow	\rightarrow	+	\vdash	\rightarrow	\perp
			\vdash	\vdash	+	+	+	\perp						T		\neg	\neg	\neg	\rightarrow	+	_	_	\vdash	\rightarrow	\perp
			Н	\dashv	+	+	+	-	Ш									_	+	+	+	+		_	1
E NOTE: Liability and Dan ter completion of the applica	nages. Cardinal's liability and client's exclusive rem	redy for any claim arising wheth	er base	d in cor	tract or I	and also										\neg	_	+	+	+	-	+	\vdash		\perp
s or successors arising out	nages. Cardinal's liability and client's exclusive rem bible security. In no event shall Cardinal be liable to an published to the performance of services hereur	r incidental or consequental dar nder by Cardinal, regardless of i	mages, whether	includin	g without	t limitati	on, busi	ness inter	ruptions	t paid by s, loss o	the clie f use, or	ent for the	he analyses. All f profits incurre	I claims	including those for	r negligeno	e and any o	ther cause	whatsoever	shall be de	terned waive	d unless made in			
quished By	7 / 10			eived		,	on any c	in trie abo	re state	d reason	ns or oth	herwise											and rec	lerved by Cardin	inal wit
20		Me:02-24	rece	11460		2				/	M	1	11		ne Result:	□ Ye		No	Ac	id'i Pho	ne #:				
quished By:	,	0955	0		12	11	W	20	1	1	d	1/	Low		MARKS:	□ Ye	s 🗆-	No		id'i Fax					_
			Rece	ived	Ву:				6	EC	e e	4	Y	em	ail results	s: NN	//Data	@tas	man_	200	om la	nice I I			
arad B (O:		ne:)p66.co	om;
ered By: (Circ eler - UPS - Bus	ie One)	# 14	4		Sam	ple C	ondi	tion	_	-	CHEC	KED	DV.	1~~	Jilli II Swia	Siliali	-ueo i	com.	Iflores	@tas	sman-	deo com	7111, 11		
500	Giller.	4/-	10		Cool	Jr.	tact					itials		Bps	astos@ta	sman	-geo.	com				,==.00111	*		
		c ne			₩ Ye	s D	Yes		1			0		I											



May 20, 2024

KYLE NORMAN
TASMAN GEOSCIENCES
6899 PECOS ST. UNIT C
DENVER, CO 80221

RE: 7131_DTW_LINE_LEAK

Enclosed are the results of analyses for samples received by the laboratory on 05/14/24 14:33.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 05/14/2024 Reported: 05/20/2024

Project Name: 7131_DTW_LINE_LEAK

mg/kg

Project Number: NONE GIVEN

Project Location: DCP MIDSTREAM

Sampling Date: 05/14/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SB - 1 @ 0-0.5' (H242639-01)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2024	ND	1.96	97.9	2.00	3.01	
Toluene*	<0.050	0.050	05/16/2024	ND	1.96	97.9	2.00	3.10	
Ethylbenzene*	<0.050	0.050	05/16/2024	ND	2.02	101	2.00	3.11	
Total Xylenes*	<0.150	0.150	05/16/2024	ND	6.12	102	6.00	3.86	
Total BTEX	<0.300	0.300	05/16/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	115 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3000	16.0	05/15/2024	ND	448	112	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2024	ND	189	94.5	200	0,623	
DRO >C10-C28*	<10.0	10.0	05/15/2024	ND	203	102	200	1.54	
EXT DRO >C28-C36	<10.0	10.0	05/15/2024	ND					
Surrogate: 1-Chlorooctane	102 :	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	105	% 49.1-14	8						

Analyzed By: MS

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES **KYLE NORMAN** 6899 PECOS ST. UNIT C **DENVER CO, 80221** Fax To:

Received: 05/14/2024 Reported: 05/20/2024

Project Name: 7131_DTW_LINE_LEAK

Project Number: NONE GIVEN

Project Location: DCP MIDSTREAM Sampling Date: 05/14/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: SB - 2 @ 0-0.5' (H242639-02)

BTEX 8021B	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2024	ND	1.96	97.9	2.00	3.01	
Toluene*	<0.050	0.050	05/16/2024	ND	1.96	97.9	2.00	3.10	
Ethylbenzene*	<0.050	0.050	05/16/2024	ND	2.02	101	2.00	3.11	
Total Xylenes*	<0.150	0.150	05/16/2024	ND	6.12	102	6.00	3.86	
Total BTEX	<0.300	0.300	05/16/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	108 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4720	16.0	05/15/2024	ND	448	112	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2024	ND	189	94.5	200	0,623	
DRO >C10-C28*	31.9	10.0	05/15/2024	ND	203	102	200	1.54	
EXT DRO >C28-C36	<10.0	10.0	05/15/2024	ND					
Surrogate: 1-Chlorooctane	90.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	95.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Analytical Results For:

TASMAN GEOSCIENCES KYLE NORMAN 6899 PECOS ST. UNIT C DENVER CO, 80221 Fax To:

Received: 05/14/2024 Reported: 05/20/2024

Project Name: 7131_DTW_LINE_LEAK

Project Number: NONE GIVEN
Project Location: DCP MIDSTREAM

Sampling Date: 05/14/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SB - 3 @ 0-0.5' (H242639-03)

BTEX 8021B	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2024	ND	1.96	97.9	2.00	3.01	
Toluene*	<0.050	0.050	05/16/2024	ND	1.96	97.9	2.00	3.10	
Ethylbenzene*	<0.050	0.050	05/16/2024	ND	2.02	101	2.00	3.11	
Total Xylenes*	<0.150	0.150	05/16/2024	ND	6.12	102	6.00	3.86	
Total BTEX	<0.300	0.300	05/16/2024	ND					
Surrogate: 4-Bromofluorobenzene (PIL	108	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7120	16.0	05/15/2024	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2024	ND	189	94 . 5	200	0.623	
DRO >C10-C28*	59.5	10.0	05/15/2024	ND	203	102	200	1.54	
EXT DRO >C28-C36	18.9	10.0	05/15/2024	ND					
Surrogate: 1-Chlorooctane	101	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	109	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incident of the subscissions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incinumed by dient; is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dain is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keene



ARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325)673-7020

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tas	sman Geosciences											В	ILL TO					Α	NAL'	YSIS	REQ	UES	Т			
Project Manager: Kyl	le Norman							P	.0. #	#:																
Address: 2620 W. Ma	arland Blvd.							С	omp	pany	: Ta	asma	an Geo													
City: Hobbs	State: NM Zip: 88240							A	ttn:	Kylo	e No	rma	n													
Phone #: 575-318-50	17 Fax #:							A	ddr	ress:	262	0 W	. Marland		١											
Project #: 7131	Project Owner: D	СР Оре	erati	ng C	ompa	ny		С	ity:	Hob	bs				X				٦							
Project Name: 7131	DTW Line Leak							s	tate	e: NM	Z	ip: 8	88240		100	_	Chlorides	l_	Rush							
Project Location:								P	hon	ne #:	575	5-31	8-5017		801	BTEX	1.2	Hold	2							
Sampler Name: Kend	ion Stark							F	ax #	#:						ᇤ	은	Ĭ	24-hr							
OR LAB USE ONLY		L				MATR	XIX		F	PRES	ER\	V.	SAN	IPLING	1 ፲	_	ठ		4							
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	#CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME	TPI											
1	SB-1 @ 0-0.5'	G	1	Г		Х			Т		Х		5/14/24	0945	Х	X	X									
7	SB-2 @ 0-0.51	G	1	Г	\Box	Х	\neg		1		Х		5/14/24	0950	Х	Х	Х									
2	SB-3 @ 0-0.51	G	1		П	Х	\neg	\top	1		Х		5/14/24	1100	Х	Х	Х									
	-	\top			П	\neg			7		\neg															
		+			Н		\dashv	\top	7	\neg	\exists			-												
							\exists	\top	1	\neg	\exists															
		+		Н	Н	\forall	\neg	\top	7	\forall	\exists															
-		+	\vdash	Н	Н	\neg	\neg	+	+	\forall	\dashv															
		+		Н	Н	_	\dashv	+	+	\forall	\forall				\vdash			_								
		+	\vdash	Н	Н	+	\dashv	+	+	+	\dashv				\vdash			+								Г
LEASE NOTE: Liability and Dam	nages. Cardinal's liability and client's exclusive remedy for any claim arising w	hether ba	sed in a	contract	t or tort, s	shall be	limited	to the an	mount	paid by	the cli	ient for	the analyses. All I	claims including thos	e for neglig	ence and a	ny other ca	use whatso	oever shall b	be deemed v	waived unle	ss made in	writing and	received by	Cardinal w	vithic
ave after completion of the applica	belies ervice. In no event shall Cardinal be liable for incidental or consequents of or related to the performance of services hereunder by Cardinal, regardles	damage	s, inclu	ding wil	thout limi	tation, c	usines	s interru	ptions,	, 1088.0	use, c	OF IOSS	or profits incurred	by client, its subsidia	nes											
Religauished BV:) Date:	Re	ceiv	ed B	Bv:	_	_	_	_		_			Phone Resu		Yes	□- N			Phone i	#:					_
-	1/19/20	4	~											Fax Result: REMARKS:		Yes	□- No)	Add'l	Fax #:						_
Cull,	9.55	(L	1	0	1	0	0						email re	sults	: NI	ИDа	ta@t	asma	an-g	eo.co	om				
Relinquished By:	Date:	Re	ceiv	ed B	By:									Janice.l									@p6	6.cor	m	
	Time:																300		.,,		,		0,10			
Delivered By: (Cir.					Samp		nditi	on Co	loo				ED BY:	1												
Sampler - UPS - Bu				Ι.	Intact							(Initia														

AD

Yes Yes

^{# 140} □ No □ No † Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 384769

QUESTIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	384769
	Action Type:
	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2408932632
Incident Name	NAPP2408932632 DTW LINE LEAK @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Plan Received

Location of Release Source	
Please answer all the questions in this group.	
Site Name	DTW Line Leak
Date Release Discovered	03/27/2024
Surface Owner	Federal

Incident Details										
Please answer all the questions in this group.										
Incident Type	Produced Water Release									
Did this release result in a fire or is the result of a fire	No									
Did this release result in any injuries	No									
Has this release reached or does it have a reasonable probability of reaching a watercourse	No									
Has this release endangered or does it have a reasonable probability of endangering public health	No									
Has this release substantially damaged or will it substantially damage property or the environment	No									
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No									

Nature and Volume of Release		
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.		
Crude Oil Released (bbls) Details	Not answered.	
Produced Water Released (bbls) Details	Cause: Normal Operations Pipeline (Any) Produced Water Released: 68 BBL Recovered: 30 BBL Lost: 38 BBL.	
Is the concentration of chloride in the produced water >10,000 mg/l	No	
Condensate Released (bbls) Details	Not answered.	
Natural Gas Vented (Mcf) Details	Not answered.	
Natural Gas Flared (Mcf) Details	Not answered.	
Other Released Details	Not answered.	
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 384769

OUEST	ONS (continued)
Operator:	ONS (continued)
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	384769
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.	e. gas only) are to be submitted on the C-129 form.
Initial Response The responsible party must undertake the following actions immediately unless they could create as	safety hazard that would result in injury.
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to	knowledge and understand that pursuant to OCD rules and regulations all operators are required ases which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Stephen Weathers Title: Principal Environmental Specialist DCP Email: SWWeathers@dcpmidstream.com

Date: 09/19/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 384769

QUESTIONS (continued)

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	384769
	Action Type:
	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Site Characterization			
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.			
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)		
What method was used to determine the depth to ground water	NM OSE iWaters Database Search		
Did this release impact groundwater or surface water	No		
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:		
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)		
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)		
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)		
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)		
Any other fresh water well or spring	Between 1 and 5 (mi.)		
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)		
A wetland	Between 1 and 5 (mi.)		
A subsurface mine	Greater than 5 (mi.)		
An (non-karst) unstable area	Greater than 5 (mi.)		
Categorize the risk of this well / site being in a karst geology	Low		
A 100-year floodplain	Greater than 5 (mi.)		
Did the release impact areas not on an exploration, development, production, or storage site	No		

priate district office no later than 90 days after the release discovery date. S led with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC. S per kilograms.) 00 4
ped with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC. s per kilograms.)
per kilograms.)
per kilograms.)
per kilograms.) 00
00
4
5
t remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC,
17/2024
/30/2024
/30/2024
200
0
200
0
submission and may (be) change(d) over time as more remediation efforts are completed.
111111111111111111111111111111111111111

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 384769

QUESTIONS (continued)

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	384769
	Action Type:
	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)		
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:		
(Select all answers below that apply.)		
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes	
Which OCD approved facility will be used for off-site disposal	LEA LAND LANDFILL [fEEM0112342028]	
OR which OCD approved well (API) will be used for off-site disposal	Not answered.	
OR is the off-site disposal site, to be used, out-of-state	Not answered.	
OR is the off-site disposal site, to be used, an NMED facility	Not answered.	
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.	
(In Situ) Soil Vapor Extraction	Not answered.	
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.	
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.	
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.	
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.	
OTHER (Non-listed remedial process)	Not answered.	

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation

hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement

Name: Stephen Weathers

Title: Principal Environmental Specialist DCP

Email: SWWeathers@dcpmidstream.com

Date: 09/19/2024

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Released to Imaging: 10/18/2024 11:11:31 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 384769

QUESTIONS (continued)

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	384769
	Action Type:
	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only		
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.		the following items must be confirmed as part of any request for deferral of remediation.
	Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 384769

QUESTIONS (continued)	
Operator: DCP OPERATING COMPANY, LP	OGRID: 36785
2331 Citywest Blvd Houston, TX 77042	Action Number: 384769
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS Sampling Event Information Last sampling notification (C-141N) recorded {Unavailable.} Remediation Closure Request Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed. Requesting a remediation closure approval with this submission No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 384769

CONDITIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	384769
	Action Type:
	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

CONDITIONS

Cre	ated By	Condition	Condition Date
rh	amlet	The Remediation Plan is Conditionally Approved. All samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Floor confirmation samples should be delineated/excavated to meet closure criteria standards from Table 1 of the OCD Spill Rule for site assessment/characterization/proven depth to water determination. Sidewall/Edge samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. The largest variance confirmation floor sample size that the OCD can currently grant is 400 ft2. The variance is approved for 400 ft2 floor confirmation samples. The release area will still need confirmation sidewall samples representing no more than 200 ft2. All sidewall samples should be taken from the sidewall of the excavation. Please make sure that the edge of the release extent is accurately defined. All off-pad areas must meet reclamation/revegetation standards set forth in the OCD Spill Rule.	10/18/2024